22500149201

County Council of Middlesex,
Public Health Dept.
RECEIVED 14 APR. 1917
ACK.
ANSWERED

SEVENTY-EIGHTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND AND WALES.

(1915.)

Presented to both Houses of Parliament by Command of His Majesty.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C., and 28, ABINGDON STREET, LONDON, S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23 FORTH STREET, EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C.

1917.

[Cd. 8484.] *Price 5s. 0d. Net.*

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call No.

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1915.

	PAGE.
INTRODUCTORY REMARKS—	
Salient Features of the Vital Statistics of the Year	vii
Changes in the Report	viii
REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—	
POPULATION—	
Census and Estimated	ix
Estimates of Civil Populations	ix
Estimated Civil Population by Sex and Age	x
Estimated Population for calculation of Birth-rates	x
Consequent alterations in tables	x
MARRIAGES—	
Number	xi
Changes in the Marriage-rate	xi
Methods of Calculating Marriage-rates	xi
Proportions of First Marriages of both contracting parties	xi
Marriages of Minors	xi
Minors Married per 1000 Marriages at All Ages, First Marriages, 1911–15	xi
Marriages of Bachelors with Spinsters at different Ages per 1000 Marriages at All Ages, 1896–1915	xii
Ages and Mean Ages at First Marriages	xii
Seasonal Distribution of Marriages	xii
Buildings in which Marriages may be Solemnized	xiii
BIRTHS—	
Number	xiv
Changes in the Birth-rate	xiv
Birth-rates in Different Classes of Area and Parts of the Country	xiv
Geographical Divisions employed (North, Midlands, South, Wales)	xiv
Sex Proportions at Birth	xv
Illegitimate Births	xvi
Illegitimate Birth-rates in Different Classes of Area and Parts of the Country	xvi
Natural Increase	xvi
DEATHS—	
Number	xvi
Changes in Death-rate	xvii
Standardization of Death-rates for differences of Sex- and Age-constitution between Total Populations and for differences of Age-constitution between Sex Populations	xvii
Mortality by Sex and Age: Effect of War conditions	xvii
Mortality of Each Sex	xviii
Male Excess at Various Ages	xviii
Mortality at Different Ages	xviii
Infant Mortality in 1915 and other Recent Years	xix
in Different Classes of Area and Parts of the Country, 1915	xix
Causes of Infant Mortality	xx
Increase or Decrease at Various Ages as compared with 1910–14 and 1914	xx
Infant Mortality from Developmental and Wasting Diseases, 1886–1915	xx
By Sex, Age, and Legitimacy, 1915	xxi
In Urban and Rural Areas	xxii
Centenarians	xxii
CAUSES OF DEATH—	
Details shown for Various Areas	xxiii
Comparison of Registrar-General's with International Short List	xxiii
ENTERIC FEVER—	
Trend of Mortality	xxiv
SMALL-POX	xxiv
MEASLES—	
Trend of Mortality	xxiv
Mortality in Administrative Areas	xxv
SCARLET FEVER—	
Trend of Mortality	xxv
Mortality in Administrative Areas	xxv

(8676—42.) Wt. L 2624/16. 1375. 3/17. D & S. G. 46/2.

PAGE.

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—*continued.*

WHOOPING COUGH—
Trend of Mortality ... xxvi
Mortality in Administrative Areas... xxvi

DIPHTHERIA AND CROUP—
Trend of Mortality ... xxvi
Mortality in Administrative Areas ... xxvi

INFLUENZA—
Trend of Mortality ... xxvi

VACCINIA ... xxvi

TUBERCULOSIS—
Trend of Mortality ... xxvi
Crude and Standardized Death-rates ... xxvii
Mortality by Sex and Age ... xxvii
Effect of War conditions ... xxvii

PHTHISIS—
The Title more comprehensive than in Old List ... xxviii
Crude and Standardized Death-rates ... xxix
Mortality by Sex and Age ... xxix

TUBERCULOUS MENINGITIS—
Trend of Mortality ... xxix

TUBERCULOSIS OF THE PERITONEUM AND INTESTINES—
Trend of Mortality ... xxx

OTHER TUBERCULOUS DISEASES—
Trend of Mortality ... xxx

CANCER—
Trend of Mortality ... xxx
Crude and Standardized Mortality ... xxxi
Mortality by Sex and Age ... xxxi
Sites of Fatal Cancer at Ages in each Sex ... xxxii
Mortality by Sex and Age from Cancer of Various Parts of the Body... xxxiv
Comparison of the Frequency of Cancer of Various Sites in Institutions and elsewhere, with distinction of Sex and Age ... xxxiv
Age-distribution of Mortality from Cancer of Various Sites in Institutions and elsewhere ... xxxv

TUMOURS (not returned as Malignant)—
Classification by Sex, Age, and Part of the Body affected ... xxxvi

ALCOHOLISM—
The Title less comprehensive than in Old List ... xxxvii
Alcoholism as a Secondary Cause of Death :
Classification of Deaths by Sex, Age, and Primary Cause ... xxxviii

POLIOMYELITIS ... xxxviii

CEREBRO-SPINAL FEVER—
Use of term ... xxxix
Mortality and Fatality ... xxxix

POSTERIOR BASAL MENINGITIS—
Use of term ... xl
Mortality and Fatality ... xli

PNEUMONIA—
Trend of Mortality ... xli
Mortality in Different Classes of Area and Parts of the Country ... xlii

THE PUERPERAL STATE—
Details of Cause of Death, distinguishing Age ... xliii
Deaths at Ages from various Causes associated with Pregnancy or Childbirth ... xlv

ANÆSTHETICS—
Difference from former Practice in Tabulation ... xlvi
Deaths connected with the Administration of various Anæsthetics, distinguishing Sex and Age ... xlvi
Conditions for which Anæsthetics were administered ... xlvii
Status Lymphaticus ... xlviii

SUICIDE—
Trend of Mortality ... xlviii
Mortality by Sex and Age ... xlviii

ILL-DEFINED CAUSES OF DEATH—
Deaths so classified and Comparison with previous Years ... xlix
Effects upon Tabulation of the Inquiries addressed to Coroners and Medical Practitioners, and their Importance ... xlix

CERTIFICATION OF CAUSES OF DEATH—
Trend of Certification ... l
Inquests by Sex, Age, Area, and Cause ... li
Causes investigated by Inquest in 1898 and 1915 ... liv
Uncertified Deaths by Sex, Age, Area, and Cause ... lv
Proportions of Inquest Cases and of Uncertified Deaths in Registration Counties ... lviii

PAGE.

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—*continued.*

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM—
Proportion of total Mortality occurring in various Classes of Institutions lix

UNITED KINGDOM—
Population lix
Marriages lix
Births lx
Deaths lx
Infant Mortality lxi

BIRTHS AND DEATHS AT SEA lxi

PROGRESS OF REGISTRATION lxi

OFFENCES AGAINST THE REGISTRATION ACTS lxi

SEARCHES AND CERTIFICATES lxii

METEOROLOGY OF THE YEAR 1915 lxiii

TABLES*—

1 United Kingdom: Population of its several portions estimated to the middle of each of the years 1866–1915 2

2 (formerly 5). Marriages, Births, and Deaths, 1866–1915 4

3 (formerly 6). Annual Marriage-, Birth-, and Death-rates and Infant Mortality, 1838–1915 5

4 (formerly 7). Annual Marriage-, Birth-, and Crude Death-rates in each Quarter in Groups of Years, 1838–1915, and in each year, 1906–1915 6

5 (formerly 8). Churches and Chapels of the Established Church and Registered Buildings in which Marriages could be legally solemnized, 31st December, 1915 6

6 (formerly 13). Annual Death-rates at Twelve Groups of Ages, General Death-rate standardized for Sex- and Age-constitution of population, and Infant Mortality, 1838–1915— Males ... 7

7 (formerly 14). " " " Females... 8

8 (formerly 15). " " " Persons ... 9

9 (formerly 19). Deaths from Various Causes at all Ages, 1901–1915—Males, Females, and Persons (List of Causes as in use prior to 1911) 10

10 (formerly 20). Crude Annual Death-rates from Various Causes at all Ages to a Million living, 1901–1915—Males, Females, and Persons (List of Causes as in use prior to 1911) 20

11 (formerly 21). Crude Death-rates at all Ages from Various Causes, 1915—Males, Females and Persons (International List of Causes) 30

12 (formerly 22). Annual Death-rates from the Principal Epidemic Diseases, 1838–1915... 35

13 (formerly 23). Administrative Counties and County Boroughs: Mortality from the principal Epidemic Diseases and from certain Other Causes, 1914 and 1915 36

14 (formerly 29). Infant Mortality by Sex, Age, Cause, and Legitimacy—1915 41

15 (formerly 30). Infant Mortality by Age, Cause, and Legitimacy, 1915—Classes of Administrative Areas 43

16. Infant Mortality by Sex, Age, Cause, and Legitimacy—1911–15 48

17. Infant Mortality by Age, Cause, and Legitimacy—1911–15—Classes of Administrative Areas 50

18. Mortality of Infants and Young Children by Age and Cause, 1891–1900, 1901–10, and 1911–15 55

19. Infant Mortality in Administrative Counties, 1911–15 and 1915 56

20. " " County Boroughs, 1911–15 and 1915 57

21 (formerly 31). Names on Registers, Searches, and Fees received at the General Register Office, 1866–1915 58

22 (formerly 32). Islands in the British Seas. Area and Population; and Births and Deaths, 1891–1915 59

23 (formerly 33). Balance inward or outward on Passenger Movement into and out of the United Kingdom, 1896–1915 59

* Several tables which appeared in the Report for 1914 are omitted from the present Report. For list of these *see* page 1.

PAGE.

TABLES*—*continued.*

24 (formerly 37). Meteorological Elements, Greenwich, 1866–1915 60
25 (formerly 38). „ „ „ Quarterly, 1915 62
26 (formerly 39). Meteorological Table for London, 1915 64
27 (formerly 40). Meteorological Elements at Several Stations, 1915 66
28 (formerly 41). Age-constitution of Populations of Several Countries 70
29 (formerly 42). International Vital Statistics 71

ABSTRACTS†—

MARRIAGES—
In Registration Counties and Districts 83
Of Bachelors and Spinsters, at each year of Age 86

ESTIMATED CIVIL POPULATION, BIRTHS (Legitimate and Illegitimate), Birth-rate, DEATHS, Crude Death-rate and Infant Mortality in each Administrative Area ... 89

DEATHS—
By Sex, and for Females by Condition as to Marriage, at each Year of Age 122
By Sex and Age—
Metropolitan Boroughs 123
County Boroughs 125
Urban and Rural Portions of Counties... 130
From Various Causes by Sex and Age—
England and Wales 138
London 168
County Boroughs 186
Other Urban Districts 204
Rural Districts 222
In each Quarter of the Year, distinguishing Sex and Cause, in Different Classes of Area 240
Of Non-Civilians in England and Wales, distinguishing Age and Cause 258
In various Classes of Institutions, distinguishing Sex, Cause, and Class of Institution in Different Classes of Area 259
By Sex and Short List of Causes and Ages—
Summarized Areas 274
Metropolitan Boroughs 285
County Boroughs 300
Urban and Rural Portions of Counties 341
By Sex and Short List of Causes in Administrative Areas 402
Deaths from Accident, Negligence, Battle, and Execution in England and Wales, distinguishing Age, and Cause or Nature of Accident; Males and Females ... 502
Deaths from Suicide in England and Wales, distinguishing Age and Method; Males and Females 513
Deaths from Murder in England and Wales, distinguishing Age and Method; Males and Females 515
Deaths from Manslaughter and Justifiable Homicide in England and Wales, distinguishing Age and Method; Males and Females 516

---

* Several tables which appeared in the Report for 1914 are omitted from the present Report. For list of these, *see* page 1.

† The following statistics formerly published in the Abstracts of the Annual Reports have been omitted from this issue.

MARRIAGES—
Analysis of, in Registration Divisions and Counties; showing (*a*) mode of solemnization, (*b*) number in each quarter of the year, (*c*) previous Civil Condition of Persons married, (*d*) marriages of Persons not of Full Age, and (*e*) Signatures by mark in Marriage Register.
Ages of Widowers and of Widows.
Ages of Persons married in Registration Counties at ten Groups of Ages.

ESTIMATED POPULATION, BIRTHS, DEATHS, &C.—
Standardizing factors, Standardized Death-Rates and Natural Increase in each Administrative Area.

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—
Enumerated Populations and Calculated Deaths corrected for changes in boundary to 31st December, 1915.

SECONDARY CAUSES OF DEATH.

REPORT

TO

THE RIGHT HONOURABLE LORD RHONDDA,

PRESIDENT OF THE LOCAL GOVERNMENT BOARD, &c., &c.

(1915.)

MY LORD,

I HAVE the honour to submit to you my Report on the estimated population, and on the marriages, births, and deaths registered in England and Wales during the year 1915.

The provisional numbers of marriages, births, and deaths during 1915 in the registration counties of England and Wales, and of births and deaths in towns with a census population of 20,000 or more were published early in March, 1916, in the Annual Summary, which was incorporated with the Return for the Fourth Quarter of the year, the numbers being derived from returns furnished by the registrars acting throughout the country.

The present Report also relates to the year 1915, but the statistics have been compiled from the registers deposited in this office, and they have been analysed in much greater detail than was possible in the "Annual Summary."

The salient features of the vital statistics of 1915 are as follows :—The marriage-rate was 19·5 per 1,000, being 3·6 above the rate in the preceding year, and 4·1 above the average in the ten years 1905–1914. It is the highest rate on record. The provisional figures for 1916, however, indicate a return to the average experience in 1905–1914.

The birth-rate in 1915 was 22·0 per 1,000, being the lowest rate on record. Although this rate is 3·5 below the average for the preceding decennium and 1·8 below the rate in 1914, the fall in the birth-rate in England and Wales during 1915 compares very favourably with the experience of other belligerent countries. The provisional rate for 1916 is 21·6.

The civilian death-rate in 1915 was 15·7 per 1,000, being 1·2 above the average for the total population in the preceding 10 years. Although higher than the rates in recent years the civilian death-rate in 1915 was below the rate for the whole population in any year before 1903. In making these comparisons it must be borne in mind that the civilian death-rate is adversely affected (1) by the withdrawal by enlistment of a large body of men of an age at which mortality experience is below the average, and (2) by the fact that the men remaining in the civil population at this age are on the whole much less healthy than those that have been withdrawn. The process of standardizing death-rates corrects for the first of these factors, but no correction is practicable for the second. When comparison is made of standardized death-rates it will be seen that the civilian death-rate in 1915 exceeded the average rate for the total population in the preceding 10 years by only 0·4 per 1,000, and that it was below the rate for the whole population in any year before 1907. It will be seen, therefore, that the mortality of 1915, though slightly exceeding the standard of the immediate past, does so only to an extent which is less than might under the circumstances have been anticipated, and which is indeed not outside the range of its normal fluctuation. The provisional rate for 1916 is appreciably lower than that for 1915.

Apart from the abnormally high death-rate of males of military age, the increase of mortality in 1915 mainly occurred in later childhood and old age.

Infant mortality was 110 per 1,000 births, being 5 per 1,000 above the rate in the preceding year but below the average of the 10 years 1905–1914 by the same amount. The provisional infant mortality rate for 1916 shows a decrease to 91 per 1,000 births, the lowest rate on record.

Compared with 1914 most of the principal causes of death show increased mortality, the converse being the case with regard to scarlet fever, enteric fever and diarrhœal diseases. The death-rate from enteric fever was the lowest on record, but that from influenza was the highest since 1900 and that from measles the highest since 1896. Other special features of the year's mortality are the abnormally high death-rate from cerebro-spinal fever consequent upon the first outbreak in recent years of this very fatal disease, and the remarkable decrease of male suicides.

Compared with the average of the preceding 10 years, mortality from scarlet fever, enteric fever and diarrhœal diseases showed a decrease, that from measles and diphtheria an increase, and that from whooping cough practically no change.

Cancer caused a higher mortality than in any other year judged by the crude or ordinary death-rates, but this form of statement of mortality is unsatisfactory in dealing

with such a disease as cancer in view of the present constitution of the civilian population. Comparison of standardized death-rates shows that the mortality of both males and females was slightly below that of either of the two preceding years.

Mortality from phthisis and from tuberculosis as a whole showed a marked increase among males and a slight one among females, but it must be remembered that the rates for 1915 relate only to the civil population, and that enlistment has withdrawn a very large number of healthy males at ages considerably affected by the incidence of tuberculosis.

Diseases of the respiratory and circulatory systems also showed distinctly increased mortality, especially among the male civil population.

In spite of the difficulties occasioned by the exceptional conditions which have prevailed during the preparation of this Report, the date of publication is approximately the same as in 1916. That more has not been accomplished is due to the serious depletion of the permanent staff. Clerks of military age have, with very few exceptions, joined His Majesty's forces or have been lent for war services to other Departments, and their places have been filled temporarily by untrained clerks—mostly women—with the result of greatly increasing the responsibility borne by the senior members of the staff. Work in connection with the Central Register of War Refugees and with the National Register set up by the National Registration Act, 1915, has also been maintained, and important new duties are being undertaken under the Registration of Business Names Act, 1916.

Notwithstanding these difficulties I am happy to say that it has been found possible to comply with a request received from your Board that this Office should undertake the responsibility of furnishing local mortality statistics to the various Sanitary Authorities of the country for 1916 and subsequent years. The immediate object in view is economy of labour in the local sanitary offices during the War; but if the experiment proves a success it may be found advantageous to continue the system permanently, so avoiding the duplication of work which has existed hitherto. For the purposes of the Local Government Board it was necessary that the tabulation should be complete and the figures issued by April 1st, which allows a very narrow margin of time when the delay involved by the transference of deaths to the area of residence is taken into account, but there is fortunately every reason to believe that the returns will be dispatched by the date in question this year.

The extensive movement of population occasioned by the war made it necessary to devise new methods of estimating populations, and after consideration it was decided only to attempt to estimate civilian populations, and to restrict the estimate of sex- and age-populations to England and Wales as a whole. The only local estimates attempted have been those of total civil population in the different localities based on the results obtained from the National Registration in 1915. The methods employed are fully explained in Dr. Stevenson's Review. In consequence of this limitation several tables of mortality rates have had either to be modified or omitted altogether.

It was also decided as a measure of war economy to suspend most of the tabulation of marriages and likewise the classification of secondary causes of death, the suspension of the marriage abstracts involving that of the corresponding tables of marriage-rates. If it is thought desirable in the interest of continuity, or for any other reason, these tables can of course be supplied at some subsequent date. On the other hand, special tables have been given relating to deaths which have been the subject of inquest or the causes of which have been uncertified, and summary tables relating to infant mortality in the quinquennium 1911–1915 have also been inserted. The preparation of these new tables demanded, of course, much less labour than that which has been saved by the suspension of the others.

A list of the changes made in the Abstracts will be found in the Contents (page vi) and one of those made in the numbered tables on page 1.

I have to convey my thanks to the Registrars-General of Scotland and Ireland and the various foreign and Colonial authorities for the information from which the tables of International Vital Statistics have been compiled, to medical officers of health throughout the country, especially county medical officers of health, for their valuable assistance in securing accurate transfer of deaths from the district of occurrence to that of residence, and to Sir Napier Shaw, F.R.S., for the Meteorological Report upon the year 1915.

I have the honour to be,
My Lord,
Your Lordship's obedient Servant,
BERNARD MALLET,
Registrar-General.

General Register Office,
Somerset House,
March, 1917.

REVIEW OF THE VITAL STATISTICS OF THE YEAR 1915.

Population.

The final report on the census of 1911 shows that the total population of England and Wales on April 3rd, 1911, was 36,070,492.

For the purposes of the Annual Report for 1914 the population of the country as a whole in the middle of each of the years 1911–1914 was estimated by applying the returns of births, deaths, and migration to the enumerated population of the United Kingdom, and by taking the balance after subtracting the estimates for Scotland and Ireland as representing the population of England and Wales ; the total populations thus obtained were distributed over the various parts of the country by the method described in the Annual Reports for 1907, pages cxxxii–cxxxiv and for 1910, pages xi and xii.

The war, however, made it impossible to adhere to these methods of estimation of local and national populations. Men of military age have been largely drafted to military training centres, or sent abroad with the army, and the remainder of the male adult population, as well as, to a lesser extent, the female population, has migrated on an unprecedented scale into areas other than those in which it was enumerated at the last census.

Under these circumstances estimates of both total and local populations based on the census returns were clearly inadmissible, and it became necessary to search for a substitute. Fortunately this was ready to hand in the shape of the National Register, which referred to a date only six weeks removed from that for which estimates were required, viz., the middle of the year 1915. No doubt this does not form a perfect record as it is known that a number of persons escaped registration. There is good reason, however, to believe that the defects in the register taken as a whole were not on such a scale as to have any very serious effect upon the estimates of population based upon it. By the method described below it was possible to derive from these returns estimates of the *civil* population only of each administrative area on August 15th. No attempt has been made to increase these by allowance for members of the fighting forces because, apart altogether from the difficulty of ascertaining the average military population of each district during the year, experience has shown that under the present system of transferring deaths to the area of previous residence only civilian deaths can be tabulated for local areas.

The method by which the estimates of civil population have been derived from the National Register returns is as follows :—The ratio at the date of the census of the total population less the males of registrable age, 15–65, to the number of females aged 15–65 was calculated for each administrative area, and this ratio was applied to the number of females on the National Register ; the resulting product plus the number of males aged 15–65 years on the National Register was taken to be the number of the civil population of the district. The assumption underlying this procedure is of course that the proportion of females aged 15–65 to total population outside these ages has remained constant in every area since 1911. Naturally this cannot always be the case, for, apart from the gradual changes which occur during peace, the special circumstances of the war must have altered the proportion in question very considerably in certain areas. Demand for female labour, for instance, must have increased the proportion in some areas by leading to immigration of female workers unaccompanied by children or old people. The estimates framed in this manner are therefore put forward only as the best obtainable under the circumstances.

A small adjustment was necessary in order to make the sum of the estimates for the several districts equal to the estimate for the country as a whole made on the same basis. Further the population in institutions was not registered, and this (taken to be the same in the aggregate for England and Wales as at census date) together with a number of persons of no fixed abode was distributed evenly over the whole country. These two adjustments raised the original estimates by about one per cent. The civil population of England and Wales at all ages thus obtained was 35,358,896.

Although the labour of framing estimates of the sex and age-grouping of the populations of local areas by the method to be described below was considered prohibitive, it was found that an estimate of this kind made for the country as a whole approximated very

closely to the total civil population obtained by the method already described. The various sex- and age-populations were obtained as follows :—

(1) For males aged 15–65 the numbers on the National Register, together with a corresponding distribution of the numbers of males with no fixed abode, and the addition of the male institutional population at these ages in 1911 were taken to represent the male civil population at the several age-groups.

(2) For females aged 15–65 the total number at this age, consisting of those on the Register, those with no fixed abode, and those in institutions in 1911, was distributed over the several age-groups in proportion to the numbers enumerated at these age-groups in 1911. It was considered inadvisable to treat the female population in the same manner as the male, since the ages of females as stated in the Register were found to be insufficiently reliable.

(3) For both males and females under 15 and at ages 65 and over the populations were estimated by taking the appropriate sex and age proportions as in 1911 of a total population in 1915, estimated by the method described above as used in the Annual Report for 1914, this course being considered permissible since these sections of the population are affected but little by the movement of naval and military forces.

The various sectional populations estimated under (1) to (3) summed to a total of 35,343,685 as against the general estimate of 35,358,896, and they were accordingly adjusted so as to total to the latter number. The results are shown in the following table :—

TABLE I.—ENGLAND AND WALES: ESTIMATED CIVIL POPULATION by SEX and AGE, 1915.

Age-group.	Males.	Females.	Persons.
All Ages	15,993,554	19,365,342	35,358,896
0—	2,012,415	1,993,857	4,006,272
5—	1,920,072	1,922,397	3,842,469
10—	1,816,482	1,821,093	3,637,575
15—	1,251,135	1,748,894	3,000,029
20—	844,691	1,739,892	2,584,583
25—	2,092,245	3,249,389	5,341,634
35—	2,198,370	2,609,632	4,808,002
45—	1,808,986	1,907,193	3,716,179
55—	1,207,841	1,261,697	2,469,538
65—	626,527	787,480	1,414,007
75—	191,133	280,890	472,023
85 and upwards ...	23,657	42,928	66,585

The estimated total civil population of each administrative area will be found in the table of populations, births and deaths in administrative areas, pages 89–121.

Throughout this Report death-rates in 1915 are invariably based upon civil deaths and civil population.

The question of the population to be used for the calculation of birth-rates also required consideration. The births registered are not only those of the children of civilians, and the estimates of civil population therefore form an unsuitable basis for the calculation of birth-rates. It is impossible to frame any estimate of total populations that would give reliable birth-rates, and the birth-rates for 1915 are, therefore, based upon the existing estimates of total population for 1914. These will sometimes be seriously in error owing to extensive migration having occurred, but although the information as to migration necessary for correcting these errors may be available for the use of local authorities it is not in the possession of the Registrar-General.

The want of estimates of sex- and age-populations in local areas has necessitated the omission, or substantial modification, of many of the tables usually appearing in these Reports. For instance, the tables showing mortality by sex and age in England and Wales and in groups of Administrative Areas, which since 1911 have been incorporated in this Review of Vital Statistics, have now to be restricted to the country as a whole. Among the main tables of the Report Tables 2–4 (1914 numbering) showing the estimated sex- and age-population in Administrative Counties and County Boroughs and in certain groups of these cannot be given ; although, as mentioned before, the civil

population at "all ages" in Administrative Areas will be found on pages 89–121. The Standardizing Factors are moreover omitted from these pages, as being no longer applicable. The absence of requisite populations also accounts for the suspension of Tables 16–18, dealing with sex- and age-mortality in Administrative Counties and County Boroughs, and of Tables 24–28 dealing with mortality by sex, age and cause in Administrative Groups, while for the same reason the mortality from measles, whooping-cough, scarlet fever, and diphtheria and croup in Table 13 (formerly 23) could no longer be based upon those ages upon which the mortality from these causes more particularly falls, but is stated in terms of population at all ages.

Marriages.

The marriages in England and Wales during the year 1915 numbered 360,885, corresponding to a rate of 19·5 persons married per 1,000 of the 1914 population at all ages, the 1914 population being used for the same reason as in the case of the birth-rate. This rate was 3·6 above that in 1914, and 4·0 above the average rate in the decade 1901–1910, and is the highest rate recorded since civil registration of marriages was enforced. The proportion to total population of persons married since 1838 has ranged from a previous maximum of 17·9 per 1,000 living in 1853 to a minimum of 14·2 per 1,000 in 1886, the mean annual rate for the whole period (1838-1915) being 15·9 per 1,000 (*see* Table 3, page 5).

The proportion of marriageable persons in the population at different dates is not, however, a fixed one, and a more accurate measure is given by a rate in terms of the marriageable population only. Marriage-rates so calculated are shown for a series of years in Table 3. Using the marriageable population of 1914, the rates for 1915 are 65·0 for males and 54·4 for females. The highest rates previously recorded since 1851 were in 1873, in which year the rate for males was 64·9, for females 55·2. Thus the male rate is the highest on record, while the female rate has been exceeded on four occasions, viz., in 1865, 1866, 1872, and 1873. Since 1876 there has, however, been no other year in which a male rate of over 60, or a female rate of over 50 has been recorded.

It is hardly necessary to point out that the phenomenal rise in the marriages for 1915 is directly due to the war, that the conditions under which they have taken place are quite unprecedented, and that they must be regarded as entirely exceptional. The rise was not evenly spread over the year, as in the first quarter the rate per 1,000 of the total population showed an increase of only 0·7 over the average of the quinquennium immediately preceding. In the second quarter however the rise was 5·3, in the third, 4·4, while in the fourth quarter it reached 5·8.

First Marriages and Re-Marriages.—Owing to depletion of staff and war pressure the details as to age at marriage have been worked out only in regard to the marriages of bachelors with spinsters, *i.e.*, to first marriages of both contracting parties. In the year 1915 these first marriages numbered 321,149 out of 360,885, or 890 out of every 1,000 marriages solemnized. This proportion is slightly higher than has been the case of recent years, the proportions having been—

1911	887
1912	886
1913	885
1914	884

Marriages of Minors.—For the reason stated in the preceding paragraph the Table showing the proportions of marriages of minors to all marriages cannot be given. Among first marriages, however, which form an overwhelming majority of the whole, the proportion of marriages of minors shows a marked decline for the year 1915 from the proportions of previous years, as will be seen by reference to Table II.

Table II.—England and Wales, 1911–1915.—First Marriages. Minors married per 1,000 Marriages at all Ages.

1911	Husbands	44·2	Wives 148·6
1912	,,	44·1	,, 150·9
1913	,,	47·4	,, 160·7
1914	,,	46·9	,, 159·7
1915	,,	38·9	,, 144·2

The appreciable increase in the rates for both sexes which occurred in 1913, and was almost sustained in 1914 has entirely disappeared, and the persistent decline which set in after 1874 has been resumed, the ratios for 1915 being lower for both sexes than at any previous period.

TABLE III.—ENGLAND AND WALES, 1896–1915.—MARRIAGES of BACHELORS WITH SPINSTERS at DIFFERENT AGES, per 1,000 at ALL AGES.

Period.	All Ages.	Under 18 Years.	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55 and upwards.	Age not Stated.
						Bachelors with Spinsters.								
1896–1900	1,000	0	3	15	40	424	349	106	34	11	4	2	1	11
1901–1905	1,000	0	3	14	36	401	363	118	36	13	5	2	1	8
1906–1910	1,000	0	3	12	31	379	376	129	41	14	6	2	1	6
1911–1915	1,000	0	3	12	29	360	379	136	48	17	7	3	2	4
1911 ...	1,000	0	3	12	29	360	386	135	45	15	6	2	2	5
1912 ...	1,000	0	3	12	29	357	385	137	46	16	6	3	2	4
1913 ...	1,000	0	3	13	31	358	378	137	48	17	6	3	2	4
1914 ...	1,000	0	3	13	30	361	376	135	48	18	7	3	2	4
1915 ...	1,000	0	2	11	26	365	376	135	50	18	7	3	2	5
						Spinsters with Bachelors.								
1896–1900	1,000	6	28	62	94	454	254	65	18	5	2	1	0	11
1901–1905	1,000	5	25	56	86	444	274	72	20	6	2	1	0	9
1906–1910	1,000	5	22	50	78	436	288	81	23	7	2	1	0	7
1911–1915	1,000	6	24	49	73	417	296	89	28	8	3	1	1	5
1911 ...	1,000	5	22	48	73	419	303	87	25	8	3	1	1	5
1912 ...	1,000	6	23	49	74	414	300	89	27	8	3	1	1	5
1913 ...	1,000	7	26	53	76	412	294	87	27	8	3	1	1	5
1914 ...	1,000	7	26	52	74	415	290	89	28	9	3	1	1	5
1915 ...	1,000	5	22	46	70	422	295	90	30	9	4	1	1	5

Ages and Mean Ages at First Marriages.—In Table III. the proportions of first marriages at various ages are shown for the four quinquennial periods from 1896 to 1915, and for the last five years by single years. Generally speaking the table shows a tendency towards increasing age at marriage which may be demonstrated by taking the percentages of marriages contracted at ages under 25 during the various quinquennia. These, as shown by the Table, are—

1896–1900	...	...	Bachelors	48·2	Spinsters 64·4
1901–1905	...	...	,,	45·4	,, 61·6
1906–1910	...	...	,,	42·5	,, 59·1
1911–1915	...	...	,,	40·4	,, 56·9

By comparing the proportions at ages in Table III. we find that in the last of the four quinquennia shown, as compared with the first, there was a fall of 24 per cent. for marriages of bachelor minors, of 15 per cent. for the group aged 21–25, and a rise of 9 per cent. for the group 25–30, of 31 per cent. for those aged 30–40, and of 61 per cent. for those aged 40 and upwards. Amongst spinsters there is a fall of 20 per cent. in the proportion of marriages of minors and of 8 per cent. for ages 21–25, and a rise of 17 per cent. for ages 25–30, of 41 per cent. for ages 30–40, and of 63 per cent. for ages over 40.

The mean age of bachelors marrying spinsters in 1915 was 27·33, and of spinsters marrying bachelors 25·47; these being in each case the highest recorded. In 1896 the mean ages were 26·30 for bachelors with spinsters, and 24·54 for spinsters with bachelors, so that in the period of 20 years there has been a rise of 1·03 year for bachelors and 0·93 for spinsters.

Seasonal Distribution of Marriages.—In Table IV. the proportions of marriages celebrated in each quarter of the year are given from 1841 onwards. It will be seen that for the first 40 years covered by this Table the seasonal incidence of marriage remained practically unchanged. In the six months from April to September the numbers of marriages celebrated were slightly lower than in the six months from October to March. From 1880 onwards, however, a marked change set in, the proportional number of marriages in the winter half of the year falling steadily, while the proportion in the summer months steadily rose. In the last quinquennium this latter proportion has reached 55 per cent., and since 1891–1900 the September has displaced the December quarter as that in which most marriages take place.

TABLE IV.—ENGLAND AND WALES, 1841–1915—PROPORTION in each QUARTER per 1,000 MARRIAGES.

Period.	Quarter ended 31st March.	Quarter ended 30th June.	Quarter ended 30th September.	Quarter ended 31st December.
1841–1850	205	255	239	301
1851–1860	206	252	242	300
1861–1870	205	253	246	296
1871–1880	204	253	246	297
1881–1890	197	257	250	296
1891–1900	184	265	266	285
1901–1910	182	265	281	272
1911–1915	171	263	287	279

The proportion of marriages in the March quarter has fallen by about 20 per cent., while that in the September quarter has risen by about the same amount. The June quarter shows a rise of over 3 per cent., and the December quarter a fall of more than 7 per cent. The marriages in the March and June quarters are affected to a certain extent by the incidence of Easter, a favourite time for marriages, but this does not account for the fall in the March quarter, as the only period in which the Easters falling in the June quarter show any appreciable excess over the average is that from 1881 to 1890.

Buildings in which Marriages may be Solemnized.—At the end of the year 1915 the numbers of churches or chapels of the Established Church, and of registered buildings in which marriages could be legally solemnized, were as follows :—

Established Church	16,027
All other Religious Denominations	16,825
Total...	32,852

The increase upon the numbers at the end of the previous year was : Established Church 32, other religious denominations 168. The number of these buildings belonging to the various denominations is shown for each registration county in Table 5, (p. 6).

By the Acts 15 and 16 Vict. c. 36, and 18 and 19 Vict., c. 81, it was enacted that all places of religious worship not being churches or chapels of the Established Church should, if the congregations desired, but not otherwise, be certified to the Registrar-General, certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1915, and the number of buildings registered for the solemnization of marriages are shown in the following table :—

TABLE V.

Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*	Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics	1,474	1,396	New Church	53	59
Wesleyan Methodists ...	7,524	3,932	Catholic Apostolic Church	69	49
Congregationalists ...	3,290	2,978	Countess of Huntingdon's Connexion.	47	42
Baptists	3,101	2,695			
Primitive Methodists ...	4,306	1,779	Salvation Army	1,175	64
United Methodist Church	1,965	1,192	Society of Friends ...	426	—†
Calvinistic Methodists ...	1,239	938	Jews	225	—†
Presbyterians	441	445	Other Denominations ...	2,989	1,062
Unitarians	181	194			
			All Denominations ...	28,505	16,825

* Of these buildings nearly 1,000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.

† It is not necessary for buildings to be registered for the solemnization of Quaker or Jewish marriages. Under section 31 of the Births, Deaths, and Marriages Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the marriages in each case.

The Marriage Act, 1898, provided that under specified conditions marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this provision, and at the end of the year 1915 the number of such buildings which had been brought under the operation of the Act, and so remained, was 4,044 out of the total of 16,825; the numbers of these buildings and the denominations to which they belonged, were as follows :—

1,701	Wesleyan Methodists.
621	Congregationalists.
596	Primitive Methodists.
415	Baptists.
356	United Methodist Church.
103	Calvinistic Methodists.
252	Other Denominations, and Unsectarian.
4,044	All Denominations.

These 4,044 buildings were distributed among 543 of the registration districts. In the remaining 91 registration districts there was no registered building under the operation of the Act.

Births.

The births registered in the year 1915 numbered 814,614; of these 778,369 were legitimate and 36,245 illegitimate.

In proportion to the estimated total population of both sexes and all ages in 1914,* the total births were equal to a rate of 22·0 per 1,000 living; this rate was 1·8 per 1,000 below that recorded in 1914, which so far as the birth-rate is concerned may be regarded as the last year of peace. The fall is considerably greater than any other recorded in Table 3 for a single year, but cannot under the circumstances be considered at all surprising. In countries where mobilization on the grand scale occurred at the beginning of the war far greater declines have naturally been recorded. For instance, the joint birth-rate of the eight largest German cities fell from 21·5 in 1913 to 16·4 in 1915, of Vienna from 17·1 to 13·0, and of Paris from 17·4 to 10·7, as against a fall for London from 24·5 in 1913 to 22·6 in 1915.

In the year 1876 the birth-rate in this country attained the highest point on record, viz., 36·3 per 1,000 living, since which date the ratio has, with a few insignificant exceptions, fallen year by year.

Birth-rates of different parts of the Country.—The birth-rates of individual administrative areas, tabulated on pages 89–121, are summarized in Table VI. The reasons for employing this form of table have been stated in previous Reports, and the limits of the four geographical divisions dealt with are indicated in a footnote.†

* In the absence of an estimate of the total population for 1915, the estimate of 1914 has been taken as furnishing the best basis available. *See* page x.

† The "North" includes the administrative counties and county boroughs corresponding to the registration counties in the eighth, ninth, and tenth "registration divisions" of the Registrar-General, *i.e.*, Lancashire, Cheshire, and Yorkshire, and counties north of them. The "South" includes England south of the Thames, with the whole of the County of London and the five south-western counties, forming the first, second, and fifth registration divisions. "Wales" corresponds to the eleventh or Welsh registration division and so includes Monmouthshire. All the rest of the country, corresponding to the third, fourth, sixth, and seventh registration divisions, is included in the Midland area. The counties in the four areas are as follows :—

North.	Midlands.		South.	Wales.
Cheshire.	Middlesex.	Gloucestershire.	London.	Monmouthshire.
Lancashire.	Hertfordshire.	Herefordshire.	Surrey.	Glamorganshire.
Yorks, West Riding.	Buckinghamshire.	Shropshire.	Kent.	Carmarthenshire.
,, East Riding.	Oxfordshire.	Staffordshire.	Sussex, East.	Pembrokeshire.
,, North Riding.	Northamptonshire.	Worcestershire.	,, West.	Cardiganshire.
Durham.	Soke of Peterborough.	Warwickshire.	Southampton.	Brecknockshire.
Northumberland.	Huntingdonshire.	Leicestershire.	Isle of Wight.	Radnorshire.
Cumberland	Bedfordshire.	Rutlandshire.	Berkshire.	Montgomeryshire
Westmorland.	Cambridgeshire.	Lincolnshire,	Wiltshire.	Flintshire.
	Isle of Ely.	Parts of Holland.	Dorsetshire.	Denbighshire.
	Essex.	,, Kesteven.	Devonshire.	Merionethshire.
	Suffolk, East.	,, Lindsey.	Cornwall.	Carnarvonshire
	,, West.	Nottinghamshire.	Somersetshire.	Anglesey
	Norfolk.	Derbyshire.		

TABLE VI.—BIRTHS in 1915 per THOUSAND TOTAL POPULATION in 1914.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	22·6	—	22·6
County Boroughs	23·9	23·5	18·9	25·3	23·3
Other Urban Districts	22·4	21·7	17·9	26·9	21·6
Rural Districts	23·2	20·2	17·5	23·0	20·5
All areas	23·3	21·9	20·0	25·3	22·0

The highest birth-rates recorded in Table VI are those of Wales, and next to them those of the North of England, while those of the South are much the lowest. Moreover, if it were not for the inclusion of London in the South the rate for this portion of the country as a whole would fall short of those recorded elsewhere to a considerably greater extent than appears in the table.

Compared with 1914 the table, as might have been anticipated, shows decreases throughout.

The highest rates are as usual yielded by the small towns of Wales, and the lowest by the rural districts of the South of England.

Sex Proportions at Birth.—Births of males in England and Wales numbered 415,205, and those of females 399,409 ; the proportion of male to female births being, therefore, 1,040 to 1,000. The corresponding proportions in each year since 1866 and in groups of years since the commencement of registration are shown in Table 3, page 5 ; the extreme range during the last 50 years has been from 1,032 per 1,000 in 1898 to 1,043 in 1866, 1867, and 1875.

As the influence of the war on the birth-rate was first experienced in 1915 it is of interest to note whether any marked alteration has occurred in the proportion of the sexes born in view of the statements which have been made that the ratio of male to female births is increased in time of war. It must be remembered that, owing to the delay permitted in birth registration, the births occurring in any month are most nearly represented by those registered during the following month, so that it was probably not till June, 1915, that the majority of births registered were those of war babies.

The ratio for the whole year (1,040) is therefore no index of the proportion born under war influences. Taken quarter by quarter, however, the ratios are very interesting. During the March quarter, entirely unaffected by the war, the ratio was very low, viz., 1,032, during the June quarter, partially affected, it rose to 1,043, while in the September and December quarters, fully affected, it rose further to 1,044. At the time of writing the ratios for the four quarters of 1916 are known to be 1,050, 1,051, 1,045, and 1,050 respectively, while for the year extending from 1st July, 1915, to 30th June, 1916, that is for the first complete year during which the births registered have been fully affected by war conditions the ratio is 1,047, a figure considerably above any recorded during the preceding fifty years, and within measurable distance of the general European ratio, which for many years has been much in excess of our own.

TABLE VII.—MALE BIRTHS per THOUSAND FEMALE BIRTHS, 1911–15.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	1,038	—	1,038
County Boroughs	1,040	1,034	1,038	1,031	1,038
Other Urban Districts	1,035	1,036	1,039	1,039	1,037
Rural Districts	1,044	1,042	1,040	1,047	1,043
All areas	1,039	1,037	1,038	1,040	1,038

In Table VII the sex ratio of births in different parts of the country in the quinquennium 1911–1915 is given. The table shows that during this period the rural districts had a somewhat higher proportion of male to female births than the urban. This is the case in each of the four divisions, the excess over all areas ranging from seven in Wales to two in the South. It is in Wales also that the most striking

variation is seen, for while the range between different classes of area is only two in the South of England it is no less than 16 in Wales, which has in the county boroughs the lowest and in the rural districts the highest proportions of male to female births. It will be of interest to note whether the experience of this quinquennium is confirmed in the future.

Illegitimate Births.—The births registered during the year 1915 included 36,245 of illegitimate children.

Illegitimate fertility is frequently measured by the proportion of illegitimate births either to total births or to total population. Neither of these measures is a satisfactory index, and a comparison of the illegitimate births with the number of possible unmarried mothers is that to which most importance should be attached, though unfortunately this comparison can be made for 1915 only in the case of the country as a whole (*see* page ix). In 1915 the rate per 1,000 total births was 44·5, and compared with the rate in the quinquennium 1876–80 this shows a fall of 6·3 per cent. The rate per 1,000 total population (1914) was 0·98 which compared again with the rate in 1876–80 shows a fall of 41·7 per cent. Finally the rate taken in proportion to the unmarried and widowed female population aged from 15 to 45 years was 7·4 per 1,000, a fall of 48·6 per cent. from that obtaining in 1876–80.

This latter rate is the lowest yet recorded (Table 3), but owing to the fact that the legitimate rate has fallen still more the proportion of illegitimate to total births is the highest since 1889.

Some idea of the extent of illegitimacy in different classes of area and parts of the country may be gathered from Table VIII, but it must be borne in mind that statement in proportion to total population minimizes the excess of illegitimacy in the rural districts.

TABLE VIII.—ILLEGITIMATE BIRTH-RATES, 1915.

—	Per 1,000 total Population (1914).				
	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	0·91	—	0·91
County Boroughs	1·06	0·99	1·13	0·92	1·04
Other Urban Districts	0·91	0·94	0·98	0·99	0·94
Rural Districts	1·07	1·00	0·86	1·18	1·00
All areas	1·01	0·97	0·94	1·04	0·98

Natural Increase.—In 1915 the excess of births over deaths registered in England and Wales was 252,361, as compared with 362,354 in 1914. As the deaths amongst the casualties published up to the end of the year fall far short of this number, and as emigration has practically ceased since the commencement of the war, it is interesting to note that the English population must have increased appreciably during the first complete year of the war.

The rate of natural increase cannot be precisely stated in the form of excess of births over deaths per 1,000 population, so as to compare with previous records, for the reasons referred to on page ix. The excess of births over deaths in 1914, however, 362,354, having amounted to 9·8 per 1,000, the lowest rate then on record except that for 1911 (9·7 per 1,000), it may be inferred that the excess of 252,361 in 1915 would correspond to a rate of about 6·8 per 1,000. But even this rate is largely meaningless, as it excludes all casualties except the 1,947 deaths from wounds registered in this country (page 258).

DEATHS.

The deaths of 562,253 persons were registered in England and Wales during 1915, 292,381 (viz: 283,604 civilians and 8,777 non-civilians) of these being males and 269,872 females.

The 553,476 civilian deaths correspond to a rate of 15·7 per 1000 of the estimated civil population. When standardized* to correct for the deviation of the sex- and age-distribution of the civilian population from that of the standard population of 1901 this rate is reduced to 14·6 (Table IX). The extent of the reduction is due to the withdrawal from the civilian population of males of an age when mortality is below the average for all ages. The mortality of the remaining population is, of course, raised by this withdrawal, and it is the correction for this circumstance which has increased the difference between the crude and standardized rates from 0·4 per 1,000 in 1914 to 1·1 in 1915.

The standardized rate is of course comparable with that for any other year notwithstanding that it applies to civilians only in 1915. But though this is true so far as correction for the altered sex and age distribution of the population is concerned, the change has involved a source of increase in the death-rate to which correction cannot be applied. The males withdrawn from the population were selected lives, so the death-rate amongst the remainder of military age has necessarily been higher than would have been recorded for the total male population of these ages. Standardization cannot correct for this deterioration in the quality of the population dealt with in 1915, which accounts for some portion of the excess of the standardized rate over those recorded for each year since 1907 (Table 3). The lowest standardized death-rate of the nineteenth century was 16·4 in 1894, and the usual rates were considerably higher, the standardized rate for 1861–70 being 21·3 and that for 1891–95 18·5, since when the fall has been very rapid.

For the reason stated on page ix the tables in these reports showing mortality at different ages and standardized mortality at all ages by sex for the different classes of areas, urban and rural, from the year 1911 onwards, cannot be repeated for 1915. Table IX, however, gives the crude and standardized rates for sexes and persons for the whole country, and also the mortality at different ages per million living at those ages, for the civil population in 1915 and the total population in 1911–1914 and 1906–1910.

TABLE IX.—ENGLAND AND WALES: MORTALITY from ALL CAUSES per MILLION POPULATION, 1906–10, 1911–1914, and 1915.*

—	Males.			Females.			Persons.		
	1906–10.	1911–14.	1915 (Civilians only).	1906–10.	1911–14.	1915.	1906–10.	1911–14.	1915 (Civilians only).
All Ages: Crude ...	15,636	14,870	17,732	13,809	13,041	13,936	14,692	13,926	15,653
All Ages: Standardized.	15,806	14,951	16,311	13,218	12,318	13,063	14,431	13,556	14,597
0–	45,445	40,084	39,812	37,980	33,444	32,534	41,724	36,779	36,190
5–	3,326	3,277	3,772	3,438	3,223	3,717	3,382	3,250	3,744
10–	1,971	1,954	2,309	2,092	2,052	2,308	2,032	2,003	2,309
15–	2,975	2,911	3,826	2,764	2,664	2,972	2,869	2,787	3,328
20–	3,971	3,683	5,902	3,339	3,093	3,244	3,638	3,372	4,112
25–	5,251	4,824	6,182	4,462	3,979	4,054	4,837	4,381	4,887
35–	8,615	8,171	9,089	7,051	6,561	6,796	7,806	7,337	7,844
45–	15,511	15,030	15,449	12,000	11,530	12,274	13,687	13,211	13,819
55–	31,218	30,514	31,897	24,278	23,178	25,233	27,546	26,642	28,493
65–	64,400	64,626	71,413	53,125	51,620	56,881	58,124	57,383	63,320
75–	137,722	139,418	160,731	119,591	119,363	140,461	127,003	127,485	148,669
85 and upwards	283,035	271,307	313,776	250,862	244,248	289,228	262,398	253,855	297,950

* The method of estimating the population in 1915 differs from that used for 1911–14. (*See* page ix).

It will be seen that under peace conditions standardization led to a slight and diminishing increase in the statement of male mortality, to a considerable decrease in that of females, and to a slight decrease in that of persons of both sexes. These results follow from the facts that the age distribution of males in recent years has been slightly but decreasingly more favourable to low mortality than that of persons of undistinguished sex

* The term "standardized" death-rate means the death-rate corrected for differences of sex- and age-constitution of the population. For a description of two methods of effecting this "standardization" of recorded death-rates *see* the Annual Report for 1911 (pp. xxvii–xxxi). Standardized death-rates for the sexes separately quoted in this report are based upon the age-distribution of persons of undistinguished sex in the general population of England and Wales in 1901. (*See* Annual Report for 1913, p. xx.)

in the general population in 1901, which is used as the standard of comparison for males and females (page xvii); that that of females has been considerably less so than the same standard; and that the sex- and age- constitution of the total population (persons) has been becoming increasingly less favourable than in 1901. Under war conditions standardization in 1915 decreases the death-rate of persons much more than in previous years, as already pointed out, so as to compensate for the withdrawal of males at ages at which mortality is below the average, and instead of increasing the mortality of males it decreases it even more than that of persons for the same reason. The correction for females is of course unaffected.

The decrease by standardization of male mortality would be much greater than it is but for the fact that, as already pointed out also, the death-rates of the remaining civilian population at military ages, which are applied to the standard population of persons of undistinguished sex, are artificially inflated by selection of the healthier men for military service. When dealing with mortality from all causes even these inflated rates are much below the average for all ages, and so the net effect is a considerable reduction, but as will be seen in the case of tuberculosis this may not hold good of a cause of death mortality from which at military age is not greatly below the average for all ages.

Mortality of each Sex.—The standardized mortality of males regularly exceeds that of females. Up to 1860 or so the excess was only about nine per cent., but for the last 15 years it has averaged about 20 per cent. In 1915, on account of the deterioration in quality of a section of the male population just referred to, the excess has risen to 25 per cent. Between 1841–1845 and 1911–15, the first and the last quinquennium in Table 3, the standardized mortality of females has fallen by 36·9 per cent. while the fall in that of males has been only 29·6 per cent.

Table IX and Tables 6 and 7 show that the excess in the mortality of males manifested itself at all ages in 1915 except at 10–15 years, at which the figures for the two sexes are equal. This is the only one of the last fifty years in which the mortality of females has not exceeded that of males at any of the age-periods dealt with in Tables 6 and 7, female excess having always previously been recorded at some one at least of the three quinquennia 5–10, 10–15, or 15–20.

The same tables also clearly bring out the effect on mortality of the deterioration in quality of the civilian male population of military age already referred to as brought about by selection of physically fit men for military service.

The ratios of male per cent. of female mortality at the various age-periods during the years 1911–1914 and 1915 are as follows:—

—	All Ages (standardized).	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
1911–14 ...	122	120	102	95	109	119	121	125	130	132	125	117	111
1915	125	122	101	100	129	182	152	134	126	126	126	114	108

At all ages affected by military service, *i.e.*, 15–45, the ratios have risen considerably and from 20 to 35 they are wholly abnormal. The deaths concerned, it may be repeated, are those of civilians only, and the abnormal male mortality at military age is therefore quite independent of casualties.

Mortality at different Ages.—Taking the rates for the four years 1911–1914 as 100, the proportionate rates in 1915 are as follows:—

—	All Ages (standardized).	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
Males ...	109	99	115	118	131	160	128	111	103	105	111	115	116
Females ...	106	97	115	112	112	105	102	104	106	109	110	118	118

Thus we see that in both sexes and at all ages there has been some increase of mortality in 1915 above the standard of recent years except in the first five years of life, where the standard used is affected by the exceptional infant mortality of the hot summer of 1911. The increase is considerable in later childhood and in old age for both sexes, but in the intervening portion of life it is slight at all ages for females, and for males where the influence of recruitment does not manifest itself. The latter factor has caused

a remarkable elevation of the male rates at ages 15–35 which attains its maximum at the age of maximum recruiting, 20–25. The male mortality recorded at this age, 5·9, is the highest in Table 6 since the year 1884.

The very considerable rise in mortality shared almost equally by the aged of both sexes must also in all probability be regarded as in some degree, at least, an effect of the war. It is a feature which has appeared in the statistics of other belligerent countries than our own, and has been regarded as a reflex of the unusual mental stress and anxiety to which these relatively feeble existences have been subjected. The total excess of deaths at all ages from 70 onwards over the corresponding figures for 1914 was 17,020. Towards this number excess of deaths from bronchitis contributes 30 per cent., from influenza 11 per cent., pneumonia of all varieties 6 per cent., organic heart disease 17 per cent. and "old age" 16 per cent., these five causes thus accounting for 80 per cent. of the total increase. The figures for heart disease and pneumonia are not very greatly in excess of the share normally borne by these causes in the total mortality of old age, and that for "old age" is much less than the usual proportion of mortality at ages over 70 attributed to this cause (24 per cent. in 1914), but the increase from bronchitis and influenza is out of all proportion to their normal importance as causes of death at these ages. The mortality at all ages from influenza is the highest recorded for the present century (page 21) though far below the levels reached in several years of the last decade of the nineteenth century, so a portion of the excess of mortality of old people in 1915 must be attributed to the recrudescence of this scourge.

Infant Mortality.—Of the 562,253 deaths registered during the year in England and Wales, 89,380, or 15·9 per cent., were those of infants under one year of age, corresponding to a mortality rate of 110 per 1,000 births. This rate was 5 per 1,000 births, or 4·3 per cent., below the average in the preceding 10 years, but exceeded that of 1912, the lowest hitherto recorded, by 15 per 1,000 births, and that of the preceding year by 5. This excess over 1914 occurred in spite of a slight decrease in diarrhœal mortality, and therefore presumably of somewhat more favourable climatic conditions in the summer. The non-diarrhœal mortality, which stood at 87 per 1,000 births in 1914 as in 1912, the lowest rate hitherto recorded, rose in 1915 to 95. It was not however until 1909 that this rate fell below 100, and since then it has never reached that figure.

Table X shows how the infant mortality of 1915 was distributed between the sexes and throughout the country. For infants of both sexes jointly the rate varied from 131 in the county boroughs of the North to 78 in the rural districts of the South.

TABLE X.—INFANT MORTALITY (DEATHS UNDER 1 YEAR per 1,000 BIRTHS), 1915.

—	Males.					Females.					Both Sexes.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	125	—	125	—	—	100	—	100	—	—	112	—	112
County Boroughs	147	129	103	124	137	114	102	84	103	107	131	116	94	114	122
Other Urban Districts ...	135	114	97	136	121	106	86	76	104	93	120	100	87	120	107
Rural Districts	119	95	88	106	101	92	74	68	88	79	106	84	78	97	90
All areas	139	114	110	125	123	109	88	87	99	96	124	102	99	112	110

The fact that infant mortality is considerably higher under the conditions of town than of country life is well known, and the rate for the rural districts is exceeded accordingly by 19 per cent. in the case of the smaller towns, and by 36 per cent. in that of the county boroughs, but only by 24 per cent. in the case of London. The comparatively small excess in London shows to what a large extent the adverse influence of urban surroundings on infant life may be avoided.

The geographical variation of the mortality dealt with by the table is remarkable, especially in view of its constancy from year to year. In each sex and in every class of area the English mortality was highest in the North and lowest in the South. The urban excess in 1915 is analysed by age, legitimacy and cause of death in Table 15.

Causes of Infant Mortality.—It will be seen from Table XI, which compares the rates recorded in Table 14 with the experience of previous years, that infant mortality from the common infectious diseases and from bronchitis and pneumonia showed a marked increase in 1915 upon that both in 1914 and in the quinquennium 1910–14, while mortality from diarrhœa decreased. The great rise in mortality from infectious diseases was chiefly due to the extensive prevalence of measles in the spring.

The summer of 1915 was appreciably cooler and wetter than that of the preceding year, and diarrhœal mortality fell from 17·40 in 1914 to 15·14, though this rate was nearly double that obtaining in 1912 when it stood at the extraordinarily low rate of 7·72 per 1,000 births.

From tuberculosis the rate rose to 2·88 per 1,000 births as compared with a rate of 2·86 in 1914, but was lower than in any year except 1912 and 1914. The fall noted in the Reports for 1913 and 1914 in the mortality from tuberculous meningitis was not maintained, the rate for 1915 being 1·09 as against 0·99 in 1914. There was, moreover, a further rise in the year in deaths ascribed to other forms of meningitis, the rate for 1915 being 1·60 per 1,000 births as against 1·37 in 1914, and 1·34 in 1913.

TABLE XI.—ENGLAND AND WALES, 1915.—PERCENTAGE INCREASE OR DECREASE of INFANT MORTALITY as compared with 1910–14 and with 1914.

—	Under 1 month.		1–3 months.		3–6 months.		6–9 months.		9–12 months.		Under 1 year.	
	1910–14.	1914.	1910–14.	1914.	1910–14.	1914.	1910–14.	1914.	1910–14.	1914.	1910–14.	1914.
Whooping cough	+ 9	—	− 9	− 9	+ 2	− 5	+11	+ 3	+20	+14	+ 7	+ 2
Other common infectious diseases.	+67	+67	+25	+43	+48	+63	+53	+76	+58	+77	+55	+75
Diarrhœa and enteritis ...	− 8	− 7	−21	−17	−20	−15	−18	−10	−18	−10	−19	−13
Premature birth	− 5	− 4	+ 1	+ 1	− 5	−21	+33	+33	—	—	− 4	− 4
Congenital defects... ...	− 0	+ 2	− 2	+ 4	+ 8	+ 5	+24	+17	+27	+27	+ 1	+ 3
Atrophy, debility, marasmus	− 5	+ 0	−12	+ 2	−17	− 1	−18	—	− 9	+11	− 9	+ 1
Developmental and wasting diseases	− 4	− 2	− 7	+ 2	−12	− 2	−10	+ 4	− 2	+14	− 5	− 1
Tuberculous diseases ...	—	+25	−10	− 8	−17	− 5	− 9	+ 3	−13	+ 7	−12	+ 1
Convulsions	− 7	+ 2	− 8	+ 8	− 5	+ 6	+11	+13	+20	+21	− 2	+ 7
Bronchitis and pneumonia	+ 5	+10	+ 2	+ 6	+24	+22	+37	+36	+44	+44	+26	+26
Other causes	+ 6	− 1	+ 2	− 1	+ 5	+ 5	+ 2	+ 5	+ 7	+18	+ 5	+ 3
All causes	− 3	− 1	− 7	− 2	− 3	+ 2	+ 9	+15	+20	+27	+ 1	+ 5

The important group of developmental and wasting diseases, which includes the whole of the three lines appearing above it in Tables XI and XII, shows a decrease on the previous year of 1·4 per cent., the rate being the lowest yet recorded in Table XII.

TABLE XII.—ENGLAND AND WALES.—DEATHS of CHILDREN under ONE YEAR OF AGE from DEVELOPMENTAL and WASTING DISEASES per 1,000 BIRTHS, 1886–1915.

—	Sex.	Proportion of Deaths to 1,000 Births of each Sex.						
		1886–1890.	1891–1895.	1896–1900.	1901–1905.	1906–1910.	1911–1915.	1915.
Premature birth (151A) ...	M.	17·8	20·3	21·7	22·4	22·0	21·7	21·0
	F.	14·4	16·4	17·5	18·1	17·8	17·6	16·8
	P.	16·1	18·4	19·6	20·2	19·9	19·7	18·9
Congenital defects (150 and 152B).	M.	3·5	3·9	4·3	6·4	7·3	6·2	6·5
	F.	2·9	3·3	3·5	5·0	5·9	4·9	5·1
	P.	3·2	3·6	3·9	5·7	6·6	5·6	5·8
Atrophy, Debility, Marasmus (151 B–E).	M.	24·9	25·0	23·9	20·8	17·5	15·3	14·2
	F.	20·6	20·3	19·3	16·6	13·7	11·6	10·8
	P.	22·8	22·7	21·7	18·7	15·6	13·5	12·5
Total: Developmental and wasting diseases.	M.	46·2	49·2	49·9	49·6	46·8	43·2	41·7
	F.	37·9	40·0	40·3	39·7	37·4	34·1	32·7
	P.	42·1	44·7	45·2	44·6	42·1	38·8	37·2

The mortality in 1915 from premature birth and from atrophy, &c., is appreciably below, while that from congenital defects is slightly above the average of 1911–15.

The sudden rise in mortality from congenital defects shown for the period 1901–05 in Table XII is in large measure at least due to the inclusion under this heading during the years 1901–10 of deaths from icterus neonatorum (151c) amounting to about 700 annually. Even when this is allowed for, however, the rate from this cause shows an increase probably due largely to improvement of certification.

The rate from premature birth is the lowest for many years.

Table XIII, which contrasts the mortality of male with that of female, and of legitimate with that of illegitimate infants, shows that the mortality of males was 28 per cent. greater than that of females, and that all the principal causes of death except whooping cough display the same feature, and on the whole to a very uniform extent. The excess in the mortality of males was greatest in the first three months of life, decreasing thereafter. All these features of the table—excess in male mortality of about 25 per cent. from all causes and from the principal groups of causes, excess of female mortality from whooping cough, and the decrease with advancing age of the excess in male mortality—reproduce themselves with curious fidelity from year to year. The proportionate male excess was less in the case of illegitimate infants, as it has been in (at least) each of the past eight years, and the male excess for all infants was the greatest recorded during the same period.

The table also resembles similar tables relating to previous years in showing that the mortality of illegitimate infants was about twice as great as that of the legitimate, the excess being rather greater in the case of females. This excess was highest at one to three months for males, 135 per cent., and at three to six months for females, 145 per cent.

The excess in mortality of illegitimate children varied greatly also for different causes of death. It was comparatively slight for infectious disease in general (Table 14), whooping cough, which accounts for almost half of this mortality, having killed legitimate and illegitimate impartially. The excess was moderate in the case of deaths from congenital defects, but heavy for diarrhœa and atrophy, &c. These are all very constant features of this table.

TABLE XIII.—ENGLAND AND WALES, 1915: INFANT MORTALITY by SEX and LEGITIMACY.

	—	Deaths per 1,000 Births.						Mortality per cent.				
		All Infants.		Legitimate Infants.		Illegitimate Infants.		Male of Female Infants.			Illegitimate of Legitimate Infants.	
		Male.	Female.	Male.	Female.	Male.	Female.	All Infants.	Legitimate.	Illegitimate.	Male.	Female.
All causes	under one month ...	43·16	32·40	41·55	31·11	78·13	60·01	133	134	130	188	193
	1–3 months	21·74	16·18	20·51	15·26	48·26	35·82	134	134	135	235	235
	3–6 "	21·24	16·88	20·18	15·85	44·12	38·90	126	127	113	219	245
	6–9 "	19·16	15·24	18·56	14·79	32·05	24·80	126	125	129	173	168
	9–12 "	17·56	15·36	17·35	15·05	22·03	21·89	114	115	101	127	145
	Total under one year ...	122·86	96·06	118·15	92·06	224·59	181·42	128	128	124	190	197
All ages under one year.	Whooping cough ...	4·23	4·69	4·20	4·73	4·84	4·03	90	89	120	115	85
	Other common infectious diseases.	4·90	4·19	4·90	4·09	4·62	6·16	117	120	75	94	151
	Diarrhœa and enteritis	17·14	13·06	16·23	12·33	36·72	28·66	131	132	128	226	232
	Premature birth ...	20·99	16·81	20·32	16·32	35·36	27·48	125	125	129	174	168
	Congenital defects ...	6·51	5·09	6·42	5·03	8·49	6·16	128	128	138	132	122
	Atrophy, debility and marasmus.	14·18	10·80	13·30	10·11	33·03	25·47	131	132	130	248	252
	Developmental and wasting diseases.	41·68	32·70	40·04	31·46	76·88	59·11	127	127	130	192	188
	Tuberculous diseases ...	3·26	2·47	3·15	2·38	5·49	4·31	132	132	127	174	181
	Convulsions	9·91	7·42	9·52	7·11	18·39	14·05	134	134	131	193	198
	Bronchitis and pneumonia.	26·04	19·83	25·52	19·32	37·16	30·62	131	132	121	146	158
	Other causes	15·70	11·70	14·59	10·64	40·49	34·48	134	137	117	278	324
	All causes	122·86	96·06	118·15	92·06	224·59	181·42	128	128	124	190	197

The mortality of illegitimate exceeds that of legitimate infants most of all in the case of deaths attributed to syphilis, being nearly eight times as heavy (Table 14). Probably there is much less reluctance to certify the true cause of death in such cases for illegitimate infants, but the difference is greater than could well be explained in this way, and it is, moreover, of a nature to be expected from the circumstances of the case. Fatal injury at birth is very much commoner with illegitimate infants. No doubt many of the confinements take place under disadvantageous circumstances. The excess of mortality amongst illegitimate infants ascribed to overlying is also greater than that from all causes.

Table 15 compares towns of various sizes and rural districts in respect of infant mortality. These effects are summarized by comparison of the death-rate from each cause in the urban areas as a whole and in the rural areas. The total mortality in the former exceeded that in the latter by nearly 28 per cent., but this excess was very unevenly distributed over the different age-periods into which the first year of life is divided in the table, being only 3 per cent. in the first month, and thereafter increasing with age. The constancy of this feature in the reports for different years is shown by the following table :—

TABLE XIV.—INFANT MORTALITY in URBAN DISTRICTS per cent. of that in RURAL DISTRICTS, 1911–15.

—	Under 1 month.	1–3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
1911	106	136	145	155	164	132
1912	103	123	141	145	157	122
1913	105	141	144	149	157	129
1914	106	138	150	143	149	128
1915	103	128	148	153	154	128

The chances of survival seem to differ but little at birth in town and in the country, but the noxious influences of the former soon come into play, and make themselves felt to an increasing extent as the first year of life progresses, and to a still greater extent in the second and third years, when the urban excess generally approaches 100 per cent., thereafter gradually declining.

When comparison is made between towns of varying size it is seen that apart from London, those of larger size are at a disadvantage at every age, in the case both of legitimate and illegitimate infants. The mortality of legitimate infants in London, however, was little more than that in the smaller towns. This is due mainly to the low mortality in London during the first month of life, which, as also in each of the preceding four years, was below that even of the rural districts. After the first month London comes between the county boroughs and the smaller towns, but much nearer the former.

Apart from the special case of London, Table 15 shows that the mortality from all of the five groups of diseases under which it summarizes infantile deaths, except infectious diseases, increases regularly from the rural areas to the large towns, but the difference in the case of the wasting diseases is small. This statement applies also to each quarter of the first year of life.

The harmful effect of town life is well marked in regard to the respiratory diseases, but it is especially evident in the case of diarrhœa, the mortality from which in London approached three times that in the rural districts. Syphilis shows a similar variation with urban conditions, the mortality in the country districts, whether of legitimate or illegitimate children, being about one-third of that returned in the great towns. Another cause of infant mortality particularly associated with the great towns is overlying, which caused over three times as great a mortality in London as in the rural districts.

The total infant mortality in 1915 in each administrative area will be found on pages 89–121, and special tables (Tables 16–20) relating to infant mortality during the quinquennium 1911–15, are given on pages 48–57.

Centenarians.—Among the deaths registered during the year there were 73 of reputed centenarians, 23 of whom were males and 50 females. In the preceding three

years the numbers were 67, 52, and 88 respectively. Particulars of the ages returned and of the classes of area concerned are given in Table XV.

TABLE XV.—ENGLAND AND WALES, 1915.—DEATHS of CENTENARIANS.

—	Males. Age.							Females. Age.						
	100 and over.	100.	101.	102.	104.	105.	107.	100 and over.	100.	101.	102.	103.	104.	105.
London	6	2	—	2	—	1	1	6	3	2	1	—	—	—
County Boroughs	4	2	2	—	—	—	—	10	2	3	2	2	—	1
Other Urban Districts ...	7	5	1	—	1	—	—	21	13	2	2	3	1	—
Rural Districts	6	4	1	1	—	—	—	13	7	3	1	1	1	—
All areas	23	13	4	3	1	1	1	50	25	10	6	6	2	1

CAUSES OF DEATH.

The causes of death of males and females at 27 groups of ages are stated in the abstracts at pages 137–239 for the whole country, for London, for county boroughs in the aggregate, for other urban districts in the aggregate, and for rural districts in the aggregate ; and at pages 240–257 these deaths are shown by cause but not by age for each quarter of the year. So far as they relate to the whole country these tables include all deaths registered during the year ; but owing to the special circumstances arising from the war, it has been found necessary to exclude naval and military deaths from all tables relating to portions of the country (*see* page ix). A condensed table stating by ages, the causes of these latter deaths will be found on page 258. The tables on pages 137–257 include the full International List of Causes of Death with certain sub-divisions introduced for reasons stated in the "Manual of the International List" (page vi). All other abstracts of the causes of death are arranged in the form of the short list of causes adopted by the Registrar-General and the Local Government Board in 1911. The relation of this list to the detailed and condensed International Lists as revised by the International Commission which met for the purpose at Paris, in 1909, is as follows :—

Short List of Registrar-General and of Local Government Board.	Corresponding Number. Detailed International List.	Corresponding Number. Abridged International List.
1. Enteric fever	1	1
2. Small-pox	5	4
3. Measles	6	5
4. Scarlet fever	7	6
5. Whooping cough	8	7
6. Diphtheria and croup	9	8
7. Influenza	10	9
8. Erysipelas	18	12 part of.
9. Phthisis (pulmonary tuberculosis) ...	28, 29	13
10. Tuberculous meningitis...	30	14
11. Other tuberculous diseases	31–35	15
12. Cancer, malignant disease	39–45	16
13. Rheumatic fever...	47	37 part of.
14. Meningitis	61	17
15. Organic heart disease	79	19
16. Bronchitis	89, 90	20, 21
17. Pneumonia (all forms)	91, 92	22, and 23 part of.
18. Other diseases of respiratory organs ...	86–88, 93–98	23 part of.
19. Diarrhœa and enteritis, ages stated ...	104, 105	25, and 37 part of.
,, ,, ages unstated ...	104	25
20. Appendicitis and typhlitis	108	26
21. Cirrhosis of liver	113	28

Short List of Registrar-General and of Local Government Board.	Corresponding Number. Detailed International List.	Corresponding Number. Abridged International List.
21A. Alcoholism	56	37 part of.
22. Nephritis and Bright's disease	119, 120	29
23. Puerperal fever	137	31
24. Other accidents and diseases of pregnancy and parturition.	134–136, 138–141	32
25. Congenital debility and malformation, including premature birth.	150, 151	33
26. Violent deaths, excluding suicide ...	164–186	35
27. Suicide	155–163	36
28. Other defined diseases	2–4, 11–17, 19–27, 36–38, 46, 48–55, 57–60, 62–78, 80–85, 99–103, 105–107, 109–112, 114–118, 121–133, 142–149, 152–154.	37 plus detailed list Nos. 2–4, 11–17, 19, 64, 65, 102, 103, 109, 128–132, 154; and less detailed list Nos. 47, 56, and, where ages are stated, 105.
29. Diseases ill-defined or unknown ...	187–189	38

The contents of every heading in both the short and the detailed list now in use, and their relation to the items in the list previously used are defined in the Manual, which should be consulted in all cases where it is desired to ascertain the precise significance of any heading in the lists.

On pages 275–401 deaths of civilians are shown for urban and rural portions of administrative counties, and for county and metropolitan boroughs, arranged by sex, short list of causes as above, and the eight age-groups of Table III of the Local Government Board. These tables, in fact, are the same as the Board's Table III with the addition of the distinction of sex. For all other administrative areas the deaths are shown on pages 402–500 arranged by sex and short list of causes without distinction of age.

In addition to the above presentations, all of which follow the International List, the deaths and death-rates of the year are shown in Tables 9 and 10 for England and Wales only, and with distinction of sex but not of age, arranged according to the list in use up to 1910. In these tables the figures for each cause in the old list are shown for each of the last 15 years, the series being uninterrupted by the adoption in 1911 of the International List. The method by which this result is secured is described in the "Manual" above referred to (pages vi and xxvi–xxxi).

General Diseases.

1. **Enteric Fever.**—The deaths of 1,388 persons (viz., 1,254 civilians and 134 non-civilians) of all ages and of both sexes were classified to enteric fever during 1915. The lowest number heretofore recorded was 1,505 in 1913, but it must be remembered that in 1915 a large number of males of the ages at which this disease causes most deaths were absent from the country.

The civil deaths correspond to a rate of 35 per million civil population.

5. **Small-pox.**—Thirteen deaths (all of civilians) were attributed to this disease, being nine more than in 1914. Of these persons four adults were stated to have been vaccinated in infancy only, while a fifth, also vaccinated in infancy, had been re-vaccinated four days before the appearance of the eruption (*i.e.*, to all intents and purposes this man was not re-vaccinated). Two others, both women, stated to have been vaccinated, one of them twice, bore no vaccination marks. The remaining six persons, of ages ranging from 19 months to 29 years, were stated to be unvaccinated.

6. **Measles.**—The deaths registered from this cause numbered 16,445 (viz., 16,336 of civilians and 109 of non-civilians). The civil deaths correspond to a death-rate of 462 per million civil population at all ages. At ages under 15 years, for which comparison is unaffected by the calculation of the rate upon civil population only, the mortality was 1,414 per million living at those ages; and Table 12 shows that this is the highest rate recorded since 1896, and that it has only six times been exceeded in the

last fifty years. This table also shows that the tendency to decline in measles mortality, which was manifesting itself a few years ago, has been arrested during the past quinquennium, in which the death-rate for children under 15 rose from 930 per million in 1906–1910 to 1,096 in 1911–1915. The distribution of the increased mortality of 1915 is shown in Table XVI. For the reason already indicated this table cannot be restricted as in former years to ages under 15. This circumstance does not, however, materially affect the regional contrasts brought out.

TABLE XVI.—MEASLES, 1915—CRUDE DEATH-RATES per MILLION CIVIL POPULATION at ALL AGES.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	530	—	530
County Boroughs	583	524	403	389	538
Other Urban Districts	657	457	250	503	488
Rural Districts	540	219	128	182	262
All areas	602	413	369	374	462

It will be seen that, as is generally the case, London records a high mortality, but this rate, though higher than that for every class of area in the Midlands, South, and Wales, is exceeded by every class of area, including even the rural districts, in the North. The mortality of the North of England was greater than that of any of the other three sections of the country in each of the years 1913–1915, but it is quite exceptional for the rural districts of the North to exceed the mortality recorded for London, and for every other section of the other portions of the country, as has happened in 1915. The table of deaths in each quarter of the year (page 240) shows that the excess of measles mortality was concentrated on the first two quarters, in the second of which it rose for the whole country to double the average of the previous ten years. In the third quarter the mortality was little over, and in the fourth well below the ten years' average for those quarters. In London the deaths in the first quarter were slightly more numerous than those in the second, but in other classes of area the brunt of the epidemic fell upon the second quarter, the difference increasing regularly from county boroughs to rural districts. It would seem, therefore, that the spread was mainly from town to country, and that the epidemic had exhausted itself by the summer.

Table 13 shows that the three administrative counties recording the highest death-rates were all situated in the North of England—Durham, Northumberland, and Cumberland, in the order named. Next to these comes another mining county, Monmouthshire, which recorded the highest mortality in 1914. As might be expected from Table XVI, comparison of the county boroughs does not show the same predominance in mortality for the great towns of the North. The highest rate of all, 1,798 per million living at all ages, is that for West Bromwich. Next comes Middlesbrough with 1,754, followed by Northampton, Merthyr Tydfil, Darlington, and Wolverhampton, in the order named.

7. **Scarlet Fever.**—The deaths allocated to this disease during 1915 numbered 2,406 (viz., 2,318 of civilians and 88 of non-civilians). The civil deaths were equal to a rate of 66 per million civil population at all ages, and of 183 per million at ages under 15 years. These rates correspond very closely to the average rates in the four years 1911–1914 and compare most favourably with the rates prevalent prior to 1910. Table 12 shows to what a remarkable extent mortality from this disease has declined during the last 50 years.

Table 13 shows the distribution of scarlet fever mortality by administrative counties and county boroughs. The counties yielding the highest rates were Durham, Carmarthenshire, and Northumberland, in the order named. The same three counties headed the list in 1914, and Durham has returned a mortality above the average for the counties in each of the last five years. The towns yielding the highest rates were Warrington, Wigan, Ipswich, Preston, and Carlisle in the order named; and of these Preston has returned rates above the average for the county boroughs in each of the last five, and Warrington in each of the last four years. Preston returned the highest rate in 1912, 1913, and 1914. This tendency to persistently high mortality year after year in the same locality may be compared with the same tendency in the case of enteric fever and contrasted with the behaviour of measles and whooping cough, which seldom furnish high rates of mortality for three consecutive years in the same locality.

8. **Whooping Cough.**—The deaths allocated to this heading numbered 8,143—3,694 of males and 4,449 of females. All these deaths occurred among the civil population.

The corresponding rates of mortality are 230 per million living at all ages, and 708 at ages under 15 years. Reference to the last column of Table 12 will show that the latter rate, which is unaffected by the exclusion of non-civilian deaths and population, is a very low one, appreciably lower rates having been only twice recorded, in 1909 and in 1913.

The greater concentration of mortality from this cause on early infancy in the rural districts which has been noted in previous reports can be traced for 1915 only within the first year of life owing to the difficulty in estimating district populations at different ages. Here, however, it is sufficiently apparent, as from the figures recorded in Table 15 it may be seen that the proportion of the whole mortality of the first year of life sustained by the first six months rose from 34·5 per cent. in London to 48·3 in the Rural Districts.

The administrative counties returning the highest mortality are shown by Table 13 to be Glamorganshire, Northumberland, the North Riding of Yorkshire and Monmouthshire. The large towns with highest rates were Wigan, Merthyr Tydfil and Bootle.

All of these seven counties and county boroughs except Glamorganshire and Merthyr Tydfil had a mortality from whooping cough in 1914 below that of the country as a whole. On the other hand, four of the eight administrative counties and county boroughs having the highest mortality in 1914 had a mortality in 1915 below the same standard.

9. **Diphtheria and Croup.**—The deaths in 1915 classed to diphtheria and croup numbered 5,895 (viz., 5,878 of civilians and 17 of non-civilians) all but 39 (of civilians) being allocated to diphtheria. The deaths of civilians were equal to a rate of 166 per million civil population at all ages. The deaths under 15 years of age correspond to a mortality of 494 per million living at the same ages. These rates are about the same as in 1914, when the mortality was heavier than in any of the previous five years (Table 12).

From Table 13 it appears that the administrative counties with highest mortality were Bedfordshire, Northamptonshire (which occupied the first and second places also in 1914), Rutlandshire, Flintshire and Durham. The county boroughs of highest mortality were Northampton, Stoke on Trent, Canterbury, Middlesbrough and St. Helens. Of these the administrative county of Durham and the county boroughs of Northampton and Stoke on Trent had a mortality exceeding that of England and Wales in each of the last five years. These facts confirm the point emphasised in previous Reports that, in this tendency to recurrence of high rates of mortality in successive years in the same area, diphtheria resembles enteric fever and scarlet fever and differs from measles and whooping cough.

10. **Influenza.**—The deaths allocated to this disease during the year numbered 10,484 (viz., 10,363 of civilians and 121 of non-civilians). The deaths of civilians were equal to a rate of 293 per million civil population. This is the highest rate yet recorded for the present century, but is far below the level attained in several years of the last decade of the previous one.

20c. **Vaccinia.**—Five deaths have been assigned to this cause, one of them being that of a soldier from anti-typhoid inoculation. Until 1911 it was the practice to class to this heading not only deaths returned as due to vaccinia, but all in the case of which vaccination appeared to have been in any way connected with the cause of death. In 1911 and subsequent years, however, the general rule with regard to erysipelas, blood poisoning, &c., following slight injury (Manual, page xxxiii, 4 (*e*)), has been followed in the case of vaccination, with the result that in 1915 the deaths of six persons, two of them soldiers, which in former years would have been assigned to effects of vaccination, appear under other headings. The causes to which they have been assigned are as follows :—Erysipelas (1 death), septicæmia (4 deaths), and phlegmon (1 death).

28–35. **Tuberculosis.**—The deaths assigned to tuberculous affections in the aggregate numbered 54,295, or 3,997 more than those so classified in the previous year. Of these 733 were deaths of non-civilians. The mortality amongst the civil population amounted to 1,515 per million, a figure in excess of the total mortality recorded for any year since 1909 (Table 10). We have to go back to the same year also to find a total number of deaths as large as that registered in 1915, notwithstanding the absence from the country in the latter year of a large number of males on military service.

It is to be observed, however, that the mortality of males in early adult life is n normal years very little above the average for all ages, and that as the section of the population withdrawn had been subjected to medical examination presumably few men left the country who would have died from tubercle during the year had they remained in it. For these reasons, which are borne out by examination of the death-rates at military ages in Table XVII, it seems probable that the civilian death-rate, which alone can be stated for 1915, is considerably higher than the total death-rate would have been in the absence of any extraordinary withdrawal of a section of the population. Tables 9 and 10 would seem to indicate that when all due allowances have been made 1915 compares unfavourably with any year since 1911, but that its record is better than that of any year previous to 1910. The increase over 1914 in tuberculosis mortality has been the same as that in mortality generally, for in both years tubercle has accounted for 9·7 per cent. of the total deaths.

TABLE XVII.—ENGLAND AND WALES: MORTALITY from TUBERCULOSIS (ALL FORMS) per MILLION POPULATION, 1906–10, 1911–14, and 1915.*

—	Males.			Females.			Persons.		
	1906–10.	1911–14.	1915 (Civilians only.)	1906–10.	1911–14.	1915.	1906–10.	1911–14.	1915 (Civilians only).
All Ages { Crude ...	1,798	1,594	1,851	1,350	1,194	1,237	1,566	1,388	1,515
All Ages { Standardized.	1,781	1,571	1,888	1,353	1,195	1,237	1,556	1,373	1,546
0–	2,832	2,145	2,053	2,379	1,784	1,703	2,606	1,966	1,879
5–	611	577	616	697	596	610	654	586	613
10–	460	443	529	702	693	749	581	568	639
15–	980	948	1,332	1,245	1,225	1,387	1,114	1,087	1,364
20–	1,665	1,505	2,659	1,401	1,343	1,372	1,526	1,419	1,793
25–	2,041	1,801	2,453	1,587	1,402	1,426	1,803	1,592	1,828
35–	2,441	2,246	2,698	1,574	1,430	1,524	1,992	1,823	2,061
45–	2,728	2,445	2,547	1,362	1,218	1,298	2,018	1,807	1,906
55–	2,496	2,298	2,273	1,140	1,033	1,042	1,778	1,630	1,644
65–	1,683	1,464	1,411	883	792	814	1,237	1,090	1,078
75–	695	652	638	546	487	552	607	554	587
85 and upwards	327	272	85	214	245	256	255	255	195

* The method of estimating the population in 1915 differs from that used for 1911–14. (*See* page ix.)

Table XVII shows as the result of enlistment similar disturbances of male death-rates at military ages to those already pointed out in regard to mortality from all causes on page xvii, but the resulting effects upon standardization are different, in fact for males they are exactly reversed, as will be seen on comparison of Tables IX and XVII. The increases or decreases in the crude rate effected by standardization may be compared as follows :—

—	Males.		Females.		Persons.	
	All causes.	Tubercle.	All causes.	Tubercle.	All causes.	Tubercle.
1911–1914 ...	+	–	–	=	–	–
1915	–	+	–	=	–	+

The total male population under peace conditions, though slightly more favourably constituted than the standard so far as mortality from all causes is concerned, was slightly less so in regard to tubercle, these differences being compensated by increase on standardization in the former case and decrease in the latter. In 1915, however, *a*, the loss of males from the civilian population at ages at which mortality from all causes is much below average increased the crude death-rate to an extent which can be allowed for by decrease on standardization, the standarized rate being, therefore, unaffected ; and, *b*, the

artificially inflated mortality of the men remaining at these ages (owing to selection of the healthiest lives for military service) further increased the crude death-rate, but in a way which is not allowed for by standardization. In fact the effect of *b* upon the standardized rate is greater than on the crude, the numbers at the ages concerned being reduced in the actual (war civilian) but not in the standard (peace) population, and therefore *b* tends towards increase on standardization, therein antagonizing *a* in the case under consideration, that of mortality from all causes. In this case *a* is much the most important factor, and the net result is decrease on standardization; but in the case of tubercle, the average mortality from which at military ages appears from Table XVII to be normally much the same as at all ages (it is impossible to speak more precisely without exact knowledge of the numbers and ages of men serving), the effect of factor *a* is uncertain, but can only be slight in the direction either of increase or decrease in 1915. Factor *b* is, therefore, the deciding one, and accordingly leads to increase on standardization.

The mortality of females from any or all causes is naturally affected the same way by standardization in 1915 as in any other year; and the effect upon that of persons is compounded of that on males and on females, the greater outweighing the lesser effect where the two are opposed.

Comparison of the rates for males at other than military ages and for females at all ages gives a measure of the relative position of tubercle mortality in 1915 and previous years. It will be seen that these rates in 1915 are for the most part slightly higher than those in 1911–1914, but lower than in 1906–10.

This general tendency to increase over the average of the preceding four years is not shared in by the rates for children under five years, the rapid decline of which has been such a notable feature of the history of tuberculosis in England since the commencement of the century. They are, however, higher than in 1914. The death-rate at 0–5 is still the highest at any age for females, though by a rapidly diminishing margin. The table shows that the corresponding death-rate for males which was the highest at any age in 1906–10, had ceased to be so by 1911–14.

Comparison of the mortalities of the two sexes at the ages of military service and at all ages jointly is, of course, disturbed in the same way and for the same reason as in the case of mortality from all causes, dealt with on page xviii. Notwithstanding the great increase caused by the war in the mortality recorded for males aged 15–20 this figure still remains below the corresponding rate for females.

The mortality in each administrative county and county borough from tuberculosis of all forms and from phthisis is stated in Table 13. These, however, are uncorrected for peculiarities of sex and age distribution. Comparison of crude rates without such correction is probably more fallacious than usual owing to the disturbance of population distribution by the war, but it follows from the extent of these disturbances that the factors for correction by which the Medical Officer of the Local Government Board has been enabled to publish standardized rates for these localities from the year 1911 onwards are no longer applicable.

28 and 29. **Phthisis.**—These headings in the international list of causes of death now in use include acute miliary tuberculosis in addition to the deaths so classified prior to 1911. The addition from this cause in 1915 amounts to 873 deaths, and the total contents of the headings to 41,676 deaths, of which 25,807 were returned as pulmonary tuberculosis, 11,874 as "phthisis," and the remainder as acute forms of the disease. In comparison with those for 1914 these numbers show a continuance of the transfer from the less to the more definite form of return. The 41,676 deaths form 77 per cent. of the total deaths allocated to tuberculosis, the mortality amongst civilians amounting to 1,161 per million living, or 7·4 per cent. of the death-rate from all causes.

Deaths of non-civilians numbered 626 (page 258) of which 361 were certified as due to pulmonary tuberculosis, 115 to phthisis not otherwise defined, 130 to acute phthisis, and 20 to acute miliary tuberculosis.

Table XVIII shows that as in the case of tuberculosis in general, phthisis mortality was higher than the average for the four preceding years in most sex- and age-groups for which comparison is not spoiled as a consequence of enlistment. For females mortality has increased at all ages over 10 years, and for males there is an increase in boyhood but a decrease in old age, as compared with the average of the preceding four years.

The comparison with 1914 alone yields almost identical results, for the table brings out the fact that the rates for that year were practically identical with those for 1911–

1914. The rate of phthisis mortality, which has been falling for many years, reached the lowest level hitherto attained in 1913, and both 1914 and 1915, so far as the latter year can be judged, have shown increases.

TABLE XVIII.—ENGLAND AND WALES: MORTALITY from PHTHISIS (28 and 29) per MILLION POPULATION, 1911–14, 1914, and 1915.*

—	Males.			Females.			Persons.		
	1911–14.	1914.	1915. (Civilians only).	1911–14.	1914.	1915.	1911–14.	1914.	1915 (Civilians only).
All Ages { Crude ...	1,222	1,220	1,438	882	882	932	1,046	1,045	1,161
All Ages { Standardized.	1,191	1,188	1,487	863	862	912	1,018	1,016	1,185
0—	346	325	357	306	271	294	326	298	325
5—	146	137	176	197	200	196	171	169	186
10—	190	208	236	424	443	473	307	325	355
15—	740	764	1,030	1,008	1,011	1,155	875	889	1,103
20—	1,342	1,338	2,367	1,198	1,208	1,229	1,266	1,269	1,601
25—	1,667	1,621	2,277	1,282	1,253	1,317	1,465	1,428	1,693
35—	2,116	2,144	2,561	1,315	1,322	1,405	1,701	1,719	1,933
45—	2,307	2,352	2,421	1,109	1,160	1,192	1,684	1,732	1,791
55—	2,144	2,144	2,135	903	887	929	1,489	1,480	1,519
65—	1,324	1,246	1,258	661	640	706	955	908	950
75—	545	564	471	361	413	384	436	474	419
85 and upwards	206	86	85	156	142	163	174	122	135

* The method of estimating the population in 1915 differs from that used for 1911–14. (*See* page ix.)

30. **Tuberculous Meningitis.**—In considering the total deaths classified under this head the effects of withdrawal of males of military age from the population are almost negligible, as nearly all the deaths occur before this age is reached. Their number, which had fallen to a minimum, 4,667, in 1914, increased to 5,329 in 1915, the increase being shared about equally by males and females. This figure is the highest recorded in Table 9 since 1910.

The deaths in 1914 and 1915 compare age by age as follows :—

—	All Ages.	0–	1–	2–	3–	4–	5–	10–	15–	20–	25–
1914	4,667	866	793	489	349	327	866	422	231	89	235
1915	5,329	888	992	621	422	318	974	474	260	121	259

It is very difficult even to surmise why the mortality should show this considerable increase at almost all ages. Even remembering that the figures for 1914 were particularly low it is difficult to avoid associating an increase in mortality quite without parallel in recent years with the fact of the country being at war. The scarcity of medical men could not well affect the matter except by way of diminished prevention of meningeal infection, since we must admit that, once the condition is set up, treatment is almost hopeless.

There is another manner, however, in which it is conceivable that the demands of the Army upon the medical profession may have affected the returns of deaths from this as from other causes of death in 1915. The men withdrawn from civil practice must have come mainly from the younger ranks of the profession, so it follows that the deaths of 1915 have been certified by men older in years, and presumably therefore, to some extent, also in ideas, than those certifying in 1914. It would be strange if the death certificates of the older practitioners, taken as a class, did not depart less from the certification practice of the past than those of the younger men, and therefore, if the decline in mortality attributed to meningeal tubercle has been in any degree attributable to a change in the practice of certification, and not wholly to an actual fall in the mortality due to the disease, it is only natural that the special circumstances of the year should have involved a certain throw-back to earlier conditions. This indirect influence

of the war upon the mortality records of 1915 is not put forward in this instance as more than a possibility to be borne in mind, but it is a possibility which may be worth some consideration in other instances than that of tuberculous meningitis, though it must be admitted that the figures appearing in Table 9 against such titles as tabes mesenterica, croup, and convulsions lend no support to the hypothesis.*

This latter fact is interesting as indicating that changes in nomenclature and the abandonment of names of symptoms as statements of the cause of death seem to affect the older practitioners in common with the younger, but it does not follow that this also holds good of the less easily measured changes in the diagnostic interpretation of symptoms which doubtless also occur.

There was no increased privation in 1915 which could account for the increase, and although the employment of women had doubtless increased it seems unlikely that it had done so to an extent involving any appreciable increase in neglect of young children. On the other hand it has been stated that such increase of neglect did occur as a result of increase of drinking habits on the part of some women.

The severe measles epidemic of the spring naturally suggests itself as possibly a contributory cause, but this is not supported by reference to the Annual Report for 1911, in which deaths certified as due to tuberculous meningitis following measles are separately tabulated. They amounted to 32 in all, but of course there may have been many other cases where the origin of the tubercle in an attack of measles was not recorded. Measles moreover could not account for an increase applying to all ages, and would presumably have involved a corresponding increase in mortality from the other forms of tubercle chiefly affecting young children, which has not occurred, the increases under heading 31–35 being small compared with that under 30.

Deaths of Belgian and other refugee children have been far too few to affect the matter appreciably. Eight Belgian refugee children died of tuberculous meningitis, three of tuberculous peritonitis, and four of other forms of non-pulmonary tubercle.

Whatever the cause of the increase may be it probably applies also in part at least to the increased mortality from tubercle generally. There was no corresponding increase in mortality from non-tuberculous meningitis.

31. **Tuberculosis of Peritoneum and Intestines.**—There is no such increase to account for under this heading as from tuberculous meningitis, the deaths so classified amounting to 3,457 in 1914—the smallest number recorded except 3,246 in 1912—and 3,615 in 1915. The decline in mortality from this form of tubercle shown in Tables 9 and 10 is much more rapid than that from meningeal infection.

32–35. **Tubercle of the Spine, of the Joints, of other organs, and Disseminated Tubercle.**—These forms of the disease jointly accounted for 3,675 deaths as against 3,537 in 1914, and of these 2,057 were assigned to disseminated tubercle against 1,979 in 1914, and 1,618 to the other forms of the disease, as against 1,558. As it is unlikely that any appreciable number of men were enlisted who would have died during the year from these causes had they remained civilians, the figures for the two years may be taken as comparable, and it will be seen that the increase is of the order of that for tuberculous peritonitis rather than of tuberculous meningitis, *i.e.*, allowing for increase of population, very slight.

39–45. **Cancer.**—The deaths ascribed to cancer during 1915 numbered 39,847, of which 25,855 were referred to carcinoma, 2,214 to sarcoma, and 11,778 to "cancer," not otherwise defined.

The disturbance of continuity in the death-rates recorded for males and for persons by their necessary limitation to the civilian population is so great that comparison with previous years is best made for females. The crude male death-rate shows a large increase owing to the exclusion from the population of a large number of men furnishing very few deaths from cancer. The slight increase of 272 in deaths of females (Table 9) was less in proportion than the estimated increase in the number living, so the female death-rate shows a minute fall. The fact that the death-rates of males were lower than in 1914 at all the ages chiefly concerned except 75–80 suggests that a more substantial fall would have been recorded for males if peace conditions had prevailed. The rates for the two years are not, however, fully comparable, owing to changes in the methods used for estimating the populations (page ix). The deaths of non-civilians registered in this country numbered only 209, of which 108 were of men over 40 years of age (page 258). It is

* On the other hand the proportion of cases of malignant disease returned simply as cancer shows a slight increase.

probable, therefore, that of the young selected lives in the army abroad very few indeed would have been lost from cancer and that the increase over 1914 of 58 deaths in the *total* male population (Table 9) would have been little larger under peace conditions, and if so the crude death-rate, for males as well as females, would have been lower than in 1914. The standardized rate is lower than that of either 1913 or 1914 on the basis of the estimates of their populations now in use. For the first time since 1907 there would appear to have been an interruption in 1915 of the steady yearly increase of cancer mortality (*see* page 20).

TABLE XIX.—ENGLAND AND WALES: MORTALITY from CANCER per MILLION POPULATION, 1906–10, 1911–14, 1914, and 1915.*

—	Males.				Females.				Persons.			
	1906–10.	1911–14.	1914.	1915 (Civilians only).	1906–10.	1911–14.	1914.	1915.	1906–10.	1911–14.	1914.	1915 (Civilians only).
All Ages: Crude...	819	934	971	1,076	1,052	1,134	1,161	1,158	939	1,037	1,069	1,121
All Ages: Standardized.	814	915	952	921	944	995	1,018	1,015	882	955	985	969
0—	24	25	24	24	20	20	21	17	22	22	23	20
15—	45	44	42	63	34	35	32	32	40	39	37	44
25—	113	111	104	129	164	156	160	147	140	135	133	140
35—	422	280	285	311	822	564	546	575	629	427	420	459
40—		634	655	607		1,137	1,172	1,136		895	923	885
45—	1,589	1,286	1,278	1,204	2,282	1,914	1,862	1,934	1,949	1,612	1,581	1,582
50—		2,267	2,347	2,205		2,862	2,981	2,977		2,577	2,677	2,598
55—	4,051	3,700	3,790	3,621	4,432	4,011	4,064	4,088	4,253	3,863	3,933	3,858
60—		5,598	5,782	5,414		5,338	5,551	5,536		5,459	5,659	5,447
65—	6,967	7,282	7,819	7,417	6,753	6,562	6,739	6,648	6,848	6,889	7,229	6,997
70—		9,197	9,824	9,346		8,300	8,355	8,591		8,684	8,984	8,914
75—	8,345	10,038	10,558	10,861	8,318	9,541	9,924	9,854	8,329	9,745	10,185	10,268
80—		9,174	9,814	9,772		9,242	9,989	9,538		9,215	9,921	9,629
85 and upwards	7,928	8,380	8,995	8,116	7,603	9,303	10,641	8,805	7,720	8,975	10,057	8,560

* The method of estimating the population in 1915 differs from that used for 1911–14. (*See* page ix.)

The parts of the body affected by fatal cancer in 1915 are shown in Tables XX and XXI in greater detail than that provided by the International classification, five out of its seven headings (Nos. 39–45) relating to cancer being subdivided according to a scheme approved by the Director of the Cancer Research Fund, at whose request also deaths returned from institutions are separately tabulated.

The proportion of deaths returned from institutions differs greatly in the case of different organs. As usual it is greatest in the case of brain cancer, and least in the case of cancers of the breast and liver.

A few only of the most important sites have been selected for incorporation in Table XXII, which shows the rates of mortality at different ages from cancer of certain organs, and in Tables XXIII and XXIV, which compare the returns of deaths at various ages in private houses with those occurring in institutions. The age distributions shown in Table XXII are very similar to those tabulated in previous reports, the same characteristic differences between the ages at which the largest proportions of deaths occur from disease of the various organs reappearing year after year.

The object of the separate tabulation of institutional deaths in Tables XX, XXI, XXIII and XXIV is to compare the experience of institutions, where presumably the details of the cause of death have as a rule been confirmed by *post mortem* examination, with the certification of other deaths from cancer in the case of which such facilities are, as a rule, lacking.

It cannot be assumed, however, that the institutional deaths are a fair sample of the whole. That they are subject to some selection by age is shown by the fact that the average age at death is lower in institutions than elsewhere. The proportion under the age of 65 in institutions amounts to 66·5 per cent. for males and 70·0 per cent. for females, as against 54·4 per cent. for males and 57·5 per cent. for females in the case of deaths occurring in private houses; and in both sexes more deaths occur at 55–65 than at any other period in institutional practice, but in private practice the period 65–75 furnishes the largest number of deaths (Table XXIV). Moreover, it is very possible

Table XX.—England and Wales, 1915.—Sites of Fatal Cancer—Males.*

	—	All Ages.	0–	5–	15–	25–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–*
		All Deaths.															
	Total	17,421	75	61	164	317	366	691	1,205	1,870	2,462	2,883	2,822	2,301	1,439	573	192
39	Lip	240	—	—	—	1	2	2	10	17	19	28	36	42	37	29	17
	Tongue	926	1	—	—	5	7	37	74	142	155	165	146	104	60	25	5
	Mouth	444	—	2	3	4	7	13	31	72	80	75	63	51	22	18	3
	Jaw	500	1	4	2	2	11	21	38	75	75	71	88	54	40	13	5
40	Pharynx	225	—	2	7	2	2	8	22	23	36	38	43	28	9	4	1
	Œsophagus	1,208	—	—	1	5	9	42	88	156	213	224	210	134	88	29	9
	Stomach	3,644	—	—	3	39	70	149	288	404	515	623	638	523	267	100	25
	Liver and gall bladder	1,837	9	3	7	26	32	52	134	189	266	321	305	260	154	64	15
41	Mesentery and peritoneum ...	100	4	—	3	12	6	1	7	13	14	11	13	12	1	3	—
	Intestines	1,861	—	1	15	31	53	82	103	162	242	323	335	254	178	60	22
	Rectum	1,854	1	—	10	35	37	80	104	166	251	300	324	272	188	62	24
43	Breast	34	—	—	—	—	2	2	4	3	4	1	7	5	1	4	1
44	Skin...	611	2	—	1	7	15	22	34	40	67	81	66	99	98	48	31
5	Larynx	441	1	—	1	5	6	21	35	68	73	83	72	48	17	10	1
	Lung and pleura	258	—	3	12	20	18	19	20	32	34	38	28	21	8	3	2
	Pancreas	327	—	1	2	7	10	22	24	47	54	46	46	39	21	5	3
	Kidneys and suprarenal glands ...	182	29	7	4	9	8	8	15	13	26	25	18	11	5	4	—
	Bladder	539	—	2	2	4	5	15	24	53	57	94	98	92	58	24	11
	Prostate	513	—	1	1	2	—	3	10	14	48	86	105	119	87	29	8
	Testes	94	2	1	8	27	6	11	5	5	7	7	5	2	6	2	—
	Brain	41	1	5	5	6	6	2	6	2	3	2	—	2	1	—	—
	Bones (jaw excepted)	285	8	15	35	22	15	16	22	21	29	32	32	19	10	7	2
	Other specified organs	585	10	13	27	25	28	43	48	76	87	81	61	42	31	10	3
	Abdominal cavity, organ unspecified.	119	1	—	4	3	4	2	8	7	17	27	18	11	12	4	1
	Other and undefined	553	5	1	11	18	7	18	51	70	90	101	65	57	40	16	3
		Deaths in Institutions.															
	Total	5,093	33	24	75	153	165	264	441	636	731	863	774	501	284	105	44
9	Lip	79	—	—	—	1	1	1	5	6	4	11	17	13	7	6	7
	Tongue	386	1	—	—	1	3	17	34	58	73	77	56	39	20	7	—
	Mouth	173	—	1	3	1	1	5	14	35	26	32	29	12	8	5	1
	Jaw	183	1	1	2	—	4	5	16	36	25	27	25	19	15	4	3
40	Pharynx	79	—	1	2	—	1	2	8	10	13	12	17	7	4	2	—
	Œsophagus	398	—	—	1	1	4	20	38	60	79	66	69	36	17	4	3
	Stomach	882	—	—	2	21	35	57	105	120	123	152	137	75	34	16	5
	Liver and gall bladder	333	2	—	2	8	9	17	31	36	42	65	58	41	17	5	—
41	Mesentery and peritoneum ...	35	1	—	3	7	1	—	3	5	3	9	2	1	—	—	—
	Intestines	563	—	—	10	16	22	39	41	64	84	110	90	48	31	6	2
	Rectum	493	1	—	4	15	21	24	29	63	68	87	78	68	23	8	4
43	Breast	13	—	—	—	—	2	1	2	1	2	1	1	—	1	1	1
44	Skin...	230	—	—	—	2	7	12	17	14	31	27	25	31	35	18	11
45	Larynx	154	—	—	—	4	4	6	15	22	30	29	19	16	6	3	—
	Lung and pleura	77	—	2	9	13	12	7	4	6	5	7	6	3	2	1	—
	Pancreas	127	—	1	2	6	6	10	14	17	20	17	19	7	8	—	—
	Kidneys and suprarenal glands ...	58	14	2	3	5	2	3	5	6	7	5	3	2	1	—	—
	Bladder	148	—	—	—	3	2	7	8	14	17	29	29	21	13	4	1
	Prostate	147	—	1	—	1	—	2	2	2	16	33	33	25	21	8	3
	Testes	20	2	—	2	6	2	1	—	3	1	2	—	1	—	—	—
	Brain	27	—	3	5	4	3	2	6	—	1	1	—	2	—	—	—
	Bones (jaw excepted)	84	5	6	12	11	2	5	7	6	7	5	11	3	2	—	2
	Other specified organs	196	2	6	8	17	18	13	18	23	22	23	18	15	9	3	1
	Abdominal cavity, organ unspecified.	23	1	—	1	1	2	—	1	1	1	8	3	2	—	2	—
	Other and undefined	185	3	—	4	9	1	8	18	28	31	28	29	14	10	2	—

* Including deaths of non-civilians.

that there may be greater relative frequency of cancer of certain sites amongst that section of the population which chiefly furnishes the deaths reported from institutions. The tables, however, are of interest as showing, in institutional and private practice respectively, the chance of cancer at any given age in either sex affecting any particular organ (Table XXIII); and the chance of a cancer of any organ occurring at any given age (Table XXIV). The principal features in these tables also recur with regularity from year to year.

Table XXI.—England and Wales, 1915.—Sites of Fatal Cancer—Females.

	—	All Ages.	0–	5–	15–	25–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–
		All Deaths.															
	Total...	22,426	48	51	112	479	809	1,367	2,010	2,583	2,850	3,125	3,047	2,828	1,869	870	378
39	Lip	12	—	—	—	—	—	—	1	1	1	—	2	1	2	1	3
	Tongue	108	—	—	1	3	7	4	9	6	15	13	15	13	10	9	3
	Mouth	68	—	—	—	2	4	3	3	4	12	7	10	8	9	3	3
	Jaw	165	1	2	4	4	2	13	9	12	24	36	26	16	10	3	3
40	Pharynx	56	—	2	—	1	4	1	6	10	10	5	2	8	4	1	2
	Œsophagus	371	—	—	1	14	30	36	39	43	33	48	45	36	26	10	10
	Stomach	3,420	—	—	4	52	72	128	219	333	466	540	540	532	343	145	46
	Liver and gall bladder	2,690	5	4	5	18	38	90	152	265	342	438	476	433	270	111	43
41	Mesentery and peritoneum ...	280	2	—	3	11	10	22	29	33	40	37	29	24	20	16	4
	Intestines	2,519	—	4	9	37	52	87	129	228	306	359	410	422	276	146	54
	Rectum	1,402	—	1	5	34	29	59	89	137	158	220	215	220	152	64	19
42	Ovary and fallopian tube ...	562	—	3	9	25	37	72	88	91	69	53	57	37	15	6	—
	Uterus	3,899	—	—	5	105	237	389	545	585	562	506	410	309	165	58	23
	Vagina and vulva	306	2	—	—	8	7	11	26	25	28	46	51	42	33	18	9
43	Breast	3,920	—	—	—	80	181	310	467	540	484	479	419	407	272	185	96
44	Skin	392	2	—	4	4	5	12	18	23	24	49	56	57	73	36	29
45	Larynx	111	—	—	1	7	7	12	18	15	17	15	7	9	2	—	1
	Lung and pleura...	168	1	1	4	4	10	13	24	16	19	26	26	14	8	2	—
	Pancreas	303	—	—	4	3	8	15	19	43	43	48	47	38	26	8	1
	Kidneys and suprarenal glands...	155	10	5	—	5	6	11	16	13	19	26	18	16	7	1	2
	Bladder	223	—	1	—	2	4	6	13	20	25	29	33	50	28	11	1
	Brain	47	1	2	1	4	8	4	6	10	6	4	—	—	—	1	—
	Bones (jaw excepted)	286	6	14	35	14	13	11	22	25	29	23	27	32	20	10	5
	Other specified organs	401	14	9	10	21	20	25	25	49	45	53	50	33	29	10	8
	Abdominal cavity, organ unspecified.	296	3	2	2	7	8	17	16	32	43	35	36	51	31	7	6
	Other and undefined	266	1	1	5	14	10	16	22	24	30	30	40	20	38	8	7
		Deaths in Institutions.															
	Total...	4,361	17	8	44	173	225	383	477	577	550	595	523	403	236	105	45
39	Lip	3	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—
	Tongue	24	—	—	—	1	3	—	—	1	3	3	6	3	2	2	—
	Mouth	11	—	—	—	1	—	—	—	1	2	2	1	3	—	—	1
	Jaw	52	—	1	—	1	1	2	3	3	5	14	11	6	4	—	1
40	Pharynx	13	—	—	—	1	2	—	1	4	1	1	—	2	1	—	—
	Œsophagus	67	—	—	1	7	5	9	12	3	5	9	9	3	3	1	—
	Stomach	495	—	—	1	18	23	40	46	71	72	72	56	50	33	9	4
	Liver and gall bladder	312	3	—	1	6	11	21	29	38	33	47	48	35	22	12	6
41	Mesentery and peritoneum ...	73	—	—	2	5	2	11	10	11	12	11	4	—	2	3	—
	Intestines	577	—	2	5	12	22	39	47	78	76	98	89	56	36	13	4
	Rectum	319	—	1	2	16	12	18	25	37	39	56	45	37	23	6	2
42	Ovary and fallopian tube ...	162	—	1	5	12	9	20	30	32	20	13	13	7	—	—	—
	Uterus	915	—	—	2	36	69	118	140	131	133	107	82	65	18	9	5
	Vagina and vulva	78	—	—	—	3	1	5	6	5	7	12	16	10	7	5	1
43	Breast	691	—	—	—	21	34	54	77	98	79	83	78	74	43	35	15
44	Skin	98	1	—	2	2	2	4	3	7	5	15	13	14	19	5	6
45	Larynx	18	—	—	1	2	2	3	3	2	2	1	2	—	—	—	—
	Lung and pleura...	24	—	—	1	1	3	5	5	2	2	2	2	—	1	—	—
	Pancreas	67	—	—	3	1	2	5	4	12	11	8	9	9	3	—	—
	Kidneys and suprarenal glands...	46	4	—	—	2	3	4	8	5	3	9	5	3	—	—	—
	Bladder	41	—	—	—	1	—	1	3	7	7	7	7	7	1	—	—
	Brain	18	—	—	—	2	4	2	3	3	3	1	—	—	—	—	—
	Bones (jaw excepted)	72	2	1	11	6	3	6	3	6	7	4	8	6	7	2	—
	Other specified organs	79	4	1	4	8	8	9	6	10	10	10	2	3	2	2	—
	Abdominal cavity, organ unspecified.	50	3	—	1	4	1	5	6	6	9	4	4	5	2	—	—
	Other and undefined	56	—	1	2	4	3	2	7	4	4	6	12	4	7	—	—

46. **Other Tumours (situation undefined).**—This title includes only tumours not ascertained to be malignant, and (excepting only tumours of the pituitary body, for which there is no appropriate local heading) of which the situation either cannot be ascertained or is of an ill-defined nature. Other benign tumours, *i.e.*, those returned as affecting the various organs, are classified in the International List under the organ concerned ; but in order to secure a comprehensive presentation of all deaths attributed to tumours, all those not returned as due to cancer are assembled in Table XXV from

TABLE XXII.—ENGLAND AND WALES, 1915.—MORTALITY PER MILLION CIVIL POPULATION AT SEVERAL AGES FROM CANCER OF VARIOUS PARTS OF THE BODY.

Part of Body affected.		All Ages.	0—	25—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—
Tongue ...	M.	58	0	2	6	34	73	168	229	311	384	422	453	426	211
	F.	6	0	1	5	3	9	7	22	23	33	39	53	99	70
Œsophagus	M.	74	—	2	8	38	83	180	313	418	552	544	664	495	380
	F.	19	0	4	21	30	38	50	47	85	98	109	137	110	233
Stomach ...	M.	225	0	14	60	128	287	476	756	1,169	1,678	2,124	2,015	1,705	1,057
	F.	177	0	16	51	106	211	384	668	957	1,178	1,616	1,808	1,590	1,072
Liver & gall bladder.	M.	114	2	11	27	44	134	224	390	604	799	1,056	1,162	1,091	634
	F.	139	2	6	27	75	146	305	491	776	1,039	1,315	1,424	1,217	1,002
Intestines	M.	115	1	13	43	71	105	190	355	606	881	1,032	1,343	1,023	930
	F.	130	1	11	37	72	124	263	439	636	895	1,282	1,455	1,601	1,258
Rectum ..	M.	115	1	15	33	73	105	197	369	565	852	1,105	1,419	1,057	1,014
	F.	72	1	10	21	49	86	158	227	390	469	668	801	702	443
Uterus ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	201	1	32	169	323	524	674	806	896	895	939	870	636	536
Breast ...	M.	2	—	—	2	2	3	4	6	2	18	20	8	68	42
	F.	202	—	25	129	258	449	622	694	849	914	1,236	1,434	2,028	2,236
Skin ...	M.	38	0	3	13	20	35	48	99	151	174	402	740	819	1,310
	F.	20	1	1	4	10	17	27	34	87	122	173	385	395	676

TABLE XXIII.—ENGLAND AND WALES, 1915.—SITES OF FATAL CANCER: PERCENTAGE of DEATHS at VARIOUS AGES to TOTAL DEATHS from CANCER at the same AGES in the TOTAL POPULATION.

—	0—		25—		35—		45—		55—		65—		75—		85—		All Ages.	
	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.
	MALES.																	
Tongue... ...	0·8	—	0·7	2·4	4·7	3·8	8·5	6·2	9·4	4·5	7·5	4·0	6·9	3·6	—	3·4	7·6	4·4
Œsophagus ...	0·8	—	0·7	2·4	5·6	4·3	9·1	7·3	9·1	7·8	8·2	6·2	5·4	5·9	6·8	4·1	7·8	6·6
Stomach ...	1·5	0·6	13·7	11·0	21·4	20·2	20·9	23·4	17·3	23·0	16·6	24·7	12·9	19·5	11·4	13·5	17·3	22·4
Liver and gall bladder.	3·0	8·9	5·2	11·0	6·1	9·2	6·2	12·8	6·7	12·8	7·8	12·1	5·7	12·1	—	10·1	6·5	12·2
Intestines ...	7·6	3·6	10·5	9·1	14·2	11·8	9·7	8·0	12·2	9·9	10·8	11·7	9·5	12·4	4·5	13·5	11·1	10·5
Rectum... ...	3·8	3·6	9·8	12·2	10·5	11·5	8·5	8·9	9·7	10·6	11·5	11·7	8·0	13·5	9·1	13·5	9·7	11·0
Skin	—	1·8	1·3	3·0	4·4	2·9	2·9	2·2	3·6	2·4	4·4	2·8	13·6	5·7	25·0	13·5	4·5	3·1
Other organs ...	82·5	81·5	58·1	48·9	33·1	36·3	34·2	31·2	32·0	29·0	33·2	26·8	38·0	27·3	43·2	28·4	35·5	29·8
All sites ...	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0
	FEMALES.																	
Œsophagus ...	1·4	—	4·0	2·3	2·3	3·3	1·4	1·9	1·2	1·4	1·3	1·4	1·2	1·3	—	3·0	1·5	1·7
Stomach ...	1·4	2·1	10·4	11·1	10·4	8·7	11·1	12·3	12·6	17·8	11·4	19·5	12·3	18·6	8·9	12·6	11·4	16·2
Liver and gall bladder.	5·8	7·0	3·5	3·9	5·3	6·1	6·4	9·9	7·0	14·5	9·0	16·7	10·0	14·5	13·3	11·1	7·2	13·2
Intestines ...	10·1	4·2	6·9	8·2	10·0	5·0	11·9	6·6	15·2	10·2	15·7	13·9	14·4	15·6	8·9	15·0	13·2	10·8
Rectum... ...	4·3	2·1	9·2	5·9	4·9	3·7	5·9	4·6	8·3	5·9	8·9	7·1	8·5	7·8	4·4	5·1	7·3	6·0
Uterus	2·9	2·1	20·8	22·6	30 8	28·0	25·7	24·3	21·0	17·1	15·9	11·6	7·9	8·2	11·1	5·4	21·0	16·5
Breast	—	—	12·1	19·3	14·5	25·7	16·6	23·5	14·1	16·6	16·4	13·6	22·9	15·8	33·3	24·3	15·8	17·9
Skin	4·3	2·1	1·2	0·7	1·0	0·7	0·9	0·9	1·7	1·1	2·9	1·7	7·0	3·5	13·3	6·9	2·2	1·6
Other organs ...	69·8	80·4	31·9	26·0	20·8	18·8	20·1	16·0	18·9	15·4	18·5	14·5	15·8	14·7	6·8	16·6	20·4	16·1
All sites ...	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0

TABLE XXIV. — ENGLAND AND WALES, 1915.—SITES OF FATAL CANCER: PERCENTAGE OF DEATHS AT VARIOUS AGES TO DEATHS FROM CANCER OF THE SAME SITE AT ALL AGES in the TOTAL POPULATION.

		0—	25—	35—	45—	55—	65—	75—	85—	All Ages.
		MALES.								
Tongue	Instn.	0·3	0·3	5·2	23·8	38·8	24·6	7·0	—	100·0
	Private	—	0·7	4·4	23·0	31·6	28·7	10·7	0·9	100·0
Œsophagus	Instn.	0·3	0·3	6·0	24·6	36·3	26·4	5·3	0·8	100·0
	Private	—	0·5	3·3	18·0	36·1	29·5	11·9	0·7	100·0
Stomach	Instn.	0·2	2·4	10·4	25·5	31·2	24·0	5·7	0·6	100·0
	Private	0·0	0·7	4·6	16·9	31·2	34·4	11·5	0·7	100·0
Liver and gall bladder ...	Instn.	1·2	2·4	7·8	20·1	32·2	29·7	6·6	—	100·0
	Private	1·0	1·2	3·9	17·0	31·9	31·0	13·0	1·0	100·0
Intestines	Instn.	1·8	2·8	10·8	18·6	34·5	24·5	6·6	0·4	100·0
	Private	0·5	1·2	5·7	12·3	28·6	34·7	15·5	1·5	100·0
Rectum	Instn.	1·0	3·0	9·1	18·7	31·5	29·6	6·3	0·8	100·0
	Private	0·4	1·5	5·3	13·1	29·1	33·0	16·1	1·5	100·0
Skin	Instn.	—	0·9	8·3	13·5	25·2	24·3	23·0	4·8	100·0
	Private	0·8	1·3	4·7	11·3	23·6	28·7	24·4	5·2	100·0
Other organs	Instn.	6·0	4·9	7·9	20·3	28·1	23·5	8·2	1·1	100·0
	Private	3·7	2·2	6·2	17·0	29·7	28·0	12·1	1·1	100·0
All sites	Instn.	2·6	3·0	8·4	21·1	31·4	25·0	7·6	0·9	100·0
	Private	1·4	1·3	5·1	16·2	30·4	31·2	13·2	1·2	100·0
		FEMALES.								
Œsophagus	Instn.	1·5	10·4	20·9	22·4	20·9	17·9	6·0	—	100·0
	Private	—	2·3	17·1	22·1	22·0	22·7	10·5	3·3	100·0
Stomach	Instn.	0·2	3·6	12·7	23·6	29·2	21·4	8·5	0·8	100·0
	Private	0·1	1·2	4·7	14·9	29·5	33·0	15·2	1·4	100·0
Liver and gall bladder ...	Instn.	1·3	1·9	10·3	21·5	25·6	26·6	10·9	1·9	100·0
	Private	0·4	0·5	4·0	14·7	29·4	34·8	14·6	1·6	100·0
Intestines	Instn.	1·2	2·1	10·6	21·7	30·1	25·1	8·5	0·7	100·0
	Private	0·3	1·3	4·0	11·9	25·3	35·4	19·2	2·6	100·0
Rectum	Instn.	0·9	5·0	9·4	19·4	29·9	25·7	9·1	0·6	100·0
	Private	0·3	1·7	5·4	15·1	26·1	32·5	17·3	1·6	100·0
Uterus	Instn.	0·2	3·9	20·4	29·7	26·2	16·1	3·0	0·5	100·0
	Private	0·1	2·3	14·7	28·7	27·8	19·2	6·6	0·6	100·0
Breast	Instn.	—	3·0	12·7	25·4	23·4	22·0	11·3	2·2	100·0
	Private	—	1·8	12·5	25·8	24·8	20·9	11·7	2·5	100·0
Skin	Instn.	3·1	2·0	6·1	10·2	20·4	27·6	24·5	6·1	100·0
	Private	1·0	0·7	3·7	10·5	18·0	29·4	28·9	7·8	100·0
Other organs	Instn.	5·4	6·2	14·3	23·9	24·4	19·4	6·1	0·3	100·0
	Private	3·9	2·7	10·0	19·4	25·6	24·5	12·1	1·8	100·0
All sites	Instn.	1·6	4·0	13·9	24·2	26·3	21·2	7·8	1·0	100·0
	Private	0·8	1·7	8·7	19·6	26·7	27·4	13·3	1·8	100·0

the various headings to which that list of causes of death allocates them. It will be convenient, therefore, to deal here not only with tumours of undefined situation (46) but with all other tumours not returned as malignant.

Table XXV.—England and Wales, 1915.—Tumours not returned as Malignant.

Part affected.		All Ages.		0—		15—		35—		45—		55—		65—		75—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Tumours classed with other disease of organ affected.																	
74C. Cerebral tumour...	Cyst	6	6	—	—	4	2	—	1	—	1	2	1	—	1	—	—
	Glioma	53	30	12	5	14	10	13	5	7	7	5	3	1	—	1	—
	Other benign ...	8	5	2	1	1	—	—	1	2	1	2	—	1	1	—	1
	Nature unstated ...	441	460	62	56	105	117	89	102	91	103	67	52	21	25	6	5
	Total (74C) ...	508	501	76	62	124	129	102	109	100	112	76	56	23	27	7	6
129. Uterine tumour ...	Fibroid	—	253	—	—	—	14	—	76	—	85	—	26	—	29	—	23
	Fibro-cystic ...	—	3	—	—	—	—	—	1	—	—	—	—	—	2	—	—
	Fibro-myoma ...	—	34	—	—	—	—	—	12	—	15	—	2	—	4	—	1
	Myoma	—	15	—	—	—	4	—	3	—	4	—	1	—	2	—	1
	Polypus	—	7	—	—	—	—	—	3	—	2	—	—	—	—	—	2
	Non-malignant ...	—	3	—	—	—	—	—	—	—	2	—	1	—	—	—	—
	Nature unstated ...	—	13	—	—	—	1	—	3	—	3	—	2	—	3	—	1
	Total (129)... ...	—	328	—	—	—	19	—	98	—	111	—	32	—	40	—	28
131. Ovarian tumour ...	Cyst	—	213	—	1	—	32	—	34	—	44	—	42	—	43	—	17
	Fibro-cystic ...	—	3	—	—	—	1	—	—	—	1	—	—	—	1	—	—
	Papilloma	—	5	—	—	—	1	—	1	—	1	—	2	—	—	—	—
	Non-malignant ...	—	12	—	—	—	3	—	2	—	3	—	2	—	2	—	—
	Nature unstated ...	—	67	—	—	—	4	—	9	—	13	—	14	—	14	—	13
	Total (131)... ...	—	300	—	1	—	41	—	46	—	62	—	60	—	60	—	30
In 63. Spinal cord ...	Glioma	2	2	—	—	—	1	1	—	—	—	—	1	1	—	—	—
	Cyst	2	1	—	—	—	—	2	—	—	1	—	—	—	—	—	—
	Myeloma	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Nature unstated ...	10	4	—	—	2	—	1	1	2	—	4	2	1	1	—	—
,, 86. Nose	Polypus	2	4	—	—	2	1	—	—	—	2	—	—	—	—	—	1
,, 87. Larynx ...	Papilloma	4	2	4	2	—	—	—	—	—	—	—	—	—	—	—	—
	Other benign ...	1	2	—	—	—	1	—	—	—	—	—	1	1	—	—	—
	Nature unstated ...	1	4	—	—	—	1	—	2	—	—	1	1	—	—	—	—
,, 88. Thyroid ...	Adenoma	2	5	—	1	1	—	—	—	—	—	—	2	1	1	—	1
	Cystic-adenoma ...	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	Fibro-adenoma ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Fibroid	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	Nature unstated ...	2	3	—	1	1	—	—	—	1	1	—	1	—	—	—	—
,, 98. Lung	Nature unstated ...	9	6	1	—	1	—	—	—	2	2	4	—	1	4	—	—
,, 101. Œsophagus ...	Non-malignant ...	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Nature unstated ...	3	3	—	—	—	—	—	2	1	1	1	—	1	—	—	—
,, 110. Intestine ...	Papilloma	2	2	—	—	—	—	—	1	—	—	—	—	2	—	—	1
	Other benign ...	6	3	1	—	1	—	—	—	—	—	—	1	4	—	—	2
	Nature unstated ...	14	20	—	—	1	1	—	1	1	1	5	2	4	6	3	9
,, 115. Liver	Non-malignant ...	—	3	—	—	—	—	—	—	—	1	—	—	—	1	—	1
	Nature unstated ...	8	8	—	—	2	1	—	—	5	2	1	—	—	4	—	1
,, 118. Pancreas ...	Cyst	2	4	—	—	—	1	1	—	—	1	—	1	1	1	—	—
	Nature unstated ...	2	3	—	—	—	2	—	—	1	1	1	—	—	—	—	—
,, 122. Kidney ...	Cyst	2	2	—	—	2	—	—	—	—	—	—	2	—	—	—	—
	Other benign ...	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	Nature unstated ...	4	7	1	—	1	1	—	1	—	—	1	—	1	2	—	3
,, 124. Bladder ...	Papilloma or villous	81	23	1	—	—	—	2	3	7	2	25	4	26	5	20	9
	Other benign ...	3	1	—	—	—	—	—	—	—	—	1	1	1	—	1	—
	Nature unstated ...	15	5	1	—	—	1	3	—	—	—	2	—	4	2	5	2
,, 126. Prostate ...	Adenoma	52	—	—	—	—	—	—	—	3	—	11	—	20	—	18	—
	Non-malignant ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Nature unstated ...	4	—	—	—	—	—	—	—	1	—	1	—	—	—	2	—
,, 132. Broad ligament	Cyst	—	3	—	—	—	—	—	1	—	1	—	1	—	—	—	—
	Other benign ...	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Other sites ...	Non-malignant ...	12	13	2	2	2	2	—	3	5	1	2	1	1	1	—	3
	Nature unstated ...	11	13	2	1	—	2	—	—	4	1	2	4	2	1	1	4
	Total	259	154	13	7	16	16	10	16	34	22	64	26	72	30	50	37
Tumours not classed with other disease of organ or part of body affected.																	
46. Pituitary body ...	Non-malignant ...	3	2	—	—	1	—	1	1	—	—	1	—	—	—	—	1
	Nature unstated ...	2	3	—	—	—	1	1	—	1	1	—	1	—	—	—	—
Mediastinum ...	Non-malignant ...	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Nature unstated ...	45	34	1	1	4	2	6	6	9	7	13	8	11	7	1	3
Abdomen	Non-malignant ...	—	5	—	—	—	—	—	—	—	1	—	1	—	1	—	2
	Nature unstated ...	17	40	—	1	—	5	—	—	2	10	3	9	5	9	7	6
Other ill-defined sites	Non-malignant ...	5	17	1	3	—	2	—	—	—	3	1	3	1	2	2	4
	Nature unstated ...	11	5	1	—	1	1	2	—	2	1	1	3	2	—	2	—
Site not stated ...	Angioma	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Cyst	2	2	1	—	—	—	—	1	—	—	—	—	1	1	—	—
	Non-malignant ...	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Nature unstated ...	2	4	—	—	1	1	—	1	1	—	—	—	—	—	—	2
	Total (46)	87	115	4	5	7	13	10	9	15	25	19	25	20	20	12	18
Total, all tumours	...	854	1398	93	75	147	218	122	278	149	332	159	199	115	177	69	119
,, benign tumours	...	253	696	24	15	28	77	20	150	25	185	52	100	62	99	42	70
,, nature unstated	...	601	702	69	60	119	141	102	128	124	147	107	99	53	78	27	49

The table includes 2,252 deaths, of which 949 were returned as due to tumours of non-malignant nature, and 1,303 as due to tumours the nature of which could not be ascertained. It will be seen that even if all the latter could be assumed to have been malignant the mortality from cancer would be increased by only a little over 3 per cent. Of these 1,303 cases of undetermined nature no less than 901 were cerebral tumours. Inquiries made in previous years concerning these having established the fact that in the majority of cases, even in institutional practice, where "cerebral tumour" is returned as the cause of death no further information can be furnished, inquiry was limited in 1915 to those cases where the death certificate recorded that a *post mortem* examination had been made. This fact largely accounts for the increase of deaths under this heading from 754 in 1914 to 901 in 1915, the number of cases as to which additional information was obtained having fallen from 144 to 22 (Table XXXII).

The age-distribution of the deaths from tumour of unstated nature is sufficient in itself to show that a great many of them were non-malignant, for it does not at all resemble that of cancer mortality. A large proportion of the deaths, especially of those from cerebral tumour, occur before middle age, so it seems probable that these latter at least include a fair proportion of tuberculous cases, as more than half the deaths returned from tuberculous brain tumour occur at ages under 20 years (Annual Report for 1912, page 589). About half the deaths from cerebral syphilis are at ages under 45 (*Ib.*, page 608).

While the mortality from tumours of doubtful nature does not differ greatly in the two sexes, growths of known non-malignant nature caused the deaths of nearly three times as many females as males. This is due to the comparatively large number of deaths from uterine and ovarian tumour in Table XXV. Apart from these two organs the male mortality considerably exceeds the female, as a result of the comparative frequency among males of fatal non-malignant tumours of the bladder and prostate.

56. **Alcoholism.**—This heading in the International List of causes of death excludes organic disease attributed to alcoholism, therein differing from the "alcoholism, delirium tremens" of the list in use prior to 1911. The effect of the change may be gathered from comparison of the number of deaths (497) from alcoholism in the new list on page 144 with that (1,551) of deaths referred to the same heading in the old list in Table 9.

Although exact comparison with previous years cannot be made owing to the restriction of the death-rates in Table 10 to civilians, it may be inferred from this table that a satisfactory drop in mortality from alcoholism occurred in 1915, the death-rate, which had risen in 1913 and 1914 above the low level of the three years 1910–1912, returning to about its former level. This is certainly true of the death-rate of females, for which comparison is unaffected by war conditions; and as about three-quarters of the deaths occur above military age and very few at the ages from which the Army in 1915 had been mainly drawn, it must be substantially true also of males.

In order that the change in classification referred to above might not lessen the information afforded with regard to mortality from over indulgence in alcohol, all the death certificates in which any mention of alcohol appears have been assembled in Table XXVI.

It will be seen that these deaths make up a total of 1,772, or only 221 in excess of the 1,551 referable to the old heading, the difference being accounted for mainly by causes of death formerly selected in preference to alcoholism when recorded in conjunction with it.

The contents of Table XXVI are on the whole very much what might have been expected from the general medical experience of the connexion of intemperance with disease, cirrhosis of the liver, lobar pneumonia in males and neuritis in females being the diseases most frequently associated with alcoholism on death certificates.

Table XXVI.—England and Wales, 1915.—Deaths from or connected with Alcoholism.

—	All Ages.		Under 25.		25—		35—		45—		55—		65—		75—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Deaths attributed directly to alcoholism ...	293	204	2	1	36	18	71	62	88	72	66	33	27	17	3	1
Deaths of which alcoholism was recorded as a secondary cause :																
10. Influenza	8	5	—	—	1	—	2	2	2	3	2	—	1	—	—	—
18. Erysipelas	3	1	—	—	1	—	—	1	—	—	1	—	1	—	—	—
20. Pyæmia, Septicæmia	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
28, 29. Phthisis	16	14	—	—	2	3	4	4	6	5	3	2	1	—	—	—
37, 38. Venereal diseases	2	1	—	—	—	—	1	1	—	—	1	—	—	—	—	—
39–45. Cancer	5	2	—	—	1	—	—	—	1	1	1	1	1	—	1	—
47. Rheumatic fever	4	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—
Other general diseases	11	2	—	—	—	—	4	1	3	1	2	—	2	—	—	—
60. Encephalitis	3	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—
61. Meningitis	2	2	1	—	—	—	—	1	1	—	—	1	—	—	—	—
64. Cerebral hæmorrhage, apoplexy ...	33	30	—	—	1	1	6	6	10	12	16	8	—	3	—	—
65. Softening of brain	4	7	—	—	—	—	—	2	—	3	1	2	2	—	1	—
67 { General paralysis of the insane / Alcoholic paralysis ... ... }	11	6	—	—	—	—	1	2	3	2	2	1	5	1	—	—
69. Epilepsy	12	7	—	—	4	—	4	3	2	2	2	2	—	—	—	—
73B. Neuritis	23	49	—	1	1	2	4	18	11	16	4	9	3	3	—	—
Other nervous diseases	5	6	—	—	1	1	—	—	1	1	1	2	2	1	—	1
78. Acute endocarditis	4	—	1	—	—	—	3	—	—	—	—	—	—	—	—	—
79A. Valvular disease of the heart ...	15	10	—	—	1	—	4	2	4	3	4	2	2	2	—	1
79B. Fatty degeneration of the heart ...	18	31	—	—	3	1	3	12	7	6	2	11	3	1	—	—
79C. Other organic disease of the heart ...	38	32	—	—	1	2	5	8	12	12	14	8	5	2	1	—
81. Disease of the arteries, atheroma, aneurysm, &c.	10	6	—	—	—	—	—	1	4	2	4	2	2	1	—	—
Other diseases of circulatory system	5	3	—	—	—	—	3	1	2	—	—	—	—	2	—	—
89, 90. Bronchitis	29	15	—	—	2	1	6	1	11	9	10	1	—	2	—	1
91. Broncho-pneumonia	6	5	—	—	1	—	2	2	2	1	1	1	—	—	—	1
92A. Lobar pneumonia	86	26	—	—	10	4	32	11	30	8	11	3	3	—	—	—
93. Pleurisy	6	3	—	—	2	—	2	2	2	—	—	1	—	—	—	—
Other diseases of respiratory system	8	3	1	—	—	—	1	—	2	—	3	2	1	1	—	—
103. Other diseases of the stomach ...	19	18	—	—	1	2	3	3	11	6	2	6	2	—	—	1
104, 105. Diarrhœa and enteritis	5	9	—	—	—	—	1	1	2	6	2	2	—	—	—	—
113B. Cirrhosis of liver	160	161	—	—	11	8	31	41	45	59	54	37	17	13	2	3
Other diseases of digestive system ...	9	1	—	—	—	—	3	—	4	—	1	—	1	1	—	—
120. Bright's disease	31	26	—	—	2	1	7	10	9	9	9	5	3	—	1	1
Other diseases of bladder	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
127. Non-venereal diseases of male genital organs.	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
134–141. Abortion, Childbirth, &c.	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—
142. Gangrene	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
144A. Phlegmon	3	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—
145A. Ulcer, bedsore	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
155–186. Violence	135	56	2	—	23	8	34	17	38	14	23	12	11	2	4	3
Total	1027	745	7	2	107	53	243	216	314	254	248	154	95	53	13	13

Poliomyelitis.—Deaths from poliomyelitis and polioencephalitis are included under title 63, "other diseases of the spinal cord." So much interest, however, attaches to this disease at the present time that it seems desirable to state its mortality separately.

Including the encephalic form the total number of deaths registered was 178, of which six (three of males and three of females) were, under the rules for classification, allocated to some other cause of death mentioned on the certificate. The sex- and age-distribution was as follows :—

—	All Ages.	Under 1 month.	1—3 months.	3—6 months.	6—12 months.	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—
Males ...	87	2	3	2	10	18	3	6	3	19	6	5	3	2	3	—	1	1
Females ...	91	—	—	5	9	11	7	9	6	13	13	5	3	4	1	3	2	—

The proportion of deaths occurring under five years of age was 53 per cent., and under 20 years 87 per cent.

The number of cases notified was 517, so that the fatality experienced was 34 deaths per 100 cases notified.

61A. **Cerebro-spinal Fever.**—The deaths allocated to this cause numbered 1,974, the highest numbers previously recorded since 1876, when the disease was first distinguished in these reports, having been 194 in 1914, 163 in 1913, and 161 in 1907. Previous to 1905 the number of deaths recorded never reached 100, but comparison with the records of years previous to 1901 is vitiated by the fact that from that date onwards inquiries regarding deaths certified as due to "cerebro-spinal meningitis" have added considerably to the number classed to cerebro-spinal fever, the increase brought about in this way in 1915 being 487 (Table XXXII). It is unfortunate that orders relating to the compulsory notification of the disease, etc., should have given official sanction to the loose use of the general term cerebro-spinal meningitis, which is of course applicable to inflammation of the parts concerned from any cause, as implying inflammation of one specific origin, meningococcal infection. This use of the term is not sanctioned by the Nomenclature of the Royal College of Physicians, and that it is not universal amongst certifying practitioners is shown by the fact that of deaths so certified in 1915 31 were ascertained not to be due to cerebro-spinal fever, 13 of them being from tubercle (Table XXXII).

An additional difficulty in instituting comparisons with the mortality of former years arises from the fact that it is probable that in this as in other countries many fatal cases of the disease may not have been recognised as such. Mistakes in regard to its diagnosis are even now of frequent occurrence, the features of the disease being variable and often puzzling in nature, so that it is not unlikely that sporadic cases are still liable to be returned under other headings.

But while the official returns of cases and of deaths alike must for these reasons be interpreted with great caution, we are probably justified by the facts above recited in assuming that the first outbreak on a considerable scale in England within recent years of this very fatal disease was experienced in 1915. Other countries however have not shared this immunity. About the year 1905 heavy mortality was recorded in Prussia and in New York; and, to come nearer home, an outbreak in Scotland and Ireland caused 1,732 deaths in the former country and 631 in the latter in 1907, the cities of Glasgow and Belfast suffering with especial severity. These figures correspond to a mortality of 372 per million population in Scotland, and of 144 in Ireland, as against 39 per million for the civilian population of England and Wales in 1915.

The distribution of the disease throughout the country was very unequal, its incidence upon London and the South of England generally having been very much heavier than upon the North. The civilian mortality in the South was 80 per million as against 35 in the Midlands, 25 in Wales, and 12 only in the North. The fact that the malady has been compulsorily notifiable since 1912 makes it possible to give the following figures for the various classes of areas, showing the fatality of the disease as well as the mortality caused by it. It is probable that a certain number of cases of posterior basal meningitis may be included in the notifications. The London practitioners were advised that such cases should be notified as "cerebro-spinal meningitis," but elsewhere no rule appears to have been laid down upon this point. In the tabular statement the figures first given refer to cerebro-spinal fever alone, and those in brackets to posterior basal meningitis as well (61A and B). Moreover, the need for caution in interpreting the official returns in view of the unsatisfactory means of diagnosis which has been pointed out must be borne in mind, especially in regard to numbers of cases notified. On investigation some are found to have been notified more than once and others not to be cases of cerebro-spinal fever; while a number of the milder cases, in which perhaps the cerebral symptoms may not be very pronounced, probably escape notification altogether. Still, taking them for what they may be worth, the official figures yield the following results for the civilian population:—

—	Mortality per Million Civilian Population.	Fatality per Cent. of Cases.
London	74 (83)	51 (58)
County Boroughs	32 (40)	53 (67)
Urban Districts	36 (41)	54 (61)
Rural Districts	34 (38)	56 (63)
England and Wales	39 (45)	53 (62)

The mortality in London was not, it will be seen, quite so high as in the South of England generally, and the fatality, very consistently high throughout, though less

than has been recorded in some other outbreaks, was a trifle lower in London than in other classes of area. There is nothing however in the figures to indicate that the greater facilities for treatment possessed by the large towns have had any appreciable effect upon the mortality.

Notwithstanding the depletion of the male civilian population, there were 742 deaths of male civilians as against 627 of females. Males in our records have as a rule suffered most. The age distribution of the civilian deaths differs from that of the preceding years (*see* Annual Report for 1913, page lxix) in that the proportion of adult deaths is greater. Deaths over 20 years of age amounted to 24 per cent. of the whole for males and 30 per cent. for females as against 17 and 18 per cent. respectively in 1911–1913. Mortality remains appreciable until old age is attained, when it practically ceases.

Three quarters of the deaths of civilians occurred during the first half of the year, and almost half during its second quarter. This is in accord with the usual experience that the disease is most fatal in the early part of the year, though during the preceding four years, for which the information is available, this characteristic is not apparent in the English figures.

The mortality amongst the troops occurred earlier in the year than that in the civilian population, 49 as against 27 per cent. of the total deaths occurring in the first quarter. This fact of course supports the supposition that the disease spread from the military to the civilian population. The fatality rate amongst the troops was 53 per cent., the same rate as amongst civilians, so it would seem that the case mortality is about the same for adults as for children.

61B. **Posterior Basal Meningitis.**—As this disease appears now to be regarded merely as a sporadic form of meningococcal cerebro-spinal meningitis occurring in young children, it may be doubted whether its distinction from cerebro-spinal fever should be continued after the next revision of the list of causes of death. Under our present rules of assignment however it is probable that a few deaths are allocated to this heading which should be classed to 61C.

In order to test this point particulars as to the exact form of certification have been taken out with regard to 141 out of the 169 deaths so classified in 1913 for which the information happened to be conveniently available. These included all the deaths at ages over five years, which are those to which most suspicion naturally attaches. The result may be tabulated as follows :—

——	All ages.	0—	1—	5—	20—
Posterior basal meningitis	75	39	17	15	4
Post-basal ,, ...	8	4	4	—	—
Posterior basic ,, ...	26	13	6	4	3
Post-basic ,, ...	21	13	6	—	2
Basal and acute basal meningitis	7	—	—	6	1
Basic and acute basic ,, ...	4	—	1	2	1
Total	141	69	34	27	11

It will be seen that under all forms of certification containing the word "posterior" or "post" at least half the deaths occurred during the first year of life, but that none of the eleven deaths returned as due to basal or basic meningitis occurred at this age. It seems clear therefore that these latter forms of returns should be included under 61C—**Meningitis—other forms**, and the annual figures for 61B discounted by some 8 per cent. or so on this account. In four out of these eleven cases in fact there is evidence that the certifying practitioner cannot have considered the infection to be meningococcal.

In addition to these 11 deaths a certain amount of suspicion must attach to the nine deaths of adults from posterior basal meningitis and the three other forms of return which may be accepted as of equivalent significance, and possibly also to the 19 such deaths of children over the age of five. It seems not improbable that in some such cases the words posterior basal may be used merely to indicate the seat of inflammation without any implication as to its origin. Even so, however, there seems no reason to doubt that the great bulk of the deaths returned under this heading should be regarded as due to the disease known in the "Nomenclature" as posterior basal meningitis.

If we may take it that three quarters or more of the deaths allocated to 61B should be regarded as of meningococcal origin, the deaths due to this organism are in non-epidemic years at least twice as numerous as those returned under cerebro-spinal fever. During the four non-epidemic years for which we have the information, 1911–14, 633 deaths were referred to 61A and 839 to 61B; the latter being the more numerous in all classes of urban, but not in the rural areas. It follows therefore that even if as many as a quarter of the deaths allocated to 61B are not to be regarded as due to meningococcal infection the remainder are equal in number to those allocated to 61A.

During the epidemic year of 1915 the case was, however, quite otherwise. Contrary to what might, perhaps, have been expected no significant increase in mortality from posterior basal meningitis occurred, so that the deaths listed to 61B form only a small proportion of the total meningococcal mortality.

The fatality of posterior basal meningitis cannot be determined from the official records, but is probably very high. In London, where these cases are included amongst the notifications of cerebro-spinal fever, the cases notified as posterior basal meningitis are recorded for 1914. They numbered only 19 as against 31 deaths. The figures for 61A and 61B jointly are available for the last five years for London, and are as follows :—

Year.	Cases Notified.	Deaths.
1911	101	98
1912	105	64
1913	92	49
1914	73	72
1915 (civilians only)	624	361

If the London deaths from 61A alone are compared with the notifications, which in London include 61B also, as in the recent Report to the Local Government Board on cerebro-spinal fever (New Series No. 110), the fatality is of course made to appear much too low in ordinary years; and this result has been further accentuated in the reports of the medical officer of health of the County of London by accidental under-statement of deaths from cerebro-spinal fever.

But even as stated above little reliance can be placed upon the figures, the inconsistence in different years of the fatality rates derivable from them being sufficient commentary upon their value. Reports of the Local Government Board and of the London County Council which record the results of investigation of notified cases help to show how this comes about. Some cases are notified twice, others not at all, the first record of the disease being that returned upon the death certificate, and a large proportion of other cases prove on investigation not to be of meningococcal origin. Doubtless this would hold good also of the deaths, to a greater or less extent, but this only forms a particular instance of the general rule that the figures in these reports represent not necessarily the diseases from which people have died but those from which they are certified to have died.

91 and 92. **Pneumonia.**—The total deaths assigned to pneumonia in its various forms numbered 48,874, 27,914 of males and 20,960 of females. These are the highest figures on our records both for males and females. The excess of male deaths is the more remarkable in view of the depletion of the male population. In the main it is independent of the military conditions to which a portion of the male population has been subjected, for there is no quinquennium of life at which more deaths of males have not occurred than in 1914, both from broncho-pneumonia and from lobar and undefined pneumonia. The non-civilian deaths however (*see* page 258) appear possibly to be somewhat high in proportion to the number of troops in the country, at all events in the case of broncho-pneumonia, but in the absence of any precise knowledge of what that number amounted to it is impossible to speak definitely on this point. If some excess of mortality did occur amongst the military population—and it cannot have been great—this is little to be wondered at in view of the circumstances inevitably attaching to military training in the earlier stages of the war.

The main feature of the year's record however is the heavy mortality amongst civilians. Even amongst males of military age the civilian deaths in 1915 did not fall far short of the total deaths in 1914, notwithstanding the large withdrawals to military service.

The best means of comparing the mortality of 1915 with that of former years is afforded by the death-rate of females, which was higher for pneumonia as a whole than in any year since 1909, though it had been exceeded in four previous years from 1901 onwards (Table 10). Previous to 1901 the records from 1875 onwards show a rate exceeding that for 1915 in 1891 only. For broncho-pneumonia the death-rate of females in 1915 is the highest recorded since 1901, when the forms of the disease were first distinguished in our records, except in 1907 ; while that from lobar and undefined pneumonia is the highest since 1909, but was exceeded in that and previous years except 1901 and 1908.

The mortality shown for males in 1915 is raised by its restriction to civilians, but very much more so in the case of broncho- than of lobar and undefined pneumonia. When allowance is made for this the death-rate for males from pneumonia as a whole is found to have been higher in 1915 than in any of the previous 40 years except 1890 and 1891, the time of the great influenza invasion, and 1900, 1902, and possibly one or two other years. As has already been pointed out, there was a considerable recrudescence of influenza mortality in 1915.

To sum the matter up, there was a serious increase in pneumonia mortality above the rates prevalent during the five preceding years, but in the twenty years previous to these the rates of 1915 had been several times exceeded. The increase is common to both sexes and all ages, and applies to all forms of pneumonia. Its distribution throughout the country is illustrated in Table XXVII, but in reading this it must be borne in mind that the rates given for 1915 are raised by restriction to the civil population to an extent which may be estimated at about 3 per cent. Comparison between different sections of the population is not, of course, appreciably affected by this consideration, and as standardization for variations in sex- and age-constitution of the populations compared alters pneumonia death-rates but little, the crude rates in the table may be accepted as giving a fair indication of the distribution of pneumonia mortality.

Table XXVII.—Pneumonia (all forms), 1913–1915.—Crude Death-rates per Million Population (Civilian Population and Deaths in 1915).

—		North.	Midlands.	South.	Wales.	England and Wales.
London	1913 ...	—	—	1,281	—	1,281
	1914 ...	—	—	1,240	—	1,240
	1915 ...	—	—	1,655	—	1,655
County Boroughs	1913 ...	1,483	1,054	822	1,026	1,260
	1914 ...	1,634	1,222	878	1,422	1,415
	1915 ...	1,800	1,367	1,180	1,494	1,588
Other Urban Districts	1913 ...	1,186	810	621	1,055	923
	1914 ...	1,128	824	730	1,223	946
	1915 ...	1,404	1,154	1,012	1,627	1,256
Rural Districts	1913 ...	946	620	541	883	697
	1914 ...	901	662	590	901	720
	1915 ...	1,138	940	857	1,070	976
All areas	1913 ...	1,305	831	917	992	1,025
	1914 ...	1,359	903	941	1,155	1,084
	1915 ...	1,578	1,165	1,286	1,416	1,356

It will be seen that in each of the three years dealt with in the table mortality, except in the case of London, where it was fairly high, decreased from North to South in all classes of area, the position of Wales being generally intermediate between that of the North and Midlands. The excess of the northern over the southern rates is however less in 1915 than in previous years, the increase of mortality, which is common to all areas, having been greater in the South than in the North. This increase is everywhere much too great to be accounted for by the restriction of the 1915 rates to the civilian population. As in previous years there is a steady and considerable decrease in mortality with decreasing urbanization. Standardization to some extent accentuates these differences, slightly increasing the urban and decreasing the rural mortality. The increase over the 1914 rates was less in the county boroughs than in the smaller towns or rural districts, but was heavy in London.

Not far from half the deaths from broncho-pneumonia, as from bronchitis, occurred during the first quarter of the year (page 248). This was the heaviest quarter also for other forms of the disease but not nearly to the same extent. Measles was very prevalent at this time (*see* page xxv) and in view of the fact that 75 per cent. of the deaths from broncho-pneumonia were those of children under five years of age a considerable number of them may possibly have resulted from measles. It is to be hoped however that the propriety of mentioning measles on the death certificate in such cases is widely recognised, with the result that deaths so certified are allocated to the infectious disease. Moreover the mortality from measles was even higher during the second quarter of the year, in which that from broncho-pneumonia was very greatly reduced.

134–141. **The Puerperal State.**—The number of deaths assigned to pregnancy or childbirth was 3,408 (Table XXVIII), corresponding to a rate of 4·18 per 1,000 births. It will be seen from Table 9 that this number is 198 in excess of that assignable to these causes of death under the classification in use up to 1910 (*see* Manual of Causes of Death, pages xxvi. and xxx.). Deducting these 198 deaths, 196 of which are those allocated to puerperal nephritis and albuminuria, formerly not distinguished as puerperal, the mortality amounted to 3·94 per 1,000 births, as against an average rate of 3·80 in the ten years immediately preceding. Inclusion of the 881 deaths in Table XXIX raises the proportion to 5·27 deaths stated to have been caused by or associated with pregnancy and childbirth for every 1,000 births.

The mortality amongst women aged 15–45 years from all the causes included in Tables XXVIII and XXIX was 453 per million living, against 466 per million in 1913, and 482 in 1914. While, therefore, the mortality per 1,000 births has very slightly increased, that per million women of fertile age has decreased owing to the fall in the birth-rate.

Table XXVIII gives particulars of the deaths assigned to the puerperal state, and in the case of the headings "other accidents of pregnancy," "other accidents of childbirth," and "puerperal fever" amplifies the information on pages 160 and 161 by giving details of the causes comprised by those titles.

Table XXIX shows the causes of deaths stated to have been complicated by the existence of the puerperal state. Heart disease was the commonest of these, and after it pneumonia, tuberculosis and influenza.

TABLE XXVIII.—ENGLAND and WALES, 1915.—DEATHS of WOMEN CLASSED to PREGNANCY and CHILDBEARING.

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
134A. Abortion	126	3	9	23	38	35	14	4
B. Hæmorrhage of pregnancy	91	—	5	10	19	37	16	4
C. Uncontrollable vomiting	37	2	9	12	5	7	1	1
D. Ectopic gestation	74	—	4	16	24	21	8	1
E. Other accidents of pregnancy :—								
Carneous mole	1	—	—	—	—	1	—	—
Hydatid mole	7	—	1	1	1	1	1	2
Molar pregnancy	1	—	—	—	—	1	—	—
Hydramnios	2	—	—	1	—	1	—	—
Retroversion of gravid uterus ...	11	—	3	4	2	2	—	—
Cystic degeneration of ovum ...	1	—	—	—	—	1	—	—
Pregnancy apart from above complications :—								
(*a*) With secondary causes as follows :—								
Dilatation of heart	1	—	—	—	—	—	1	—
Embolism, thrombosis ...	3	—	—	2	1	—	—	—
Pneumonia	1	—	—	—	—	1	—	—
Acute œdema of lung ...	1	—	—	—	—	1	—	—
Acute yellow atrophy of liver	2	1	1	—	—	—	—	—
Cystitis	1	—	—	—	—	1	—	—
(*b*) Without stated secondary cause	5	1	—	—	1	3	—	—
135. Placenta praevia	211	—	13	35	55	68	38	2
Other Puerperal hæmorrhage	254	4	31	38	61	72	42	6

TABLE XXVIII—*continued.*

Cause of Death.	All Ages.	Ages. 15—	20—	25—	30—	35—	40—	45 and upwards.
136. Other accidents of childbirth :—								
Contracted pelvis	35	1	3	8	12	7	4	—
Craniotomy	3	—	—	1	1	1	—	—
Cæsarean section	26	—	3	5	6	7	4	1
Version	4	—	—	2	—	1	1	—
Instrumental delivery	6	—	1	2	—	2	1	—
Rupture of uterus	38	—	2	2	13	15	6	—
Rupture of uterus and vagina ...	3	—	—	—	2	1	—	—
Rupture of perineum	1	—	1	—	—	—	—	—
Malpresentation	11	—	—	2	2	4	2	1
Inversion of uterus	9	—	4	4	—	1	—	—
Inertia of uterus	5	—	—	—	3	1	1	—
Difficult and prolonged labour ...	73	1	10	17	15	21	8	1
Childbirth apart from above complications :—								
(*a*) With secondary causes as follows :—								
Anæmia	17	1	2	7	3	2	2	—
Alcoholism	1	—	—	—	—	1	—	—
Meningitis	5	—	3	1	1	—	—	—
Cerebral effusion	1	—	—	1	—	—	—	—
Pericarditis	1	—	—	1	—	—	—	—
Acute endocarditis	1	—	—	—	—	1	—	—
Valvular disease	3	1	1	—	—	—	1	—
Dilatation of heart	4	—	1	—	—	3	—	—
Status lymphaticus	1	—	—	—	1	—	—	—
Bronchitis	16	1	3	4	2	3	3	—
Broncho-pneumonia ...	6	—	1	1	2	2	—	—
Pneumonia	52	1	5	11	13	17	5	—
Pleurisy	7	—	—	3	3	1	—	—
Congestion of lungs	3	—	—	—	—	3	—	—
Gastritis	5	—	—	2	2	—	1	—
Vomiting	3	—	—	—	1	2	—	—
Hæmatemesis	3	—	2	—	—	1	—	—
Diarrhœa and enteritis ...	8	—	1	3	2	1	—	1
Intestinal paralysis	2	—	—	1	1	—	—	—
Acute yellow atrophy of liver	1	—	—	—	1	—	—	—
Jaundice	2	—	—	1	—	1	—	—
(*b*) Without stated secondary cause	53	—	9	7	12	18	7	—
137. Puerperal fever :—								
Puerperal septicæmia	702	19*	119	181	193	127	58	5
„ streptococcal infection ...	1	—	—	—	—	1	—	—
„ bacillus coli infection ...	1	—	—	—	—	1	—	—
„ pelvic infection	1	—	—	—	1	—	—	—
„ sapræmia	35	1	5	13	8	2	5	1
„ pelvic peritonitis ...	20	—	—	7	7	6	—	—
„ peritonitis	112	4	16	34	30	22	5	1
„ salpingitis	5	—	1	1	3	—	—	—
„ metritis	19	—	2	3	6	7	1	—
„ endometritis	10	—	1	—	2	7	—	—
„ parametritis	9	—	1	2	3	2	1	—
„ perimetritis	5	—	—	1	3	1	—	—
„ erysipelas	9	—	1	3	—	5	—	—
„ pyæmia	36	—	5	12	7	9	2	1
„ pelvic cellulitis	34	3	5	10	9	6	1	—
„ pelvic abscess	10	1	4	2	2	1	—	—
„ tubal abscess	1	—	—	—	1	—	—	—
„ blood poisoning	2	—	1	—	—	1	—	—
„ fever (not otherwise described).	189	3	49	45	47	28	16	1
138A. Puerperal nephritis and uræmia ...	151	2	26	36	36	33	15	3
B. Puerperal albuminuria and Bright's disease.	45	2	5	13	9	11	4	1
C. Puerperal convulsions	430	27	104	84	89	93	31	2

* Including one aged 14 years.

TABLE XXVIII.—*continued.*

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
139A. Puerperal phlegmasia alba dolens and phlebitis.	50	—	9	13	18	8	2	—
B. Puerperal embolism and sudden death	242	—	29	68	61	61	19	4
140. Puerperal insanity	34	1	1	10	7	11	3	1
141. Puerperal diseases of the breast ...	16	2	3	1	5	3	2	—
Total	3,408	82	515	767	852	816	332	44

TABLE XXIX.—ENGLAND AND WALES, 1915.—DEATHS of WOMEN not CLASSED to PREGNANCY and CHILDBEARING, but RETURNED as ASSOCIATED THEREWITH.

Enteric fever	4	—	2	—	—	1	1	—
Measles	2	—	2	—	—	—	—	—
Scarlet fever	13	1	1	6	2	3	—	—
Diphtheria	2	—	—	—	2	—	—	—
Influenza	65	1	8	20	15	13	6	2
Erysipelas	1	—	—	—	—	1	—	—
Pyæmia, septicæmia	1	—	—	—	—	1	—	—
Tetanus (bacillary)	1	—	—	1	—	—	—	—
Pulmonary tuberculosis	46	—	7	8	16	11	4	—
Phthisis (not defined as tuberculous) ...	24	—	3	7	3	9	2	—
Acute phthisis	21	1	5	6	5	3	1	—
Acute miliary tuberculosis	5	1	—	2	—	2	—	—
Tuberculous meningitis	1	—	—	—	1	—	—	—
Tuberculosis of peritoneum and intestines ...	3	—	—	—	1	2	—	—
Other forms of tubercle	2	—	—	—	1	1	—	—
Syphilis	3	—	—	1	1	1	—	—
Cancer	12	—	1	1	3	4	3	—
Rheumatic fever	19	1	3	2	8	3	2	—
Diabetes	2	—	—	1	1	—	—	—
Exophthalmic goître	4	—	1	2	1	—	—	—
Leucocythæmia, lymphadenoma	1	—	—	—	—	1	—	—
Anæmia	25	1	1	7	6	8	2	—
Purpura	7	—	3	—	2	1	1	—
Alcoholism	1	—	—	—	—	1	—	—
Encephalitis	1	—	—	1	—	—	—	—
Meningitis	1	—	1	—	—	—	—	—
Cerebro-spinal fever	2	1	—	1	—	—	—	—
Cerebral hæmorrhage, apoplexy	1	—	—	—	—	1	—	—
General paralysis of the insane	1	—	—	—	—	1	—	—
Epilepsy	12	2	1	1	6	1	1	—
Chorea	5	1	3	1	—	—	—	—
Neuritis	1	—	—	—	—	—	1	—
Cerebral tumour	1	—	—	—	1	—	—	—
Diseases of the ears	1	1	—	—	—	—	—	—
Infective endocarditis	5	—	—	2	3	—	—	—
Acute endocarditis	7	—	—	2	1	1	2	1
Valvular disease	107	—	10	26	24	27	18	2
Fatty degeneration of the heart	9	—	—	3	2	1	2	1
Other organic disease of the heart	77	—	7	13	20	20	17	—
Embolism and thrombosis	2	—	1	—	1	—	—	—
Phlebitis	1	—	—	—	—	1	—	—
Varicose veins	2	—	—	—	2	—	—	—
Laryngitis	1	—	—	—	1	—	—	—
Diseases of the thyroid body	6	—	—	1	3	1	1	—
Bronchitis	39	1	2	6	16	9	5	—
Broncho-pneumonia	19	—	4	3	6	4	2	—
Lobar pneumonia	94	4	12	21	25	18	14	—
Pneumonia (type not stated)	62	3	10	8	21	10	10	—
Pleurisy	5	—	—	—	1	2	2	—
Pulmonary apoplexy	1	—	—	1	—	—	—	—
Asthma	9	—	1	4	2	2	—	—
Pulmonary emphysema	1	—	1	—	—	—	—	—
Tonsillitis	1	—	—	—	—	1	—	—

TABLE XXIX—*continued.*

Cause of Death.	All Ages.	Ages. 15—	20—	25—	30—	35—	40—	45 and upwards.
Diseases of the pharynx	1	—	—	1	—	—	—	—
Perforating ulcer of stomach	18	—	3	4	3	5	3	—
Inflammation of stomach	6	—	1	—	2	3	—	—
Diarrhœa and enteritis	13	—	2	7	1	2	1	—
Intestinal parasites	1	—	—	1	—	—	—	—
Appendicitis	12	1	2	6	1	1	1	—
Hernia	1	—	—	—	—	—	1	—
Intestinal obstruction	6	—	1	2	2	—	1	—
Acute yellow atrophy of liver	5	—	—	1	1	1	2	—
Cirrhosis of the liver	1	—	—	—	—	—	—	1
Other diseases of the liver	3	—	1	—	1	—	1	—
Bright's disease...	41	—	6	6	9	9	8	3
Other diseases of the kidney	6	—	—	2	2	2	—	—
Calculus	1	—	—	—	1	—	—	—
Diseases of the bladder	1	—	1	—	—	—	—	—
Uterine tumour	16	—	—	1	5	6	4	—
Other diseases of uterus	1	—	—	1	—	—	—	—
Ovarian cyst	2	—	—	1	1	—	—	—
Diseases of the bones	1	—	—	—	—	—	1	—
Congenital malformation of heart	1	—	1	—	—	—	—	—
Violence	5	—	1	2	1	1	—	—
Total	881	20	109	193	233	196	120	10

Anæsthetics.—Deaths during or connected with the administration of an anæsthetic have all, from 1911 onwards, been classified to the condition for which the anæsthetic was administered. In order, however, to continue the information previously afforded as to such cases a secondary tabulation is now made of all deaths on the certificates relating to which any mention is made of the administration of an anæsthetic. These are

TABLE XXX.—ENGLAND AND WALES, 1915.—DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF VARIOUS ANÆSTHETICS.

Anæsthetic.		All Ages.	Age. 0–	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	65–
A.C.E. Mixture	M.	6	—	—	—	—	—	1	—	1	—	—	1	—	—	—	1	2	—
	F.	*4*	—	*1*	*1*	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—	—
Chloroform	M.	71	3	3	3	—	—	2	7	4	4	7	4	9	7	4	10	3	1
	F.	*31*	—	*2*	—	—	—	*4*	—	*1*	*3*	*1*	*3*	*4*	*7*	*1*	*1*	*3*	*1*
Chloroform and alcohol ...	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Chloroform and ether ...	M.	14	—	1	1	—	—	—	—	—	1	—	2	3	1	—	1	1	3
	F.	*10*	—	*1*	—	*1*	—	—	—	*4*	—	—	—	*1*	—	*2*	—	*1*	—
Chloroform followed by open ether.	M.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Chloroform, ether and oxygen.	F.	*1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	*1*	—
Cocaine and chloroform ...	F.	*1*	—	—	—	—	—	—	—	—	—	—	*1*	—	—	—	—	—	—
Ether	M.	8	1	—	—	—	—	1	—	—	1	—	—	1	1	1	—	1	1
	F.	*13*	—	—	—	—	—	*3*	—	—	*2*	*1*	—	*2*	*2*	—	*2*	—	*1*
Ether and oxygen ...	M.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Ethyl chloride	F.	*1*	—	—	*1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ethyl chloride, ether and chloroform.	F.	*1*	—	—	—	—	—	—	—	—	—	*1*	—	—	—	—	—	—	—
Nitrous oxide	M.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
	F.	*2*	—	—	—	—	—	—	*1*	—	—	—	—	—	*1*	—	—	—	—
Nitrous oxide and ether ...	M.	3	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—
Kind not stated	M.	55	5	2	2	2	1	4	3	3	2	4	7	2	4	6	4	2	2
	F.	*35*	*1*	*1*	—	*1*	—	*6*	*2*	*1*	*2*	*2*	—	*2*	*4*	*2*	*5*	*6*	—
Total	M.	162	9	6	6	2	1	8	10	8	9	12	14	17	13	11	18	9	9
	F.	*99*	*1*	*5*	*2*	*3*	—	*13*	*3*	*6*	*7*	*6*	*4*	*9*	*14*	*5*	*8*	*11*	*2*

classified in Table XXX according to sex and age and to the nature of anæsthetic, while the list appended to the table shows for each sex the disease or accident to which the death has been primarily classed and the age of the patient, but not the kind of anæsthetic. Causes of death in this list are numbered in International List order. The bracketed figures following them denote the exact ages of the deceased, ages of males being printed thus (3), and of females thus (*3*).

CONDITIONS FOR WHICH ANÆSTHETICS WERE ADMINISTERED IN THE ABOVE CASES.

9. Diphtheria, tracheotomy (1). **28.** Operation for injury to head (20) ; operation, nature not stated (*9*). **32.** Tuberculosis of spine (2). **34.** Tuberculous glands of neck (3, 11, 17, *8*). **35.** Disseminated tuberculosis, Examination (*8*). **37.** Circumcision (38, 41). **39–45.** Cancer of lip (43, 54) ; tongue (52, 53) ; tongue, operation for extraction of teeth (59) ; œsophagus (34, *55*) ; pylorus (72) ; stomach (*40*) ; mouth (69) ; cæcum (58) ; rectum (*42*, *50*, *57*) ; intestine (63) ; uterus (*50*) ; breast (*43*, *44*, *50*) ; larynx (38) ; testicle (48, 53) ; throat and neck glands (52) ; throat, operation for removal of teeth (51). **46.** Fatty tumour (*29*) ; abdominal tumour (*28*) ; internal tumour (*42*). **48.** Osteo-arthritis (37, *42*). **51.** Exophthalmic goître (*23*) ; removal of half thyroid (*19*). **55.** Adiposis dolorosa, laryngeal paralysis, tracheotomy (*49*). **60.** Abscess of brain (22). **75.** Removal of injured eye (37) ; glaucoma (73). **76.** Mastoid disease (2, 12, *1*, *14*) ; middle ear disease (7, 33, 39, *5*) ; disease of ear (*14*). **77.** Removal of pus around heart (37). **78.** Endocarditis, exploratory abdominal operation (29). **82.** Embolism, femoral artery (*45*). **83.** Hæmorrhoids (25, 37, 42, 53) ; varicose veins (31, 38, 45). **84.** Sub-mental glands (*1*). **86.** Adenoids (12, 13, *8*) ; adenoids and ear trouble (13) ; adenoids and large turbinates (16) ; diseased bone and polypus of nose (*32*). **88.** Removal of thyroid (6, *15*). **90.** Muco-purulent bronchitis (36). **92.** Lobar pneumonia, pleurisy (44). **93.** Empyema (1, 2, 4, 10, 33, 47, 52, *1*, *5*, *7*). **98.** Abscess of trachea (*3*). **99.** Extraction of teeth (19, 65, *22*) ; bad teeth (58) ; parotid tumour (46). **100.** Removal of tonsils (1, 2, 3, 5, 6, 7, 8, 13, 17, 23, *2*, *2*, *10*, *18*) ; removal of tonsils and abscess of cavity of nose (*28*) ; Ludwig's angina (53, *42*, *55*) ; pharyngeal abscess (1). **102.** Gastric ulcer (35, 40, 49, *18*) ; gastric ulcer, induced labour (*27*). **103.** Gastritis (*48*) ; enlarged stomach (*69*) ; obstruction of pylorus (*50*). **108.** Appendicitis (9, 12, 13, 20, 27, 67, *3*, *7*, *15*, *18*, *36*). **109.** Hernia (0, 0, 0, 0, 11, 21, 23, 28, 34, 36, 40, 43, 48, 52, 53, 53, 54, 72, *0*, *5*, *54*, *55*, *57*, *64*) ; intestinal obstruction (0, 0, 5, 34, 49, 50, 59, *9*, *19*, *26*, *64*). **110.** Rectal abscess (52). **114.** Gallstones (69, *38*, *44*, *51*, *56*). **115.** Cholecystitis (62) ; abscess of liver (*35*). **117.** Peritonitis (38, 52). **118.** Pancreatitis (40). **122.** Pyonephrosis, removal of kidney (*52*). **124.** Cystitis (*34*) ; abscess of bladder (44) ; retention of urine (63). **125.** Stricture of urethra (32) ; extravasation of urine (42). **126.** Enlarged prostate (65). **127.** Hydrocele (36) ; removal of testicle (19). **129.** Fibroid of uterus (*38*, *40*, *45*, *55*) ; fibro-myoma (*39*) ; tumour of uterus (*46*). **130.** Prolapse of the uterus (*57*) ; diseased membrane of womb (*24*). **132.** Tubo-ovarian abscess (*24*). **135.** Placenta prævia (*26*) ; placenta prævia, podalic version (*39*). **136.** Induced labour (*34*) ; obstructed labour (*22*) ; for speedy delivery and repair of perineum (*23*) ; parturition (*35*, *38*, *40*, *42*). **137.** Instrumental delivery (*35*). **143.** Carbuncle of neck (60). **144.** Cellulitis (24) ; abscess (*1*, *43*). **145.** Ulcer of great toe (43) ; abscess of bone of leg (16, 30) ; osteo-myelitis (6) ; disease of femur (50). **149.** Sewing of divided tendon (20) ; hammer toe (25) ; operation to relax stiff toe (19). **150.** Phimosis (0) ; circumcision (0, 1, 1, 2) ; cleft palate (0, 2, *1*, *5*) ; congenital dislocation of hip (*3*). **155–186.** Various forms of violence (19, 20, 25, 27, 27, 27, 29, 29, 29, 30, 30, 32, 32, 32, 34, 35, 37, 39, 40, 41, 45, 46, 48, 48, 51, 56, 68, *5*, *22*, *40*, *43*, *46*, *58*, *66*). **189.** Examination for an obscure condition (*52*) ; operation, nature not stated (37, *8*, *30*).

The total number of deaths in Table XXX., 261, is the lowest in any of the five years 1911–1915 for which comparable figures are available. The fall chiefly applies to females, the lowest previous figure for whom was 113 in 1913, notwithstanding the depletion of the male population. The results of such depletion must however have been much more than offset by operations in military hospitals, which would not have taken place but for the war. The effect of these is shown in the list above under the heading violence, 19 deaths of males of military age (18–41) being recorded as against 10 in 1914 and a maximum of 9 in any of the three preceding years. It is therefore the more remarkable that the total of deaths for the year should be low. The nature of the anaesthetic was stated in only 66 per cent. of the cases. In 60 per cent. of the

cases in which it was stated, chloroform is recorded as the only anæsthetic administered, and in 23 per cent., as administered in combination with some other agent, so that in only 17 per cent. of these cases was chloroform not used.

Operations for tubercle, cancer, the removal of tonsils and adenoids, diseases of the ear, empyema, appendicitis, hernia, intestinal obstruction, and various forms of injury, appear to involve the greatest mortality under or related to anæsthetics. In some cases this is evidently due to the frequency with which the operation is performed and in others to its gravity or the severity of the condition requiring it.

84A. **Status Lymphaticus.**—In addition to the 199 deaths primarily classified to status lymphaticus condition (page 150) its presence was noted in the case of 23 deaths under anæsthetics, which were referred to the condition leading to the administration of the anæsthetic.

The sex- and age-distribution of these was as follows :—

——	0—	5—	10—	15—	20—	25—	35—
Males ...	4	3	2	4	1	1	2
Females ...	3	1	—	—	1	1	—

In 6 of the cases the nature of the anæsthetic was not stated ; in 12 of the remainder it was chloroform only, in 1 chloroform and ether, in 2 A.C.E. mixture, in 1 ether, and in 1 ethyl chloride ; in 1 case death was stated to have resulted from acidosis. The operations during which these deaths occurred seem for the most part not to have been of a dangerous nature.

155–163. **Suicide.**—As may be seen from Table 10 (page 29) there was a remarkable fall in the mortality of males from suicide in 1915. For both sexes the rates had been almost constant during the present century, before which there had been a gradual increase, the mortality of males being about three times that of females. In 1915 the rate for females maintained its old level, but that for males fell by over 25 per cent., the crude rate in Table 10 (113 per million) being the lowest recorded since 1883.

TABLE XXXI.—ENGLAND AND WALES.—SUICIDE : DEATHS in 1914 and 1915, and MORTALITY in 1901–10, 1914, and 1915.

—	Deaths.				Mortality per Million Living.					
	Males (Including Non-civilians).		Females.		Males.			Females.		
	1914.	1915.	1914.	1915.	1901–10.	1914.	1915 (Civilians only).	1901–10.	1914.	1915.
All Ages ...	2,802	2,029	922	937	157*	151*	104*	47*	45*	45*
0—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	0	—	—	—	—	—
10—	7	4	4	4	4	4	2	3	2	2
15—	65	33	47	63	36	38	21	34	27	36
20—	121	103	76	68	91	79	72	45	44	39
25—	457	274	161	131	152	157	95	56	50	40
35—	596	436	203	208	252	249	166	80	79	80
45—	603	433	212	214	397	348	226	109	113	112
55—	571	446	132	156	523	514	368	109	106	124
65—	311	229	73	75	508	504	366	88	94	95
75—	71	71	14	18	382	336	331	49	44	56

* Standardized rates.

The comparison is complicated, as in other cases, by the necessary restriction of the rates for 1915 to the civilian population. Table XXXI, however, shows that the fall is a real one, since it is common to all periods of life, including that after military age is past, at which the tendency to suicide is greatest. It is impossible to avoid associating this sudden change with the war, and it is remarkable both that the net

effect of this great preoccupation of the national mind, with all its attendant anxieties and distresses, should be to lessen the tendency to suicide, and that this effect should be restricted to the male sex.

Although the comparison of rates in the table has had to be restricted to the civilian population, the 223 deaths of non-civilians registered in this country are included in the portion of the table dealing with numbers, so as to minimize the difficulty of comparison at military ages.

Comparison of the numbers of male deaths returned nnder the principal methods of suicide in these two years shows decreases of very similar proportions under most of the headings, the greatest actual decrease being under that of "hanging or strangulation."

189. **Ill-defined Causes of Death.**—The deaths allocated to No. 189 of the list of causes, with which this title is particularly associated, number 2,686. Addition of Nos. 187 and 188 however, which are included under the same group title in the International List, brings this number up to 3,023. This figure excludes from the group as given in the old list of causes of death (see Tables 9 and 10) the ill-defined diseases of infancy and old age, which now appear under titles 151 and 154, and together accounted for 40,997 deaths in 1915, as well as 632 deaths from other causes of less numerical

TABLE XXXII.—ENGLAND AND WALES, 1915.—REPLIES TO INQUIRIES RESPECTING INDEFINITELY CERTIFIED CAUSES OF DEATH.

Subject of Inquiry.	Replies received.	Replies amplifying previous information.	Deaths allocated as the result of inquiry to various important headings.
Croup	124	111	Diphtheria 16, Laryngismus stridulus 26, Laryngitis 56.
Membranous laryngitis	16	13	Diphtheria 9.
Pyæmia, septicæmia, &c.	177	122	Diseases of the teeth and gums 6, Puerperal fever 20, Diseases of the skin 16.
Tuberculosis	373	371	Pulmonary tuberculosis 154, Acute phthisis 55, Acute miliary tuberculosis 45, Tuberculosis of peritoneum 21, Disseminated tuberculosis 81, Other forms of tubercle 13.
Cancer (part or organ not stated)	886	816	Part or organ stated in 816 cases.
Tumour, growth, &c.	536	396	Tuberculosis 6, Syphilis 5, Cancer 250, Aneurysm 5.
Rheumatism	40	40	Gonorrhœa 1, Rheumatic fever 25, Chronic rheumatism 6.
Basal or basic meningitis	98	85	Tuberculous meningitis 57.
Cerebro-spinal meningitis	545	518	Tuberculous meningitis 13, Cerebro-spinal fever 487.
Paraplegia	159	104	Syphilis 13, Diseases of the spinal cord 42, Cerebral hæmorrhage, apoplexy 17.
General paralysis (outside asylums)	181	169	Cerebral hæmorrhage, apoplexy 10, General paralysis of the insane 118.
Paralysis	116	100	Diseases of the spinal cord 19, Cerebral hæmorrhage, apoplexy 28, Hemiplegia 6, Arterial sclerosis 12. Cerebral embolism and thrombosis 8.
Cerebral tumour (P.M. cases) ...	28	22	Syphilis 4, Cancer 11, Glioma 6.
Fibroid phthisis	158	107	Pulmonary tuberculosis 86.
Hæmoptysis	86	70	Pulmonary tuberculosis 41, Phthisis 5, Aneurysm 7.
Stomatitis	88	85	Syphilis 8, Thrush, aphthous stomatitis 46.
Stricture of œsophagus	84	60	Cancer 53.
Hæmatemesis	42	33	Cancer 9, Gastric ulcer 10, Cirrhosis of liver 5.
Pyloric obstruction, stenosis, &c....	49	38	Cancer 21, Gastric ulcer 11.
Jaundice	56	41	Cancer 19, Gallstones 9.
Peritonitis	331	196	Tuberculosis of peritoneum, &c. 25, Cancer 13, Gastric ulcer 17, Duodenal ulcer 6, Appendicitis 65, Hernia, intestinal obstruction 13, Diseases of female genital organs 13, Puerperal fever 8.
Pemphigus (of infants)	96	49	Syphilis 41.
Hydrocephalus	117	108	Tuberculous meningitis 20, Syphilis 4, Congenital hydrocephalus 62.
Violence	199	197	Precise form of suicide 8, Injury by fall 62, Injury in mines and quarries 7, Injury by machines 5, Injury by crushing 50.
Ascites, dropsy	43	40	Diseases of the heart 20, Cirrhosis of liver 9.
Syncope, heart failure (ages 1–70)	227	194	Influenza 9, Alcoholism 11, Diseases of the heart 106, Arterial sclerosis 6, Bronchitis 9.
Operation	178	172	Cancer 18, Varicose veins 7, Tonsillitis 7, Gastric ulcer 7, Hernia, intestinal obstruction 19, Uterine tumour 11.
Other indefinite forms of certificate	918	660	—
All Subjects	5,951	4,917	—

importance; and includes 1,800 deaths, mainly from syncope and heart failure, not formerly classified as ill-defined.† When the appropriate additions and deductions have been made the number of ill-defined deaths in Table 9, *viz.*, 42,852, is arrived at. These deaths form 7·6 per cent. of the total, as against 7·9 per cent. in 1914, and 9·5 per cent. in 1901–1910.

Inquiries sent to medical practitioners requesting further information as to indefinitely certified deaths were reduced owing to the war, and numbered less than in the previous year notwithstanding the increase in deaths registered. Since 1911 these inquiries have been addressed to coroners as well as to medical practitioners, with a gratifying resultant increase of precision in the returns of deaths from violence. The total number of inquiries issued was 6,869, and to these, notwithstanding the special difficulties created by the war, no less than 5,951 replies were received, with results to classification the most important of which are set out in the table on page xlix.

Certification of Causes of Death.—Previous to 1911 a section of this report dealt annually with the numbers of deaths uncertified and the numbers on which inquests had been held. This section has since been omitted, but now, at the end of a five years' interval, it appears desirable to return to the subject.

TABLE XXXIII.—ENGLAND and WALES: CERTIFIED and UNCERTIFIED DEATHS, and INQUEST CASES, in 1878–1910 and in 1915.

—	Proportion per 100 Deaths.		
	Certified by Registered Medical Practitioners.	Inquest Cases.	Uncertified Deaths.
1878	90·15	5·00	4·85
1879	90·25	5·05	4·70
1880	90·79	4·94	4·27
1881	90·35	5·54	4·11
1882	90·80	5·30	3·90
1883	90·86	5·44	3·70
1884	91·05	5·31	3·64
1885	91·21	5·32	3·47
1886	91·25	5·34	3·41
1887	91·13	5·58	3·29
1888	91·33	5·59	3·08
1889	91·48	5·61	2·91
1890	91·54	5·62	2·84
1891	91·73	5·52	2·75
1892	91·60	5·70	2·70
1893	91·72	5·76	2·52
1894	91·19	6·30	2·51
1895	91·68	6·00	2·32
1896	91·53	6·26	2·21
1897	91·69	6·25	2·06
1898	91·92	6·19	1·89
1899	91·86	6·29	1·85
1900	91·81	6·27	1·92
1901	91·52	6·67	1·81
1902	91·52	6·68	1·80
1903	91·40	6·91	1·69
1904	91·85	6·53	1·62
1905	91·52	6·86	1·62
1906	91·64	6·83	1·53
1907	91·59	6·96	1·45
1908	91·52	7·04	1·44
1909	91·61	7·03	1·36
1910	91·35	7·27	1·38
1915	91·67	6·96	1·37

Of the 562,253 deaths registered in England and Wales during 1915, the causes of 515,441, or 91·7 per cent., were certified by registered medical practitioners; inquests were held respecting 39,128, or 7 per cent.; while the causes of the remaining 7,684, or

† See Manual of Causes of Death, page xxxi.

1·4 per cent., were uncertified. These proportions may be seen from Table XXXIII. to be almost identical with the latest previous records available, and, as far as cases certified by registered medical practitioners are concerned, with those of the preceding 25 years as well.

The increase in proportion of inquests and decrease in that of uncertified deaths, which were progressive up to 1910, have not been maintained since, and the state of certification in 1915, so far as revealed by Table XXXIII., may be said to be identical with that in 1909.

No doubt the exceptional circumstances of the year may have affected the matter; and it should be noted that the slight decrease recorded for inquests in 1915 has occurred notwithstanding an increase in the death-rate from violence, which was especially low in 1910 (Table 10), the proportion of violent to total deaths in 1915 being 4·15 per cent. as against 3·87 in 1910. The distinction of uncertified deaths into those reported and those not reported to coroners, which was made in former reports, is no longer applicable, all such deaths having been reported to coroners since March, 1914.

The facts recorded with regard to the 39,128 deaths on which inquests were held are summarized in Table XXXIV.

Over half the inquests held—53 per cent.—were upon persons who had died violent deaths. Inquests were held upon nearly all such deaths when occurring in the civilian population, the proportion so investigated being highest in London and lowest in the rural districts, but more than half the non-civilian deaths from violence, including deaths in military hospitals from wounds, were not investigated in this manner. Save in one instance in London, all deaths classified to suicide had been the subject of inquests. The other causes of death most frequently investigated by inquest, and the proportion in each case of inquests per cent. of total deaths so classified were :—Lack of care in early infancy 91, status lymphaticus 75, tetanus 48, septicæmia 45, alcoholism 44, fatty degeneration of the heart 32, aneurysm 28, and ill-defined causes of death 25. Of the 121 deaths for which no statement of cause whatever was received 62, or 51 per cent., had been the subject of inquests.

The causes of death, other than violence, leading to most inquests, were :—Heart disease 4,217, pneumonia 1,892, bronchitis 962, cerebral hæmorrhage 790, tuberculosis 771, ill-defined causes (largely heart failure) 734, and convulsions 722. Generally speaking it is, as might be expected, the causes which are liable to lead to sudden death which are investigated by inquest rather than those generally involving illness of some considerable duration. The proportion of inquests on deaths from phthisis was 13 per thousand, and from cancer only 6 per thousand.

Almost twice as many inquests were held on males as on females. This is mainly due to the great excess in deaths of males from violence, but of deaths not due to violence 59 per cent. were deaths of males. Considerable excess of investigation by inquests of deaths of males is the rule for almost all diseases except those mainly or entirely affecting young children, aneurysm and cirrhosis of the liver being the only other exceptions in the table. On the other hand most of the causes in the table which specially affect infants show a higher proportion of inquests on females, the excess being very considerable in the cases of injury at birth and atelectasis.

Amongst the civilian population the proportion of deaths investigated by inquest declines with decreasing urbanization from 10 per cent. in London to 5·5 in the rural districts. If we exclude deaths from violence, upon nearly all of which inquests are held in all classes of area, this difference is greatly accentuated. It reaches its maximum in the cases of the diseases of the puerperal state, 13 per cent. of the deaths from which were investigated in London as against only 1·4 in the rural districts, and of alcoholic cirrhosis of the liver, for which the percentages are respectively 54 and 2·9. The latter difference, however, is probably due to specification of the form of alcoholism to a much greater degree in London than elsewhere, as while the London deaths in the table from alcoholic cirrhosis much exceed those from undefined alcoholism, the reverse holds good in the provinces.

The proportions of deaths investigated by inquest at various ages may be seen from Table XXXV., which for the sake of convenience deals also with uncertified deaths.

Table XXXIV.—England and Wales: Inquest Cases Registered in 1915, Proportions of Inquest Cases per 1,000

International List Number.	—	Numbers of Inquest Cases.							
		Total.	Males.	Females.	Non-Civilians.	Civilians.			
						London.	County Boroughs.	Urban Districts.	Rural Districts.
1–19	Infectious Diseases	481	269	212	6	145	154	116	60
20–59	Other General Diseases	1,864	1,228	636	34	489	728	391	222
60–76	Nervous Diseases (including Diseases of Organs of Special Sense).	2,617	1,462	1,155	43	519	1,118	626	311
77–85	Circulatory Diseases	5,196	3,240	1,956	104	1,340	1,800	1,269	683
86–98	Respiratory Diseases	3,383	1,953	1,430	43	936	1,437	674	293
99–118	Digestive Diseases	1,462	826	636	38	340	561	342	181
119–127	Male Genito-urinary Diseases ...	320	320	—	10	108	103	76	23
119–133	Female Genito-urinary Diseases ...	238	—	238	—	96	85	36	21
134–141	The Puerperal State	130	—	130	—	37	56	27	10
150–153	Malformations; Infantile Diseases ...	1,145	611	534	—	309	457	233	146
154	Old Age	548	283	265	—	45	252	117	134
155–186	Violence	20,813	14,742	6,071	1,434	2,837	6,801	6,091	3,650
187–189	Ill-defined and unstated Causes ...	796	465	331	21	14	305	267	189
	Other Causes	135	75	60	8	32	49	33	13
	Total	39,128	25,474	13,654	1,741	7,247	13,906	10,298	5,936
6	Measles	156	71	85	—	71	39	32	14
10	Influenza	117	77	40	4	23	33	36	21
20B	Septicæmia	246	188	58	5	32	91	72	46
24	Tetanus	75	72	3	3	5	24	22	21
28 & 29	Phthisis	536	344	192	3	201	195	95	42
30–35	Other Tuberculous Diseases	235	142	93	1	72	92	45	25
39–45	Cancer	234	156	78	3	85	71	47	28
56	Alcoholism	219	126	93	9	19	121	41	29
61	Meningitis	177	104	73	7	65	54	33	18
64A	Apoplexy	342	184	158	5	48	154	86	49
64E	Cerebral Hæmorrhage	790	442	348	17	205	319	179	70
69	Epilepsy	285	171	114	6	32	110	87	50
70 & 71	Convulsions	722	372	350	—	89	361	176	96
77	Pericarditis	120	75	45	3	32	42	31	12
79A	Valvular Disease of Heart	1,393	902	491	16	402	498	308	169
79B	Fatty Degeneration of Heart	1,084	591	493	18	322	304	296	144
78 & 79C	Other Organic Disease of Heart ...	1,484	917	567	36	265	587	365	231
80	Angina Pectoris	136	108	28	2	24	43	38	29
81A	Aneurysm	320	237	83	17	116	93	69	25
81B	Arterial Sclerosis	288	194	94	2	68	126	61	31
84A	Status Lymphaticus	150	86	64	1	52	40	43	14
89, 90	Bronchitis	962	523	439	3	249	477	166	67
91	Broncho-Pneumonia	517	285	232	3	202	166	107	39
92A	Lobar Pneumonia	555	339	216	13	161	254	88	39
92B	Pneumonia, undefined	820	488	332	15	246	314	175	70
93	Pleurisy	145	96	49	—	29	58	34	24
94	Pulmonary Congestion, Pulmonary Apoplexy.	175	104	71	4	27	70	47	27
104 & 105	Diarrhœal Diseases	438	233	205	7	120	189	83	39
108	Appendicitis	49	36	13	3	10	13	9	14
109	Hernia, Intestinal Obstruction ...	231	159	72	4	45	84	69	29
113A	Cirrhosis of Liver (not returned as Alcoholic).	53	22	31	6	15	16	12	4
113B	Cirrhosis of Liver (returned as Alcoholic).	76	26	50	1	46	19	9	1
120	Bright's Disease	434	255	179	8	159	150	87	30
150	Congenital Malformations	166	97	69	—	58	59	37	12
151A	Premature Birth	247	134	113	—	64	125	37	21
151B	Atrophy, Debility, and Marasmus of Infants.	162	87	75	—	23	63	48	28
152B	Atelectasis	118	62	56	—	44	42	19	13
152C	Injury at Birth	170	87	83	—	69	56	26	19
153	Lack of Care (0–3 months)	211	99	112	—	33	96	43	39
155–163	Suicide	2,965	2,029	936	223	377	861	915	589
164–186	Violence apart from Suicide	17,848	12,713	5,135	1,211	2,460	5,940	5,176	3,061
187–189E	Ill-defined Causes	734	433	301	20	10	291	247	166
189F	Cause not stated	62	32	30	1	4	14	20	23

classified by Sex, Age, Nature of Area, and Assigned Cause of Death; and Total Deaths registered from the same cause.

Inquest Cases per 1,000 Deaths registered from the same cause.								Ages.										International List Numbers.
				Civilians.														
Total.	Males.	Females.	Non-Civilians.	London.	County Boroughs.	Urban Districts.	Rural Districts.	0—	1—	5—	15—	25—	35—	45—	55—	65—	75 and upwards.	
10	11	9	9	24	10	7	7	77	179	71	8	12	23	34	34	34	9	1–19
17	22	11	29	31	18	11	11	128	138	145	127	172	297	360	239	206	52	20–59
44	48	40	43	85	54	32	26	629	167	134	118	137	224	386	399	310	113	60–76
71	89	53	211	135	75	55	42	105	53	94	111	219	502	929	1,367	1,287	529	77–85
31	34	28	36	61	35	20	17	714	432	218	77	118	218	393	450	485	278	86–98
35	33	33	77	59	35	27	28	345	158	135	79	79	150	195	166	112	43	99–118
26	26	—	37	65	26	19	10	5	6	11	6	20	38	63	73	65	33	119–127
26	—	26	—	80	28	12	12	2	3	9	10	24	38	37	40	45	30	119–133
38	—	38	—	130	46	23	14	—	—	—	21	60	48	1	—	—	—	134–141
35	33	38	—	81	39	22	24	1,113	18	7	3	1	2	—	1	—	—	150–153
17	21	14	—	15	26	11	14	—	—	—	—	—	—	—	12	198	338	154
896	869	971	424	993	989	968	958	1,368	1,899	2,087	2,171	2,258	2,740	2,734	2,428	1,743	1,385	155–186
263	284	239	568	156	280	258	245	58	23	21	22	40	85	165	229	139	14	187–189
30	30	29	148	56	34	22	13	8	11	10	13	8	14	18	18	22	13	—
70	87	51	198	100	71	58	55	4,552	3,037	2,942	2,766	3,148	4,379	5,315	5,456	4,646	2,837	
9	8	11	—	31	6	6	7	40	104	12	—	—	—	—	—	—	—	6
11	15	8	33	22	12	10	7	5	8	8	4	9	10	22	27	20	4	10
452	522	315	200	444	558	434	390	5	9	18	18	19	43	51	38	32	13	20B
481	567	103	231	556	649	440	447	1	3	22	14	9	9	12	1	4	—	24
13	15	11	5	29	12	8	7	19	40	32	36	81	104	107	61	48	8	28 & 29
19	21	16	9	43	19	11	12	55	60	61	25	7	10	10	4	2	1	30–35
6	9	3	14	16	6	4	3	—	—	2	8	7	29	56	47	65	20	39–45
441	430	456	692	352	590	283	363	—	—	—	3	29	55	72	38	20	2	56
29	29	29	11	92	27	18	19	27	33	56	25	11	7	10	5	1	2	61
64	77	54	417	130	91	47	35	1	—	3	4	11	28	86	92	87	30	64A
40	50	33	193	101	49	28	16	2	1	5	17	22	90	183	228	180	62	64E
93	104	80	176	84	105	88	80	2	4	19	48	58	51	49	33	16	5	69
83	75	93	—	163	107	56	58	583	116	19	1	—	—	2	1	—	—	70 & 71
239	270	200	176	311	251	235	143	9	8	12	8	6	15	19	14	18	11	77
56	77	37	116	117	59	40	31	—	5	23	35	78	131	270	388	328	135	79A
323	387	270	783	477	321	292	208	1	3	2	5	39	103	193	323	317	98	79B
50	64	37	207	72	62	38	33	3	6	22	41	59	139	252	398	393	171	78 & 79C
108	128	69	167	163	103	90	114	—	—	—	—	3	6	36	36	35	20	80
280	265	339	293	426	247	240	171	—	—	—	5	17	58	82	77	57	24	81A
36	41	29	87	68	43	25	19	—	—	1	1	3	19	42	81	90	51	81B
754	717	810	500	897	645	782	636	87	21	28	8	2	2	1	—	1	—	84A
19	21	17	19	35	25	11	8	147	74	11	2	16	34	109	171	237	161	89, 90
22	23	22	20	58	18	15	12	237	150	29	2	2	9	17	28	24	19	91
52	52	52	33	95	63	29	26	68	49	71	21	29	82	82	72	55	26	92A
55	55	55	38	126	57	38	28	188	105	67	33	42	53	104	102	79	47	92B
94	107	77	—	131	108	73	92	13	19	19	3	5	12	18	24	24	8	93
102	127	79	444	124	127	88	67	49	19	11	7	6	8	28	14	26	7	94
22	21	23	75	39	21	15	17	184	88	40	19	12	21	25	23	16	10	104 & 105
20	25	12	21	37	17	11	28	—	3	17	9	7	2	5	2	2	2	108
52	73	32	73	80	58	47	31	38	17	26	12	9	24	21	39	31	14	109
16	11	23	188	27	16	11	7	—	—	—	—	2	12	20	13	5	1	113A
237	163	311	500	541	178	97	29	—	—	—	—	6	25	28	15	2	—	113B
31	34	28	51	81	32	19	12	—	—	8	7	26	62	78	101	98	54	120
43	45	40	—	113	46	29	15	134	18	7	3	1	2	—	1	—	—	150
16	15	17	—	36	22	7	7	247	—	—	—	—	—	—	—	—	—	151A
17	16	19	—	23	18	15	17	162	—	—	—	—	—	—	—	—	—	151B
87	76	106	—	200	88	45	55	118	—	—	—	—	—	—	—	—	—	152B
183	157	220	—	483	167	94	109	170	—	—	—	—	—	—	—	—	—	152C
906	839	974	—	1,000	914	782	975	211	—	—	—	—	—	—	—	—	—	153
1,000	1,000	999	1,000	997	1,000	1,000	1,000	—	—	8	266	405	644	647	602	304	89	155–163
881	851	966	383	992	988	963	950	1,368	1,899	2,079	1,905	1,853	2,096	2,087	1,826	1,439	1,296	164–186
253	275	227	556	118	271	247	234	27	22	19	20	37	77	158	228	133	13	187–189E
512	500	526	1,000	800	778	556	377	31	1	2	2	3	8	7	1	6	1	189F

TABLE XXXV.—ENGLAND AND WALES, 1915.—INQUESTS and UNCERTIFIED CASES per cent. of TOTAL DEATHS registered at the same ages.

—	Inquests.			Uncertified Cases.
	Total.	Deaths from Disease.	Deaths from Violence.	Total.
All Ages.	7·0	3·3	3·7	1·4
0—	5·1	3·6	1·5	2·4
1—	5·6	2·1	3·5	1·0
5—	12·9	3·8	9·1	0·9
15—	11·5	2·5	9·0	0·6
25—	10·9	3·1	7·8	0·7
35—	11·1	4·2	6·9	0·9
45—	10·2	5·0	5·2	1·1
55—	7·7	4·3	3·4	1·3
65—	5·2	3·3	1·9	1·5
75 and up.	3·2	1·7	1·5	1·4

It will be seen that the maximum proportion is attained in later childhood and fairly well maintained throughout the working period of life, falling away greatly in old age. This distribution is mainly due to the fact that deaths from violence calling for inquests are most common at 5–25, thereafter continuously declining with age. Deaths from disease of the type occasioning inquests are, on the other hand, relatively most common in later middle life. In old age, as in infancy, comparatively few deaths are investigated by inquest.

A tabulation of inquest cases by cause of death was included in the reports for 1897 and 1898, and it may be of interest to compare the record for the latter year with that for 1915. The classifications used in the two years are not identical, but any differences arising from this fact for which it has not been possible to make allowance must be too slight to influence the comparison appreciably, especially in view of the large number of deaths returned as ill defined in the earlier year. The reduction in this number is largely due to the inquiries in regard to such cases which for the last few years have been addressed to coroners as well as to medical men.

TABLE XXXVI.—ENGLAND AND WALES.—DEATHS from VARIOUS CAUSES investigated by INQUEST in 1898 and 1915.

—	Number recorded.		Percentage Increase (+) or Decrease (−).	—	Number recorded.		Percentage Increase (+) or Decrease (−).
	1898.	1915.			1898.	1915.	
Nervous diseases ...	3,205	2,617	− 18	Tuberculosis ...	559	771	+ 38
Circulatory diseases...	3,252	5,196	+ 60	Cancer	62	234	+277
Respiratory diseases...	1,694	3,383	+100	Epilepsy	199	285	+ 43
Digestive diseases ...	974	1,462	+ 50	Convulsions ...	1,577	722	− 54
Violence	18,940	20,813	+ 10	Bronchitis	549	962	+ 75
Other defined causes	3,603	4,861	+ 35	Pneumonia	737	1,892	+157
Total defined causes...	31,668	38,332	+ 21	Puerperal state ...	139	130	− 6
Ill defined causes ...	2,491	796	− 68	Premature birth and congenital defects.	338	413	+ 22
Total deaths	34,159	39,128	+ 15	Old age	429	548	+ 28

The number of inquests has grown in the 17 years by 15 per cent., the increase for deaths from violence being 10, and from other causes 20 per cent. The proportion of inquests to total deaths is seen from Table XXXIII. to have grown from 6·19 to 6·96 per cent., or by 12 per cent.

The increase in inquests, which is thus seen to be accounted for only to a slight extent by increase in deaths, is very unevenly distributed over the various diseases dealt with. Inquests attributing death to digestive, circulatory, and especially respiratory

diseases have largely increased, while fewer deaths are now attributed to diseases of the nervous system. The decrease under the latter heading is fully accounted for by the large and satisfactory decline under the heading of convulsions; while the increase shown for respiratory diseases is mainly due to the surprising growth in the number of verdicts attributing death to pneumonia, though bronchitis has also come more into favour.

The very large increase in the comparatively small number of deaths attributed to cancer may throw some light upon these changes. It seems most likely that the increase here is due to greater frequency of *post mortem* examinations and perhaps greater care in their conduct, and if this is the case it is also likely that consolidation of the lung may have been found in a number of cases where formerly in the absence of such examination evidence of pneumonia would have been lacking.

Table XXXVII. provides a similar summary of the facts as to uncertified deaths to that given in Table XXXIV. for inquests.

The causes to which the largest numbers of these deaths were attributed by the informants, and the percentages of the total uncertified deaths in each case are as follows:—Old age 15·5, convulsions 13·5, "heart failure" (at ages 1–70) 12·4, heart disease 11·1, premature birth 7·1; these five forms of return accounting for almost 60 per cent. of the total.

The forms of return contributed to in largest degree by these uncertified deaths, with the proportion in each case of uncertified per 1,000 total deaths so classified, were:—Heart failure 666, croup 367, syncope 247, convulsions 119, and lack of care in early infancy 52. It will be seen from these figures to what a large extent the maintenance of certain unsatisfactory forms of death return is accounted for by these uncertified cases.

The proportion of uncertified to total deaths is, unlike that of inquests, almost identical for the sexes, and sex differences of significance from individual causes are few.

Amongst the civilian population the proportion of uncertified deaths rises with decreasing urbanization from 1 per 1,000 in London to 22 in the rural districts. The reasons for a maximum proportion in the rural districts are obvious, but it is somewhat surprising that absence of certification should be twelve times as common in the county boroughs as in London, and fifteen times in the smaller towns. Evidently coroners in the provincial towns are satisfied to allow a number of deaths to remain uninvestigated which would be made the subjects of inquests in London, especially north of the Thames, where, as shown by Table XXXVIII., inquests are more frequently held than elsewhere. Deaths from violence for the certification of which a medical practitioner has not made himself responsible appear to be as fully investigated by coroners in the county boroughs as in London, the proportion uncertified being only one per thousand in each case. This proportion rises to 13 per thousand in the case of the rural districts, and to 33 in that of the non-civilian population. Deaths from drowning are less fully investigated than those from violence in general, the proportion uncertified rising from 5 per 1,000 in London to 43 in the rural districts.

In the case of lack of care in early infancy, the usual rule of better certification in the towns is departed from. There were no uncertified deaths from this cause in London, but elsewhere the proportion falls from 7·6 per cent. in the county boroughs to 2·5 in the rural districts. As it appears strange that deaths of this nature, where no medical man was in attendance, should be allowed to remain uninvestigated at all, the returns of the 12 appearing in Table XXXVII. have been examined. All are attributed to want of attention at birth, and 6 of the 12 occurred in Birmingham, thus accounting for the high proportion in the county boroughs, with three in its immediate neighbourhood, leaving three only for the remainder of England and Wales.

The ages at which deaths are most frequently left uncertified may be seen from Table XXXV. From a maximum in infancy the proportion of uncertified cases sinks to a minimum at 15–25, thereafter gradually rising again as age increases. Probably the value ordinarily attached to human life waxes and wanes in somewhat similar proportion. The uncertified mortality in infancy may be seen from Table XXXVII. to be attributed in 77 per cent. of its total extent to the three headings, convulsions, premature birth, and atrophy, &c. of infants.

Table XXXVIII. shows the proportions of inquests and uncertified deaths in each registration county in 1915. A statement based upon administrative areas would have been preferable, but its compilation is at present impracticable. Questions of certification are, of course, connected with the area in which death occurred, whereas the deaths shown in these Reports for administrative areas are tabulated according to the area in which the

Table XXXVII.—England and Wales: Uncertified Deaths Registered in and Proportions of Uncertified Deaths per 1,000

International List Numbers.	—	Numbers of Uncertified Deaths.							
		Total.	Males.	Females.	Non-Civilians.	Civilians.			
						London.	County Boroughs.	Urban Districts.	Rural Districts.
1–19	Infectious Diseases	242	124	118	1	3	81	71	86
20–59	Other General Diseases	251	115	136	3	9	100	88	51
60–76	Nervous Diseases (including Diseases of Organs of Special Sense).	1,518	833	685	3	13	502	555	445
77–85	Circulatory Diseases	905	468	437	15	8	196	366	320
86–98	Respiratory Diseases	771	361	410	6	8	292	274	191
99–118	Digestive Diseases	242	139	103	—	4	95	89	54
119–127	Male Genito-urinary Diseases	42	42	—	1	—	16	21	4
119–133	Female Genito-urinary Diseases	23	—	23	—	—	6	12	5
134–141	The Puerperal State	21	—	21	—	—	7	9	5
150–153	Malformations; Infantile Diseases	914	520	394	—	21	364	292	237
154	Old Age	1,191	568	623	1	17	294	404	475
155–186	Violence	193	178	15	111	2	7	25	48
187–189	Ill-defined and unstated Causes	1,358	729	629	13	5	389	494	457
	Other Causes	13	9	4	—	—	4	7	2
	Total	7,684	4,086	3,598	154	90	2,353	2,707	2,380
6	Measles	106	54	52	—	—	50	28	28
8	Whooping Cough	35	18	17	—	2	8	14	11
9A	Diphtheria	19	9	10	—	—	5	6	8
9C	Croup	11	7	4	—	—	4	4	3
10	Influenza	60	32	28	1	—	10	15	34
28 & 29	Phthisis	119	56	63	3	4	48	44	20
30–35	Other Tuberculous Diseases	15	7	8	—	—	7	4	4
39–45	Cancer	32	9	23	—	3	12	10	7
61	Meningitis	21	13	8	1	—	8	7	5
64A	Apoplexy	180	84	96	—	2	57	60	61
64E	Cerebral Hæmorrhage	135	73	62	1	6	38	50	40
66	Paralysis	35	17	18	—	1	6	12	16
69	Epilepsy	90	48	42	1	2	23	28	36
70 & 71	Convulsions	1,038	586	452	—	2	361	394	281
79A	Valvular Disease of Heart	84	51	33	3	—	22	29	30
79B	Fatty Degeneration of Heart	37	15	22	—	—	11	14	12
77, 78, 79C	Other Organic Disease of Heart	705	359	346	8	6	149	292	250
80	Angina Pectoris	27	17	10	1	1	3	10	12
81B	Arterial Sclerosis	18	11	7	—	1	5	6	6
89, 90	Bronchitis	512	228	284	3	7	205	177	120
91	Broncho-pneumonia	51	25	26	—	—	16	21	14
92B	"Pneumonia" (undefined)	90	43	47	3	—	35	27	25
96	Asthma	52	29	23	—	1	15	19	17
103A	Inflammation of the Stomach	37	26	11	—	—	17	13	7
102, 103B	Other Disease of Stomach	43	26	17	—	—	16	11	16
104 & 105	Diarrhœal Diseases	114	63	51	—	3	40	52	19
109	Hernia, Intestinal obstruction	20	10	10	—	1	11	5	3
120	Bright's Disease	46	28	18	—	—	15	24	7
150	Congenital Malformations	30	14	16	—	1	7	16	6
151A	Premature Birth	545	325	220	—	11	212	171	151
151B	Atrophy, Debility, and Marasmus of Infants	262	132	130	—	8	114	76	64
152B	Atelectasis	24	13	11	—	—	5	11	8
152C	Injury at Birth	24	16	8	—	—	13	4	7
153	Lack of Care (0–3 months)	12	10	2	—	—	8	3	1
169	Drowning	51	51	—	6	1	6	11	27
188A	Syncope (age 1–70)	72	46	26	—	1	18	30	23
189A	Heart Failure (age 1–70)	956	509	447	12	4	291	355	294
187, 188B, 189B–E	Other Ill-defined Causes	279	144	135	1	—	79	97	102
189F	Cause not Stated	51	30	21	—	—	1	12	38

1915, classified by Sex, Age, Nature of Area, and Assigned Cause of Death; Total Deaths registered from the same cause.

Uncertified Deaths per 1,000 Deaths registered from the same cause.								Ages.										International List Numbers.
				Civilians.														
Total.	Males.	Females.	Non-Civilians.	London.	County Boroughs.	Urban Districts.	Rural Districts.	0–	1–	5–	15–	25–	35–	45–	55–	65–	75 and upwards.	
5	5	5	2	1	5	4	10	45	115	30	2	5	10	4	15	6	10	1–19
2	2	2	3	1	3	3	2	14	17	12	24	30	37	42	33	32	10	20–59
26	27	24	3	2	24	29	36	843	192	45	22	19	39	56	90	137	75	60–76
12	13	12	30	1	8	16	20	4	2	6	20	31	65	129	220	284	144	77–85
7	6	8	5	1	7	8	11	151	118	30	7	16	28	60	95	154	112	86–98
6	6	5	—	1	6	7	8	74	37	31	6	5	14	19	15	29	12	99–118
3	3	—	4	—	4	5	2	—	—	3	1	1	3	11	10	9	4	119–127
3	—	3	—	—	2	4	3	—	4	2	—	1	3	2	3	5	3	119–133
6	—	6	—	—	6	8	7	—	—	—	2	9	9	1	—	—	—	134–141
28	28	28	—	5	31	27	39	906	3	1	1	1	2	—	—	—	—	150–153
36	41	32	1,000	6	31	37	50	—	—	—	—	—	—	—	7	373	811	154
8	10	2	33	1	1	4	13	4	1	1	37	55	53	20	5	4	13	155–186
449	445	455	351	56	357	477	593	86	41	48	26	41	108	241	427	296	44	187–189
3	4	2	—	—	3	5	2	1	—	—	—	1	—	2	5	2	2	—
14	14	13	18	1	12	15	22	2,128	530	209	148	215	371	587	925	1,331	1,240	
6	6	7	—	—	8	5	14	17	81	7	—	—	—	—	1	—	—	6
4	5	4	—	2	3	5	8	16	15	4	—	—	—	—	—	—	—	8
3	3	3	—	—	2	3	8	—	6	12	1	—	—	—	—	—	—	9A
367	412	308	—	—	308	308	750	1	7	3	—	—	—	—	—	—	—	9C
6	6	5	8	—	4	4	11	11	4	2	1	4	6	3	13	6	10	10
3	2	3	5	1	3	4	3	2	4	8	21	23	33	17	7	4	—	28 & 29
1	1	1	—	—	1	1	2	2	6	2	1	1	—	2	—	1	—	30–35
1	1	1	—	1	1	1	1	—	—	—	—	1	1	7	11	9	3	39–45
3	4	3	2	—	4	4	5	2	5	11	3	—	—	—	—	—	—	61
34	35	33	—	5	34	32	44	—	1	3	1	2	8	20	40	65	40	64A
7	8	6	11	3	6	8	9	1	—	1	2	7	10	17	34	45	18	64E
12	13	11	—	3	5	14	22	—	—	—	3	—	—	5	4	11	12	66
29	29	29	29	5	22	28	57	3	2	14	11	9	16	8	10	13	4	69
119	118	121	—	4	107	126	169	836	182	14	—	—	1	2	1	2	—	70 & 71
3	4	2	22	—	3	4	5	—	—	2	3	5	13	11	20	24	6	79A
11	10	12	—	—	12	14	17	—	—	—	—	—	1	5	16	13	2	79B
23	24	22	42	2	16	30	36	2	2	4	17	23	44	101	169	217	126	77, 78, 79
22	20	25	83	7	7	24	47	—	—	—	—	1	1	5	8	9	3	80
2	2	2	—	1	2	2	4	—	—	—	—	1	—	—	2	12	3	81B
10	9	11	19	1	11	11	14	90	64	13	3	3	10	36	64	127	102	89, 90
2	2	2	—	—	2	3	4	26	22	—	1	—	1	—	—	1	—	91
6	5	8	8	—	6	6	10	24	28	11	—	4	4	7	8	2	2	92B
22	22	23	—	4	20	24	36	1	—	1	—	2	7	7	13	16	5	96
11	15	6	—	—	14	10	11	14	5	5	1	3	—	2	4	2	1	103A
16	19	13	—	—	19	13	30	6	1	4	1	1	5	8	4	10	3	102, 103B
6	6	6	—	1	4	9	8	50	30	16	2	1	2	3	1	4	5	104 & 105
4	5	4	—	2	8	3	3	1	—	—	1	—	2	2	2	9	3	109
3	4	3	—	—	3	5	3	—	4	4	—	2	5	10	8	9	4	120
8	7	9	—	2	5	13	8	22	3	1	1	1	2	—	—	—	—	150
35	37	33	—	6	37	34	52	545	—	—	—	—	—	—	—	—	—	151A
28	25	33	—	8	33	24	39	262	—	—	—	—	—	—	—	—	—	151B
18	16	21	—	—	10	26	34	24	—	—	—	—	—	—	—	—	—	152B
26	29	21	—	—	39	14	40	24	—	—	—	—	—	—	—	—	—	152C
52	85	17	—	—	76	55	25	12	—	—	—	—	—	—	—	—	—	153
19	23	—	22	5	7	14	43	—	—	1	5	13	19	10	2	1	—	169
247	272	213	—	111	170	303	324	—	3	2	3	2	2	18	28	14	—	188A
666	632	711	500	308	633	669	722	—	12	25	18	33	97	189	352	230	—	189A
																		187, 188B
237	240	235	167	—	156	263	440	67	24	20	3	6	8	27	44	46	34	189B–E
421	469	368	—	—	56	333	623	19	2	1	2	—	1	7	3	6	10	189F

deceased person resided. To retabulate deaths by the administrative area of occurrence would have involved an amount of labour which, under the exceptional circumstances of the present time, was prohibitive. On the other hand the information was readily available in regard to registration areas, and they were, therefore, adopted for the purposes of this table.

TABLE XXXVIII.—INQUEST CASES and UNCERTIFIED DEATHS in 1915: PROPORTIONS per 100 DEATHS in each REGISTRATION COUNTY.

Registration County.	Proportion per 100 deaths.		Registration County.	Proportion per 100 deaths.	
	Inquest Cases.	Uncertified Deaths.		Inquest Cases.	Uncertified Deaths.
England and Wales	6·96	1·37	Worcestershire	5·58	2·40
			Warwickshire	5·00	3·16
London { North of Thames ...	11·51	0·01	Leicestershire...	5·62	0·99
London { South of Thames ...	8·84	0·23	Rutlandshire...	5·79	1·16
Surrey	7·80	0·38	Lincolnshire	5·38	1·65
Kent	7·85	2·88	Nottinghamshire	5·37	2·10
Sussex	6·89	0·46	Derbyshire...	5·77	2·78
Hampshire	7·50	1·05	Cheshire	7·18	0·32
Berkshire	5·96	2·05	Lancashire	6·11	1·89
Middlesex	7·41	0·20	West Riding of Yorkshire ...	7·26	0·58
Hertfordshire	5·60	1·85	East Riding of Yorkshire ...	8·90	0·48
Buckinghamshire	5·00	2·21	North Riding of Yorkshire ...	6·32	0·50
Oxfordshire	5·30	1·37	Durham	5·34	3·29
Northamptonshire	4·11	2·53	Northumberland	7·41	1·92
Huntingdonshire	4·39	3·66	Cumberland	5·65	2·73
Bedfordshire	4·48	2·56	Westmorland	4·19	1·86
Cambridgeshire	4·41	1·82	Monmouthshire	6·23	1·10
Essex	6·41	1·92	Glamorganshire	8·39	0·21
Suffolk	6·26	2·17	Carmarthenshire	5·07	2·15
Norfolk	6·05	1·69	Pembrokeshire	5·24	5·67
Wiltshire	6·69	1·44	Cardiganshire	3·24	3·45
Dorsetshire	4·48	1·84	Brecknockshire	6·57	0·91
Devonshire	6·52	0·73	Radnorshire	5·04	4·20
Cornwall	7·48	0·72	Montgomeryshire	4·41	2·94
Somersetshire	6·55	0·63	Flintshire	4·84	2·23
Gloucestershire...	7·68	0·42	Denbighshire	3·52	1·65
Herefordshire	4·45	3·75	Merionethshire	2·36	1·33
Shropshire	5·78	2·93	Carnarvonshire	4·68	1·43
Staffordshire	6·46	1·44	Anglesey	3·44	2·17

It will be seen from the above table that the proportions of inquests ranged from 11·51 per cent. in London, North of the Thames, 8·90 in the East Riding of Yorkshire, 8·84 in London, South of the Thames, and 8·39 in Glamorganshire to 3·52 in Denbighshire, 3·44 in Anglesey, 3·24 in Cardiganshire, and 2·36 in Merionethshire. The proportions of uncertified deaths ranged from 5·67 per cent. in Pembrokeshire, 4·20 in Radnorshire, 3·75 in Herefordshire, and 3·66 in Huntingdonshire to 0·23 in London, South of the Thames, 0·21 in Glamorganshire, 0·20 in Middlesex, and 0·01 in London, North of the Thames.

Generally speaking the table presents the same features as did the last similar table which was given in the Annual Report for 1910 (page lxxix.), counties falling into the same categories as before, both as regards inquests and uncertified deaths.

The greatest variations between the two periods were :—decreases of 3·26 in the percentage of inquests in Buckinghamshire, 2·90 in those in Cumberland, and 2·11 in Montgomeryshire ; and in the case of uncertified deaths an increase of 1·61 in Pembrokeshire, and decreases of 1·48 in Carnarvonshire, and 3·46 in Anglesey.

These variations may be due in part to the nature of the causes of the deaths registered in the two years. For instance, the number of deaths subject to inquest in Cumberland was abnormally increased in 1910 by a mine explosion. No such ready explanation is to hand, however, in regard to Buckinghamshire and Montgomeryshire.

Deaths in Institutions for the Sick or Infirm.

The numbers of deaths occurring in various classes of institutions are shown on pages 259–273, with distinction of the four classes of area dealt with in this Report, and of sex and cause, but not of age.

Including those of 6,275 non-civilians the deaths in Poor Law Institutions (workhouses and workhouse infirmaries) numbered 64,097, those in lunatic asylums 14,379, and in hospitals 47,835. In addition to these, 1,056 occurred at addresses known as those of nursing homes, but it is probable that many more deaths in nursing homes were not recognised as such. The numbers quoted above yield the proportions in the following table, which is continued from previous Reports :—

Table XXXIX.

Public Institutions.	Percentage of Total Deaths.			Rate per 1,000 living.		
	Ten years, 1905–14.	1914.	1915.	Ten years, 1905–14.	1914.	1915.*
Workhouses and Workhouse Infirmaries.	10·55	11·51	11·40	1·52	1·61	1·81
Lunatic and Idiot Asylums ...	2·08	2·33	2·56	0·30	0·33	0·40
Hospitals	7·31	8·41	8·51	1·05	1·18	1·18
Total	19·94	22·25	22·47	2·87	3·12	3·39

* Civilians only ; based upon estimated civil population, 1915.

United Kingdom.

Population.

The first complete census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons ; during the 90 years, 1821–1911, the population more than doubled itself, the numbers enumerated at the beginning of April, 1911, amounting to 45,221,615 persons.

The method adopted for estimating the civil population of England and Wales has been described on page ix. The populations of the several divisions of the United Kingdom are provisionally estimated as follows :—

Table XL.—Population Estimated to the Middle of the Year 1915.

—	Persons.	Males.	Females.
England and Wales (Civil population only) ...	35,358,896	15,993,554	19,365,342
Scotland	4,785,598	2,320,815	2,464,783
Ireland (Movements of Military taken into account).	4,337,000	2,139,000	2,198,000

Marriages.

The marriages in the United Kingdom during the year 1915 numbered 421,311, corresponding to a rate of 18·3 persons married per 1,000 of the population at all ages in 1914.

This rate was 3·0 per 1,000 above the corresponding rate in 1914 and 3·5 per 1,000 above the average rate in the ten years 1905–1914.

TABLE XLI.

—	Marriages, 1915.	Persons Married per 1,000 Living.	
		Ten Years, 1905–1914.	1915.
England and Wales	360,885	15·4	19·5*
Scotland	36,272	13·8	15·2
Ireland	24,154	10·4	11·1
United Kingdom	421,311	14·8	18·3*

* Based upon estimated population, mid. 1914.

Births.

The births registered in the United Kingdom in the year 1915 numbered 1,024,378 and were in the proportion of 22·2 per 1,000 of the population at all ages in 1914.

This rate was 1·7 per 1,000 below the corresponding rate in 1914; compared with the average in the ten years 1905–1914 the birth-rate in 1915 showed a decrease of 3·2 per 1,000.

TABLE XLII.

—	Births, 1915.	Births per 1,000 Living.	
		Ten Years, 1905–1914.	1915.
England and Wales	814,614	25·5	22·0†
Scotland	114,181	27·0	23·9
Ireland	95,583	23·2	22·0
United Kingdom	1,024,378	25·4	22·2†

† Based upon estimated population, mid. 1914.

Deaths.

The deaths registered in the United Kingdom in the year 1915 numbered 720,035 and were in the proportion of 15·6 per 1,000 of the population at all ages.

This rate was 1·2 per 1,000 above the corresponding rate in 1914; compared with the average in the ten years 1905–1914 the death-rate in 1915 showed an increase of 0·8 per 1,000.

TABLE XLIII.

—	Deaths, 1915.	Deaths per 1,000 living.	
		Ten years, 1905–1914.	1915.
England and Wales	562,253‡	14·5	15·7§
Scotland	81,631	15·8	17·1
Ireland	76,151	17·0	17·6
United Kingdom	720,035	14·8	15·6‖

‡ Including deaths of non-civilians. § Civil death-rate.
‖ Including civil deaths only for England and Wales.

Infant Mortality.

The following Table shows the proportion of deaths of infants under one year of age to 1,000 births in each division of the United Kingdom.

TABLE XLIV.

	Deaths under 1 year per 1,000 Births.	
	1905–1914.	1915.
England and Wales	115 ...	110
Scotland	112 ...	126
Ireland	93 ...	92
United Kingdom	113	110

In Table 29 (pages 74, 76, 80 and 81) the population, marriages, births, deaths and principal causes of death are given for a series of years for the United Kingdom and for each of its three divisions.

BIRTHS AND DEATHS AT SEA.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of ships trading to or from British ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and Ireland. Similar returns are furnished to the Registrars-General of Births and Deaths by officers in charge of His Majesty's ships. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1915, this register was increased by the addition of 130 entries of birth and 4,395 entries of death.

PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1915 by 2,098,637, this addition raising the total of names in the indexes, which at the end of 1915 embraced a period of 78½ years, to 130,540,741. (Table 21.)

The following statements as to the number of prosecutions for offences against the Registration Acts and of searches in the registers have been prepared by the Secretary:—

OFFENCES AGAINST THE REGISTRATION ACTS.

In 1915, 12 persons, on prosecution by order of the Registrar-General, were convicted of different offences against the Registration Acts. The offences for which convictions were obtained were as under :—

For giving a false age when registering the death of an old-age pensioner	6
For otherwise giving false information to the registrar when registering a birth or death	1
For falsifying certificate of birth or death and using same as true ...	3
For failing to notify registrar of a burial performed without production of authority	1
For issuing a false medical certificate	1

In addition to the above prosecutions initiated by the Registrar-General, proceedings were taken by the Public Prosecutor in several cases of false notice and declaration for marriage.

Searches and Certificates.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts, a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix–xxxii of the Annual Report for 1895. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

During the 52 weeks ended 1st January, 1916, the total number of searches was 84,151, and of certificates issued 69,746. The total amount received in fees was 13,007*l.* 10*s.* 0*d.*

Table XLV affords an indication of the extent to which the copies of the records kept in this Office have been utilised by the public for legal evidence of births, deaths, and marriages since 1866.

Table XLV.

Years.	Total Searches.	Certificates Issued.	Amount Received.		
			£	s.	d.
1866 (52 weeks)	12,135	10,017	1,860	15	6
1875 (52 weeks)	26,356	20,282	3,879	15	6
1885 (52 weeks)	36,450	27,682	5,317	13	6
1895 (52 weeks)	53,289	35,727	7,200	12	6
1905 (52 weeks)	65,142	50,310	9,611	9	0
1906 (52 weeks)	64,340	49,429	9,458	6	0
1907 (52 weeks)	69,249	53,058	10,194	9	0
1908 (53 weeks)	72,370	54,870	10,550	8	0
1909 (52 weeks)	73,543	54,674	10,568	8	0
1910 (52 weeks)	75,369	57,019	10,939	5	6
1911 (52 weeks)	75,005	56,347	10,875	6	0
1912 (52 weeks)	80,601	61,143	11,752	6	0
1913 (52 weeks)	79,315	60,356	11,613	19	0
1914 (53 weeks)	83,447	65,817	12,482	11	6
1915 (52 weeks)	84,151	69,746	13,007	10	0

In addition to the above, 62,080 searches were made during 1915 free of charge for the purpose of verifying the ages of persons claiming old age pensions, and 56,708 searches were also made free of charge to assist dependents of men serving with H.M. Forces to produce evidence of marriage and of the births of children under 16 years of age in connexion with claims to Naval and Military Separation Allowances, Pensions, &c.

T. H. C. Stevenson.

METEOROLOGY OF THE YEAR 1915.

Remarks on the Conspicuous Occurrences in the British Isles in 1915.

(Prepared in the Meteorological Office under the direction of
Sir Napier Shaw, LL.D., Sc.D., F.R.S., Director.)

A Cool Year.

Wet January, February, July, and December, otherwise generally dry. Very little snow and frost. Great prevalence of East and North-East winds in spring.

The following are the outstanding features of the meteorology of the year 1915 :—

1. *Gales.*—The spring and autumn months, which generally bring many gales of considerable violence, were much quieter than usual, the only really stormy months being January, February, and December. The year opened with a Southerly gale, caused by a large and unusually deep depression that had been spreading over these islands since December 30th. Force 8 to 9 (Beaufort scale) was reported on all coasts, and at Pendennis Castle the velocity in the gusts reached 37 m/s. Further Southerly to Westerly gales affected some part of the coast daily during the succeeding fortnight, but none of these was of extreme violence, and it was not until the 15th, when a deep disturbance was centred off the north of Scotland, that a general gale occurred. Force 9 was very common, while squalls of force 10 were experienced in places in southern England, with gusts of 30 m/s at Southport and 35 m/s at Quilty. By the 16th a depression had developed over the North Sea, and the gale continued in most places from North-West veering to North. In the gusts the velocity attained 28 m/s at Kew and Dover, 30 m/s at Shoeburyness, and 31 m/s at Benson. Further gales, from between South-West and North-West, were felt on various parts of the coast from the 20th to 22nd, the greatest gust velocity reported being 31 m/s at Scilly.

By February 2nd an Atlantic depression caused a general Southerly to South-Westerly gale. On the 3rd, when the gale had become more widespread, gusts of 33m/s were experienced at Paisley, and of 34 m/s at Edinburgh. Further depressions on the 5th, 6th, and 7th produced gales—mainly from between South-West and South-East—on many parts of the coast. After a few days of relative quiet, a well-marked depression travelling eastward over southern Ireland and England on the 13th caused gales over an extensive area, force 10 was reported at some south coast stations, and force 11 in squalls at Dover. At the anemometrical stations the highest gust velocity was 35 m/s at Scilly and Pendennis Castle. Most parts of the coast experienced another gale from between South-West and South-East on the 16th and 17th, gusts of 34 m/s being recorded at Pendennis Castle. At Lerwick, South-East 10 continued for some hours.

No windstorm of importance was now reported until the 26th or 27th, when the extension eastward of an Atlantic depression was attended by Southerly to South-Westerly gales on our northern and western coasts. At Pendennis Castle and Southport the gust velocity reached 26 m/s, at Paisley 28 m/s, and at Edinburgh 32 m/s. In the rear of this depression on March 1st strong winds or gales from West, veering to North-West, prevailed over the whole Kingdom. The velocity in gusts attained 28 m/s at Holyhead, 30 m/s at Southport, and 29 m/s at Scilly.

The subsequent conditions were generally very quiet until the 18th, when they were temporarily interrupted by a Northerly gale over a considerable portion of the Kingdom. Force 9 or 10 was reported at many stations, and the gust velocity reached 28 m/s at Holyhead, and 30 m/s at Dover and Spurn Head.

April brought Southerly gales to some stations in the north-west and north on the 2nd and 4th, to a much larger area on the 6th, and to all coasts on the 8th. As a rule the force was not greater than 8 or 9, but the gusts reached 28 m/s at Rosyth, 29 m/s at Scilly, 30 m/s at Paisley, and 31 m/s at Eskdalemuir. On the 9th, when the wind had veered to North-West, there were gusts of 29 m/s at Southport and Aberdeen. The rest of the month was quiet except very occasionally in the extreme north, and with the

exception of a slight gale in the English Channel on May 9th and 10th, there was no rough weather until July 17th. On that occasion, in the rear of a depression centred over the North Sea, a Northerly gale occurred at Spurn Head, and gusts exceeding 20 m/s on many other parts of the coast. From this date a long period of light winds began, and continued until broken by a slight Southerly gale in the West on October 7th. October being unusually free from gales, and the only subsequent occasions were a North-Easterly gale in the eastern part of the English Channel on the 25th, and a Southerly to South-Easterly gale over the greater part of the Kingdom on the 28th or 29th. Most of November was also very quiet, but gales were rather general between the 9th and 13th. On one or more of these dates force 9 was common on several sections of the coast, while at some western and north-western stations 10 was reported, and at Scilly and Dover 11. The extreme velocity recorded in the gusts was 34 m/s at Holyhead and Quilty and 38 m/s at Weaver Point on the 12th, and 39 m/s at Pendennis Castle and Scilly on the 13th.

December proved a very stormy month, few days failing to bring strong winds or gales. On the 6th there was a gust of 29 m/s at Scilly and Pendennis Castle; on the 6th 27 m/s at Spurn Head, 28 m/s at Shoeburyness, and 34 m/s at Pendennis Castle; on the 11th 30 m/s at Southport; and on the 15th 32 m/s at Plymouth. After a week's interval the gales recommenced in the west on the 22nd and continued daily on some portion of the coast until they became general and of great violence on the 27th. On the 22nd there was a gust velocity of 36 m/s at Weaver Point, and on the 27th, when a strong to whole gale blew over England and part of Ireland, the gust velocity recorded 29 m/s at Gorleston, 30 m/s at Shoeburyness and Warlingham, 39 m/s at Plymouth, and 40 m/s at Scilly and Pendennis Castle. This gale was the most serious of the year, and caused much structural damage and uprooted many trees. As many as 1,000 trees were blown down in the neighbourhood of Lampeter. By the 31st another gale had begun, but its full force was not developed until January 1st.

2. *Rainfall.*—Only four months, January, February, July, and December were wet over the Kingdom as a whole, but May had an excess of rain in most English districts. All the others had less rain than usual, and during the spring and autumn there were lengthy periods of drought. The excess during the wet months over nearly the whole of England and a portion of Ireland was, however, so pronounced that the aggregate rainfall for the year was much more than the average, and owing chiefly to some abnormal downpours in the east of Scotland in the autumn, there was a substantial excess in that district also. In Scotland North and West the percentage of the average was only about 80, while in England South-East it was as high as 131. January and February continued the almost daily rain that characterised the last six or seven weeks of 1914, the wetter of the two being February. The aggregate fall in July was nearly equal to that of February, but the wettest month of the year over the Kingdom generally was December. The four months following February were very dry, the driest being June, both in the actual fall and in the number of rain days. The dry months succeeding the rainy July had a higher total fall than those of spring and early summer, but the divergence from the average was very marked.

Heavy downpours accompanying thunderstorms are dealt with in a separate paragraph, but irrespective of these there were many falls exceeding 30 mm. within 24 hours. In January, apart from the usual heavy and continuous rains accompanying cyclonic disturbances in Snowdonia and other elevated regions in the west and north-west, 50 mm. fell at Marlborough, 53 mm. at Wexcombe, and 58 mm. at Mildenhall on the 3rd, 60 mm. at Glencarron on the 10th, and 54 mm. at Meltham on the 15th. February yielded many heavy falls. On the 1st there was 69 mm. at Ardnadam, on the 2nd 56 mm. at Delphi (Co. Mayo), on the 16th 43 mm. at Torquay and Falmouth, 50 mm. at Jersey, 75 mm. at Ashburton, 87 mm. at Holne, and 96 mm. at Princetown. Late in the month 41 mm. fell at Eskdalemuir and 46 mm. at Aspatria. In March the few heavy falls were confined to the north-western districts. On the 4th Fort William had 50 mm., Glencarron 62 mm., and Ballachulish (Loch Leven) 79 mm. A well-marked depression on May 13th yielded large quantities over southern England, the highest value being 50 mm. at Heathfield, and a similar quantity fell in the same region on the 17th.

Nearly all the heavy downpours of the next three months were associated more or less intimately with electrical disturbances, but on July 16th extremely heavy falls occurred over a wide area, the most striking being 72 mm. at Kingston-on-Soar, 73 mm. at Lichfield, and 80 mm. at Rugeley. On September 22nd 52 mm. came in a steady fall at Valencia; on the 24th 51 mm. at Southampton, and 65 mm. at Totland Bay. On the 25th, with a North-East and North wind, the precipitation round

the Moray Firth was abnormal, ranging from 96 mm. at Nairn to 179 mm. at Dalcross Castle. This was followed by further considerable falls on the 26th. On the 28th a very wide area over the southern counties of England received more than 30 mm., the heaviest falls being 45 mm. at Warlingham, 48 mm. at Newick, and 60 mm. at Margate. The latter part of October brought some heavy downpours. On the 23rd 58 mm. fell at Rousdon and 67 mm. at Sidmouth. Some days later further abnormally heavy falls occurred in the east of Scotland ; 116 mm. fell at Durris on the 27th and 28th and 131 at Crathes between the 27th and 29th. On the same dates heavy downpours were recorded over nearly the whole of southern England and locally in Ireland. At Sandgate the value was 56 mm. and at Foffany, Co. Down, 90 mm. On the 31st there were further heavy falls, the largest being 56 mm. at Grayshott.

The greater part of the rain of November occurred between the 9th and 13th, when heavy downpours were general with a depression that made a detour over the southern parts of the Kingdom on the 12th. On this last date 51 mm. fell at Dublin and 80 mm. at Little Massingham. On the 13th there was 60 mm. at Bettws-y-Coed. Most of the heaviest rains in December came on the 4th, 5th, 9th, 14th, and 26th, but, relatively, few exceeded 35 mm. at ordinary altitudes. On the 4th Belper had 35 mm., on the 5th there was 37 mm. at Holyhead and Redruth, and 39 mm. at Darwen. On the 14th Falmouth and Dorchester had 48 mm. and Princetown 100 mm.

3. *Snowstorms.*—No generally severe storm was experienced, but occasionally the southern and more frequently the northern districts were covered. On January 22nd and 23rd heavy snow accompanied a strong Northerly wind in the south-east of England, and a considerable area had a covering ranging in depth from 19 cm. to 30 cm. On February 13th Hemel Hempstead reported a depth of 8 cm., and following a fall on the 22nd and 23rd a similar or greater depth covered a large area in Britain. During March slight snow was common in the northern and eastern districts, and on the 18th and 19th a large portion of the country was covered, the depth ranging from about 19 cm. in various Scottish localities to 10 cm. towards the south of England. The low temperature of November was accompanied by snow in many localities on the 15th and 16th, the greatest depth being 10 cm. at Chelmsford, Carnforth, and Ardross. With the milder temperature of December snow was very rare, almost the only fall being on the 9th and 10th, when there was about 10 cm. in parts of the north and north-west of England.

4. *Floods.*—The floods in the Thames Valley, which had commenced in December, 1914, continued to rise for some time in January, and were the highest since November, 1894. Large areas in southern England were under water for a time after the middle of February, and considerable local inundation occurred in consequence of the abnormal rain in the vicinity of Moray Firth at the end of September. A serious and destructive landslip at The Warren, between Dover and Folkestone, on December 19th was attributed to the excessive rainfall in that region.

5. *Dry Periods.*—There were several periods of absolute or partial drought. The first began on the 19th or 20th of May, and until the third week in June absolute drought prevailed over a large area in southern England. At Eltham it continued through 39 days, at Dover 37 days, Clifton (Bristol) 33 days, and at Bucklebury 32 days. Partial droughts continuing 6 weeks were experienced at Totland Bay and at a few places towards the north of England. Over extensive areas in the north of England a drought that commenced on the 2nd or 3rd of June continued for two or three weeks. The second period began on August 14th and continued over a large portion of the Kingdom until the 28th or later. At Waterford there were 16, and at Killerton 18 rainless days. Another rainless spell set in early in September and lasted two or three weeks—mostly in England. At Halstead (Essex) it continued for 20 days, and at Holme-on-Spalding-Moor and Bucklebury for 21 days. A similar droughty period began in the last week of October and continued in various parts of England for 18 or more days. At Weston-Turville, Wokingham and York (Deighton Grove) there was absolute drought during 20 days, and at Brandon (Suffolk) for 21 days. The last period began after the middle of November and continued through 13 days or longer over a considerable portion of the Kingdom ; at Allan's Green (Bardon Mill) it prevailed for 18 days.

6. *Thunderstorms.*—Occasional brief thunderstorms accompanied the numerous depressions until the beginning of March, but during the succeeding eight weeks they were much rarer. In April the total number reported was no more than 27, or 65 less than in the corresponding month of the preceding year. The greater part of May was free, but between the 5th and 7th, and on the 21st or 22nd, thunderstorms occurred over

a large portion of England and Wales, and a few days later in the south-western districts. Very heavy rains were not common, but on the 6th, accompanying the storm in the Metropolis, between 50 mm. and 75 mm. fell locally in the City and a little further north. During most of June the weather was too settled for electrical disturbances, but on the 8th they were experienced in various parts of England, and on the 10th a local storm at Llanddeusant yielded 77 mm. of rain in less than three hours. With the break-up of the droughty conditions towards the end of the month thunderstorms became general, especially in the eastern half of Britain. The rain with these storms was very heavy in places; on the 25th more than 50 mm. at Stockport, on the 30th 71 mm. at Buxton, and between 50 mm. and 75 mm. of rain and hail within an hour at Wellingborough. The thundery period that began in late June continued through July and until the middle of August. Very few days passed without a storm in some part of the Kingdom—often over a very considerable area. In July the total number reported from all the stations amounted to 794, and in August to 964. In July of the preceding year the number was only 550, and in August it was less. In numerous instances the accompanying rainfall was very heavy. On July 4th 65 mm. fell at Skegness, 48 at Llangammarch Wells, and 44 mm. at Hull. Several places in south-western England experienced a destructive hailstorm. At Shipham (Somerset) some of the stones were 5½ in. in circumference. On the 23rd there was 47 mm. of rain at Middlesbrough in an hour and a quarter. On August 2nd 44 mm. fell at Biggar (Peebleshire) in an hour; at Ardross on the 12th there was 33 mm. in 45 minutes, and at Scaleby about 62 mm. in 90 minutes. At Tenbury on the 13th 16 mm. fell in 15 minutes, and at Warlingham on the 17th 37 mm. in 40 minutes. With the stable conditions prevalent during the greater part of September there was a complete absence of thunderstorms, but they passed over a very large area on the 1st, and occurred locally in Essex on the 13th, in the west and south-west between the 21st and 24th, and again a little later. Thunderstorms of the winter type passed over many parts of these Islands during the latter half of October, and also from time to time during November and December.

7. *Air Temperature.*—Only two months, July and November, were cold for the time of year over the whole Kingdom, and only August had a mean temperature above the average. The mean value for the year was a little below the average except in England East, the greatest departure being − 1° in Scotland East. Over these Islands generally the mean temperature was 1·5° lower than in 1914.

Neither January nor February brought any continuous frost and no abnormally low minima. Both months had a temperature rather above the average in England and slightly below in Ireland and Scotland. In the former month the thermometer rose to 60° at Torquay on the 13th, and fell to 13° at Braemar, and to 10° at Matfield on the 23rd. The first week of February gave maxima between 53° and 58° very generally, and the last week minima as low as 11° at Kingussie and Wolfelee, and 15° at Marlborough. Very few days had a maximum as low as 32° in January and not one in February. During March and April the mean temperature diverged little from the normal, but both months furnished a few high maxima and some low minima. The The first reading of the year above 60° occurred at Crieff on March 12th, and on the 14th and 24th readings between 60° and 65° were common. On March 20th there was a minimum as low as 11° at Balmoral, and 15° at Logie Coldstone; on the 28th 14° at Wellington (Shropshire), and on the 30th 19° at Raunds and some other stations. On April 1st the thermometer descended to 22° at Kingston-on-Soar, and much later in the month readings of about 25° were noted in various districts. Between the 28th and 30th maxima about 70° became rather common, but earlier in the month some were unduly low for the time of year.

May fully maintained its reputation for its great range of temperature. Between the 6th and 8th there were maximum readings as high as 70°, and between the 21st and 26th an outburst of premature summer gave readings of about 80°. On the 12th and 13th, on the other hand, the maxima were abnormally low, and on the nights of the 13th and 14th sharp frost was experienced, doing much injury to farm and garden produce in the north-west of England. At Leyland the thermometer fell to 25° in the screen and to 20° on the grass. June gave the greatest heat of the year. The 4th, with bright, anticyclonic conditions, saw the beginning of a brief spell of extreme heat, which culminated on the 8th with maxima as high as 90° at Cromer and Norwich, and but little lower in the east and south-east of England generally. The minimum readings for the month occurred either on the 1st or between the 18th and 21st, and were unusually low. Frost was experienced over a very wide area, and a considerable amount of damage done to tender vegetation in England.

Although generally cold for the time of year July yielded some high temperatures. On the 3rd and 4th maxima above 80° were recorded in the south-east and east of England. July was the only month with no minimum as low as 32° in the screen. No very high maximum and few low minimum readings occurred in August, but towards the end of the month the thermometer sank to 30° or 31° in some Scottish localities. September was cold both early and late in the month, but between the 16th and 18th there was a return to summer, the thermometer rising to 80° locally in the south-eastern and midland counties, and to nearly as high in several other parts of the Kingdom. The temperature of October was not far from the normal, but became rather low at the end. November diverged more from the normal than any other month, and was, in many parts of the country, the coldest November on record. At Dublin it was the coldest since 1878. The rigorous temperature was especially severe in the north-west of England. Except in Scotland North December was milder than January, and in all the English districts the temperature exceeded the normal, the departure being nearly 4° in the east and south-east. High maxima for the time of year were frequent and low minima rare. On the 4th, however, many stations in the north had a no higher maximum than 32°, and at Nairn the figure was as low as 28°. One or two days later were also cold in the north. Some severe passing frosts occurred—mostly in Scotland. At Kingussie on the 4th the minimum was 9°, and at Balmoral on the 5th a degree lower.

8. *Sea Temperature.*—The mean temperature of the sea surface water ranged from 47° off the north-east of Scotland to 53° off the south-west of England, and except off the east and south-east of England it was slightly higher than the air readings on the coast.

9. *Fog.*—Although not a special feature, fog was frequently reported on various parts of the west and south-west coasts, and more rarely over a larger area, the chief months being May and October. Along the east and south coasts fog was seldom experienced, and except for a time in October, there was little fog over the inland districts.

10. *Bright Sunshine* was less than the average in England East and South-East and the English Channel, but exceeded it elsewhere. In almost all districts the divergence was small, the greatest being 0·48 hr. above the average in England North-West. In Ireland, England North-West and Scotland North and West the duration was longer than that of 1914, but in all other districts it was less.

11. *Barometer.*—In every month except January and July the pressure distribution was widely different from the average, or even quite abnormal. The mean distribution for the year, however, differed little from the normal, although the mean height of the barometer was considerably below the average in the southern half of the Kingdom, and the mean gradient consequently slighter than usual. The chief feature of the year was the persistency with which the distribution favoured winds between North and East in the spring, especially during May. The lowest readings of the year occurred with the depression of January 1st and 2nd in Ireland, Scotland, and over northern England, but in February or November elsewhere. The highest values were mostly recorded on November 20th or 21st, when an anticyclone extended over these Islands from the north-east and east. Some remarkably rapid local changes of pressure were recorded in December. In the rear of the depression centre of the 11th the barometer rose 7 millibars almost instantaneously at Blacksod, and on the 22nd there was a rise of 6 millibars at Valencia in an hour.

12. *Aurora.*—The phenomenon was much more common than during the year preceding. It was observed on at least one occasion in every month except May, June, and July. As a general rule it was reported in the northern half of Scotland, but it was also noted at Carrick-on-Suir in March, September, and October, while in November it occurred more frequently, and was seen as far south as Farnborough and Roche's Point. On December 6th it was reported in most parts of the Kingdom, and locally on some subsequent dates.

13. *Extremes of Temperature, etc.*—As in previous Annual Reports the following notes refer exclusively to the stations the results from which are given in the tables on pages 66–69.

The highest temperatures of the air were 90° at Cromer; 89° at Camden Square; and 88° at Cambridge.

The lowest temperatures were 14° at Llangammarch Wells ; 15° at Wistanstow and 17° at Buxton.

The heaviest totals of rain were 1411 millimetres at Llangammarch Wells ; 1344 millimetres at Falmouth ; and 1324 millimetres at Buxton.

The least falls of rain were 586 millimetres at Cromer ; 600 millimetres at Shields ; and 612 millimetres at Cambridge.

The stations with the greatest number of days of rain were Bettws-y-Coed with 227 ; Scilly Islands with 208 ; and Cromer with 207.

The stations with the least number of days of rain were Tottenham, with 146 ; Shrewsbury 148 ; Portsmouth 149.

14. *Further Information.*—Charts showing the distribution of pressure, temperature, sunshine, and rainfall for the year will be found in the Annual Summary of the Monthly Weather Report (issued by the Meteorological Office) for 1915.

A list of publications concerning the weather will be found in Meteorological Office Circular 001 "Statement of Provisions for the Supply of Information to the Public," which can be obtained on application at the Meteorological Office.

TABLES.

NOTE.—The following tables are temporarily discontinued :—

No. in Report for 1914.	Description.
2—4	Estimated Populations in the middle of the year ' sexes and ages : England and Wales and Main Divisions, Urban and Rural Aggregates in Administrative Counties, and County Boroughs.*
9—12	Marriages ; England and Wales, London and other Registration Counties : Manner of Solemnization, First Marriages, Re-marriages, Marriages of Minors, Signatures by Mark, and Marriage-rates.
16—18	Mortality by Sex and Age : Main Divisions of England and Wales, Administrative Counties, and County Boroughs.†
24—28	Mortality from Several Causes by Sex and Age : England and Wales, Main Divisions, London, County Boroughs, Other Urban Districts, and Rural Districts.
34—36	Army : Strength and Mortality. Navy : Mortality in Service Afloat. Merchant Service : Numbers and Mortality of Masters and Seamen.

For the reasons stated on page ix all death-rates in 1915 relate to civilians only, and mortality from measles, whooping cough, scarlet fever, and diphtheria and croup is stated in Table 13 in terms of the population at all ages. Deaths in Table 9 include those of non-civilians, but the corresponding rates in Table 10 relate to civilians only.

Special tables showing infant mortality during the quinquennium, 1911–15, are inserted in the present series (Tables 16–20).

* The estimated civil population by sex and age in England and Wales as a whole in 1915 is given on page x.

† Infant mortality by sex in Administrative Counties and County Boroughs in 1915 is given in Tables 19 and 20.

TABLE 1.—UNITED KINGDOM: POPULATION of its several PORTIONS ESTIMATED to the in the BRITISH SEAS, and of the PORTIONS of

YEAR.	UNITED KINGDOM. AREA 76,457,356 ACRES.†			ENGLAND AND WALES.* AREA 37,337,537 ACRES.‡		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1866	30,147,756	14,656,116	15,491,640	21,409,684	10,427,146	10,982,538
1867	30,409,135	14,781,925	15,627,210	21,677,525	10,557,066	11,120,459
1868	30,689,980	14,917,164	15,772,816	21,948,713	10,688,600	11,260,113
1869	30,978,282	15,056,680	15,921,602	22,223,299	10,821,775	11,401,524
1870	31,256,540	15,189,552	16,066,988	22,501,316	10,956,608	11,544,708
1871	31,555,699	15,331,182	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,184	15,485,220	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,551	15,630,140	16,547,411	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,993	16,138,193	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,940	16,325,250	17,250,690	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,304,037	16,688,039	17,615,998	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,578	17,938,898	26,046,142	12,673,435	13,372,707
1882	35,206,616	17,122,483	18,084,133	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,226	18,212,495	26,626,949	12,944,923	13,682,026
1884	35,724,229	17,367,248	18,356,981	26,922,192	13,082,837	13,839,355
1885	36,015,501	17,505,359	18,510,142	27,220,706	13,222,216	13,998,490
1886	36,313,581	17,646,573	18,667,008	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,257	18,969,014	28,136,258	13,649,314	14,486,944
1889	37,178,928	18,052,088	19,126,840	28,448,239	13,794,721	14,653,518
1890	37,484,763	18,196,143	19,288,620	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,538,211	20,142,628	21,395,583	32,612,022	15,769,412	16,842,610
1902	41,892,680	20,317,417	21,575,263	32,950,909	15,933,658	17,017,251
1903	42,246,591	20,492,494	21,754,097	33,293,321	16,099,612	17,193,709
1904	42,611,375	20,672,334	21,939,041	33,639,287	16,267,291	17,371,996
1905	42,980,788	20,853,456	22,127,332	33,988,844	16,436,707	17,552,137
1906	43,361,077	21,038,326	22,322,751	34,342,040	16,607,890	17,734,150
1907	43,737,834	21,221,125	22,516,709	34,698,905	16,780,848	17,918,057
1908	44,123,819	21,410,611	22,713,208	35,059,484	16,955,609	18,103,875
1909	44,519,454	21,604,581	22,914,873	35,423,805	17,132,182	18,291,623
1910	44,915,934	21,797,280	23,118,654	35,791,902	17,310,586	18,481,316
1911	45,324,425	21,995,632	23,328,793	36,189,685	17,503,377	18,686,308
1912	45,508,243	22,085,459	23,422,784	36,382,456	17,596,806	18,785,650
1913	45,713,370	22,184,681	23,528,689	36,606,226	17,705,259	18,900,967
1914	46,089,249	22,368,110	23,721,139	36,960,684	17,877,052	19,083,632
1915	?	?	?	35,358,896¶	15,993,554¶	19,365,342

* The estimates of the population of England and Wales up to the year 1910 have been made by means of the rates of returns of births, deaths and migration; while the estimate for 1915 is based upon the results obtained under the National by the Registrars-General for those parts of the United Kingdom.

† Land only to high water mark. ‡ Land and inland water.

¶ Civil population only.

MIDDLE of each of the YEARS 1866-1915, EXCLUSIVE of the POPULATION of the ISLANDS the ARMY, NAVY, and MERCHANT SERVICE ABROAD.

SCOTLAND.* AREA 19,070,466 ACRES.§			IRELAND.* AREA 20,371,125 ACRES.‖			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,215,130	1,528,405	1,686,725	5,522,942	2,700,565	2,822,377	1866
3,245,101	1,543,844	1,701,257	5,486,509	2,681,015	2,805,494	1867
3,275,353	1,559,439	1,715,914	5,465,914	2,669,125	2,796,789	1868
3,305,889	1,575,192	1,730,697	5,449,094	2,659,713	2,789,381	1869
3,336,712	1,591,104	1,745,608	5,418,512	2,641,840	2,776,672	1870
3,368,926	1,607,780	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,799	1,626,462	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,057	1,645,361	1,795,696	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,182	1,703,387	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,021	1,723,180	1,866,841	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,666,923	1,763,459	1,903,464	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,924	1,939,640	5,145,770	2,519,219	2,626,551	1881
3,770,656	1,816,786	1,953,870	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,755	1,968,206	5,023,811	2,461,548	2,562,263	1883
3,827,476	1,844,830	1,982,646	4,974,561	2,439,581	2,534,980	1884
3,856,207	1,859,015	1,997,192	4,938,588	2,424,128	2,514,460	1885
3,885,154	1,873,308	2,011,846	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,226	2,041,475	4,801,312	2,360,717	2,440,595	1888
3,973,304	1,916,851	2,056,453	4,757,385	2,340,516	2,416,869	1889
4,003,131	1,931,589	2,071,542	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,633,808	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,440	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,479,104	2,177,034	2,302,070	4,447,085	2,196,182	2,250,903	1901
4,507,220	2,190,198	2,317,022	4,434,551	2,193,561	2,240,990	1902
4,535,513	2,203,442	2,332,071	4,417,757	2,189,440	2,228,317	1903
4,563,985	2,216,767	2,347,218	4,408,103	2,188,276	2,219,827	1904
4,592,636	2,230,172	2,362,464	4,399,308	2,186,577	2,212,731	1905
4,621,466	2,243,658	2,377,808	4,397,571	2,186,778	2,210,793	1906
4,650,478	2,257,226	2,393,252	4,388,451	2,183,051	2,205,400	1907
4,679,671	2,270,875	2,408,796	4,384,664	2,184,127	2,200,537	1908
4,709,048	2,284,607	2,424,441	4,386,601	2,187,792	2,198,809	1909
4,738,611	2,298,423	2,440,188	4,385,421	2,188,271	2,197,150	1910
4,751,132	2,304,100	2,447,032	4,383,608	2,188,155	2,195,453	1911
4,741,077	2,299,224	2,441,853	4,384,710	2,189,429	2,195,281	1912
4,728,132	2,292,946	2,435,186	4,379,012	2,186,476	2,192,536	1913
4,747,167	2,302,177	2,444,990	4,381,398	2,188,881	2,192,517	1914
4,785,598	2,320,815	2,464,783	4,337,000**	2,139,000**	2,198,000	1915

increase in the various intercensal periods as shown by the several enumerations; those for 1911-14 are based upon the Registration Act, 1915, and relates to the Civil Population only. The estimates for Scotland and Ireland have been supplied

§ Excluding inland water, tidal water, and foreshore. ‖ Excluding larger rivers, lakes, and tideways.
** The movements of the military are taken into account in this estimate.

TABLE 2 (formerly 5).—ENGLAND AND WALES.—MARRIAGES, BIRTHS, and DEATHS, 1866–1915.

Year.	Marriages.	Births.							Deaths.		
		Total.	Legitimate.			Illegitimate.			Persons.	Males.	Females.
			Total.	Males.	Females.	Total.	Males.	Females.			
1866	187,776	753,870	708,369	361,670	346,699	45,501	23,285	22,216	500,689	256,402	244,287
1867	179,154	768,349	723,163	369,006	354,157	45,186	23,218	21,968	471,073	242,588	228,485
1868	176,962	786,858	740,520	376,686	363,834	46,338	23,697	22,641	480,622	247,107	233,515
1869	176,970	773,381	728,690	371,681	357,009	44,691	22,889	21,802	494,828	254,863	239,965
1870	181,655	792,787	748,050	381,396	366,654	44,737	22,909	21,828	515,329	265,586	249,743
1871	190,112	797,428	752,653	382,879	369,774	44,775	22,726	22,049	514,879	265,563	249,316
1872	201,267	825,907	781,141	398,401	382,740	44,766	22,906	21,860	492,265	255,135	237,130
1873	205,615	829,778	786,617	400,828	385,789	43,161	21,929	21,232	492,520	254,985	237,535
1874	202,010	854,956	811,853	413,304	398,549	43,103	21,875	21,228	526,632	272,178	254,454
1875	201,212	850,607	809,794	413,155	396,639	40,813	21,070	19,743	546,453	282,202	264,251
1876	201,874	887,968	846,374	431,155	415,219	41,594	21,123	20,471	510,315	265,076	245,239
1877	194,352	888,200	846,045	430,555	415,490	42,155	21,341	20,814	500,496	260,567	239,929
1878	190,054	891,906	849,806	433,511	416,295	42,100	21,537	20,563	539,872	278,772	261,100
1879	182,082	880,389	838,200	426,578	411,622	42,189	21,336	20,853	526,255	271,496	254,759
1880	191,965	881,643	839,101	427,067	412,034	42,542	21,642	20,900	528,624	273,442	255,182
1881	197,290	883,642	840,522	428,050	412,472	43,120	22,130	20,990	491,935	253,605	238,330
1882	204,405	889,014	845,859	430,823	415,036	43,155	21,929	21,226	516,654	265,767	250,887
1883	206,384	890,722	848,076	431,358	416,718	42,646	21,718	20,928	522,997	269,262	253,735
1884	204,301	906,750	864,083	440,769	423,314	42,667	21,712	20,955	530,828	273,522	257,306
1885	197,745	894,270	851,477	433,823	417,654	42,793	21,986	20,807	522,750	268,305	254,445
1886	196,071	903,760	860,922	438,487	422,435	42,838	21,881	20,957	537,276	275,874	261,402
1887	200,518	886,331	844,197	430,069	414,128	42,134	21,534	20,600	530,758	272,137	258,621
1888	203,821	879,868	839,138	426,312	412,826	40,730	20,860	19,870	510,971	263,294	247,677
1889	213,865	885,944	845,317	430,493	414,824	40,627	20,725	19,902	518,353	266,102	252,251
1890	223,028	869,937	831,525	422,505	409,020	38,412	19,565	18,847	562,248	290,448	271,800
1891	226,526	914,157	875,376	445,836	429,540	38,781	19,824	18,957	587,925	302,494	285,431
1892	227,135	897,957	860,376	437,318	423,058	37,581	19,304	18,277	559,684	286,062	273,622
1893	218,689	914,572	875,714	445,963	429,751	38,858	19,748	19,110	569,958	291,889	278,069
1894	226,449	890,289	851,946	433,425	418,521	38,343	19,591	18,752	498,827	256,015	242,812
1895	228,204	922,291	883,455	449,063	434,392	38,836	19,823	19,013	568,997	290,704	278,293
1896	242,764	915,331	876,602	445,935	430,667	38,729	19,725	19,004	526,727	270,575	256,152
1897	249,145	921,683	883,274	449,643	433,631	38,409	19,537	18,872	541,487	280,211	261,276
1898	255,379	923,165	884,831	449,261	435,570	38,334	19,659	18,675	552,141	283,981	268,160
1899	262,334	928,646	891,529	454,051	437,478	37,117	19,121	17,996	581,799	299,472	282,327
1900	257,480	927,062	890,248	452,444	437,804	36,814	18,600	18,214	587,830	303,823	284,007
1901	259,400	929,807	893,608	455,372	438,236	36,199	18,572	17,627	551,585	285,618	265,967
1902	261,750	940,509	903,835	460,550	443,285	36,674	18,594	18,080	535,538	277,216	258,322
1903	261,103	948,271	910,969	463,249	447,720	37,302	18,980	18,322	514,628	266,290	248,338
1904	257,856	945,389	907,715	462,150	445,565	37,674	19,172	18,502	549,784	283,206	266,578
1905	260,742	929,293	891,978	453,735	438,243	37,315	19,151	18,164	520,031	267,601	252,430
1906	270,038	935,081	897,691	458,008	439,683	37,390	18,931	18,459	531,281	274,233	257,048
1907	276,421	918,042	881,853	449,213	432,640	36,189	18,515	17,674	524,221	269,259	254,962
1908	264,940	940,383	902,852	459,385	443,467	37,531	19,025	18,506	520,456	268,714	251,742
1909	260,544	914,472	876,963	447,215	429,748	37,509	19,248	18,261	518,003	265,203	252,800
1910	267,721	896,962	860,327	438,568	421,759	36,635	18,698	17,937	483,247	249,016	234,231
1911	274,943	881,138	843,505	429,715	413,790	37,633	19,218	18,415	527,810	272,512	255,298
1912	283,834	872,737	835,209	425,884	409,325	37,528	19,120	18,408	486,939	250,232	236,707
1913	286,583	881,890	843,981	429,657	414,324	37,909	19,502	18,407	504,975	261,687	243,288
1914	294,401	879,096	841,767	428,303	413,464	37,329	18,881	18,448	516,742	267,359	249,383
1915	360,885	814,614	778,369	396,825	381,544	36,245	18,380	17,865	562,253*	292,381*	269,872

* Including non-civilian deaths in England and Wales.

Table 3 (formerly 6).—England and Wales.—Annual Marriage-, Birth-, and Death-rates, and Infant Mortality, 1838-1915.

Year.	Marriages.			Births.							Deaths.									
	Persons married per 1,000 living at all ages.	Males married per 1,000 single and widowed, aged 15 years and upwards.	Females married per 1,000 single and widowed, aged 15 years and upwards.	Per 1,000 living at all ages.	Legitimate. Per 1,000 total population.	Legitimate. Per 1,000 married women, aged 15-45.	Illegitimate. Per 1,000 total population.	Illegitimate. Per 1,000 single and widowed women, aged 15-45.	Illegitimate. Per 1,000 total births.	Births of males per 1,000 births of females.	Crude rates per 1,000 living. Persons.	Crude rates. Males.	Crude rates. Females.	Standardized rates per 1,000 living.‡ Persons.	Standardized rates. Males.	Standardized rates. Females.	Ratio of Standardized Male to Female mortality the latter taken as 1,000.‡‡	Deaths of Infants under 1 year per 1,000 births. Total.	Deaths of Infants. Legitimate.§	Deaths of Infants. Illegitimate.§
1838-1915	15·9	55·6*	46·9*	31·1	29·5†	255·6*	1·6†	12·2*	50†	1,040	19·2	20·3	18·1	18·6	20·0	17·4	1,149	144	—	—
1841-1850	16·1	—	—	32·6	—	—	—	—	—	1,049	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851-1860	16·9	59·3	51·7	34·1	31·9	281·0	2·2	18·3	65	1,046	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861-1870	16·6	60·9	51·8	35·2	33·1	287·3	2·1	18·2	61	1,042	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871-1880	16·2	59·7	50·7	35·4	33·6	295·5	1·8	15·1	50	1,038	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881-1890	14·9	53·7	45·3	32·4	30·9	274·6	1·5	12·6	47	1,037	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891-1900	15·6	53·6	44·9	29·9	28·7	250·3	1·2	9·6	42	1,036	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901-1910	15·5	51·6	43·2	27·2	26·1	221·4	1·1	8·2	40	1,038	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1841-1845	15·7	—	—	32·3	—	—	—	—	—	1,052	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846-1850	16·5	—	—	32·8	30·6	—	2·2	—	67	1,045	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851-1855	17·1	59·2	52·1	33·9	31·7	281·3	2·2	18·1	66	1,046	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856-1860	16·7	59·5	51·3	34·4	32·2	280·8	2·2	18·5	65	1,046	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861-1865	16·8	61·3	52·2	35·1	32·9	285·1	2·2	18·8	64	1,043	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866-1870	16·4	60·5	51·5	35·3	33·2	289·4	2·1	17·6	58	1,041	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871-1875	17·1	63·1	53·6	35·5	33·7	294·6	1·8	15·9	52	1,039	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876-1880	15·3	56·4	48·0	35·3	33·6	296·3	1·7	14·4	48	1,038	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881-1885	15·2	55·1	46·7	33·5	31·9	282·4	1·6	13·5	48	1,038	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886-1890	14·7	52·4	44·0	31·4	29·9	267·1	1·5	11·8	46	1,036	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891-1895	15·1	52·6	44·0	30·5	29·2	258·3	1·3	10·1	42	1,036	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896-1900	16·1	54·5	45·6	29·3	28·1	242·9	1·2	9·2	41	1,035	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901-1905	15·6	52·3	43·7	28·2	27·1	230·5	1·1	8·4	39	1,037	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906-1910	15·3	50·9	42·6	26·3	25·2	212·9	1·1	8·1	40	1,039	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911-1915	16·4	54·5	45·6	23·6	22·6	189·7	1·0	7·8	43	1,038	14·3	15·4	13·2	13·8	15·2	12·5	1,218	110	105	210
1866	17·5	64·4	54·8	35·2	33·1	287·6	2·1	18·0	60	1,043	23·4	24·6	22·2	22·2	23·5	21·0	1,119	160	—	—
1867	16·5	60·8	51·7	35·4	33·3	290·3	2·1	17·7	59	1,043	21·7	23·0	20·5	20·6	22·0	19·4	1,137	153	—	—
1868	16·1	59·2	50·4	35·8	33·7	293·1	2·1	18·0	59	1,036	21·8	23·1	20·7	20·6	21·9	19·5	1,128	155	—	—
1869	15·9	58·8	50·0	34·8	32·8	285·9	2·0	17·2	58	1,042	22·3	23·6	21·0	21·0	22·4	19·8	1,134	156	—	—
1870	16·1	59·7	50·7	35·2	33·2	290·1	2·0	17·1	56	1,041	22·9	24·2	21·6	21·6	23·1	20·3	1,135	160	—	—
1871	16·7	61·8	52·5	35·0	33·0	288·4	2·0	16·9	56	1,035	22·6	23·9	21·3	21·4	22·9	20·1	1,141	158	—	—
1872	17·4	64·3	54·6	35·6	33·7	294·9	1·9	16·6	54	1,041	21·3	22·6	19·9	20·2	21·7	18·8	1,153	150	—	—
1873	17·6	64·9	55·2	35·4	33·6	294·1	1·8	15·8	52	1,039	21·0	22·4	19·8	20·0	21·5	18·6	1,155	149	—	—
1874	17·0	62·9	53·4	36·0	34·2	299·8	1·8	15·6	50	1,037	22·2	23·6	20·9	21·1	22·6	19·7	1,147	151	—	—
1875	16·7	61·8	52·5	35·4	33·7	295·4	1·7	14·5	48	1,043	22·7	24·1	21·4	21·6	23·2	20·2	1,149	158	—	—
1876	16·5	60·9	51·8	36·3	34·6	304·1	1·7	14·6	47	1,038	20·9	22·3	19·6	19·9	21·4	18·4	1,163	146	—	—
1877	15·7	58·0	49·3	36·0	34·3	301·1	1·7	14·6	47	1,036	20·3	21·7	18·9	19·4	21·0	17·9	1,172	136	—	—
1878	15·2	55·9	47·5	35·6	33·9	298·8	1·7	14·4	47	1,042	21·6	22·9	20·3	20·5	22·0	19·1	1,151	152	—	—
1879	14·4	52·8	44·9	34·7	33·0	291·1	1·7	14·2	48	1,036	20·7	22·0	19·6	19·9	21·4	18·5	1,155	135	—	—
1880	14·9	54·7	46·6	34·2	32·6	287·0	1·6	14·1	48	1,036	20·5	21·8	19·3	19·5	21·0	18·2	1,154	153	—	—
1881	15·1	55·6	47·3	33·9	32·2	284·9	1·7	14·1	49	1,039	18·9	20·0	17·8	18·2	19·6	17·0	1,154	130	—	—
1882	15·5	56·7	48·1	33·8	32·2	283·9	1·6	13·8	49	1,038	19·6	20·7	18·5	18·8	20·2	17·6	1,145	141	—	—
1883	15·5	56·4	47·8	33·5	31·9	281·9	1·6	13·4	48	1,035	19·6	20·8	18·5	19·0	20·4	17·7	1,153	137	—	—
1884	15·1	54·8	46·3	33·6	32·0	283·7	1·6	13·2	47	1,041	19·7	20·8	18·5	19·0	20·4	17·7	1,152	147	—	—
1885	14·5	52·4	44·2	32·9	31·3	277·6	1·6	13·0	48	1,040	19·2	20·3	18·2	18·7	20·0	17·4	1,151	138	—	—
1886	14·2	51·1	43·1	32·8	31·2	278·0	1·6	12·8	47	1,038	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	14·4	51·5	43·3	31·9	30·4	269·9	1·5	12·4	48	1,039	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	14·4	51·4	43·2	31·2	29·8	265·0	1·4	11·7	46	1,033	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	15·0	53·2	44·7	31·1	29·7	265·1	1·4	11·5	46	1,038	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	15·5	54·6	45·8	30·2	28·9	258·2	1·3	10·7	44	1,033	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	15·6	54·6	45·7	31·4	30·1	268·8	1·3	10·6	42	1,038	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	15·4	53·8	45·0	30·4	29·1	259·3	1·3	10·1	42	1,035	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	14·7	51·1	42·7	30·7	29·4	260·4	1·3	10·3	42	1,038	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	15·0	52·0	43·5	29·6	28·3	249·4	1·3	9·9	43	1,036	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	15·0	51·6	43·2	30·3	29·0	254·5	1·3	9·9	42	1,034	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—
1896	15·7	53·9	45·1	29·6	28·3	247·8	1·3	9·7	42	1,036	17·1	18·1	16·1	16·9	18·3	15·7	1,163	148	—	—
1897	16·0	54·5	45·6	29·6	28·4	246·4	1·2	9·5	42	1,037	17·4	18·6	16·2	17·3	18·8	15·9	1,187	156	—	—
1898	16·2	55·0	46·0	29·3	28·1	243·0	1·2	9·3	42	1,032	17·5	18·6	16·5	17·4	18·9	16·1	1,172	160	—	—
1899	16·5	55·6	46·5	29·1	27·9	241·0	1·2	8·9	40	1,039	18·2	19·4	17·2	18·2	19·8	16·8	1,176	165	—	—
1900	16·0	53·7	44·9	28·7	27·6	236·8	1·1	8·6	40	1,033	18·2	19·5	17·1	18·2	19·9	16·7	1,189	154	—	—
1901	15·9	53·3	44·6	28·5	27·4	234·2	1·1	8·4	39	1,040	16·9	18·1	15·8	16·9	18·5	15·5	1,192	151	—	—
1902	15·9	53·2	44·5	28·5	27·4	234·1	1·1	8·4	39	1,039	16·3	17·4	15·2	16·2	17·7	14·8	1,195	133	—	—
1903	15·7	52·5	43·9	28·5	27·4	233·1	1·1	8·5	39	1,035	15·5	16·5	14·4	15·4	16·8	14·1	1,196	132	—	—
1904	15·3	51·1	42·8	28·0	26·9	228·8	1·1	8·5	40	1,037	16·3	17·4	15·3	16·2	17·6	14·9	1,185	145	—	—
1905	15·3	51·3	42·9	27·3	26·2	222·8	1·1	8·3	40	1,036	15·3	16·3	14·4	15·2	16·5	13·9	1,188	128	—	—
1906	15·7	52·5	43·9	27·2	26·1	221·6	1·1	8·3	40	1,041	15·5	16·5	14·5	15·3	16·8	14·0	1,195	132	127	261
1907	15·9	53·2	44·5	26·5	25·5	215·1	1·0	7·9	39	1,039	15·1	16·0	14·2	14·9	16·2	13·6	1,190	118	113	220
1908	15·1	50·3	42·1	26·7	25·6	217·0	1·1	8·2	40	1,036	14·8	15·8	13·9	14·5	16·0	13·3	1,204	120	116	233
1909	14·7	49·0	41·0	25·8	24·7	208·8	1·1	8·1	41	1,041	14·6	15·5	13·8	14·3	15·6	13·1	1,192	109	104	211
1910	15·0	49·8	41·7	25·1	24·1	202·5	1·0	7·8	41	1,040	13·5	14·4	12·7	13·2	14·5	12·0	1,205	105	102	195
1911	15·2	50·6	42·3	24·3	23·3	196·1	1·0	8·0	43	1,039	14·6	15·6	13·7	14·3	15·7	13·0	1,206	130	125	245
1912	15·6	51·8	43·4	23·9	22·9	192·6	1·0	7·9	43	1,040	13·3	14·2	12·6	13·0	14·3	11·8	1,211	95	91	181
1913	15·7	52·1	43·6	24·1	23·1	194·0	1·0	7·9	43	1,038	13·8	14·8	12·9	13·4	14·9	12·1	1,228	108	104	213
1914	15·9	53·0	44·4	23·8	22·8	191·6	1·0	7·7	42	1,035	14·0	15·0	13·1	13·6	15·1	12·3	1,225	105	100	207
1915	19·5‖	65·0‖	54·4‖	22·0‖	21·0‖	174·6¶	1·0‖	7·4¶	44	1,040	15·7*a*	17·7*a*	13·9	14·6*a*	16·3*a*	13·1	1,249	110	105	203

* For the period 1851-1915 only. † For the period 1845-1915 only.

‡ The Standardized death-rates are those which would have been recorded if the sex- and age-constitution of the population had been the same as in 1901. The rates for Males and Females are standardized not only for differences of age-constitution in each sex, but also for differences in age-constitution between the two sexes.

§ Figures are not available for years previous to 1906. ‖ Based upon estimated population in 1914.

¶ Based upon estimated population in 1915. *a* Based upon civil deaths and estimated civil population in 1915.

TABLE 4 (formerly 7).—ENGLAND AND WALES.—ANNUAL MARRIAGE-, BIRTH-, and CRUDE DEATH-RATES in each QUARTER, in GROUPS of YEARS, 1838–1915, and in each YEAR, 1906–1915.

Period.	Persons Married to 1,000 Living.				Births to 1,000 Living.				Deaths to 1,000 Living.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838-1915	12·7	16·5	16·1	18·6	32·9	32·7	31·1	30·6	22·3	19·4	18·2	19·6
1841–50	13·3	16·4	15·2	19·2	34·2	33·7	31·2	31·2	24·7	22·0	21·0	21·7
1851–60	14·1	17·1	16·3	20·1	35·8	35·5	32·8	32·5	24·7	22·1	20·3	21·9
1861–70	13·8	16·9	16·2	19·6	36·6	36·3	34·0	33·9	25·2	21·8	21·0	22·1
1871–80	13·4	16·5	15·8	19·2	36·6	36·1	34·6	34·5	23·7	20·9	19·6	21·3
1881–90	11·9	15·4	14·9	17·6	33·4	33·2	31·9	31·5	21·6	18·7	17·3	19·1
1891–1900	11·7	16·6	16·4	17·7	30·5	30·5	29·7	28·9	20·7	17·6	17·0	17·7
1901–10	11·4	16·5	17·2	16·7	27·7	28·0	27·3	26·0	17·7	14·6	13·8	15·4
1906	10·7	17·4	17·5	17·1	28·0	27·7	27·1	26·1	16·6	14·6	14·9	15·7
1907	12·4	16·1	18·1	17·0	26·8	27·6	26·4	25·1	18·7	14·7	12·2	14·9
1908	10·9	16·8	16·7	15·9	27·5	27·9	26·8	24·8	17·9	13·8	12·9	14·6
1909	10·3	16·3	16·5	15·6	26·2	26·9	25·6	24·6	18·4	14·2	11·7	14·3
1910	12·8	13·7	17·0	16·3	25·1	26·3	25·2	23·6	15·5	13·0	11·5	14·1
1911	10·0	16·8	17·1	16·8	25·1	25·0	24·4	22·9	16·0	13·3	15·5	13·6
1912	9·9	16·5	18·2	17·7	24·5	24·0	23·9	23·2	15·9	12·8	11·1	13·6
1913	13·5	14·4	18·1	16·5	24·0	24·9	24·4	23·0	16·2	13·3	12·3	13·4
1914	11·2	17·6	17·6	17·2	23·9	24·5	24·4	22·4	16·0	13·5	12·4	14·0
1915*	12·2	21·1	22·0	22·7	24·3	23·1	21·1	19·7	20·1	15·4	12·1	15·1

* The marriage- and birth-rates in 1915 are calculated upon the estimated total population in 1914; the death-rates relate to civil deaths, and are calculated upon the estimated civil population in 1915.

TABLE 5 (formerly 8).—ENGLAND AND WALES.—CHURCHES and CHAPELS of the ESTABLISHED CHURCH, and REGISTERED BUILDINGS in which MARRIAGES could be legally SOLEMNIZED, 31ST DECEMBER, 1915.

Registration Division.	Registration County.	All Religious Denominations.	Established Church.	Other Religious Denominations.														
				All other Religious Denominations.	Roman Catholics.	Wesleyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Methodist Church.	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Church.	Catholic Apostolic Church.	Countess of Huntingdon's Connexion.	Salvation Army.	Others.
	England and Wales ...	32,852	16,027	16,825	1,396	3,932	2,978	2,695	1,779	1,192	938	445	194	59	49	42	64	1062
I.	London	1,405	636	769	111	107	141	155	44	30	10	50	16	6	7	1	6	84
II.	Surrey	571	277	294	35	60	64	66	15	4	—	13	2	1	—	1	2	31
	Kent	896	519	377	37	96	71	103	25	13	—	9	2	1	1	3	1	15
	Sussex	718	426	292	33	52	72	62	11	7	—	10	3	—	1	7	2	32
	Hampshire...	845	461	384	30	75	79	62	52	27	—	8	4	—	1	2	—	44
	Berkshire	421	274	147	15	36	25	30	23	—	—	4	1	—	—	1	1	11
III.	Middlesex	484	204	280	34	44	53	63	20	5	2	18	2	1	2	2	1	33
	Hertfordshire	354	203	151	13	31	45	42	9	—	—	1	—	—	1	2	—	7
	Buckinghamshire... ...	329	201	128	5	26	21	46	17	—	—	—	—	—	—	—	—	13
	Oxfordshire	399	272	127	14	40	24	30	8	4	—	1	—	—	1	—	—	5
	Northamptonshire ...	526	325	201	9	48	44	64	15	3	—	—	1	1	—	—	2	14
	Huntingdonshire	129	80	49	2	14	6	22	3	—	—	—	—	—	—	—	—	2
	Bedfordshire	277	141	136	4	51	16	40	16	—	—	—	—	—	1	—	2	6
	Cambridgeshire	348	198	150	6	35	21	53	24	5	—	1	—	—	—	1	1	3
IV.	Essex	883	461	422	37	71	124	77	28	18	1	9	5	3	3	2	2	42
	Suffolk	722	509	213	13	35	58	57	27	5	—	3	3	—	—	—	—	12
	Norfolk	970	714	256	14	55	34	45	75	18	—	2	2	1	1	1	—	8
V.	Wiltshire	554	333	221	10	45	46	59	39	7	—	1	—	—	—	—	—	14
	Dorsetshire	452	312	140	13	44	37	14	17	2	—	—	3	—	—	—	—	10
	Devonshire	1,025	560	465	26	125	92	70	10	83	—	5	8	—	1	—	2	43
	Cornwall	580	258	322	11	153	19	10	9	113	—	—	—	—	—	2	—	5
	Somersetshire	941	562	379	18	119	82	60	24	40	—	3	4	1	1	1	1	25
VI.	Gloucestershire	762	435	327	17	64	76	76	20	23	2	5	4	1	1	3	1	34
	Herefordshire	312	231	81	7	15	13	16	18	—	2	—	—	—	—	1	—	9
	Shropshire	538	320	218	14	46	47	19	63	11	11	2	—	—	1	—	—	4
	Staffordshire	914	391	523	49	164	60	42	100	66	2	7	6	1	3	—	4	19
	Worcestershire	371	240	131	18	26	13	19	22	4	—	4	3	1	1	7	—	13
	Warwickshire	700	371	329	47	77	60	64	19	12	2	5	5	1	2	—	2	33
VII.	Leicestershire	587	310	277	21	78	36	69	43	9	—	1	4	—	—	—	—	16
	Rutlandshire	77	56	21	2	4	4	7	3	—	—	—	—	—	—	—	—	1
	Lincolnshire	1,052	670	382	17	169	25	36	87	33	—	1	3	1	—	—	3	7
	Nottinghamshire	611	311	300	15	93	27	46	46	47	—	2	4	1	1	—	3	15
	Derbyshire...	551	225	326	22	94	41	30	65	47	—	3	3	2	—	1	2	16
VIII.	Cheshire	759	276	483	37	132	77	34	66	41	18	33	11	2	2	—	—	30
	Lancashire...	2,824	871	1,953	309	424	278	185	176	173	32	74	44	24	6	3	11	214
IX.	West Riding	2,186	747	1,439	91	459	210	136	195	207	—	10	16	7	7	1	3	97
	East Riding (with York)	470	257	213	18	82	23	10	55	10	—	6	1	1	1	—	1	5
	North Riding	546	282	264	31	123	27	14	47	6	1	4	4	—	—	—	1	6
X.	Durham	743	291	452	63	118	28	26	104	43	1	36	4	—	1	—	6	22
	Northumberland	499	195	304	43	56	19	11	48	37	—	76	1	1	1	—	1	10
	Cumberland	340	187	153	14	51	19	5	26	8	—	16	1	—	—	—	2	11
	Westmorland	146	85	61	3	27	8	5	10	2	—	1	1	—	—	—	—	4
XI.	Monmouthshire	468	183	285	15	35	56	104	22	9	35	—	1	—	1	—	—	7
	Glamorganshire	1,045	256	789	24	64	226	215	11	15	197	5	9	1	—	—	1	21
	Carmarthenshire	312	94	218	2	6	86	59	—	1	59	—	1	—	—	—	—	4
	Pembrokeshire	282	136	146	5	11	48	50	1	—	30	—	—	—	—	—	—	1
	Cardiganshire	320	119	201	1	12	68	34	—	—	74	—	12	—	—	—	—	—
	Brecknockshire	211	104	107	3	9	36	28	3	—	28	—	—	—	—	—	—	—
	Radnorshire	72	34	38	—	3	4	21	4	—	6	—	—	—	—	—	—	—
	Montgomeryshire... ...	209	76	133	1	26	29	17	5	—	55	—	—	—	—	—	—	—
	Flintshire	138	39	99	5	18	20	4	5	2	40	5	—	—	—	—	—	—
	Denbighshire	258	86	172	4	23	34	20	4	2	77	6	—	—	—	—	—	2
	Merionethshire	237	62	175	1	20	44	20	—	—	90	—	—	—	—	—	—	—
	Carnarvonshire	363	107	256	6	34	53	27	—	—	130	4	—	—	—	—	—	2
	Anglesey	120	54	66	1	7	9	15	—	—	33	1	—	—	—	—	—	—

TABLE 6 (formerly 13).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838–1915.*—MALES.

Year.	Deaths of Males per 1,000 living at subjoined Ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1915	20·0	62·8	6·0	3·3	4·8	6·4	7·8	11·6	18·1	33·0	67·7	145·5	300·9	158
1841–50	22·5	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3	167
1851–60	22·1	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2	168
1861–70	22·6	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0	168
1871–80	21·8	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4	163
1881–90	20·0	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8	155
1891–1900	19·5	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8	168
1901–10	16·6	50·0	3·5	2·1	3·1	4·2	5·6	9·2	16·2	31·8	64·8	137·7	279·2	140
1841–45	21·6	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1	162
1846–50	23·4	73·7	9·5	5·4	7·4	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851–55	22·7	73·9	8·8	5·2	7·0	9·2	10·0	12·9	18·6	31·6	66·7	150·9	310·9	172
1856–60	21·6	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·5	30·4	64·3	142·7	305·3	166
1861–65	22·6	74·1	8·5	4·7	6·4	8·6	9·8	13·2	18·9	32·8	66·4	145·9	316·6	166
1866–70	22·6	72·9	7·9	4·3	6·0	8·3	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871–75	22·4	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876–80	21·3	67·1	6·3	3·4	4·8	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·5	159
1881–85	20·1	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·8	145·4	297·9	152
1886–90	20·0	61·9	4·9	2·8	4·1	5·5	7·4	12·1	19·4	35·2	72·1	147·9	313·7	159
1891–95	20·0	62·9	4·5	2·6	4·0	5·2	7·1	11·9	19·5	35·8	72·5	149·2	290·8	165
1896–1900	19·1	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·4	34·1	68·3	143·1	282·8	170
1901–05	17·4	54·7	3·7	2·1	3·2	4·4	5·9	9·7	17·0	32·4	65·3	137·6	274·6	151
1906–10	15·8	45·4	3·3	2·0	3·0	4·0	5·3	8·6	15·5	31·2	64·4	137·7	283·0	129
1911–15	15·2	40·0	3·4	2·0	3·1	4·0	5·0	8·3	15·1	30·8	66·0	143·8	280·0	121
1866	23·5	74·9	7·8	4·6	6·5	9·2	10·9	14·7	20·9	34·7	68·9	150·6	323·5	174
1867	22·0	69·3	6·5	4·0	6·0	8·4	10·0	13·6	19·1	33·5	68·3	152·5	332·4	167
1868	21·9	72·8	7·8	4·2	5·9	8·0	9·7	13·2	18·9	31·9	63·8	139·1	282·4	168
1869	22·4	72·5	8·3	4·3	5·7	7·9	9·9	13·5	19·3	33·3	68·4	149·1	308·9	169
1870	23·1	75·0	8·9	4·5	5·9	8·0	10·1	13·8	19·6	33·9	69·6	152·1	320·7	174
1871	22·9	71·7	8·3	4·4	6·4	9·2	11·1	14·4	20·0	33·9	67·5	145·2	312·8	172
1872	21·7	67·6	7·0	4·1	6·0	8·7	10·3	14·0	19·4	32·5	65·5	140·3	292·0	162
1873	21·5	66·4	6·0	3·7	5·3	7·5	9·5	13·6	19·8	34·1	70·9	150·6	324·9	164
1874	22·6	71·8	7·4	3·9	5·3	7·5	9·6	14·3	20·9	35·8	71·4	146·4	322·8	165
1875	23·2	71·9	6·9	3·8	5·6	7·6	9·7	15·0	21·5	37·7	74·7	165·0	363·8	173
1876	21·4	67·6	6·3	3·5	5·3	7·3	9·3	13·8	19·9	34·3	67·2	145·8	302·6	160
1877	21·0	63·9	6·1	3·5	4·9	7·0	9·1	13·7	19·7	34·7	68·2	145·8	324·9	150
1878	22·0	71·2	6·6	3·6	4·9	6·8	8·8	13·6	20·0	35·1	69·5	154·8	353·9	166
1879	21·4	63·3	6·3	3·3	4·7	6·4	8·6	13·3	20·4	36·8	74·0	168·7	365·5	150
1880	21·0	69·2	6·4	3·3	4·5	6·1	7·9	12·5	19·1	33·7	68·1	145·8	310·9	167
1881	19·6	56·6	5·8	3·2	4·5	6·1	8·3	13·0	19·3	34·0	67·7	144·8	293·5	143
1882	20·2	63·5	6·3	3·2	4·6	5·9	8·2	12·6	19·0	33·8	66·2	139·3	287·1	153
1883	20·4	61·0	6·2	3·3	4·7	6·2	8·3	13·0	19·7	35·1	70·1	149·1	302·2	151
1884	20·4	64·9	5·8	3·2	4·5	6·0	8·0	12·7	19·4	33·5	68·3	142·2	290·1	160
1885	20·0	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2	151
1886	20·4	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1	163
1887	20·0	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1	158
1888	19·2	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7	150
1889	19·2	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6	157
1890	21·0	62·9	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5	165
1891	21·7	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1	164
1892	20·2	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4	162
1893	20·4	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8	173
1894	17·7	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6	150
1895	19·9	66·0	4·1	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1	176
1896	18·3	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9	161
1897	18·8	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·1	170
1898	18·9	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6	175
1899	19·8	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1	177
1900	19·9	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3	169
1901	18·5	59·0	4·0	2·3	3·5	4·7	6·2	10·6	18·0	33·5	67·8	139·8	276·5	166
1902	17·7	54·1	3·9	2·2	3·3	4·6	6·2	10·4	17·8	33·3	66·7	138·5	270·0	147
1903	16·8	52·5	3·5	2·0	3·0	4·2	5·8	9·4	16·6	31·6	63·3	132·8	260·3	145
1904	17·6	57·4	3·6	2·1	3·1	4·3	5·7	9·4	16·5	32·3	65·5	139·7	287·6	159
1905	16·5	50·3	3·4	2·1	3·1	4·2	5·6	9·0	16·1	31·5	63·3	137·2	278·2	141
1906	16·8	51·2	3·5	2·0	3·2	4·1	5·5	9·1	16·1	32·4	64·3	137·3	298·5	145
1907	16·2	46·8	3·4	2·0	3·0	4·0	5·5	9·0	16·1	32·3	65·2	138·8	291·7	130
1908	16·0	46·9	3·3	2·0	2·9	4·0	5·3	8·6	15·4	31·4	64·3	138·4	277·2	133
1909	15·6	42·8	3·4	2·0	3·0	3·9	5·2	8·5	15·6	31·1	66·4	142·5	289·9	120
1910	14·5	39·7	3·0	1·9	2·7	3·7	4·7	7·9	14·5	29·4	61·8	131·6	259·7	116
1911	15·7	47·3	3·5	2·0	3·0	3·8	5·0	8·1	14·7	29·6	63·4	135·6	270·5	142
1912	14·3	35·6	3·1	1·8	2·8	3·5	4·7	8·0	14·7	30·0	64·2	138·7	267·2	106
1913	14·9	39·5	3·2	1·9	2·7	3·5	4·6	8·1	15·1	31·0	65·1	141·6	269·1	120
1914	15·1	38·1	3·4	2·0	3·0	3·8	5·0	8·5	15·6	31·5	65·9	141·7	278·4	116
1915‡	16·3	39·8	3·8	2·3	3·8	5·9	6·2	9·1	15·4	31·9	71·4	160·7	313·8	123

* For the purposes of this table, the populations shown in Table 1 have been distributed among the several groups of ages according to the proportions found to prevail at the various Censuses except in the case of the male population in 1915. For the method employed in the latter case, *see* p. x.

† The death-rates in this column are standardized to the age-constitution of the total population as enumerated in 1901; being thus standardized not only for differences of age-constitution among males at the various dates, but also for differences in age-constitution between the two sexes.

‡ Civilians only.

TABLE 7 (formerly 14).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838–1915.*—FEMALES.

Year.	Deaths of Females per 1000 living at subjoined Ages.													Deaths of Female Infants under 1 year of age per 1000 Female Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1915	17·4	53·5	5·8	3·5	4·9	5·9	7·3	10·1	14·4	27·1	58·2	129·7	272·7	130
1841–50	20·7	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851–60	20·3	62·7	8·4	5·1	7·4	8·5	9·9	12·2	15·2	27·0	58·7	134·5	288·9	139
1861–70	20·2	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1	139
1871–80	19·0	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4	134
1881–90	17·3	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8	128
1891–1900	16·7	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4	138
1901–10	13·9	41·9	3·6	2·2	2·9	3·5	4·7	7·5	12·5	24·8	53·9	119·8	250·3	114
1841–45	19·8	58·6	8·6	5·2	7·7	8·6	9·9	12·1	15·1	27·2	59·1	131·8	288·6	133
1846–50	21·6	63·6	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851–55	20·7	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856–60	19·9	62·3	8·4	4·8	7·1	8·2	9·6	11·8	14·8	26·5	58·1	131·9	285·8	137
1861–65	20·3	64·2	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·8	287·9	136
1866–70	20·0	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·3	142
1871–75	19·5	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·3	135·3	293·9	138
1876–80	18·4	56·8	5·9	3·5	5·0	6·2	8·0	11·3	15·3	28·6	60·8	135·5	299·0	130
1881–85	17·5	51·9	5·7	3·3	4·7	5·9	7·9	10·9	15·2	28·1	59·1	129·0	265·5	125
1886–90	17·2	52·0	4·9	2·9	4·2	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·1	131
1891–95	17·2	52·8	4·6	2·7	4·0	4·8	6·6	10·1	15·2	29·5	63·0	134·3	264·0	135
1896–1900	16·2	52·7	4·2	2·4	3·4	4·1	5·6	9·1	14·3	27·4	58·5	127·0	258·7	141
1901–05	14·6	45·8	3·8	2·2	3·0	3·7	5·0	8·0	13·1	25·4	54·8	119·9	249·4	124
1906–10	13·2	38·0	3·4	2·1	2·8	3·3	4·5	7·1	12·0	24·3	53·1	119·6	250·9	105
1911–15	12·5	33 3	3·3	2·1	2·7	3 1	4·0	6·6	11·7	23·6	52·7	123·7	253·4	97
1866	21·0	65·6	7·2	4·5	6·9	8·6	10·5	13·2	16·9	29·3	61·3	139 8	295·7	145
1867	19·4	59·6	6·1	3·9	6·4	7·8	9·5	12·0	15·6	27·5	59·5	139·4	287·3	138
1868	19·5	63·9	7·4	4·1	6·3	7·7	9·4	11·5	14·9	26·4	55·0	125·8	261·5	142
1869	19·8	63·0	7·8	4·3	6·1	7·3	9·3	11·7	15·7	27·6	59·2	135·4	277·1	141
1870	20·3	64·2	8·3	4·5	6·4	7·6	9·5	11·9	15·8	28·8	60·6	140·2	290·3	145
1871	20·1	62·4	7·5	4·5	6·6	8·2	9·7	12·2	15·9	28·5	60·4	133·6	276·4	143
1872	18·8	58·5	6·5	4·0	6·2	7·6	9·3	11·8	15·1	26·6	56·6	124·7	269·0	136
1873	18·6	56·4	5·6	3·6	5·5	6·8	8·6	11·4	15·6	28·3	61·9	135·2	303·5	134
1874	19·7	61·4	7·1	3·9	5·7	7·3	9·2	12·2	15·9	29·2	61·6	134·0	290·0	136
1875	20·2	61·2	6·4	3·8	5·7	7·3	9·3	12·4	17·0	31·1	65·7	148·8	330·3	143
1876	18·4	57·3	5·9	3·6	5·2	6·7	8·3	11·7	15·4	27·9	58·4	128·7	287·0	132
1877	17·9	53·6	5·6	3·6	5·1	6·3	8·2	11·3	15·3	27·7	58·9	129·1	291·6	122
1878	19·1	61·1	6·1	3·6	5·2	6·3	8·0	11·3	15·4	29·2	61·7	140·5	312·7	138
1879	18·5	52·9	5·8	3·4	4·9	6·0	8·0	11·3	16·0	30·7	66·6	150·2	328·7	121
1880	18·2	59·2	6·0	3·3	4·8	5·9	7·6	10·6	14·7	27·5	58·2	129·1	274·9	138
1881	17·0	48·0	5·7	3·2	4·7	6·0	7·9	11·0	14·9	28·0	58·4	126·4	263·8	117
1882	17·6	54·4	6·0	3·3	4·7	5·9	7·9	11·0	15·0	27·6	56·9	124·1	256·0	128
1883	17·7	51·1	5·8	3·4	4·9	6·1	8·1	11·1	15·6	28 8	60·2	134·2	277·0	123
1884	17·7	54·9	5·8	3·4	4·7	5·9	7·8	10·9	15·3	27·5	57·7	126·8	247·4	133
1885	17·4	51·0	5·1	3·1	4·5	5·7	7·7	10·8	15·2	28·7	62·0	133·2	282·8	124
1886	17·7	54·2	4·8	3·1	4·4	5·3	7·2	10·4	15·0	29·1	63·2	136·5	302·1	135
1887	17·3	52·7	5·1	3·0	4·2	5·4	7·0	10·3	15·2	28·8	62·2	131·6	272·1	131
1888	16·4	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1	122
1889	16·6	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3	129
1890	17·8	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6	136
1891	18·5	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7	133
1892	17·5	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4	132
1893	17·6	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0	143
1894	15·2	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6	124
1895	17·3	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2	144
1896	15·7	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4	134
1897	15·9	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6	141
1898	16·1	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6	145
1899	16·8	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2	148
1900	16·7	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9	139
1901	15·5	49·5	4·1	2·4	3·2	3·8	5·3	8·7	13·8	26·5	56·5	122·6	247·1	136
1902	14·8	45·0	4·2	2·3	3·1	3·9	5·3	8·4	13·4	25·9	55·7	122·1	252·3	118
1903	14·1	43·7	3·6	2·1	2·9	3·5	4·9	7·9	12·8	24·4	52·9	114·7	233·9	118
1904	14·9	48·5	3·6	2·2	3·0	3·5	4·9	7·7	12·8	25·6	55·1	123·2	256·1	131
1905	13·9	42·1	3·5	2·2	2·9	3·6	4·8	7·5	12·5	24·8	53·8	117·2	256·7	115
1906	14·0	43·1	3·7	2·3	2·9	3·5	4·7	7·5	12·4	24·8	52·5	119·6	258·7	120
1907	13·6	39·1	3·5	2·1	2·9	3·4	4·6	7·4	12·4	25·3	55·1	122·6	259·4	104
1908	13·3	39·0	3·4	2·0	2·7	3·4	4·4	6·9	12·1	24·2	52·7	119·4	248·8	107
1909	13·1	35·7	3·5	2·1	2·8	3·3	4·4	6·9	12·1	24·8	55·5	124·2	256·2	97
1910	12·0	33·1	3·1	2·0	2·6	3·1	4·1	6·5	11·1	22·4	49·8	112·3	232·8	94
1911	13·0	40·1	3·4	2·1	2·7	3·2	4·1	6·6	11·4	22·9	50·8	116·3	232·5	117
1912	11·8	29·6	3·1	2·0	2·7	3·1	4·0	6·4	11·2	22·8	51·9	119·4	246·7	84
1913	12·1	32·5	3·1	2·0	2·6	3·0	3·9	6·5	11·6	23·2	51·5	118·5	243·0	96
1914	12·3	31·7	3·3	2·2	2·7	3·1	4·0	6·7	11·9	23·7	52·2	123·2	254·6	93
1915	13·1	32·5	3·7	2·3	3·0	3·2	4·1	6·8	12·3	25·2	56·9	140·5	289·2	96

* See Note * to Table 6.

† The death-rates in this column are standardized to the age-constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age-constitution among females at the various dates, but also for differences in age-constitution between the two sexes.

TABLE 8 (formerly 15).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838–1915.*—PERSONS.

Year.	Deaths of Persons per 1,000 living at subjoined ages.													Deaths of Infants under 1 year of age per 1,000 Births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1915	18·6	58·2	5·9	3·4	4·9	6·2	7·5	10·8	16·2	29·9	62·5	136·5	283·4	144
1841–50	21·6	66·0	9·0	5·3	7·5	9·3	10·3	12·9	17·0	29·9	63·6	141·5	301·0	153
1851–60	21·2	67·6	8·5	5·0	7·0	8·7	9·8	12·3	16·5	28·9	61·7	139·9	296·5	154
1861–70	21·3	68·6	8·0	4·5	6·4	8·2	9·8	12·8	17·4	30·4	62·8	140·4	296·6	154
1871–80	20·3	63·4	6·5	3·7	5·4	7·1	9·0	12·7	17·8	31·6	65·0	142·2	308·3	149
1881–90	18·6	56·8	5·3	3·0	4·4	5·6	7·6	11·5	17·1	31·4	65·0	137·6	284·0	142
1891–1900	18·1	57·7	4·3	2·5	3·7	4·7	6·4	10·5	16·8	31·5	65·0	137·2	270·8	153
1901–10	15·2	46·0	3·6	2·1	3·0	3·8	5·1	8·3	14·3	28·1	58·8	127·2	260·8	128
1841–45	20·6	63·6	8·7	5·0	7·2	8·8	9·7	12·2	16·1	28·7	62·0	137·2	295·3	148
1846–50	22·4	68·7	9·4	5·6	7·7	9·8	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851–55	21·7	68·9	8·6	5·2	7·4	9·1	10·2	12·7	17·2	29·6	62·9	143·2	299·6	156
1856–60	20·7	66·9	8·3	4·7	6·7	8·3	9·4	12·0	16·1	28·4	61·0	136·7	293·4	152
1861–65	21·4	69·1	8·4	4·7	6·6	8·4	9·8	12·6	17·2	30·3	62·5	139·1	299·0	151
1866–70	21·2	68·1	7·6	4·3	6·2	8·0	9·9	12·9	17·6	30·6	63·2	141·7	294·3	157
1871–75	20·9	64·9	6·9	4·0	5·8	7·7	9·6	13·1	18·0	31·6	65·3	141·7	305·2	153
1876–80	19·8	61·9	6·1	3·5	4·9	6·5	8·3	12·3	17·5	31·6	64·7	142·9	311·5	145
1881–85	18·7	56·6	5·8	3·2	4·6	6·0	8·0	11·8	17·2	31·0	63·5	136·2	277·9	139
1886–90	18·5	56·9	4·9	2·8	4·1	5·3	7·2	11·1	17·1	31·8	66·4	139·0	290·1	145
1891–95	18·5	57·8	4·6	2·7	4·0	5·0	6·8	11·0	17·3	32·5	67·3	140·7	273·9	151
1896–1900	17·6	57·6	4·1	2·4	3·5	4·5	6·0	10·1	16·2	30·5	62·9	133·8	267·7	156
1901–05	16·0	50·2	3·7	2·2	3·1	4·0	5·4	8·9	14·9	28·7	59·4	127·3	258·6	138
1906–10	14·4	41·7	3·4	2·0	2·9	3·6	4·8	7·8	13·7	27·5	58·1	127·0	262·4	117
1911–15	13·8	36·7	3·4	2·1	2·9	3·5	4·5	7·4	13·3	27·0	58·6	131·8	262·9	110
1866	22·2	70·3	7·5	4·5	6·7	8·9	10·7	13·9	18·8	31·9	64·8	144·5	306·4	160
1867	20·6	64·5	6·3	3·9	6·2	8·0	9·7	12·7	17·3	30·4	63·6	145·2	304·4	153
1868	20·6	68·4	7·6	4·1	6·1	7·8	9·5	12·3	16·8	29·0	59·1	131·7	269·6	155
1869	21·0	67·8	8·0	4·3	5·9	7·6	9·6	12·6	17·5	30·3	63·5	141·5	289·3	156
1870	21·6	69·6	8·6	4·5	6·2	7·8	9·8	12·8	17·6	31·2	64·8	145·5	302·0	160
1871	21·4	67·0	7·9	4·4	6·5	8·7	10·4	13·3	17·9	31·1	63·7	138·8	290·4	158
1872	20·2	63·0	6·7	4·1	6·1	8·1	9·8	12·8	17·2	29·4	60·7	131·6	277·8	150
1873	20·0	61·4	5·8	3·6	5·4	7·1	9·0	12·5	17·6	31·0	66·1	142·0	311·8	149
1874	21·1	66·6	7·3	3·9	5·5	7·4	9·4	13·2	18·3	32·3	66·2	139·5	302·6	151
1875	21·6	66·5	6·6	3·8	5·6	7·4	9·5	13·6	19·1	34·2	69·8	156·0	343·2	158
1876	19·9	62·4	6·1	3·6	5·2	7·0	8·8	12·7	17·5	31·0	62·4	136·2	293·0	146
1877	19·4	58·8	5·8	3·6	5·0	6·7	8·6	12·5	17·4	31·0	63·2	136·5	304·4	136
1878	20·5	66·2	6·4	3·6	5·0	6·5	8·4	12·4	17·6	32·0	65·3	146·8	328·5	152
1879	19·9	58·1	6·0	3·3	4·8	6·2	8·3	12·3	18·1	33·6	70·0	158·3	342·9	135
1880	19·5	64·2	6·2	3·3	4·7	6·0	7·7	11·5	16·8	30·4	62·7	136·5	288·8	153
1881	18·2	52·3	5·7	3·2	4·6	6·0	8·1	11·9	17·0	30·8	62·7	134·5	275·2	130
1882	18·8	58·9	6·1	3·3	4·7	5·9	8·1	11·7	17·0	30·5	61·2	130·8	267·9	141
1883	19·0	56·0	6·0	3·4	4·8	6·2	8·2	12·0	17·5	31·8	64·7	140·7	286·6	137
1884	19·0	59·9	5·8	3·3	4·6	6·0	7·9	11·7	17·3	30·4	62·6	133·5	263·6	147
1885	18·7	55·8	5·1	3·0	4·4	5·8	7·8	11·6	17·2	31·4	66·2	141·1	295·4	138
1886	19·0	59·3	4·8	2·9	4·4	5·5	7·4	11·2	17·0	31·8	67·5	143·8	316·0	149
1887	18·6	57·6	5·1	2·9	4·2	5·4	7·2	11·1	16·9	31·7	66·6	139·3	286·4	145
1888	17·7	52·9	4·7	2·8	4·0	5·3	7·0	10·8	16·7	30·9	65·3	136·2	283·1	136
1889	17·9	56·8	4·7	2·7	3·9	5·0	6·7	10·5	16·2	30·2	63·1	131·8	274·6	144
1890	19·3	58·1	5·0	2·9	4·2	5·4	7·5	12·0	18·7	34·4	69·2	143·9	291·4	151
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5	149
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9	148
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·5	32·2	66·5	134·6	258·5	159
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5	137
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3	161
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3	148
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	60·2	129·9	259·8	156
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1	160
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9	163
1900	18·2	56·7	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2	154
1901	16·9	54·2	4·1	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·5	129·8	258·0	151
1902	16·2	49·6	4·1	2·3	3·2	4·2	5·7	9·3	15·5	29·4	60·6	129·0	258·8	133
1903	15·4	48·1	3·5	2·1	3·0	3·8	5·4	8·6	14·6	27·7	57·5	122·2	243·6	132
1904	16·2	53·0	3·6	2·1	3·1	3·9	5·3	8·5	14·6	28·7	59·7	130·1	267·6	145
1905	15·2	46·2	3·5	2·1	3·0	3·9	5·2	8·3	14·2	28·0	58·0	125·5	264·5	123
1906	15·3	47·2	3·6	2·1	3·0	3·8	5·1	8·2	14·2	28·2	57·7	126·9	273·1	132
1907	14·9	42·9	3·5	2·1	2·9	3·7	5·0	8·2	14·2	28·6	59·6	129·3	271·0	118
1908	14·5	43·0	3·4	2·0	2·8	3·7	4·9	7·8	13·7	27·6	57·8	127·2	259·0	120
1909	14·3	39·2	3·4	2·1	2·9	3·6	4·8	7·7	13·8	27·8	60·4	131·7	268·3	109
1910	13·2	36·4	3·0	1·9	2·7	3·4	4·4	7·2	12·7	25·7	55·2	120·1	242·4	105
1911	14·3	43·7	3·4	2·1	2·9	3·5	4·5	7·3	13·0	26·1	56·4	124·1	246·0	130
1912	13·0	32·6	3·1	1·9	2·8	3·3	4·3	7·2	12·9	26·2	57·3	127·2	253·9	95
1913	13·4	36·0	3·1	1·9	2·7	3·3	4·2	7·3	13·2	26·9	57·5	127·8	252·3	108
1914	13·6	34·9	3·4	2·1	2·9	3·4	4·4	7·6	13·7	27·4	58·3	130·7	263·0	105
1915‡	14·6	36·2	3·7	2·3	3·3	4·1	4·9	7·8	13·8	28·5	63·3	148·7	297·9	110

* See note * to Table 6.
† The death-rates in this column are standardized to the sex- and age-constitution of the population as enumerated in 1901.
‡ Civilians only.

Table 9 (formerly 19).—England and Wales.—Deaths from Various Causes at All Ages, 1901–1915.—Males, Females, and Persons.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡
All Causes	M	285618	277216	266290	283206	267601	274233	269259	268714	265203	249016	272512	250232	261687	267359	292381
	F	265967	258322	248338	266578	252430	257048	254962	251742	252800	234231	255298	236707	243288	249383	269872
	P	551585	535538	514628	549784	520031	531281	524221	520456	518003	483247	527810	486939	504975	516742	562253
PRINCIPAL SUMMARIZED HEADINGS.																
Small-pox	M	201	1439	504	312	63	9	6	7	18	14	13	4	6	2	7
	F	155	1025	256	195	53	12	4	5	3	5	10	5	4	2	6
	P	356	2464	760	507	116	21	10	12	21	19	23	9	10	4	13
Diarrhœal diseases... ... (104 and 105, 1911 list approx.)*	M	21183	10792	13425	20130	14731	21024	9390	14446	9444	9946	24848	6290	14103	12773	10981
	F	18604	9477	11939	17723	12776	18748	7893	12433	8024	8217	21707	5096	11634	10458	8884
	P	39787	20269	25364	37853	27507	39772	17283	26879	17468	18163	46555	11386	25737	23231	19865
Venereal diseases	M	?	955	998	1034	1020	961	968	949	986	971	1060	1115	1209	1248	1108
	F	?	769	847	837	825	801	725	788	738	703	820	787	903	925	805
	P	?	1724	1845	1871	1845	1762	1693	1737	1724	1674	1880	1902	2112	2173	1913
Puerperal septic diseases...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2079	2003	1668	1654	1734	1640	1465	1395	1429	1274	1339	1287	1184	1429	1267
	P	2079	2003	1668	1654	1734	1640	1465	1395	1429	1274	1339	1287	1184	1429	1267
Pneumonia (all forms) ...	M	21623	26526	22995	24219	25068	23626	26413	23671	25734	22541	21605	21323	21495	22961	27907
	F	15790	19905	17730	19153	19299	18199	20554	18108	20374	17219	16152	16101	16120	17153	21060
	P	37413	46431	40725	43372	44367	41825	46967	41779	46108	39760	37757	37424	37615	40114	48967
Septicæmia, pyæmia ...	M	265	347	336	305	356	348	366	335	291	238	299	317	286	352	346
	F	164	237	226	216	257	285	238	225	199	180	164	187	179	201	199
	P	429	584	562	521	613	633	604	560	490	418	463	504	465	553	545
Phthisis ... ... (28 and 29A, 1911 list.)	M	23454	23221	23022	23850	22226	22645	22647	22423	21936	20530	21575	21154	20596	21412	23156
	F	17770	17450	17110	18001	16724	17101	17192	17076	16703	15804	16819	16106	15599	16414	17626
	P	41224	40671	40132	41851	38950	39746	39839	39499	38639	36334	38394	37260	36195	37826	40782
Tuberculosis (all forms) ...	M	32881	31958	32464	33552	31005	31449	31166	31182	30216	28458	29207	27801	27649	28071	30332
	F	26049	25438	25643	26653	24754	25392	24935	24898	24209	22859	23881	22243	21815	22214	23940
	P	58930	57396	58107	60205	55759	56841	56101	56080	54425	51317	53088	50044	49464	50285	54272
Cancer (all forms)... ...	M	10891	11098	11799	12086	12470	13257	13199	13901	14263	14843	15589	16188	16918	17363	17421
	F	16596	16774	17290	17596	17751	18411	18546	18816	19790	19764	20313	21135	22021	22154	22426
	P	27487	27872	29089	29682	30221	31668	31745	32717	34053	34607	35902	37323	38939	39517	39847
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy, hemiplegia).	M	23044	22330	21030	21378	19623	19636	18401	18456	17907	16624	16781	15164	15211	15197	15743
	F	18490	17747	16987	17071	16072	15378	15287	14851	14306	13487	13378	12050	12352	12044	12423
	P	41534	40077	38017	38449	35695	35414	33688	33307	32213	30111	30159	27214	27563	27241	28166
Diseases of heart	M	22684	22966	22385	23297	22691	23376	24265	23918	24089	23355	23539	24544	25738	25971	29471
	F	25538	25229	24515	26400	25625	25385	26703	25973	26829	25369	25933	27498	27919	29136	31737
	P	48222	48195	46900	49697	48316	48761	50968	49891	50918	48724	49472	52042	53657	55107	61208
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia).	M	13524	13555	13195	13809	13719	14254	14814	15114	15665	15270	16308	17510	18547	19396	20536
	F	14859	14794	14768	15254	14809	15797	16140	16222	16935	16458	17784	18722	19520	20426	21415
	P	28383	28349	27963	29063	28528	30051	30954	31336	32600	31728	34092	36232	38067	39822	41951
Diseases of respiratory system (including croup but excluding pneumonia.)	M	27549	26218	22879	25129	23458	21814	24853	23031	23817	21013	21829	23141	23167	23484	29386
	F	27247	26157	21892	25118	23391	21543	25119	23124	24906	20339	21500	23238	22397	23482	29092
	P	54796	52375	44771	50247	46849	43357	49972	46155	48723	41352	43329	46379	45564	46966	58478
Diseases of liver and gall bladder.	M	3710	3406	3180	3113	3032	2999	2920	2806	2873	2564	2582	2586	2717	2841	2650
	F	3465	3124	3052	3035	3061	3013	3004	2759	2618	2543	2685	2595	2739	2807	2558
	P	7175	6530	6232	6148	6093	6012	5924	5565	5491	5107	5267	5181	5456	5648	5208
Diseases of digestive system.†	M	16529	13781	13990	14756	13625	15213	13435	14379	13942	13667	17148	13027	15776	16058	15706
	F	16283	13827	14045	14629	13911	14646	13266	14036	13095	13173	16218	12099	14481	14805	14241
	P	32812	27608	28035	29385	27536	29859	26701	28415	27037	26840	33366	25126	30257	30863	29947
Nephritis and Bright's disease.	M	6981	6632	6641	7129	6887	7214	7417	7349	7601	7427	7637	7823	8373	8401	8758
	F	5730	5580	5778	5999	5888	6138	6460	6411	6739	6520	6892	6967	7227	7511	7568
	P	12711	12212	12419	13128	12775	13352	13877	13760	14340	13947	14529	14790	15600	15912	16326
Diseases of generative and mammary organs.	M	77	67	48	73	53	62	48	41	50	66	70	79	88	122	96
	F	1167	1134	1137	1115	1194	1136	1114	1018	1015	950	1074	992	987	1005	1036
	P	1244	1201	1185	1188	1247	1198	1162	1059	1065	1016	1144	1071	1075	1127	1132
Diseases of pregnancy and childbirth (not septic).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2315	2202	2189	2013	2171	2117	2055	1966	1950	1917	1897	2012	2087	2040	1943
	P	2315	2202	2189	2013	2171	2117	2055	1966	1950	1917	1897	2012	2087	2040	1943
All diseases of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4394	4205	3857	3667	3905	3757	3520	3361	3379	3191	3236	3299	3271	3469	3210
	P	4394	4205	3857	3667	3905	3757	3520	3361	3379	3191	3236	3299	3271	3469	3210
Causes ill-defined or not specified.	M	25502	24072	23780	24490	23364	23906	23060	23307	23051	21499	22916	20087	19944	19007	19458
	F	26850	26098	25675	26959	25662	26623	25919	25912	26159	24452	25963	23242	22461	21668	23394
	P	52352	50170	49455	51449	49026	50529	48979	49219	49210	45951	48879	43329	42405	40675	42852
Violent deaths	M	14539	13567	13601	13618	13665	13670	13677	14017	13217	13125	14445	13922	13810	15473	17007
	F	6249	5821	5696	5799	5772	5903	5917	6109	5926	5598	6002	5989	5932	5967	6319
	P	20788	19388	19297	19417	19137	19573	19594	20126	19143	18723	20447	19911	19742	21440	23326

* *See* note to Diarrhœa due to Food.

† Including some of the headings classed under Diarrhœal diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic), and Gastro-enteritis. *See also* note to Hernia.

‡ Including deaths of non-civilians.

TABLE 9 (formerly 19).—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†
DETAILED HEADINGS.																
Small-pox — Vaccinated ...	M	78	525	98	56	13	—	2	—	4	3	1	2	—	—	3
	F	63	296	25	19	10	—	—	—	1	—	2	2	2	1	2
	P	141	821	123	75	23	—	2	—	5	3	3	4	2	1	5
Small-pox — Not Vaccinated.	M	61	401	109	76	7	1	1	—	4	1	4	2	5	1	4
	F	50	390	65	48	13	—	1	—	2	1	5	3	2	1	2
	P	111	791	174	124	20	1	2	—	6	2	9	5	7	2	6
Small-pox — Doubtful ...	M	62	513	297	180	43	8	3	7	10	10	8	—	1	1	—
	F	42	339	166	128	30	12	3	5	—	4	3	—	—	—	2
	P	104	852	463	308	73	20	6	12	10	14	11	—	1	1	2
Cow-pox and other effects of vaccination.	M	6	11	11	17	11	12	7	4	4	3	10	5	3	3	9
	F	11	11	15	11	15	17	5	9	7	5	4	5	4	3	2
	P	17	22	26	28	26	29	12	13	11	8	14	10	7	6	11
Chicken-pox	M	57	61	57	55	52	67	68	43	52	55	43	40	44	61	39
	F	58	62	59	49	41	39	52	50	42	42	37	36	39	61	53
	P	115	123	116	104	93	106	120	93	94	97	80	76	83	122	92
Measles (Morbilli) ...	M	4765	6633	4704	6313	5623	4748	6578	4135	6466	4305	6861	6652	5567	4701	8583
	F	4254	6297	4446	5993	5453	4696	6047	3876	6152	3997	6267	6203	5077	4443	7862
	P	9019	12930	9150	12306	11076	9444	12625	8011	12618	8302	13128	12855	10644	9144	16445
German measles	M	30	15	19	19	18	14	25	11	21	7	11	10	13	13	32
	F	28	16	20	16	20	11	22	11	18	8	10	15	16	11	48
	P	58	31	39	35	38	25	47	22	39	15	21	25	29	24	80
Scarlet fever	M	2188	2469	2121	1895	1917	1793	1644	1401	1662	1181	940	985	1060	1396	1226
	F	2151	2406	2037	1875	1917	1682	1576	1426	1553	1189	952	1010	1010	1447	1180
	P	4339	4875	4158	3770	3834	3475	3220	2827	3215	2370	1892	1995	2100	2843	2406
Typhus	M	21	37	33	20	19	5	13	8	11	5	4	7	2	2	5
	F	16	24	36	17	19	4	11	5	4	—	6	5	—	2	4
	P	37	61	69	37	38	9	24	13	15	5	10	12	2	4	9
Plague	M	10	2	—	1	1	—	—	1	—	2	—	3	—	2	—
	F	1	—	—	—	—	—	—	—	—	3	—	—	—	1	—
	P	11	2	—	1	1	—	—	1	—	5	—	3	—	3	—
Relapsing fever	M	2	1	—	—	1	1	—	2	—	1	—	—	—	1	1
	F	3	4	—	2	2	—	1	1	—	1	—	—	—	—	—
	P	5	5	—	2	3	1	1	3	—	2	—	—	—	1	1
Influenza	M	2912	3642	3067	2782	3387	3124	4431	4842	4300	3253	2224	2678	3357	3095	5220
	F	2754	3724	3255	2912	3566	3186	4826	5270	4692	3251	2110	2674	3010	2858	5251
	P	5666	7366	6322	5694	6953	6310	9257	10112	8992	6504	4334	5352	6387	5953	10471
Whooping cough	M	4573	4474	4334	5260	3954	3717	4501	4339	3137	3862	3412	3729	2411	3596	3694
	F	5632	5331	5188	6649	4755	4596	5754	5512	4045	4935	4432	4678	3047	4444	4449
	P	10205	9805	9522	11909	8709	8313	10255	9851	7182	8797	7844	8407	5458	8040	8143
Mumps	M	44	51	44	50	52	53	54	49	45	55	44	25	39	51	29
	F	46	42	42	58	46	57	64	64	48	59	47	21	22	53	31
	P	90	93	86	108	98	110	118	113	93	114	91	46	61	104	60
Diphtheria	M	4374	3741	2947	2825	2626	2933	2785	2729	2521	2022	2429	2092	2150	2886	2852
	F	4524	4061	3130	2938	2830	3175	2947	2840	2714	2262	2469	2197	2292	2958	3004
	P	8898	7802	6077	5763	5456	6108	5732	5569	5235	4284	4898	4289	4442	5844	5856
Cerebro-spinal fever ...	M	29	40	29	43	71	34	101	67	63	70	81	80	80	109	1347
	F	30	20	39	38	56	37	60	49	67	62	53	62	83	85	627
	P	59	60	68	81	127	71	161	116	130	132	134	142	163	194	1974
Pyrexia (origin uncertain)	M	50	41	33	30	23	10	19	10	8	5	8	7	7	3	4
	F	51	52	43	37	30	19	20	16	5	7	6	6	4	6	1
	P	101	93	76	67	53	29	39	26	13	12	14	13	11	9	5
Enteric fever	M	2925	2396	1929	1837	1750	1840	1373	1617	1270	1047	1419	926	907	1016	822
	F	2146	1753	1418	1316	1302	1329	971	1034	872	842	997	674	598	689	566
	P	5071	4149	3347	3153	3052	3169	2344	2651	2142	1889	2416	1600	1505	1705	1388
Asiatic cholera	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Diarrhœa due to food * ...	M	35	51	54	58	111	173	125	159	152	137	?	?	?	?	?
	F	30	43	35	47	100	131	92	137	122	114	?	?	?	?	?
	P	65	94	89	105	211	304	217	296	274	251	?	?	?	?	?

* Called Food, Ptomaine-poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhœa in artificially fed children. From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhœa.

† Including deaths of non-civilians.

TABLE 9 (formerly 19).—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913	1914	1915.‖
Infective enteritis, Epidemic diarrhœa.*	M	6261	2651	4183	8991	6279	9620	2751	5443	2618	2975	11334	1428	4979	4413	3512
	F	5603	2264	3559	8003	5294	8581	2319	4729	2245	2432	9885	1191	4273	3643	2791
	P	11864	4915	7742	16994	11573	18201	5070	10172	4863	5407	21219	2619	9252	8056	6303
Diarrhœa (not otherwise defined).	M	9586	4723	5424	6558	4523	6156	2790	4173	2628	2626	6383	1336	3405	2822	2323
	F	8360	4161	4933	5804	4011	5606	2348	3555	2313	2220	5678	1213	2838	2402	1950
	P	17946	8884	10357	12362	8534	11762	5138	7728	4941	4846	12061	2549	6243	5224	4273
Dysentery	M	174	145	177	171	121	150	124	139	115	125	136	92	112	118	338
	F	137	109	133	127	95	146	109	107	135	118	164	102	117	157	274
	P	311	254	310	298	216	296	233	246	250	243	300	194	229	275	612
Tetanus†	M	44	151	187	192	188	200	176	139	167	153	158	145	146	160	127
	F	13	50	70	65	60	54	50	41	63	44	45	47	43	37	29
	P	57	201	257	257	248	254	226	180	230	197	203	192	189	197	156
Malaria	M	88	99	60	95	71	55	62	49	69	44	52	49	49	56	55
	F	10	13	9	11	8	15	6	7	11	7	6	9	9	4	10
	P	98	112	69	106	79	70	68	56	80	51	58	58	58	60	65
Rabies, Hydrophobia ..	M	—	2	—	—	—	—	—	—	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	2	—	—	—	—	—	—	—	1	1	—	—	—	—
Glanders	M	4	5	6	4	5	1	4	7	4	1	3	—	2	2	—
	F	—	—	2	—	1	—	—	—	—	—	—	—	—	1	—
	P	4	5	8	4	6	1	4	7	4	1	3	—	2	3	—
Anthrax (Splenic fever) ...	M	11	12	17	18	17	22	14	12	15	11	12	9	8	13	23
	F	1	1	1	2	7	4	1	1	—	4	3	—	2	—	1
	P	12	13	18	20	24	26	15	13	15	15	15	9	10	13	24
Syphilis	M	956	935	986	1009	1002	937	952	939	968	957	1052	1093	1187	1235	1090
	F	765	758	834	825	809	781	706	763	717	682	798	768	882	911	794
	P	1721	1693	1820	1834	1811	1718	1658	1702	1685	1639	1850	1861	2069	2146	1884
Gonorrhœa‡	M	350	20	12	25	18	24	16	10	18	14	8	22	22	13	18
	F	6	11	13	12	16	20	19	25	21	21	22	19	21	14	11
	P	356	31	25	37	34	44	35	35	39	35	30	41	43	27	29
Puerperal septicæmia, Puerperal septic intoxication.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1490	1464	1258	1249	1307	1225	1056	1030	1063	967	1017	922	876	1101	929
	P	1490	1464	1258	1249	1307	1225	1056	1030	1063	967	1017	922	876	1101	929
Puerperal pyæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	37	54	38	38	51	66	111	92	104	91	87	109	87	106	99
	P	37	54	38	38	51	66	111	92	104	91	87	109	87	106	99
Phlegmasia alba dolens ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	74	95	87	94	103	102	84	83	72	55	72	64	65	57	50
	P	74	95	87	94	103	102	84	83	72	55	72	64	65	57	50
Puerperal fever (not otherwise defined).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	478	390	285	273	273	247	214	190	190	161	163	192	156	165	189
	P	478	390	285	273	273	247	214	190	190	161	163	192	156	165	189
Infective endocarditis ...	M	173	190	180	203	208	230	212	251	253	246	267	308	284	328	250
	F	200	189	209	199	217	230	261	270	273	276	323	316	312	323	284
	P	373	379	389	402	425	460	473	521	526	522	590	624	596	651	534
Pneumonia — Lobar§ ...	M	1437	2184	2017	2345	2982	3117	3341	3030	3719	3373	4681	4870	4961	5542	6462
	F	809	1291	1191	1546	1905	1874	2044	1788	2353	1904	2802	2928	2950	3297	4113
	P	2246	3475	3208	3891	4887	4991	5385	4818	6072	5277	7483	7798	7911	8839	10575
Pneumonia — Broncho- ...	M	8022	9974	9269	10345	10022	9057	11237	10270	10349	9308	8910	9052	9395	10018	12449
	F	6984	8634	8156	9100	8783	8219	10080	8764	9446	8239	7854	8311	8352	8767	10780
	P	15006	18608	17425	19445	18805	17276	21317	19034	19795	17547	16764	17363	17747	18785	23229
Pneumonia — Epidemic§	M	54	7	3	—	3	4	2	3	9	6	?	?	?	?	?
	F	40	3	4	—	1	2	4	1	2	3	?	?	?	?	?
	P	94	10	7	—	4	6	6	4	11	9	?	?	?	?	?
Pneumonia — Not defined	M	12110	14361	11706	11529	12061	11448	11833	10368	11657	9854	8014	7401	7139	7401	8996
	F	7957	9977	8379	8507	8610	8104	8426	7555	8573	7073	5496	4862	4818	5089	6167
	P	20067	24338	20085	20036	20671	19552	20259	17923	20230	16927	13510	12263	11957	12490	15163
Erysipelas	M	607	663	561	622	646	642	541	443	523	433	480	486	432	585	586
	F	551	617	521	584	609	564	492	393	490	393	491	410	366	542	486
	P	1158	1280	1082	1206	1255	1206	1033	836	1013	826	971	896	798	1127	1072
Septicæmia, Septic intoxication (not puerperal).	M	152	205	196	204	221	235	273	251	210	173	217	248	234	281	275
	F	106	146	166	160	182	204	169	165	159	127	130	142	135	157	161
	P	258	351	362	364	403	439	442	416	369	300	347	390	369	438	436
Pyæmia (not puerperal) ...	M	113	142	140	101	135	113	93	84	81	65	82	69	52	71	71
	F	58	91	60	56	75	81	69	60	40	53	34	45	44	44	38
	P	171	233	200	157	210	194	162	144	121	118	116	114	96	115	109

* Including deaths from Diarrhœa due to food from 1911 onwards.

† Owing to changes of classification the deaths included under Tetanus in 1902 and subsequent years are not comparable with those in earlier years.

‡ Includes deaths from Stricture of the Urethra in 1901. *See also* note to "Other diseases of urinary system."

§ From 1911 onwards, deaths from Epidemic pneumonia are included under Lobar pneumonia.

‖ Including deaths of non-civilians.

TABLE 9 (formerly 19).—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915†
Phlegmon, Carbuncle (not anthrax).	M	410	453	412	456	468	511	471	436	494	422	438	447	423	521	509
	F	298	338	289	257	310	325	302	261	325	275	280	257	278	322	317
	P	708	791	701	713	778	836	773	697	819	697	718	704	701	843	826
Phagedæna	M	24	18	19	14	27	11	19	10	14	3	—	1	—	—	1
	F	12	14	16	12	25	13	10	21	14	2	—	—	1	1	2
	P	36	32	35	26	52	24	29	31	28	5	—	1	1	1	3
Other infective processes...	M	99	36	55	78	104	130	136	131	151	145	158	113	147	140	142
	F	113	75	114	52	94	91	77	67	91	59	69	50	73	68	77
	P	212	111	169	130	198	221	213	198	242	204	227	163	220	208	219
Pulmonary tuberculosis (tuberculous phthisis).	M	4333	6267	8293	9701	9981	10804	11299	11756	12111	11992	13335	14092	14350	15143	16497
	F	3229	4213	5545	6685	6961	7580	8069	8436	8545	8800	9937	10465	10544	11394	12414
	P	7562	10480	13838	16386	16942	18384	19368	20192	20656	20792	23272	24557	24894	26537	28911
Phthisis (not otherwise defined).	M	19121	16954	14729	14149	12245	11841	11348	10667	9825	8538	8240	7062	6246	6269	6659
	F	14541	13237	11565	11316	9763	9521	9123	8640	8158	7004	6882	5641	5055	5020	5212
	P	33662	30191	26294	25465	22008	21362	20471	19307	17983	15542	15122	12703	11301	11289	11871
Tuberculous meningitis ...	M	3134	3084	3406	3359	3187	3117	3090	3057	2955	2889	2705	2578	2376	2482	2788
	F	2820	2877	3070	3030	2896	2987	2795	2811	2819	2582	2540	2423	2340	2185	2541
	P	5954	5961	6476	6389	6083	6104	5885	5868	5774	5471	5245	5001	5016	4667	5329
Tuberculous peritonitis ...	M	1475	1477	1788	1994	1798	1925	1787	1924	1833	1820	1718	1384	1634	1500	1635
	F	1458	1480	1733	1921	1805	1932	1745	1859	1689	1734	1645	1348	1538	1450	1520
	P	2933	2957	3521	3915	3603	3857	3532	3783	3522	3554	3363	2732	3172	2950	3155
Tabes mesenterica	M	1764	1311	1150	1064	784	660	531	554	488	424	421	269	338	284	263
	F	1431	1035	912	834	613	578	438	440	389	367	368	245	249	223	197
	P	3195	2346	2062	1898	1397	1238	969	994	877	791	789	514	587	507	460
Lupus	M	24	16	18	28	23	22	28	18	23	15	13	17	10	16	19
	F	41	56	44	38	57	62	50	38	56	46	43	44	34	37	27
	P	65	72	62	66	80	84	78	56	79	61	56	61	44	53	46
Tubercle of other organs...	M	666	663	842	957	935	1022	957	978	1060	1243	896	881	842	873	852
	F	480	515	626	705	713	787	752	646	808	945	772	643	714	617	704
	P	1146	1178	1468	1662	1648	1809	1709	1624	1868	2188	1668	1524	1556	1490	1556
General tuberculosis ...	M	2187	2116	2173	2253	2015	2033	2117	2209	1908	1523	1874	1515	1545	1498	1615
	F	1884	1932	2092	2062	1906	1921	1944	2022	1731	1361	1686	1427	1335	1279	1315
	P	4071	4048	4265	4315	3921	3954	4061	4231	3639	2884	3560	2942	2880	2777	2930
Scrofula	M	177	70	65	47	37	25	9	19	13	14	5	3	8	6	4
	F	165	93	56	62	40	24	19	6	14	20	8	7	6	9	10
	P	342	163	121	109	77	49	28	25	27	34	13	10	14	15	14
Parasitic diseases	M	175	142	165	164	143	176	139	130	120	103	135	97	116	111	86
	F	173	135	149	145	102	128	102	116	102	75	120	96	97	74	76
	P	348	277	314	309	245	304	241	246	222	178	255	193	213	185	162
Starvation	M	11	16	19	17	17	14	15	11	11	22	14	16	17	23	25
	F	7	10	9	13	4	12	6	4	11	7	5	15	6	6	13
	P	18	26	28	30	21	26	21	15	22	29	19	31	23	29	38
Scurvy	M	15	15	22	21	21	26	21	25	26	25	22	9	21	13	13
	F	16	15	22	23	27	25	20	25	21	19	23	17	22	10	20
	P	31	30	44	44	48	51	41	50	47	44	45	26	43	23	33
Alcoholism, Delirium tremens.	M	1778	1673	1475	1396	1297	1341	1328	1112	998	862	990	964	1093	1150	870
	F	1353	1111	1075	962	914	940	873	825	673	628	637	686	800	819	681
	P	3131	2784	2550	2358	2211	2281	2201	1937	1671	1490	1627	1650	1893	1969	1551
Opium, Morphia habit ...	M	3	3	9	6	4	5	5	3	8	4	6	9	6	7	11
	F	6	11	7	4	9	4	7	7	13	6	7	5	5	4	10
	P	9	14	16	10	13	9	12	10	21	10	13	14	11	11	21
Industrial poisoning. By Lead ...	M	96	80	88	83	76	70	89	102	88	80	106	106	80	79	68
	F	5	3	2	4	2	4	3	3	3	6	4	—	1	—	—
	P	101	83	90	87	78	74	92	105	91	86	110	106	81	79	68
Industrial poisoning. By Phosphorus.	M	—	1	—	—	—	—	1	—	—	—					
	F	—	1	—	1	—	—	—	—	—	—					
	P	—	2	—	1	—	—	1	—	—	—	2	4	—	4	4
Industrial poisoning. By Arsenic and other poisons.	M	4	1	3	1	1	2	1	1	1	—	—	2	—	—	4
	F	—	—	—	—	—	—	—	—	—	—	2	6	—	4	8
	P	4	1	3	1	1	2	1	1	1	—					
Rheumatic fever, Acute rheumatism.	M	1108	1091	875	894	1016	1090	967	871	961	793	905	916	840	966	1030
	F	1062	1055	937	894	1105	1129	1057	934	1009	887	1060	1051	930	1094	1121
	P	2170	2146	1812	1788	2121	2219	2024	1805	1970	1680	1965	1967	1770	2060	2151
Rheumatism of heart* ...	M	302	278	239	240	158	137	181	156	149	134	?	?	?	?	?
	F	313	351	331	346	196	196	234	207	208	184	?	?	?	?	?
	P	615	629	570	586	354	333	415	363	357	318	?	?	?	?	?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.
† Including deaths of non-civilians.

TABLE 9 (formerly 19.)—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*
Chronic rheumatism ...	M	335	198	205	222	165	146	172	195	167	140	152	148	170	182	186
	F	455	308	257	266	272	246	268	249	271	231	243	210	226	241	294
	P	790	506	462	488	437	392	440	444	438	371	395	358	396	423	480
Rheumatoid arthritis, Rheumatic gout.	M	290	289	273	275	253	259	299	245	295	294	309	318	312	325	419
	F	558	522	610	669	645	692	682	715	793	746	791	834	888	889	1034
	P	848	811	883	944	898	951	981	960	1088	1040	1100	1152	1200	1214	1453
Gout	M	416	386	364	405	326	366	362	333	320	307	324	275	302	287	305
	F	105	103	102	95	89	95	88	83	81	76	62	78	76	65	92
	P	521	489	466	500	415	461	450	416	401	383	386	353	378	352	397
Carcinoma	M	4746	5071	5743	6128	6423	6963	6895	7476	7794	8370	9121	9954	10490	10994	10947
	F	7947	8469	9070	9404	9656	10202	10715	10907	11719	11950	12472	13543	14619	14797	14908
	P	12693	13540	14813	15532	16079	17165	17610	18383	19513	20320	21593	23497	25109	25791	25855
Sarcoma	M	846	843	929	893	949	987	1034	1054	1073	1116	1223	1190	1273	1214	1245
	F	830	847	860	860	838	908	813	842	901	957	923	971	1007	1015	969
	P	1676	1690	1789	1753	1787	1895	1847	1896	1974	2073	2146	2161	2280	2229	2214
Cancer, Malignant disease (not otherwise defined).	M	5299	5184	5127	5065	5098	5307	5270	5371	5396	5357	5245	5044	5155	5155	5229
	F	7819	7458	7360	7332	7257	7301	7018	7067	7170	6857	6918	6621	6395	6342	6549
	P	13118	12642	12487	12397	12355	12608	12288	12438	12566	12214	12163	11665	11550	11497	11778
Rickets	M	820	780	987	1076	791	778	707	697	664	617	543	434	560	528	524
	F	564	589	663	746	607	599	552	492	454	444	439	318	380	382	335
	P	1384	1369	1650	1822	1398	1377	1259	1189	1118	1061	982	752	940	910	859
Purpura	M	148	140	150	129	130	110	145	148	159	147	164	117	171	153	156
	F	154	158	155	164	130	140	157	145	153	155	150	183	141	163	186
	P	302	298	305	293	260	250	302	293	312	302	314	300	312	316	342
Hæmophilia, Hæmorrhagic diathesis.	M	49	59	49	59	47	46	57	57	58	62	69	78	69	65	77
	F	30	29	31	27	40	38	46	24	33	23	33	44	34	44	35
	P	79	88	80	86	87	84	103	81	91	85	102	122	103	109	112
Anæmia, Leucocythæmia ...	M	768	792	761	786	840	894	1004	968	997	1115	1038	1087	1146	1237	1348
	F	1143	1050	1032	1057	1090	1156	1186	1207	1219	1304	1312	1382	1426	1575	1666
	P	1911	1842	1793	1843	1930	2050	2190	2175	2216	2419	2350	2469	2572	2812	3014
Diabetes mellitus	M	1565	1462	1409	1612	1708	1736	1738	1842	1898	1982	1936	2064	2122	2250	2335
	F	1399	1307	1435	1521	1466	1606	1622	1768	1800	1955	1917	1987	2187	2255	2323
	P	2964	2769	2844	3133	3174	3342	3360	3610	3698	3937	3853	4051	4309	4505	4658
Premature birth	M	10445	10661	10804	11097	10422	10767	10206	10553	10207	9816	9939	9670	9794	9724	8715
	F	8119	8248	8277	8530	8449	8294	8013	8118	8003	7758	7770	7449	7860	7620	6716
	P	18564	18909	19081	19627	18871	19061	18219	18671	18210	17574	17709	17119	17654	17344	15431
Congenital hydrocephalus			252	270	252	245	211	179	223	203	175	182	182	216	227	208
			147	194	165	119	166	150	156	126	127	146	116	135	127	148
	M	2253	399	464	417	364	377	329	379	329	302	328	298	351	354	356
	F	1825														
	P	4078	2277	2327	2391	2493	2579	2547	2661	2517	2538	2469	2468	2668	2582	2532
Other congenital defects ...			1682	1807	1923	1999	2084	1973	2075	2084	1953	1972	1899	2030	2049	1981
			3959	4134	4314	4492	4663	4520	4736	4601	4491	4441	4367	4698	4631	4513
Injury at birth	M	382	389	413	464	418	521	485	585	566	484	519	571	637	619	553
	F	221	262	276	308	291	345	331	357	390	362	385	366	426	402	377
	P	603	651	689	772	709	866	816	942	956	846	904	937	1063	1051	930
Atelectasis	M	695	769	750	753	830	856	915	916	874	874	854	858	936	909	820
	F	489	486	562	574	614	602	638	681	632	679	637	607	610	614	530
	P	1184	1255	1312	1327	1444	1458	1553	1597	1506	1553	1491	1465	1546	1523	1350
Want of breast milk ...	M	317	326	414	383	379	439	434	447	384	296	305	248	319	248	312
	F	228	248	303	311	282	322	322	331	285	245	248	154	215	225	195
	P	545	574	717	694	661	761	756	778	669	541	553	402	534	473	507
Teething	M	1750	1775	1802	1593	1288	1201	1169	1078	994	896	774	664	810	719	857
	F	1518	1433	1463	1382	1055	974	919	905	775	704	681	570	678	624	691
	P	3268	3208	3265	2975	2343	2175	2088	1983	1769	1600	1455	1234	1488	1343	1548
Meningitis, Inflammation of brain.	M	3782	3528	3378	3404	3233	3301	2880	3016	2902	2653	2931	2228	2320	2377	2406
	F	3291	3044	2963	2897	2801	2696	2549	2500	2442	2353	2481	1925	2079	2025	2031
	P	7073	6572	6341	6301	6034	5997	5429	5516	5344	5006	5412	4153	4399	4402	4437
Softening of brain ...	M	1129	1118	1165	1209	1094	1156	1158	1183	1105	1075	951	792	720	703	714
	F	1032	952	1009	1057	1088	1073	1121	1147	1023	1002	966	817	738	745	747
	P	2161	2070	2174	2266	2182	2229	2279	2330	2128	2077	1917	1609	1458	1448	1461
General paralysis of insane	M	1728	1681	1584	1802	1738	1772	1775	1713	1817	1723	1751	1799	1724	1820	1818
	F	544	576	549	578	549	568	557	504	546	490	435	458	399	423	428
	P	2272	2257	2133	2380	2287	2340	2332	2217	2363	2213	2186	2257	2123	2243	2246
Insanity (not puerperal) ...	M	607	781	715	866	888	952	960	941	995	940	1060	1119	991	985	1134
	F	752	945	938	1060	1181	1200	1249	1227	1176	1151	1421	1442	1293	1384	1496
	P	1359	1726	1653	1926	2069	2152	2209	2168	2171	2091	2181	2561	2284	2369	2630

* Including deaths of non-civilians.

TABLE 9 (formerly 19).—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡
Chorea	M	57	55	41	33	36	37	38	41	38	31	37	38	33	36	43
	F	134	105	106	90	115	118	117	91	132	106	92	114	111	140	110
	P	191	160	147	123	151	155	155	132	170	137	129	152	144	176	153
Epilepsy	M	1533	1593	1598	1557	1496	1482	1458	1382	1472	1396	1404	1434	1440	1521	1647
	F	1350	1412	1454	1357	1402	1315	1342	1304	1342	1286	1224	1323	1297	1289	1427
	P	2883	3005	3052	2914	2898	2797	2800	2686	2814	2682	2628	2757	2737	2810	3074
Convulsions...	M	9863	9427	8649	8419	7377	7101	6545	6568	5890	5315	5081	4453	4555	4155	4152
	F	7825	7127	6463	6288	5556	5427	5017	4936	4425	4081	3770	3174	3478	3024	3071
	P	17688	16554	15112	14767	12933	12528	11562	11504	10315	9396	8851	7627	8033	7179	7223
Laryngismus stridulus ...	M	286	266	248	220	222	180	191	231	150	126	140	129	136	157	152
	F	182	173	187	178	142	125	124	112	120	110	103	53	103	94	91
	P	468	439	435	398	364	305	315	343	270	236	243	182	239	251	243
Locomotor ataxy	M	341	409	418	411	448	463	461	477	496	485	529	542	615	600	624
	F	68	74	84	103	102	99	123	106	123	95	105	122	117	120	110
	P	409	483	502	514	550	562	584	583	619	580	634	664	732	720	734
Paraplegia, Diseases of cord	M	1268	1096	1139	1205	1115	1113	1030	1110	1156	1152	1122	999	946	1056	1108
	F	1013	960	948	988	960	962	953	1008	948	949	863	787	874	898	908
	P	2281	2056	2087	2193	2075	2075	1983	2118	2104	2101	1985	1786	1820	1954	2016
Neuritis, Peripheral, Polyneuritis.	M	46	128	112	125	103	128	140	132	126	113	121	92	116	122	139
	F	86	223	304	291	284	323	335	264	281	264	300	254	273	261	231
	P	132	351	416	416	387	451	475	396	407	377	421	346	389	383	370
Brain tumour (not specific)	M	198	324	352	330	357	383	383	371	392	403	360	397	395	452	508
	F	187	274	266	334	341	361	370	366	377	401	318	375	414	454	500
	P	385	598	618	664	698	744	753	737	769	804	678	772	809	906	1008
Other diseases of nervous system.	M	2206	1924	1631	1797	1516	1568	1382	1291	1368	1212	1294	1142	1220	1213	1298
	F	2026	1882	1716	1850	1551	1511	1430	1286	1371	1199	1300	1206	1176	1187	1273
	P	4232	3806	3347	3647	3067	3079	2812	2577	2739	2411	2594	2348	2396	2400	2571
Otitis, Mastoid disease ...	M	491	483	564	618	624	648	601	578	647	579	601	581	673	660	700
	F	443	431	450	440	491	494	507	455	444	439	518	446	478	567	519
	P	934	914	1014	1058	1115	1142	1108	1033	1091	1018	1119	1027	1151	1227	1219
Epistaxis, Diseases of nose	M	42	49	36	49	41	41	27	38	40	35	51	54	58	58	42
	F	36	30	45	31	43	26	39	35	41	35	67	40	48	55	43
	P	78	79	81	80	84	67	66	73	81	70	118	94	106	113	85
Ophthalmia, Diseases of eye	M	45	36	42	27	29	38	26	23	33	25	48	42	37	46	49
	F	26	24	28	30	32	37	34	19	21	37	47	32	40	52	32
	P	71	60	70	57	61	75	60	42	54	62	95	74	77	98	81
Valvular disease, Endocarditis (not infective)*	M	5724	6052	6164	6683	6816	7176	7454	7611	7799	7726	8310	9612	10369	10720	12074
	F	6770	6951	7251	7874	8031	8294	8872	8752	9236	9043	9948	11524	11936	12790	13907
	P	12494	13003	13415	14557	14847	15470	16326	16363	17035	16769	18258	21136	22305	23510	25981
Pericarditis	M	337	231	219	226	230	237	273	237	224	247	309	269	251	262	277
	F	299	207	203	190	225	192	208	195	186	199	235	211	176	195	223
	P	636	438	422	416	455	429	481	432	410	446	544	480	427	457	500
Hypertrophy of heart† ...	M	121	164	155	119	137	152	149	181	135	141	?	?	?	?	?
	F	89	109	92	102	85	84	75	85	85	59	?	?	?	?	?
	P	210	273	247	251	222	236	224	266	220	200	?	?	?	?	?
Angina pectoris	M	450	480	463	504	532	576	612	617	629	716	711	738	772	785	847
	F	225	248	237	249	307	313	330	312	328	294	349	352	352	394	407
	P	675	728	700	753	839	889	942	929	957	1010	1060	1090	1124	1179	1254
Dilatation of heart† ...	M	1027	1276	1294	1430	1478	1551	1742	1670	1771	1586	?	?	?	?	?
	F	1172	1327	1308	1595	1573	1576	1778	1685	1778	1609	?	?	?	?	?
	P	2199	2603	2602	3025	3051	3127	3520	3355	3549	3195	?	?	?	?	?
Fatty degeneration of heart	M	874	960	950	990	1037	1045	1124	1133	1069	1150	1217	1399	1509	1469	1509
	F	1068	1147	1113	1242	1231	1275	1359	1417	1424	1267	1469	1712	1826	1800	1793
	P	1942	2107	2063	2232	2268	2320	2483	2550	2493	2417	2686	3111	3335	3269	3302
Syncope, Heart disease (not specified).†	M	14151	13803	13140	13315	12461	12639	12911	12469	12462	11789	12992	12526	12837	12735	14764
	F	15915	15240	14311	15148	14173	13651	14081	13527	13792	12893	13932	13699	13629	13957	15407
	P	30066	29043	27451	28463	26634	26290	26992	25996	26254	24687	26924	26225	26466	26692	30171
Cerebral hæmorrhage, Cerebral embolism.	M	4837	5521	5954	6487	6644	7007	7403	7891	7999	8017	8223	8724	9193	9493	10081
	F	5897	6495	7442	7788	8119	8774	9140	9529	9939	9869	10337	10981	11416	11888	12380
	P	10734	12016	13396	14275	14763	15781	16543	17420	17938	17886	18560	19705	20609	21381	22461
Apoplexy, Hemiplegia ...	M	6037	5349	4606	4375	3980	3949	3847	3696	3609	3303	3669	3454	3342	3244	3412
	F	7156	6434	5585	5533	4780	4881	4718	4473	4485	4081	4584	4355	3974	3982	4306
	P	13193	11783	10191	9908	8760	8830	8565	8169	8094	7384	8253	7809	7316	7226	7718

* For 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).

† For 1911 and subsequent years, deaths from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope, Heart disease (not specified).

‡ Including deaths of non-civilians.

TABLE 9 (formerly 19).—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*
Aneurysm	M	773	842	854	869	898	882	941	867	946	898	935	962	921	902	896
	F	194	225	183	224	188	219	199	192	221	225	225	184	234	229	245
	P	967	1067	1037	1093	1086	1101	1140	1059	1167	1123	1160	1146	1155	1131	1141
Senile gangrene	M	748	717	710	746	768	788	783	804	845	767	740	702	722	722	782
	F	658	676	635	657	619	630	662	652	706	640	654	577	600	635	634
	P	1406	1393	1345	1403	1387	1418	1445	1456	1551	1407	1394	1279	1322	1357	1416
Embolism, Thrombosis (not cerebral).	M	257	231	185	174	171	187	231	192	203	171	181	185	194	207	217
	F	329	280	233	270	241	258	285	281	269	230	269	243	248	288	230
	P	586	511	418	444	412	445	516	473	472	401	450	428	442	495	447
Phlebitis	M	61	48	60	57	59	45	46	40	55	37	53	67	48	61	71
	F	102	99	111	91	91	82	84	85	93	99	77	106	111	111	99
	P	163	147	171	148	150	127	130	125	148	136	130	173	159	172	170
Varicose veins	M	35	30	28	44	32	24	33	20	33	32	39	43	42	50	51
	F	75	73	66	77	79	87	70	67	79	74	89	107	117	119	91
	P	110	103	94	121	111	111	103	87	112	106	128	150	159	169	142
Other diseases of blood vessels.	M	776	817	798	1057	1167	1372	1530	1604	1975	2045	2468	3373	4085	4717	5026
	F	448	512	513	614	692	866	982	943	1143	1240	1549	2169	2820	3174	3430
	P	1224	1329	1311	1671	1859	2238	2512	2547	3118	3285	4017	5542	6905	7891	8456
Laryngitis	M	722	690	613	624	579	578	633	512	566	485	538	481	454	495	550
	F	687	646	491	509	488	484	479	454	425	380	422	351	368	400	429
	P	1409	1336	1104	1133	1067	1062	1112	966	991	865	960	832	822	895	979
Membranous laryngitis (not diphtheritic).	M	19	21	13	25	21	25	18	15	17	11	10	6	10	12	5
	F	13	16	11	17	20	15	11	16	14	7	9	3	5	7	4
	P	32	37	24	42	41	40	29	31	31	18	19	9	15	19	9
Croup (not spasmodic nor membranous).	M	447	343	236	259	260	259	196	167	130	49	43	28	15	15	17
	F	384	266	207	216	205	201	175	153	111	24	32	12	22	20	13
	P	831	609	443	475	465	460	371	320	241	73	75	40	37	35	30
Other diseases of larynx and trachea.	M	37	17	20	29	28	40	22	24	15	11	25	15	22	18	14
	F	25	19	24	17	29	21	21	14	13	10	11	11	18	15	18
	P	62	36	44	46	57	61	43	38	28	21	36	26	40	33	32
Bronchitis	M	21812	21341	18481	20578	18961	17429	20423	18859	19404	17072	17616	18912	19153	19197	24554
	F	22723	22304	18650	21610	19954	18285	21781	19843	21414	17391	18406	20133	19401	20253	25513
	P	44535	43645	37131	42188	38915	35714	42204	38702	40818	34463	36022	39045	38554	39450	50067
Emphysema, Asthma ...	M	1380	914	782	957	906	920	1041	985	1089	965	1109	1219	1242	1329	1703
	F	963	672	520	658	656	613	681	685	837	660	767	835	811	898	1148
	P	2343	1586	1302	1615	1562	1533	1722	1670	1926	1625	1876	2054	2053	2227	2851
Pleurisy	M	958	758	747	696	827	738	733	709	815	760	832	867	787	872	891
	F	697	600	552	543	542	521	589	533	588	523	592	587	542	612	636
	P	1655	1358	1299	1239	1369	1259	1322	1242	1403	1283	1424	1454	1329	1484	1527
Fibroid disease of lung ...	M	476	507	467	413	411	408	490	415	420	339	253	239	250	260	218
	F	180	177	146	178	146	121	166	164	163	109	74	80	74	72	65
	P	656	684	613	591	557	529	656	579	583	448	327	319	324	332	283
Other diseases of respiratory system.	M	1698	1627	1520	1548	1465	1417	1297	1345	1361	1321	1403	1374	1234	1286	1434
	F	1575	1457	1291	1370	1351	1282	1216	1262	1341	1235	1187	1226	1156	1205	1266
	P	3273	3084	2811	2918	2816	2699	2513	2607	2702	2556	2590	2600	2390	2491	2700
Tonsillitis, Quinsy... ...	M	232	227	216	208	191	207	206	200	221	174	226	187	246	301	273
	F	224	189	161	191	200	166	185	163	164	146	204	191	213	255	243
	P	456	416	377	399	391	373	391	363	385	320	430	378	459	556	516
Diseases of mouth, pharynx, œsophagus (not specific).	M	323	324	227	306	273	279	254	236	295	304	308	278	295	363	333
	F	286	256	202	283	285	276	260	276	268	319	250	264	290	349	295
	P	609	580	429	589	558	555	514	512	563	623	558	542	585	712	628
Gastric ulcer	M	475	514	529	552	613	667	655	674	688	773	760	871	882	1018	1001
	F	1067	1167	1138	1197	1134	1078	1120	1039	1040	1052	1009	971	912	1005	945
	P	1542	1681	1667	1749	1747	1745	1775	1713	1728	1825	1769	1842	1794	2023	1946
Gastritis, Gastric catarrh...	M	2661	2293	2254	2151	1928	1664	1592	1630	1592	1613	1594	1412	1591	1545	1684
	F	2854	2449	2382	2347	2061	1738	1675	1833	1666	1575	1631	1396	1577	1695	1685
	P	5515	4742	4636	4498	3989	3402	3267	3463	3258	3188	3225	2808	3168	3240	3369
Other diseases of stomach (not malignant).	M						291	282	269	252	328	315	359	333	371	344
	F						255	275	239	206	308	272	310	307	349	337
	P						546	557	508	458	636	587	669	640	720	681

* Including deaths of non-civilians.

TABLE 9 (formerly 19).—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡
Ulceration of intestines ...					306	276	353	477	462	485	552	561	649	687	726	693
					219	221	265	244	282	297	306	296	292	299	305	297
	M	3109	2188	2367	525	497	618	721	744	782	858	857	941	986	1031	990
	F	2697	2000	2127												
	P	5806	4188	4494	2411	2064	2640	1910	2332	1994	1961	3078	1456	2286	2157	1848
Enteritis (not epidemic) ...					2110	1900	2360	1777	2112	1714	1738	2786	1240	1911	1784	1702
					4521	3964	5000	3687	4444	3708	3699	5864	2696	4197	3941	3550
Gastro-enteritis	M	2192	1179	1397	1806	1478	2082	1337	1877	1567	1695	3492	1421	2746	2655	2605
	F	1914	1009	1285	1540	1250	1805	1113	1618	1333	1407	3062	1160	2313	2324	2144
	P	4106	2188	2682	3346	2728	3887	2450	3495	2900	3102	6554	2581	5059	4979	4749
Appendicitis, Perityphlitis	M	736	901	1016	1124	1096	1287	1161	1236	1279	1336	1597	1322	1387	1513	1441
	F	508	584	713	763	850	857	808	900	997	1025	1132	1034	1141	1111	1062
	P	1244	1485	1729	1887	1946	2144	1969	2136	2276	2361	2729	2356	2528	2624	2503
Hernia*	M	633	694	639	665	708	738	702	652	695	642	708	710	780	737	897
	F	736	819	775	826	839	816	834	758	806	835	861	803	897	892	1010
	P	1369	1513	1414	1491	1547	1554	1536	1410	1501	1477	1569	1513	1677	1629	1907
Intestinal obstruction ...	M	1305	1197	1297	1270	1263	1336	1314	1301	1355	1205	1330	1232	1209	1243	1316
	F	1342	1248	1277	1240	1314	1309	1249	1352	1262	1297	1350	1260	1206	1210	1276
	P	2647	2445	2574	2510	2577	2645	2563	2653	2617	2502	2680	2492	2415	2453	2592
Other diseases of intestines	M	111	154	155	137	131	128	131	149	147	179	237	228	243	232	273
	F	97	137	134	108	127	110	137	120	151	175	204	221	253	299	287
	P	208	291	289	245	258	238	268	269	298	354	441	449	496	531	560
Peritonitis (not puerperal)	M	726	506	450	435	383	391	308	345	282	223	236	197	236	219	225
	F	806	609	554	531	460	454	389	368	333	331	374	262	295	308	288
	P	1532	1115	1004	966	843	845	697	713	615	554	610	459	531	527	513
Cirrhosis of liver	M	2375	2296	2196	2207	2166	2117	2070	2060	2048	1827	1832	1898	2039	2092	1947
	F	1933	1770	1720	1764	1842	1744	1833	1611	1481	1384	1457	1480	1519	1572	1364
	P	4308	4066	3916	3971	4008	3861	3903	3671	3529	3211	3289	3378	3558	3664	3311
Other diseases of liver and gall bladder.	M	1335	1110	984	906	866	882	850	746	825	737	750	688	678	749	703
	F	1532	1354	1332	1271	1219	1269	1171	1148	1137	1159	1228	1115	1220	1235	1194
	P	2867	2464	2316	2177	2085	2151	2021	1894	1962	1896	1978	1803	1898	1984	1897
Other diseases of digestive system.	M	316	198	263	272	189	151	186	210	217	118	124	119	138	137	123
	F	287	236	245	239	209	144	196	217	240	116	102	100	128	112	112
	P	603	434	508	511	398	295	382	427	457	234	226	219	266	249	235
Diseases of spleen	M	39	25	21	23	20	27	21	22	24	15	17	12	19	29	24
	F	34	32	25	25	36	26	29	17	31	23	12	23	25	32	23
	P	73	57	46	48	56	53	50	39	55	38	29	35	44	61	47
Other diseases of lymphatic system.	M	198	223	214	210	242	240	227	241	258	320	295	326	334	380	379
	F	150	134	143	143	149	160	153	156	167	191	212	209	223	257	232
	P	348	357	357	353	391	400	380	397	425	511	507	535	557	637	611
Diseases of thyroid body ...	M	64	61	64	63	68	62	72	93	74	96	88	95	117	95	118
	F	394	370	377	399	412	421	455	456	535	555	622	619	631	716	680
	P	458	431	441	462	480	483	527	549	609	651	710	714	748	811	798
Diseases of supra renal capsules.	M	81	81	93	92	74	116	83	97	109	96	104	99	108	95	102
	F	87	87	98	103	122	112	91	121	139	130	145	147	115	140	139
	P	168	168	191	195	196	228	174	218	248	226	249	246	223	235	241
Acute nephritis, Uræmia...	M	1746	1619	1567	1664	1680	1716	1844	1975	1974	1897	1920	1936	2031	2158	2345
	F	1289	1372	1384	1458	1473	1554	1591	1723	1862	1698	1878	1760	1885	1979	2113
	P	3035	2991	2951	3122	3153	3270	3435	3698	3836	3595	3798	3696	3916	4137	4458
Chronic Bright's disease, Albuminuria.	M	5235	5013	5074	5465	5207	5498	5573	5374	5627	5530	5717	5887	6342	6243	6413
	F	4441	4208	4394	4541	4415	4584	4869	4688	4877	4822	5014	5207	5342	5532	5455
	P	9676	9221	9468	10006	9622	10082	10442	10062	10504	10352	10731	11094	11684	11775	11868
Calculus (not biliary) ...	M	185	182	156	176	177	187	198	161	155	159	196	181	195	189	185
	F	59	67	61	86	72	77	80	74	86	80	73	89	73	65	85
	P	244	249	217	262	249	264	278	235	241	239	269	270	268	254	270
Diseases of bladder and of prostate.	M	2131	2201	2268	2258	2237	2403	2203	2256	2203	2189	2514	2372	2370	2500	2723
	F	222	235	225	241	232	238	238	249	239	221	257	246	233	261	287
	P	2353	2436	2493	2199	2469	2641	2441	2505	2442	2410	2771	2618	2603	2761	3010
Other diseases of urinary system.†	M	229	459	445	451	496	480	470	486	430	543	584	559	583	608	597
	F	152	127	130	140	148	151	139	124	133	169	181	206	205	246	212
	P	381	586	575	591	644	631	609	610	563	712	765	765	788	854	809
Ovarian tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	348	373	374	350	389	375	357	292	307	291	314	288	270	303	300
	P	348	373	374	350	389	375	357	292	307	291	314	288	270	303	300
Other diseases of ovary ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	69	48	64	46	40	46	51	31	33	23	24	12	12	18	18
	P	69	48	64	46	40	46	51	31	33	23	24	12	12	18	18

* Since 1902, Hernia, when strangulated and stated in conjunction with other causes, has in most instances been given preference in selection.

† From 1902 onwards, deaths from Stricture of the Urethra are included under this heading. *See also* note to Gonorrhœa.

‡ Including deaths of non-civilians.

TABLE 9 (formerly 19).—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*
Uterine tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	339	334	359	353	376	353	327	358	293	312	324	326	316	298	328
	P	339	334	359	353	376	353	327	358	293	312	324	326	316	298	328
Other diseases of uterus and vagina.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	316	305	278	316	327	305	319	287	337	285	360	326	330	342	344
	P	316	305	278	316	327	305	319	287	337	285	360	326	330	342	344
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	76	53	56	36	42	39	50	36	33	26	31	20	30	27	23
	P	76	53	56	36	42	39	50	36	33	26	31	20	30	27	23
Other diseases of generative and mammary organs.	M	77	67	48	73	53	62	48	41	50	66	70	79	88	122	96
	F	19	16	6	14	20	18	10	14	12	13	21	20	29	17	23
	P	96	83	54	87	73	80	58	55	62	79	91	99	117	139	119
Abortion, Miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	152	148	152	141	151	143	102	83	85	78	89	118	119	125	125
	P	152	148	152	141	151	143	102	83	85	78	89	118	119	125	125
Puerperal mania	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	70	79	62	62	66	68	70	57	42	48	46	30	28	40	34
	P	70	79	62	62	66	68	70	57	42	48	46	30	28	40	34
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	376	400	409	395	467	438	449	426	462	439	457	457	535	461	430
	P	376	400	409	395	467	438	449	426	462	439	457	457	535	461	430
Placenta prævia, Flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	699	637	678	580	619	618	608	560	574	612	557	610	616	595	556
	P	699	637	678	580	619	618	608	560	574	612	557	610	616	595	556
Other accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1018	938	888	835	868	850	826	840	787	740	748	797	789	819	798
	P	1018	938	888	835	868	850	826	840	787	740	748	797	789	819	798
Caries, Necrosis	M	418	408	364	305	283	262	205	198	106	43					
	F	344	298	289	234	239	198	177	150	81	23					
	P	762	706	653	539	522	460	382	348	187	66					
Arthritis, Periostitis ...	M	107	137	119	133	133	111	139	164	154	128	400	422	437	475	460
	F	82	80	83	106	89	92	110	88	102	105	287	293	304	311	313
	P	189	217	202	239	222	203	249	252	256	233	687	715	741	786	773
Other diseases of locomotor system.	M	185	149	155	162	178	205	149	147	174	203					
	F	164	137	129	114	137	186	105	116	127	147					
	P	349	286	284	276	315	391	254	263	301	350					
Ulcer, Bed-sore	M	160	132	153	136	140	157	144	129	152	149	145	144	149	194	178
	F	314	265	254	290	300	305	341	307	278	310	269	280	283	350	334
	P	474	397	407	426	440	462	485	436	430	459	414	424	432	544	512
Eczema	M	194	218	211	192	190	195	164	169	141	138	168	152	149	152	145
	F	173	144	137	134	130	103	123	117	107	107	101	93	84	90	76
	P	367	362	348	326	320	298	287	286	248	245	269	245	233	242	221
Pemphigus	M	96	81	98	104	140	134	123	135	113	113	66	68	72	77	61
	F	69	66	93	94	125	110	100	114	101	91	66	52	70	69	52
	P	165	147	191	198	265	244	223	249	214	204	132	120	142	146	113
Other diseases of the skin	M	130	108	103	92	119	110	129	111	111	113	124	124	137	164	153
	F	110	113	111	103	115	101	122	108	124	120	145	128	150	167	147
	P	240	221	214	195	234	211	251	219	235	233	269	252	287	331	300
Other specified diseases ...	M	—	4	3	2	2	—	—	—	3	—	—	—	—	—	—
	F	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—
	P	—	5	3	2	2	—	—	—	5	—	—	—	—	—	—
Atrophy, Debility	M	11095	9889	9791	9761	9090	8902	8340	8460	7872	7359	7818	6258	6683	6151	5626
	F	8705	7819	7721	7785	6920	6998	6267	6460	6107	5686	6098	4644	4976	4475	4317
	P	19800	17708	17512	17546	16010	15900	14607	14920	13979	13045	13916	10902	11659	10626	9943
Old age	M	13117	13031	12979	13848	13441	14210	13917	14058	14497	13438	14483	13275	12755	12327	13211
	F	17126	17320	17111	18455	18018	18998	19001	18837	19478	18233	19388	18163	17046	16702	18494
	P	30243	30351	30090	32303	31459	33208	32918	32895	33975	31671	33871	31438	29801	29029	31705
Dropsy, Ascites, Anasarca	M	85	74	69	48	44	36	60	36	23	16	24	18	13	8	14
	F	138	97	95	73	77	46	65	39	41	24	38	23	23	26	24
	P	223	171	164	121	121	82	125	75	64	40	62	41	36	34	38
Tumour	M	25	29	36	39	26	28	33	32	41	28	52	71	52	88	87
	F	58	53	50	50	54	40	60	52	56	48	68	72	81	88	114
	P	83	82	86	89	80	68	93	84	97	76	120	143	133	176	201
Abscess	M	173	182	184	162	129	140	151	208	137	131	119	154	157	169	203
	F	159	147	148	128	106	132	142	170	129	108	101	112	111	151	175
	P	332	329	332	290	235	272	293	378	266	239	220	266	268	320	378

* Including deaths of non-civilians.

TABLE 9 (formerly 19).—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*
Hæmorrhage	M	16	31	29	20	19	17	16	19	16	26	39	25	26	30	31
	F	12	25	14	15	17	15	19	16	17	26	24	21	25	23	22
	P	28	56	43	35	36	32	35	35	33	52	63	46	51	53	53
Sudden death (cause unascertained).	M	114	94	89	25	18	16	11	4	8	8	7	3	1	2	7
	F	61	83	53	20	12	8	8	11	11	6	2	1	1	2	1
	P	175	177	142	45	30	24	19	15	19	14	9	4	2	4	8
Other ill-defined causes ...	M	205	406	457	435	468	461	421	402	386	391	278	205	179	168	215
	F	155	298	362	342	386	326	291	277	272	243	187	150	136	161	190
	P	360	704	819	777	854	787	712	679	658	634	465	355	315	329	405
Causes not specified ...	M	672	336	146	152	129	96	111	88	71	102	96	78	78	64	64
	F	436	256	121	91	72	60	66	50	48	78	57	56	62	40	57
	P	1108	592	267	243	201	156	177	138	119	180	153	134	140	104	121
Violent Deaths :—																
In mines and quarries ...	M	1016	979	940	981	1113	1075	1084	1147	1367	1299	1491	1207	1174	1596	1168
	F	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—
	P	1017	979	941	981	1113	1077	1084	1147	1367	1299	1491	1207	1174	1596	1168
Vehicles and horses ...	M	2308	2209	2139	2103	2069	2133	2197	2131	1913	1987	2289	2364	2651	2783	3461
	F	382	324	330	337	355	377	349	356	346	409	462	473	568	580	752
	P	2690	2533	2469	2440	2424	2510	2546	2487	2259	2396	2751	2837	3219	3363	4213
Ships, boats, and docks (not drowning).	M	332	266	294	286	280	268	246	275	263	252	301	337	325	312	507
	F	2	1	3	—	3	2	1	3	1	1	1	1	3	3	—
	P	334	267	297	286	283	270	247	278	264	253	302	338	328	315	507
Building operations ...	M	185	205	210	203	233	233	243	227	166	199	203	206	222	264	211
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	185	205	210	203	233	233	243	227	166	199	203	206	222	264	211
Machinery	M	204	251	245	242	204	227	237	217	205	198	249	225	250	201	305
	F	12	12	13	8	15	11	8	10	8	11	13	6	8	8	9
	P	216	263	258	250	219	238	245	227	213	209	262	231	258	209	314
Weapons and implements	M	131	109	103	109	104	103	79	91	99	78	81	102	128	154	182
	F	18	9	11	18	8	11	12	10	10	11	12	22	17	21	26
	P	149	118	114	127	112	114	91	101	109	89	93	124	145	175	208
Burns and scalds ...	M	1224	1022	995	1014	1035	1079	1103	1067	1088	995	1052	972	941	936	1081
	F	1530	1457	1292	1369	1450	1527	1507	1583	1571	1330	1395	1412	1260	1339	1465
	P	2754	2479	2287	2383	2485	2606	2610	2650	2659	2325	2447	2384	2201	2275	2546
Poisons, poisonous vapours	M	305	334	290	324	312	341	329	362	368	322	215	220	201	207	193
	F	210	161	168	196	198	198	216	188	189	196	135	122	135	133	128
	P	515	495	458	520	510	539	545	550	557	518	350	342	336	340	321
Drowning	M	2358	1871	2109	2020	2069	1970	1888	2063	1793	1871	2233	2053	1999	2111	2257
	F	406	390	407	391	433	374	367	400	397	387	405	435	421	374	474
	P	2764	2261	2516	2411	2502	2344	2255	2463	2190	2258	2638	2488	2420	2485	2731
Suffocation	M	1026	1089	1022	1112	1027	984	1039	936	822	788	755	801	772	809	599
	F	938	950	936	972	855	893	864	890	760	731	699	760	681	666	507
	P	1964	2039	1958	2084	1882	1877	1903	1826	1582	1519	1454	1561	1453	1475	1106
Falls	M	1507	1504	1378	1380	1280	1372	1460	1392	1339	1282	1519	1604	1539	1579	1662
	F	1303	1172	1171	1158	1106	1190	1270	1238	1271	1074	1313	1341	1432	1408	1444
	P	2810	2676	2549	2538	2386	2562	2730	2630	2610	2356	2832	2945	2971	2987	3106
Weather agencies ...	M	300	171	163	200	163	215	127	176	144	136	456	193	172	195	186
	F	137	66	34	84	68	89	27	58	52	31	204	56	64	72	42
	P	437	237	197	284	231	304	154	234	196	167	660	249	236	267	228
Otherwise or not stated...	M	1145	938	911	928	940	866	863	924	816	882	776	776	681	704	914
	F	332	306	299	292	250	288	268	280	272	383	302	286	245	240	304
	P	1477	1244	1210	1220	1190	1154	1131	1204	1088	1265	1078	1062	926	944	1218
Battle	M	4	6	2	—	3	1	2	1	—	—	1	1	1	671	2115
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	47	89
	P	4	6	2	—	3	1	2	1	—	—	1	1	1	718	2204
Homicide...	M	161	131	137	176	133	140	139	152	132	140	153	145	140	133	129
	F	175	166	158	151	169	144	126	159	155	147	128	173	180	154	142
	P	336	297	295	327	302	284	265	311	287	287	281	318	320	287	271
Suicide	M	2318	2460	2640	2523	2683	2655	2632	2844	2683	2680	2655	2706	2596	2802	2029
	F	803	807	871	822	862	797	901	934	894	887	933	902	918	922	937
	P	3121	3267	3511	3345	3545	3452	3533	3778	3577	3567	3588	3608	3514	3724	2966
Execution	M	15	22	23	17	17	8	9	12	19	16	16	10	18	16	8
	F	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—
	P	15	22	25	18	17	8	10	12	19	16	16	10	18	16	8

* Including deaths of non-civilians.

TABLE 10 (formerly 20).—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1901–1915.—MALES, FEMALES, AND PERSONS.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡
All Causes	M	18112	17398	16540	17362	16281	16512	16046	15805	15480	14385	15569	14181	14780	14955	17732
	F	15791	15180	14444	15303	14382	14495	14229	13867	13821	12674	13662	12566	12872	13068	13936
	P	16914	16253	15457	16299	15300	15470	15108	14804	14623	13502	14585	13547	13795	13981	15653
PRINCIPAL SUMMARIZED HEADINGS.																
Small-pox	M	13	90	31	19	4	0	0	0	1	1	1	0	0	0	0
	F	9	60	15	11	4	1	0	0	0	0	1	0	0	0	0
	P	10	75	23	15	4	1	0	0	0	0	1	0	0	0	0
Diarrhœal diseases... ... (104 and 105, 1911 list approx.)*	M	1343	676	834	1235	897	1265	559	848	550	575	1421	358	796	716	680
	F	1105	558	695	1017	729	1057	440	685	439	445	1162	271	615	548	459
	P	1220	615	763	1122	809	1158	492	763	493	507	1286	313	704	629	559
Venereal diseases	M	?	60	62	64	62	57	58	56	57	56	60	63	68	70	68
	F	?	46	50	48	47	45	40	43	40	38	44	42	48	49	42
	P	?	52	56	55	54	51	49	49	49	47	52	52	58	59	54
Puerperal septic diseases ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	122	118	97	95	99	93	82	77	78	69	72	68	62	76	66
	P	64	61	51	49	51	48	41	39	40	36	37	35	32	39	35
Pneumonia (all forms) ...	M	1371	1664	1428	1485	1525	1422	1574	1392	1502	1302	1234	1208	1214	1284	1687
	F	937	1169	1030	1099	1100	1026	1147	997	1114	932	864	854	853	899	1087
	P	1147	1409	1222	1285	1305	1217	1353	1188	1301	1110	1043	1026	1028	1085	1359
Septicæmia, pyæmia ...	M	17	22	21	19	21	21	22	20	17	14	17	18	16	20	20
	F	9	14	13	12	14	17	13	12	11	10	9	10	9	10	10
	P	13	18	17	16	18	19	18	16	13	11	13	14	13	15	15
Phthisis ... ... (28 and 29A, 1911 list.)	M	1488	1457	1430	1462	1352	1364	1349	1318	1280	1186	1233	1199	1163	1197	1410
	F	1055	1026	995	1034	953	964	959	941	913	855	900	855	825	860	910
	P	1264	1234	1206	1241	1146	1157	1148	1123	1091	1015	1061	1021	989	1022	1136
Tuberculosis (all forms) ...	M	2087	2006	2016	2057	1886	1895	1857	1834	1762	1644	1669	1575	1561	1570	1851
	F	1546	1495	1492	1530	1411	1430	1390	1371	1323	1237	1277	1181	1154	1163	1235
	P	1807	1742	1747	1784	1639	1654	1617	1595	1537	1434	1467	1372	1352	1360	1514
Cancer (all forms)... ...	M	691	696	733	741	759	798	787	818	833	856	891	917	955	971	1076
	F	985	986	1006	1010	1011	1038	1035	1036	1082	1070	1086	1122	1164	1161	1158
	P	842	846	874	879	889	922	915	931	962	967	992	1023	1064	1069	1121
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy, hemiplegia).	M	1462	1401	1305	1309	1195	1183	1095	1085	1044	961	958	858	859	850	973
	F	1097	1043	989	980	916	890	855	820	782	730	718	638	652	631	644
	P	1274	1215	1142	1140	1049	1032	971	947	908	841	837	745	753	737	789
Diseases of heart	M	1438	1440	1391	1429	1380	1407	1445	1407	1405	1348	1346	1391	1454	1453	1819
	F	1516	1482	1426	1516	1460	1436	1490	1431	1467	1373	1389	1460	1478	1526	1640
	P	1479	1462	1409	1472	1423	1420	1468	1418	1437	1361	1367	1426	1466	1490	1721
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia).	M	857	850	820	847	835	858	883	887	914	882	931	992	1048	1084	1269
	F	883	869	860	875	843	892	901	894	925	890	951	995	1032	1070	1106
	P	871	860	839	862	839	874	893	890	919	886	943	993	1040	1078	1180
Diseases of respiratory system (including croup but excluding pneumonia).	M	1747	1645	1421	1542	1427	1313	1481	1354	1392	1215	1246	1312	1309	1315	1822
	F	1618	1537	1273	1442	1333	1214	1403	1274	1362	1101	1152	1234	1184	1230	1501
	P	1680	1590	1343	1491	1378	1263	1440	1312	1375	1156	1198	1271	1243	1270	1648
Diseases of liver and gall bladder.	M	236	214	197	191	185	180	174	165	168	149	148	147	153	159	162
	F	206	184	177	174	174	170	167	152	143	138	144	138	145	147	132
	P	220	198	188	183	179	175	170	158	155	143	146	142	149	153	146
Diseases of digestive system.†	M	1049	865	869	907	830	914	800	846	814	791	980	740	891	900	952
	F	967	813	811	839	791	826	741	773	716	712	868	644	764	775	736
	P	1005	838	842	871	811	870	769	807	763	750	921	688	828	835	833
Nephritis and Bright's disease.	M	443	417	412	437	419	434	443	432	443	429	437	444	473	470	533
	F	341	328	336	345	336	346	361	333	369	353	369	369	383	394	391
	P	390	371	373	389	376	389	400	391	404	389	402	405	426	431	455
Diseases of generative and mammary organs.	M	5	4	3	4	3	4	3	2	3	4	4	4	5	7	6
	F	70	67	66	64	67	64	63	57	56	51	57	52	53	53	53
	P	38	36	36	34	36	34	32	30	31	29	33	30	29	30	32
Diseases of pregnancy and childbirth (not septic).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	137	130	128	116	124	120	115	108	106	104	101	106	110	107	101
	P	71	65	66	60	64	62	60	56	54	53	52	56	58	54	56
All diseases of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	259	248	225	211	223	213	197	185	184	173	173	174	172	183	167
	P	135	126	117	109	115	110	101	95	94	89	89	91	90	93	91
Causes ill-defined or not specified.	M	1615	1519	1477	1496	1424	1440	1375	1379	1348	1243	1307	1140	1128	1062	1215
	F	1596	1528	1497	1550	1465	1500	1447	1430	1432	1326	1389	1240	1199	1136	1207
	P	1608	1523	1484	1530	1445	1475	1415	1413	1391	1288	1348	1188	1161	1103	1211
Violent deaths	M	922	850	844	836	830	823	816	822	773	759	826	788	780	865	853
	F	371	343	331	332	329	332	329	336	324	305	322	316	314	312	326
	P	636	589	580	574	571	571	565	572	543	522	565	545	538	581	564

* *See* note to Diarrhœa due to Food.

† Including some of the headings classed under Diarrhœal Diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic). and Gastro-enteritis. *See also* note to Hernia.

‡ Based upon Civil deaths and Civil population.

TABLE 10 (formerly 20).—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†
DETAILED HEADINGS.																
Small-pox — Vaccinated ...	M	5	33	6	3	1	—	0	—	0	0	0	0	—	—	0
	F	4	17	1	1	1	—	—	—	0	—	0	0	0	0	0
	P	4	25	4	2	1	—	0	—	0	0	0	0	0	0	0
Small-pox — Not Vaccinated.	M	4	25	7	5	0	0	0	—	0	0	0	0	0	0	0
	F	3	23	4	3	1	—	0	—	0	0	0	0	0	0	0
	P	3	24	5	4	1	0	0	—	0	0	0	0	0	0	0
Small-pox — Doubtful ...	M	4	32	18	11	3	0	0	0	1	1	0	—	0	0	—
	F	2	20	10	7	2	1	0	0	—	0	0	—	—	—	0
	P	3	26	14	9	2	1	0	0	0	0	0	—	0	0	0
Cow-pox and other effects of vaccination.	M	0	1	1	1	1	1	0	0	0	0	1	0	0	0	0
	F	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0
	P	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0
Chicken-pox	M	4	4	4	3	3	4	4	3	3	3	2	2	2	3	2
	F	3	4	3	3	2	2	3	3	2	2	2	2	2	3	3
	P	4	4	3	3	3	3	3	3	3	3	2	2	2	3	3
Measles (Morbilli) ...	M	302	416	292	387	342	286	392	243	377	249	392	377	314	263	530
	F	253	370	259	344	311	265	337	213	336	216	335	329	269	233	406
	P	277	392	275	365	326	275	364	228	356	232	363	352	291	247	462
German measles	M	2	1	1	1	1	1	1	1	1	0	1	1	1	1	2
	F	2	1	1	1	1	1	1	1	1	0	1	1	1	1	2
	P	2	1	1	1	1	1	1	1	1	0	1	1	1	1	2
Scarlet fever	M	139	155	132	116	117	108	98	82	97	68	54	56	60	78	71
	F	128	141	118	108	109	95	88	79	85	64	51	54	55	76	61
	P	133	148	125	112	113	101	93	80	91	66	52	55	57	77	66
Typhus	M	1	2	2	1	1	0	1	0	1	0	0	0	0	0	0
	F	1	1	2	1	1	0	1	0	0	—	0	0	—	0	0
	P	1	2	2	1	1	0	1	0	0	0	0	0	0	0	0
Plague	M	1	0	—	0	0	—	—	0	—	0	—	0	—	0	—
	F	0	—	—	—	—	—	—	—	—	0	—	—	—	0	—
	P	0	0	—	0	0	—	—	0	—	0	—	0	—	0	—
Relapsing fever	M	0	0	—	—	0	0	—	0	—	0	—	—	—	0	0
	F	0	0	—	0	0	—	0	0	—	0	—	—	—	—	—
	P	0	0	—	0	0	0	0	0	—	0	—	—	—	0	0
Influenza	M	185	229	190	171	206	188	264	285	251	188	127	152	190	173	319
	F	164	219	189	167	203	180	269	290	256	176	113	142	160	150	271
	P	174	224	190	169	205	184	267	288	254	182	120	147	174	161	293
Whooping cough	M	290	281	269	322	241	224	268	255	183	223	195	211	136	201	231
	F	334	313	302	382	271	259	321	304	221	267	237	248	161	233	230
	P	313	298	286	353	256	242	296	280	203	246	217	230	149	218	230
Mumps	M	3	3	3	3	3	3	3	3	3	3	3	1	2	3	2
	F	3	2	2	3	3	3	4	4	3	3	3	1	1	3	2
	P	3	3	3	3	3	3	3	3	3	3	3	1	2	3	2
Diphtheria	M	277	235	183	173	160	177	166	160	147	117	139	119	121	161	177
	F	269	239	182	169	161	179	164	156	148	122	132	117	121	155	155
	P	273	237	183	170	161	178	165	158	148	120	135	118	121	158	165
Cerebro-spinal fever ...	M	2	3	2	3	4	2	6	4	4	4	5	5	5	6	46
	F	2	1	2	2	3	2	3	3	4	3	3	3	4	4	32
	P	2	2	2	2	4	2	5	3	4	4	4	4	4	5	39
Pyrexia (origin uncertain)	M	3	3	2	2	1	1	1	1	0	0	0	0	0	0	0
	F	3	3	3	2	2	1	1	1	0	0	0	0	0	0	0
	P	3	3	2	2	2	1	1	1	0	0	0	0	0	0	0
Enteric fever	M	185	150	120	113	106	111	82	95	74	60	81	52	51	57	43
	F	127	103	82	76	74	75	54	57	48	46	53	36	32	36	29
	P	155	126	101	93	90	92	68	75	60	53	67	44	41	46	35
Asiatic cholera	M	—	—	—	—	—	—	—	—	0	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	—	—	0	—	—	—	—	—	—
Diarrhœa due to food* ...	M	2	3	3	4	7	10	7	9	9	8	?	?	?	?	?
	F	2	3	2	3	6	7	5	8	7	6	?	?	?	?	?
	P	2	3	3	3	6	9	6	8	8	7	?	?	?	?	?

* Called Food, Ptomaine poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhœa in artificially fed children. From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhœa.

† Based upon Civil deaths and Civil population.

TABLE 10 (formerly 20).—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‖
Infective enteritis, Epidemic diarrhœa.*	M	397	166	260	551	382	579	164	320	153	172	648	81	281	247	219
	F	333	133	207	459	302	484	129	260	123	132	529	63	226	191	144
	P	364	149	233	504	340	530	146	289	137	151	586	72	253	218	178
Diarrhœa (not otherwise defined).	M	608	296	337	402	275	371	166	245	153	152	365	76	192	158	145
	F	496	245	287	333	229	316	131	196	126	120	304	64	150	126	101
	P	550	270	311	366	251	342	148	220	139	135	333	70	171	141	121
Dysentery	M	11	9	11	10	7	9	7	8	7	7	8	5	6	7	12
	F	8	6	8	7	5	8	6	6	7	6	9	5	6	8	14
	P	10	8	9	9	6	9	7	7	7	7	8	5	6	7	13
Tetanus†	M	3	9	12	12	11	12	10	8	10	9	9	8	8	9	7
	F	1	3	4	4	3	3	3	2	3	2	2	2	2	2	1
	P	2	6	8	8	7	7	7	5	6	6	6	5	5	5	4
Malaria	M	6	6	4	6	4	3	4	3	4	3	3	3	3	3	3
	F	1	1	1	1	0	1	0	0	1	0	0	0	0	0	1
	P	3	3	2	3	2	2	2	2	2	1	2	2	2	2	2
Rabies, Hydrophobia ...	M	—	0	—	—	—	—	—	—	—	0	0	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	0	—	—	—	—	—	—	—	0	0	—	—	—	—
Glanders	M	0	0	0	0	0	0	0	0	0	0	0	—	0	0	—
	F	—	—	0	—	0	—	—	—	—	—	—	—	—	0	—
	P	0	0	0	0	0	0	0	0	0	0	0	—	0	0	—
Anthrax (Splenic fever) ...	M	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1
	F	0	0	0	0	0	0	0	0	—	0	0	—	0	—	0
	P	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0
Syphilis	M	61	59	61	62	61	56	57	55	56	55	60	62	67	69	67
	F	45	45	49	47	46	44	39	42	39	37	43	41	47	48	41
	P	53	51	55	54	53	50	48	48	48	46	51	51	57	58	53
Gonorrhœa‡	M	22	1	1	2	1	1	1	1	1	1	0	1	1	1	1
	F	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Puerperal septicæmia, Puerperal septic intoxication.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	88	86	73	72	74	69	59	57	58	52	54	49	46	58	48
	P	46	44	38	37	38	36	30	29	30	27	28	25	24	30	26
Puerperal pyæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	3	2	2		4	6	5	6	5	5	6	5	6	5
	P	1	2	1	1	2	2	3	3	3	3	2	3	2	3	3
Phlegmasia alba dolens ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	6	5	5	6	6	5	5	4	3	4	3	3	3	3
	P	2	3	3	3	3	3	2	2	2	2	2	2	2	2	1
Puerperal fever (not otherwise defined).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	28	23	17	16	16	14	12	10	10	9	9	10	8	9	10
	P	15	12	9	8	8	7	6	5	5	4	5	5	4	4	5
Infective endocarditis ...	M	11	12	11	12	13	14	13	15	15	14	15	17	16	18	14
	F	12	11	12	11	12	13	15	15	15	15	17	17	17	17	15
	P	11	12	12	12	13	13	14	15	15	15	16	17	16	18	14
Pneumonia — Lobar§ ...	M	91	137	125	144	181	188	199	178	217	195	267	276	280	310	380
	F	48	76	69	89	109	106	114	98	129	103	150	155	156	173	212
	P	69	105	96	115	144	145	155	137	171	147	207	214	216	239	288
Pneumonia — Broncho- ...	M	509	626	576	634	610	545	670	604	604	538	509	513	531	560	769
	F	415	507	474	522	500	463	563	483	516	446	420	441	442	459	557
	P	460	565	523	576	553	503	614	541	559	490	463	476	485	508	653
Pneumonia — Epidemic§	M	3	0	0	—	0	0	0	0	1	0	?	?	?	?	?
	F	2	0	0	—	0	0	0	0	0	0	?	?	?	?	?
	P	3	0	0	—	0	0	0	0	0	0	?	?	?	?	?
Pneumonia — Not defined	M	768	901	727	707	734	689	705	610	680	569	458	419	403	414	538
	F	472	586	487	488	491	457	470	416	469	383	294	258	255	267	318
	P	615	739	603	594	608	569	584	510	571	473	373	336	327	338	418
Erysipelas	M	38	42	35	38	39	39	32	26	31	25	27	28	24	33	35
	F	33	36	30	34	35	32	27	22	27	21	26	22	19	28	25
	P	36	39	32	36	37	35	30	24	29	23	27	25	22	30	30
Septicæmia, Septic intoxication (not puerperal).	M	10	13	12	13	13	14	16	15	12	10	12	14	13	16	16
	F	6	9	10	9	10	12	9	9	9	7	7	8	7	8	8
	P	8	11	11	11	12	13	13	12	10	8	10	11	10	12	12
Pyæmia (not puerperal) ...	M	7	9	9	6	8	7	6	5	5	4	5	4	3	4	4
	F	3	5	3	3	4	5	4	3	2	3	2	2	2	2	2
	P	5	7	6	5	6	6	5	4	3	3	3	3	3	3	3

* Including deaths from Diarrhœa due to food from 1911 onwards.

† Owing to changes of classification the deaths included under Tetanus in 1902 and subsequent years are not comparable with those in earlier years.

‡ Includes deaths from Stricture of the Urethra in 1901. *See also* note to "Other diseases of the urinary system."

§ From 1911 onwards, deaths from Epidemic pneumonia are included under Lobar pneumonia.

‖ Based upon Civil deaths and Civil population.

TABLE 10 (formerly 20).—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914	1915.†
Phlegmon, Carbuncle (not anthrax).	M	26	28	26	28	28	31	28	26	29	24	25	25	24	29	31
	F	18	20	17	15	18	18	17	14	18	15	15	14	15	17	16
	P	22	24	21	21	23	24	22	20	23	19	20	19	19	23	23
Phagedæna	M	2	1	1	1	2	1	1	1	1	0	—	0	—	—	0
	F	1	1	1	1	1	1	1	1	1	0	—	—	0	0	0
	P	1	1	1	1	2	1	1	1	1	0	—	0	0	0	0
Other infective processes...	M	6	2	3	5	6	8	8	8	9	8	9	6	8	8	8
	F	7	4	7	3	5	5	4	4	5	3	4	3	4	4	4
	P	7	3	5	4	6	6	6	6	7	6	6	4	6	6	6
Pulmonary tuberculosis (tuberculous phthisis).	M	275	393	515	595	607	651	673	691	707	693	762	799	810	847	1001
	F	192	248	322	384	397	427	450	465	467	476	532	556	558	597	641
	P	232	318	416	486	498	535	558	574	583	581	643	673	680	718	804
Phthisis (not otherwise defined).	M	1213	1064	915	867	745	713	676	627	573	493	471	400	353	350	409
	F	863	778	673	650	556	537	509	476	446	379	368	299	267	263	269
	P	1032	916	790	755	648	622	590	549	508	434	418	348	309	304	332
Tuberculous meningitis ...	M	199	194	212	206	194	188	184	180	172	167	155	146	151	139	171
	F	167	169	179	174	165	168	156	155	154	140	136	129	124	114	131
	P	183	181	195	189	179	178	170	167	163	153	145	137	137	126	149
Tuberculous peritonitis ...	M	94	93	111	122	109	116	106	113	107	105	98	78	92	84	101
	F	87	87	101	110	103	109	97	102	92	94	88	72	81	76	78
	P	90	90	106	116	106	112	102	108	99	99	93	75	87	80	89
Tabes mesenterica ...	M	112	82	71	65	48	40	32	33	28	24	24	15	19	16	16
	F	85	61	53	48	35	33	24	24	21	20	20	13	13	12	10
	P	98	71	62	56	41	36	28	28	25	22	22	14	16	14	13
Lupus	M	2	1	1	2	1	1	2	1	1	1	1	1	1	1	1
	F	2	3	3	2	3	3	3	2	3	2	2	2	2	2	1
	P	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1
Tubercle of other organs...	M	42	42	52	59	57	62	57	58	62	72	51	50	48	49	53
	F	28	30	36	40	41	44	42	36	44	51	41	34	38	32	36
	P	35	36	44	49	48	53	49	46	53	61	46	42	43	40	44
General tuberculosis ...	M	139	133	135	138	123	122	126	130	111	88	107	86	87	84	99
	F	112	114	122	118	109	108	108	111	95	74	90	76	71	67	68
	P	125	123	128	128	115	115	117	120	103	81	98	81	79	77	82
Scrofula	M	11	4	4	3	2	2	1	1	1	1	0	0	0	0	0
	F	10	5	3	4	2	1	1	0	1	1	0	0	0	0	1
	P	10	5	4	3	2	1	1	1	1	1	0	0	0	0	0
Parasitic diseases	M	11	9	10	10	9	11	8	8	7	6	8	5	7	6	5
	F	10	8	9	8	6	7	6	6	6	4	6	5	5	4	4
	P	11	8	9	9	7	9	7	7	6	5	7	5	6	5	5
Starvation	M	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
	F	0	1	1	1	0	1	0	0	1	0	0	1	0	0	1
	P	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1
Scurvy	M	1	1	1	1	1	2	1	1	2	1	1	1	1	1	1
	F	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
	P	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Alcoholism, Delirium tremens.	M	113	105	92	86	79	81	79	65	58	50	57	55	62	64	53
	F	80	65	63	55	52	53	49	45	37	34	34	36	42	43	35
	P	96	84	77	70	65	66	63	55	47	42	45	45	52	53	43
Opium, Morphia-habit ...	M	0	0	1	0	0	0	0	0	0	0	0	1	0	0	1
	F	0	1	0	0	1	0	0	0	1	0	0	0	0	0	1
	P	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Industrial poisoning. By Lead ...	M	6	5	5	5	5	4	5	6	5	5	6	6	5	4	4
	F	0	0	0	0	0	0	0	0	0	0	0	—	0	—	—
	P	3	3	3	3	2	2	3	3	3	2	3	3	2	2	2
Industrial poisoning. By Phosphorus.	M	—	0	—	—	—	—	0	—	—	—					
	F	—	0	—	0	—	—	—	—	—	—					
	P	—	0	—	0	—	—	0	—	—	—	0	0	—	0	0
Industrial poisoning. By Arsenic and other poisons.	M	0	0	0	0	0	0	0	0	0	—	—	0	—	—	0
	F	—	—	—	—	—	—	—	—	—	—	0	0	—	0	0
	P	0	0	0	0	0	0	0	0	0	—					
Rheumatic fever, Acute rheumatism.	M	70	68	54	55	62	66	58	51	56	46	52	52	47	54	62
	F	63	62	54	51	63	64	59	51	55	48	57	56	49	57	58
	P	67	65	54	53	62	65	58	51	56	47	54	54	48	56	60
Rheumatism of heart* ...	M	19	17	15	15	10	8	11	9	9	8	?	?	?	?	?
	F	19	21	19	20	11	11	13	11	11	10	?	?	?	?	?
	P	19	19	17	17	10	10	12	10	10	9	?	?	?	?	?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.
† Based upon Civil deaths and Civil population.

TABLE 10 (formerly 20).—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*
Chronic rheumatism ...	M	21	12	13	14	10	9	10	11	10	8	9	8	10	10	12
	F	27	18	15	15	15	14	15	14	15	12	13	11	12	13	15
	P	24	15	14	14	13	11	13	13	12	10	11	10	11	11	14
Rheumatoid arthritis, Rheumatic gout.	M	18	18	17	17	15	16	18	14	17	17	18	18	18	18	26
	F	33	31	35	38	37	39	38	39	43	40	42	44	47	47	53
	P	26	25	27	28	26	28	28	27	31	29	30	32	33	33	41
Gout	M	26	24	23	25	20	22	22	20	19	18	19	16	17	16	19
	F	6	6	6	5	5	5	5	5	4	4	3	4	4	3	5
	P	16	15	14	15	12	13	13	12	11	11	11	10	10	10	11
Carcinoma	M	301	318	357	376	391	419	411	440	455	483	521	564	592	615	678
	F	472	498	528	540	550	575	598	601	641	647	667	719	773	775	770
	P	389	411	445	460	473	500	508	523	551	568	597	644	686	698	728
Sarcoma	M	54	53	58	55	58	59	62	62	63	64	70	67	72	68	74
	F	49	50	50	49	48	51	45	46	49	52	49	52	53	53	50
	P	51	51	54	52	53	55	53	54	56	58	59	59	62	60	61
Cancer, Malignant disease (not otherwise defined).	M	336	325	318	310	310	320	314	316	315	309	300	286	291	288	324
	F	464	438	428	421	413	412	392	389	392	371	370	351	338	333	338
	P	402	384	375	367	363	367	354	354	355	341	336	320	316	311	332
Rickets	M	52	49	61	66	48	47	42	41	39	36	31	25	32	30	33
	F	33	35	39	43	35	34	31	27	25	24	23	17	20	20	17
	P	42	42	50	54	41	40	36	34	32	30	27	21	26	25	24
Purpura	M	9	9	9	8	8	7	9	9	9	8	9	7	10	9	9
	F	9	9	9	9	7	8	9	8	8	8	8	10	7	9	10
	P	9	9	9	9	8	7	9	8	9	8	9	8	9	9	10
Hæmophilia, Hæmorrhagic diathesis.	M	3	4	3	4	3	3	3	3	3	4	4	4	4	4	5
	F	2	2	2	2	2	2	3	1	2	1	2	2	2	2	2
	P	2	3	2	3	3	2	3	2	3	2	3	3	3	3	3
Anæmia, Leucocythæmia...	M	49	50	47	48	51	54	60	57	58	64	59	62	65	69	82
	F	68	62	60	61	62	65	66	66	67	71	70	73	75	83	86
	P	59	56	54	55	57	60	63	62	63	68	65	68	70	76	84
Diabetes mellitus	M	99	92	88	99	104	105	104	108	111	114	111	117	120	126	142
	F	83	77	83	87	84	91	91	97	98	106	103	105	116	118	120
	P	91	84	85	93	93	97	97	103	104	110	106	111	118	122	130
Premature birth	M	662	669	671	680	634	648	608	621	596	567	568	548	553	544	545
	F	482	485	481	490	481	468	447	447	437	420	416	395	416	399	347
	P	569	574	573	582	555	555	525	531	514	491	489	469	482	469	436
Congenital hydrocephalus			16	17	15	15	13	11	13	12	10	10	10	12	13	13
			9	11	9	7	9	8	9	7	7	8	6	7	7	8
	M	143	12	14	12	11	11	9	11	9	8	9	8	10	10	10
	F	108														
	P	125	143	145	147	152	155	152	156	147	147	141	140	151	144	158
Other congenital defects			99	105	110	114	118	110	114	114	106	106	101	107	107	102
			120	124	128	132	136	130	135	130	125	123	120	128	125	128
Injury at birth	M	24	24	26	28	25	31	29	34	33	28	30	32	36	36	35
	F	13	15	16	18	17	19	18	20	21	20	21	19	23	21	19
	P	18	20	21	23	21	25	24	27	27	24	25	26	29	28	26
Atelectasis	M	44	48	47	46	50	52	55	54	51	50	49	49	53	51	51
	F	29	29	33	33	35	34	36	38	35	37	34	32	32	32	27
	P	36	38	39	39	42	42	45	45	43	43	41	40	42	41	38
Want of breast milk ...	M	20	20	26	23	23	26	26	26	22	17	17	14	18	14	20
	F	14	15	18	18	16	18	18	18	16	13	13	8	11	12	10
	P	17	17	22	21	19	22	22	22	19	15	15	11	15	13	14
Teething	M	111	111	112	98	78	72	70	63	58	52	44	38	46	40	54
	F	90	84	85	79	60	55	51	50	42	38	36	30	36	33	36
	P	100	97	98	88	69	63	60	56	50	45	40	34	41	36	44
Meningitis, Inflammation of brain	M	240	221	210	209	197	199	172	177	169	153	167	126	131	133	146
	F	195	179	172	166	160	152	142	138	133	127	133	102	110	106	105
	P	217	199	190	187	178	175	156	157	151	140	150	114	120	119	124
Softening of brain... ...	M	72	70	72	74	67	70	69	70	64	62	54	45	41	39	45
	F	61	56	59	61	62	61	63	63	56	54	52	43	39	39	39
	P	66	63	65	67	64	65	66	66	60	58	53	44	40	39	41
General paralysis of insane	M	110	105	98	110	106	107	106	101	106	100	100	102	97	102	111
	F	32	34	32	33	31	32	31	28	30	27	23	24	21	22	22
	P	70	68	64	71	67	68	67	63	67	62	60	62	58	61	62
Insanity (not puerperal) ...	M	38	49	44	53	54	57	57	55	58	54	61	63	56	55	70
	F	45	56	55	61	67	68	70	68	64	62	76	77	68	73	77
	P	42	52	50	57	61	63	64	62	61	58	69	70	62	64	74

* Based upon Civil deaths and Civil population.

TABLE 10 (formerly 20).—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡
Chorea	M	4	3	3	2	2	2	2	2	2	2	2	2	2	2	3
	F	8	6	6	5	7	7	7	5	7	6	5	6	6	7	6
	P	6	5	4	4	4	5	4	4	5	4	4	4	4	5	4
Epilepsy	M	97	100	99	95	91	89	87	81	86	81	80	81	81	85	101
	F	80	83	85	78	80	74	75	72	73	70	66	70	69	68	74
	P	88	91	92	86	85	81	81	76	79	75	73	76	75	76	86
Convulsions...	M	625	592	537	516	449	428	390	386	344	307	290	252	257	232	260
	F	465	419	376	361	317	306	280	272	242	221	202	168	184	158	159
	P	542	502	454	436	380	365	333	327	291	262	245	205	219	194	204
Laryngismus stridulus ...	M	18	17	15	13	14	11	11	14	9	7	8	7	8	9	10
	F	11	10	11	10	8	7	7	6	7	6	6	3	5	5	5
	P	14	13	13	12	11	9	9	10	8	7	7	5	7	7	7
Locomotor ataxy	M	22	26	26	25	27	28	27	28	29	28	30	31	35	34	39
	F	4	4	5	6	6	6	7	6	7	5	6	6	6	6	6
	P	13	15	15	15	16	16	17	17	17	16	18	18	20	19	21
Paraplegia, Diseases of cord	M	80	69	71	74	68	67	61	65	67	67	64	57	53	59	68
	F	60	56	55	57	55	54	53	56	52	51	46	42	46	47	47
	P	70	62	63	65	61	60	57	60	59	59	55	49	50	53	56
Neuritis, Peripheral, Polyneuritis.	M	3	8	7	8	6	8	8	8	7	7	7	5	7	7	9
	F	5	13	18	17	16	18	19	15	15	14	16	13	14	14	12
	P	4	11	12	12	11	13	14	11	11	11	12	9	11	10	10
Brain tumour (not specific)	M	13	20	22	20	22	23	23	22	23	23	21	22	22	25	30
	F	11	16	15	19	19	20	21	20	21	22	17	20	22	24	26
	P	12	18	19	20	21	22	22	21	22	22	19	21	22	25	28
Other diseases of nervous system.	M	140	121	101	110	92	94	82	76	80	70	74	65	69	68	81
	F	120	111	100	106	88	85	80	71	75	65	70	64	62	62	66
	P	130	116	101	108	90	90	81	73	77	67	72	64	65	65	72
Otitis, Mastoid disease ...	M	31	30	35	38	38	39	36	34	38	33	34	33	38	37	40
	F	26	25	26	25	28	28	28	25	24	24	28	24	25	30	27
	P	29	28	30	31	33	33	32	29	31	28	31	28	31	33	33
Epistaxis, Diseases of nose	M	3	3	2	3	2	2	2	2	2	2	3	3	3	3	2
	F	2	2	3	2	2	1	2	2	2	2	4	2	3	3	2
	P	2	2	2	2	2	2	2	2	2	2	3	3	3	3	2
Ophthalmia, Diseases of eye	M	3	2	3	2	2	2	2	1	2	1	3	2	2	3	3
	F	2	1	2	2	2	2	2	1	1	2	3	2	2	3	2
	P	2	2	2	2	2	2	2	1	2	2	3	2	2	3	2
Valvular disease, Endocarditis (not infective).*	M	363	380	383	410	415	432	444	448	455	446	475	545	586	600	745
	F	402	408	422	452	458	468	495	482	505	489	532	612	632	670	718
	P	383	395	403	431	437	450	470	465	481	468	505	579	609	636	730
Pericarditis	M	21	14	14	14	14	14	16	14	13	14	18	15	14	15	16
	F	18	12	12	11	13	11	12	11	10	11	13	11	9	10	12
	P	20	13	13	12	13	12	14	12	12	12	15	13	12	12	14
Hypertrophy of heart† ...	M	8	10	10	9	8	9	9	11	8	8	?	?	?	?	?
	F	5	6	5	6	5	5	4	5	5	3	?	?	?	?	?
	P	6	8	7	7	7	7	6	8	6	6	?	?	?	?	?
Angina pectoris	M	29	30	29	31	32	35	36	36	37	41	41	42	44	44	52
	F	13	15	14	14	17	18	18	17	18	16	19	19	19	21	21
	P	21	22	21	22	25	26	27	26	27	28	29	30	31	32	35
Dilatation of heart† ...	M	65	80	80	88	90	93	104	98	103	92	?	?	?	?	?
	F	70	78	76	92	90	89	99	93	97	87	?	?	?	?	?
	P	67	79	78	90	90	91	101	95	100	89	?	?	?	?	?
Fatty degeneration of heart	M	55	60	59	61	63	63	67	67	62	66	70	79	85	82	93
	F	63	67	65	71	70	75	76	78	78	69	79	91	97	94	93
	P	60	64	62	66	67	68	72	73	70	68	74	85	91	88	93
Syncope, Heart disease (not specified).†	M	897	866	816	816	758	761	769	733	727	681	742	710	725	712	913
	F	945	896	832	870	807	770	786	745	754	698	746	727	721	731	796
	P	922	881	825	844	784	766	778	739	741	690	744	719	723	722	849
Cerebral hæmorrhage, Cerebral embolism.	M	307	346	370	398	404	422	441	464	467	463	470	494	519	531	624
	F	350	382	433	447	462	495	510	525	543	534	553	583	604	623	639
	P	329	365	402	423	434	459	477	496	506	500	513	540	563	578	632
Apoplexy, Hemiplegia ...	M	383	336	286	268	242	238	229	217	211	191	210	196	189	181	212
	F	425	378	325	318	272	275	263	246	245	221	245	231	210	209	222
	P	405	358	306	294	258	257	247	232	228	206	228	214	200	196	218

* For 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).

† For 1911 and subsequent years, deaths from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope, Heart disease (not specified).

‡ Based upon Civil deaths and Civil population.

TABLE 10 (formerly 20).—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*
Aneurysm	M	49	53	53	53	55	53	56	51	55	52	53	55	52	50	52
	F	12	13	11	13	11	12	11	11	12	12	12	10	12	12	13
	P	30	32	31	32	32	32	33	30	33	31	32	31	32	31	31
Senile gangrene	M	47	45	44	46	47	47	47	47	49	44	42	40	41	40	49
	F	39	40	37	38	35	36	37	36	39	35	35	31	32	33	33
	P	43	42	40	42	41	41	42	41	44	39	39	35	36	37	40
Embolism, Thrombosis (not cerebral).	M	16	14	11	11	10	11	14	11	12	10	10	10	11	12	13
	F	20	16	14	15	14	15	16	15	15	12	14	13	13	15	12
	P	18	16	13	13	12	13	15	13	13	11	12	12	12	13	12
Phlebitis	M	4	3	4	3	4	3	3	2	3	2	3	4	3	3	4
	F	6	6	6	5	5	5	5	5	5	5	4	6	6	6	5
	P	5	4	5	4	4	4	4	4	4	4	4	5	4	5	5
Varicose veins	M	2	2	2	3	2	1	2	1	2	2	2	2	2	3	3
	F	4	4	4	4	5	5	4	4	4	4	5	6	6	6	5
	P	3	3	3	4	3	3	3	2	3	3	4	4	4	5	4
Other diseases of blood vessels.	M	49	51	50	65	71	83	91	94	115	118	141	191	231	264	312
	F	27	30	30	35	39	49	55	52	62	67	83	115	149	166	177
	P	38	40	39	50	55	65	72	72	88	92	111	152	189	213	238
Laryngitis	M	46	43	38	38	35	35	38	30	33	28	31	27	26	28	34
	F	41	38	29	29	28	27	27	25	23	21	23	19	19	21	22
	P	43	41	33	34	31	31	32	27	28	24	27	23	22	24	28
Membranous laryngitis (not diphtheritic).	M	1	1	1	2	1	2	1	1	1	1	1	0	1	1	0
	F	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0
	P	1	1	1	1	1	1	1	1	1	1	1	0	0	1	0
Croup (not spasmodic nor membranous).	M	28	22	15	16	16	16	12	10	8	3	2	2	1	1	1
	F	23	16	12	12	12	11	10	8	6	1	2	1	1	1	1
	P	25	18	13	14	14	13	11	9	7	2	2	1	1	1	1
Other diseases of larynx and trachea.	M	2	1	1	2	2	2	1	1	1	1	1	1	1	1	1
	F	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
	P	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1
Bronchitis	M	1383	1339	1148	1262	1154	1049	1217	1109	1133	986	1006	1072	1082	1074	1526
	F	1349	1311	1085	1241	1137	1031	1216	1093	1171	941	985	1069	1026	1061	1317
	P	1366	1325	1115	1251	1145	1040	1216	1101	1152	963	995	1070	1053	1067	1412
Emphysema, Asthma ...	M	88	57	49	59	55	55	62	58	64	56	63	69	70	74	105
	F	57	39	30	38	37	35	38	38	46	36	41	44	43	47	59
	P	72	48	39	48	46	45	50	48	54	45	52	56	56	60	80
Pleurisy	M	61	48	46	43	50	44	44	42	48	44	48	49	44	49	53
	F	41	35	32	31	31	29	33	29	32	28	32	31	29	32	33
	P	51	41	39	37	40	37	38	35	40	36	39	40	36	40	42
Fibroid disease of lung ...	M	30	32	29	25	25	25	29	24	25	20	14	14	14	15	14
	F	11	10	8	10	8	7	9	9	9	6	4	4	4	4	3
	P	20	21	18	18	16	15	19	16	16	13	9	9	9	9	8
Other diseases of respiratory system.	M	108	102	94	95	89	85	77	79	79	76	80	78	70	72	88
	F	94	86	75	79	77	72	68	70	73	67	64	65	61	63	65
	P	100	94	84	87	83	79	72	74	76	71	72	71	65	67	76
Tonsillitis, Quinsy... ...	M	15	14	13	13	12	12	12	12	13	10	13	11	14	17	16
	F	13	11	4	11	11	9	10	9	9	8	11	10	11	13	13
	P	14	13	11	12	12	11	11	10	11	9	12	10	13	15	14
Diseases of mouth, pharynx, œsophagus (not specific).	M	20	20	14	19	17	17	15	14	17	18	18	16	17	20	20
	F	17	15	12	16	16	16	15	15	15	17	13	14	15	18	15
	P	19	18	13	17	16	16	15	15	16	17	15	15	16	19	17
Gastric ulcer	M	30	32	33	34	37	40	39	40	40	45	43	49	50	57	58
	F	63	69	66	69	65	61	63	57	57	57	54	52	48	53	49
	P	47	51	50	52	51	51	51	49	49	51	49	50	49	55	53
Gastritis, Gastric catarrh...	M	169	144	140	132	117	100	95	96	93	93	91	80	90	86	105
	F	169	144	139	135	117	98	93	101	91	85	87	74	83	89	87
	P	169	144	139	133	117	99	94	99	92	89	89	77	87	88	95
Other diseases of stomach, (not malignant).	M						18	17	16	15	19	18	20	19	21	21
	F						14	15	13	11	17	15	16	16	18	17
	P						16	16	14	13	18	16	18	17	19	19

* Based upon Civil deaths and Civil population.

TABLE 10 (formerly 20).—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡
Ulceration of intestines ...	M				19	17	21	28	27	28	32	32	37	39	41	39
	F				13	13	15	14	16	16	17	16	16	16	16	15
	P				16	15	18	21	21	22	24	24	26	27	28	26
Enteritis (not epidemic)	M	197	137	147												
	F	160	118	124												
	P	178	127	135	148	126	159	114	137	116	113	176	83	129	121	115
					121	108	133	99	116	94	94	149	66	101	93	88
					134	117	146	106	126	105	103	162	74	115	107	100
Gastro-enteritis	M	139	74	87	111	90	125	80	110	91	98	200	81	155	149	162
	F	114	59	75	88	71	102	62	89	73	76	164	62	122	122	111
	P	126	66	81	99	80	113	71	99	82	87	181	71	138	135	134
Appendicitis, Perityphlitis	M	47	57	63	69	67	77	69	73	75	77	91	75	78	85	81
	F	30	34	41	44	48	48	45	50	55	55	61	55	60	58	55
	P	38	45	52	56	57	62	57	61	64	66	75	65	69	71	67
Hernia*	M	40	44	40	41	43	44	42	38	41	37	40	40	44	41	55
	F	44	48	45	47	48	46	47	42	44	45	46	43	47	47	52
	P	42	46	42	44	46	45	44	40	42	41	43	41	46	44	53
Intestinal obstruction ...	M	83	75	81	78	77	80	78	77	79	70	76	70	68	70	80
	F	80	73	74	71	75	74	70	74	69	70	72	67	64	63	66
	P	81	74	77	74	76	77	74	75	74	70	74	68	66	66	72
Other diseases of intestines	M	7	10	10	8	8	8	8	9	9	10	14	13	14	13	17
	F	6	8	8	6	7	6	8	7	8	9	11	12	13	16	15
	P	6	9	9	7	8	7	8	8	8	10	12	12	14	14	16
Peritonitis (not puerperal)	M	46	32	28	27	23	24	18	20	16	13	13	11	13	12	14
	F	48	36	32	30	26	26	22	20	18	18	20	14	16	16	15
	P	47	34	30	29	25	25	20	20	17	15	17	13	15	14	14
Cirrhosis of liver	M	151	144	136	135	132	127	123	121	120	106	105	108	115	117	120
	F	115	104	100	101	105	98	102	89	81	75	78	79	80	82	70
	P	132	123	118	118	118	112	112	104	100	90	91	93	97	99	93
Other diseases of liver and gall bladder.	M	85	70	61	56	53	53	51	44	48	43	43	39	38	42	42
	F	91	80	77	73	69	72	65	63	62	63	66	59	65	65	62
	P	88	75	70	65	61	63	58	54	55	53	55	49	52	54	53
Other diseases of digestive system.	M	20	12	16	17	11	9	11	12	13	7	7	7	8	8	7
	F	17	14	14	14	12	8	11	12	13	6	5	5	7	6	6
	P	18	13	15	15	12	9	11	12	13	7	6	6	7	7	7
Diseases of spleen	M	2	2	1	1	1	2	1	1	1	1	1	1	1	2	1
	F	2	2	1	1	2	1	2	1	2	1	1	1	1	2	1
	P	2	2	1	1	2	2	1	1	2	1	1	1	1	2	1
Other diseases of lymphatic system.	M	13	14	13	13	15	14	14	14	15	18	17	18	19	21	23
	F	9	8	8	8	8	9	9	9	9	10	11	11	12	13	12
	P	11	11	11	10	12	12	11	11	12	14	14	15	15	17	17
Diseases of thyroid body	M	4	4	4	4	4	4	4	5	4	6	5	5	7	5	7
	F	23	22	22	23	23	24	25	25	29	30	33	33	33	38	35
	P	14	13	13	14	14	14	15	16	17	18	20	20	20	22	23
Diseases of supra renal capsules.	M	5	5	6	6	5	7	5	6	6	6	6	6	6	5	6
	F	5	5	6	6	7	6	5	7	8	7	8	8	6	7	7
	P	5	5	6	6	6	7	5	6	7	6	7	7	6	6	7
Acute nephritis, Uræmia...	M	111	102	97	102	102	103	111	116	115	110	110	110	115	121	140
	F	77	81	80	84	84	88	89	95	102	92	101	93	100	104	109
	P	93	91	89	93	93	95	99	105	108	100	105	101	107	112	123
Chronic Bright's disease, Albuminuria.	M	332	315	315	335	317	331	332	316	328	319	327	334	358	349	393
	F	264	247	256	261	252	258	272	258	267	261	268	276	283	290	282
	P	297	280	284	296	283	294	301	286	296	289	297	304	319	319	332
Calculus (not biliary) ...	M	12	11	10	11	11	11	12	9	9	9	11	10	11	11	11
	F	4	4	4	5	4	4	4	4	5	4	4	5	4	3	4
	P	7	8	7	8	7	8	8	7	7	7	7	7	7	7	8
Diseases of bladder and of prostate.	M	135	138	141	138	136	145	131	133	129	126	144	134	134	140	169
	F	13	14	13	14	13	13	13	14	13	12	14	13	12	14	15
	P	72	74	75	74	73	77	70	71	69	67	77	72	71	75	85
Other diseases of urinary system.†	M	15	29	28	28	30	29	28	29	25	31	33	32	33	34	36
	F	9	7	8	8	8	9	8	7	7	9	10	11	11	13	11
	P	12	18	17	18	19	18	18	17	16	20	21	21	22	23	22
Ovarian tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	22	22	20	22	21	20	16	17	16	17	15	14	16	15
	P	11	11	11	10	11	11	10	8	9	8	9	8	7	8	8
Other diseases of ovary ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	3	4	3	2	3	3	2	2	1	1	1	1	1	1
	P	2	1	2	1	1	1	1	1	1	1	1	0	0	0	1

* Since 1902, Hernia when strangulated, and stated in conjunction with other causes, has in most instances been given preference in selection.

† From 1902 onwards, deaths from Stricture of the Urethra are included under this heading. *See also* note to Gonorrhœa.

‡ Based upon Civil deaths and Civil population.

TABLE 10 (formerly 20).—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*
Uterine tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	20	21	20	21	20	18	20	16	17	17	17	17	16	17
	P	10	10	11	10	11	10	9	10	8	9	9	9	9	8	9
Other diseases of uterus and vagina.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	18	16	18	19	17	18	16	18	15	19	17	17	18	18
	P	10	9	8	9	10	9	9	8	10	8	10	9	9	9	10
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	3	3	2	2	2	3	2	2	1	2	1	2	1	1
	P	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of generative and mammary organs.	M	5	4	3	4	3	4	3	2	3	4	4	4	5	7	6
	F	1	1	0	1	1	1	1	1	1	1	1	1	2	1	1
	P	3	3	2	3	2	2	2	2	2	2	3	3	3	4	3
Abortion, Miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	9	9	8	9	8	6	5	5	4	5	6	6	7	7
	P	5	4	5	4	4	4	3	2	2	2	2	3	3	3	4
Puerperal mania	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	5	4	4	4	4	4	3	2	3	2	2	1	2	2
	P	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	24	24	23	27	25	25	23	25	24	24	24	28	24	22
	P	12	12	12	12	14	13	13	12	13	12	13	13	15	12	12
Placenta prævia, Flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	42	37	39	33	35	35	34	31	31	33	30	32	33	31	29
	P	21	19	20	17	18	18	18	16	16	17	15	17	17	16	16
Other accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	60	55	52	48	49	48	46	46	43	40	40	42	42	43	41
	P	31	28	27	25	26	25	24	24	22	21	21	22	22	22	23
Caries, Necrosis	M	27	26	23	19	17	16	12	12	6	2					
	F	20	18	17	13	14	11	10	8	4	1					
	P	23	21	20	16	15	13	11	10	5	2					
Arthritis, Periostitis ...	M	7	9	7	8	8	7	8	10	9	7	23	24	25	27	27
	F	5	5	5	6	5	5	6	5	6	6	15	16	16	16	16
	P	6	7	6	7	7	6	7	7	7	7	19	20	20	21	21
Other diseases of locomotor system.	M	12	9	10	10	11	12	9	9	10	12					
	F	10	8	8	7	8	10	6	6	7	8					
	P	11	9	9	8	9	11	7	7	8	10					
Ulcer, Bed-sore	M	10	8	10	8	9	9	9	8	9	9	8	8	8	11	11
	F	19	16	15	17	17	17	19	17	15	17	14	15	15	18	17
	P	15	12	12	13	13	13	14	12	12	13	11	12	12	15	14
Eczema	M	12	14	13	12	12	12	10	10	8	8	10	9	8	9	9
	F	10	8	8	8	7	6	7	6	6	6	5	5	4	5	4
	P	11	11	10	10	9	9	8	8	7	7	7	7	6	7	6
Pemphigus	M	6	5	6	6	9	8	7	8	7	7	4	4	4	4	4
	F	4	4	5	5	7	6	6	6	6	5	4	3	4	4	3
	P	5	4	6	6	8	7	6	7	6	6	4	3	4	4	3
Other diseases of the skin	M	8	7	6	6	7	7	8	7	6	7	7	7	8	9	9
	F	7	7	6	6	7	6	7	6	7	6	8	7	8	9	8
	P	7	7	6	6	7	6	7	6	7	7	7	7	8	9	8
Other specified diseases ...	M	—	0	0	0	0	—	—	—	—	—	—	—	—	—	—
	F	—	0	—	—	—	—	—	—	0	—	—	—	—	—	—
	P	—	0	0	0	0	—	—	—	0	—	—	—	—	—	—
Atrophy, Debility	M	704	621	608	598	553	536	497	498	459	425	447	355	377	345	352
	F	517	459	449	447	394	395	350	356	334	308	326	247	263	234	222
	P	607	537	526	520	471	463	421	424	395	364	385	299	318	291	282
Old age	M	829	826	807	844	820	856	829	835	850	776	826	754	723	688	826
	F	1019	1012	998	1062	1030	1071	1061	1040	1066	990	1038	970	914	877	955
	P	930	923	902	962	928	970	951	950	959	890	933	862	816	784	897
Dropsy, Ascites, Anasarca	M	5	5	4	3	3	2	4	2	1	1	1	1	1	0	1
	F	8	6	6	4	4	3	4	2	2	1	2	1	1	1	1
	P	7	5	5	4	4	2	4	2	2	1	2	1	1	1	1
Tumour	M	2	2	2	2	2	2	2	2	2	2	3	4	3	5	5
	F	3	3	3	3	3	2	3	3	3	3	4	4	4	5	6
	P	3	2	3	3	2	2	3	2	3	2	3	4	4	5	6
Abscess	M	11	11	11	10	8	8	9	12	8	8	7	9	9	9	12
	F	9	9	9	7	6	7	8	9	7	6	5	6	6	8	9
	P	10	10	10	9	7	8	8	11	8	7	6	7	7	9	10

* Based upon Civil deaths and Civil population.

TABLE 10 (formerly 20).—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1901–1915.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*
Hæmorrhage	M	1	2	2	1	1	1	1	1	1	2	2	1	1	2	2
	F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	1	2	1	1	1	1	1	1	1	1	2	1	1	1	1
Sudden death (cause unascertained).	M	7	6	6	2	1	1	1	0	0	0	0	0	0	0	0
	F	4	5	3	1	1	0	0	1	1	0	0	0	0	0	0
	P	5	5	4	1	1	1	1	0	1	0	0	0	0	0	0
Other ill-defined causes ...	M	13	25	28	27	28	28	25	24	23	23	16	12	10	9	13
	F	9	18	21	20	22	18	16	15	15	13	10	8	7	8	10
	P	11	21	25	23	25	23	21	19	19	18	13	10	9	9	11
Causes not specified ...	M	43	21	9	9	8	6	7	5	4	6	5	4	4	4	4
	F	26	15	7	5	4	3	4	3	3	4	3	3	3	2	3
	P	34	18	8	7	6	5	5	4	3	5	4	4	4	3	3
Violent Deaths :—																
In mines and quarries ...	M	64	61	58	60	68	65	65	67	80	75	85	68	66	89	73
	F	0	—	0	—	—	0	—	—	—	—	—	—	—	—	—
	P	31	30	28	29	33	31	31	33	39	36	41	33	32	43	33
Vehicles and horses ...	M	146	139	133	129	126	128	131	125	112	115	131	134	150	156	189
	F	23	19	19	19	20	21	19	20	19	22	25	25	30	30	39
	P	82	77	74	72	71	73	73	71	64	67	76	78	88	91	107
Ships, boats, and docks (not drowning).	M	21	17	18	18	17	16	15	16	15	15	17	19	18	17	19
	F	0	0	0	—	0	0	0	0	0	0	0	0	0	0	—
	P	10	8	9	8	8	8	7	8	7	7	8	9	9	9	9
Building operations ...	M	12	13	13	12	14	14	14	13	10	11	12	12	13	15	13
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	6	6	6	6	7	7	7	6	5	6	6	6	6	7	6
Machinery	M	13	16	15	15	12	14	14	13	12	11	14	13	14	11	19
	F	1	1	1	0	1	1	0	1	0	1	1	0	0	0	0
	P	7	8	8	7	6	7	7	6	6	6	7	6	7	6	9
Weapons and implements	M	8	7	6	7	6	6	5	5	6	5	5	6	7	9	8
	F	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1
	P	5	4	3	4	3	3	3	3	3	2	3	3	4	5	4
Burns and scalds ...	M	78	64	62	62	63	65	66	63	64	57	60	55	53	52	66
	F	91	86	75	79	83	86	84	87	86	72	75	75	67	70	76
	P	84	75	69	71	73	76	75	75	75	65	68	65	60	62	71
Poisons, poisonous vapours	M	19	21	18	20	19	21	20	21	21	19	12	12	11	12	11
	F	12	9	10	11	11	11	12	10	10	11	7	6	7	7	7
	P	16	15	14	15	15	16	16	16	16	14	10	9	9	9	9
Drowning	M	150	117	131	124	126	119	112	121	105	108	128	116	113	118	124
	F	24	23	24	22	25	21	20	22	22	21	22	23	22	20	24
	P	85	69	76	71	74	68	65	70	62	63	73	68	66	67	69
Suffocation	M	65	68	63	68	62	59	62	55	48	46	43	45	44	45	37
	F	56	56	54	56	49	50	48	49	42	40	37	40	36	35	26
	P	60	62	59	62	55	55	55	52	45	42	40	43	40	40	31
Falls	M	96	94	86	85	78	83	87	82	78	74	87	91	87	88	100
	F	77	69	68	66	63	67	71	68	69	58	70	71	76	74	75
	P	86	81	77	75	70	75	79	75	74	66	78	81	81	81	86
Weather agencies ...	M	19	11	10	12	10	13	8	10	8	8	26	11	10	11	10
	F	8	4	2	5	4	5	2	3	3	2	11	3	3	4	2
	P	13	7	6	8	7	9	4	7	6	5	18	7	6	7	6
Otherwise or not stated	M	73	59	57	57	57	52	51	54	48	51	44	44	38	39	52
	F	20	18	17	17	14	16	15	15	15	21	16	15	13	13	16
	P	45	38	36	36	35	34	33	34	31	35	30	29	25	26	32
Battle	M	0	0	0	—	0	0	0	0	—	—	0	0	0	38	11
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	2	5
	P	0	0	0	—	0	0	0	0	—	—	0	0	0	19	7
Homicide	M	10	8	9	11	8	8	8	9	8	8	9	8	8	7	7
	F	10	10	9	9	10	8	7	9	8	8	7	9	10	8	7
	P	10	9	9	10	9	8	8	9	8	8	8	9	9	8	7
Suicide	M	147	154	164	155	163	160	157	167	157	155	152	153	147	157	113
	F	48	47	51	47	49	45	50	51	49	48	50	48	49	48	48
	P	96	99	105	99	104	101	102	107	101	100	99	99	96	101	78
Execution	M	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1
	F	—	—	—	0	—	—	0	—	—	—	—	—	—	—	—
	P	0	1	1	1	1	0	0	0	1	0	0	0	0	0	—

* Based upon Civil deaths and Civil population.

TABLE 11 (formerly 21).—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVIL POPULATION at ALL AGES from VARIOUS CAUSES, 1915.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.
	All Causes ...	17,732	13,936	15,653
1	Enteric fever	43	29	35
2	Typhus...	0	0	0
3	Relapsing fever ...	0	—	0
	A. Relapsing fever...	0	—	0
	B. Mediterranean fever.	—	—	—
4	Malaria	3	1	2
5	Small-pox	0	0	0
6	Measles...	530	406	462
7	Scarlet fever	71	61	66
8	Whooping cough ...	231	230	230
9	Diphtheria, Croup ...	178	156	166
	A. Diphtheria ...	177	155	165
	B. Membranous laryngitis.	0	0	0
	C. Croup	1	1	1
10	Influenza	319	271	293
11	Miliary fever	—	—	—
12	Asiatic cholera ...	—	—	—
13	Cholera nostras ...	1	1	1
14	Dysentery	12	14	13
15	Plague	—	—	—
16	Yellow fever	—	—	—
17	Leprosy	0	—	0
18	Erysipelas	35	25	30
19	Other epidemic diseases	5	6	6
	A. Mumps	1	1	1
	B. German measles	2	2	2
	C. Varicella... ...	2	3	3
	D. Other diseases included under 19.	—	0	0
20	Pyæmia, Septicæmia ...	25	12	18
	A. Pyæmia	4	2	3
	B. Septicæmia ...	21	10	15
	C. Vaccinia	0	0	0
21	Glanders	—	—	—
22	Anthrax (Splenic fever)	1	0	0
23	Rabies	—	—	—
24	Tetanus	7	1	4
25	Mycoses	1	0	1
	A. Actinomycosis ...	1	0	1
	B. Other mycoses ...	0	0	0
26	Pellagra	0	1	0
27	Beri-beri	0	—	0
28	Pulmonary tuberculosis (not acute).	1,318	833	1,052
	A. Pulmonary tuberculosis.	908	564	720
	B. Phthisis (not defined as tuberculous).	410	269	332
29	Acute phthisis, Acute miliary tuberculosis.	120	99	109
	A. Acute phthisis ...	93	78	85
	B. Acute miliary tuberculosis.	27	21	24
28-29	Phthisis	1,438	932	1,161
30	Tuberculous meningitis	171	131	149
31	Tuberculosis of peritoneum and intestines.	117	88	102
	A. Tabes mesenterica	16	10	13
	B. Other peritoneal and intestinal tubercle.	101	78	89
32	Tuberculosis of spinal column.	20	15	17
33	Tuberculosis of joints	13	8	10
34	Tuberculosis of other organs.	20	16	17
	A. Lupus	1	1	1
	B. Scrofula	0	1	0
	C. Other tuberculosis included under 34.	19	14	16
25	Disseminated tuberculosis.	72	47	59
28-35	Tuberculosis (all forms)	1,851	1,237	1,515
36	Rickets, Softening of bones.	35	19	26
	A. Rickets	33	17	24
	B. Other forms of bone softening.	2	2	2
37	Syphilis	67	41	53
38	Other venereal diseases	2	1	2
	A. Soft chancre ...	0	—	0
	B. Gonococcus infection.	1	1	1
	C. Purulent ophthalmia.	1	0	1
39	Cancer of the buccal cavity.	131	18	69
40	Cancer of the stomach, liver, &c.	427	338	378
41	Cancer of the peritoneum, intestines, and rectum.	236	217	226
42	Cancer of the female genital organs.	—	246	135
43	Cancer of the breast ...	2	202	112
44	Cancer of the skin ...	38	20	28
45	Cancer of other or unspecified organs.	242	117	173
39-45	Cancer (all sites) ..	1,076	1,158	1,121
46	Other tumours (situation undefined).	5	6	6
	A. Angioma ...	—	0	0
	B. Adenoma ...	—	—	—
	C. Other tumours included under 46.	5	6	6
47	Rheumatic fever ...	62	58	60
48	Chronic rheumatism, Osteo-arthritis, Gout.	57	73	66
	A. Chronic rheumatism.	12	15	14
	B. Osteo-arthritis ...	26	53	41
	C. Gout	19	5	11
49	Scurvy	1	1	1
50	Diabetes	142	120	130
51	Exophthalmic goître ...	2	21	12
52	Addison's disease ...	6	7	7
53	Leucocythæmia, Lymphadenoma.	24	16	20
	A. Leucocythæmia (Leuchæmia).	13	11	12
	B. Lymphadenoma	11	5	8
54	Anæmia, Chlorosis ...	69	75	72
55	Other general diseases	17	14	16
	A. Diabetes insipidus	1	0	1
	B. Purpura	9	10	10
	C. Hæmophilia ...	5	2	3
	D. Other diseases included under 55.	2	2	2

TABLE 11 (formerly 21).—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVIL POPULATION at ALL AGES from VARIOUS CAUSES, 1915—*continued.*

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.
56	Alcoholism (acute or chronic).	18	11	14
57	Chronic lead poisoning	4	—	2
	A. Occupational lead poisoning.	4	—	2
	B. Non-occupational lead poisoning.	0	—	0
58	Other chronic occupational poisonings.	0	0	0
59	Other chronic poisonings.	1	1	1
60	Encephalitis	10	7	8
61	Meningitis	183	130	154
	A. Cerebro-spinal fever.	46	32	39
	B. Posterior basal meningitis.	8	5	6
	C. Meningitis—other forms.	129	93	109
62	Locomotor ataxy ...	39	6	21
63	Other diseases of the spinal cord.	97	66	80
	A. Diseases formerly classed to "Other nervous affections."	35	25	29
	B. Other diseases included under 63.	62	41	51
64	Cerebral hæmorrhage, Apoplexy.	717	715	716
	A. Apoplexy ..	148	151	150
	B. Serous apoplexy and Œdema of brain.	4	4	4
	C. Cerebral congestion.	4	2	3
	D. Cerebral atheroma.	12	8	10
	E. Cerebral hæmorrhage.	549	550	549
65	Softening of brain ...	45	39	42
66	Paralysis without specified cause.	83	86	84
	A. Hemiplegia ...	65	72	69
	B. Paraplegia ...	7	6	6
	C. Other forms of paralysis.	11	8	9
67	General paralysis of the insane.	111	22	63
68	Other forms of mental alienation.	27	34	31
69	Epilepsy	101	74	86
70	Convulsions (non-puerperal; 5 years and over).	4	3	4
	A. Epileptiform convulsions.	1	0	1
	B. Others included under 70.	3	3	3
71	Infantile convulsions (under 5 years of age).	307	190	243
	A. Convulsions with teething.	51	34	42
	B. Other infantile convulsions.	256	156	201
72	Chorea...	3	6	4
73	Hysteria, Neuralgia, Neuritis.	12	16	14
	A. Hysteria, Neuralgia, Sciatica.	2	2	2
	B. Neuritis... ...	10	14	12
74	Other diseases of the nervous system.	65	59	61
	A. Idiocy, Imbecility	9	7	7
	B. Cretinism ...	1	2	1
	C. Cerebral tumour	30	26	28
	D. Other diseases included under 74.	25	24	25
75	Diseases of the eyes and annexa.	2	1	1
76	Diseases of the ears ...	40	27	33
	A. Mastoid disease	12	7	9
	B. Other diseases of the ears.	28	20	24
77	Pericarditis	16	12	14
78	Acute endocarditis ...	51	50	50
	A. Acute myocarditis.	12	9	10
	B. Infective endocarditis.	14	15	14
	C. Other acute endocarditis.	25	26	26
79	Organic disease of the heart.	1,655	1,531	1,587
	A. Valvular disease	721	693	706
	B. Fatty degeneration of the heart.	94	94	94
	C. Other organic disease of the heart.	840	744	787
80	Angina pectoris ...	52	21	35
81	Diseases of the arteries, Atheroma, Aneurysm, &c.	354	182	260
	A. Aneurysm ...	52	13	31
	B. Arterial sclerosis	297	166	225
	C. Other diseases of arteries.	5	3	4
82	Embolism and thrombosis.	87	99	94
	A. Cerebral embolism and thrombosis.	77	90	84
	B. Other embolism and thrombosis.	10	9	10
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis &c.).	7	10	9
	A. Phlebitis ...	4	5	5
	B. Varix	3	5	4
	C. Pylephlebitis ...	0	0	0
	D. Varicocele ...	0	—	0
84	Diseases of the lymphatic system (Lymphangitis, &c.)	12	7	9
	A. Status lymphaticus.	7	4	6
	B. Other diseases of the lymphatic system.	5	3	3

TABLE 11 (formerly 21).—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVIL POPULATION at ALL AGES from VARIOUS CAUSES, 1915—*continued.*

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.
85	Hæmorrhage; other diseases of the circulatory system.	7	8	8
	A. Functional disease of the heart.	5	6	6
	B. Epistaxis ...	0	1	1
	C. Other diseases included under 85.	2	1	1
86	Diseases of the nasal fossæ.	2	2	2
87	Diseases of the larynx	45	28	36
	A. Laryngismus stridulus.	10	5	7
	B. Laryngitis ...	34	22	28
	C. Other diseases of larynx.	1	1	1
88	Diseases of the thyroid body.	4	13	9
89 & 90	Bronchitis	1,557	1,338	1,437
	A. Bronchiectasis, Bronchial catarrh, &c.	30	20	24
	B. Other bronchitis	1,527	1,318	1,413
91	Broncho-pneumonia...	769	557	653
92	Pneumonia, lobar and undefined.	917	526	703
	A. Lobar pneumonia	385	214	291
	B. Pneumonia (type not stated).	532	312	412
93	Pleurisy	53	33	42
	A. Empyema ...	17	9	13
	B. Other pleurisy ...	36	24	29
94	Pulmonary congestion, Pulmonary apoplexy.	50	46	48
	A. Pulmonary apoplexy and infarction.	1	0	1
	B. Pulmonary œdema and congestion.	44	39	41
	C. Hypostatic pneumonia.	5	7	6
	D. Collapse of lung (3 months and over).	0	0	0
95	Gangrene of the lung	3	1	2
96	Asthma	82	51	65
97	Pulmonary emphysema.	23	9	15
98	Other diseases of the respiratory system.	25	8	16
	A. Fibroid disease of lung.	14	3	8
	B. Other diseases included under 98.	11	5	8
99	Diseases of the mouth and annexa.	15	11	13
	A. Diseases of the teeth and gums.	9	7	8
	B. Thrush, Aphthous stomatitis.	4	3	3
	C. Parotitis ...	1	1	1
	D. Other diseases of mouth and annexa.	1	0	1
100	Diseases of the pharynx, Tonsillitis.	22	18	20
	A. Tonsillitis ...	16	13	14
	B. Ludwig's angina	1	1	1
	C. Other diseases of the pharynx.	5	4	5
101	Diseases of the œsophagus.	3	1	2
102	Perforating ulcer of stomach.	58	49	53
103	Other diseases of the stomach.	127	105	115
	A. Inflammation of stomach.	106	88	96
	B. Other diseases included under 103.	21	17	19
104 & 105	Diarrhœa and enteritis	693	465	568
	A. Infective enteritis	216	142	176
	B. Diarrhœa — not returned as infective.	145	100	120
	C. Enteritis — not returned as infective.	115	88	100
	D. Gastro-enteritis—not returned as infective.	163	111	134
	E. Dyspepsia—under 2 years.	11	6	9
	F. Colic	3	2	2
	G. Ulceration of intestines.	9	9	9
	H. Duodenal ulcer	31	7	18
106	Ankylostomiasis ...	—	—	—
107	Other intestinal parasites.	1	1	1
108	Appendicitis	81	55	67
109	Hernia, Intestinal obstruction.	133	117	124
	A. Hernia	55	52	53
	B. Intestinal obstruction.	78	65	71
110	Other diseases of the intestines.	17	15	16
111	Acute yellow atrophy of the liver.	1	2	1
112	Hydatid of liver ...	1	0	0
113	Cirrhosis of the liver	133	81	105
	A. Cirrhosis of the liver not returned as alcoholic.	120	70	93
	B. Cirrhosis of the liver returned as alcoholic.	10	8	9
	C. Diseases formerly classed to "Other diseases of liver and gall bladder."	3	3	3

TABLE 11 (formerly 21).—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVIL POPULATION at ALL AGES from VARIOUS CAUSES, 1915—*continued.*

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.
114	Biliary calculi ...	14	30	23
115	Other diseases of the liver.	24	27	26
116	Diseases of the spleen	1	1	1
	A. Infarction of spleen.	—	—	—
	B. Other diseases of the spleen.	1	1	1
117	Peritonitis (cause unstated).	14	15	14
118	Other diseases of the digestive system.	7	6	6
	A. Abdominal abscess, Subphrenic abscess.	1	1	1
	B. Other diseases included under 118.	6	5	5
119	Acute nephritis ...	69	52	60
120	Bright's disease ...	463	327	388
	A. Bright's disease as in 1901 list.	393	278	330
	B. Nephritis (unqualified), 10 years and over, and Uræmia.	70	49	58
121	Chyluria	—	0	0
122	Other diseases of the kidney and annexa.	14	13	13
	A. Abscess of kidney	1	1	1
	B. Cystic disease ...	1	2	1
	C. Suppression of urine.	1	0	1
	D. Other diseases included under 122.	11	10	10
123	Calculi of the urinary passages.	11	4	8
124	Diseases of the bladder	73	15	41
125	Diseases of the urethra, Urinary abscess, &c.	26	0	12
	A. Perineal abscess	2	—	1
	B. Other diseases of urethra, &c.	24	0	11
126	Diseases of the prostate.	96	—	44
127	Non-venereal diseases of male genital organs.	2	—	1
128	Uterine hæmorrhage (non-puerperal).	—	1	0
	A. Menorrhagia ...	—	0	0
	B. Other uterine hæmorrhage.	—	1	0
129	Uterine tumour (non-cancerous).	—	17	9
130	Other diseases of the uterus.	—	8	4
	A. Disorders of menstruation (except menorrhagia).	—	1	0
	B. Other diseases included under 130.	—	7	4
131	Ovarian cyst, tumour (non cancerous).	—	15	8
132	Other diseases of the female genital organs.	—	11	6
	A. Diseases of ovary (excluding ovarian tumour).	—	1	1
	B. Other diseases included under 132.	—	10	5
133	Non-puerperal diseases of the breast (non-cancerous).	0	1	1
134	Accidents of pregnancy.	—	20	11
	A. Abortion ...	—	7	4
	B. Hæmorrhage of pregnancy.	—	5	3
	C. Uncontrollable vomiting.	—	2	1
	D. Ectopic gestation	—	4	2
	E. Other accidents of pregnancy.	—	2	1
135	Puerperal hæmorrhage	—	24	13
136	Other accidents of childbirth.	—	21	12
137	Puerperal fever ...	—	62	34
138	Puerperal albuminuria and convulsions.	—	32	17
	A. Puerperal nephritis and uræmia.	—	8	4
	B. Puerperal albuminuria and Bright's disease.	—	2	1
	C. Puerperal convulsions.	—	22	12
139	Puerperal phlegmasia alba dolens, embolism, and sudden death.	—	15	8
	A. Puerperal phlegmasia alba dolens and phlebitis.	—	3	1
	B. Puerperal embolism and sudden death.	—	12	7
140	Puerperal insanity ...	—	2	1
141	Puerperal diseases of the breast.	—	1	0
142	Gangrene	55	38	46
	A. Senile gangrene	49	33	40
	B. Noma, Gangrene of mouth.	3	3	3
	C. Noma pudendi ...	1	0	1
	D. Other gangrene	2	2	2
143	Carbuncle, Boil ...	12	4	8
144	Phlegmon, Acute abscess.	28	19	23
	A. Phlegmon ...	18	11	14
	B. Acute abscess ...	10	8	9

TABLE 11 (formerly 21).—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVIL POPULATION at ALL AGES from VARIOUS CAUSES, 1915—*continued.*

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.
145	Diseases of the integumentary system.	32	31	30
	A. Ulcer, Bedsore...	11	17	14
	B. Eczema	9	4	6
	C. Pemphigus ...	4	3	3
	D. Other diseases of the integumentary system.	8	7	7
146	Diseases of the bones	19	10	14
147	Diseases of the joints	5	3	4
148	Amputations	—	0	0
149	Other diseases of locomotor system.	2	1	1
150	Congenital malformations.	134	88	109
	A. Congenital hydrocephalus.	13	8	10
	B. Phimosis ...	2	—	1
	C. Congenital malformation of heart.	53	36	44
	D. Other congenital malformations.	66	44	54
151	Premature birth, Infantile debility, Icterus, and Sclerema.	914	570	725
	A. Premature birth	545	347	436
	B. Infantile atrophy, debility, and marasmus.	332	206	263
	C. Icterus neonatorum.	27	12	19
	D. Sclerema and œdema neonatorum.	1	1	1
	E. Want of breast milk.	9	4	6
152	Other diseases peculiar to early infancy.	98	56	75
	A. Diseases of umbilicus, &c.	11	9	10
	B. Atelectasis ...	51	27	38
	C. Injuries at birth	35	19	26
	D. Cyanosis neonatorum.	1	1	1
153	Lack of care	7	6	7
154	Old age	860	992	933
	A. Senile dementia	34	37	36
	B. Senile decay ...	826	955	897
155	Suicide by poison ...	9	9	9
156	Suicide by asphyxia ...	6	3	5
157	Suicide by hanging or strangulation.	30	9	19
158	Suicide by drowning	23	16	20
159	Suicide by firearms ...	10	1	5
160	Suicide by cutting or piercing instruments.	24	5	13
161	Suicide by jumping from high place.	4	3	3
162	Suicide by crushing...	6	2	3
163	Other suicides ...	1	0	1
155–163	Suicide (all methods)	113	48	78

International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.
164	Poisoning by food ...	3	2	2
165	Other acute poisonings	5	4	5
166	Conflagration	2	2	2
167	Burns (conflagration excepted).	62	74	68
168	Absorption of deleterious gases (conflagration excepted).	43	29	35
169	Accidental drowning	124	24	69
170	Injury by firearms ...	6	1	3
171	Injury by cutting or piercing instruments.	2	0	1
172	Injury by fall ...	125	75	97
173	Injury in mines and quarries.	73	—	33
174	Injury by machines ...	21	0	10
175	Injury by other crushing (vehicles, railways, landslides, &c.).	205	40	115
176	Injury by animals ...	5	0	3
177	Starvation	2	1	1
178	Excessive cold ...	6	1	3
179	Effects of heat ...	3	1	2
180	Lightning	1	0	0
181	Electricity (lightning excepted).	2	—	1
182	Homicide by firearms	0	0	0
183	Homicide by cutting or piercing instruments.	1	2	1
184	Homicide by other means.	6	5	6
182–184	Homicide (all methods)	7	7	7
185	Fractures (cause not specified).	4	1	2
186	Other violence ...	37	12	23
155–186	Affections produced by external causes.	851	322	560
187	Dropsy	1	1	1
188	Syncope, Sudden death	10	6	8
	A. Syncope (aged 1 year and under 70 years).	10	6	8
	B. Sudden death not otherwise defined.	0	0	0
189	Ill-defined causes ...	87	63	73
	A. Heart failure (aged 1 year and under 70 years).	47	32	39
	B. Atrophy, debility, marasmus (aged 1 year and under 70 years).	20	17	18
	C. Teething ...	3	1	2
	D. Pyrexia... ...	0	0	0
	E. Other ill-defined deaths.	13	10	11
	F. Cause not specified.	4	3	3

TABLE 12 (formerly 22).—ENGLAND AND WALES.—ANNUAL DEATH-RATES from the PRINCIPAL EPIDEMIC DISEASES, 1838–1915.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages.									At Ages under 15 Years.				
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.	Typhus.	Enteric Fever.	*Pyrexia.* (Origin uncertain.)	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.
1838–42 (5 years)	576	539	797		?	504	1,053			?	?		?	?
1847–50 (4 years)	292	403	884		?	480	1,246			1,115	2,385		?	1,345
1851–55	249	399	907		?	511	983			1,114	2,481		?	1,439
1856–60	195	425	806	246	520	498	842			1,185	2,201	609	1,379	1,398
1861–65	219	457	982	248	535	516	922			1,265	2,646	617	1,422	1,437
1866–70	105	428	960	127	335	545	850			1,180	2,589	314	891	1,511
1871–75	411	373	759	121	305	499	81	374	140	1,023	2,018	298	807	1,378
1876–80	78	385	680	122	276	527	34	277	69	1,051	1,806	302	726	1,450
1881–85	78	413	436	156	320	459	23	216	34	1,138	1,160	396	848	1,269
1886–90	14	468	241	170	295	444	7	179	17	1,313	656	445	799	1,250
1891–95	20	407	182	253	323	398	4	174	8	1,174	498	694	896	1,151
1896–1900	7	421	135	272	307	359	1	175	4	1,260	380	790	893	1,079
1901–05	25	327	126	205	222	301	1	113	2	1,016	366	616	668	940
1906–10	0	291	86	154	162	253	0	70	1	930	257	476	503	813
1911–15	0	342	61	139	141	209	0	47	0	1,096	182	434	439	672
1866	139	511	546	140	381	736	986			1,414	1,465	346	1,019	2,050
1867	114	304	567	120	322	548	778			838	1,529	298	861	1,523
1868	91	528	996	137	341	419	895			1,460	2,681	340	907	1,164
1869	67	464	1,244	117	319	493	193	390	239	1,277	3,334	290	849	1,369
1870	113	335	1,446	120	311	529	147	388	233	920	3,844	297	827	1,466
1871	1,012	408	815	111	292	455	121	371	186	1,121	2,147	273	773	1,258
1872	821	368	515	93	250	596	80	377	145	1,010	1,364	229	664	1,648
1873	98	316	562	108	291	411	70	376	132	869	1,504	269	774	1,135
1874	88	517	1,050	150	361	437	74	374	130	1,418	2,798	367	950	1,205
1875	35	257	851	142	331	594	62	371	108	704	2,255	348	869	1,637
1876	99	408	691	129	301	432	48	309	81	1,117	1,828	320	794	1,190
1877	173	366	585	111	269	460	45	279	78	1,001	1,553	274	709	1,265
1878	74	310	753	140	302	710	36	306	71	846	2,009	349	795	1,953
1879	21	362	694	120	261	503	21	231	58	987	1,845	296	683	1,379
1880	25	478	675	109	247	530	21	261	58	1,299	1,789	271	651	1,454
1881	119	280	548	121	259	415	21	212	44	764	1,450	300	679	1,141
1882	50	483	521	152	327	579	36	229	39	1,323	1,389	386	868	1,595
1883	36	350	475	158	330	393	33	228	36	962	1,270	401	878	1,086
1884	82	419	402	186	362	425	12	236	28	1,156	1,082	473	961	1,180
1885	103	533	233	164	320	481	12	175	24	1,475	623	418	852	1,342
1886	11	436	218	149	283	470	9	184	22	1,213	588	385	759	1,314
1887	19	602	282	160	303	404	8	185	18	1,684	764	414	815	1,135
1888	37	347	226	171	300	436	6	172	15	972	614	447	810	1,227
1889	1	518	235	189	303	430	5	176	15	1,457	646	503	825	1,216
1890	0	439	242	179	288	478	5	179	13	1,240	665	474	785	1,358
1891	2	436	170	173	264	468	5	168	11	1,237	465	460	719	1,335
1892	15	459	190	222	298	454	3	137	8	1,317	519	603	821	1,307
1893	49	373	235	318	389	342	5	229	9	1,075	629	869	1,074	991
1894	27	391	167	291	349	410	4	159	7	1,136	461	809	978	1,198
1895	7	377	149	259	313	315	2	175	5	1,106	418	729	889	927
1896	17	570	177	291	342	429	2	166	5	1,685	495	829	981	1,274
1897	0	408	147	246	281	367	2	156	4	1,214	414	700	805	1,097
1898	8	419	113	243	270	323	1	181	4	1,256	320	705	788	973
1899	5	314	117	292	324	318	1	198	4	948	334	857	953	965
1900	3	394	119	290	316	356	1	173	4	1,199	340	856	936	1,090
1901	10	277	133	273	298	313	1	155	3	850	380	809	888	965
1902	75	392	148	237	255	298	2	126	3	1,211	427	710	768	924
1903	23	275	125	183	196	286	2	101	2	854	364	550	592	893
1904	15	365	112	170	184	353	1	93	2	1,141	330	520	564	1,109
1905	4	326	113	161	175	256	1	90	2	1,025	333	489	532	809
1906	1	275	101	178	191	242	0	92	1	871	301	545	587	768
1907	0	364	93	165	176	296	1	68	1	1,157	275	507	541	944
1908	0	228	80	158	167	280	0	75	1	729	236	492	521	899
1909	0	356	91	148	155	203	0	60	0	1,145	273	462	484	654
1910	0	232	66	120	122	246	0	53	0	750	200	377	384	798
1911	1	363	52	135	137	217	0	67	0	1,176	159	426	435	707
1912	0	352	55	118	119	230	0	44	0	1,144	167	369	374	751
1913	0	291	57	121	122	149	0	41	0	940	173	383	387	486
1914	0	247	77	158	159	218	0	46	0	801	229	497	501	709
1915*	0	462	66	165	166	230	0	35	0	1,414	183	491	494	708

* Among civil population only.

TABLE 13 (formerly 23).—ADMINISTRATIVE COUNTIES and COUNTY BOROUGHS: MORTALITY from the principal EPIDEMIC DISEASES and from certain OTHER CAUSES, 1914 and 1915. *Note.*—The rates for 1914 relate to total populations and to the several areas as then constituted; those for 1915 refer to the civil population only.

Administrative Counties and County Boroughs.	Mortality per Million Persons Living at All Ages.																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.†		Whooping cough.†		Scarlet Fever.†		Diphtheria and Croup.†		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.	
	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.
England and Wales ...	0	0	46	35	1,361	1,515	1,045	1,161	247	462	218	230	77	66	160	166	105	110	21·05	18·86	2·62	2·71	1·55	1·47
Administrative Counties (including London).	*0*	*0*	*43*	*33*	*1,227*	*1,385*	*942*	*1,057*	*180*	*424*	*183*	*228*	*62*	*60*	*156*	*162*	*96*	*103*	*18·09*	*15·24*	*2·60*	*2·74*	*1·51*	*1·36*
Bedfordshire...	—	—	40	16	1,013	1,252	779	913	165	725	95	115	60	73	499	464	84	101	13·56	13·00	2·46	3·06	1·48	3·06
Berkshire	—	—	10	11	975	886	782	698	91	78	97	255	15	89	56	105	58	85	4·90	5·98	2·72	3·70	2·18	1·42
Buckinghamshire	—	—	18	28	884	1,034	702	815	62	172	49	219	27	51	44	102	62	87	7·31	6·98	1·55	2·41	1·33	1·20
Cambridgeshire	—	—	23	—	1,227	1,127	1,020	916	15	714	46	122	—	16	261	146	67	92	7·93	3·47	4·17	1·74	1·67	2·17
Cheshire	—	2	33	30	1,103	1,195	787	837	189	324	198	142	93	57	113	110	95	100	12·80	13·38	3·83	3·22	1·53	1·24
Cornwall	—	—	39	23	1,387	1,593	1,129	1,284	3	283	127	208	33	20	185	221	82	92	6·41	6·81	3·75	4·08	1·09	1·36
Cumberland	—	—	66	10	1,095	1,347	813	883	9	790	287	259	23	73	117	146	97	121	13·43	11·76	2·30	3·25	1·73	1·83
Derbyshire	—	—	16	31	940	1,011	691	771	285	471	285	110	85	43	192	213	101	98	13·62	10·94	2·62	2·10	1·48	1·52
Devonshire	—	—	29	25	1,186	1,249	935	998	36	212	105	197	38	40	136	147	67	87	6·63	6·38	2·55	3·34	1·53	1·02
Dorsetshire	4	—	17	19	871	1,010	669	812	201	164	66	213	9	34	122	121	65	79	8·37	8·00	1·67	2·50	0·96	1·25
Durham*	—	—	114	60	1,404	1,536	904	1,035	171	1203	382	257	227	126	226	306	135	133	35·96	22·75	3·35	2·99	1·33	1·30
Ely, Isle of	—	—	28	87	999	953	675	765	—	144	366	87	14	72	127	231	98	93	11·05	4·52	1·30	3·88	0·65	1·29
Essex*	—	—	40	17	1,057	1,241	834	932	103	251	124	216	28	41	137	156	75	87	13·29	10·84	2·30	2·38	1·13	1·13
Gloucestershire	—	—	45	19	864	1,177	698	937	48	122	115	244	54	61	242	225	74	84	8·89	8·82	2·70	2·29	0·79	1·14
Herefordshire	—	—	9	28	927	1,282	735	1,067	166	112	79	131	35	84	61	94	73	79	7·85	6·16	3·23	3·79	1·85	—
Hertfordshire	—	—	18	13	930	1,206	739	941	68	226	136	128	37	29	120	131	70	75	9·78	5·95	2·21	2·65	1·10	0·66
Huntingdonshire	—	—	—	—	947	1,427	644	1,071	—	169	89	38	36	—	54	94	82	81	5·43	12·58	2·72	1·94	3·62	2·90
Kent	—	2	46	33	1,184	1,371	912	1,029	77	211	123	186	36	37	175	159	76	89	14·46	10·79	1·87	2·50	1·26	1·25
Lancashire	—	—	75	79	1,241	1,345	914	1,015	301	508	202	218	99	87	137	146	113	120	18·55	21·69	3·55	3·66	1·89	1·24
Leicestershire	—	—	24	16	1,219	1,212	933	947	71	285	114	149	12	28	196	100	90	97	13·56	12·43	2·32	3·11	1·78	0·91
Lincolnshire, Holland ...	—	—	48	25	927	1,197	653	938	48	271	143	259	119	86	178	111	93	94	13·02	6·01	0·48	2·73	1·93	1·09
„ Kesteven ...	—	—	—	9	875	1,236	610	852	53	300	88	150	9	28	150	253	76	103	13·59	9·16	2·19	7·85	1·32	3·05
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
„ Lindsey ...	—	—	53	55	1,026	1,224	810	891	85	333	212	141	33	21	102	188	89	97	15·00	9·62	2·65	2·54	0·71	0·36
London	—	1	33	24	1,770	1,985	1,433	1,595	305	530	204	269	71	76	158	163	104	112	27·80	25·03	1·74	1·50	1·77	1·29
Middlesex	—	—	26	27	1,034	1,241	828	959	72	452	157	224	39	63	161	146	77	89	16·53	13·57	1·82	1·61	1·46	1·31
Monmouthshire	—	—	36	40	914	1,081	722	809	463	787	135	386	114	99	147	188	108	126	18·87	14·70	5·32	2·94	1·35	1·36
Norfolk	—	—	52	40	965	1,142	746	899	105	56	207	165	31	53	74	66	85	98	6·99	4·51	3·19	2·42	1·52	0·97
Northamptonshire	—	—	33	33	1,073	1,260	855	994	88	204	42	295	19	29	288	404	74	95	5·26	7·75	1·91	2·50	1·44	1·50
Northumberland	—	—	95	38	1,409	1,595	979	1,098	80	845	162	401	178	115	157	165	115	121	26·26	18·64	2·66	3·62	1·71	1·35
Nottinghamshire	—	—	41	31	1,059	1,093	752	801	332	623	252	235	55	42	171	161	108	114	17·18	12·90	2·62	3·17	1·15	1·13
Oxfordshire	—	—	7	—	994	1,155	790	918	65	95	58	63	15	24	15	8	58	69	8·95	6·35	2·72	2·78	0·78	0·40
Peterborough, Soke of ...	—	—	—	22	1,184	1,131	855	827	—	152	263	22	22	44	—	65	73	86	4·44	6·34	1·11	—	1·11	1·06
Rutlandshire...	—	—	—	—	975	706	732	489	—	—	195	326	—	—	—	380	87	88	8·15	13·40	—	2·68	—	2·68
Shropshire	—	—	8	22	1,069	1,217	875	963	129	211	194	219	12	22	125	129	89	88	8·52	9·64	2·90	2·67	0·77	1·64
Somersetshire	—	—	18	19	1,036	1,147	823	971	48	100	41	155	23	19	124	70	65	75	8·36	7·49	1·67	2·65	0·56	1·18
Southampton	—	—	31	30	1,022	1,102	723	801	16	270	80	227	29	48	95	144	70	82	8·95	8·17	1·73	2·80	1·08	1·10
Staffordshire...	—	—	37	18	1,097	1,202	822	881	275	549	255	351	92	69	165	156	112	109	18·23	15·50	2·86	2·83	1·70	1·87
Suffolk, East...	—	—	34	16	1,006	1,262	759	969	34	189	111	73	48	73	87	131	81	94	6·23	4·56	1·78	3·84	1·11	1·20
„ West	—	—	—	19	1,174	1,383	899	1,123	9	278	180	204	26	37	86	195	66	87	2·19	3·23	3·50	1·39	—	0·92
Surrey	—	—	21	14	905	1,080	699	843	25	219	116	127	24	44	95	104	69	75	12·44	9·55	2·11	1·58	2·18	1·42
Sussex, East	—	—	24	26	1,020	1,182	790	904	32	101	89	172	16	26	60	88	73	87	9·73	7·91	1·75	3·57	1·00	0·77
„ West...	—	—	33	37	1,095	1,370	849	1,084	33	158	186	104	11	12	115	122	71	78	7·74	7·53	2·48	1·71	0·31	2·05
Warwickshire	—	—	29	16	972	1,140	732	851	42	438	186	140	61	55	150	75	86	86	13·14	10·85	2·28	3·00	0·80	1·57
Westmorland	—	—	16	49	679	757	537	560	16	132	221	214	—	16	63	82	69	74	1·78	4·66	4·44	0·93	3·56	0·93
Wight, Isle of	—	—	45	38	959	1,249	692	1,072	33	189	45	366	11	38	190	88	52	90	2·67	11·27	0·67	3·01	—	1·50
Wiltshire	—	—	24	7	884	952	688	706	10	182	45	214	24	21	93	103	64	76	6·48	5·22	1·75	2·61	1·05	1·49
Worcestershire	—	—	3	18	1,012	1,055	773	783	181	540	123	236	48	54	194	136	86	107	15·74	9·89	2·81	3·52	1·25	0·84
Yorkshire, East Riding ...	—	—	38	33	966	1,072	725	786	57	127	76	146	13	40	102	153	83	75	9·11	4·00	2·13	3·38	2·12	0·92
„ North „ ...	—	—	52	32	1,129	1,237	825	862	170	473	209	389	62	53	160	189	101	98	14·99	9·82	2·18	3·48	1·60	1·36
„ West* „ ...	1	—	99	74	1,173	1,235	812	853	335	557	280	226	63	65	190	180	113	112	22·40	18·75	3·09	3·83	1·38	1·38
Anglesey	—	—	39	20	1,372	1,410	1,098	1,007	39	81	39	322	78	20	118	60	93	109	14·34	8·95	5·74	4·97	1·91	2·98
Brecknockshire	—	—	66	51	1,205	1,079	908	873	165	308	248	188	66	69	165	223	101	112	15·25	2·20	3·98	2·20	3·32	2·93
Cardiganshire	—	—	50	17	1,729	2,373	1,427	2,006	117	17	134	209	17	17	67	87	83	104	3·19	6·26	4·25	3·13	4·25	3·13
Carmarthenshire	—	—	24	6	1,476	1,681	1,194	1,253	198	159	264	226	138	122	138	98	127	102	14·25	12·78	5·14	3·62	2·10	1·93
Carnarvonshire	—	—	24	34	1,746	2,238	1,305	1,741	192	214	224	257	32	9	120	120	111	99	11·30	10·44	5·88	3·80	1·36	3·32
Denbighshire	—	—	47	7	1,276	1,286	986	909	41	469	284	234	14	36	115	121	104	109	11·48	9·15	3·53	5·80	2·06	1·83
Flintshire	—	—	52	43	1,235	1,184	974	818	63	247	251	215	10	97	188	366	85	93	8·16	7·99	3·44	3·29	2·58	2·82
Glamorganshire	—	—	35	39	1,069	1,227	839	930	307	376	251	410	62	51	279	218	113	115	19·51	15·49	3·73	4·34	1·65	1·65
Merionethshire	—	—	45	—	1,699	2,218	1,431	1,723	—	189	402	94	—	—	22	24	105	114	5·04	2·64	2·52	5·28	—	—
Montgomeryshire	—	—	38	—	1,081	1,327	949	1,129	76	79	57	258	38	—	133	59	66	83	4·78	1·00	1·91	2·00	1·91	2·00
Pembrokeshire	—	—	11	91	1,503	1,742	1,205	1,378	232	148	33	171	11	11	155	148	88	91	5·80	10·69	1·45	5·09	3·87	2·04
Radnorshire	—	—	—	—	892	1,562	580	1,102	89	46	—	276	45	46	89	92	51	81	8·51	4·26	2·13	2·13	2·13	—

* Excluding Darlington C.B., East Ham C.B., and Wakefield C.B., severally, throughout the whole of the year 1915.

† In previous Reports mortality from measles and whooping cough was stated as at ages under 5 years, and that from scarlet fever and diphtheria and croup as at ages under 15 years (*see* page xi).

TABLE 13 (formerly 23).—ADMINISTRATIVE COUNTIES and COUNTY BOROUGHS: MORTALITY from the principal EPIDEMIC DISEASES, &c., 1914 and 1915—*continued.*

Administrative Counties and County Boroughs.	Mortality per Million Persons Living at All Ages.																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms		Phthisis.		Measles.†		Whooping cough.†		Scarlet Fever.†		Diphtheria and Croup.†		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.	
	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.
County Boroughs.	*0*	*1*	*53*	*40*	*1,644*	*1,777*	*1,264*	*1,371*	*390*	*538*	*291*	*234*	*108*	*77*	*167*	*175*	*121*	*122*	*26·76*	*25·67*	*2·66*	*2·65*	*1·63*	*1·70*
Barnsley	—	—	75	40	1,792	1,329	1,113	932	1056	1151	566	317	94	60	38	79	153	172	32·02	55·21	2·42	2·73	3·63	1·36
Barrow in Furness	—	—	77	24	1,592	831	1,056	662	15	482	413	144	92	24	138	229	105	124	6·10	21·70	3·05	4·54	1·53	0·50
Bath	—	—	43	—	1,157	1,182	843	1,009	43	95	14	205	29	47	100	95	59	80	4·62	3·77	0·92	4·72	3·69	2·83
Birkenhead	—	—	37	7	1,458	1,794	1,105	1,290	493	52	361	319	44	30	118	141	122	122	31·84	42·64	1·59	3·12	1·06	2·34
Birmingham	—	—	19	8	1,502	1,602	1,228	1,327	354	493	363	140	173	69	303	155	122	118	27·53	27·18	1·72	1·60	1·46	1·78
Blackburn	—	—	52	47	1,157	1,279	925	902	164	400	82	322	82	47	60	71	116	146	17·83	24·48	3·92	2·45	3·92	1·22
Blackpool	—	—	33	125	1,521	1,355	1,194	1,106	131	389	180	31	16	31	65	31	111	129	12·45	22·95	5·19	4·99	3·11	3·99
Bolton	—	—	65	104	1,223	1,368	935	1,067	331	371	293	267	16	29	250	261	117	124	43·38	34·59	4·39	5·22	0·97	0·82
Bootle	—	—	14	42	1,577	1,983	1,231	1,452	553	195	194	796	41	98	111	126	123	142	35·76	44·35	2·59	4·39	1·29	0·49
Bournemouth	—	—	—	—	1,233	1,704	946	1,385	132	55	36	166	—	42	156	152	72	94	7·01	6·74	0·88	0·84	1·75	—
Bradford	—	—	79	68	1,600	1,617	1,301	1,279	403	356	341	185	21	96	117	203	122	123	15·21	16·70	2·45	3·73	2·27	3·93
Brighton	—	—	8	17	1,539	1,928	1,284	1,606	120	118	83	330	60	17	90	25	84	95	13·58	12·35	1·70	0·44	0·42	0·44
Bristol	—	20	19	34	1,397	1,596	1,117	1,292	263	303	177	368	58	48	91	99	101	116	17·56	20·99	2·84	1·90	1·81	1·22
Burnley	—	—	46	39	1,347	1,377	1,054	951	1155	427	422	58	82	29	137	155	158	166	33·92	50·17	2·70	3·97	1·54	1·99
Burton upon Trent	—	—	21	—	1,383	1,616	1,131	1,354	42	546	251	44	21	44	84	87	92	76	9·56	11·94	—	2·99	0·96	—
Bury	—	—	17	—	1,504	1,734	1,166	1,388	34	493	270	91	135	91	118	73	127	116	24·05	26·37	4·30	3·91	2·58	0·98
Canterbury	—	—	81	41	1,262	854	896	610	—	529	81	81	—	81	122	407	60	108	—	18·04	2·08	8·02	6·24	2·00
Carlisle	—	—	—	—	2,089	2,218	1,443	1,679	38	699	171	480	171	200	57	240	123	144	25·51	17·54	4·94	2·51	—	—
Chester	—	—	51	27	1,556	1,681	1,173	1,174	—	560	204	267	26	27	230	160	89	110	20·54	31·91	2·16	3·55	2·16	2·36
Coventry	—	—	17	41	1,619	1,668	1,351	1,369	208	738	130	124	52	116	121	315	86	86	11·47	10·34	1·59	1·67	2·23	1·00
Croydon	—	—	34	11	1,092	1,381	936	1,060	56	620	134	68	34	23	101	73	80	84	15·47	14·30	2·00	1·35	1·00	1·35
Darlington *	?	—	?	17	?	1,538	?	1,120	?	1387	?	167	?	117	?	217	?	114	?	20·79	?	0·65	?	0·65
Derby	—	—	8	8	1,242	1,604	868	1,176	159	596	191	168	40	101	96	176	93	96	13·37	12·57	2·01	2·22	1·34	1·11
Dewsbury	19	—	56	56	1,485	1,201	1,188	994	167	206	130	281	37	75	111	150	114	115	23·18	15·86	4·64	5·29	2·32	1·76
Dudley	—	—	39	20	1,123	1,455	794	1,062	832	295	329	—	135	98	97	20	137	125	21·04	23·53	1·97	1·38	—	0·69
Eastbourne	—	—	18	—	985	1,188	748	1,103	—	127	91	212	18	21	146	233	61	99	14·30	20·83	3·58	6·51	1·19	2·60
East Ham *	?	—	?	21	?	1,319	?	1,045	?	161	?	210	?	70	?	112	?	81	?	10·35	?	1·83	?	0·61
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Exeter	—	—	50	54	1,326	1,731	1,011	1,334	—	270	282	18	17	—	66	18	85	87	11·00	8·97	3·38	5·38	—	0·90
Gateshead	—	—	84	41	2,140	2,251	1,567	1,539	497	1134	388	248	160	91	59	149	151	147	44·70	38·45	3·46	2·20	0·80	1·65
Gloucester	—	—	40	—	1,226	1,226	969	1,059	—	893	119	332	40	21	198	187	105	109	10·54	18·42	4·39	1·75	—	1·75
Great Yarmouth	—	—	70	99	1,753	1,942	1,332	1,466	175	59	298	119	35	—	508	317	115	107	24·13	17·70	3·77	2·65	—	—
Grimsby	—	—	52	28	1,302	1,567	928	1,068	619	901	258	111	26	42	52	97	130	106	31·25	23·81	2·84	2·03	1·42	1·01
Halifax	—	—	129	60	1,589	1,668	1,241	1,166	99	342	199	50	40	40	129	161	103	96	14·55	10·22	7·27	4·21	1·68	1·20
Hastings	—	—	17	—	1,399	1,345	1,099	1,191	—	538	67	134	—	—	17	173	64	98	8·28	1·23	—	2·47	—	3·70
Huddersfield	—	—	54	18	1,000	1,269	784	927	441	216	198	81	27	—	36	171	110	111	12·29	18·57	7·86	3·09	1·47	1·03
Ipswich	—	—	13	13	1,439	1,468	1,122	1,212	185	148	264	189	172	242	53	202	105	95	12·79	12·97	—	3·71	0·56	—
Kingston upon Hull ...	—	—	153	63	1,649	1,829	1,186	1,395	334	156	184	211	28	19	177	215	120	120	31·67	33·90	2·26	4·41	2·51	2·21
Leeds	—	—	50	47	1,740	1,981	1,303	1,467	476	175	313	354	66	65	131	114	124	127	26·15	28·64	2·61	2·53	3·16	1·62
Leicester	—	—	22	13	1,618	1,819	1,285	1,518	446	341	320	89	22	9	74	120	120	124	22·02	35·79	2·92	3·10	1·56	3·72
Lincoln	—	—	—	36	1,245	1,467	757	1,050	67	815	17	235	—	18	135	181	92	97	15·70	8·46	2·99	3·38	0·75	1·69
Liverpool	—	—	58	26	2,087	2,305	1,627	1,860	679	350	331	353	166	97	144	192	140	133	41·33	35·01	1·73	2·08	1·99	1·76
Manchester	—	—	55	53	2,240	2,340	1,767	1,916	410	647	389	100	220	117	141	147	129	128	27·85	28·69	2·82	2·58	1·38	1·86
Middlesbrough	—	—	48	43	1,741	2,079	1,316	1,437	522	1754	489	453	297	94	433	393	151	150	39·36	35·03	1·96	2·74	1·47	1·37
Newcastle on Tyne ...	—	—	74	43	1,978	1,978	1,411	1,420	781	787	284	284	162	147	103	93	137	134	30·01	20·79	3·04	2·38	0·93	1·59
Newport (Mon.)	—	—	46	50	1,378	1,418	1,196	1,132	216	174	410	75	205	50	171	149	119	98	17·15	20·51	3·96	3·65	4·84	3·19
Northampton	—	—	—	55	1,707	1,606	1,442	1,296	198	1573	77	199	22	89	418	476	86	134	18·51	17·47	1·59	2·25	3·17	2·25
Norwich	—	—	41	9	1,581	1,639	1,281	1,182	138	147	73	173	81	52	235	259	113	117	25·71	19·98	1·58	3·60	0·79	0·80
Nottingham	—	—	19	17	1,661	1,742	1,257	1,384	559	233	245	287	45	62	136	58	145	131	30·16	28·13	3·23	1·62	1·94	1·26
Oldham	—	—	33	21	1,793	1,862	1,313	1,453	1140	324	387	113	327	113	267	141	138	125	21·48	23·05	2·00	3·73	2·58	3·73
Oxford	—	—	—	—	1,204	1,305	982	1,061	93	122	167	20	19	—	37	61	72	72	15·12	6·72	2·16	1·12	1·08	1·12
Plymouth	—	—	110	80	1,877	1,783	1,476	1,293	432	676	322	154	31	53	228	229	124	119	25·62	16·96	4·99	3·06	2·33	2·59
Portsmouth	—	—	120	94	1,522	1,803	1,100	1,299	161	613	211	183	33	84	331	346	85	89	12·78	10·86	2·10	3·02	0·88	2·21
Preston	—	—	85	36	1,363	1,733	999	1,251	398	563	212	286	347	223	229	331	143	155	34·42	36·08	5·27	3·14	2·46	2·75
Reading	—	—	34	46	1,454	1,344	1,152	1,147	34	104	34	440	—	12	34	81	89	82	9·43	9·43	2·22	1·66	0·55	1·66
Rochdale	11	—	64	55	1,497	1,677	1,101	1,280	620	—	460	66	53	22	257	331	130	118	16·47	24·10	6·38	6·18	2·66	—
Rotherham	—	—	46	109	1,751	1,570	1,348	1,088	449	777	372	466	186	62	108	264	120	129	19·77	34·95	1·52	2·73	2·03	2·73
St. Helens	—	—	40	65	1,817	1,670	1,155	1,095	251	1366	251	455	50	130	80	358	139	128	28·30	24·95	3·28	3·71	2·09	1·35
Salford	—	—	85	77	2,193	2,223	1,748	1,732	492	1227	325	227	346	145	167	127	125	134	29·43	38·66	2·68	2·74	0·79	1·28
Sheffield	—	—	57	40	1,696	1,781	1,266	1,368	783	1345	491	214	191	113	138	216	132	133	32·42	33·28	2·46	2·22	2·00	2·39
Smethwick	—	—	—	—	1,338	1,311	1,057	1,118	348	966	227	179	187	55	201	124	109	109	23·21	23·31	1·98	0·53	0·99	1·59
Southampton	—	—	57	68	1,713	1,738	1,403	1,406	82	256	82	332	82	17	310	349	90	87	16·12	14·71	1·68	3·31	0·67	0·74
Southend on Sea	—	—	62	13	1,346	1,663	1,059	1,401	—	157	125	144	25	39	50	105	69	85	6·08	8·46	2·70	3·52	2·70	2·82
Southport	—	—	14	—	1,082	1,184	871	850	155	61	98	91	14	121	70	121	98	88	7·80	12·99	2·93	3·00	3·90	2·00
South Shields	—	—	136	18	1,899	2,339	1,329	1,648	271	464	515	410	217	164	145	82	137	143	30·03	23·15	3·40	2·13	1·13	0·61
Stockport	—	—	40	67	1,617	1,641	1,198	1,291	217	558	72	158	48	100	72	125	124	127	28·19	28·35	3·66	2·05	0·73	1·23
Stoke on Trent	—	—	75	53	1,762	1,726	1,286	1,282	376	417	359	288	4	129	334	470	145	148	43·88	25·76	3·40	3·68	1·44	1·69
Sunderland	—	—	39	20	1,614	2,046	1,246	1,371	118	810	407	351	157	20	171	68	136	151	38·74	29·42	2·82	2·67	1·61	1·56

* Constituted County Boroughs on 1st April, 1915. The figures relate to the whole year.

† In previous Reports mortality from measles and whooping cough was stated as at ages under 5 years, and that from scarlet fever and diphtheria and croup as at ages under 15 years (*see* page xi).

TABLE 13 (formerly 23).—ADMINISTRATIVE COUNTIES and COUNTY BOROUGHS: MORTALITY from the principal EPIDEMIC DISEASES, &c., 1914 and 1915—*continued.*

Administrative Counties and County Boroughs.	Mortality per Million Persons Living at all Ages.																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.†		Whooping cough.†		Scarlet Fever.†		Diphtheria and Croup.†		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.	
	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.	1914.	1915.
Tynemouth	—	—	115	275	1,911	2,028	1,269	1,529	132	326	181	498	82	103	214	103	133	135	31·12	16·70	1·73	3·21	0·58	1·28
Wakefield*	?	—	?	124	?	1,570	?	1,198	?	186	?	289	?	—	?	103	?	120	?	14·45	?	2·89	?	1·93
Wallasey	—	—	12	35	1,062	1,367	826	978	212	82	260	141	71	35	106	189	93	82	14·66	8·46	1·63	1·69	0·54	0·56
Walsall	—	—	11	22	1,432	2,032	1,165	1,586	96	1369	353	152	21	65	160	250	117	142	31·58	36·75	3·71	1·50	1·11	1·50
Warrington	—	—	108	55	2,265	2,379	1,780	1,784	432	346	364	360	324	401	162	304	112	111	27·32	19·45	1·79	2·63	3·13	1·58
West Bromwich	—	—	14	15	1,259	1,345	955	965	376	1798	347	161	246	15	275	117	109	133	24·21	27·99	3·20	2·00	2·28	0·50
West Ham	—	—	44	51	1,742	1,824	1,267	1,338	472	510	387	197	48	41	166	231	107	112	25·79	29·95	2·14	1·07	0·68	1·07
West Hartlepool	—	—	62	16	1,588	1,891	1,012	1,119	125	1245	358	347	140	47	62	79	107	150	18·89	17·21	3·15	5·34	0·52	1·78
Wigan	—	—	165	116	1,321	1,529	1,013	1,124	914	869	165	1263	11	313	66	81	139	164	42·43	28·51	1·10	5·03	2·19	3·77
Wolverhampton	—	—	31	11	1,516	1,706	1,161	1,221	105	1379	178	116	52	21	188	158	113	132	29·82	17·16	2·29	2·09	0·76	2·09
Worcester	—	—	62	65	1,340	1,541	1,010	1,324	227	130	124	43	62	22	165	65	91	83	12·22	10·03	2·04	3·01	1·02	1·00
York	—	—	84	63	1,403	1,754	947	1,316	252	288	216	226	24	38	216	100	118	122	23·77	21·24	4·23	1·68	0·53	1·68
Cardiff	—	—	64	27	1,585	1,979	1,242	1,422	343	211	396	184	102	65	246	249	109	107	19·22	21·30	3·12	2·80	1·25	1·72
Merthyr Tydfil	—	—	36	52	1,394	1,752	1,203	1,360	488	1412	226	889	36	52	286	92	120	156	22·84	17·49	4·65	2·30	—	1·84
Swansea	—	—	42	18	1,879	1,813	1,579	1,498	685	135	727	117	84	9	125	171	142	106	23·81	14·87	3·66	4·52	1·83	1·29

* Constituted a County Borough on 1st April, 1915. The figures relate to the whole year.

† In previous Reports mortality from measles and whooping cough was stated as at ages under 5 years, and that from scarlet fever and diphtheria and croup as at ages under 15 years (*see* page xi).

TABLE 14 (formerly 29).—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, 1915.

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
ALL CAUSES ...	M	43·16	21·74	21·24	19·16	17·56	122·86	41·55	20·51	20·18	18·56	17·35	118·15	78·13	48·26	44·12	32·05	22·03	224·59
	F	32·40	16·18	16·88	15·24	15·36	96·06	31·11	15·26	15·85	14·79	15·05	92·06	60·01	35·82	38·90	24·80	21·89	181·42
	P	37·90	19·01	19·10	17·23	16·48	109·72	36·43	17·93	18·06	16·71	16·23	105·36	69·20	42·13	41·55	28·47	21·96	203·31
I. Common Infectious Diseases (5-9, 19C).	M	0·17	0·80	1·33	2·69	4·14	9·13	0·18	0·81	1·30	2·69	4·12	9·10	0·16	0·76	1·96	2·60	3·98	9·46
	F	0·18	0·88	1·32	2·55	3·95	8·88	0 18	0·88	1·30	2·54	3·92	8·82	0·22	0·71	1·69	2·64	4·93	10·19
	P	0·17	0·84	1·31	2·62	4·06	9·00	0·17	0·85	1·31	2·61	4·02	8·96	0·20	0·74	1·81	2·63	4·43	9 81
II. Tuberculous Diseases (28-35).	M	0·06	0·39	0·94	0·96	0·91	3·26	0·07	0·37	0·90	0·93	0·88	3·15	0·10	0·87	1·95	1·31	1·26	5·49
	F	0·03	0·32	0·62	0·81	0·69	2·47	0·03	0·29	0·61	0·77	0·68	2·38	0·06	0·95	1·17	1·29	0·84	4·31
	P	0·05	0·36	0·79	0·89	0·79	2·88	0·05	0·33	0·76	0·86	0·78	2·78	0·09	0·92	1·57	1·29	1·04	4·91
III. Diarrhœa and Enteritis (104).	M	1·29	4·17	5·53	3·68	2·47	17·14	1·28	3·85	5·18	3·51	2·41	16·23	1·53	11·15	12·88	7·51	3·65	36·72
	F	0·73	2·61	4·29	3·15	2·28	13·06	0·72	2 37	3·99	3·02	2·23	12·33	0·90	7·61	10·86	5·82	3·47	28·66
	P	1·02	3·41	4·91	3·42	2·38	15·14	1·01	3·12	4·59	3·27	2·32	14·31	1·21	9·41	11·89	6·68	3·56	32·75
IV. Developmental and Wasting Diseases (150, 151, 152B).	M	31·34	6·18	2·50	1·07	0·59	41·68	30·40	5·78	2·31	0·99	0·56	40·04	50·88	14·80	6·80	3·05	1·35	76·88
	F	24·32	4·78	2·25	0·83	0·52	32·70	23·64	4·43	2·04	0·82	0·48	31·46	38·90	11·02	6·44	1·24	1·51	59·11
	P	27·89	5·49	2·38	0·95	0·56	37·27	27·12	5·14	2·17	0·89	0·52	35·84	44·97	12·94	6·62	2·15	1·44	68·12
V. Miscellaneous Diseases (Remainder).	M	10·30	10·20	10·94	10·76	9·45	51·65	9·62	9·70	10·49	10·44	9·38	49·63	25 46	20·68	20·53	17·58	11·79	96·04
	F	7·14	7·59	8·40	7·90	7·92	38·95	6·54	7·24	7·91	7·64	7·74	37·07	19·93	15·53	18·74	13·81	11·14	79·15
	P	8·77	8·91	9·71	9·35	8·69	45·43	8·08	8·49	9·23	9·08	8·59	43·47	22·73	18·12	19·66	15·72	11·49	87·72
Small-pox (5) ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox (19C).	M	—	0·01	0·02	0·01	0·02	0·06	—	0·01	0·02	0·01	0·02	0 06	—	—	—	—	—	—
	F	—	0·01	0·01	0·03	0·02	0·07	—	0·01	0·01	0·02	0·02	0·06	—	0·05	0·06	—	0·06	0·17
	P	—	0·01	0·01	0·02	0·02	0·06	—	0·01	0·01	0·02	0·02	0·06	—	0·02	0·03	—	0·03	0·08
Measles (6) ...	M	0·05	0·09	0·31	1·39	2·61	4·45	0·05	0·09	0·30	1·39	2·65	4·48	0·05	0·11	0·49	1·36	1·85	3·86
	F	0·04	0·05	0·25	1·16	2·30	3·80	0·04	0·04	0·24	1·14	2·25	3·71	—	0·11	0·45	1·57	3·58	5·71
	P	0·04	0·07	0·28	1·28	2·46	4·13	0·04	0·07	0·27	1·27	2·45	4·10	0·03	0·11	0·47	1·46	2·70	4·77
Scarlet fever (7)	M	0·00	0·01	0·00	0·03	0·05	0·09	0·00	0·02	0·00	0 03	0·03	0·08	—	—	—	0·05	0·11	0·16
	F	0·01	0·00	0·01	0·02	0·04	0·08	0·01	0·00	0·01	0·02	0·04	0·08	—	—	—	—	—	—
	P	0·00	0·01	0·00	0·02	0·05	0·08	0·00	0·01	0·01	0·02	0·04	0·08	—	—	—	0·03	0·05	0·08
Whooping cough (8).	M	0·11	0·68	0·97	1·18	1·29	4·23	0·11	0·68	0·95	1·18	1·28	4·20	0·11	0·65	1·47	1·14	1·47	4·84
	F	0·13	0·81	1·03	1·27	1·45	4·69	0·13	0·82	1·02	1·29	1·47	4·73	0·22	0·50	1·18	1·01	1·12	4·03
	P	0·12	0·74	1·00	1·23	1·37	4·46	0·12	0·75	0·99	1·23	1·37	4·46	0·17	0·58	1·31	1·08	1·30	4·44
Diphtheria and Croup (9).	M	0·01	0·01	0·03	0·08	0·17	0·30	0·02	0·01	0·03	0·08	0·14	0·28	—	—	—	0·05	0·55	0·60
	F	—	0·01	0·02	0·07	0·14	0·24	—	0·01	0·02	0·07	0·14	0·24	—	0·05	—	0·06	0·17	0·28
	P	0·01	0·01	0·02	0·07	0·16	0·27	0·01	0·01	0·03	0·07	0·14	0·26	—	0·03	—	0·06	0·35	0·44
Erysipelas (18)...	M	0·07	0·07	0·03	0·04	0·01	0·22	0·07	0·06	0·03	0·04	0·01	0·21	—	0·16	0·11	—	—	0·27
	F	0·03	0·08	0·04	0·04	0·01	0·20	0·03	0·08	0·04	0·04	0·01	0·20	0·05	—	0·06	—	—	0·11
	P	0·05	0·07	0·04	0·04	0·01	0·21	0·05	0·08	0·03	0·04	0·01	0·21	0·03	0·08	0·08	—	—	0·19
Tuberculous meningitis (30).	M	0·02	0·08	0·33	0·40	0·39	1·22	0·02	0·08	0·33	0·39	0·38	1·20	0·05	0·11	0·43	0·44	0·44	1·47
	F	0·01	0·07	0·22	0·36	0·30	0·96	0·01	0·07	0·22	0·35	0·31	0·96	—	0·22	0·28	0·34	0·17	1·01
	P	0·02	0·08	0·28	0·37	0·34	1·09	0·02	0·07	0·27	0·37	0·35	1·08	0·03	0·17	0·36	0·38	0·30	1·24
Abdominal Tuberculosis (31).	M	0·02	0·23	0·43	0·29	0·26	1·23	0·02	0 21	0·39	0·29	0·25	1·16	0·05	0·71	1·19	0·33	0·33	2·61
	F	0·01	0·16	0·28	0·25	0·20	0·90	0·01	0·15	0·27	0·24	0·19	0·86	—	0·28	0·72	0·34	0·28	1·62
	P	0·01	0·20	0·36	0·27	0·23	1·07	0·01	0·18	0·34	0·27	0·22	1·02	0·03	0·50	0·96	0·33	0·30	2·12
Other Tuberculous Diseases (28, 29, 32-35).	M	0·02	0·08	0·18	0·27	0·26	0·81	0·03	0·08	0·18	0·25	0·25	0·79	—	0·05	0·33	0·54	0·49	1·41
	F	0·01	0·09	0·12	0·20	0·19	0·61	0·01	0·07	0·12	0·18	0·18	0·56	0·06	0·45	0·17	0·61	0·39	1·68
	P	0·02	0·08	0·15	0·25	0·22	0·72	0·02	0·08	0·15	0·22	0·21	0·68	0·03	0·25	0·25	0·58	0·44	1·55
Meningitis (not Tuberculous) (61).	M	0·05	0·22	0·55	0·54	0·51	1·87	0·04	0·21	0·56	0·53	0·51	1·85	0·16	0·38	0·54	0·88	0·38	2·34
	F	0·05	0·15	0·37	0·41	0·33	1·31	0·05	0·15	0·37	0·41	0·33	1·31	—	0·17	0·50	0·28	0·34	1·29
	P	0·05	0·19	0·47	0·47	0·42	1·60	0·05	0·18	0·46	0·48	0·42	1·59	0·08	0·28	0·52	0·58	0·36	1·82
Convulsions (71)	M	3·75	2·21	1·72	1·37	0·86	9·91	3·68	2·05	1·66	1·30	0·83	9·52	5·39	5·50	3·10	2·99	1·41	18·39
	F	2·43	1·68	1·44	1·04	0·83	7·42	2·36	1·61	1·36	0·98	0·80	7·11	3·86	3·19	3·30	2·24	1·46	14·05
	P	3·09	1·95	1·59	1·21	0·85	8·69	3·03	1·84	1·51	1·14	0·82	8·34	4·64	4·36	3·20	2·62	1·43	16·25
Laryngitis (87B)	M	0·02	0·04	0·04	0·04	0·08	0·22	0·02	0·04	0·04	0·04	0·08	0·22	—	0·12	—	0·05	0·05	0·22
	F	0·01	0·01	0·03	0·03	0·04	0·12	0·01	0 01	0·03	0·03	0·04	0·12	—	—	—	—	0·06	0·06
	P	0·02	0·02	0·03	0·04	0·06	0·17	0·02	0·02	0·03	0·04	0·06	0·17	—	0·05	—	0·03	0·06	0·14
Bronchitis (89, 90).	M	1·13	2·55	2·67	2·50	1·90	10·75	1·14	2·48	2·56	2·42	1·85	10·45	0·87	4·08	5·11	4·19	2·94	17·19
	F	0·74	1·80	2·13	1·88	1·65	8·20	0·74	1·76	2·01	1·80	1·63	7·94	0·84	2·74	4·48	3·41	2·13	13·60
	P	0·94	2·18	2·41	2·19	1·78	9·50	0·94	2·12	2·30	2·12	1·74	9·22	0·86	3·42	4·79	3·81	2·54	15·42
Pneumonia (all forms) (91, 92).	M	0·59	2·04	3·39	4·53	4·74	15·29	0·59	1·98	3·31	4·45	4·74	15·07	0·49	3·37	5·11	6·21	4·79	19·97
	F	0·42	1·49	2·54	3·28	3·90	11·63	0·42	1·45	2·46	3·21	3·84	11·38	0·39	2·46	4·25	4·93	4·99	17·02
	P	0·51	1·77	2·97	3·92	4·33	13·50	0·51	1·72	2·89	3·84	4·30	13·26	0·44	2·92	4·69	5·58	4·88	18·51
Diarrhœa and Enteritis (104).	M	1·29	4·17	5·53	3·68	2·47	17·14	1·28	3·85	5·18	3·51	2·41	16·23	1·53	11·15	12·88	7·51	3·65	36·72
	F	0·73	2·61	4·29	3·15	2·28	13·06	0·72	2·37	3·99	3·02	2·23	12·33	0·90	7·61	10·86	5·82	3·47	28·66
	P	1·02	3·41	4·91	3·42	2·38	15·14	1·01	3·12	4·59	3·27	2·32	14·31	1·21	9·41	11·89	6·68	3·56	32·75

TABLE 14 (formerly 29).—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, 1915—*continued.*

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Gastritis (103A)	M	0·33	0·76	0·57	0·24	0·19	2·09	0·32	0·72	0·53	0·24	0·18	1·99	0·65	1·25	1·58	0·38	0·33	4·19
	F	0·21	0·51	0·36	0·24	0·14	1·46	0·20	0·47	0·33	0·23	0·13	1·36	0·50	1·45	1·01	0·34	0·34	3·64
	P	0·27	0·64	0·47	0·24	0·16	1·78	0·26	0·59	0·43	0·24	0·16	1·68	0·58	1·35	1·30	0·36	0·33	3·92
Syphilis (37) ...	M	0·57	0·59	0·32	0·10	0·05	1·63	0·48	0·47	0·25	0·07	0·04	1·31	2·50	3·10	1·85	0·71	0·38	8·54
	F	0·32	0·46	0·30	0·10	0·05	1·23	0·25	0·36	0·18	0·07	0·04	0·90	1·85	2·68	2·85	0·73	0·34	8·45
	P	0·45	0·53	0·31	0·10	0·05	1·44	0·37	0·42	0·21	0·07	0·04	1·11	2·18	2·89	2·85	0·72	0·36	8·50
Rickets (36A) ...	M	0·01	0·04	0·08	0·17	0·18	0·48	0·01	0·04	0·08	0·16	0·16	0·45	—	0·05	0·16	0·49	0·50	1·20
	F	0·01	0·01	0·08	0·08	0·11	0·29	0·00	0·01	0·08	0·06	0·11	0·26	0·06	—	0·11	0·45	0·28	0·90
	P	0·01	0·03	0·08	0·13	0·14	0·39	0·01	0·03	0·08	0·11	0·13	0·36	0·03	0·03	0·14	0·46	0·39	1·05
Suffocation, overlying (168 part).	M	0·49	0·45	0·28	0·06	0·04	1·32	0·42	0·45	0·25	0·06	0·03	1·21	1·91	0·76	0·82	0·05	0·16	3·70
	F	0·37	0·46	0·25	0·07	0·03	1·18	0·32	0·44	0·24	0·06	0·03	1·09	1·45	0·84	0·56	0·17	0·11	3·13
	P	0·43	0·46	0·26	0·06	0·04	1·25	0·37	0·45	0·24	0·06	0·03	1·15	1·68	0·80	0·69	0·11	0·14	3·42
Injury at Birth (152C).	M	1·30	0·03	—	—	—	1·33	1·23	0·03	—	—	—	1·26	2·94	—	—	—	—	2·94
	F	0·92	0·02	—	—	—	0·94	0·85	0·01	—	—	—	0·86	2·63	0·06	—	—	—	2·69
	P	1·12	0·02	—	—	—	1·14	1·04	0·02	—	—	—	1·06	2·78	0·03	—	—	—	2·81
Atelectasis (152B).	M	1·88	0·09	—	—	—	1·97	1·83	0·09	—	—	—	1·92	3·05	0·11	—	—	—	3·16
	F	1·28	0·05	—	—	—	1·33	1·24	0·05	—	—	—	1·29	1·96	0·17	—	—	—	2·13
	P	1·59	0·07	—	—	—	1·66	1·54	0·07	—	—	—	1·61	2·51	0·14	—	—	—	2·65
Congenital Malformations (150).	M	2·86	0·86	0·42	0·25	0·15	4·54	2·82	0·87	0·42	0·24	0·15	4·50	3·48	0·76	0·49	0·44	0·16	5·33
	F	2·34	0·70	0·42	0·18	0·12	3·76	2·33	0·69	0·41	0·19	0·12	3·74	2·69	0·78	0·45	—	0·11	4·03
	P	2·60	0·78	0·42	0·21	0·14	4·15	2·59	0·78	0·41	0·21	0·14	4·13	3·09	0·77	0·47	0·22	0·14	4·69
Premature Birth (151A).	M	19·14	1·62	0·17	0·04	0·02	20·99	18·58	1·51	0·17	0·04	0·02	20·32	30·96	3·86	0·33	0·16	0·05	35·36
	F	15·05	1·53	0·20	0·03	0·00	16·81	14·67	1·44	0·18	0·03	0·00	16·32	23·50	3·30	0·62	0·06	—	27·48
	P	17·12	1·58	0·19	0·04	0·01	18·94	16·67	1·48	0·17	0·03	0·01	18·36	27·28	3·59	0·47	0·11	0·03	31·48
Atrophy, Debility and Marasmus (151 B–E).	M	7·46	3·61	1·91	0·78	0·42	14·18	7·17	3·31	1·72	0·71	0·39	13·30	13·39	10·07	5·98	2·45	1·14	33·03
	F	5·65	2·50	1·63	0·62	0·40	10·80	5·40	2·30	1·45	0·60	0·36	10·11	10·75	6·77	5·37	1·18	1·40	25·47
	P	6·58	3·06	1·77	0·70	0·41	12·52	6·32	2·81	1·59	0·65	0·37	11·74	12·09	8·44	5·68	1·82	1·27	29·30
Other Causes ...	M	1·99	1·20	1·29	1·17	0·89	6·54	1·62	1·17	1·22	1·13	0·95	6·09	10·55	1·91	2·15	1·63	0·85	17·09
	F	1·63	0·92	0·86	0·73	0·83	4·97	1·31	0·89	0·81	0·75	0·78	4·54	8·30	1·94	1·62	1·26	1·09	14·21
	P	1·83	1·05	1·08	0·95	0·85	5·76	1·43	1·02	1·05	0·94	0·88	5·32	9·43	1·91	1·90	1·45	1·00	15·69

TABLE 15 (formerly 30).—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1915.—CLASSES OF ADMINISTRATIVE AREAS.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months	Total under 1 Year.
All Causes	London	33·28	20·82	21·31	18·77	18·08	112·26	31·61	19·08	19·77	17·88	17·70	106·04	73·48	62·50	58·11	40·04	27·10	261·23
	County Boroughs ...	40·04	20·89	22·38	20·27	18·79	122·37	38·65	19·86	21·08	19·59	18·53	117·71	70·66	43·22	50·67	35·13	24·44	224·12
	Other Urban Districts	37·92	18·45	17·98	16·52	16·44	107·31	36·44	17·43	17·04	16·11	16·19	103·21	69·83	40·66	38·40	25·40	21·80	196·09
	Rural Districts ...	36·98	15·50	13·81	12·09	11·47	89·85	35·59	14·64	13·32	11·86	11·25	86·66	63·69	32·04	23·39	16·65	15·64	151·41
	All Urban Districts ...	38·12	19·87	20·39	18·49	17·71	114·58	36·63	18·74	19·21	17·89	17·43	109·90	70·73	44·93	46·58	31·75	23·71	217·70
I. Common Infectious Diseases (5–9, 19 C).	London	0·16	0·88	1·23	3·13	4·81	10·21	0·16	0·89	1·14	3·01	4·66	9·86	—	0·48	3·66	5·87	8·54	18·55
	County Boroughs ...	0·15	0·68	1·36	2·75	4·31	9·25	0·15	0·68	1·36	2·74	4·28	9·21	0·32	0·89	1·37	2·91	4·70	10·19
	Other Urban Districts	0·18	0·91	1·39	2·80	4·32	9·60	0·19	0·94	1·37	2·83	4·35	9·68	0·08	0·34	1·92	2·19	4·27	8·80
	Rural Districts ...	0·22	0·97	1·18	1·72	2·69	6·78	0·21	0·95	1·17	1·77	2·70	6·80	0·25	1·26	1·40	1·15	2·17	6·23
	All Urban Districts ...	0·17	0·81	1·36	2·83	4·37	9·54	0·17	0·82	1·33	2·82	4·34	9·48	0·18	0·59	1·95	3·03	5·07	10·82
II. Tuberculous Diseases (28–35).	London	0·05	0·47	0·90	1·14	0·92	3·48	0·05	0·42	0·86	1·11	0·93	3·37	—	1·22	2·44	1·73	0·72	6·11
	County Boroughs ...	0·07	0·44	0·96	1·09	0·92	3·48	0·07	0·40	0·94	1·06	0·89	3·36	0·16	1·21	1·53	1·86	1·55	6·31
	Other Urban Districts	0·03	0·33	0·70	0·69	0·80	2·55	0·03	0·31	0·65	0·71	0·79	2·49	0·08	0·67	1·61	0·67	0·75	3·78
	Rural Districts ...	0·04	0·23	0·54	0·64	0·49	1·94	0·04	0·21	0·51	0·59	0·48	1·83	—	0·63	1·15	1·15	0·89	3·82
	All Urban Districts ...	0·05	0·40	0·85	0·93	0·87	3·10	0·05	0·36	0·81	0·91	0·88	3·01	0·12	0·99	1·69	1·34	1·08	5·22
III. Diarrhœa and Enteritis (104).	London	0·95	4·62	7·10	4·92	3·23	20·82	0·94	4·09	6·46	4·61	3·15	19·25	1·22	17·33	22·46	12·21	5·13	58·35
	County Boroughs ...	1·30	4·22	6·60	4·62	3·35	20·09	1·29	3·94	6·19	4·39	3·29	19·10	1·54	10·28	15·70	9·55	4·69	41·76
	Other Urban Districts	0·94	3·07	3·87	2·78	1·81	12·47	0·93	2·78	3·65	2·67	1·75	11·78	1·17	9·22	8·97	5·03	3·02	27·41
	Rural Districts ...	0·69	1·76	2·29	1·46	1·08	7·28	0·68	1·64	2·17	1·44	1·04	6·97	0·76	4·20	4·83	1·78	1·78	13·35
	All Urban Districts ...	1·10	3·81	5·56	3·90	2·69	17·06	1·08	3·49	5·19	3·72	2·63	16·11	1·34	10·85	13·86	8·03	4·05	38·13
IV. Developmental and Wasting Diseases (150, 151, 152 B).	London	24·23	6·01	2·98	1·13	0·58	34·93	23·48	5·38	2·67	1·00	0·51	33·04	42·99	20·75	10·25	4·14	2·20	80·33
	County Boroughs ...	28·87	5·74	2·71	1·15	0·67	39·14	28·05	5·46	2·46	1·07	0·61	37·65	46·80	12·06	8·17	2·91	2·02	71·96
	Other Urban Districts	28·23	5·49	2·21	0·93	0·54	37·40	27·34	5·18	2·04	0·90	0·52	35·98	47·47	12·07	6·04	1·59	1·00	68·17
	Rural Districts ...	27·91	4·71	1·70	0·55	0·39	35·26	27·32	4·35	1·61	0·54	0·37	34·19	39·41	11·56	3·18	0·76	0·77	55·68
	All Urban Districts ...	27·87	5·70	2·54	1·05	0·60	37·76	27·02	5·35	2·31	0·99	0·56	36·23	46·50	13·33	7·57	2·55	1·62	71·57
V. Miscellaneous Diseases (Remainder).	London	7·89	8·84	9·10	8·45	8·54	42·82	6·98	8·30	8·64	8·15	8·45	40·52	29·27	22·72	19·30	16·09	10·51	97·89
	County Boroughs ...	9·65	9·81	10·75	10·66	9·54	50·41	9·09	9·38	10·13	10·33	9·46	48·39	21·84	18·78	23·90	17·90	11·48	93·90
	Other Urban Districts	8·54	8·65	9·81	9·32	8·97	45·29	7·95	8·22	9·33	9·00	8·78	43·28	21·03	18·36	19·86	15·92	12·76	87·93
	Rural Districts ...	8·12	7·83	8·10	7·72	6·82	38·59	7·34	7·49	7·86	7·52	6·66	36·87	23·27	14·39	12·83	11·81	10·03	72·33
	All Urban Districts ...	8·93	9·15	10·08	9·78	9·18	47·12	8·31	8·72	9·57	9·45	9·02	45·07	22·59	19·17	21·51	16·80	11·89	91·96

TABLE 15 (formerly 30).—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1915.—CLASSES OF ADMINISTRATIVE AREAS—*continued.*

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Small-pox (5)	London	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	County Boroughs ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rural Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All Urban Districts ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox (19 C) ...	London	—	0·01	0·02	0·01	0·04	0·08	—	—	0·02	0·01	0·04	0·07	—	0·24	—	—	—	0·24
	County Boroughs ...	—	0·01	0·01	0·01	0·02	0·05	—	0·01	0·01	0·02	0·02	0·06	—	—	—	—	—	—
	Other Urban Districts	—	0·01	0·01	0·03	0·02	0·07	—	0·01	0·02	0·02	0·02	0·07	—	—	—	—	0·08	0·08
	Rural Districts ...	—	0·02	0·01	0·01	0·01	0·05	—	0·02	0·01	0·01	0·01	0·05	—	—	0·13	—	—	0·13
	All Urban Districts ...	—	0·01	0·01	0·02	0·02	0·06	—	0·01	0·01	0·02	0·02	0·06	—	0·03	—	—	0·04	0·07
Measles (6)	London	0·06	0·09	0·32	1·59	2·75	4·81	0·06	0·09	0·27	1·53	2·64	4·59	—	—	1·71	2·93	5·61	10·25
	County Boroughs ...	0·05	0·07	0·30	1·42	2·81	4·65	0·06	0·07	0·30	1·40	2·78	4·61	0·08	0·16	0·16	1·94	3·16	5·50
	Other Urban Districts	0·04	0·07	0·28	1·40	2·58	4·37	0·04	0·06	0·27	1·43	2·61	4·41	—	0·17	0·50	1·01	2·43	4·11
	Rural Districts ...	0·03	0·05	0·22	0·60	1·50	2·40	0·03	0·05	0·22	0·60	1·53	2·43	—	—	0·25	0·64	0·89	1·78
	All Urban Districts ...	0·05	0·07	0·29	1·44	2·71	4·56	0·05	0·07	0·28	1·43	2·68	4·51	0·04	0·14	0·53	1·69	3·20	5·60
Scarlet fever (7) ...	London	0·02	0·01	—	0·01	0·06	0·10	0·02	0·01	—	0·01	0·06	0·10	—	—	—	—	—	—
	County Boroughs ...	—	0·00	0·00	0·05	0·05	0·10	—	0·00	0·00	0·04	0·06	0·10	—	—	—	0·08	—	0·08
	Other Urban Districts	—	0·01	0·01	0·01	0·04	0·07	—	0·02	0·01	0·01	0·03	0·07	—	—	—	—	0·17	0·17
	Rural Districts ...	0·01	0·01	—	0·01	0·03	0·06	0·01	0·01	—	0·01	0·03	0·06	—	—	—	—	—	—
	All Urban Districts ...	0·00	0·01	0·01	0·03	0·04	0·09	0·00	0·01	0·01	0·03	0·04	0·09	—	—	—	0·04	0·07	0·11
Whooping cough (8) ...	London	0·07	0·73	0·83	1·42	1·67	4·72	0·07	0·75	0·79	1·36	1·66	4·63	—	0·24	1·95	2·94	1·71	6·84
	County Boroughs ...	0·10	0·60	1·03	1·15	1·25	4·13	0·09	0·60	1·03	1·16	1·25	4·13	0·24	0·73	1·21	0·89	1·22	4·29
	Other Urban Districts	0·13	0·81	1·07	1·31	1·56	4·88	0·13	0·84	1·05	1·33	1·57	4·92	0·08	0·17	1·42	1·01	1·34	4·02
	Rural Districts ...	0·18	0·88	0·94	1·07	1·07	4·14	0·17	0·86	0·93	1·12	1·06	4·14	0·25	1·14	1·02	0·51	1·15	4·07
	All Urban Districts ...	0·11	0·71	1·02	1·26	1·43	4·53	0·11	0·72	1·00	1·26	1·44	4·53	0·14	0·42	1·42	1·23	1·34	4·55
Diphtheria and Croup (9)	London	0·01	0·04	0·06	0·10	0·29	0·50	0·01	0·04	0·06	0·10	0·26	0·47	—	—	—	—	1·22	1·22
	County Boroughs ...	0·00	0·00	0·02	0·12	0·18	0·32	0·00	0·00	0·02	0·12	0·17	0·31	—	—	—	—	0·32	0·32
	Other Urban Districts	0·01	0·01	0·02	0·05	0·12	0·27	0·02	0·01	0·02	0·04	0·12	0·21	—	—	—	0·17	0·25	0·42
	Rural Districts ...	—	0·01	0·01	0·03	0·08	0·13	—	0·01	0·01	0·03	0·07	0·12	—	0·12	—	—	0·13	0·25
	All Urban Districts ...	0·01	0·01	0·03	0·08	0·17	0·30	0·01	0·01	0·03	0·08	0·16	0·29	—	—	—	0·07	0·42	0·49

Erysipelas (18) ...	London	0·04	0·08	0·10	0·07	0·03	0·32	0·04	0·10	0·08	0·07	0·03	0·32	—	—	0·49	—	—	0·49
	County Boroughs ...	0·06	0·08	0·02	0·05	0·01	0·22	0·06	0·06	0·03	0·06	0·01	0·22	0·08	0·16	—	—	—	0·24
	Other Urban Districts	0·06	0·07	0·04	0·02	0·01	0·20	0·06	0·08	0·03	0 02	0·01	0·20	—	—	0·08	—	—	0·08
	Rural Districts ...	0·03	0·06	0·01	0·03	—	0·13	0·03	0·05	0·01	0·03	—	0·12	—	0·13	—	—	—	0·13
	All Urban Districts ...	0·05	0·09	0·04	0·04	0·01	0·23	0·06	0·08	0·04	0·04	0·01	0·23	0·04	0·07	0·10	—	—	0·21
Tuberculous Meningitis (30).	London	0·02	0·13	0·36	0·52	0·37	1·40	0·02	0·12	0·37	0·50	0·38	1·39	—	0·24	0·24	0·99	0·24	1·71
	County Boroughs ...	0·02	0·08	0·28	0·40	0·37	1·15	0·02	0·08	0·29	0·41	0·36	1·16	—	0·08	0·08	0·32	0·57	1·05
	Other Urban Districts	0·01	0·08	0·29	0·34	0·37	1·09	0·01	0·07	0·27	0·36	0·37	1·08	0·08	0·25	0·68	0·17	0·25	1·43
	Rural Districts ...	0·01	0·05	0·19	0·29	0·24	0·78	0·01	0·05	0·18	0·26	0·26	0·76	—	0·13	0·38	0·51	—	1 02
	All Urban Districts ...	0·02	0·09	0·30	0·39	0·37	1·17	0·02	0·08	0·30	0·39	0·37	1·16	0·04	0·18	0·35	0·35	0·38	1·30
Abdominal Tuberculosis (31).	London	—	0·19	0·33	0·23	0·18	0·93	—	0 17	0·29	0·23	0·17	0·86	—	0·49	1·96	—	0·24	2·69
	County Boroughs ...	0·02	0·27	0·50	0·43	0·29	1·51	0·02	0·24	0·47	0·41	0·29	1·43	0·08	0·89	1·13	0·81	0·49	3·40
	Other Urban Districts	0·01	0·16	0·29	0·17	0·23	0·86	0·01	0·15	0·27	0·18	0·23	0·84	—	0·25	0·68	0·08	0·08	1·09
	Rural Districts ...	0·02	0·14	0·23	0·18	0·15	0·72	0·02	0·13	0·21	0·18	0·14	0·68	—	0·25	0·64	0·13	0·38	1·40
	All Urban Districts ...	0·01	0·21	0·39	0·29	0·25	1·15	0·01	0·19	0·36	0·29	0·25	1·10	0·04	0·56	1·06	0·39	0·28	2·33
Other Tuberculous Diseases (28, 29, 32–35).	London	0·03	0·15	0·21	0·39	0·37	1·15	0·03	0·13	0·20	0·38	0·38	1·12	—	0·49	0·24	0·74	0·24	1·71
	County Boroughs ...	0·03	0·09	0·18	0·26	0·26	0·82	0·03	0·08	0·18	0·24	0·24	0·77	0·08	0·24	0·32	0·73	0·49	1·86
	Other Urban Districts	0·01	0·09	0·12	0·18	0·20	0·60	0·01	0·09	0·11	0·17	0·19	0·57	—	0·17	0·25	0·42	0·42	1·26
	Rural Districts ...	0·01	0·04	0·12	0·17	0·10	0·44	0·01	0·03	0·12	0·15	0·08	0·39	—	0·25	0·13	0·51	0·51	1·40
	All Urban Districts ...	0·02	0·10	0·16	0·25	0·25	0·78	0·02	0·09	0·15	0·23	0·26	0·75	0·04	0·25	0·28	0·60	0·42	1·59
Meningitis (not Tuberculous) (61).	London	0·07	0·27	0·54	0·63	0·47	1·98	0·05	0·24	0·51	0·63	0·49	1·92	0·49	0·73	1·22	0·98	—	3·42
	County Boroughs ...	0·06	0·18	0·57	0·45	0·46	1·72	0·06	0·19	0·57	0·46	0·46	1·74	0·08	0·08	0·32	0·32	0·33	1·13
	Other Urban Districts	0·04	0·19	0·43	0·48	0·40	1·54	0·05	0·17	0·42	0·45	0·40	1·49	—	0·50	0·75	0·85	0·50	2·60
	Rural Districts ...	0·02	0·15	0·29	0·43	0·34	1·23	0·02	0·16	0·30	0·42	0·34	1·24	—	—	0·13	0·38	0·38	0·89
	All Urban Districts ...	0·05	0·20	0·51	0·49	0·44	1·69	0·05	0·19	0·51	0·48	0·44	1·67	0·11	0·35	0·63	0·64	0·35	2·08
Convulsions (71) ...	London	1·65	1·06	0·80	0·53	0·43	4·47	1·68	1·00	0·77	0·53	0·44	4·42	0·98	2·44	1·71	0·49	0·24	5·86
	County Boroughs ...	3·47	2·04	1·71	1·43	0·99	9·64	3·46	1·93	1·60	1·37	0·95	9·31	3·72	4·21	4·29	2·75	1·78	16·75
	Other Urban Districts	3·25	2·18	1·79	1·25	0·89	9·36	3·13	2·06	1·74	1·15	0·87	8·95	5·71	4·95	2·93	3·35	1·34	18·28
	Rural Districts ...	3·12	1·97	1·52	1·16	0·79	8·56	2·95	1·83	1·46	1·10	0·74	8·08	6·36	4·70	2·67	2·42	1·65	17·80
	All Urban Districts ...	3·10	1·94	1·60	1·22	0·86	8·72	3·05	1·84	1·52	1·15	0·84	8·40	4·16	4·26	3·35	2·68	1·37	15·82
Laryngitis (87 B) ...	London	0 01	0·03	0·04	—	0·01	0·09	0 01	0·03	0·04	—	0·01	0·09	—	—	—	—	—	—
	County Boroughs ...	0·01	0·02	0·04	0·04	0·06	0·17	0·01	0·02	0·04	0·04	0·06	0·17	—	0·08	—	—	—	0·08
	Other Urban Districts	0·01	0·02	0·02	0·05	0·09	0·19	0·01	0·02	0·02	0·05	0·10	0·20	—	—	—	—	—	—
	Rural Districts ...	0·04	0·02	0·03	0·04	0·06	0·19	0·05	0·01	0·03	0·04	0·04	0·17	—	0·13	—	0·13	0·25	0·51
	All Urban Districts ...	0·01	0·02	0·03	0·04	0·06	0·16	0·01	0·02	0·04	0·04	0·06	0·17	—	0·04	—	—	—	0·04
Bronchitis (89, 90) ...	London	1·04	1·97	2·00	1·46	1·13	7·60	1·05	1·91	1·93	1·39	1·16	7·44	0·73	3·42	3·91	3·17	0·24	11·47
	County Boroughs ...	1·04	2·52	2·77	2·60	2·03	10·96	1·05	2·47	2·66	2·50	1·99	10·67	0·89	3·48	5·42	4·86	2·83	17·48
	Other Urban Districts	0·87	2·10	2·45	2·25	1·97	9·64	0·87	2·03	2·29	2·22	1·91	9·32	0·84	3·52	6·03	3·19	3·10	16·68
	Rural Districts ...	0·81	1·86	1·95	1·83	1·43	7·88	0·81	1·79	1·92	1·74	1·39	7·65	0·89	3·18	2·42	3·42	2·42	12·33
	All Urban Districts ...	0·97	2·26	2·52	2·28	1·86	9·89	0·98	2·20	2·38	2·21	1·83	9·60	0·85	3·49	5·46	3·91	2·57	16·28

TABLE 15 (formerly 30).—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1915.—CLASSES OF ADMINISTRATIVE AREAS—*continued.*

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Pneumonia (all forms) (91, 92).	London	0·81	2·39	3·46	4·25	5·19	16·10	0·84	2·26	3·40	4·05	5·14	15·69	0·24	5·37	4·88	9·04	6·35	25·88
	County Boroughs ...	0·44	1·73	3·15	4·44	4·75	14·51	0·45	1·67	3·03	4·37	4·75	14·27	0·32	2·91	5·75	5·83	4·94	19·75
	Other Urban Districts	0·50	1·74	2·99	3·77	4·37	13·37	0·50	1·72	2·93	3·68	4·31	13·14	0·59	2·35	4·28	5·44	5·62	18·28
	Rural Districts ...	0·43	1·51	2·31	3·03	2·97	10·25	0·42	1·45	2·25	3·01	2·97	10·10	0·51	2·54	3·56	3·56	2·92	13·09
	All Urban Districts ...	0·53	1·84	3·13	4·13	4·66	14·29	0·53	1·78	3·05	4·04	4·63	14·03	0·42	3·03	5·01	6·12	5·43	20·01
Diarrhœa and Enteritis (104).	London	0·95	4·62	7·10	4·92	3·23	20·82	0·94	4·09	6·46	4·61	3·15	19·25	1·22	17·33	22·46	12·21	5·13	58·35
	County Boroughs ..	1·30	4·22	6·60	4·62	3·35	20·09	1·29	3·94	6·19	4·39	3·29	19·10	1·54	10·28	15·70	9·55	4·69	41·76
	Other Urban Districts	0·94	3·07	3·87	2·78	1·81	12·47	0·93	2·78	3·65	2·67	1·75	11·78	1·17	9·22	8·97	5·03	3·02	27·41
	Rural Districts ...	0·69	1·76	2·29	1·46	1·08	7·28	0·68	1·64	2·17	1·44	1·04	6·97	0·76	4·20	4·83	1·78	1·78	13·35
	All Urban Districts ...	1·10	3·81	5·56	3·90	2·69	17·06	1·08	3·49	5·19	3·72	2·63	16·11	1·34	10·85	13·86	8·03	4·05	38·13
Gastritis (103 A) ...	London	0·21	0·36	0·30	0·17	0·05	1·09	0·19	0·37	0·27	0·17	0·04	1·04	0·49	0·24	1·23	—	0·24	2·20
	County Boroughs ...	0·34	0·69	0·52	0·26	0·19	2·00	0·33	0·64	0·47	0·25	0·19	1·88	0·73	1·46	1·54	0·40	0·40	4·53
	Other Urban Districts	0·27	0·68	0·54	0·30	0·18	1·97	0·26	0·63	0·49	0·28	0·18	1·84	0·59	1·93	1·59	0·59	0·25	4·95
	Rural Districts ...	0·19	0·62	0·38	0·18	0·16	1·53	0·18	0·62	0·37	0·18	0·14	1·49	0·38	0·89	0·51	0·13	0·38	2·29
	All Urban Districts ...	0·29	0·64	0·49	0·26	0·17	1·85	0·28	0·59	0·45	0·25	0·16	1·73	0·63	1·48	1·52	0·42	0·32	4·37
Syphilis (37)	London	0·56	0·71	0·30	0·14	0·08	1·79	0·50	0·44	0·21	0·08	0·06	1·29	2·20	7·33	2·44	1·46	0·49	13·92
	County Boroughs ...	0·65	0·73	0·46	0·13	0·07	2·04	0·51	0·62	0·32	0·09	0·06	1·60	3·64	3·24	3·48	0·97	0·24	11·57
	Other Urban Districts	0·37	0·40	0·25	0·07	0·02	1·11	0·30	0·30	0·18	0·06	0·02	0·86	1·68	2·43	1·84	0·25	0·17	6·37
	Rural Districts ...	0·18	0·26	0·14	0·07	0·05	0·70	0·15	0·24	0·09	0·04	0·01	0·53	0·64	0·76	1·27	0·64	0·76	4·07
	All Urban Districts ...	0·52	0·58	0·35	0·11	0·05	1·61	0·42	0·46	0·25	0·08	0·04	1·25	2·61	3·49	2·64	0·74	0·25	9·73
Rickets (36 A)... ...	London	—	0·02	0·02	0·08	0·14	0·26	—	0·02	0·02	0·08	0·12	0·24	—	—	—	—	0·73	0·73
	County Boroughs ...	0·01	0·03	0·09	0·16	0·14	0·43	0·01	0·03	0·09	0·13	0·14	0·40	0·08	—	0 08	0·65	0·24	1·05
	Other Urban Districts	0·01	0·03	0·09	0·11	0·14	0·38	0·01	0·02	0·08	0·10	0·13	0·34	—	0·08	0·34	0·50	0·42	1·34
	Rural Districts ...	—	0·02	0·10	0·13	0·16	0·41	—	0·02	0·11	0·12	0·14	0·39	—	—	—	0·38	0·38	0·76
	All Urban Districts ...	0·01	0·03	0·08	0·13	0·13	0·38	0·01	0·03	0·07	0·11	0·13	0·35	0·04	0·04	0·18	0·48	0·39	1·13
Suffocation, overlying (168 part)	London	0·71	0·73	0·39	0·11	0·08	2·02	0·61	0·73	0·36	0·10	0·07	1·87	2·94	0·98	1·22	0·24	0·24	5·62
	County Boroughs ...	0·49	0·67	0·39	0·10	0·05	1·70	0·43	0·66	0·36	0·10	0·04	1·59	1·79	1·13	1·05	0·08	0·08	4·13
	Other Urban Districts	0·33	0·28	0·18	0·03	0·02	0·84	0·28	0·26	0·18	0·03	0·02	0·77	1·25	0·67	0·17	0·17	0·17	2·43
	Rural Districts ...	0·31	0·20	0·11	0·03	0·01	0·66	0·24	0·19	0·09	0·03	0·01	0·56	1·52	0·38	0·64	—	0·13	2·67
	All Urban Districts ...	0·46	0·53	0·30	0·07	0·04	1·40	0·40	0·50	0·28	0·07	0·04	1·29	1·73	0·92	0·70	0·14	0·14	3·63

Injury at Birth (152 C)	London	1·34	0·06	—	—	—	1·40	1·08	0·06	—	—	—	1·14	7·57	—	—	—	—	7·57
	County Boroughs ...	1·17	0·02	—	—	—	1·19	1·15	0·01	—	—	—	1·16	1·78	0·08	—	—	—	1·86
	Other Urban Districts	1·00	0·02	—	—	—	1·02	0·98	0·02	—	—	—	1·00	1·59	—	—	—	—	1·59
	Rural Districts ...	1·08	0·01	—	—	—	1·09	0·95	0·01	—	—	—	0·96	3·69	—	—	—	—	3·69
	All Urban Districts ...	1·12	0·03	—	—	—	1·15	1·06	0·03	—	—	—	1·09	2·53	0·04	—	—	—	2·57
Atelectasis (152 B) ...	London	2·03	0·12	—	—	—	2·15	1·99	0·11	—	—	—	2·10	3·18	0·24	—	—	—	3·42
	County Boroughs ...	1·63	0·06	—	—	—	1·69	1·61	0·06	—	—	—	1·67	2·03	0·16	—	—	—	2·19
	Other Urban Districts	1·50	0·05	—	—	—	1·55	1·42	0·05	—	—	—	1·47	3·19	—	—	—	—	3·19
	Rural Districts ...	1·38	0·09	—	—	—	1·47	1·34	0·09	—	—	—	1·43	1·91	0·25	—	—	—	2·16
	All Urban Districts ...	1·63	0·07	—	—	—	1·70	1·58	0·07	—	—	—	1·65	2·67	0·11	—	—	—	2·78
Congenital Malformations (150).	London	2·55	1·05	0·51	0·23	0·11	4·45	2·44	1·02	0·50	0·22	0·11	4·29	5·38	1·71	0·73	0·24	—	8·06
	County Boroughs ...	2·53	0·71	0·38	0·20	0·12	3·94	2·51	0·71	0·38	0·20	0·12	3·92	3·08	0·65	0·40	0·16	0·24	4·53
	Other Urban Districts	2·62	0·79	0·41	0·23	0·14	4·19	2·62	0·79	0·42	0·23	0·15	4·21	2·59	0·59	0·34	0·17	0·08	3·77
	Rural Districts ...	2·74	0·73	0·43	0·21	0·17	4·28	2·75	0·72	0·42	0·20	0·17	4·26	2·67	0·76	0·64	0·38	0·13	4·58
	All Urban Districts ...	2·56	0·80	0·41	0·22	0·13	4·12	2·54	0·80	0·41	0·22	0·13	4·10	3·20	0·78	0·42	0·18	0·14	4·72
Premature Birth (151 A)	London	15·78	1·65	0·13	0·02	0·02	17·60	15·35	1·52	0·11	0·01	0·02	17·01	26·37	4·64	0·49	0·24	—	31·74
	County Boroughs ...	18·32	1·76	0·16	0·04	0·02	20·30	17·79	1·67	0·15	0·04	0·02	19·67	29·80	3·80	0·32	0·08	0·08	34·08
	Other Urban Districts	16·73	1·52	0·26	0·03	—	18·54	16·21	1·44	0·24	0·03	—	17·92	27·93	3·35	0·67	0·08	—	32·03
	Rural Districts ...	16·58	1·30	0·16	0·04	—	18·08	16·26	1·20	0·14	0·04	—	17·64	22·88	3·05	0·38	0·13	—	26·44
	All Urban Districts ...	17·27	1·65	0·19	0·03	0·01	19·15	16·76	1·55	0·18	0·03	0·01	18·53	28·50	3·74	0·49	0·11	0·04	32·88
Atrophy, Debility, and Marasmus (151 B–E).	London	3·87	3·19	2·34	0·88	0·45	10·73	3·70	2·73	2·06	0·77	0·38	9·64	8·06	14·16	9·03	3·66	2·20	37·11
	County Boroughs ...	6·39	3·21	2·17	0·91	0·53	13·21	6·14	3·02	1·93	0·83	0·47	12·39	11·89	7·45	7·45	2·67	1·70	31·16
	Other Urban Districts	7·38	3·13	1·54	0·67	0·40	13·12	7·09	2·90	1·38	0·64	0·37	12·38	13·76	8·13	5·03	1·34	0·92	29·18
	Rural Districts ...	7·21	2 59	1·11	0·30	0·22	11·43	6·97	2·34	1·05	0·30	0·20	10·86	11·95	7·50	2·16	0·25	0·64	22·50
	All Urban Districts ...	6·41	3·18	1·94	0·80	0·46	12·79	6·14	2·93	1·72	0·74	0·42	11·95	12·13	8·70	6·66	2·26	1·44	31·19
Other Causes	London	1·45	1·16	1·15	1·01	0·93	5·70	0·93	1·14	1·05	1·05	0·89	5·06	13·63	2·21	2·20	0·71	1·98	20·73
	County Boroughs ...	1·91	1·10	1·03	1·00	0·79	5·83	1·57	1·08	0·96	0·96	0·81	5·38	8·73	1·95	1·97	2·04	0·64	15·33
	Other Urban Districts	1·83	0·94	1·03	0·99	0·88	5·67	1·50	0·91	0·97	0·96	0·83	5·17	8·78	1·93	1·85	1·58	1·19	15·33
	Rural Districts ...	1·91	1·15	1·26	0·79	0·85	5·96	1·54	1·12	1·23	0·81	0·88	5·58	9·28	1·68	1·63	0·75	0·76	14·10
	All Urban Districts ...	1·82	0·99	1·03	1·01	0·90	5·75	1·46	1·00	0·98	0·98	0·84	5·26	9·47	1·96	1·92	1·67	1·07	16·09

TABLE 16.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE and LEGITIMACY in the QUINQUENNIUM, 1911–1915.

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under
ALL CAUSES ...	M	44·04	22·98	21·68	17·53	15·18	121·41	42·51	21·72	20·57	16·95	14·88	116·63	77·83	50·94	46·32	30·42	21·98	22
	F	33·77	17·40	17·71	14·82	13·56	97·26	32·36	16·39	16·71	14·28	13·26	93·00	65·12	39·90	39·88	26·79	20·17	19
	P	38·99	20·24	19·74	16·20	14·39	109·56	37·52	19·10	18·68	15·64	14·09	105·03	71·59	45·53	43·16	28·64	21·09	21
I. Common Infectious Diseases (5–9, 19C).	M	0·14	0·79	1·17	2·14	3·10	7·34	0·14	0·79	1·14	2·13	3·08	7·28	0·07	0·68	1·57	2·58	3·65	
	F	0·15	0·89	1·22	2·12	3·11	7·49	0·16	0·90	1·21	2·08	3·10	7·45	0·11	0·80	1·53	2·61	3·33	
	P	0·15	0·84	1·18	2·14	3·11	7·42	0·15	0·84	1·17	2·11	3·08	7·35	0·10	0·75	1·54	2·62	3·46	
II. Tuberculous Diseases (28–35).	M	0·05	0·45	0·99	1·02	0·92	3·43	0·05	0·43	0·93	0·99	0·90	3·30	0·07	1·06	2·18	1·69	1·57	
	F	0·03	0·29	0·78	0·84	0·77	2·71	0·03	0·28	0·74	0·79	0·76	2·60	0·08	0·83	1·60	1·63	1·18	
	P	0·05	0·38	0·89	0·91	0·85	3·08	0·05	0·33	0·84	0·90	0·83	2·95	0·08	0·96	1·89	1·64	1·38	
III. Diarrhœa and Enteritis (104).	M	1·44	5·10	6·95	4·63	3·13	21·25	1·39	4·76	6·57	4·45	3·05	20·22	2·56	12·46	15·60	8·78	4·81	4
	F	0·87	3·68	5·73	4·03	2·84	17·15	0·84	3·38	5·37	3·84	2·74	16·17	1·66	10·30	13·80	8·23	5·05	3
	P	1·16	4·40	6·35	4·34	2·99	19·24	1·12	4·09	5·97	4·15	2·90	18·23	2·12	11·40	14·72	8·51	4·92	4
IV. Developmental and Wasting Diseases (150, 151, 152B).	M	32·21	6·51	2·81	1·08	0·58	43·19	31·39	6·05	2·58	0·98	0·54	41·54	50·90	16·79	7·83	3·08	1·47	8
	F	25·32	4·98	2·33	0·91	0·52	34·06	24·53	4·64	2·15	0·86	0·49	32·67	42·12	12·68	6·61	2·20	1·19	6
	P	28·83	5·75	2·58	1·00	0·55	38·71	28·04	5·35	2·37	0·92	0·52	37·20	46·61	14·77	7·24	2·64	1·33	7
V. Miscellaneous Diseases (Remainder).	M	10·20	10·13	9·76	8·66	7·45	46·20	9·54	9·69	9·35	8·40	7·31	44·29	24·23	19·95	19·14	14·29	10·48	8
	F	7·40	7·56	7·65	6·92	6·32	35·85	6·80	7·19	7·24	6·71	6·17	34·11	21·15	15·29	16·34	12·12	9·42	7
	P	8·80	8·87	8·74	7·81	6·89	41·11	8·16	8·49	8·33	7·56	6·76	39·30	22·68	17·65	17·77	13·23	10·00	8
Small-pox (5) ...	M	—	0·00	—	—	—	0·00	—	—	—	—	—	—	—	0·01	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	P	—	0·00	—	—	—	0·00	—	—	—	—	—	—	—	0·01	—	—	—	
Chicken-pox (19C)	M	0·00	0·01	0·01	0·02	0·02	0·06	0·00	0·01	0·01	0·02	0·02	0·06	—	0·01	0·01	0·03	0·09	
	F	0·00	0·01	0·01	0·02	0·02	0·06	0·00	0·01	0·01	0·01	0·02	0·05	—	0·01	0·03	0·04	0·08	
	P	0·00	0·01	0·01	0·02	0·02	0·06	0·00	0·01	0·01	0·01	0·02	0·05	—	0·01	0·02	0·04	0·08	
Measles (6) ...	M	0·03	0·07	0·21	0·98	1·84	3·13	0·03	0·06	0·20	0·98	1·83	3·10	0·02	0·08	0·34	1·04	2·12	
	F	0·02	0·05	0·17	0·83	1·67	2·74	0·02	0·05	0·16	0·81	1·66	2·70	0·01	0·07	0·39	1·22	1·98	
	P	0·03	0·06	0·19	0·91	1·75	2·94	0·03	0·06	0·18	0·90	1·73	2·90	0·02	0·08	0·36	1·13	2·04	
Scarlet fever (7) ...	M	0·00	0·01	0·02	0·03	0·04	0·10	0·00	0·01	0·01	0·03	0·05	0·10	—	—	0·04	0·05	0·08	
	F	0·00	0·00	0·01	0·02	0·04	0·07	0·00	0·00	0·01	0·02	0·04	0·07	0·01	—	0·02	0·01	—	
	P	0·00	0·00	0·01	0·03	0·05	0·09	0·00	0·00	0·01	0·03	0·05	0·09	0·01	—	0·03	0·03	0·04	
Whooping cough (8).	M	0·10	0·69	0·90	1·03	1·05	3·77	0·10	0·70	0·89	1·02	1·04	3·75	0·05	0·57	1·15	1·38	1·13	
	F	0·12	0·82	1·01	1·19	1·26	4·40	0·13	0·83	1·01	1·18	1·26	4·41	0·09	0·68	1·06	1·25	1·16	
	P	0·11	0·76	0·95	1·11	1·15	4·08	0·11	0·76	0·95	1·10	1·15	4·07	0·07	0·62	1·10	1·33	1·14	
Diphtheria and Croup (9).	M	0·01	0·01	0·03	0·08	0·15	0·28	0·01	0·01	0·03	0·08	0·14	0·27	—	0·01	0·03	0·08	0·23	
	F	0·01	0·01	0·02	0·06	0·12	0·22	0·01	0·01	0·02	0·06	0·12	0·22	—	0·04	0·03	0·09	0·11	
	P	0·01	0·01	0·02	0·07	0·14	0·25	0·01	0·01	0·02	0·07	0·13	0·24	—	0·03	0·03	0·09	0·16	
Erysipelas (18) ...	M	0·04	0·08	0·03	0·02	0·01	0·18	0·04	0·08	0·03	0·02	0·01	0·18	0·04	0·08	0·09	—	—	
	F	0·03	0·06	0·04	0·03	0·02	0·18	0·03	0·06	0·04	0·03	0·02	0·18	0·03	0·03	0·06	0·04	—	
	P	0·04	0·07	0·04	0·02	0·01	0·18	0·04	0·07	0·04	0·02	0·01	0·18	0·04	0·06	0·07	0·02	—	
Tuberculous meningitis (50).	M	0·01	0·09	0·31	0·41	0·37	1·19	0·01	0·09	0·30	0·40	0·37	1·17	0·02	0·21	0·58	0·50	0·45	
	F	0·01	0·06	0·24	0·33	0·32	0·96	0·01	0·06	0·23	0·32	0·33	0·95	0·02	0·10	0·38	0·50	0·34	
	P	0·01	0·08	0·28	0·36	0·35	1·08	0·01	0·06	0·27	0·37	0·35	1·06	0·02	0·16	0·48	0·49	0·40	
Abdominal Tuberculosis (31).	M	0·02	0·25	0·45	0·34	0·28	1·34	0·02	0·24	0·41	0·34	0·27	1·28	0·03	0·57	1·13	0·54	0·59	
	F	0·01	0·16	0·35	0·28	0·22	1·02	0·01	0·15	0·33	0·26	0·21	0·96	0·03	0·48	0·87	0·66	0·48	
	P	0·02	0·21	0·40	0·31	0·25	1·19	0·02	0·19	0·37	0·30	0·24	1·12	0·03	0·53	1·00	0·59	0·54	
Other Tuberculous Diseases (28, 29, 32–35).	M	0·02	0·11	0·23	0·27	0·27	0·90	0·02	0·10	0·22	0·25	0·26	0·85	0·02	0·28	0·47	0·65	0·53	
	F	0·01	0·07	0·19	0·23	0·23	0·73	0·01	0·07	0·18	0·21	0·22	0·69	0·03	0·25	0·35	0·47	0·36	
	P	0·02	0·09	0·21	0·24	0·25	0·81	0·02	0·08	0·20	0·23	0·24	0·77	0·03	0·27	0·41	0·56	0·44	
Meningitis (not Tuberculous) (61).	M	0·07	0·20	0·47	0·50	0·40	1·64	0·07	0·20	0·47	0·49	0·40	1·63	0·09	0·26	0·52	0·58	0·40	
	F	0·04	0·15	0·35	0·38	0·35	1·27	0·04	0·14	0·34	0·39	0·35	1·26	0·04	0·26	0·59	0·43	0·31	
	P	0·06	0·18	0·41	0·43	0·38	1·46	0·06	0·17	0·41	0·43	0·38	1·45	0·07	0·26	0·56	0·50	0·35	
Convulsions (71) ...	M	3·84	2·30	1·82	1·26	0·82	10·04	3·76	2·18	1·73	1·19	0·78	9·64	5·78	4·91	3·88	2·80	1·60	1
	F	2·59	1·72	1·43	1·05	0·73	7·52	2·51	1·65	1·36	0·99	0·71	7·22	4·28	3·41	2·95	2·28	1·28	1
	P	3·24	2·01	1·63	1·15	0·78	8·81	3·14	1·92	1·55	1·09	0·75	8·45	5·06	4·17	3·42	2·54	1·44	1
Laryngitis (87B) ...	M	0·02	0·03	0·04	0·05	0·06	0·20	0·02	0·03	0·04	0·05	0·05	0·19	—	0·06	0·03	0·07	0·08	
	F	0·02	0·02	0·03	0·04	0·04	0·15	0·02	0·02	0·03	0·04	0·04	0·15	0·02	0·02	0·04	0·04	0·05	
	P	0·02	0·02	0·03	0·04	0·06	0·17	0·02	0·02	0·03	0·04	0·06	0·17	0·01	0·04	0·04	0·06	0·06	
Bronchitis (89, 90)	M	1·05	2·50	2·29	1·91	1·44	9·19	1·06	2·45	2·20	1·86	1·41	8·98	0·79	3·74	4·25	3·09	2·13	1
	F	0·77	1·91	1·83	1·54	1·32	7·37	0·77	1·87	1·76	1·49	1·29	7·18	0·76	2·88	3·41	2·69	1·99	1
	P	0·91	2·22	2·06	1·73	1·38	8·30	0·92	2·16	1·98	1·68	1·35	8·09	0·78	3·32	3·84	2·89	2·06	1
Pneumonia (all forms) (91, 92).	M	0·58	1·97	2·82	3·39	3·51	12·27	0·58	1·93	2·74	3·32	3·48	12·05	0·57	3·01	4·60	4·67	4·25	1
	F	0·46	1·39	2·10	2·65	2·88	9·48	0·46	1·36	2·03	2·59	2·83	9·27	0·57	2·02	3·78	3·90	4·00	1
	P	0·52	1·69	2·47	3·02	3·20	10·90	0·52	1·65	2·39	2·96	3·16	10·68	0·57	2·52	4·20	4·29	4·13	1
Diarrhœa and Enteritis (104).	M	1·44	5·10	6·95	4·63	3·13	21·25	1·39	4·76	6·57	4·45	3·05	20·22	2·56	12·46	15·60	8·78	4·81	4
	F	0·87	3·68	5·73	4·03	2·84	17·15	0·84	3·38	5·37	3·84	2·74	16·17	1·66	10·30	13·80	8·23	5·05	3
	P	1·16	4·40	6·35	4·34	2·99	19·24	1·12	4·09	5·97	4·15	2·90	18·23	2·12	11·40	14·72	8·51	4·92	4

ABLE 16.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, in the QUINQUENNIUM, 1911–1915—*continued.*

ause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
ritis (103A) ...	M	0·30	0·67	0·49	0·24	0·14	1·84	0·29	0·63	0·46	0·23	0·14	1·75	0·53	1·55	1·19	0·42	0·20	3·89
	F	0·19	0·43	0·38	0·21	0·13	1·34	0·18	0·40	0·35	0·20	0·13	1·26	0·35	1·12	0·88	0·38	0·26	2·99
	P	0·24	0·56	0·43	0·22	0·14	1·59	0·24	0·51	0·41	0·22	0·13	1·51	0·44	1·34	1·04	0·40	0·23	3·45
ilis (87) ...	M	0·52	0·62	0·29	0·10	0·05	1·58	0·42	0·49	0·22	0·08	0·04	1·25	2·83	3·37	1·89	0·59	0·35	9·03
	F	0·36	0·45	0·27	0·10	0·06	1·24	0·29	0·35	0·19	0·07	0·04	0·94	1·99	2·70	2·14	0·75	0·43	8·01
	P	0·44	0·55	0·28	0·10	0·05	1·42	0·35	0·43	0·20	0·07	0·04	1·09	2·42	3·04	2·01	0·67	0·39	8·53
kets (36A) ...	M	0·01	0·03	0·09	0·14	0·19	0·46	0·01	0·03	0·08	0·14	0·17	0·43	0·01	0·12	0·21	0·35	0·46	1·15
	F	0·00	0·02	0·06	0·10	0·13	0·31	0·00	0·02	0·06	0·09	0·13	0·30	0·01	0·05	0·15	0·25	0·28	0·74
	P	0·00	0·03	0·07	0·12	0·17	0·39	0·00	0·02	0·07	0·11	0·17	0·37	0·01	0·09	0·18	0·30	0·37	0·95
ocation, over-ng (168 part).	M	0·50	0·55	0·28	0·06	0·02	1·41	0·45	0·54	0·27	0·06	0·02	1·34	1·53	0·76	0·62	0·08	0·04	3·03
	F	0·44	0·54	0·31	0·06	0·03	1·38	0·36	0·54	0·30	0·06	0·03	1·29	1·77	0·85	0·48	0·10	0·09	3·29
	P	0·47	0·54	0·30	0·06	0·03	1·40	0·42	0·53	0·29	0·06	0·02	1·32	1·65	0·80	0·55	0·10	0·06	3·16
ry at Birth 52C).	M	1·30	0·03	0·00	—	0·00	1·33	1·22	0·03	0·00	—	0·00	1·25	2·95	0·03	—	—	—	2·98
	F	0·91	0·01	0·00	—	—	0·92	0·83	0·01	0·00	—	—	0·84	2·67	0·04	—	—	—	2·71
	P	1·11	0·02	0·00	—	0·00	1·13	1·03	0·02	0·00	—	0·00	1·05	2·80	0·04	—	—	—	2·84
ectasis (152B)	M	1·87	0·11	—	—	—	1·98	1·83	0·11	—	—	—	1·94	2·83	0·17	—	—	—	3·00
	F	1·34	0·07	—	—	—	1·41	1·31	0·07	—	—	—	1·38	1·92	0·12	—	—	—	2·04
	P	1·61	0·09	—	—	—	1·70	1·58	0·09	—	—	—	1·67	2·39	0·14	—	—	—	2·53
genital Malfor-ations (150).	M	2·64	0·86	0·41	0·19	0·12	4·22	2·62	0·85	0·41	0·18	0·12	4·18	3·07	1·04	0·44	0·41	0·22	5·18
	F	2·21	0·63	0·36	0·16	0·10	3·46	2·19	0·62	0·36	0·17	0·10	3·44	2·42	0·78	0·51	0·10	0·10	3·91
	P	2·43	0·74	0·39	0·18	0·11	3·85	2·42	0·74	0·38	0·17	0·11	3·82	2·75	0·91	0·48	0·26	0·16	4·56
nature Birth 51A).	M	19·76	1·67	0·21	0·04	0·01	21·69	19·27	1·59	0·19	0·03	0·01	21·09	30·92	3·52	0·56	0·11	0·02	35·13
	F	15·89	1·50	0·19	0·03	0·01	17·62	15·39	1·42	0·18	0·03	0·01	17·03	26·67	3·43	0·44	0·08	0·04	30·66
	P	17·86	1·59	0·20	0·03	0·01	19·69	17·37	1·50	0·19	0·03	0·01	19·10	28·84	3·48	0·50	0·09	0·03	32·94
phy, Debility d Marasmus 51 B–E).	M	7·94	3·87	2·19	0·85	0·45	15·30	7·67	3·50	1·98	0·77	0·41	14·33	14·08	12·06	6·83	2·56	1·23	36·76
	F	5·88	2·78	1·78	0·72	0·41	11·57	5·64	2·53	1·61	0·66	0·38	10·82	11·11	8·35	5·66	2·02	1·05	28·19
	P	6·93	3·33	1·99	0·79	0·43	13·47	6·67	3·02	1·80	0·72	0·40	12·61	12·63	10·24	6·26	2·29	1·14	32·56
r Causes	M	1·97	1·15	1·14	0·99	0·81	6·06	1·62	1·10	1·11	0·96	0·81	5·60	9·11	2·06	1·86	1·64	0·97	15·64
	F	1·59	0·86	0·85	0·76	0·63	4·69	1·31	0·77	0·78	0·76	0·60	4·22	8·66	1·91	1·86	1·26	0·73	14·42
	P	1·75	0·98	1·02	0·92	0·69	5·36	1·42	0·99	0·96	0·88	0·69	4·94	8·83	1·97	1·86	1·46	0·91	15·03

TABLE 17.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, IN THE QUINQUENNIUM, 1911–1915—CLASSES OF ADMINISTRATIVE AREAS.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Causes	London	34·23	20·68	21·23	16·99	15·56	108·69	32·65	19·24	19·73	16·40	15·21	103·23	73·10	55·82	57·97	31·46	24·08	242·43
	County Boroughs ...	41·66	23·21	22·98	19·24	17·22	124·31	40·11	21·93	21·71	18·51	16·87	119·13	76·22	51·57	51·18	35·48	25·15	239·60
	Other Urban Districts	38·93	19·67	19·07	15·61	13·79	107·07	37·58	18·55	18·11	15·06	13·51	102·81	69·94	45·18	40·85	27·96	20·34	204·27
	Rural Districts ...	37·65	15·99	14·50	11·62	9·90	89·66	36·22	15·21	13·88	11·31	9·67	86·29	66·34	31·52	26·79	17·85	14·51	157·01
	All Urban Districts ...	39·34	21·30	21·03	17·33	15·50	114·50	37·86	20·06	19·86	16·71	15·17	109·66	73·08	49·47	47·77	31·68	22·94	224·94
I. Common Infectious Diseases (5–9, 19 C).	London	0·14	0·69	1·07	2·46	3·77	8·13	0·15	0·68	1·05	2·44	3·70	8·02	0·14	0·52	1·64	3·03	5·41	10·74
	County Boroughs ...	0·15	0·82	1·27	2·43	3·67	8·34	0·15	0·83	1·25	2·38	3·65	8·26	0·10	0·78	1·72	3·37	4·26	10·23
	Other Urban Districts	0·14	0·86	1·20	2·06	2·95	7·21	0·14	0·86	1·18	2·05	2·96	7·19	0·05	0·68	1·47	2·50	3·23	7·93
	Rural Districts ...	0·18	0·94	1·13	1·53	1·95	5·73	0·18	0·94	1·11	1·53	1·99	5·75	0·12	0·90	1·39	1·41	1·59	5·41
	All Urban Districts ...	0·14	0·81	1·21	2·28	3·39	7·83	0·15	0·81	1·20	2·26	3·34	7·76	0·08	0·70	1·61	2·95	3·99	9·33
II. Tuberculous Diseases (28–35).	London	0·04	0·41	0·93	1·05	0·99	3·42	0·03	0·38	0·87	1·03	1·01	3·32	0·09	1·07	2·29	1·73	0·98	6·16
	County Boroughs ...	0·05	0·45	1·06	1·08	0·99	3·63	0·05	0·41	1·00	1·02	0·95	3·43	0·10	1·32	2·32	2·39	1·93	8·06
	Other Urban Districts	0·05	0·36	0·87	0·86	0·81	2·95	0·05	0·33	0·82	0·82	0·81	2·83	0·10	0·90	1·98	1·40	1·21	5·59
	Rural Districts ...	0·03	0·27	0·58	0·69	0·60	2·17	0·03	0·27	0·56	0·68	0·58	2·12	0·02	0·39	0·93	0·90	1·00	3·24
	All Urban Districts ...	0·05	0·40	0·95	0·98	0·93	3·31	0·05	0·37	0·90	0·95	0·88	3·15	0·09	1·13	2·16	1·88	1·49	6·72
III. Diarrhœa and Enteritis (104).	London	1·09	5·04	8·18	5·52	3·81	23·64	1·07	4·55	7·49	5·23	3·64	21·98	1·59	16·90	25·06	12·65	7·98	64·18
	County Boroughs ...	1·40	5·31	7·68	5·34	3·79	23·52	1·35	4·93	7·24	5·09	3·68	22·29	2·61	13·79	17·45	10·76	6·23	50·84
	Other Urban Districts	1·17	4·26	5·96	4·09	2·73	18·21	1·13	3·96	5·65	3·91	2·65	17·30	2·16	11·09	13·26	8·06	4·43	39·00
	Rural Districts ...	0·79	2·72	3·63	2·35	1·56	11·05	0·75	2·58	3·46	2·28	1·53	10·60	1·58	5·39	7·39	3·63	2·10	20·09
	All Urban Districts ...	1·26	4·82	7·02	4·83	3·34	21·27	1·21	4·46	6·60	4·61	3·23	20·11	2·27	13·10	16·77	9·89	5·72	47·75
IV. Developmental and Wasting Diseases (150, 151, 152 B).	London	24·74	5·76	2·83	0·99	0·53	34·85	23·97	5·25	2·52	0·93	0·48	33·15	42·94	18·62	10·18	2·52	1·78	76·04
	County Boroughs ...	30·30	6·32	2·95	1·23	0·69	41·49	29·42	5·89	2·69	1·13	0·66	39·79	49·65	15·63	8·81	3·46	1·58	79·13
	Other Urban Districts	29·15	5·75	2·49	0·94	0·53	38·86	28·39	5·34	2·30	0·87	0·50	37·40	46·90	14·93	6·79	2·50	1·18	72·30
	Rural Districts ...	28·40	4·83	1·94	0·72	0·38	36·27	27·66	4·51	1·83	0·67	0·35	35·02	43·46	11·24	3·97	1·71	0·97	61·35
	All Urban Districts ...	28·95	5·98	2·74	1·06	0·59	39·32	28·10	5·56	2·50	0·99	0·56	37·71	47·49	15·77	8·16	2·91	1·43	75·76
V. Miscellaneous Diseases (Remainder).	London	8·22	8·78	8·22	6·97	6·46	38·65	7·43	8·38	7·80	6·77	6·38	36·76	28·34	18·71	18·80	11·53	7·93	85·31
	County Boroughs ...	9·76	10·31	10·02	9·16	8·08	47·33	9·14	9·87	9·53	8·89	7·93	45·36	23·76	20·05	20·88	15·50	11·15	91·34
	Other Urban Districts	8·42	8·44	8·55	7·66	6·77	39·84	7·87	8·06	8·16	7·41	6·59	38·09	20·73	17·58	17·35	13·50	10·29	79·45
	Rural Districts ...	8·25	7·23	7·22	6·33	5·41	34·44	7·60	6·91	6·92	6·15	5·22	32·80	21·16	13·60	13·11	10·20	8·85	66·92
	All Urban Districts ...	8·94	9·29	9·11	8·18	7·25	42·77	8·35	8·86	8·66	7·90	7·16	40·93	23·15	18·80	19·07	14·05	10·31	85·38

Small-pox (5)	London	—	0·00	—	—	—	0·00	—	—	—	—	—	—	—	0·05	—	—	—	0·05
	County Boroughs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rural Districts	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All Urban Districts	—	0·00	—	—	—	0·00	—	—	—	—	—	—	—	0·01	—	—	—	0·01
Chicken-pox (19 C)	London	0·00	0·01	0·02	0·02	0·02	0·07	0·00	0·00	0·02	0·02	0·02	0·06	—	0·09	0·05	—	0·05	0·19
	County Boroughs	0·00	0·01	0·01	0·02	0·03	0·07	0·00	0·01	0·01	0·02	0·02	0·06	—	—	0·02	0·06	0·15	0·23
	Other Urban Districts	0·00	0·01	0·01	0·01	0·02	0·05	0·00	0·01	0·01	0·01	0·02	0·05	—	—	0·02	0·05	0·07	0·14
	Rural Districts	0·00	0·01	0·01	0·02	0·01	0·05	0·00	0·01	0·01	0·02	0·01	0·05	—	—	0·02	—	—	0·02
	All Urban Districts	0·00	0·01	0·01	0·02	0·05	0·06	0·00	0·01	0·01	0·02	0·02	0·06	—	0·01	0·02	0·05	0·11	0·19
Measles (6)	London	0·04	0·05	0·22	1·16	2·20	3·67	0·04	0·05	0·21	1·14	2·15	3·59	0·09	0·05	0·61	1·54	3·45	5·74
	County Boroughs	0·03	0·07	0·23	1·11	2·19	3·63	0·03	0·07	0·21	1·09	2·18	3·58	0·02	0·08	0·53	1·55	2·54	4·72
	Other Urban Districts	0·02	0·06	0·18	0·86	1·68	2·80	0·02	0·06	0·17	0·86	1·67	2·78	—	0·08	0·26	0·95	1·91	3·20
	Rural Districts	0·02	0·04	0·13	0·48	0·88	1·55	0·02	0·04	0·12	0·47	0·90	1·55	—	0·07	0·15	0·56	0·76	1·54
	All Urban Districts	0·03	0·06	0·21	1·01	1·97	3·28	0·03	0·06	0·20	1·00	1·95	3·24	0·02	0·08	0·43	1·29	2·40	4·22
Scarlet fever (7)	London	0·00	0·00	0·01	0·03	0·04	0·08	0·00	0·00	0·01	0·03	0·04	0·08	—	—	—	—	0·05	0·05
	County Boroughs	0·00	0·00	0·01	0·03	0·07	0·11	0·00	0·00	0·01	0·03	0·07	0·11	—	—	0·06	0·10	0·03	0·19
	Other Urban Districts	0·00	0·01	0·01	0·02	0·03	0·07	0·00	0·01	0·01	0·02	0·03	0·07	0·02	—	—	—	0·03	0·05
	Rural Districts	0·00	0·00	0·01	0·02	0·04	0·07	0·00	0·00	0·01	0·02	0·04	0·07	—	—	0·05	—	0·05	0·10
	All Urban Districts	0·00	0·00	0·01	0·03	0·05	0·09	0·00	0·00	0·01	0·03	0·05	0·09	0·01	—	0·03	0·04	0·03	0·11
Whooping cough (8)	London	0·08	0·60	0·77	1·12	1·27	3·84	0·09	0·61	0·76	1·12	1·25	3·83	0·05	0·28	0·84	1·35	1·54	4·06
	County Boroughs	0·11	0·73	1·00	1·18	1·23	4·25	0·11	0·74	0·99	1·16	1·23	4·23	0·08	0·68	1·11	1·55	1·30	4·72
	Other Urban Districts	0·11	0·77	0·98	1·11	1·12	4·09	0·11	0·77	0·97	1·10	1·14	4·09	0·03	0·58	1·17	1·44	1·09	4·31
	Rural Districts	0·15	0·87	0·96	0·97	0·98	3·93	0·15	0·88	0·95	0·98	0·99	3·95	0·12	0·78	1·12	0·80	0·76	3·58
	All Urban Districts	0·10	0·73	0·95	1·14	1·20	4·12	0·11	0·73	0·95	1·13	1·18	4·10	0·05	0·58	1·10	1·47	1·25	4·45
Diphtheria and Croup (9)	London	0·02	0·03	0·05	0·13	0·24	0·47	0·02	0·02	0·05	0·13	0·24	0·46	—	0·05	0·14	0·14	0·32	0·65
	County Boroughs	0·01	0·01	0·02	0·09	0·15	0·28	0·01	0·01	0·03	0·08	0·15	0·28	—	0·02	—	0·11	0·24	0·37
	Other Urban Districts	0·01	0·01	0·02	0·06	0·10	0·20	0·01	0·01	0·02	0·06	0·10	0·20	—	0·02	0·02	0·06	0·13	0·23
	Rural Districts	0·01	0·02	0·02	0·04	0·04	0·13	0·01	0·01	0·02	0·04	0·05	0·13	—	0·05	0·05	0·05	0·02	0·17
	All Urban Districts	0·01	0·01	0·03	0·08	0·15	0·28	0·01	0·01	0·03	0·08	0·14	0·27	—	0·02	0·03	0·10	0·20	0·35
Erysipelas (18)	London	0·05	0·09	0·06	0·05	0·02	0·27	0·04	0·10	0·05	0·05	0·02	0·26	0·14	0·14	0·14	0·09	—	0·51
	County Boroughs	0·04	0·08	0·04	0·03	0·01	0·20	0·04	0·07	0·04	0·03	0·02	0·20	0·05	0·06	0·07	0·03	—	0·21
	Other Urban Districts	0·04	0·06	0·04	0·02	0·01	0·17	0·04	0·07	0·03	0·02	0·01	0·17	0·02	0·02	0·07	—	—	0·11
	Rural Listricts	0·02	0·06	0·03	0·01	0·00	0·12	0·02	0·06	0·03	0·01	0·00	0·12	—	0·08	0·02	—	—	0·10
	All Urban Districts	0·04	0·08	0·04	0·03	0·01	0·20	0·04	0·08	0·04	0·03	0·01	0·20	0·05	0·05	0·08	0·03	—	0·21
Tuberculosis Meningitis (30).	London	0·01	0·10	0·35	0·46	0·46	1·38	0·01	0·09	0·33	0·45	0·47	1·35	—	0·23	0·70	0·89	0·37	2·19
	County Boroughs	0·01	0·09	0·29	0·40	0·39	1·18	0·01	0·08	0·29	0·39	0·38	1·15	0·02	0·18	0·35	0·61	0·60	1·76
	Other Urban Districts	0·01	0·08	0·29	0·34	0·33	1·05	0·01	0·07	0·27	0·33	0·35	1·03	0·05	0·16	0·76	0·35	0·31	1·63
	Rural Districts	0·01	0·06	0·18	0·27	0·24	0·76	0·01	0·06	0·18	0·27	0·24	0·76	—	0·07	0·12	0·37	0·24	0·80
	All Urban Districts	0·01	0·08	0·30	0·38	0·39	1·16	0·01	0·08	0·29	0·38	0·37	1·13	0·03	0·18	0·57	0·54	0·44	1·76

TABLE 17.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, IN THE QUINQUENNIUM, 1911–1915.—CLASSES OF ADMINISTRATIVE AREAS —*continued.*

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Abdominal Tuberculosis (31).	London	0·01	0·19	0·29	0·23	0·17	0·89	0·01	0·18	0·26	0·23	0·17	0·85	—	0·42	1·12	0·28	0·14	1·96
	County Boroughs ...	0·02	0·26	0·53	0·40	0·32	1·53	0·02	0·24	0·49	0·38	0·30	1·43	0·05	0·82	1·45	0·89	0·72	3·93
	Other Urban Districts	0·02	0·19	0·39	0·30	0·25	1·15	0·02	0·18	0·37	0·28	0·24	1·09	0·03	0·50	0·79	0·63	0·48	2·43
	Rural Districts ...	0·01	0·15	0·27	0·23	0·21	0·87	0·01	0·15	0·25	0·23	0·19	0·83	0·02	0·17	0·61	0·27	0·54	1·61
	All Urban Districts ...	0·02	0·22	0·43	0·33	0·27	1·27	0·02	0·20	0·40	0·32	0·25	1·19	0·03	0·62	1·12	0·69	0·54	3·00
Other Tuberculous Diseases (28, 29, 32–35).	London	0·02	0·12	0·29	0·36	0·36	1·15	0·01	0·11	0·28	0·35	0·37	1·12	0·09	0·42	0·47	0·56	0·47	2·01
	County Boroughs ...	0·02	0·10	0·24	0·28	0·28	0·92	0·02	0·09	0·22	0·25	0·27	0·85	0·03	0·32	0·52	0·89	0·61	2·37
	Other Urban Districts	0·02	0·09	0·19	0·22	0·23	0·75	0·02	0·08	0·18	0·21	0·22	0·71	0·02	0·24	0·43	0·42	0·42	1·53
	Rural Districts ...	0·01	0·06	0·13	0·19	0·15	0·54	0·01	0·06	0·13	0·18	0·15	0·53	—	0·15	0·20	0·26	0·22	0·83
	All Urban Districts ...	0·02	0·10	0·22	0·27	0·27	0·88	0·02	0·09	0·21	0·25	0·26	0·83	0·03	0·30	0·47	0·65	0·51	1·96
Meningitis (not Tuberculous) (61).	London	0·05	0·16	0·37	0·49	0·37	1·44	0·05	0·15	0·35	0·49	0·38	1·42	0·14	0·37	0·75	0·47	0·14	1·87
	County Boroughs ...	0·07	0·21	0·51	0·49	0·43	1·71	0·07	0·21	0·51	0·49	0·43	1·71	0·05	0·24	0·56	0·55	0·39	1·79
	Other Urban Districts	0·06	0·18	0·40	0·42	0·37	1·43	0·06	0·17	0·39	0·42	0·37	1·41	0·11	0·37	0·55	0·53	0·37	1·93
	Rural Districts ...	0·04	0·13	0·30	0·33	0·30	1·10	0·04	0·14	0·30	0·32	0·29	1·09	—	0·07	0·45	0·41	0·39	1·32
	All Urban Districts ...	0·06	0·19	0·44	0·46	0·40	1·55	0·06	0·18	0·43	0·46	0·40	1·53	0·09	0·32	0·58	0·53	0·34	1·86
Convulsions (71) ...	London	1·86	0·98	0·86	0·48	0·33	4·51	1·86	0·94	0·81	0·47	0·33	4·41	1·82	2·11	1·91	0·70	0·37	6·91
	County Boroughs ...	3·62	2·33	1·83	1·35	0·93	10·06	3·55	2·23	1·74	1·29	0·90	9·71	5·15	4·51	3·80	2·75	1·59	17·80
	Other Urban Districts	3·30	2·10	1·73	1·19	0·81	9·13	3·21	1·99	1·65	1·12	0·78	8·75	5·41	4·62	3·51	2·83	1·51	17·88
	Rural Districts ...	3·33	1·98	1·62	1·19	0·75	8·87	3·19	1·88	1·53	1·11	0·70	8·41	6·05	4·06	3·51	2·76	1·66	18·04
	All Urban Districts ...	3·21	2·02	1·63	1·15	0·78	8·79	3·15	1·93	1·55	1·07	0·76	8·46	4·76	4·20	3·40	2·49	1·38	16·23
Laryngitis (87 B) ...	London	0·01	0·02	0·03	0·02	0·03	0·11	0·01	0·03	0·03	0·02	0·03	0·12	—	—	—	—	0·05	0·05
	County Boroughs ...	0·01	0·02	0·04	0·04	0·06	0·17	0·01	0·02	0·04	0·04	0·05	0·16	0·02	0·05	0·03	0·05	0·08	0·23
	Other Urban Districts	0·01	0·03	0·03	0·05	0·07	0·19	0·01	0·03	0·03	0·05	0·07	0·19	—	0·04	0·03	0·05	0·02	0·14
	Rural Districts ...	0·03	0·02	0·03	0·05	0·06	0·19	0·03	0·02	0·03	0·05	0·05	0·18	0·02	0·05	0·08	0·12	0·10	0·37
	All Urban Districts ...	0·01	0·02	0·03	0·04	0·07	0·17	0·01	0·02	0·03	0·04	0·07	0·17	0·01	0·04	0·03	0·04	0·04	0·16
Bronchitis (89, 90) ...	London	0·93	1·88	1·71	1·19	0·94	6·65	0·93	1·86	1·63	1·16	0·92	6·50	0·89	2·66	3·74	1·91	1·21	10·41
	County Boroughs ...	1·06	2·62	2·46	2·13	1·64	9·91	1·07	2·58	2·37	2·07	1·61	9·70	0·76	3·71	4·49	3·43	2·16	14·55
	Other Urban Districts	0·87	2·16	2·03	1·75	1·42	8·23	0·87	2·11	1·94	1·69	1·39	8·00	0·72	3·40	3·98	3·20	2·20	13·50
	Rural Districts ...	0·74	1·82	1·67	1·37	1·17	6·77	0·74	1·75	1·62	1·34	1·12	6·57	0·83	2·97	2·66	2·12	2·15	10·73
	All Urban Districts ...	0·95	2·31	2·16	1·82	1·44	8·68	0·96	2·27	2·07	1·76	1·41	8·47	0·76	3·42	4·16	3·11	2·04	13·49

Pneumonia (all forms) (91, 92).	London	0·87	2·37	2·87	3·25	3·63	12·99	0·88	2·32	2·76	3·16	3·62	12·74	0·65	3·69	5·46	5·32	4·06	19·18
	County Boroughs ...	0·51	1·75	2·74	3·60	3·84	12·44	0·51	1·70	2·64	3·53	3·77	12·15	0·66	2·90	4·87	5·34	4·93	18·70
	Other Urban Districts	0·45	1·58	2·36	2·84	3·05	10·28	0·45	1·56	2·30	2·80	2·99	10·10	0·45	2·14	3·81	3·86	4·26	14·52
	Rural Districts ...	0·43	1·34	1·94	2·21	2·14	8·06	0·43	1·31	1·89	2·17	2·11	7·91	0·56	1·93	3·09	2·83	2·76	11·17
	All Urban Districts ...	0·54	1·78	2·60	3·22	3·46	11·60	0·54	1·74	2·51	3·16	3·42	11·37	0·57	2·69	4·50	4·72	4·51	16·99
Diarrhœa and Enteritis (104).	London	1·09	5·04	8·18	5·52	3·81	23·64	1·07	4·55	7·49	5·23	3·64	21·98	1·59	16·90	25·06	12·65	7·98	64·18
	County Boroughs ...	1·40	5·31	7·68	5·34	3·79	23·52	1·35	4·93	7·24	5·09	3·68	22·29	2·61	13·79	17·45	10·76	6·23	50·84
	Other Urban Districts	1·17	4·26	5·96	4·09	2·73	18·21	1·13	3·96	5·65	3·91	2·65	17·30	2·16	11·09	13·26	8·06	4·43	39·00
	Rural Districts ...	0·79	2·72	3·63	2·35	1·56	11·05	0·75	2·58	3·46	2·28	1·53	10·60	1·58	5·39	7·39	3·63	2·10	20·09
	All Urban Districts ...	1·26	4·82	7·02	4·83	3·34	21·27	1·21	4·46	6·60	4·61	3·23	20·11	2·27	13·10	16·77	9·89	5·72	47·75
Gastritis (103 A) ...	London	0·16	0·32	0·24	0·10	0·06	0·88	0·15	0·29	0·22	0·10	0·06	0·82	0·33	0·94	0·65	0·23	0·23	2·38
	County Boroughs ...	0·29	0·65	0·50	0·25	0·15	1·84	0·28	0·60	0·47	0·24	0·15	1·74	0·55	1·42	1·29	0·42	0·27	3·95
	Other Urban Districts	0·27	0·60	0·48	0·27	0·17	1·79	0·26	0·55	·45	0·26	0·17	1·69	0·45	1·57	1·24	0·58	0·23	4·07
	Rural Districts ...	0·18	0·47	0·36	0·18	0·11	1·30	0·17	0·45	0·35	0·18	0·10	1·25	0·32	1·07	0·56	0·20	0·17	2·32
	All Urban Districts ...	0·26	0·57	0·45	0·24	0·15	1·67	0·25	0·53	0·42	0·23	0·14	1·57	0·47	1·42	1·17	0·46	0·25	3·77
Syphilis (37)	London	0·61	0·78	0·35	0·13	0·09	1·96	0·52	0·60	0·25	0·10	0·08	1·55	2·71	5·09	2·90	0·93	0·37	12·00
	County Boroughs ...	0·66	0·76	0·42	0·14	0·07	2·05	0·51	0·60	0·30	0·11	0·06	1·58	4·06	4·03	2·96	0·84	0·43	12·32
	Other Urban Districts	0·34	0·43	0·23	0·09	0·04	1·13	0·28	0·34	0·16	0·06	0·02	0·86	1·75	2·79	1·69	0·68	0·32	7·23
	Rural Districts ...	0·15	0·19	0·10	0·04	0·03	0·51	0·12	0·16	0·07	0·03	0·01	0·39	0·78	0·89	0·61	0·27	0·41	2·96
	All Urban Districts ...	0·51	0·62	0·33	0·12	0·06	1·64	0·41	0·49	0·23	0·09	0·05	1·27	2·88	3·65	2·41	0·78	0·38	10·10
Rickets (36 A)	London	0·01	0·02	0·05	0·11	0·14	0·33	0·01	0·02	0·04	0·11	0·13	0·31	—	0·05	0·19	0·19	0·41	0·84
	County Boroughs ...	0·00	0·03	0·08	0·14	0·17	0·42	0·00	0·03	0·07	0·13	0·16	0·39	0·02	0·10	0·16	0·41	0·32	1·01
	Other Urban Districts	0·00	0·03	0·08	0·12	0·17	0·40	0·00	0·03	0·07	0·11	0·16	0·37	0·02	0·13	0·24	0·34	0·44	1·17
	Rural Districts ...	0·00	0·02	0·07	0·11	0·16	0·36	0·00	0·02	0·07	0·11	0·15	0·35	—	0·02	0·12	0·12	0·30	0·56
	All Urban Districts ...	0·00	0·03	0·07	0·13	0·17	0·40	0·00	0·03	0·07	0·12	0·15	0·37	0·01	0·10	0·20	0·35	0·40	1·06
Suffocation, overlying (168 part)	London	0·77	1·02	0·57	0·12	0·05	2·53	0·70	1·01	0·56	0·11	0·05	2·43	2·62	1·35	0·79	0·14	0·09	4·99
	County Boroughs ...	0·60	0·79	0·41	0·09	0·03	1·92	0·53	0·78	0·39	0·09	0·03	1·82	2·11	1·08	0·84	0·11	0·06	4·20
	Other Urban Districts	0·34	0·32	0·19	0·04	0·02	0·91	0·30	0·32	0·18	0·04	0·01	0·85	1·28	0·63	0·35	0·06	0·08	2·40
	Rural Districts ...	0·27	0·21	0·11	0·03	0·02	0·64	0·23	0·20	0·10	0·03	0·02	0·58	0·98	0·37	0·29	0·10	0·02	1·76
	All Urban Districts ...	0·52	0·63	0·34	0·07	0·03	1·59	0·46	0·61	0·33	0·07	0·03	1·50	1·82	0·93	0·62	0·10	0·08	3·55
Injury at Birth (152 C)	London	1·25	0·03	0·00	—	—	1·28	1·04	0·03	0·00	—	—	1·07	6·39	—	—	—	—	6·39
	County Boroughs ...	1·10	0·01	0·00	—	—	1·11	1·05	0·01	0·00	—	—	1·06	2·21	0·03	—	—	—	2·24
	Other Urban Districts	1·04	0·02	0·00	—	—	1·06	0·99	0·02	0·00	—	—	1·01	2·14	0·05	—	—	—	2·19
	Rural Districts ...	1·15	0·02	—	—	0·00	1·17	1·07	0·02	—	—	0·00	1·09	2·85	0·05	—	—	—	2·90
	All Urban Districts ...	1·10	0·02	0·00	—	—	1·12	1·02	0·02	0·00	—	—	1·04	2·80	0·03	—	—	—	2·83
Atelectasis (152 B) ...	London	1·86	0·16	—	—	—	2·02	1·80	0·17	—	—	—	1·97	3·04	0·09	—	—	—	3·13
	County Boroughs ...	1·68	0·11	—	—	—	1·79	1·65	0·10	—	—	—	1·75	2·40	0·21	—	—	—	2·61
	Other Urban Districts	1·53	0·06	—	—	—	1·59	1·50	0·06	—	—	—	1·56	2·19	0·08	—	—	—	2·27
	Rural Districts ...	1·49	0·07	—	—	—	1·56	1·45	0·06	—	—	—	1·51	2·32	0·17	—	—	—	2·49
	All Urban Districts ...	1·64	0·10	—	—	—	1·74	1·60	0·10	—	—	—	1·70	2·40	0·14	—	—	—	2·54

TABLE 17.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, IN THE QUINQUENNIUM, 1911–15.—CLASSES OF ADMINISTRATIVE AREAS —*continued.*

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Total under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Congenital Malformations (150).	London	2·34	0·84	0·39	0·16	0·09	3·82	2·29	0·83	0·39	0·16	0·09	3·76	3·36	1·26	0·42	0·28	—	5·32
	County Boroughs ...	2·38	0·76	0·35	0·17	0·09	3·75	2·35	0·75	0·35	0·17	0·09	3·71	2·96	0·95	0·48	0·14	0·13	4·66
	Other Urban Districts	2·55	0·71	0·42	0·17	0·13	3·98	2·57	0·70	0·41	0·17	0·13	3·98	2·37	0·89	0·52	0·26	0·13	4·17
	Rural Districts ...	2·37	0·71	0·39	0·20	0·13	3·80	2·35	0·71	0·39	0·19	0·12	3·76	2·68	0·71	0·44	0·44	0·34	4·61
	All Urban Districts...	2·44	0·75	0·39	0·17	0·11	3·86	2·43	0·74	0·38	0·17	0·11	3·83	2·77	0·97	0·49	0·21	0·11	4·55
Premature Birth (151 A)	London	16·07	1·71	0·21	0·03	0·02	18·04	15·64	1·57	0·18	0·03	0·02	17·44	26·55	5·04	0·89	0·05	0·05	32·58
	County Boroughs ...	19·25	1·78	0·20	0·04	0·02	21·29	18·66	1·69	0·18	0·04	0·02	20·59	32·44	3·77	0·56	0·10	0·06	36·93
	Other Urban Districts	17·62	1·56	0·21	0·03	0·01	19·43	17·14	1·48	0·20	0·03	0·01	18·86	28·51	3·32	0·43	0·10	0·02	32·38
	Rural Districts ...	17·06	1·24	0·18	0·04	0·00	18·52	16·67	1·18	0·17	0·03	0·00	18·05	25·09	2·46	0·29	0·10	—	27·94
	All Urban Districts ...	18·06	1·67	0·21	0·03	0·01	19·98	17·54	1·58	0·19	0·03	0·01	19·35	29·90	3·76	0·56	0·09	0·04	34·35
Atrophy, Debility, and Marasmus (151 B–E).	London	4·47	3·05	2·23	0·80	0·42	10·97	4·24	2·68	1·95	0·74	0·37	9·98	9·99	12·23	8·87	2·19	1·73	35·01
	County Boroughs ...	6·99	3·67	2·40	1·02	0·58	14·66	6·76	3·35	2·16	0·92	0·55	13·74	11·85	10·70	7·77	3·22	1·39	34·93
	Other Urban Districts	7·45	3·42	1·86	0·74	0·39	13·86	7·18	3·10	1·69	0·67	0·36	13·00	13·83	10·64	5·84	2·14	1·03	33·48
	Rural Districts ...	7·48	2·81	1·37	0·48	0·25	12·39	7·19	2·56	1·27	0·45	0·23	11·70	13·37	7·90	3·24	1·17	0·63	26·31
	All Urban Districts ...	6·81	3·46	2·14	0·86	0·47	13·74	6·53	3·14	1·93	0·79	0·44	12·83	12·42	10·90	7·11	2·61	1·28	34·32
Other Causes	London	1·65	1·11	1·11	1·03	0·80	5·70	1·24	1·03	1·10	1·00	0·76	5·13	12·65	2·31	2·27	1·55	1·00	19·78
	County Boroughs ...	1·80	1·06	0·99	0·90	0·75	5·50	1·52	1·04	0·96	0·87	0·75	5·14	8·12	1·92	1·81	1·57	0·92	14·34
	Other Urban Districts	1·70	0·93	0·98	0·87	0·64	5·12	1·40	0·87	0·96	0·84	0·62	4·69	8·38	1·82	1·88	1·37	0·86	14·31
	Rural Districts ...	1·91	0·97	0·99	0·81	0·67	5·35	1·56	0·90	0·93	0·80	0·67	4·86	8·77	2·04	1·72	1·27	0·89	14·69
	All Urban Districts ...	1·74	1·02	1·02	0·90	0·68	5·36	1·45	0·96	0·98	0·87	0·72	4·98	8·93	1·95	1·92	1·44	0·89	15·13

TABLE 18.—ENGLAND AND WALES.—MORTALITY of INFANTS AND YOUNG CHILDREN by AGE and CAUSE in the DECENNIA 1891–1900 and 1901–10, and in the QUINQUENNIUM 1911–15.

Changes of classification during the 25 years covered by this table have been taken into account as far as possible, but there are several changes for which correction is impossible, and the comparability of the figures is consequently impaired to some extent.

Cause of Death.	Proportion of Deaths to 1,000 Births.												Death-rate per 1,000 living under 5 years of age.		
	Under 3 months.			3 to 6 months.			6 to 12 months.			Under 1 year.					
	1891–1900.	1901–10.	1911–15	1891–1900.	1901–10.	1911–15.	1891–1900.	1901–10.	1911–15.	1891–1900.	1901–10.	1911–15.	1891–1900.	1901–10.	1911–15.
ALL CAUSES ...	73·98	66·34	59·23	32·33	24·92	19·74	47·02	36·29	30·59	153·33	127·55	109·56	57·74	45·95	36·66
I. Common Infectious Diseases (5–9, 19C).	1·30	1·13	0·99	1·83	1·43	1·18	6·90	5·53	5·25	10·03	8·09	7·42	8·96	6·70	5·78
II. Tuberculous Diseases (28–35).	1·38	0·80	0·43	2·51	1·59	0·89	3·96	2·78	1·76	7·85	5·17	3·08	3·93	2·88	1·95
III. Diarrhœa and Enteritis (104).	6·95	5·58	5·56	8·51	6·97	6·35	9·71	7·92	7·33	25·17	20·47	19·24	7·70	6·18	5·46
IV. Developmental and Wasting Diseases (150, 151, 152B).	38·01	37·70	34·58	4·30	3·57	2·58	2·64	2·07	1·55	44·95	43·34	38·71	11·74	10·93	8·76
V. Miscellaneous Diseases (Remainder).	26·34	21·13	17·67	15·18	11·36	8·74	23·81	17·99	14·70	65·33	50·48	41·11	25·41	19·26	14·71
Small-pox (5) ...	0·03	0·03	0·00	0·01	0·01	—	0·01	0·01	—	0·05	0·05	0·00	0·03	0·02	0·00
Chicken-pox (19C)	0·01	0·01	0·01	0·02	0·01	0·01	0·04	0·04	0·04	0·07	0·06	0·06	0·03	0·03	0·02
Measles (6) ...	0·08	0·06	0·09	0·25	0·18	0·19	2·81	2·32	2·66	3·14	2·56	2·94	3·25	2·60	2·89
Scarlet fever (7)...	0·02	0·01	0·00	0·04	0·02	0·01	0·23	0·13	0·08	0·29	0·16	0·09	0·84	0·57	0·31
Whooping cough (8).	1·10	0·99	0·87	1·42	1·17	0·95	3·29	2·73	2·26	5·81	4·89	4·08	3·09	2·43	1·87
Diphtheria and Croup (9).	0·06	0·03	0·02	0·09	0·04	0·02	0·52	0·30	0·21	0·67	0·37	0·25	1·72	1·05	0·69
Erysipelas (18) ...	0·24	0·17	0·11	0·09	0·05	0·04	0·05	0·04	0·03	0·38	0·26	0·18	0·11	0·07	0·05
Tuberculous Meningitis (30).	0·25	0·12	0·09	0·54	0·39	0·28	1·29	0·99	0·71	2·08	1·50	1·08	1·32	1·06	0·79
Abdominal Tuberculosis (31).	0·77	0·45	0·23	1·34	0·78	0·40	1·61	0·98	0·56	3·72	2·21	1·19	1·46	0·93	0·57
Other Tuberculous Diseases (28, 29, 32–35).	0·36	0·23	0·11	0·63	0·42	0·21	1·06	0·81	0·49	2·05	1·46	0·81	1·15	0·89	0·59
Meningitis (not Tuberculous) (61).	0·34	0·30	0·24	0·72	0·56	0·41	1·49	1·16	0·81	2·55	2·02	1·46	1·36	1·04	0·71
Convulsions (71)	11·25	7·97	5·25	3·89	2·56	1·63	3·09	1·97	1·93	18·23	12·50	8·81	5·29	3·48	2·30
Laryngitis (87B)	0·05	0·04	0·04	0·06	0·04	0·03	0·15	0·11	0·10	0·26	0·19	0·17	0·25	0·20	0·15
Bronchitis (89, 90)	4·98	3·68	3·13	4·30	2·62	2·06	7·30	4·00	3·11	16·58	10·30	8·30	6·31	3·54	2·55
Pneumonia (all forms) (91, 92).	1·77	2·19	2·21	2·25	2·59	2·47	5·53	6·29	6·22	9·55	11·07	10·90	4·94	5·38	4·90
Diarrhœa and Enteritis (104).	6·95	5·58	5·56	8·51	6·97	6·35	9·71	7·92	7·33	25·17	20·47	19·24	7·70	6·18	5·46
Gastritis (103A) ...	0·70	0·89	0·80	0·49	0·61	0·43	0·42	0·49	0·36	1·61	1·99	1·59	0·49	0·59	0·43
Syphilis (37) ...	0·85	0·80	0·99	0·40	0·30	0·28	0·21	0·15	0·15	1·46	1·25	1·42	0·40	0·33	0·34
Rickets (36A) ...	0·04	0·04	0·03	0·10	0·11	0·07	0·41	0·42	0·29	0·55	0·57	0·39	0·36	0·35	0·22
Suffocation, overlying (168 part).	1·39	1·20	1·01	0·50	0·41	0·30	0·16	0·14	0·09	2·05	1·75	1·40	0·53	0·44	0·31
Injury at Birth (152C).	0·20	0·84	1·13	—	0·00	0·00	—	0·00	0·00	0·20	0·84	1·13	0·05	0·21	0·25
Atelectasis (152B)	1·18	1·53	1·70	0·00	—	—	0·00	0·00	—	1·18	1·53	1·70	0·30	0·38	0·38
Congenital Malformations (150).	2·16	3·92*	3·17	0·25	0·40*	0·39	0·17	0·31*	0·29	2·58	4·63*	3·85	0·69	1·21*	0·91
Premature Birth (151A).	18·76	19·83	19·45	0·22	0·22	0·20	0·04	0·04	0·04	19·02	20·09	19·69	4·80	4·94	4·34
Atrophy, Debility and Marasmus (151B–E & 189B: Ages 1–5).	15·91	12·42	10·26	3·83	2·95	1·99	2·43	1·72	1·22	22·17	17·09	13·47	5·95	4·40	3·13
Other Causes ...	4·53	3·01	2·73	2·38	1·51	1·02	5·00	3·22	1·61	11·91	7·74	5·36	5·32	3·63	2·50

* Including mortality from Icterus neonatorum, which in 1891–1900 and in 1911–1915 is included with that from Atrophy, &c.

Table 19.—Administrative Counties.—Infant Mortality, 1911–15 and 1915.

Administrative Counties.	Deaths under 1 year per 1,000 births.					
	1911–15.			1915.		
	M.	F.	P.	M.	F.	P.
Administrative Counties.	113	91	102	115	90	103
Bedfordshire ...	103	83	93	120	80	101
Berkshire ...	81	60	71	97	72	85
Buckinghamshire	87	67	77	101	73	87
Cambridgeshire ...	90	70	80	107	76	92
Cheshire	116	94	105	103	96	100
Cornwall	106	87	97	102	82	92
Cumberland ...	124	98	111	140	102	121
Derbyshire ...	122	95	109	114	81	98
Devonshire ...	90	71	81	94	80	87
Dorsetshire ...	83	65	74	88	70	79
Durham	148	119	134	152	113	133
Ely, Isle of ...	109	90	100	104	81	93
Essex	93	71	82	100	73	87
Gloucestershire ...	88	70	79	90	77	84
Herefordshire ...	86	66	76	93	65	79
Hertfordshire ...	81	61	71	84	65	75
Huntingdonshire ..	86	71	78	92	72	81
Kent	94	77	86	98	80	89
Lancashire ...	135	108	122	136	102	120
Leicestershire ...	104	84	94	99	94	97
Lincolnshire :—						
Holland ...	110	89	100	97	92	94
Kesteven ...	97	79	88	116	91	103
Lindsey ...	108	89	99	113	80	97
London	119	98	109	125	100	112
Middlesex ...	99	78	89	100	77	89
Monmouthshire ...	134	106	120	141	110	126
Norfolk	101	78	90	113	83	98
Northamptonshire	95	76	86	109	80	95
Northumberland ..	128	102	115	135	107	121
Nottinghamshire ..	124	93	109	135	93	114
Oxfordshire ...	80	61	70	84	54	69

Administrative Counties.	Deaths under 1 year per 1,000 births.					
	1911–15.			1915.		
	M.	F.	P.	M.	F.	P.
Peterborough, Soke of.	96	87	92	99	71	86
Rutlandshire ...	93	66	79	108	67	88
Shropshire ...	96	70	84	100	75	88
Somersetshire ...	83	63	73	94	56	75
Southampton ...	87	67	77	92	71	82
Staffordshire ...	129	101	115	121	96	109
Suffolk, East ...	95	75	85	110	78	94
Suffolk, West ...	82	74	78	88	86	87
Surrey	85	66	76	84	65	75
Sussex, East ...	81	65	73	98	76	87
Sussex, West ...	85	62	74	89	66	78
Warwickshire ...	106	79	92	102	70	86
Westmorland ...	94	68	81	85	63	74
Wight, Isle of ...	73	63	68	95	85	90
Wiltshire ...	83	60	72	86	65	76
Worcestershire ...	107	88	98	112	101	107
Yorks :—						
East Riding ...	97	77	87	87	62	75
North Riding...	114	92	103	106	90	98
West Riding ...	129	104	117	124	100	112
Anglesey ...	118	91	105	118	100	109
Brecknockshire ..	125	97	111	127	97	112
Cardiganshire ...	115	91	103	101	108	104
Carmarthenshire	126	99	113	115	88	102
Carnarvonshire...	121	99	110	109	88	99
Denbighshire ...	129	93	112	120	97	109
Flintshire ...	109	78	94	105	80	93
Glamorganshire ..	135	108	122	129	100	115
Merionethshire ..	109	95	102	114	113	114
Montgomeryshire	89	76	83	95	70	83
Pembrokeshire ...	99	85	92	98	84	91
Radnorshire ...	91	59	75	84	78	81

Table 20.—County Boroughs.—Infant Mortality, 1911–15 and 1915.

County Boroughs.	Deaths under 1 year per 1,000 births.						County Boroughs.	Deaths under 1 year per 1,000 births.					
	1911–15.			1915.				1911–15.			1915.		
	M.	F.	P.	M.	F.	P.		M.	F.	P.	M.	F.	P.
County Boroughs..	138	111	124	137	107	122	Liverpool ...	151	123	137	147	118	133
							Manchester ...	148	117	133	144	112	128
Barnsley	168*	145*	156*	194	149	172	Middlesbrough ...	165	126	145	167	133	150
Barrow in Furness	127	97	112	150	99	124	Newcastle upon Tyne.	141	110	126	149	118	134
Bath	89	68	78	88	72	80	Newport (Mon.)..	122	104	113	103	94	98
Birkenhead ...	131	107	119	135	109	122	Northampton ...	114	92	103	146	121	134
Birmingham ...	142	112	127	130	105	118	Norwich... ...	131	101	116	129	106	117
Blackburn ...	156	132	144	157	135	146	Nottingham ...	150	124	138	152	109	131
Blackpool ...	136	99	118	151	102	129	Oldham	154	119	137	132	117	125
Bolton	140	117	129	143	105	124	Oxford	88	74	81	74	69	72
Bootle	150	117	134	168	116	142	Plymouth ...	135	110	123	131	107	119
Bournemouth ...	89	71	80	109	79	94	Portsmouth ...	108	83	95	101	75	89
Bradford	137	106	122	139	107	123	Preston	165	135	150	176	134	155
Brighton	101	87	94	107	81	95	Reading	93	82	88	74	91	82
Bristol	127	94	111	131	99	116	Rochdale ...	135	107	121	140	96	118
Burnley	185	156	171	182	149	166	Rotherham ...	146	122	134	159	98	129
Burton upon Trent	92	84	88	74	77	76	St. Helens ...	154	127	141	145	111	128
Bury	143	123	133	119	113	116	Salford	152	119	136	146	122	134
Canterbury ...	101	88	95	115	100	108	Sheffield... ...	145	110	128	154	112	133
Carlisle	147†	119†	133†	153	134	144	Smethwick ...	131	110	121	123	94	109
Chester	113	95	104	112	108	110	Southampton ...	107	84	96	96	77	87
Coventry	100	78	89	102	70	86	Southend on Sea	98†	55†	77†	106	65	85
Croydon	100	76	89	98	69	84	Southport ...	102	82	92	105	71	88
Darlington ...	118‡	110‡	114‡	118	110	114	South Shields ...	148	110	130	171	113	143
Derby	110	86	99	108	83	96	Stockport ...	146	124	136	127	127	127
Dewsbury ...	134*	106*	120*	157	75	115	Stoke on Trent...	173	143	159	166	129	148
Dudley	147	123	135	154	96	125	Sunderland ...	149	126	137	162	139	151
Eastbourne ...	94	67	81	104	93	99	Tynemouth ...	140	105	123	164	103	135
East Ham ...	91‡	72‡	81‡	91	72	81	Wakefield ...	139‡	101‡	120‡	139	101	120
Exeter	105	90	98	81	94	87	Wallasey ...	94*	79*	87*	88	76	82
Gateshead ...	149	117	134	170	124	147	Walsall	159	125	142	157	127	142
Gloucester ...	109	98	104	113	104	109	Warrington ...	128	109	119	129	92	111
Great Yarmouth...	121	103	112	125	88	107	West Bromwich ..	143	114	129	161	105	133
Grimsby	130	113	122	106	107	106	West Ham ...	123	105	114	119	105	112
Halifax	112	90	101	101	91	96	West Hartlepool	133	116	125	156	143	150
Hastings	100	68	85	106	88	98	Wigan	173	146	160	184	143	164
Huddersfield ...	122	100	111	126	94	111	Wolverhampton	130	109	120	140	124	132
Ipswich	117	86	102	117	72	95	Worcester ...	99	80	89	99	67	83
Kingston upon Hull.	138	111	125	136	102	120	York	124	93	109	137	107	122
Leeds	142	117	130	144	109	127	Cardiff	121	108	115	117	96	107
Leicester	134	107	121	140	107	124	Merthyr Tydfil ...	149	124	137	168	142	156
Lincoln	118	96	107	98	96	97	Swansea... ...	134	112	123	120	92	106

* 1913–1915 only. † 1914 and 1915 only. ‡ 1915 only.

TABLE 21 (formerly 31).—ENGLAND AND WALES.—NAMES on the REGISTERS, SEARCHES, and FEES RECEIVED, at the GENERAL REGISTER OFFICE, 1866–1915.

Year.	Names on the Registers at the end of each Year.				Searches in the Registers, including Non-Parochial.	
	Persons Married.	Births.	Deaths.	Total.	Number.*	Amount received for Searches and for Certificates.*
						£ s. d.
1866	8,868,976	17,961,887	12,002,889	38,833,752	12,135	1,860 15 6
1867	9,227,284	18,730,236	12,473,962	40,431,482	12,343	1,906 16 6
1868	9,581,208	19,517,094	12,954,584	42,052,886	12,913†	2,031 11 0†
1869	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247 7 6
1870	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456 19 6
1871	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705 7 0
1872	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867 5 6
1873	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142 9 6†
1874	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364 7 0
1875	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879 15 6
1876	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109 15 6
1877	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211 13 6
1878	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313 8 6
1879	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517 15 0†
1880	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695 3 0
1881	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976 12 6
1882	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170 15 0
1883	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356 0 0
1884	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177 15 0†
1885	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317 13 6
1886	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168 16 0
1887	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347 5 0
1888	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808 0 6
1889	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884 2 6
1890	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178 4 0†
1891	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458 10 6
1892	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921 15 0
1893	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845 6 6
1894	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166 3 6
1895	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200 12 6
1896	21,053,934	44,016,879	27,699,940	92,770,753	57,444†	7,600 0 6†
1897	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686 8 6
1898	22,062,982	45,861,727	28,793,568	96,718,277	63,825	8,450 19 6
1899	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551 19 6
1900	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658 9 6
1901	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645 10 0
1902	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177 15 0†
1903	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437 9 6
1904	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274 12 0
1905 ...	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611 9 0
1906	26,244,388	53,345,785	33,166,044	112,756,217	64,340	9,458 6 0
1907	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194 9 0
1908	27,327,110	55,204,210	34,210,721	116,742,041	72,370†	10,550 8 0†
1909	27,848,198	56,118,682	34,728,724	118,695,604	73,543	10,568 8 0
1910	28,383,640	57,015,644	35,211,971	120,611,255	75,369	10,939 5 6
1911	28,933,526	57,896,782	35,739,781	122,570,089	75,005	10,875 6 0
1912	29,501,194	58,769,519	36,226,720	124,497,433	80,601	11,752 6 0
1913	30,074,360	59,651,409	36,731,695	126,457,464	79,315	11,613 19 0
1914	30,663,162	60,530,505	37,248,437	128,442,104	83,447†	12,482 11 6†
1915	31,384,932	61,345,119	37,810,690	130,540,741	84,151	13,007 10 0

* The figures in these columns refer to periods of 52 weeks except those marked † which refer to periods of 53 weeks.

TABLE 22 (formerly 32).—ISLANDS IN THE BRITISH SEAS. AREA and POPULATION; and BIRTHS and DEATHS, 1891–1915.

Year.	Islands in the British Seas.		Isle of Man.		Jersey.		Guernsey and adjacent Islands.	
Area in Acres	189,346		141,263		28,717		19,366	
Enumerated Population.								
1881	141,260		53,558		52,445		35,257	
1891	147,842		55,608		54,518		37,716	
1901	150,370		54,752		52,576		43,042	
1911	148,915		52,016		51,898		45,001	
—	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1891	3,688	2,925	1,493	1,086	1,373	1,144	822	695
1892	3,382	3,031	1,331	1,131	1,269	1,262	782	638
1893	3,633	2,864	1,415	1,091	1,401	1,118	817	655
1894	3,305	2,700	1,336	1,091	1,227	987	742	622
1895	3,602	2,985	1,515	1,138	1,294	1,151	793	696
1896	3,538	2,602	1,437	1,073	1,307	998	794	531
1897	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901	3,145	2,556	1,204	1,033	1,139	869	802	654
1902	3,289	2,466	1,256	979	1,137	864	896	623
1903	3,134	2,466	1,190	948	1,097	933	847	585
1904	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905	3,419	2,530	1,139	998	1,066	856	1,214	676
1906	3,310	2,397	1,123	894	1,007	878	1,180	625
1907	3,197	2,499	1,073	893	980	917	1,144	689
1908	3,162	2,391	1,044	901	1,039	815	1,079	675
1909	3,161	2,457	1,036	970	1,046	868	1,079	619
1910	3,125	2,246	1,023	841	1,038	765	1,064	640
1911	3,019	2,663	979	932	1,034	904	1,006	827
1912	2,963	2,249	921	847	993	751	1,049	651
1913	2,802	2,321	899	899	946	772	957	650
1914	2,851	2,227	899	815	998	811	954	601
1915	2,476	2,515	805	884	824	901	847	730

NOTE.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.

* Up to and including the year 1895 the figures in this column refer to the number of Baptisms.

TABLE 23 (formerly 33).—BALANCE inward or outward on PASSENGER MOVEMENT into and out of the UNITED KINGDOM, 1896–1915.

Year.	Balance Outward on Movement to and from non-European Countries.				Balance Inward on Movement to and from European Countries. (All Nationalities).*	Net Balance Outward on Total Movement to and from all Countries. (All Nationalities).*
	British Subjects.	Aliens.	Nationality not Distinguished.	Total.		
1896	60,183	19,506	2,350	82,039	38,956	43,083
1897	51,239	4,938	1,989	58,166	17,850	40,316
1898	49,396	14,189	2,240	65,825	29,897	35,928
1899	46,116	30,444	2,025	78,585	56,660	21,925
1900	71,188	50,041	1,585	122,814	79,433	43,381
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	*977*†	327,572	134,199	193,373
1907	235,092	109,857	*3,633*†	341,316	113,385	227,931
1908	91,156	*47,667*†	—	43,489	*24,267*‡	67,756
1909	139,693	73,360	—	213,053	94,263	118,790
1910	233,709	86,371	—	320,080	112,664	207,416
1911	261,809	11,187	—	272,996	31,845	241,151
1912	268,485	47,654	—	316,139	74,405	241,734
1913	241,997	87,076	—	329,073	125,462	203,611
1914	63,334	28,212	—	91,546	200,234	*108,688*†
1915	*24,733*†	4,051	—	*20,682*†	15,465	*36,147*†

* Prior to 1st January, 1908, no statutory returns were available with regard to the passenger movement between the United Kingdom and the Continent of Europe, and the returns furnished voluntarily were to some extent incomplete, and were not prepared on an absolutely uniform system. Hence the figures given above for the years 1896 to 1907 cannot be regarded as a complete statement of the passenger movement between the United Kingdom and other countries in those years.

† Balance inward. ‡ Balance outward.

TABLE 24 (formerly 37).—METEOROLOGICAL

Year.	Mean weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861–1910).	Fall of rain in Inches and Millimetres.		Departure from Average of 50 Years (1861–1910).	Mean Degree of Humidity of the Air. (Saturation = 100).	Departure from Average of 50 Years (1861–1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861–1910).
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1866 ...	1917	− 34	30·7	780	+ 170	82	+ 1	49·8	+ 0·3
1867 ...	1981	+ 30	28·5	723	+ 113	82	+ 1	48·6	− 0·9
1868 ...	2029	+ 78	25·2	639	+ 29	78	− 3	51·5	+ 2·0
1869 ...	2043	+ 92	24·0	610	0	81	0	49·5	0·0
1870 ...	1872	− 79	18·6	471	− 139	79	− 2	48·7	− 0·8
1871 ...	1749	− 202	22·3	566	− 44	81	0	48·5	− 0·8
1872 ...	1998	+ 47	30·0	763	+ 153	82	+ 1	50·7	+ 1·2
1873 ...	1940	− 11	23·4	593	− 17	82	+ 1	48·9	− 0·6
1874 ...	1915	− 36	20·0	507	− 103	82	+ 1	49·3	− 0·2
1875 ...	1942	− 9	28·0	710	+ 100	80	− 1	49·2	− 0·3
1876 ...	2036	+ 85	24·1	612	+ 2	80	− 1	50·1	+ 0·6
1877 ...	2184	+ 233	27·3	693	+ 83	79	− 2	49·4	− 0·1
1878 ...	1880	− 71	29·0	736	+ 126	81	0	49·6	+ 0·1
1879 ...	1873	− 78	31·4	797	+ 187	83	+ 2	46·2	− 3·3
1880 ...	1928	− 23	29·7	754	+ 144	84	+ 3	49·4	− 0·1
1881 ...	2030	+ 79	25·7	653	+ 43	81	0	48·7	− 0·8
1882 ...	2151	+ 200	25·2	640	+ 30	84	+ 3	49·7	+ 0·2
1883 ...	2058	+ 107	21·9	557	− 53	82	+ 1	49·4	− 0·1
1884 ...	2034	+ 83	18·1	458	− 152	80	− 1	50·7	+ 1·2
1885 ...	2008	+ 57	24·0	610	0	81	0	48·6	− 0·9
1886 ...	1962	+ 11	24·2	615	+ 5	81	0	48·7	− 0·8
1887 ...	1927	− 24	19·9	504	− 106	79	− 2	47·8	− 1·7
1888 ...	2049	+ 98	27·5	699	+ 89	82	+ 1	47·7	− 1·8
1889 ...	1934	− 17	23·3	591	− 19	83	+ 2	48·8	− 0·7
1890 ...	1946	− 5	21·9	555	− 55	81	0	48·6	− 0·9
1891 ...	1945	− 6	25·0	636	+ 26	82	+ 1	48·4	− 1·1
1892 ...	1863	− 88	22·3	567	− 43	80	− 1	48·1	− 1·4
1893 ...	1909	− 42	20·1	511	− 99	76	− 5	51·1	+ 1·6
1894 ...	2019	+ 68	26·9	683	+ 73	81	0	49·9	+ 0·4
1895 ...	1951	0	19·7	501	− 109	78	− 3	49·3	− 0·2
1896 ...	1932	− 19	22·4	569	− 41	79	− 2	50·2	+ 0·7
1897 ...	2033	+ 82	22·1	562	− 48	79	− 2	50·3	+ 0·8
1898 ...	1956	+ 5	18·9	479	− 131	78	− 3	51·3	+ 1·8
1899 ...	1911	− 40	22·3	567	− 43	77	− 4	50·6	+ 1·1
1900 ...	2050	+ 99	22·3	567	− 43	79	− 2	50·4	+ 0·9
1901 ...	1970	+ 19	20·3	515	− 95	78	− 3	49·2	− 0·3
1902 ...	1933	− 18	19·3	491	− 119	80	− 1	49·2	− 0·3
1903 ...	2226	+ 275	35·5	903	+ 293	80	− 1	50·1	+ 0·6
1904 ...	1913	− 38	20·7	525	− 85	82	+ 1	49·8	+ 0·3
1905 ...	2063	+ 112	23·0	585	− 25	81	0	49·9	+ 0·4
1906 ...	2093	+ 142	24·7	628	+ 18	79	− 2	50·7	+ 1·2
1907 ...	1977	+ 26	22·3	565	− 45	81	0	49·7	+ 0·2
1908 ...	1932	− 19	23·8	604	− 6	83	+ 2	50·1	+ 0·6
1909 ...	2041	+ 90	25·7	653	+ 43	83	+ 2	48·9	− 0·6
1910 ...	2155	+ 204	28·1	713	+ 103	84	+ 3	50·2	+ 0·7
1911 ...	2140	+ 189	23·7	601	− 9	79	− 2	51·8	+ 2·3
1912 ...	2085	+ 134	24·9	632	+ 22	83	+ 2	51·0	+ 1·5
1913 ...	2030	+ 79	22·4	570	− 40	83	+ 2	51·3	+ 1·8
1914 ...	2087	+ 136	23·9	606	− 4	81	0	51·5	+ 2·0
1915 ...	1932	− 19	30·6	776	+ 166	82	+ 1	49·9	+ 0·4
Average 50 years (1861–1910).	1951	—	24·0	610	—	81	—	49·5	—

Corresponding values for the years 1849–1865 are published

ELEMENTS, GREENWICH, 1866–1915.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861–1910).	June.	Departure from Average of 50 Years (1861–1910).	September.	Departure from Average of 50 Years (1861–1910).	December.	Departure from Average of 50 Years (1861–1910).	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
41·2	+ 1·2	53·0	0·0	58·9	− 1·6	46·2	+ 1·9	1866
38·9	− 1·1	53·5	+ 0·5	59·7	− 0·8	42·5	− 1·8	1867
41·4	+ 1·4	55·8	+ 2·8	63·9	+ 3·4	45·1	+ 0·8	1868
41·3	+ 1·3	52·0	− 1·0	61·4	+ 0·9	43·3	− 1·0	1869
38·0	− 2·0	54·4	+ 1·4	60·7	+ 0·2	41·6	− 2·7	1870
40·2	+ 0·2	51·5	− 1·5	61·3	+ 0·8	41·8	− 2·5	1871
43·6	+ 3·6	52·8	− 0·2	61·1	+ 0·6	45·3	+ 1·0	1872
39·4	− 0·6	51·8	− 1·2	60·3	− 0·2	44·2	− 0·1	1873
41·4	+ 1·4	52·8	− 0·2	60·9	+ 0·4	42·3	− 2·0	1874
39·5	− 0·5	53·4	+ 0·4	60·7	+ 0·2	43·1	− 1·2	1875
39·5	− 0·5	51·7	− 1·3	61·8	+ 1·3	47·0	+ 2·7	1876
42·3	+ 2·3	51·9	− 1·1	58·5	− 2·0	45·0	+ 0·7	1877
41·5	+ 1·5	54·6	+ 1·6	60·8	+ 0·3	41·6	− 2·7	1878
37·1	− 2·9	49·5	− 3·5	58·1	− 2·4	39·9	− 4·4	1879
39·8	− 0·2	52·4	− 0·6	61·4	+ 0·9	44·0	− 0·3	1880
37·3	− 2·7	52·9	− 0·1	60·0	− 0·5	44·6	+ 0·3	1881
42·3	+ 2·3	53·0	0·0	58·1	− 2·4	44·7	+ 0·4	1882
40·0	0·0	53·0	0·0	59·5	− 1·0	44·9	+ 0·6	1883
43·4	+ 3·4	52·5	− 0·5	62·7	+ 2·2	44·1	− 0·2	1884
40·3	+ 0·3	52·4	− 0·6	59·1	− 1·4	42·8	− 1·5	1885
36·5	− 3·5	52·5	− 0·5	61·2	+ 0·7	44·6	+ 0·3	1886
37·3	− 2·7	51·6	− 1·4	61·0	+ 0·5	41·3	− 3·0	1887
36·9	− 3·1	51·6	− 1·4	57·6	− 2·9	44·6	+ 0·3	1888
38·2	− 1·8	54·5	+ 1·5	58·9	− 1·6	43·5	− 0·8	1889
41·4	+ 1·4	52·8	− 0·2	58·4	− 2·1	40·8	− 3·5	1890
37·6	− 2·4	51·6	− 1·4	59·3	− 1·2	45·0	+ 0·7	1891
37·5	− 2·5	53·4	+ 0·4	59·2	− 1·3	42·3	− 2·0	1892
40·9	+ 0·9	57·0	+ 4·0	61·9	+ 1·4	44·6	+ 0·3	1893
41·4	+ 1·4	53·3	+ 0·3	58·6	− 1·9	46·4	+ 2·1	1894
35·2	− 4·8	55·1	+ 2·1	62·3	+ 1·8	44·7	+ 0·4	1895
42·2	+ 2·2	55·6	+ 2·6	60·4	− 0·1	42·4	− 1·9	1896
41·1	+ 1·1	53·1	+ 0·1	60·9	+ 0·4	46·0	+ 1·7	1897
41·5	+ 1·5	52·4	− 0·6	62·7	+ 2·2	48·5	+ 4·2	1898
41·8	+ 1·8	52·8	− 0·2	63·0	+ 2·5	44·7	+ 0·4	1899
39·2	− 0·8	52·8	− 0·2	61·8	+ 1·3	47·6	+ 3·3	1900
37·8	− 2·2	53·4	+ 0·4	61·7	+ 1·2	43·9	− 0·4	1901
40·5	+ 0·5	51·0	− 2·0	59·6	− 0·9	45·2	+ 0·9	1902
43·9	+ 3·9	51·2	− 1·8	60·0	− 0·5	45·2	+ 0·9	1903
39·5	− 0·5	53·8	+ 0·8	61·5	+ 1·0	44·3	0·0	1904
41·9	+ 1·9	53·8	+ 0·8	61·7	+ 1·2	42·2	− 2·1	1905
41·1	+ 1·1	52·8	− 0·2	63·2	+ 2·7	45·8	+ 1·5	1906
40·0	0·0	52·9	− 0·1	60·1	− 0·4	45·8	+ 1·5	1907
39·5	− 0·5	53·8	+ 0·8	60·3	− 0·2	46·6	+ 2·3	1908
38·4	− 1·6	52·5	− 0·5	59·7	− 0·8	44·8	+ 0·5	1909
41·5	+ 1·5	54·2	+ 1·2	59·3	− 1·2	45·6	+ 1·3	1910
40·3	+ 0·3	54·9	+ 1·9	65·7	+ 5·2	46·2	+ 1·9	1911
43·6	+ 3·6	55·3	+ 2·3	58·9	− 1·6	45·9	+ 1·6	1912
42·4	+ 2·4	54·5	+ 1·5	60·2	− 0·3	47·8	+ 3·5	1913
42·5	+ 2·5	54·9	+ 1·9	62·2	+ 1·7	46·5	+ 2·2	1914
40·8	+ 0·8	53·4	+ 0·4	60·9	+ 0·4	44·3	0·0	1915
40·0	—	53·0	—	60·5	—	44·3	—	Average 50 years (1861–1910)

in the Annual Reports for 1914 and previous years.

TABLE 25 (formerly 38).—QUARTERLY

Winter ... ... Jan., Feb., March. Spring ... ... April, May, June. Summer ... ... July, Aug., Sept. Autumn ... ... Oct., Nov., Dec.	Temperature of									Vapour Pressure in millibars.		Mass of Vapour in a Cubic Metre of Air.	
	Air.			Evaporation.		Dew Point.		Air—Daily Range.					
	Mean of Maximum and Minimum.	Diff. from Average of 130 years.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 Years.
1915.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	mb.	mb.	grams	grams
Year.	49·9	+1·2	+0·5	46·4	+0·1	43·5	0·0	15 0	−0·8	10·0	+0·1	7·6	−0·2
Winter Quarter	40·8	+1·9	+1·0	38·3	+0·5	35·9	+0·7	10·6	−1·2	7·2	+0·2	5·5	0·0
Spring do.	53·4	+1·0	+0·5	49·9	−0·1	45·0	−0·2	19·8	−0·1	10·3	−0·1	7·8	0·0
Summer do.	60·9	+1·1	+0·5	56·1	−0·4	52·9	−0·1	18·6	−1·1	13·7	+0·1	10·3	−0·3
Autumn do.	44·3	+0·6	−0·1	42·1	−0·5	40·0	−0·6	11·4	−0·3	8·5	−0·2	6·7	−0·4

In this Table + and − respectively signify that the numbers in the preceding column are *above* or *below* the average to the
inches]. Density is expressed in grams per cubic metre

* Height of barometer cistern

Meteorological Elements, Greenwich, 1915.

Degree of Humidity.		Mean Air Pressure at Station level* in millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.					
								Number of Nights it was					
Mean (Saturation=100).	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Amount in millimetres.	Diff. from Average of 86 years.	At or below 30°.	Between 30° and 40°.	Above 40°.	Lowest Reading at Night.	Highest Reading at Night.	
		millibar	millibar	grams	grams	mm.	mm.	°	°	°	°	°	1915.
82	0	1007·5	− 1·3	1243	0	776	+146	107	142	116	15·8	61·1	Year.
85	+1	1002·0	− 6·8	1259	−7	194	+ 69	48	35	7	15·8	42·6	Winter Quarter.
75	−2	1012·0	+ 2·8	1239	+5	128	− 15	25	35	31	19·3	56·3	Spring do.
80	+3	1009·7	+ 0·1	1220	+4	211	+ 29	2	22	68	27·8	61·1	Summer do.
88	−1	1006·2	− 1·9	1255	0	243	+ 63	32	50	10	18·1	48·7	Autumn do.

Winter ... Jan., Feb., March.
Spring ... April, May, June.
Summer ... July, Aug., Sept.
Autumn ... Oct., Nov., Dec.

amount of the quantities to which the signs are affixed. Pressure is expressed in millibars [1000 mb. = 29·531 mercury-
(2·294 grams per cubic metre = 1 grain per cubic foot).
above Mean Sea Level = 159 feet.

Table 26 (formerly 39).—Meteorological Table for London, 1915.

(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

1915.	Barometer.	Air Temperature.								Hygrometer.				Earth Temperature.		Bright Sunshine.		
		Mean of				Absolute Maximum and Minimum.				Mean of Observations at 9 a.m. and 9 p.m.*								
	Mean Pressure, at Station Level.* (Bar. 159 ft. above M.S.L.)	A Maximum.	B Minimum.	Mean of A and B.	Difference from Average.†	Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	At 1 foot depth.	At 3 ft. 2 in. depth.	Daily mean.	Difference from Average.†	Per cent. of Possible.
	mb.	° F.	° F.	° F.	° F.	° F.		° F.		° F.	° F.	mb.	%	° F.	° F.	hrs.	hrs.	%
January	997·9	43·6	35·7	39·7	+1·1	53	13	22	23	39·3	1·5	7·2	88	—	43·3	1·13	−0·22	13
February	997·9	46·4	35·0	40·7	+1·1	52	4	26	25	39·9	1·8	7·1	86	—	42·1	2·75	+0·54	28
March	1,010·2	48·1	35·7	41·9	0·0	59	23	26	29	41·4	2·4	7·2	82	—	42·6	2·87	−0·42	24
April	1,012·7	55·4	38·2	46·8	−0·4	72	30	29	18	46·9	3·8	8·1	75	—	44·6	5·33	+0·06	39
May	1,011·5	63·9	43·4	53·7	+0·6	76	26	34	31	53·5	4·0	10·4	75	—	50·9	6·90	+0·48	45
June	1,011·9	70·6	49·0	59·8	+0·6	87	8	37	1	58·7	4·3	12·5	76	—	57·5	7·27	+0·60	44
July	1,007·3	71·4	52·7	62·0	−0·4	87	4	45	13	61·0	4·0	13·9	78	—	60·5	6·42	−0·42	40
August	1,010·9	71·4	53·8	62·6	+1·1	77	1	44	30	61·0	3·4	14·5	81	—	61·6	5·23	−1·22	36
September	1,010·8	67·7	48·2	58·0	+0·9	79	17	37	30	57·1	3·3	12·6	80	—	59·7	6·20	+0·97	49
October	1,011·7	56·8	42·6	49·7	−0·4	68	12	32	30	48·6	1·7	10·2	89	—	55·0	2·29	−0·81	21
November	1,008·4	44·8	33·8	39·3	−4·2	58	12	23	27	38·7	1·6	6·9	87	—	47·8	1·83	+0·10	21
December	998·6	48·3	39·3	43·8	+3·6	56	10	29	13	44·1	1·8	8·5	87	—	44·9	1·16	+0·06	15
Year	1,007·5	57·4	42·3	49·9	+0·4	—	—	—	—	49·2	2·8	10·0	82	—	50·9	4·12	−0·02	34

* The hours of observation are 9 a.m. and 9 p.m. local time.

† The averages used are obtained from observations extending over 65 years for Rain, 75 years for Temperature, and 18 years for Sunshine.

Pressure is expressed in millibars (1,000 mb = 29·531 mercury-inches).

Wind Force.—Beaufort Scale (0–12) is used. The Summary is obtained from the records of a cup anemograph having 5 in. cups and 15 in. arms. The factor used is 3. Winds above 37 miles per hour are reckoned as gales and winds between 21 and 37 miles per hour as moderate or strong winds.

TABLE 26 (formerly 39)—*continued.*

1915.	Cloud.	Rain and other Forms of Precipitation.				Weather. Number of days of									Wind. Number of Observations at 9 a.m., 3 p.m., and 9 p.m.									
				Most in a day.											Force (0–12).			Direction.							
	Mean of Observations of amount at 9 a.m. and 9 p.m.* (Scale 0–10).	Total Fall.	Difference from Average.†	Amount.	Day of Month.	Precipitation (0·2 mm. and above).	Precipitation (1 mm. and above).	Snow.	Hail.	Thunderstorm.	Clear Sky.‡	Overcast.‡	Fog.	Wind force 8 and above.	Force 8 or more.	Moderate and Strong Wind. Force (4–7).	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
		mm.	mm.	mm.																					
January	7·7	93	+ 45	24	22	21	14	4	0	0	1	18	6	1	1	22	10	7	7	3	3	10	32	12	9
February	6·7	81	+ 43	12	8, 13	19	15	3	1	0	0	10	6	0	0	22	8	3	1	2	17	25	15	4	9
March	7·3	20	− 19	4	2	12	7	7	2	0	1	16	3	0	0	10	16	12	13	4	1	9	21	6	11
April	6·3	31	− 9	7	12	12	7	0	1	0	3	11	7	0	0	12	13	12	15	7	2	6	21	9	5
May	5·3	83	+ 34	37	13	7	5	0	0	0	6	8	1	0	0	5	11	11	32	19	5	5	7	2	1
June	5·3	14	− 38	3	30	9	6	0	0	1	5	8	3	0	0	0	18	5	16	21	2	8	17	2	1
July	6·3	78	+ 17	16	16, 22	14	13	0	0	1	0	9	0	0	0	8	7	5	0	1	1	14	39	21	5
August	6·2	82	+ 23	19	10	15	11	0	1	1	3	12	8	0	0	1	23	11	3	2	3	9	22	15	5
September	4·8	51	− 4	42	28	6	4	0	0	0	6	5	1	0	0	1	7	13	3	21	4	5	25	8	4
October	6·6	50	− 21	18	31	12	7	0	1	0	0	13	5	0	0	3	24	15	11	16	10	6	8	2	1
November	5·8	62	+ 6	17	11	8	8	2	0	0	5	10	5	0	0	6	9	21	13	3	3	8	16	8	9
December	7·0	131	+ 85	16	9	24	21	1	0	0	1	14	0	1	1	22	6	7	4	5	6	27	26	8	4
Year	6·7	776	+162	—	—	159	118	17	6	3	31	134	45	2	2	112	152	122	118	104	57	132	249	97	64

‡ A day is reckoned as a day of "clear sky" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m., 3 p.m., and 9 p.m. is less than ·2, and as an "overcast" day if the average is greater than ·8. Record is also kept of the days persistently cloudless and days persistently overcast from midnight to midnight. The number of such days for the period January to December, 1915, are :—cloudless, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0; and overcast, 1, 0, 0, 1, 1, 1, 0, 0, 0, 1, 0, 0.

TABLE 27 (formerly 40).—MEAN ANNUAL VALUES of METEOROLOGICAL

1915. Districts and Stations.	Hours of Observation.	Height of Barometer Cistern above M.S.L.	Barometer. Mean Air Pressure at Station Level.	Air Temperature. Mean of A. Maximum.	Mean of B. Minimum.	Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.	Earth Temperature. At 1 foot depth.	At 4 feet depth.	Hygrometer. Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Bright Sunshine. Total Observed.	Difference from Normal.	Per cent. of Possible.
		Ft.	Millibars.	°	°	°	°	°		°		°	°	°	°	Mb.	%	Hrs.	Hrs.	%
1. LONDON:—																				
p Tottenham ¶§	9, –, 9	55	1011·0	56·8	43·9	50·4	+0·6	86	June 8	25	Nov. 27	—	51·9	49·9	2·5	10·7	85	1,486	—	34
p Hampstead ..	9, –, 9	453	—	55·1	40·8	48·0	—	84	June 8	21	Jan. 23	—	—	48·2	2·8	9·6	82	1,562	—	35
a Camden Square..	9, –, 9	123	1008·8	58·5	43·1	50·8	+0·4	89	June 8	25	Feb. 25	49·5	49·7	49·7	2·9	10·1	82	1,321	—	30
a Westminster ..	9, 3, –	—	—	57·5	43·9	50·7	+0·6	85	June 8	—	—	—	—	50·4	2·9	10·4	82	1,372	+230	31
Greenwich ..	9, 3, 9	159	1007·3	57·4	42·3	49·9	+0·4	87	June 8, July 4	22	Jan. 23	—	50·9	49·2	2·8	10·0	82	1,504	– 7	34
Kew .. ¶§	9, 3, 9	34	1012·0	56·5	43·0	49·8	+0·3	84	July 4	22	Nov. 28	49·4	50·3	49·2	3·2	10·0	81	1,460	– 4	33
District Value..	—	—	—	57·0	42·8	49·9	+0·4	89	—	21	—	49·5	50·7	—	—	—	—	1,451	+113	33
2. ENGLAND, CENT.:— (a) East, (b) West.																				
a: p Huddersfield ..	9, 3, 9	411	997·1	53·6	40·8	47·2	—	78	June 8	20	Nov. 29	47·2	47·4	46·3	2·3	9·3	84	1,234	—	28
a: p Sheffield.. §	9, –, 9	450	996·6	54·1	42·2	48·2	–0·3	81	June 8	23	Nov. 29	47·4	47·8	47·6	2·7	9·4	81	1,361	+47	31
a: p Buxton	9, 3, 9	997	976·3	51·2	38·5	44·9	–0·4	77	June 8	17	Nov. 27	46·0	47·0	45·1	2·4	8·7	83	1,288	—	29
a: p Belvoir Castle..	9, –, 9	276	1003·1	54·8	40·5	47·7	–0·4	83	June 8	21	Mar. 30	49·2	49·0	46·7	2·1	9·6	87	1,497	—	34
a: a Coventry ..	9, –, –	309	1001·9	56·2	41·6	48·9	0·0	80	June 8	22	Nov. 27, 28, 29.	49·2	50·2	48·9	3·1	9·6	80	1,464	—	33
a: a Nottingham ¶§	7, 1, 9	85	1009·2	55·5	40·1	47·8	–0·6	82	June 8	20	Nov. 29	48·0	48·2	44·6	1·1	9·4	92	1,347	—	31
a: p Birmingham ¶§	9, –, 9	542	993·2	54·2	41·6	47·9	–0·2	77	June 8	23	Nov. 29	47·1	48·2	46·9	2·6	9·3	83	1,245	+113	28
a: p Oxford .. ¶§	8, –, 8	212	1005·4	56·3	42·1	49·2	+0·2	82	June 8	18	Nov. 28	51·2	50·6	48·2	2·7	9·6	83	1,588	+91	36
b: a Bath .. ¶§	7, –, 6	84	1010·1	57·4	41·2	49·3	–0·5	78	Sept. 18	20	Nov. 27, 28.	50·8	51·3	46·1	1·9	9·4	86	1,591	+15	36
b: p Shrewsbury ¶	9, –, 9	212	1005·2	56·4	39·9	48·2	–0·8	78	May 22, 24. June 13	18	Nov. 27	—	—	47·3	2·0	10·0	87	—	—	—
b: p Wistanstow ..	9, –, 9	484	994·6	55·2	39·5	47·4	—	75	June 4, 8, 13. Sept. 17	15	Nov. 27	—	—	46·7	2·0	9·6	87	—	—	—
b: p Cheltenham ..	9, –, 9	206	1005·8	56·4	41·7	49·1	+0·5	78	June 8	22	Nov. 27	—	—	48·7	2·6	9·8	83	1,562	—	35
District Value..	—	—	—	55·4	40·3	47·6	–0·2	87	—	12	—	48·3	49·0	—	—	—	—	1,413	+ 7	32
3. ENGLAND, S.E.:—																				
p Salisbury (Wilton.) ¶	9, –, 9	186	1006·9	57·1	40·4	48·8	–0·2	82	June 8	19	Nov. 27	50·9	—	48·3	1·6	10·5	90	—	—	—
a Brighton.. ..	9, –, –	48	1012·4	55·9	44·7	50·3	–0·1	79	May 25	26	Jan. 23	—	51·2	50·4	2·6	10·6	84	1,734	+ 7	39
a Portsmouth ..	9, –, –	18	1013·6	56·8	44·8	50·8	+0·5	78	May 25	27	Feb. 26, Nov. 27	51·6	52·6	51·2	2·9	10·7	82	1,767	—	40
p Eastbourne §	9, –, 9	36	1012·1	55·5	44·7	50·1	0·0	75	June 8, July 3	28	Mar. 20, 29.	51·4	52·1	50·2	2·3	10·9	86	1,745	+11	40
p Southampton ¶§	9, –, 9	84	1010·7	57·1	43·7	50·4	–0·1	80	June 8	24	Feb. 25, Nov. 27	—	—	49·9	2·9	10·3	81	1,628	–33	37
a Ventnor .. ¶§	9, 3, –	80	—	56·3	45·9	51·1	–0·2	75	May 25	29	Feb. 25	—	—	51·2	2·9	10·6	81	1 814	+95	41
District Value..	—	—	—	56·0	42·9	49·3	–0·2	89	—	13	—	50·2	50·8	—	—	—	—	1,588	–15	36
4. ENGLAND, E.:— (a) North, (b) South.																				
a: p Lowestoft ..	9, 3, 9	77	—	53·8	43·8	48·8	+0·3	77	June 5	24	Mar. 19	50·2	50·6	—	—	—	—	1,621	—	37
a: p Cromer .. ¶§	9, –, 9	66	1010·2	54·2	43·6	48·9	—	90	June 8	27	Mar. 18, 29.	—	—	48·3	2·2	10·0	86	1,515	—	34
b: p Cambridge ¶§	9, –, 9	43	1011·4	56·6	40·7	48·7	–0·2	88	June 8	19	Nov. 29	50·4	51·0	48·2	2·1	10·2	86	1,548	– 7	35
b: a Clacton .. ¶§	7, 1, 9	54	1011·0	54·0	43·6	48·8	–0·8	75	July 5, Sept. 17	18	Jan. 23, 24.	49·9	51·1	47·2	1·8	9·9	87	1,694	—	38
b: p Bennington ..	9, 3, –	411	—	55·8	40·9	48·4	—	85	June 8	23	Mar. 19	—	50·3	48·3	2·9	9·7	82	1,591	—	36
b: p Berkhamsted ..	9, –, 9	397	998·9	56·5	40·2	48·4	+0·1	85	June 8	20	Nov. 27	50·0	—	47·5	2·5	9·5	83	1,635	—	37
District Value..	—	—	—	55·2	42·3	48·6	+0·4	90	—	14	—	49·9	50·7	—	—	—	—	1,555	–33	35

Elements from Observations at several Stations in the Year 1915.

Cloud (0-10). Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Rain and other forms of Precipitation. Total Fall.	Difference from Normal.	Most in a day. Amount.	Most in a day. Day of Month.	Weather. Number of days of Precipitation.	Snow.	Hail.	Thunderstorm.	Clear sky. (See Note on p. 68.)	Overcast. (See Note on p. 68.)	Fog.	Wind force 8 and above.	Wind. No. of Observations reduced to a total of 1095 for the year. Force (0-12). Moderate and Strong Wind. (Force 4-7.)	Calm.	Direction. N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
	Mm.	Mm.	Mm.																			
6·2	805	—	37	May 13	146	16	6	21	36	122	13	0	86	100	133	168	55	94	61	201	147	136
6·4	910	—	40	Sept 28	153	19	10	18	37	129	23	3	124	153	82	242	52	33	89	241	113	90
6·2	817	+ 178	38	Sept. 28	152	9	1	16	84	162	12	—	—	195	231	162	33	48	69	78	138	141
—	813	+ 193	43	Sept. 28	150	8	2	11	—	—	25	—	—	—	—	—	—	—	—	—	—	—
6·7	776	+ 162	42	Sept. 28	159	17	6	3	31	134	45	2	112	152	122	118	104	57	132	249	97	64
6·2	834	+ 223	35	Sept. 28	155	14	5	21	27	133	57	0	218	200	110	120	102	39	107	172	154	91
6·3	826	+ 193	—	—	153	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6·5	888	—	36	Jan. 15	169	23	4	15	19	126	25	2	106	220	74	101	89	63	53	94	233	168
7·0	835	+ 8	43	July 16, Nov. 12	171	27	1	14	16	137	33	2	144	163	123	85	58	77	91	141	192	165
5·9	1,324	+ 39	71	June 30	200	36	3	5	42	105	3	0	45	22	33	148	104	107	57	154	213	257
6·3	745	+ 101	39	July 16	176	18	3	29	33	119	93	17	185	290	112	75	35	55	118	160	149	101
6·9	735	+ 81	37	July 16	171	11	2	17	42	179	7	1	300	18	90	132	117	81	96	204	186	171
6·5	684	+ 54	52	July 16	166	15	1	17	27	108	22	15	258	12	92	133	162	62	67	247	229	91
6·3	749	+ 54	46	July 16	167	10	1	10	45	135	6	2	115	118	137	93	122	75	94	153	147	156
6·6	799	+ 163	43	Sept. 24	167	16	7	15	36	146	16	—	317	46	132	165	68	82	135	196	172	99
7·3	927	+ 153	27	Oct. 31	175	9	9	13	26	162	2	3	131	126	65	90	223	22	80	106	309	74
6·5	729	—	40	Nov. 12	148	17	9	14	24	126	16	11	357	217	133	73	47	75	125	191	117	117
6·5	983	—	47	Aug. 2	164	16	4	10	40	153	14	11	198	384	60	65	32	10	37	226	119	162
5·2	830	+ 128	62	Aug. 2	154	8	0	9	78	101	10	2	311	69	50	93	35	118	112	362	146	110
6·4	753	+ 83	—	—	164	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7·2	1,193	+ 374	34	Feb. 16	172	8	1	7	20	168	29	3	185	2	147	67	66	86	133	141	228	225
6·1	956	+ 255	42	May 13	154	2	3	5	76	146	3	—	—	72	201	132	129	39	87	156	174	105
5·8	957	+ 257	37	May 13	149	4	1	2	102	152	7	4	267	63	123	120	153	99	27	141	180	189
5·3	938	+ 153	48	May 13	161	12	4	9	85	108	24	9	156	23	90	204	59	76	52	218	154	219
4·9	1,056	+ 271	51	Sept. 24	161	6	8	13	97	94	11	3	301	36	42	266	35	115	19	271	63	248
6·1	948	+ 196	36	Sept. 24	158	6	15	4	71	138	12	7	302	43	143	96	125	113	153	191	175	56
6·1	904	+ 216	—	—	159	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	737	+ 136	30	May 13	184	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7·1	586	—	24	Nov. 12	207	—	—	—	21	157	—	—	228	11	139	113	81	131	205	148	111	156
6·1	612	+ 36	34	Aug. 17	152	16	6	22	43	118	34	4	160	151	211	54	43	102	135	183	134	82
6·8	652	—	28	Sept. 28	166	14	7	18	9	84	10	5	272	14	124	107	107	99	161	115	197	171
6·4	738	+ 78	33	May 13	174	25	4	20	29	154	38	0	54	234	83	101	77	76	54	152	198	120
6·3	841	+ 118	35	May 13	163	28	12	16	47	131	28	0	6	407	56	68	71	33	94	99	176	91
6·5	736	+ 135	—	—	185	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 27 (formerly 40).—Mean Annual Values of Meteorological

1915. Districts and Stations.	Hours of Observation.	Height of Barometer Cistern above M.S.L.	Barometer. Mean Air Pressure at Station Level.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum. Maximum.	Day of Month.	Minimum.	Day of Month.	Earth Temperature. At 1 foot depth.	At 4 feet depth.	Hygrometer. Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Bright Sunshine. Total Observed.	Difference from Normal.	Per cent. of Possible.
		Ft.	Millibars.	°	°	°	°	°		°		°	°	°	°	Mb.	%	Hrs.	Hrs.	%
5. England, N.E.:— (a) North, (b) South.																				
a p Morpeth §	9, –, 9	331	999·8	51·8	39·0	45·4	+0·2	77	June 12	21	Nov. 29	45·8	46·9	45·3	2·2	9·0	85	1,416	– 7	32
a a Tynemouth ¶	7, 1, 9	72	1008·9	52·0	41·8	46·9	-0·3	74	June 12,13	25	Nov. 29	—	—	45·4	1·9	9·1	86	—	—	—
a p Durham ¶§	9, –, 9	352	999·1	52·8	39·1	46·0	–0·8	76	June 12	21	Nov. 15,27	—	—	46·3	2·4	9·2	84	1,391	+ 77	32
a p York .. ¶§	9, –, 9	53	1010·8	55·2	41·3	48·3	+0·2	84	June 8	24	Mar. 30	48·7	49·1	47·5	2·9	9·3	82	1,336	+ 62	30
b a Spurn Head ¶	7, 1, 6	28	1011·1	52·9	43·0	48·0	–0·3	81	June 8	29	Mar. 19, 27, 29.	—	—	46·9	2·6	9·2	82	1,449	—	33
b a Lincoln .. ¶	9, –, –	42	1011·8	55·5	41·5	48·5	+0·1	85	June 8	25	Nov. 16,17	48·7	49·6	48·7	2·8	9·8	81	—	—	—
b p Hull	9, –, 9	12	1012·4	55·0	41·3	48·2	+0·4	87	June 8	25	Mar. 30	46·3	48·7	48·1	2·6	9·7	83	964	—	22
District Value..	—	—	—	53·7	41·0	47·2	–0·1	87	—	17	—	47·6	48·5	—	—	—	—	1,475	+ 22	33
6. England, N.W.:—																				
a Southport	9, 3, 9	42	1010·9	53·6	42·2	47·9	–0·3	74	May 23, 25	18	Nov. 17	48·7	49·6	47·6	2·3	9·8	85	1,639	+175	37
p Manchester (City)	9, –, 9	195	1005·6	54·9	43·7	49·3	—	78	May 25	25	Nov. 27	48·3	50·3	48·5	2·9	9·7	81	1,091	—	25
p Aspatria .. ¶§	9, –, 9	254	1002·6	53·2	39·5	46·4	–0·7	75	Sept. 8	19	Nov. 16,17	47·6	48·1	46·1	1·9	9·5	86	1,533	—	35
p Stonyhurst ¶§	–, –, 9	377	—	52·9	40·9	46·9	–0·5	74	May 25	18	Nov. 17	—	—	—	—	—	—	1,347	– 4	31
p Liverpool (Bid.) ¶	9, –, 9	202	1005·6	53·4	43·4	48·4	–0·5	73	May 23	25	Nov. 27,29	—	—	47·9	2·7	9·5	82	1,562	—	35
p Llandudno ¶§	9, –, 9	32	—	55·2	43·7	49·5	–0·4	76	Sept. 9	26	Nov. 22,29	—	—	49·3	2·7	10·0	82	1,610	+168	37
p Bettws-y-Coed ..	9, –, 9	125	1008·2	54·8	40·5	47·7	–2·0	78	Sept. 18	21	Nov. 22	47·1	48·2	47·7	2·2	9·8	86	1,307	—	30
District Value..	—	—	—	53·8	41·9	47·7	–0·5	78	--	12	—	48·0	48·6	—	—	—	—	1,559	+175	35
7. England, S.W.:—																				
a Llangammarch ¶§	9, –, –	585	991·9	54·0	38·7	46·4	–1·4	73	June 13	14	Nov. 17,27	47·8	48·7	46·3	1·9	9·5	87	1,288	—	29
a Pembroke .. ¶§	7, 1, 9	150	1007·4	53·5	45·5	49·5	–0·4	72	May 23	29	Mar. 29	—	—	48·3	1·3	10·6	90	1,584	– 55	36
a Bristol (Clifton) ¶	9, –, –	229	—	56·5	43·4	50·0	+0·1	78	Sept. 18	25	Feb. 25 Nov. 17, 27.	—	—	—	—	—	—	1,562	—	35
a Portland Bill ¶	7, 1, 9	37	1011·5	54·3	46·3	50·3	–0·7	74	May 22	29	Mar. 30	—	—	49·3	1·8	10·7	88	—	—	—
p Plymouth .. ¶§	9, 3, 9	116	1008·8	56·4	45·2	50·8	–0·1	75	May 23, 26. Aug. 27	25	Feb. 25 Nov. 17	51·3	—	51·4	2·7	11·1	83	1,657	+ 11	38
Falmouth .. ¶§	7, 1, 6	183	1006·3	55·7	45·3	50·5	–0·5	75	May 23	28	Feb. 25, 26	53·2	53·3	48·7	1·6	10·7	89	1,694	– 69	38
p Woolacombe ..	9, –, 9	120	1009·2	55·6	45·9	50·8	–1·4	76	Sept. 18	29	Jan. 29 Nov. 27	—	—	50·7	2·6	10·7	83	1,588	– 33	36
District Value..	—	—	—	55·2	43·1	49·0	–0·5	79	—	13	—	51·0	51·5	—	—	—	—	1,573	+ 7	36
8. English Chan.:—																				
a Scilly .. ¶§	7, 1, 9	152	1007·8	55·5	47·4	51·5	–0·8	69	Aug. 24,25	30	Jan. 25	—	—	50·4	1·2	11·6	92	1,675	–131	38
a Jersey .. ¶§	7, 1, 9	36	1012·7	57·2	46·4	51·8	–0·3	81	July 4	27	Jan. 30	—	—	50·4	2·1	10·9	86	1,869	– 55	42
p Guernsey (Brooklyn).	9, –, 9	311	1002·7	56·2	46·3	51·3	–0·5	79	July 4	30	Nov 28	52·9	53·4	50·4	2·1	11·0	86	1,796	–106	41
District Value..	—	—	—	56·6	46·7	51·6	–0·5	81	—	27	—	52·9	53·4	—	—	—	—	1,770	–135	40

NOTES ON THE STATISTICAL TABLES.

The letters *a* and *p* indicate whether the readings of the maximum and minimum thermometers are taken at the hours of morning or evening observations. Local time is used except at the First Order Observatories and Telegraphic Reporting Stations where G.M.T. is used. The air temperature is obtained from thermometers placed in a louvred screen.

Barometer.—Pressure is expressed in millibars. 1 millibar = ·029531 mercury inches. The correction for latitude has been applied to all the values.

Rainfall.—The amounts are those for the 24 hours commenced at the time of morning observation.

Hygrometer.—The values are obtained from the monthly means of the dry and wet bulb readings. At certain stations the vapour pressure and relative humidity are the results obtained from the daily values. These are entered in clarendon type.

Weather Phenomena.—The number of days of **Precipitation, Snow, Hail, Thunderstorm, Fog** and **Gale**, are counted irrespective of the hours at which the phenomena occur. Except for rainfall (see above) the day is the civil day. A day is reckoned as a day of "**clear sky**," if the mean of the estimates of the "amount of cloud" at the fixed hours of observation is less than 2, and as an "**overcast**" day if the mean is greater than 8.

Wind Summaries.—The results given under Wind (but not gales) are based on the observations at fixed hours. At Falmouth and Kew the wind observations are based on the records of a standard Robinson anemometer (factor 2·2). Velocities of between 13 and 38 miles in the hour have been entered as "fresh or strong winds," velocities of 39 miles in the hour, or above, as gales. (At Brighton and Southport the equivalent values are obtained from a Dines Pressure Tube Anemometer. At Greenwich a Robinson Anemometer is used.

Elements from Observations at several Stations in the Year 1915—*continued.*

Cloud (0–10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind. No. of Observations reduced to a total of 1095 for the year.									
			Most in a day.										Force (0–12).		Direction.							
Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Total Fall.	Difference from Normal.	Amount.	Day of Month.	Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (*See* Note on p. 68.)	Overcast. (*See* Note on p. 68.)	Fog.	Wind force 8 and above.	Moderate and Strong Wind. (Force 4–7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
	Mm.	Mm.	Mm.																			
6·1	710	− 54	27	July 27	196	28	12	11	15	92	21	5	210	63	57	75	69	115	57	124	299	236
6·6	600	− 34	20	Dec. 3	171	12	0	8	10	79	38	1	146	43	116	110	83	130	98	115	183	217
7·4	658	− 34	20	May 11, Dec. 3	191	35	4	17	11	161	19	29	344	78	114	93	70	77	145	159	154	205
6·0	625	− 17	28	Sept. 1	182	17	3	14	41	107	20	0	45	12	194	54	101	56	218	75	289	96
7·2	664	+ 167	28	Dec. 4	188	13	4	20	1	90	46	27	688	29	139	108	146	117	133	120	169	134
6·3	640	+ 47	30	July 4	151	13	5	5	55	138	8	9	187	5	16	134	140	179	27	151	219	224
6·1	708	+ 53	44	July 4	191	28	6	17	41	127	10	0	84	197	134	135	32	95	72	194	97	139
6·8	679	+ 47	—	—	186	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6·7	814	− 22	24	Dec. 5	172	10	28	11	36	132	16	18	563	44	77	83	135	171	78	115	244	143
—	860	− 33	34	June 25	185	22	3	9	—	—	18	1	131	0	140	100	105	124	98	113	206	209
5·9	899	− 92	46	Feb. 26	160	19	3	8	55	119	5	2	199	163	140	147	59	26	111	182	197	70
—	1,074	− 115	31	Jan. 15	171	17	25	19	—	—	2	—	—	—	—	—	—	—	—	—	—	—
6·1	680	− 53	22	Aug. 16	177	12	24	12	50	121	19	3	237	7	80	90	142	181	62	147	255	131
5·1	844	+ 61	31	Nov. 12	174	5	6	3	66	88	1	6	83	10	74	69	141	64	108	131	400	98
6·9	1,308	—	46	Nov. 12	227	17	14	10	19	139	4	37	482	2	184	65	72	96	48	174	302	152
6·5	816	− 43	—	—	174	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7·6	1,411	—	48	July 4, Nov. 11	203	10	8	11	39	230	26	1	249	312	72	111	120	30	33	162	150	105
6·6	1,022	+ 131	31	Dec. 5	201	6	12	3	17	71	60	24	396	12	113	138	116	98	107	190	179	142
—	959	+ 80	38	July 4	174	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5·8	816	—	37	May 13	159	2	1	1	41	59	33	21	585	27	90	170	137	56	64	189	216	146
6·4	1,111	+ 200	40	Oct. 23	196	7	4	2	20	135	49	34	387	65	173	101	143	75	115	201	114	108
6·5	1,344	+ 190	48	Dec. 14	205	1	30	6	26	121	19	5	229	178	136	75	100	84	76	153	139	154
5·2	886	+ 73	31	July 16	195	2	15	9	64	75	8	0	153	93	74	168	188	84	44	134	175	135
6·1	1,102	+ 114	—	—	189	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7·1	861	+ 7	27	Oct. 7, Dec. 14	208	0	5	5	11	116	73	39	565	57	110	94	138	115	96	110	192	183
6·8	913	+ 44	27	Dec. 2	175	5	11	10	49	117	28	15	412	2	85	139	182	51	100	162	246	128
6·3	1,103	+ 149	40	July 22	187	3	15	6	40	126	84	42	367	88	54	171	77	54	78	182	270	121
6·4	949	+ 114	—	—	188	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Averages.—The normal averages used for stations are—Pressure, Temperature and Rainfall for the 35 years 1871–1905; Bright Sunshine for the 25 years 1881–1905. The values are published in Appendix III. to the Weekly Weather Report for 1906. For Greenwich and Oxford, averages for longer periods are used. Monthly averages of pressure at telegraphic reporting stations for the epoch 7 a.m. are published in Appendix I. to the Daily Weather Report.

Royal Observatory, Greenwich.—The earth temperatures are taken at a depth of 3 ft. 2 in. At Oxford they are taken at 6 in. and 3 ft. 6 in.

¶ § **Mean Values for Districts.**—Stations used in the Weekly Weather Report for computing "districts values" of rainfall and temperature, are distinguished by the sign ¶, those used for "district values of bright sunshine" by the sign §. These stations are distributed between Tables A, and B in the Monthly Weather Report of the Meteorological Office. The yearly mean values for districts given in this Report for maximum, minimum and mean temperature, sunshine and rainfall, are computed from the data for these "representative" stations. The mean temperature for districts is computed in the manner shown in the preface to the Weekly Weather Report. The yearly mean values for districts for "amount of cloud" are computed from the data for all stations. The averages for districts with which the current values are compared are for the 25 years 1881–1905, as in the Weekly Weather Report. The "district values" for Earth Temperature are obtained from the data for all stations.

Table 28 (formerly 41).—Males and Females at Twelve Groups of Ages in a Million Persons at All Ages.

—	Australian Commonwealth.	Austria.	Belgium.	Bulgaria.	Denmark.	England and Wales.		Finland.	France.	German Empire.	Hungary.	Ireland.	Italy.	The Netherlands.	New Zealand.	Prussia.	Russia (European).	Scotland.	Spain.	Sweden.	Switzerland.
Census Year ...	1911.	1910.	1910.	1905.	1911.	1901.	1911.	1910.	1911.	1910.	1910.	1911.	1911.	1909.	1911.	1910.	1897.	1911.	1900.	1910.	1910.
Persons All Ages	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Under 5 years ...	117,986	124,156	102,311	144,854	120,864	114,262	106,857	127,850	88,562	119,988	130,780	99,245	124,381	125,864	116,919	122,803	151,215	111,900	116,089	112,183	107,571
5—	101,737	115,526	103,050	132,215	109,734	107,209	102,488	111,787	84,836	113,943	114,781	99,736	108,188	114,133	105,117	115,473	121,757	107,911	113,513	105,312	105,073
10—	96,108	108,719	100,012	116,646	104,480	102,735	97,023	102,239	84,156	106,577	109,974	97,278	105,846	105,282	90,645	107,403	112,418	102,950	105,272	99,605	99,945
15—	100,681	96,408	92,530	103,230	92,277	99,796	92,502	91,043	81,277	96,829	98,562	96,353	111,276*	94,905	87,715	98,034	101,189	97,195	83,720	92,791	94,989
20—	100,172	83,121	85,157	88,623	82,012	95,946	88,042	87,062	79,132	86,370	80,165	85,697	66,014*	84,820	95,012	86,732	83,477	88,110	83,530	82,851	84,050
25—	161,468	140,751	157,544	122,339	145,248	161,579	165,127	150,997	154,360	151,695	139,805	144,869	132,911	146,012	192,706	150,477	138,705	155,702	145,188	139,752	158,204
35—	125,915	117,169	130,087	96,673	113,668	122,849	134,345	112,756	136,987	121,168	109,894	122,266	109,010	115,778	130,249	119,136	111,339	126,112	123,035	108,384	127,684
45—	97,539	95,074	98,113	73,948	92,366	89,222	97,816	90,614	116,841	90,676	96,714	89,785	97,196	87,489	81,087	90,223	80,943	93,825	101,890	99,157	98,550
55—	50,364	66,306	67,474	68,079	69,657	59,741	63,719	68,406	90,174	62,432	68,746	64,343	76,969	64,500	51,896	61,003	56,466	62,145	74,653	75,568	65,911
65—	29,577	38,909	45,351	35,555	44,662	33,080	37,715	41,571	59,642	37,176	37,347	71,570	47,203	43,199	34,074	35,724	29,822	38,855	37,812	53,871	42,814
75 years and upwards.	13,204	13,861	18,371	17,838	21,452	13,581	14,366	15,675	24,033	13,146	13,091	28,858	17,535	18,003	13,225	12,992	12,331	15,215	14,187	30,526	15,209
Age not stated ...	5,249	—	—	—	3,580	—	—	—	—	—	141	—	3,471	15	1,355	—	338	80	1,111	—	—
Males All Ages ...	519,199	491,137	495,810	509,739	485,260	483,543	483,653	496,498	491,284	493,488	495,312	499,303	490,944	494,885	527,444	494,153	489,599	484,958	488,015	488,687	491,710
Under 5 years ...	60,024	62,248	51,431	73,052	60,865	57,039	53,676	64,745	44,578	60,425	65,772	50,290	63,361	63,614	59,471	61,997	75,236	56,325	58,609	57,307	54,123
5—	51,533	58,238	51,696	66,734	55,352	53,462	51,213	56,440	42,617	57,203	57,633	50,597	55,120	57,659	53,392	58,083	60,389	54,170	57,250	53,480	52,591
10—	48,441	54,202	50,170	59,239	52,555	51,370	48,450	51,565	42,361	53,456	55,268	49,499	53,697	53,082	46,031	53,950	55,998	51,831	53,060	50,612	50,021
15—	50,916	47,213	46,393	51,907	46,073	49,120	45,879	46,062	40,602	48,496	48,361	48,955	53,684*	47,683	44,422	49,314	48,484	49,033	40,528	47,157	47,839
20—	51,218	40,944	42,675	45,126	39,013	45,273	41,659	43,827	39,127	43,212	38,463	43,578	31,480*	41,972	49,275	43,120	40,378	42,381	39,490	41,167	41,269
25—	83,287	68,302	79,016	61,264	69,224	76,425	78,503	75,927	76,565	75,709	68,368	71,088	62,106	71,337	103,230	75,329	67,095	73,983	69,888	68,512	79,338
35—	66,608	57,549	65,062	50,212	54,448	59,394	64,776	56,440	68,005	60,212	53,898	62,235	52,349	56,604	70,063	59,281	54,761	61,064	59,377	51,998	63,454
45—	54,144	46,349	48,335	36,214	43,511	42,924	46,973	44,380	57,313	43,875	48,160	45,132	47,606	43,150	44,131	43,625	39,151	44,836	48,665	46,249	47,253
55—	27,716	31,685	32,135	37,309	32,819	27,913	30,084	32,139	42,714	28,820	34,364	31,367	37,901	31,329	29,254	28,170	27,463	29,206	35,839	34,946	30,174
65—	15,554	18,189	20,991	19,461	20,436	14,691	16,711	18,500	27,327	16,505	18,680	32,798	23,380	20,429	19,461	15,792	14,339	16,446	18,190	24,187	19,008
75 years and upwards.	6,974	6,218	7,906	9,221	9,203	5,632	5,729	6,473	10,075	5,575	6,302	13,764	8,610	8,018	7,880	5,492	6,132	5,644	6,540	13,072	6,640
Age not stated ...	2,784	—	—	—	1,761	—	—	—	—	—	43	—	1,650	8	834	—	173	39	579	—	—
Females All Ages	480,801	508,863	504,190	490,261	514,740	516,457	516,347	503,502	508,716	506,512	504,688	500,697	509,056	505,115	472,556	505,847	510,401	515,042	511,985	511,313	508,290
Under 5 years ...	57,962	61,908	50,880	71,802	59,999	57,223	53,181	63,105	43,984	59,563	65,008	48,955	61,020	62,250	57,448	60,806	75,979	55,575	57,480	54,876	53,448
5—	50,204	57,288	51,354	65,481	54,382	53,747	51,275	55,347	42,219	56,740	57,148	49,139	53,068	56,474	51,725	57,390	61,368	53,741	56,263	51,832	52,482
10—	47,667	54,517	49,842	57,407	51,925	51,365	48,573	50,674	41,795	53,121	54,706	47,779	52,149	52,200	44,614	53,453	56,420	51,119	52,212	48,993	49,924
15—	49,765	49,195	46,137	51,323	46,204	50,376	46,623	44,981	40,675	48,333	50,201	47,398	57,592*	47,222	43,293	48,720	52,705	48,162	43,192	45,634	47,150
20—	48,954	42,177	42,482	43,497	42,999	50,673	46,383	43,235	40,005	43,158	41,702	42,119	34,534*	42,848	45,737	43,612	43,099	45,729	44,040	41,684	42,781
25—	78,181	72,449	78,528	61,075	76,024	85,154	86,624	75,070	77,795	75,986	71,437	73,781	70,805	74,675	89,476	75,148	71,610	81,719	75,300	71,240	78,866
35—	59,307	59,620	65,025	46,461	59,220	63,455	69,569	56,316	68,982	60,956	55,996	60,031	56,661	59,174	60,186	59,855	56,578	65,048	63,658	56,386	64,230
45—	43,395	48,725	49,778	37,734	48,855	46,298	50,843	46,234	59,528	46,801	48,554	44,653	49,590	44,339	36,956	46,598	41,792	48,989	53,225	52,908	51,297
55—	22,648	34,621	35,339	30,770	36,838	31,828	33,635	36,267	47,460	33,612	34,382	32,976	39,068	33,171	22,642	32,833	29,003	32,939	38,814	40,622	35,737
65—	14,023	20,720	24,360	16,094	24,226	18,389	21,004	23,071	32,315	20,671	18,667	38,772	23,823	22,770	14,613	19,932	15,483	22,409	19,622	29,684	23,806
75 years and upwards.	6,230	7,643	10,465	8,617	12,249	7,949	8,637	9,202	13,958	7,571	6,789	15,094	8,925	9,985	5,345	7,500	6,199	9,571	7,647	17,454	8,569
Age not stated ...	2,465	—	—	—	1,819	—	—	—	—	—	98	—	1,821	7	521	—	165	41	532	—	—

* Ages 15–21 and 21–25 respectively.

TABLE 29 (formerly 12). BIRTHS and DEATHS per 1,000 of the POPULATION in the UNITED KINGDOM and in certain COLONIES and FOREIGN COUNTRIES, 1888–1915.

(Tabulated from returns furnished by the authorities of the various States.)

Year.	Australian Commonwealth.	Austria.	Belgium.	Bulgaria.	Ceylon.	Chili.	Denmark.	England and Wales.	Finland.	France.	German Empire.	Hungary.	Ireland.	Italy.	Jamaica.	Japan.	The Netherlands.	New Zealand.	Norway.	Ontario, Province of.	Prussia.	Roumania.	Russia (European).	Scotland.	Serbia.	Spain.	Sweden.	Switzerland.	United Kingdom.	United States of America (Registration Area).	Year.
BIRTHS (EXCLUDING STILLBORN) PER 1,000 LIVING.																															
1888	35·5	38·3	29·4	37·5	31·8	31·8	31·5	31·2	34·9	23·1	36·6	43·8	22·8	37·5	39·1	29·6	33·7	31·2	31·2	21·8	37·4	42·4	49·9	31·3	45·7	36·4	28·8	27·7	30·1	—	1888
1889	34·7	38·3	29·4	36·5	27·7	37·7	31·2	31·1	33·4	23·0	36·4	43·7	22·7	38·3	35·3	30·2	33·2	30·2	30·1	22·6	37·1	40·6	48·8	30·9	44·1	36·4	27·7	27·6	30·0	—	1889
1890	35·0	36·8	29·0	34·9	31·9	37·6	30·5	30·2	32·9	21·8	35·7	40·3	22·3	35·8	38·4	28·3	32·9	29·4	30·3	22·0	36·6	38·5	48·2	30·4	40·2	34·4	28·0	26·6	29·2	—	1890
1891	34·5	38·6	30·0	38·9	31·9	30·0	31·0	31·4	34·3	22·6	37·0	42·3	23·1	37·2	38·3	26·7	33·7	29·0	30·9	22·4	37·7	42·3	48·8	31·2	45·0	35·3	28·3	28·2	30·4	—	1891
1892	33·7	36·3	28·9	35·8	30·2	39·1	29·6	30·4	31·5	22·3	35·7	40·4	22·5	36·2	37·3	29·4	32·0	27·8	29·6	19·5	36·2	39·0	47·2	30·7	42·4	35·8	27·0	27·7	29·5	—	1892
1893	32·8	38·2	29·5	34·9	31·3	38·9	30·8	30·7	29·9	22·8	36·8	42·6	23·0	36·5	40·6	28·5	33·8	27·5	30·6	19·7	37·4	40·5	47·0	30·8	42·5	35·6	27·4	27·9	29·8	—	1893
1894	30·8	37·0	29·0	37·6	33·2	40·7	30·4	29·6	30·8	22·3	35·9	41·5	23·0	35·5	37·2	28·9	32·7	27·3	29·8	19·1	36·5	40·9	48·7	29·9	42·4	34·8	27·1	27·3	28·8	—	1894
1895	30·4	38·1	28·5	40·2	31·8	38·7	30·3	30·3	32·6	21·7	36·1	41·8	23·3	34·9	38·8	29·5	32·8	26·8	30·6	18·8	36·9	42·3	49·4	30·0	44·0	35·0	27·5	27·3	29·4	—	1895
1896	28·4	38·0	29·0	41·0	32·0	37·0	30·5	29·6	32.1	22·5	36·3	40·5	23·7	34·8	38.5	30·0	32·7	26·3	30·4	20·6	36·9	40·7	49·7	30·4	41·2	35·9	27·2	28·1	29·0	—	1896
1897	28·2	37·5	29·0	42·2	37·7	39·0	29·8	29·6	31.9	22·2	36·0	40·3	23·5	34·7	39·8	30·9	32·5	26·0	30·0	20·8	36·5	42·9	49·5	30·0	42·6	34·1	26·7	28·3	28·9	—	1897
1898	27·2	36·3	28·6	39·2	38·8	36·8	30·2	29·3	34·0	21·8	36·1	37·7	23·3	33·5	38·1	31·3	31·9	25·7	30·3	20·2	36·7	36·7	48·7	30·1	35·1	33·3	27·1	28·5	28·7	—	1898
1899	27·3	37·3	28·8	40·5	38·5	37·0	29·7	29·1	33·2	21·9	35·8	39·3	23·1	33·9	42·2	31·4	32·1	25·1	30·9	19·2	36·3	42·0	49·0	29·8	39·3	34·2	26·4	29·0	28·5	—	1899
1900	27·3	37·3	28·9	42·3	38·6	37·8	29·7	28·7	32·0	21·4	35·6	39·3	22·7	33·0	35·7	31·7	31·6	25·6	30·1	19·6	36·1	38·8	49·4	29·6	42·0	33·8	27·0	28·6	28·2	—	1900
1901	27·2	36·6	29·4	37·5	37·5	38·0	29·7	28·5	32·5	22·0	35·7	37·8	22·7	32·6	40·9	33·1	32·3	26·3	29·6	20·7	36·2	39·3	47·9	29·5	38·0	34·9	27·0	29·0	28·0	—	1901
1902	26·7	37·1	28·4	38·8	38·5	38·4	29·2	28·5	31·5	21·7	35·1	38·9	23·0	33·4	39·3	32·9	31·8	25·9	28·9	21·3	35·5	39·0	49·1	29·3	38·0	35·5	26·5	28·5	28·0	—	1902
1903	25·3	35·3	27·5	41·0	40·0	37·7	28·7	28·5	30·4	21·1	33·8	36·9	23·1	31·7	39·9	32·0	31·6	26·6	28·8	21·7	34·4	40·1	48·1	29·4	40·9	36·3	25·7	27·4	28·0	—	1903
1904	26·4	35·6	27·1	42·4	38·5	37·6	28·9	28·0	31·8	20·9	34·1	37·4	23·6	32·9	36·1	30·6	31·4	26·9	28·1	22·3	34·7	40·1	48·5	29·1	39·8	34·3	25·8	27·3	27·7	—	1904
1905	26·2	33·9	26·1	43·5	38·7	37·8	28·4	27·3	30·5	20·6	32·9	35·3	23·4	32·7	38·8	30·6	30·8	27·2	27·4	23·0	33·5	38·3	44·8	28·6	37·3	35·2	25·7	26·9	27·1	—	1905
1906	26·6	35·0	25·7	44·0	36·5	36·0	28·5	27·2	31·3	20·6	33·1	36·5	23·5	32·1	38·1	29·1	30·4	27·1	26·7	22·9	33·7	39·9	46·8	28·6	41·3	34·0	25·7	26·9	27·0	—	1906
1907	26·8	34·0	25·3	43·6	33·6	38·8	28·2	26·5	31·2	19·7	32·3	36·7	23·2	31·7	35·0	33·2	30·0	27·3	26·4	24·1	33·0	41·1	46·6	27·7	40·0	33·6	25·5	26·2	26·3	—	1907
1908	26·6	33·7	24·9	40·5	41·0	39·3	28·5	26·7	30·7	20·1	32·1	36·9	23·3	33·7	37·6	33·7	29·7	27·4	26·3	25·6	32·7	40·3	44·3	28·1	36·8	34·0	25·7	26·4	26·5	—	1908
1909	26·7	33·4	23·7	40·6	37·5	38·6	28·2	25·8	31·2	19·5	31·0	37·7	23·4	32·7	37·8	33·9	29·1	27·3	26·3	24·3	31·7	41·1	44·0	27·3	36·5	33·5	25·6	25·5	25·7	—	1909
1910	26·7	32·5	23·7	41·7	39·0	38·0	27·5	25·1	30·1	19·6	29·8	35·7	23·3	33·3	38·6	33·9	28·6	26·2	26·1	24·9	30·5	39·2	—	26·2	38·5	33·1	24·7	25·0	25·0	—	1910
1911	27·2	31·4	22·9	40·2	38·0	38·5	26·7	24·3	29·1	18·7	28·6	35·0	23·2	31·5	39·0	34·1	27·8	26·0	25·9	22·6	29·4	42·3	—	25·6	36·2	31·2	24·0	24·2	24·4	—	1911
1912	28·7	31·3	22·6	—	33·3	38·7	26·7	23·9	29·1	19·0	28·3	36·3	23·0	32·4	38·8	33·4	28·1	26·5	25·6	22·4	28·9	43·4	—	25·9	38·0	32·6	23·8	24·1	24·0	—	1912
1913	28·3	—	—	—	38·6	39·5	25·6	24·1	27·1	19·0	27·5	—	22·8	31·7	35·3	33·3	28 1	26·1	25·3	24·0	28·2	42·1	—	25·5	—	30·4	23·2	23·1	24·1	—	1913
1914	28·1	—	—	—	38·1	37·0	25·6	23·8	26·9	18·0	—	—	22·6	31·1	38·9	—	28·2	26·0	25·2	24·0	—	42·5	—	26·1	—	29·8	22·9	22·5	23·9	—	1914
1915	27·3	—	—	—	37·0	—	24·2	22·0	—	—	—	—	22·0	—	34·6	—	26·2	25·3	23·8	24·2	—	—	—	23 9	—	—	21·6	19·5	22·2	—	1915
DEATHS (EXCLUDING STILLBORN) PER 1,000 LIVING.																															
1888	14·6	29·6	20·3	18·1	26·4	31·8	19·5	18·1	19·8	21·9	23·7	32·0	17·9	27·5	22·3	19·0	20·4	9·4	17·2	11·0	22·8	30·6	32·3	18·0	24·4	30·1	16·0	19·9	18·1	—	1888
1889	15·4	27·6	19·8	18·4	28·5	32·0	18·5	18·2	19·6	20·7	23·7	29·9	17·4	25·6	22·2	20·2	20·1	9·4	17·6	10·9	23·2	27·2	34·5	18·4	25·5	30·4	16·0	20·3	18·1	—	1889
1890	14·3	29·5	20·8	21·0	23·0	36·4	19·0	19·5	19·5	22·8	24·4	32·4	18·2	26·3	25·1	20·4	20·5	9·7	17·9	11·1	24·1	28·4	35·7	19·7	25·3	32·1	17·1	20·9	19·4	—	1890
1891	14·8	28·3	21·2	26·6	28·7	33·9	20·0	20·2	21·2	22·9	23·4	33·1	18·4	26·1	22·7	21·0	20·7	10·3	17·5	11·3	22·9	30·1	34·6	20·7	26·5	31·3	16·8	20·6	20·0	—	1891
1892	12·9	28·9	21·8	31·4	27·5	37·5	19·5	19·0	23·7	22·8	24·1	35·1	19·4	26·2	20·9	21·6	21·0	10·1	17·8	10·8	23·4	34·7	42·1	18·5	33·5	30·6	17·9	19·0	19·0	—	1892
1893	13·7	27·3	20·3	27·5	29·6	34·9	19·0	19·2	20·9	22·5	24·6	31·2	18·0	25·2	22·1	22·7	19·2	10·2	16·3	10·6	24·1	30·8	33·1	19·3	29·7	29·7	16·8	20·1	19·0	—	1893
1894	12·7	28·0	18·6	27·1	27·9	33·4	17·6	16·6	19·2	21·2	22·3	30·5	18·2	25·0	21·0	20·1	18·5	10·2	16·9	10·3	21·7	31·7	34·0	17·1	28·0	30·3	16·4	20·1	16·8	—	1894
1895	12·5	27·6	19·5	26·2	27·6	31·0	16·9	18·7	17·7	22·2	22·1	29·7	18·5	25·0	22·7	20·2	18·6	9·9	15·7	10·2	21·8	27·6	35·0	19·4	26·9	29·0	15·2	19·2	18·7	—	1895
1896	12·8	26·3	17·5	24·1	25·3	30·0	15·7	17·1	18·5	20·0	20·8	28·9	16·7	24·1	22·1	21·4	17·2	9·1	15·2	11·0	20·7	29·1	32·8	16·6	27·0	29·6	15·6	17·8	16·9	—	1896
1897	12·1	25·6	17·2	25·4	23·7	30·7	16·6	17·4	17·5	19·4	21·3	28·5	18·5	21·9	23·0	20·3	16·9	9·1	15·3	11·3	20·9	29·6	31·4	18·4	26·5	28·4	15·4	17·7	17·6	—	1897
1898	14·1	24·9	17·6	23·0	26·6	28·6	15·5	17·5	17·4	20·9	20·5	28·0	18·2	22·9	21·0	20·4	17·0	9·8	15·3	11·1	20·0	26·5	33·2	18·0	22·9	28·2	15·1	18·3	17·7	—	1898
1899	12·9	25·6	18·8	24·7	30·6	29·0	17·3	18·2	19·9	21·1	21·5	27·2	17·7	21·9	22·8	21·1	17·2	10·2	16·9	12·3	21·4	27·5	31·0	18·1	24·3	28·8	17·7	17·7	18·2	—	1899
1900	11·8	25·4	19·3	22·6	28·7	35·6	16·8	18·2	21·5	21·9	22·1	26·9	19·6	23·8	21·6	20·4	17·9	9·4	15·9	12·2	21·8	24·2	31·1	18·5	23·3	28·9	16·8	19·3	18·4	17·6	1900
1901	12·2	24·0	17·2	23·1	27·6	36·4	15·8	16·9	20·6	20·1	20·7	25·4	17·8	22·0	21·9	20·4	17·2	9·8	14·9	13·0	20·5	26·2	32·1	17·9	21·0	27·7	16·1	18·0	17·1	16·5	1901
1902	12·5	24·7	17·3	23·8	27·5	28·5	14·6	16·3	18·4	19·5	19·4	27·1	17·5	22·2	19·8	20·9	16·3	10·5	13·8	12·1	19·2	27·7	31·5	17·3	22·3	26·0	15·4	17·0	16·5	15·9	1902
1903	12·2	23·8	17·0	22·7	25·9	26·2	14·7	15·5	17·8	19·2	20·0	26·2	17·5	22·4	24·6	20·0	15·6	10·4	14·7	12·9	19·7	24·8	30·0	16·8	23·5	25·0	15·1	17·4	15·8	16·0	1903
1904	11·1	23·8	16·9	21·2	24·9	27·8	14·1	16·3	17·7	19·4	19·6	25·0	18·0	21·2	24·7	21·2	15·9	9·5	14·3	13·4	19·2	24·4	29·9	17·1	21·1	25·7	15·3	17·5	16·6	16·5	1904
1905	10·9	25·1	16·5	21·8	27·7	34·9	15·0	15·3	18·3	19·6	19·8	28·2	17·1	22·0	21·9	21·9	15·3	9·3	14·7	13·5	19·6	24·7	31·1	16·2	24·4	25·8	15·6	17·6	15·6	16·0	1905
1906	10·9	22·6	16·4	22·3	35·1	32·7	13 5	15·5	17·4	19·9	18·2	25·1	16·9	20·9	26·2	20·0	14·8	9·3	13·6	14·1	17·9	23·9	29·8	16·4	24·0	26·1	14·4	16·6	15·7	15·7	1906
1907	11·0	22·7	15·7	22·3	30·7	29·6	14·1	15·1	17·9	20·2	18·0	25·7	17·6	20·9	28·3	21·0	14·6	10·9	14·3	14·3	17·8	26·3	28·1	16·6	22·8	24·5	14·6	16·4	15·5	16·0	1907
1908	11·1	22·5	16·5	24·3	30·1	31·6	14·6	14·8	18·4	18·9	18·1	25·2	17·5	22·8	22·4	20·9	15·0	9·5	14·3	13·8	17·9	27·4	28·0	16·6	23·7	23·8	14·9	15·8	15·3	14·8	1908
1909	10·3	22·9	15·8	26·6	31·0	31·2	13·2	14·6	16·6	19·1	17·2	25·6	17·1	21·7	21·7	21·9	13·7	9·2	13·5	13·7	17·0	27·4	28·9	15·8	29·3	24·0	13·7	16·1	15·0	14·4	1909
1910	10·4	21·2	15·2	23·2	27·3	31·0	12·9	13·5	16·5	17·8	16·2	23·6	17·1	19·9	23·1	21·1	13·6	9·7	13·5	13·9	16·0	24·8	—	15·3	22·1	23·3	14·0	15·1	14·0	15·0	1910
1911	10·7	21·9	16·4	21·5	34·8	31·1	13·6	14·6	16·5	19·6	17·3	25·1	16·5	21·4	22·1	20·4	14·5	9·4	13·2	12·6	17·2	25·3	—	15·1	21·8	23·2	13·8	15·8	14·8	14·2	1911
1912	11·2	20·5	14·8	—	32·4	29·7	13·0	13·3	16·3	17·5	15·6	23·3	16·5	18·2	25·1	20·0	12·3	8·9	13·5	12·4	15·5	22·9	—	15·3	21·1	21·8	14·2	14·1	13·8	13·9	1912
1913	10·8	—	—	—	28·4	30·1	12·5	13·8	16·1	17·7	15·0	—	17·1	18·7	21·7	19·5	12·3	9·5	13·2	12·7	14·9	25·9	—	15·5	—	22·1	13·6	14·3	14·3	14·1	1913
1914	10·5	—	—	—	32·2	27·8	12·6	14·0	15·6	19·6	—	—	16·3	17·9	21·4	—	12·4	9·3	13·5	11·8	—	23·8	—	15·5	—	22·1	13·8	13·8	14·4	13·6	1914
1915	10·7	—	—	—	25·2	—	12·8	15·7	—	—	—	—	17·6	—	21·6	—	12·4	9·1	13·3	12·0	—	—	—	17·1	—	—	14·6	13·3	15·6	13·5	1915

Table 29 (formerly 42).—Population, Marriages, Births, and Deaths—*continued.*

Note.—The diseases in the following section correspond with those of the same name in the Short Lists of Causes of Death of the International Institute and of the Registrar-General. (For contents of the several headings see pp. xxiii and xxv of the Manual of the International List.)

Year.	Numbers. Estimated Population in the middle of each Year.	Persons Married.	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Proportion per 1,000 of the Population. Persons Married.	Births.	Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include :— Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	Year.
AUSTRALIA, COMMONWEALTH OF. (Furnished by the Commonwealth Statistician.)																		
1896	† 3,522,362	46,136	100,134	45,202	13·1	28·4	12·8	113	1,495	—	8	99	278	‡ 546	—	3,403	1,904	1896
1897	3,585,442	47,878	101,137	43,447	13·4	28·2	12·1	105	1,339	—	11	180	69	647	—	3,322	1,971	1897
1898	3,641,251	48,944	98,845	51,406	13·4	27·2	14·1	127	1,615	2	1,452	234	572	805	—	3,622	2,145	1898
1899	3,690,353	51,916	100,638	47,629	14·1	27·3	12·9	117	1,147	1	404	131	1,101	462	—	3,378	2,200	1899
1900	3,746,665	54,202	102,221	44,060	14·5	27·3	11·8	100	986	—	132	41	311	376	—	3,434	2,341	1900
1901*	3,790,710	55,506	102,945	46,330	14·6	27·2	12·2	104	839	5	138	24	597	442	—	3,557	2,401	1901*
1902	3,847,998	55,852	102,776	48,078	14·5	26·7	12 5	107	903	1	416	104	551	309	—	3,552	2,467	1902
1903	3,893,329	51,954	98,443	47,293	13·3	25·3	12·2	111	1,145	19	89	193	493	403	—	3,526	2,396	1903
1904	3,942,730	55,364	104,113	43,572	14·0	26·4	11·1	82	671	—	28	100	337	517	—	3,524	2,371	1904
1905	4,001,117	58,008	104,941	43,514	14·5	26·2	10·9	82	626	—	133	44	42	324	—	3,231	2,539	1905
1906	4,060,324	60,820	107,890	44,333	15·0	26·6	10·9	83	735	—	41	61	294	340	—	3,174	2,608	1906
1907	4,123,729	64,940	110,347	45,305	15·7	26·8	11·0	81	564	—	147	37	1,070	403	—	3,166	2,940	1907
1908	4,194,410	65,102	111,545	46,426	15·5	26·6	11·1	78	736	—	125	63	249	421	—	3,367	2,921	1908
1909	4,274,617	67,550	114,071	44,172	15·8	26·7	10·3	72	661	1	31	74	257	435	—	3,119	3,092	1909
1910	4,370,185	73,184	116,801	45,590	16·7	26·7	10·4	75	648	4	124	48	476	555	—	3,059	3,205	1910
1911*	4,490,366	78,964	122,193	47,869	17·6	27·2	10·7	68	488	1	206	24	291	696	—	3,164	3,321	1911*
1912	4,644,852	84,294	133,088	52,177	18·1	28·7	11·2	72	619	—	519	41	301	754	—	3,146	3,537	1912
1913	4,803,661	83,188	135,714	51,789	17·3	28·3	10·8	72	576	1	186	39	560	808	—	3,252	3,603	1913
1914	4,919,194	86,622	137,983	51,720	17·6	28·1	10·5	71	604	3	155	29	320	716	—	3,018	3,675	1914
1915	4,950,233	90,448	134,871	52,782	18·3	27·3	10·7	68	561	1	439	104	185	703	—	2,983	3,702	1915
AUSTRIA. (Furnished by the President of the Central Statistical Commission, Austria.)																		
1896	24,961,694	396,922	948,419	657,011	15·9	38·0	26·3	230	† 7,851	897	7,928	16,341	18,208	27,401	19	‡ 88,278	16,410	1896
1897	25,212,994	407,686	944,764	646,019	16·2	37·5	25·6	228	7,382	1,450	9,229	14,316	12,956	23,347	—	86,278	17,109	1897
1898	25,462,769	399,322	923,241	635,115	15·7	36·3	24·9	224	7,127	2,521	13,765	15,009	10,622	19,740	—	83,682	17,667	1898
1899	25,714,019	427,502	960,205	658,269	16·6	37·3	25·6	219	6,290	1,899	11,556	14,614	12,307	18,198	—	88,251	17,961	1899
1900*	25,975,976	428,428	967,939	658,680	16·5	37·3	25·4	231	6,229	369	5,731	10,422	13,452	13,723	—	92,196	18,423	1900*
1901	26,278,933	427,514	961,501	631,377	16·3	36·6	24·0	209	5,878	96	8,166	12,551	12,123	13,152	—	87,897	19,154	1901
1902	26,535,205	413,154	984,240	656,400	15·6	37·1	24·7	216	4,813	30	17,169	14,930	15,984	11,251	—	89,648	19,685	1902
1903	26,780,035	418,270	943,953	638,092	15·6	35·3	23·8	215	5,301	17	5,546	15,573	11,911	11,227	—	90,230	19,728	1903
1904	27,021,055	420,292	961,430	642,333	15·6	35·6	23·8	210	5,237	17	8,260	9,767	9,704	11,961	—	89,830	20,231	1904
1905	27,228,585	425,854	921,764	684,537	15·6	33·9	25·1	231	4,864	20	6,789	8,099	9,737	10,740	—	98,312	20,744	1905
1906	27,447,933	434,634	961,258	619,063	15·8	35·0	22·6	202	4,127	39	9,107	10,554	13,255	9,228	—	86,754	21,391	1906
1907	27,705,717	419,028	942,169	629,913	15·1	34·0	22·7	209	4,165	41	6,805	10,006	10,606	6,893	—	87,627	21,431	1907
1908	27,949,768	427,340	941,375	627,771	15·3	33·7	22·5	199	4,201	14	7,923	14,965	8,972	8,009	—	84,947	21,788	1908
1909	28,185,927	426,166	941,239	646,122	15·1	33·4	22·9	209	4,004	13	12,392	16,123	8,569	8,135	—	85,410	22,180	1909
1910*	28,426,589	429,940	923,545	602,046	15·1	32·5	21·2	189	3,770	5	10,079	13,765	8,515	7,443	6	81,789	22,157	1910*
1911	28,649,449	434,746	898,702	628,305	15·2	31·4	21·9	207	3,747	31	6,794	8,217	11,811	7,296	39	84,155	23,585	1911
1912	28,879,295	424,374	903,407	592,426	14·7	31·3	20·5	180	3,516	26	6,865	6,612	9,169	5,956	—	81,825	23,511	1912
1913	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1913
1914	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1914
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1915
BELGIUM. (Furnished by the Director-General of the Statistical Department, Belgium.)																		
1896	6,495,886	105,170	188,533	113,748	16·2	29·0	17·5	142	1,584	130	3,134	1,003	3,290	1,982	27	9,524	Not available.	1896
1897	6,586,593	108,396	190,987	113,586	16·5	29·0	17·2	149	1,598	140	2,083	1,019	2,809	1,734	56	9,359		1897
1898	6,669,732	110,888	190,921	117,457	16·6	28·6	17·6	160	1,491	158	2,364	1,726	2,734	1,682	84	9,311		1898
1899	6,744,532	111,530	194,268	126,963	16·5	28·8	18·8	167	1,682	257	3,188	2,095	3,633	1,769	32	9,818		1899
1900*	6,693,548	115,422	193,789	129,046	17·2	28·9	19·3	172	1,702	193	2,610	1,360	3,459	1,828	37	9,117		1900*
1901	6,799,999	114,262	200,077	116,077	17·4	29·4	17·2	142	1,508	260	2,036	1,409	2,365	1,750	26	9,186		1901
1902	6,896,079	112,314	195,871	119,330	16·2	28·4	17·3	144	1,228	652	3,305	992	2,651	1,817	17	9,077		1902
1903	6,985,219	109,892	192,301	118,675	15·7	27·5	17·0	155	1,088	1,630	2,309	698	2,734	1,393	9	7,586	4,084	1903
1904	7,074,910	113,480	191,721	119,506	16·0	27·1	16·9	152	1,051	656	2,758	726	2,918	1,289	6	7,716	3,969	1904
1905	7,160,547	113,358	187,437	118,343	15·8	26·1	16·5	146	984	244	2,446	760	2,689	1,253	5	7,701	4,203	1905
1906	7,238,622	116,776	186,271	118,884	16·1	25·7	16·4	153	890	41	2,459	785	2,544	1,198	39	7,647	4,232	1906
1907	7,317,561	117,320	185,138	115,347	16·0	25·3	15·7	132	874	55	2,011	927	2,354	1,141	2	7,377	4,396	1907
1908	7,386,444	115,128	183,834	121,964	15·6	24·9	16·5	147	824	42	2,982	1,203	2,676	1,228	—	7,463	4,713	1908
1909	7,451,903	114,252	176,431	117,571	15·3	23·7	15·8	137	693	40	2,676	1,184	2,089	1,141	10	7,590	4,786	1909
1910*	7,423,784	117,552	176,413	112,826	15·8	23·7	15·2	134	771	68	2,537	1,113	2,446	1,057	10	7,217	4,699	1910*
1911	7,490,411	118,740	171,802	122,843	15·9	22·9	16·4	167	786	46	1,666	1,240	2,085	962	2	7,588	5,140	1911
1912	7,571,387	122,556	171,187	112,378	16·0	22·6	14·8	120	644	58	2,389	991	1,923	919	—	7,074	5,374	1912
1913	7,638,757	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1913
1914	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1914
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1915

* Census year.

† Estimated mean population for each year.

‡ Excluding croup in Western Australia for the year 1896.

* Census year.

† Including typhus.

‡ Tuberculosis, all forms.

* Census year.

Table 29 (formerly 42).—Population, Marriages, Births, and Deaths—*continued.*

Year.	Numbers. Estimated Population in the middle of each Year.	Persons Married.	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Proportion per 1,000 of the Population. Persons Married.	Births.	Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include :— Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	Year.
BULGARIA. (Furnished by the Director of the Statistical Bureau, Bulgaria.)																		
1896	3,493,852	58,398	143,255	84,076	16·8	41·0	24·1	134										1896
1897	3,548,014	58,454	149,631	90,134	16·4	42·2	25·4	147										1897
1898	3,603,017	56,464	141,046	82,725	15·6	39·2	23·0	143										1898
1899	3,658,872	64,154	148,172	90,324	17·6	40·5	24·7	158										1899
1900*	3,715,593	61,322	156,962	83,667	16·6	42·3	22·6	131										1900*
1901	3,772,440	65,638	141,373	87,239	17·4	37·5	23·1	143										1901
1902	3,829,391	72,082	148,719	91,093	18·8	38·8	23·8	143										1902
1903	3,887,201	73,368	159,164	88,314	18·8	41·0	22·7	154										1903
1904	3,945,885	89,236	167,263	83,731	22·6	42·4	21·2	142										1904
1905*	4,005,455	86,482	174,189	87,304	21·6	43·5	21·8	159	NOTE.—The deaths from the several diseases are not tabulated for the whole of Bulgaria.									1905*
1906	4,064,797	77,532	178,989	90,870	19·1	44·0	22·3	154										1906
1907	4,123,878	81,702	180,060	92,193	19·8	43·6	22·3	154										1907
1908	4,183,819	74,102	169,632	101,804	17·7	40·5	24·3	169										1908
1909	4,244,632	77,854	172,571	113,203	18·3	40·6	26·6	171										1909
1910*	4,306,329	77,834	179,563	99,939	18·1	41·7	23·2	159										1910*
1911	4,368,923	82,546	175,708	94,127	18·8	40·2	21·5	156										1911
1912	4,432,427	—	—	—	—	—	—	—										1912
1913	4,872,604	—	—	—	—	—	—	—										1913
1914	4,943,256	—	—	—	—	—	—	—										1914
1915	—	—	—	—	—	—	—	—										1915
CEYLON. (Furnished by the Registrar-General, Ceylon.)																		
1896	3,240,501	† 39,358	103,854	81,898	† 12·8	32·0	25·3	158	Not available.	21	384	—	53	11	428	‡ 2,873	128	1896
1897*	3,315,768	43,638	125,019	78,538	14·0	37·7	23·7	140		25	566	—	61	6	104	2,782	177	1897
1898	3,395,519	48,508	131,620	90,256	15·3	38·8	26·6	169		13	292	—	43	15	302	2,889	175	1898
1899	3,429,745	64,988	132,190	104,983	20·1	38·5	30·6	197		96	188	—	65	14	—	3,167	191	1899
1900	3,520,574	56,384	136,051	100,873	17·2	38·6	28·7	178		41	123	—	111	15	217	3,217	233	1900
1901*	3,582,697	47,472	134,252	98,813	14·2	37·5	27·6	170		80	207	—	53	8	52	3,390	213	1901*
1902	3,629,986	55,632	141,893	99,680	16·4	38·5	27·5	173		35	194	—	40	11	139	3,297	219	1902
1903	3,703,615	47,068	148,027	96,084	13·7	40·0	25·9	164		6	158	—	63	18	6	3,383	212	1903
1904	3,767,826	43,894	145,253	93,940	12·5	38·5	24·9	174		2	64	—	34	16	4	3,488	190	1904
1905	3,901,471	42,376	150,785	108,160	11·7	38·7	27·7	176		112	211	—	167	8	1	3,733	207	1905
1906	3,883,168	36,010	141,847	136,271	9·7	36·5	35·1	198		72	296	—	66	10	204	4,153	182	1906
1907	3,885,967	37,966	130,403	119,377	10·3	33·6	30·7	186		27	89	—	34	8	77	4,096	148	1907
1908	3,923,369	42,104	160,713	117,982	11·3	41·0	30·1	183		303	102	—	108	17	33	4,039	169	1908
1909	3,969,629	40,242	148,891	122,969	10·7	37·5	31·0	202		82	232	—	82	22	8	4,195	158	1909
1910	4,035,173	43,954	157,554	110,195	11·7	39·0	27·3	176		29	57	—	62	10	22	3,917	264	1910
1911*	4,120,813	42,772	156,398	143,380	11·1	38·0	34·8	218	651	89	42	—	72	21	277	4,287	394	1911*
1912	4,151,251	43,466	138,303	134,383	11·3	33·3	32·4	215	461	15	86	—	58	16	12	3,816	406	1912
1913	4,220,436	49,160	162,827	120,008	12·5	38·6	28·4	189	394	1	90	1	36	17	68	3,854	523	1913
1914	4,251,032	46,856	162,177	136,831	11·8	38·1	32·2	213	297	101	37	—	45	14	46	4,229	422	1914
1915	4,355,015	58,530	160,950	109,818	14·4	37·0	25·2	171	390	156	25	—	100	7	7	3,858	408	1915
CHILI. (Furnished by the Director of the General Statistical Office, Chili.)																		
1896	2,753,369	31,426	101,917	82,662	11·4	37·0	30·0	295	882	946	1,535	78	2,604	3,124	—	6,521	554	1896
1897	2,795,220	26,908	109,057	85,956	9·6	39·0	30·7	287	—	—	—	—	—	—	—	—	—	1897
1898	2,837,207	27,842	104,536	81,419	9·8	36·8	28·6	283	—	—	—	—	—	—	—	—	—	1898
1899	2,880,332	27,006	106,787	83,778	9·2	37·0	29·0	285	—	—	—	—	—	—	—	—	—	1899
1900	2,924,404	26,662	110,697	104,312	9·0	37·8	35·6	343	—	—	—	—	—	—	—	—	—	1900
1901	2,968,854	35,480	115,745	108,199	11·8	38·0	36·4	340	—	—	—	—	—	—	—	—	—	1901
1902	3,014,980	33,502	115,813	86,107	11·0	38·4	28·5	270	—	—	—	—	—	—	—	—	—	1902
1903	3,060,807	31,824	115,524	80,300	10·2	37·7	26·2	264	1,437	445	131	2	1,534	830	—	7,859	894	1903
1904	3,107,331	32,590	116,950	86,630	10·4	37·6	27·8	286	1,207	1,739	—	4	1,514	463	—	9,035	1,194	1904
1905	3,154,561	34,440	119,650	110,276	10·8	37·8	34·9	249	2,963	8,786	2,625	184	2,052	495	—	6,904	954	1905
1906	3,202,510	37,014	117,123	104,890	11·4	36·0	32·7	327	5,620	3,341	2,372	89	3,034	450	—	8,587	1,209	1906
1907*	3,249,279	42,542	126,104	96,451	13·0	38·8	29·6	298	4,301	858	174	47	2,475	280	—	8,363	1,251	1907*
1908	3,297,585	42,982	129,733	104,226	13·0	39·3	31·6	318	3,766	421	1,458	41	2,213	262	—	8,587	1,434	1908
1909	3,347,124	39,274	129,333	104,707	11·6	38·6	31·2	315	5,719	3,172	1,038	94	2,228	369	—	8,657	1,369	1909
1910	3,415,060	38,652	130,052	106,073	11·2	38·0	31·0	267	1,812	1,760	2,876	45	1,699	188	—	9,126	1,087	1910
1911	3,459,951	39,628	133,468	107,816	11·4	38·5	31·1	332	1,444	4,473	1,705	67	1,809	369	—	8,613	1,031	1911
1912	3,505,317	42,516	135,373	103,905	12·0	38·7	29·7	255	2,285	1,939	883	25	3,380	135	—	8,537	1,127	1912
1913	3,549,703	42,922	140,525	107,200	12·0	39·5	30·1	255	1,683	1,826	2,422	19	2,309	261	—	8,629	1,176	1913
1914	3,596,541	38,004	136,550	100,059	10·4	37·0	27·8	286	1,597	1,133	1,378	64	1,589	245	—	9,163	1,305	1914
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1915

NOTE.—The majority of the causes of death outside the towns is not medically certified.

* Census year.

† Registration is not essential to validity of marriage except among the Kandyan Sinhalese.

‡ Excluding acute miliary tuberculosis for years prior to 1911.

NOTE.—Complete statistics of causes of death are not available for the years 1897–1902.

* Census year.

Table 29 (formerly 42).—Population, Marriages, Births, and Deaths—*continued.*

NOTE.—The deaths from the several diseases refer to Copenhagen and the cities only. The total populations of all cities at the several censuses were:—1890, 726,355; 1901, 958,905; 1906, 1,028,804; 1911, 1,109,033. 1916, 1,209,975.
* Census year.

Year.	Numbers. Estimated Population in the middle of each Year.	Persons Married.	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Proportion per 1,000 of the Population. Persons Married.	Births.	Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include:— Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	Year.
DENMARK. (Furnished by the Chief of the Statistical Department, Denmark.)																		
1896	2,306,000	33,646	70,271	36,090	14·6	30·5	15·7	126	94	1	186	55	251	275	—	1,450	1,022	1896
1897	2,338,000	34,928	69,576	38,744	15·0	29·8	16·6	129	87	—	166	31	151	282	—	1,511	1,054	1897
1898	2,371,000	35,794	71,670	36,671	15·1	30·2	15·5	123	93	—	63	76	444	195	—	1,465	1,673	1898
1899	2,403,000	35,874	71,355	41,477	15·0	29·7	17·3	154	102	—	142	173	358	250	—	1,467	1,063	1899
1900	2,432,000	36,996	72,129	40,891	15·2	29·7	16·8	128	83	—	56	140	120	209	—	1,627	1,123	1900
1901*	2,462,000	35,198	73,211	38,786	14·3	29·7	15·8	134	131	6	260	102	324	175	—	1,476	1,201	1901*
1902	2,491,000	35,298	72,795	36,408	14·2	29·2	14·6	114	50	—	151	85	389	137	—	1,354	1,276	1902
1903	2,519,000	35,852	72,348	36,945	14·2	28·7	14·7	116	59	—	81	65	279	127	—	1,428	1,229	1903
1904	2,546,000	36,450	73,691	35,903	14·3	28·9	14·1	112	44	1	102	50	342	81	—	1,498	1,313	1904
1905	2,574,000	36,958	73,082	38,598	14·3	28·4	15·0	121	49	—	184	56	247	123	—	1,543	1,338	1905
1906*	2,603,000	38,716	74,216	35,231	14·9	28·5	13·5	109	35	—	131	20	227	94	—	1,404	1,344	1906*
1907	2,635,000	40,206	74,327	37,275	15·3	28·2	14·1	106	38	1	151	15	437	111	—	1,377	1,438	1907
1908	2,668,000	40,022	76,232	39,072	15·0	28·5	14·6	123	59	—	103	68	320	129	—	1,469	1,415	1908
1909	2,702,000	39,888	76,301	35,837	14·7	28·2	13·2	98	45	3	125	112	280	99	1	1,281	1,515	1909
1910	2,737,000	39,972	75,297	35,187	14·6	27·5	12·9	102	30	—	62	119	143	90	—	1,230	1,547	1910
1911*	2,770,000	39,758	73,933	37,236	14·4	26·7	13·6	106	21	—	113	83	257	107	—	1,332	1,575	1911*
1912	2,802,000	41,074	74,659	36,486	14·6	26·7	13·0	93	22	—	62	99	336	85	—	1,331	1,695	1912
1913	2,833,000	40,926	72,465	35,364	14·4	25·6	12·5	94	17	1	69	81	262	67	—	1,208	1,673	1913
1914	2,866,000	39,514	73,293	35,919	13·8	25·6	12·6	98	23	—	98	78	149	98	—	1,267	1,676	1914
1915	2,901,000	37,974	70,190	37,175	13·8	24·2	12·8	95	—	—	—	—	—	—	—	—	—	1915
ENGLAND AND WALES.																		
1896	30,802,858	485,528	915,331	526,727	15·7	29·6	17·1	148	5,125	541	17,618	5,476	13,266	10,571	† —	‡ 40,251	23,521	1896
1897	31,158,245	498,290	921,683	541,487	16·0	29·6	17·4	156	4,851	25	12,711	4,577	11,431	8,753	—	41,642	24,443	1897
1898	31,517,725	510,758	923,165	552,141	16·2	29·3	17·5	160	5,708	253	13,220	3,548	10,175	8,524	—	41,335	25,196	1898
1899	31,881,365	524,668	928,646	581,799	16·5	29·1	18·2	163	6,304	174	9,998	3,722	10,129	10,301	—	42,408	26,325	1899
1900	32,249,187	514,960	927,062	587,830	16·0	28·7	18·2	154	5,591	85	12,710	3,844	11,467	10,187	—	42,987	26,721	1900
1901*	32,612,022	518,800	929,807	551,585	15·9	28·5	16·9	151	5,071	356	9,019	4,339	10,205	9,761	—	41,224	27,487	1901*
1902	32,950,909	523,500	940,509	535,538	15·9	28·5	16·3	133	4,149	2,464	12,930	4,875	9,805	8,448	—	40,671	27,872	1902
1903	33,293,321	522,206	948,271	514,628	15·7	28·5	15·5	132	3,347	760	9,150	4,158	9,522	6,544	—	40,132	29,089	1903
1904	33,639,287	515,712	945,389	549,781	15·3	28·0	16·3	145	3,153	507	12,306	3,770	11,909	6,280	—	41,851	29,682	1904
1905	33,988,844	521,484	929,293	520,031	15·3	27·3	15·3	128	3,052	116	11,076	3,834	8,709	5,962	—	38,950	30,221	1905
1906	34,342,040	540,076	935,081	531,281	15·7	27·2	15·5	132	3,169	21	9,444	3,475	8,313	6,608	—	39,746	31,668	1906
1907	34,698,905	552,842	918,042	524,221	15·9	26·5	15·1	118	2,344	10	12,615	3,220	10,255	6,132	—	39,839	31,745	1907
1908	35,059,484	529,880	940,383	520,156	15·1	26·7	14·8	120	2,651	12	8,011	2,827	9,851	5,920	—	39,499	32,717	1908
1909	35,423,805	521,088	914,472	518,003	14·7	25·8	14·6	109	2,142	21	12,618	3,215	7,182	5,507	1	38,639	34,053	1909
1910	35,791,902	535,442	896,962	483,247	15·0	25·1	13·5	105	1,889	19	8,302	2,370	8,797	4,375	—	36,334	34,607	1910
1911*	36,189,685	549,886	881,138	527,810	15·2	24·3	14·6	130	2,416	23	13,128	1,892	7,844	4,992	—	39,232	35,902	1911*
1912	36,382,456	567,668	872,737	486,939	15·6	23·9	13·3	95	1,600	9	12,855	1,995	8,407	4,338	—	38,083	37,323	1912
1913	36,606,226	573,166	881,890	504,975	15·7	24·1	13·8	108	1,505	10	10,644	2,100	5,458	4,494	—	37,055	38,939	1913
1914	36,960,684	588,802	879,096	516,742	15·9	23·8	14 0	105	1,705	4	9,144	2,843	8,040	5,898	—	38,637	39,517	1914
1915	35358896§	721,770	814,614	562,253	19·5	22·0	15·7 §	110	1,388	13	16,445	2,406	8,143	5,895	—	41,676	39,847	1915
FINLAND. (Furnished by the Director of the Central Statistical Bureau, Finland.)																		
1896	2,543,583	38,378	81,656	47,061	15·1	32·1	18·5	143	† 4,836	56	1,692	Included with pulmonary tuberculosis.	Included with enteric fever.		—	‡ 6,765	Not available.	1896
1897	2,580,820	39,826	82,330	45,233	15·4	31·9	17·5	133	4,063	52	1,797				—	6,620		1897
1898	2,622,679	41,222	89,106	45,751	15·7	34·0	17·4	128	4,016	77	2,414				—	6,687		1898
1899	2,663,871	39,078	88,358	53,042	14·7	33·2	19·9	137	4,360	83	5,126				—	7,530		1899
1900*	2,697,490	36,590	86,339	57,915	13·6	32·0	21·5	153	4,939	49	6,282				—	8,011		1900*
1901	2,729,419	37,070	88,637	56,223	13·6	32·5	20·6	145	4,723	103	4,900				—	7,720		1901
1902	2,764,971	35,016	87,082	50,999	12·7	31·5	18·4	129	4,479	72	3,283				—	8,090		1902
1903	2,801,968	35,308	85,120	49,992	12·6	30·4	17·8	127	3,857	35	2,632				—	8,044		1903
1904	2,841,303	37,292	90,253	50,227	13·1	31·8	17·7	120	4,202	36	1,398				—	8,490		1904
1905	2,880,522	37,264	87,841	52,773	12·9	30·5	18·3	135	4,348	18	1,222				—	8,445		1905
1906	2,920,255	39,874	91,401	50,857	13·7	31·3	17·4	119	4,579	29	2,258				—	7,858		1906
1907	2,962,937	40,532	92,457	53,028	13·7	31·2	17·9	112	4,642	23	3,251				5	8,295		1907
1908	3,003,758	40,182	92,146	55,305	13·4	30·7	18·4	125	5,254	24	2,773				5	8,713		1908
1909	3,047,343	38,836	95,005	50,577	12·7	31·2	16·6	111	4,029	61	2,043				8	7,941		1909
1910*	3,093,219	37,562	92,984	51,007	12·1	30·1	16·5	118	4,304	70	1,900				10	8,076		1910*
1911	3,135,011	37,470	91,238	51,648	12·0	29·1	16·5	114	4,305	59	1,677				3	7,995		1911
1912	3,175,598	37,306	92,275	51,645	11·7	29·1	16·3	109	4,385	9	882				3	8,452		1912
1913	3,214,183	37,846	87,250	51,876	11·8	27·1	16·1	113	4,470	11	938				1	8,396		1913
1914	3,250,698	36,762	87,577	50,690	11·4	26·9	15·6	104	4,320	33	860				2	8,381		1914
1915	—	—	—	—	—	—	—	—	—	—	—				—	—		1915

* Census year.
† Deaths from Asiatic cholera were not separately tabulated for years prior to 1901.
‡ Excluding acute miliary tuberculosis for years prior to 1911.
§ Civil population only.

* Census year.
† Including deaths from diphtheria and croup.
‡ Including deaths from whooping cough.

Table 29 (formerly 42).—Population, Marriages, Births, and Deaths—*continued.*

Year.	Numbers. Estimated Population in the middle of each Year.	Numbers. Persons Married.	Numbers. Births. (Exclusive of Stillborn.)	Numbers. Deaths. (Exclusive of Stillborn.)	Proportion per 1,000 of the Population. Persons Married.	Proportion per 1,000 of the Population. Births.	Proportion per 1,000 of the Population. Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	Deaths from certain Diseases with Population of the Area to which they refer. Population.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.
FRANCE. (Furnished by the Director of the Statistical Bureau, France.)																		
1896*	38,520,000	580,302	865,586	771,886	15·1	22·5	20·0	148	12,869,412*	2,969	1,076	3,290	744	1,432	2,207	—	32,751	12,212
1897	38,680,000	582,924	859,107	751,019	15·1	22·2	19·4	152	—	3,182	190	2,831	412	1,259	1,550	—	31,316	12,631
1898	38,800,000	574,358	843,933	810,073	14·8	21·8	20·9	169	—	3,400	105	2,828	541	1,581	1,588	—	31,980	12,789
1899	38,900,000	591,504	847,627	816,233	15·3	21·9	21·1	163	—	4,501	670	3,046	796	1,775	1,775	—	33,282	13,161
1900	38,900,000	598,168	827,297	853,285	15·5	21·4	21·9	161	—	4,210	1,783	2,521	574	1,105	1,800	—	34,357	13,392
1901*	38,980,000	606,938	857,274	784,876	15·6	22·0	20·1	142	13,771,440*	2,868	1,017	1,937	550	1,504	2,269	—	37,160	12,385
1902	39,055,000	589,572	845,378	761,434	15·1	21·7	19·5	135	—	2,727	2,553	2,317	511	1,837	2,191	—	37,483	12,463
1903	39,124,000	591,992	826,712	753,606	15·1	21·1	19·2	137	—	2,773	2,350	2,163	496	1,254	1,578	—	37,512	12,912
1904	39,190,000	597,442	818,229	761,203	15·2	20·9	19·4	144	—	2,650	735	2,055	410	1,247	1,264	2	37,613	13,312
1905	39,222,000	605,246	807,291	770,171	15·4	20·6	19·6	136	—	2,168	292	1,783	308	1,053	1,161	—	37,642	13,793
1906*	39,282,000	612,974	806,847	780,196	15·6	20·6	19·9	143	39,282,000*	5,453	631	3,754	907	3,492	3,314	2	71,496	27,306
1907	39,279,000	628,122	772,681	791,752	16·0	19·7	20·2	131	39,279,000	5,133	2,679	3,763	1,623	3,534	3,637	—	74,746	29,284
1908	39,368,000	631,282	792,178	744,135	16·0	20·1	18·9	127	39,368,000	4,855	171	3,222	1,495	3,514	3,470	—	73,327	30,124
1909	39,421,000	615,374	769,565	754,957	15·6	19·5	19·1	118	39,421,000	3,857	87	2,881	1,557	2,619	3,502	—	70,223	30,645
1910	39,528,000	615,420	774,390	702,972	15·6	19·6	17·8	111	39,528,000	3,165	78	3,717	969	3,517	2,830	3	70,679	31,303
1911*	39,610,000	615,576	742,114	776,983	15·5	18·7	19·6	117	39,610,000*	5,283	70	3,997	951	2,915	2,840	271	71,370	31,768
1912	39,650,000	623,858	750,651	692,740	15·8	19·0	17·5	78	39,650,000	—	—	—	—	—	—	—	—	—
1913	39,700,000	597,520	745,539	703,638	15·0	19·0	17·7	—	39,700,000	—	—	—	—	—	—	—	—	—
1914†	33,079,000	338,022	594,222	647,549	10·2	18·0	19·6	—	—	—	—	—	—	—	—	—	—	—
1915	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—The deaths of Frenchmen abroad, civil or military, are registered in the books of the Commune in which they were last domiciled. The deaths from the several diseases relate to 584 towns for the years 1896–1900, to 616 towns for the years 1901–5, and to the whole of France for 1906 and subsequent years.

* Census year.

† Provisional figures relating to 77 "*departements.*"

Year.	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	Population.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.
GERMAN EMPIRE. (Furnished by the Presidents of the Statistical Department and the Imperial Health Office, German Empire.)																		
1896	52,753,455	864,214	1,914,749	1,098,966	16·4	36·3	20·8	—	49,356,136	5,587	10	13,462 †	8,142	19,495	31,503	—	107,103	33,620 ‡
1897	53,569,271	895,540	1,926,690	1,142,056	16·7	36·0	21·3	—	49,893,600	5,771	5	10,793	6,720	21,056	25,788	—	107,089	34,584
1898	54,406,277	917,754	1,964,731	1,117,860	16·9	36·1	20·5	—	50,431,064	5,081	16	12,728	9,031	18,004	23,642	—	100,544	35,504
1899	55,248,225	943,038	1,980,304	1,185,197	17·1	35·8	21·5	—	51,843,158	5,756	27	12,794	13,369	19,015	23,816	—	104,698	38,209
1900*	56,045,886	952,982	1,996,139	1,236,382	17·0	35·6	22·1	—	52,624,706*	5,894	49	12,317	13,169	18,445	20,477	—	108,827	37,946
1901	56,874,006	936,658	2,032,313	1,174,489	16·5	35·7	20·7	207	53,406,252	5,691	52	16,334	13,351	19,766	21,142	—	103,154	39,917
1902	57,766,723	914,416	2,024,735	1,122,492	15·8	35·1	19·4	183	54,187,799	3,769	12	14,085	12,949	18,754	17,457	—	101,730	40,613
1903	58,629,496	926,300	1,983,078	1,170,905	15·8	33·8	20·0	204	54,969,346	4,028	18	14,979	14,851	16,797	18,707	—	102,972	42,535
1904	59,474,537	955,644	2,025,847	1,163,183	16·1	34·1	19·6	196	58,433,571	4,115	25	12,389	12,651	17,753	18,982	—	106,709	46,723
1905*	60,314,029	971,812	1,987,153	1,194,314	16·1	32·9	19·8	205	59,413,982*	3,750	27	9,421	9,351	18,856	16,967	77	106,552	48,078
1906	61,153,428	997,980	2,022,477	1,112,202	16·3	33·1	18·2	185	61,153,428	3,478	47	13,340	9,974	17,948	14,692	—	98,152	49,127
1907	62,013,132	1,007,928	1,999,933	1,117,309	16·3	32·3	18·0	176	62,013,132	3,012	63	11,330	11,151	12,830	14,089	—	97,555	50,930
1908	62,863,076	1,001,240	2,015,052	1,135,490	15·9	32·1	18·1	178	62,863,076	2,979	65	10,612	10,852	16,388	14,958	1	95,402	51,948
1909	63,717,125	988,254	1,978,278	1,094,217	15·5	31·0	17·2	170	63,717,125	2,675	23	10,269	11,082	15,162	15,512	—	90,962	53,214
1910*	64,568,126	992,792	1,924,778	1,045,665	15·4	29·8	16·2	162	64,568,126*	2,585	34	11,245	7,123	14,133	14,888	—	89,327	56,092
1911	65,359,468	1,025,638	1,870,729	1,130,784	15·7	28·6	17·3	192	65,359,468	3,224	37	8,380	6,933	11,990	16,409	—	88,613	57,519
1912	66,145,971	1,046,982	1,869,636	1,029,749	15·8	28·3	15·6	147	66,145,971	2,161	35	9,326	5,811	13,669	13,599	—	85,976	58,937
1913¶	66,226,000	1,026,566	1,838,750	1,004,950	15·4	27·5	15·0	151	66,226,000	1,908	?	11,283	5,952	11,632	12,129	?	82,193	60,313
1914	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—The causes of death for the whole of the German Empire are not available for years prior to 1906. The figures in this table for the years 1896–1903 relate to 10 of the Federated States, those for 1904 and 1905 to 23 States, those since 1906 to all 26 States, with the restrictions, however, that the deaths from measles, whooping cough, pulmonary tuberculosis, and cancer relate only to 24 States (population, 1906, 59,912,782; 1907, 61,260,509; 1908, 62,111,705; 1909, 62,954,673; 1910, 63,824,043; 1911, 64,677,362; 1912, 65,396,000).

* Census year.

† Including Röteln.

‡ Including "New Growths."

¶ Provisional figures relating to 24 States.

Table 29 (formerly 42).—Population, Marriages, Births, and Deaths—*continued.*

Year.	Numbers. Estimated Population in the middle of each Year.	Persons Married.	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Proportion per 1,000 of the Population. Persons Married.	Births.	Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include:— Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	Year.
HUNGARY. (Furnished by the Director of the Central Statistical Office, Kingdom of Hungary.)																		
1896	18,355,347	294,954	742,936	530,368	16·2	40·5	28·9	226	—	—	—	—	—	—	—	† —	—	1896
1897	18,554,494	302,338	748,064	528,967	16·4	40·3	28·5	222	7,255	1,506	5,182	8,645	15,069	14,007	—	59,860	4,975	1897
1898	18,738,579	312,416	706,833	521,390	16·8	37·7	28·0	222	8,224	1,656	9,111	11,666	12,433	14,005	—	68,511	5,458	1898
1899	18,927,595	341,652	743,272	514,334	18·2	39·3	27·2	206	6,782	1,363	10,950	12,258	8,968	12,552	—	73,323	5,267	1899
1900*	19,144,142	339,374	752,718	515,234	17·8	39·3	26·9	219	6,193	815	7,327	9,658	7,616	9,941	—	72,467	7,021	1900*
1901	19,342,190	340,632	731,721	491,804	17·6	37·8	25·4	205	5,538	841	7,983	11,486	7,028	9,227	—	70,731	6,941	1901
1902	19,513,336	388,058	759,739	528,058	17·3	38·9	27·1	216	5,338	322	10,103	14,135	12,817	9,038	—	75,145	7,461	1902
1903	19,669,177	320,442	725,239	515,926	16·3	36·9	26·2	212	5,554	249	6,965	16,318	9,500	10,740	—	76,637	7,742	1903
1904	19,831,663	364,340	740,799	495,836	18·4	37·4	25·0	195	5,089	445	5,969	14,467	5,360	9,013	—	77,923	8,112	1904
1905	19,869,296	341,120	720,532	560,921	17·2	36·3	28·2	230	6,499	457	8,816	9,100	6,650	8,132	—	89,120	8,110	1905
1906	20,099,028	353,652	733,953	504,790	17·6	36·5	25·1	205	5,509	232	9,894	8,829	8,103	7,150	—	78,225	8,229	1906
1907	20,210,113	402,862	740,867	518,614	19·9	36·7	25·7	208	5,440	146	8,569	11,758	8,807	7,166	—	79,018	8,635	1907
1908	20,458,762	377,296	755,888	516,128	18·4	36·9	25·2	199	5,058	121	9,299	13,598	6,369	9,288	—	76,940	9,022	1908
1909	20,606,760	357,770	776,395	526,798	17·4	37·7	25·6	212	6,336	101	8,163	10,654	7,044	9,212	—	75,954	9,175	1909
1910*	20,792,709	359,074	742,899	490,689	17·3	35·7	23·6	194	5,009	116	9,339	10,626	6,427	8,657	302	72,423	9,489	1910*
1911	20,958,295	386,964	732,767	524,496	18·5	35·0	25·1	207	4,829	87	8,941	13,642	5,520	8,740	252	76,930	9,718	1911
1912	21,134,862	364,366	765,891	491,722	17·2	36·3	23·3	186	4,057	81	6,007	10,203	6,577	6,514	1	73,702	9,970	1912
1913	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1913
1914	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1914
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1915
IRELAND. (Furnished by the Registrar-General, Ireland.)																		
1896	4,542,061	46,110	107,641	75,700	10·2	23·7	16·7	95	716	4	516	752	1,040	745	—	† 9,051	2,437	1896
1897	4,529,917	45,782	106,664	83,839	10·1	23·5	18·5	109	998	3	1,070	522	1,851	790	—	9,748	2,635	1897
1898	4,518,478	45,160	105,457	82,404	10·0	23·3	18·2	110	1,284	—	316	325	1,588	791	—	9,678	2,657	1898
1899	4,502,401	44,622	103,900	79,699	9·9	23·1	17·7	108	890	1	1,532	205	988	759	—	9,480	2,654	1899
1900	4,468,501	42,660	101,459	87,606	9·5	22·7	19·6	109	769	1	640	245	689	726	—	10,076	2,717	1900
1901*	4,447,085	45,128	100,976	79,119	10·1	22·7	17·8	101	829	2	459	205	1,123	663	—	9,549	2,893	1901*
1902	4,434,551	45,898	101,863	77,676	10·4	23·0	17·5	100	613	1	1,076	186	1,002	735	—	9,400	2,861	1902
1903	4,417,757	45,984	101,831	77,358	10·4	23·1	17·5	96	480	40	686	210	1,062	670	—	9,559	3,048	1903
1904	4,408,103	45,922	103,811	79,513	10·4	23·6	18·0	100	466	16	522	204	1,551	585	—	9,833	3,055	1904
1905	4,399,308	46,156	102,832	75,071	10·5	23·4	17·1	95	502	5	809	170	581	558	—	9,216	3,291	1905
1906	4,397,571	45,324	103,536	74,427	10·3	23·5	16·9	93	394	—	388	149	929	602	—	8,933	3,481	1906
1907	4,388,451	45,018	101,742	77,334	10·3	23·2	17·6	92	362	1	584	99	809	432	—	8,828	3,338	1907
1908	4,384,664	45,468	102,039	76,891	10·4	23·3	17·5	97	338	—	858	72	945	490	—	8,511	3,314	1908
1909	4,386,601	45,300	102,759	74,973	10·3	23·4	17·1	92	305	—	443	129	1,175	529	—	8,051	3,502	1909
1910	4,385,421	44,224	101,963	74,894	10·1	23·3	17·1	95	278	—	853	173	1,297	432	—	7,527	3,664	1910
1911*	4,383,608	46,946	101,758	72,475	10·7	23·2	16·5	94	356	—	431	293	815	475	—	7,584	3,582	1911*
1912	4,384,710	46,566	101,035	72,187	10·6	23·0	16·5	86	232	—	813	308	1,045	436	—	7,452	3,734	1912
1913	4,379,012	44,532	100,094	74,694	10·2	22·8	17·1	97	289	—	920	358	618	379	—	7,366	3,900	1913
1914	4,381,398	47,390	98,806	71,345	10·8	22·6	16·3	87	287	—	1,008	507	751	395	—	7,163	3,807	1914
1915	4,337,000‡	48,308	95,583	76,151	11·1	22·0	17·6	92	238	—	595	426	823	403	—	7,547	3,826	1915
ITALY. (Furnished by the Director of the Statistical Department, Italy.)																		
1896	31,506,302	445,206	1,095,505	758,129	14·1	34·8	24·1	177	16,397	2,033	11,499	3,234	6,660	9,286	—	‡ 41,069	15,482	1896
1897	31,716,318	458,082	1,101,848	695,602	14·4	34·7	21·9	165	15,557	1,003	6,156	3,907	7,938	8,881	—	38,670	15,967	1897
1898	31,926,334	439,194	1,070,074	732,265	13·8	33·5	22·9	169	17,412	420	5,429	4,492	7,420	7,808	—	38,335	16,330	1898
1899	32,136,350	471,330	1,088,558	703,393	14·7	33·9	21·9	156	14,963	214	7,433	4,487	7,886	6,893	—	39,807	16,680	1899
1900	32,346,366	465,262	1,067,376	768,917	14·4	33·0	23·8	172	15,060	316	8,827	1,483	6,565	5,790	—	41,733	16,873	1900
1901*	32,475,253	469,638	1,057,763	715,036	14·5	32·6	22·0	165	11,748	3,396	5,562	1,185	6,916	5,444	—	38,512	17,141	1901*
1902	32,699,510	475,026	1,093,074	727,181	14·5	33·4	22·2	175	11,358	2,413	9,961	1,338	7,202	4,514	—	35,722	17,634	1902
1903	32,839,509	474,422	1,042,090	736,311	14·4	31·7	22·4	168	11,671	6,049	7,283	1,991	6,521	4,064	—	36,924	17,774	1903
1904	33,016,234	495,616	1,085,431	698,604	15·0	32·9	21·2	164	12,239	3,093	5,332	1,611	5,958	4,519	—	39,152	18,860	1904
1905	33,193,289	511,746	1,084,518	730,340	15·4	32·7	22·0	166	10,896	482	6,738	1,689	5,767	4,255	—	40,349	19,348	1905
1906	33,325,098	521,560	1,070,978	696,875	15·7	32·1	20·9	160	9,424	169	9,726	2,724	6,165	4,253	—	40,899	20,653	1906
1907	33,514,702	520,208	1,062,333	700,333	15·5	31·7	20·9	155	8,614	451	8,184	2,940	6,142	5,634	—	41,968	20,668	1907
1908	33,826,688	566,320	1,138,813	770054†	16·7	33·7	22·8†	153	9,287	559	11,740	3,464	5,515	5,921	—	41,587	21,828	1908
1909	34,077,068	532,668	1,115,831	738,460	15·6	32·7	21·7	155	9,741	758	11,043	2,703	5,218	5,781	—	42,098	21,871	1909
1910	34,376,610	538,048	1,144,410	682,459	15·7	33·3	19·9	142	8,948	413	9,897	2,903	5,416	4,828	805	40,451	22,555	1910
1911*	34,671,377	520,396	1,093,545	742,811	15·0	31·5	21·4	153	9,537	4,828	8,573	2,515	6,833	3,682	6,145	42,281	23,172	1911*
1912	35,026,486	529,314	1,133,985	635,788	15·1	32·4	18·2	130	7,743	3,336	7,278	2,964	6,721	3,642	41	37,618	22,661	1912
1913	35,418,391	528,470	1,122,482	663,966	14·9	31·7	18·7	137	7,964	150	10,340	5,513	4,882	3,482	—	37,601	23,639	1913
1914	35,858,951	504,374	1,114,091	643,355	14·1	31·1	17·9	—	6,947	45	6,376	3,637	3,818	4,061	—	37,627	23,934	1914
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1915

* Census year.

† Tuberculosis, all forms.

* Census year.

† Excluding acute miliary tuberculosis for years prior to 1911.

‡ Movements of the military taken into account.

* Census year.

† Including 77,283 deaths in the earthquake at Messina and Reggio (28th Dec., 1908). Excluding these deaths the death-rate was 20·5.

‡ Including general tuberculosis.

Table 29 (formerly 42).—Population, Marriages, Births, and Deaths—*continued.*

Year.	Numbers. Estimated Population in the middle of each Year.	Persons Married.	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Proportion per 1,000 of the Population. Persons Married.	Births.	Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include:— Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	Year.
JAMAICA. (Furnished by the Registrar-General, Jamaica.)																		
1896	701,181	6,052	27,064	15,535	8·6	38·5	22·1	176	89	—	121	—	495	14	—	1,191	113	1896
1897	713,384	5,322	28,447	16,474	7·4	39·8	23·0	177	117	—	19	—	311	12	—	1,168	97	1897
1898	725,033	6,724	27,648	15,290	9·2	38·1	21·0	176	65	—	4	—	138	9	—	1,156	108	1898
1899	740,171	7,534	31,259	16,880	10·1	42·2	22·8	170	90	—	23	—	25	14	—	1,187	129	1899
1900	751,588	6,442	26,869	16,243	8·5	35·7	21·6	174	55	—	128	—	—	12	—	1,204	124	1900
1901	763,545	6,404	31,268	16,756	8·3	40·9	21·9	163	71	—	33	—	2	7	—	1,148	118	1901
1902	778,120	7,202	30,605	15,413	9·2	39·3	19·8	162	96	—	3	—	—	2	—	1,149	109	1902
1903	794,053	7,152	31,687	19,593	9·0	39·9	24·6	187	89	—	—	1	292	3	—	1,232	125	1903
1904	802,609	5,760	29,025	19,863	7·1	36·1	24·7	193	131	—	3	1	1,546	4	—	1,308	128	1904
1905	814,800	6,232	31,618	17,871	7·6	38·8	21·9	165	69	—	—	—	40	12	—	1,240	153	1905
1906	827,744	11,014	31,547	21,723	13·2	38·1	26·2	197	86	—	97	—	5	6	—	1,328	141	1906
1907	834,012	12,502	29,210	23,672	14·8	35·0	28·3	223	223	—	150	1	2	4	—	1,451	126	1907
1908	843,648	7,052	31,785	18,928	8·3	37·6	22·4	175	243	—	2	—	—	4	—	1,317	136	1908
1909	856,785	7,086	32,402	18,636	8·2	37·8	21·7	174	244	—	—	—	—	5	—	1,232	157	1909
1910	826,371	6,680	31,918	19,119	8·0	38·6	23·1	188	237	—	1	—	619	—	—	1,291	172	1910
1911*	839,247	7,214	32,750	18,631	8·5	39·0	22·1	187	179	—	30	1	869	3	—	1,257	150	1911*
1912	854,186	6,436	33,159	21,450	7·5	38·8	25·1	193	259	—	106	5	17	7	—	1,275	149	1912
1913	863,427	5,366	30,527	18,741	6·2	35·3	21·7	171	295	—	1	—	12	1	—	1,280	153	1913
1914	878,003	5,442	34,208	18,802	6·1	38·9	21·4	167	206	—	2	—	69	2	—	1,292	159	1914
1915	890,424	5,354	30,854	19,277	6·0	34·6	21·6	175	158	—	3	—	423	2	—	1,309	153	1915
JAPAN. (Furnished by the Director of the General Statistical Bureau, Japan.)																		
1896*	42,708,264†	1,003,554	1,282,178	912,822	23·5	30·0	21·4	149	9,174	3,388	—	—	—	3,296	908	62,790	—	1896*
1897*	43,228,863	730,414	1,334,125	876,837	16·9	30·9	20·3	151	5,870	12,276	—	3	—	5,579	488	65,597	—	1897*
1898*	43,763,855	942,596	1,369,638	894,524	21·5	31·3	20·4	154	5,697	362	—	7	—	6,453	374	72,708	—	1898*
1899	44,270,495	594,856	1,388,077	934,566	13·4	31·4	21·1	154	6,761	232	2,558	7	1,334	7,481	2	55,938	19,382	1899
1900	44,825,597	693,180	1,421,919	914,557	15·5	31·7	20·4	155	5,549	7	1,740	13	1,456	6,017	—	59,525	20,334	1900
1901	45,446,369	757,274	1,503,361	928,578	16·7	33·1	20·4	151	5,882	7	3,643	6	1,450	4,937	—	62,002	22,149	1901
1902	46,041,768	788,756	1,513,090	962,097	17·1	32·9	20·9	154	5,239	24	3,348	17	1,868	4,519	8,164	65,993	24,598	1902
1903*	46,732,876	742,374	1,493,547	933,834	15·9	32·0	20·0	152	4,585	25	850	3	2,117	4,271	140	67,722	25,550	1903*
1904	47,219,566	798,436	1,444,307	999,621	16·9	30·6	21·2	151	5,100	154	1,434	15	2,533	3,846	51	69,107	25,993	1904
1905	47,678,396	702,520	1,457,039	1,044,855	14·7	30·6	21·9	151	6,291	70	4,129	18	2,773	3,881	34	76,061	26,668	1905
1906	48,164,761	706,548	1,399,203	961,550	14·7	29·1	20·0	153	6,338	99	2,341	36	3,251	4,215	29	75,469	27,863	1906
1907	48,819,630	867,054	1,621,973	1,024,286	17·8	33·2	21·0	151	5,974	211	2,107	70	3,289	4,256	1,702	75,544	28,451	1907
1908*	49,588,804	923,880	1,672,627	1,038,110	18·6	33·7	20·9	157	5,824	4,274	2,742	126	4,044	5,088	297	76,589	30,440	1908*
1909	50,254,471	877,542	1,705,877	1,099,797	17·5	33·9	21·9	166	6,024	36	4,504	339	3,715	5,269	158	82,623	32,543	1909
1910	50,984,844	884,996	1,726,522	1,073,732	17·3	33·9	21·1	160	8,053	15	2,707	488	4,115	5,435	1,656	82,652	32,741	1910
1911	51,753,934	869,076	1,763,639	1,053,460	16·8	34·1	20·4	157	7,633	22	2,384	195	4,634	5,335	35	80,766	33,888	1911
1912	52,522,753	863,984	1,756,553	1,048,378	16·4	33·4	20·0	153	7,431	119	3,542	147	4,732	4,932	1,763	82,048	34,186	1912
1913*	53,362,682	865,564	1,778,106	1,038,723	16·2	33·3	19·5	150	6,442	53	6,648	124	5,140	5,085	106	80,233	35,462	1913*
1914	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1914
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1915
THE NETHERLANDS. (Furnished by the Director of The Netherlands Central Statistical Bureau.)																		
1896	4,894,055	72,980†	160,247	84,291	15·0†	32·7	17·2	148	481‡	34	1,171	202	1,477	960	—	8,429	4,329	1896
1897	4,966,431	73,592	161,441	83,856	14·8	32·5	16·9	148	447	1	538	162	1,094	853	—	8,631	4,487	1897
1898	5,039,419	73,634	160,765	85,813	14·6	31·9	17·0	156	507	7	838	106	1,357	721	—	8,027	4,685	1898
1899*	5,089,380	75,980	163,289	87,319	14·8	32·1	17·2	149	583	—	405	206	1,488	694	—	7,937	4,900	1899*
1900	5,141,633	78,838	162,611	92,043	15·2	31·6	17·9	155	544	6	1,326	152	1,180	695	—	8,451	4,733	1900
1901	5,221,180	80,522	168,380	89,967	15·4	32·3	17·2	149	474	7	2,741	101	1,211	931	—	7,171	4,894	1901
1902	5,305,211	79,889	168,728	86,248	15·2	31·8	16·3	130	454	5	2,430	128	1,053	835	—	7,028	5,040	1902
1903	5,389,066	79,415	170,108	83,933	14·9	31·6	15·6	135	457	22	1,223	132	860	683	—	7,225	5,331	1903
1904	5,470,301	80,530	171,495	87,091	14·7	31·4	15·9	137	485	11	2,399	175	1,409	658	1	7,158	5,356	1904
1905	5,550,535	80,766	170,767	85,016	14·6	30·8	15·3	131	461	13	1,182	191	1,226	558	—	7,621	5,618	1905
1906	5,631,821	83,739	170,952	83,259	14·9	30·4	14·8	127	453	6	1,400	155	1,002	470	—	7,617	5,673	1906
1907	5,709,745	85,915	171,506	83,350	15·0	30·0	14·6	112	372	6	1,477	269	1,035	461	—	7,494	5,813	1907
1908	5,786,232	83,066	171,861	86,936	14·4	29·7	15·0	125	363	1	1,576	302	1,325	469	—	7,002	5,947	1908
1909*	5,861,813	82,548	170,766	80,283	14·1	29·1	13·7	99	317	—	968	177	1,002	456	18	7,250	6,012	1909*
1910	5,901,850	84,579	168,894	79,984	14·3	28·6	13·6	108	300	—	1,176	113	1,056	401	—	7,017	6,279	1910
1911	5,984,000	85,583	166,527	86,782	14·3	27·8	14·5	137	317	—	1,243	113	1,104	430	—	7,095	6,501	1911
1912	6,068,388	91,320	170,269	74,647	15·0	28·1	12·3	87	212	1	1,163	201	1,176	449	—	6,695	6,636	1912
1913	6,163,599	95,766	173,541	75,867	15·5	28·1	12·3	91	235	4	1,196	108	828	423	—	6,557	6,746	1913
1914	6,276,212	84,202	176,831	77,739	13·4	28·2	12·4	95	242	1	1,277	64	933	414	—	6,733	6,706	1914
1915	6,394,538	84,579	167,423	79,613	13·2	26·2	12·4	87	225	1	945	231	1,227	400	—	7,039	6,939	1915

NOTE.—The figures relate to the year ended 31st March.

* Census year

† Diphtheria only.

* Census year.

† Population de droit.

* Census year.

† The figures for 1902 and subsequent years are exclusive of foreigners.

‡ Including typhus.

TABLE 29 (formerly 42).—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers. Estimated Population in the middle of each Year.	Persons Married.	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Proportion per 1,000 of the Population. Persons Married.	Births.	Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include:— Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	Year.
NEW ZEALAND. (Furnished by the Government Statistician, New Zealand.)																		
Census year. 1896*	706,846	9,686	18,612	6,432	13·7	26·3	9·1	77	124	—	1	4	24	124	—	523	389	1896*
1897	721,609	9,856	18,737	6,595	13·7	26·0	9·1	72	106	—	1	2	2	80	—	596	395	1897
1898	736,260	10,182	18,955	7,244	13·8	25·7	9·8	80	120	—	57	2	6	85	—	597	471	1898
1899	749,984	10,922	18,835	7,680	14·6	25·1	10·2	96	93	—	137	—	123	95	—	593	468	1899
1900	763,594	11,720	19,546	7,200	15·3	25·6	9·4	75	68	—	9	10	90	91	—	577	430	1900
1901*	777,968	12,190	20,491	7,634	15·7	26·3	9·8	71	95	—	7	17	9	72	—	596	515	1901*
1902	797,793	12,788	20,655	8,375	16·0	25·9	10·5	83	53	—	134	39	83	69	—	617	536	1902
1903	820,217	13,496	21,829	8,528	16·5	26·6	10·4	81	61	1	143	131	204	40	—	570	582	1903
1904	845,022	13,966	22,766	8,087	16·5	26·9	9·5	71	73	—	10	13	35	39	—	598	571	1904
1905	870,000	14,400	23,682	8,061	16·6	27·2	9·3	68	45	—	8	10	3	50	—	496	566	1905
1906*	895,594	15,184	24,252	8,339	17·0	27·1	9·3	62	48	—	12	18	26	45	—	556	623	1906*
1907	919,105	16,384	25,094	10,066	18·0	27·3	10·9	89	53	—	101	25	307	75	—	612	674	1907
1908	945,063	16,678	25,940	9,043	18·0	27·4	9·5	68	90	—	19	60	42	49	—	663	657	1908
1909	971,784	16,188	26,524	8,959	16·7	27·3	9·2	62	55	—	26	26	41	90	—	624	711	1909
1910	992,802	16,472	25,984	9,639	16·6	26·2	9·7	68	62	—	1	13	148	82	—	582	742	1910
1911*	1,014,896	17,650	26,354	9,534	17·4	26·0	9·4	56	67	—	41	9	17	74	—	584	809	1911*
1912	1,039,016	18,298	27,508	9,214	17·6	26·5	8·9	51	46	—	15	7	10	51	—	567	812	1912
1913	1,068,644	17,626	27,935	10,119	16·5	26·1	9·5	59	60	—	26	11	128	68	—	656	856	1913
1914	1,090,328	18,560	28,338	10,148	17·0	26·0	9·3	51	48	—	33	22	74	87	—	576	904	1914
1915	1,099,394	20,056	27,850	9,965	18·2	25·3	9·1	50	52	—	64	44	80	107	—	562	900	1915
NORWAY. (Furnished by the Director of the Central Statistical Bureau, Norway.)																		
1896	2,083,600	27,924	63,308	31,574	13·4	30·4	15·2	96	185	—	185	224	470	356	—	3,892	1,691	1896
1897	2,110,400	28,440	63,417	32,389	13·5	30·0	15·3	97	145	3	240	162	296	349	—	4,123	1,802	1897
1898	2,138,600	30,078	64,821	32,693	14·1	30·3	15·3	91	164	6	243	113	369	379	—	4,391	1,802	1898
1899	2,167,500	31,060	67,013	36,563	14·3	30·9	16·9	105	172	—	214	127	450	283	—	4,773	1,931	1899
1900*	2,200,700	30,444	66,149	34,932	13·8	30·1	15·9	90	133	—	216	177	365	181	—	4,888	2,008	1900*
1901	2,235,000	29,520	66,207	33,295	13·2	29·6	14·9	93	174	—	103	118	338	156	—	4,337	2,126	1901
1902	2,254,600	28,770	65,262	31,163	12·8	28·9	13·8	75	102	—	287	106	461	242	—	4,249	1,964	1902
1903	2,265,900	27,132	65,155	33,567	12·0	28·8	14·7	79	140	—	300	120	440	334	—	4,488	2,112	1903
1904	2,274,500	26,962	63,955	32,467	11·9	28·1	14·3	76	99	—	234	72	140	318	—	4,489	2,182	1904
1905	2,281,400	26,538	62,698	33,793	11·6	27·4	14·7	81	86	6	87	130	468	444	—	4,652	2,248	1905
1906	2,293,800	27,180	61,316	31,214	11·8	26·7	13·6	69	126	—	42	80	428	477	—	4,539	2,239	1906
1907	2,302,700	27,906	60,722	32,789	12·1	26·4	14·3	67	78	—	132	59	255	511	—	4,656	2,310	1907
1908	2,318,400	28,306	60,866	33,181	12·2	26·3	14·3	76	79	19	293	85	225	555	—	4,376	2,252	1908
1909	2,338,400	28,160	61,407	31,603	12·0	26·3	13·5	72	68	2	118	146	557	497	—	3,997	2,226	1909
1910*	2,353,300	29,132	61,461	31,856	12·4	26·1	13·5	67	90	—	54	80	309	420	—	4,060	2,186	1910*
1911	2,370,700	29,652	61,468	31,278	12·5	25·9	13·2	65	56	—	200	74	334	459	—	4,155	2,292	1911
1912	2,393,300	29,594	61,151	32,219	12·3	25·6	13·5	68	55	—	165	86	132	436	—	4,180	2,509	1912
1913	2,416,800	30,524	61,037	32,009	12·6	25·3	13·2	65	96	—	158	80	146	398	—	4,120	2,352	1913
1914	2,440,500	31,546	61,849	32,928	12·9	25·2	13·5	68	74	2	26	139	407	324	—	4,288	2,484	1914
1915†	2,465,400	31,800	58,600	32,800	12·9	23·8	13·3	—	—	—	—	—	—	—	—	—	—	1915†
ONTARIO, PROVINCE OF. (Furnished by the Deputy Registrar-General, Ontario.)																		
* Census year. 1896	2,263,492	29,808	46,680	24,857	13·2	20·6	11·0	—	552	—	136	99	187	932	—	‡ 2,922	?	1896
1897	2,257,378	30,586	46,868	26,508	13·5	20·8	11·3	—	355	—	80	169	169	976	—	3,164	927	1897
† Census population. 1898	2,279,929	30,750	46,067	25,409	13·5	20·2	11·1	—	405	—	115	222	126	634	—	3,291	975	1898
1899	2,302,705	33,028	44,286	27,747	14·3	19·2	12·3	125	452	7	40	246	124	599	—	3,405	1,041	1899
1900	2,325,712	34,214	45,549	28,543	14·7	19·6	12·2	138	682	11	143	170	185	738	—	3,484	1,055	1900
‡ Tuberculosis, all forms. 1901*	2,184,144	36,070	45,281	28,500	16·4	20·7	13·0	121	500	7	181	268	166	772	—	3,243	1,094	1901*
1902	2,205,965	36,144	46,973	26,713	16·4	21·3	12·1	104	392	7	143	346	204	676	—	2,694	1,048	1902
1903	2,198,692	39,660	47,709	28,399	18·0	21·7	12·9	115	391	21	55	580	204	687	—	2,723	1,156	1903
1904	2,203,968	39,578	49,158	29,600	17·8	22·3	13·4	107	482	3	30	163	109	608	—	2,877	1,253	1904
1905	2,208,364	40,852	50,808	29,748	18·4	23·0	13·5	121	446	3	63	72	181	503	—	2,667	1,224	1905
1906	2,214,116	39,692	50,621	31,244	17·8	22·9	14·1	137	891	4	128	64	240	423	—	2,911	1,411	1906
1907	2,220,420	43,830	52,289	31,756	19·6	24·1	14·3	121	520	4	166	102	214	380	—	2,530	1,329	1907
1908	2,226,860	42,116	54,878	30,947	18·0	25·6	13·8	124	662	2	38	163	246	450	—	2,511	1,348	1908
1909	2,233,264	44,732	53,448	30,792	20·0	24·3	13·7	131	669	3	167	200	262	430	—	2,380	1,597	1909
1910	2,239,621	48,072	54,755	31,332	21·4	24·9	13·9	123	706	2	304	237	186	435	—	2,287	1,587	1910
1911*	†2,523,274	51,614	56,096	31,878	20·4	22·6	12·6	117	637	3	169	290	169	423	—	2,353	1,602	1911*
1912	2,582,500	57,690	58,870	32,150	22·2	22·4	12·4	110	483	2	111	152	419	371	—	2,250	1,778	1912
1913	2,677,600	53,996	64,516	34,317	20·1	24·0	12·7	117	446	2	116	137	272	339	—	2,294	1,806	1913
1914	2,749,840	48,490	66,225	32,440	17·6	24·0	11·8	103	358	1	61	111	196	443	—	2,340	1,914	1914
1915	2,767,348	47,012	67,032	33,294	17·0	24·2	12·0	102	298	2	145	42	193	341	—	2,466	1,982	1915

NOTE.—The deaths from the several diseases are incomplete; only about 68 per cent. of the causes were stated in 1894, against 85 per cent. in 1901, 88 per cent. in 1910, and 84 per cent. in 1913.

* Census year.

† The figures for the year 1915 are provisional.

TABLE 29 (formerly 42).—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers. Estimated Population in the middle of each Year.	Persons Married.	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Proportion per 1,000 of the Population. Persons Married.	Births.	Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include:— Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	Year.
PRUSSIA. (Furnished by the President of the Statistical Department, Prussia.)																		
1896	32,160,485	529,644	1,185,538	666,797	16·5	36·9	20·7	191	† 4,328	7	‡ 10,116	6,892	14,846	24,251	—	§ 70,373	17,643	1896
1897	32,683,962	549,386	1,194,126	683,036	16·8	36·5	20·9	205	4,308	5	6,814	5,471	15,142	20,077	—	70,380	18,315	1897
1898	33,207,439	560,788	1,219,607	665,147	16·9	36·7	20·0	193	3,729	12	9,040	7,708	12,748	18,147	—	65,560	18,695	1898
1899	33,730,916	574,816	1,225,717	720,702	17·0	36·3	21·4	204	4,416	25	9,752	12,136	13,351	18,593	—	68,408	20,011	1899
1900*	34,254,393	586,128	1,235,938	745,546	17·1	36·1	21·8	212	4,631	46	6,803	12,039	13,313	16,138	—	70,602	20,430	1900*
1901	34,801,604	577,134	1,260,591	713,794	16·6	36·2	20·5	200	4,420	47	10,744	11,831	13,990	16,809	—	67,445	21,488	1901
1902	35,365,767	563,064	1,255,940	677,433	15·9	35·5	19·2	172	2,846	13	10,080	11,134	13,284	14,175	—	66,726	21,876	1902
1903	35,929,930	570,768	1,235,398	708,039	15·9	34·4	19·7	194	2,874	14	9,702	12,427	11,663	14,914	—	70,049	23,420	1903
1904	36,494,093	589,464	1,264,761	702,260	16·2	34·7	19·2	185	2,867	17	7,367	10,202	12,051	14,162	—	69,326	25,050	1904
1905*	37,058,256	599,976	1,241,893	726,874	16·2	33·5	19·6	198	2,730	10	6,292	7,446	13,327	12,005	77	70,323	25,704	1905*
1906	37,628,385	619,844	1,269,815	673,772	16·5	33·7	17·9	177	2,419	31	9,107	7,770	11,749	10,025	—	64,459	26,498	1906
1907	38,202,776	626,078	1,259,825	681,075	16·4	33·0	17·8	168	2,168	30	6,925	8,484	8,827	9,307	—	65,054	28,034	1907
1908	38,777,107	622,262	1,269,591	694,154	16·0	32·7	17·9	173	2,065	61	7,379	8,482	10,672	9,797	1	63,320	28,531	1908
1909	39,351,498	615,808	1,249,222	667,879	15·6	31·7	17·0	164	1,911	18	6,657	8,455	9,875	9,832	9	60,871	29,429	1909
1910*	39,925,889	620,830	1,219,600	638,053	15·5	30·5	16·0	157	1,889	28	7,310	5,498	9,330	9,683	11	60,479	31,340	1910*
1911	40,500,280	642,302	1,189,366	696,927	15·9	29·4	17·2	188	2,462	30	5,509	5,114	8,230	10,291	—	61,219	32,660	1911
1912	41,074,671	656,680	1,186,243	636,303	16·0	28·9	15·5	146	1,580	19	6,011	4,290	9,477	8,367	—	59,911	33,463	1912
1913¶	41,550,000	?	1,173,416	620,455	?	28·2	14·9	?	1,433	?	7,286	4,506	7,859	7,550	?	56,861	34,350	1913¶
1914	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1914
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1915
ROUMANIA. (Furnished by the Director of the Statistical Department, Roumania.)																		
1896	5,709,959	94,648	232,428	166,142	16·6	40·7	29·1	230	407	2,813	361	1,773	623	1,339	—	† —	† —	1896
1897	5,795,235	83,216	248,845	171,808	14·4	42·9	29·6	216	972	1,512	452	889	1,178	2,297	—	—	—	1897
1898	5,863,037	87,522	215,029	155,358	15·0	36·7	26·5	222	712	99	2,026	728	1,482	1,928	—	3,145	—	1898
1899*	5,956,690	100,280	250,450	163,881	16·8	42·0	27·5	198	819	63	1,954	2,101	706	1,814	—	3,358	—	1899*
1900	6,045,389	80,814	234,843	146,144	13·4	38·8	24·2	191	496	2	307	2,263	925	1,251	—	3,694	—	1900
1901	6,125,742	87,500	240,704	160,351	14·2	39·3	26·2	205	671	1	1,176	3,036	600	1,293	—	3,341	—	1901
1902	6,195,798	110,908	241,884	171,828	18·0	39·0	27·7	221	628	14	2,854	4,189	1,425	981	—	3,360	—	1902
1903	6,292,032	109,576	252,242	156,008	17·4	40·1	24·8	201	914	2	2,028	3,760	1,358	829	—	3,213	—	1903
1904	6,392,273	103,624	256,177	155,936	16·2	40·1	24·4	—	813	18	1,671	2,099	618	631	—	3,908	—	1904
1905	6,480,300	102,382	247,959	159,932	15·8	38·3	24·7	—	932	—	319	1,152	1,013	477	—	4,387	—	1905
1906	6,585,572	133,726	262,438	157,204	20·3	39·9	23·9	—	1,027	2	224	1,309	1,290	441	—	3,562	788	1906
1907	6,684,265	140,526	274,487	175,794	21·0	41·1	26·3	—	1,160	—	1,433	2,362	1,102	376	—	3,401	709	1907
1908	6,771,722	122,998	272,850	185,393	18·2	40·3	27·4	—	1,400	—	1,662	5,260	2,360	303	—	2,967	818	1908
1909	6,865,739	126,424	282,342	188,325	18·4	41·1	27·4	—	1,982	1	705	7,392	1,081	358	—	3,547	765	1909
1910	6,966,158	128,572	273,106	172,843	18·5	39·2	24·8	—	1,091	—	1,447	5,349	1,946	678	4	3,384	852	1910
1911	7,086,952	149,082	299,870	179,076	21·0	42·3	25·3	197	1,489	11	2,022	3,022	1,294	1,025	149	3,282	813	1911
1912*	7,234,919	124,800	314,090	165,616	17·3	43·4	22·9	186	851	10	642	2,196	1,671	1,134	—	3,023	938	1912*
1913	7,352,855	134,860	309,625	191,689	18·4	42·1	25·9	202	789	7	265	3,111	1,774	1,169	4362	3,342	928	1913
1914	7,699,143	130,650	327,345	182,949	17·0	42·5	23·8	187	782	10	1,114	3,714	2,079	1,793	—	3,102	986	1914
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1915
RUSSIA, EUROPEAN (50 Governments, excluding Finland and the Provinces of the Vistula and of the Caucasus). (Furnished by the Central Statistical Committee, Ministry of the Interior, Russia.)																		
1896	—	1,619,694	4,634,809	3,063,047	17·4	49·7	32·8	274										1896
1897*	94,494,853	1,714,742	4,692,621	2,976,453	18·2	49·5	31·4	260										1897*
1898	—	1,651,204	4,625,558	3,156,303	17·4	48·7	33·2	279										1898
1899	97,143,469	1,796,404	4,764,678	3,013,114	18·4	49·0	31·0	240										1899
1900	98,379,841	1,746,036	4,853,804	3,055,030	17·6	49·4	31·1	252										1900
1901	100,172,597	1,724,816	4,801,190	3,218,501	17·2	47·9	32·1	272										1901
1902	101,634,686	1,755,818	4,993,248	3,204,333	17·2	49·1	31·5	260										1902
1903	103,423,601	1,838,164	4,978,305	3,103,213	17·8	48·1	30·0	256										1903
1904	105,650,900†	1,605,050	5,124,544	3,153,146	15·2	48·5	29·9	232										1904
1905	107,625,800†	1,679,972	4,819,155	3,410,569	15·6	44·8	31·1	258	NOTE.—The deaths from the several diseases are not tabulated for the whole of the Russian Empire.									1905
1906	109,334,600†	2,096,278	5,116,919	3,253,590	19·2	46·8	29·8	243										1906
1907	111,279,500†	1,971,398	5,221,369	3,151,738	17·6	46·6	28·1	233										1907
1908	113,841,000†	1,804,012	5,043,114	3,189,324	15·8	44·3	28·0	247										1908
1909	116,505,500†	1,834,574	5,123,976	3,374,915	15·8	44·0	28·9	248										1909
1910	118,690,600†	—	—	—	—	—	—	—										1910
1911	120,588,000†	—	—	—	—	—	—	—										1911
1912	122,550,700†	—	—	—	—	—	—	—										1912
1913	—	—	—	—	—	—	—	—										1913
1914	—	—	—	—	—	—	—	—										1914
1915	—	—	—	—	—	—	—	—										1915

* Census year.

† Including "typhus" unqualified.

‡ Including Röteln.

§ Tuberculosis, all forms.

¶ Provisional figures.

* Census year.

† Deaths from these diseases are verified by doctors in the towns only.

* Census year.

† Estimated to the 1st Jan.

TABLE 29 (formerly 42).—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers. Estimated Population in the middle of each Year.	Persons Married.	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Proportion per 1,000 of the Population. Persons Married.	Births.	Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include:— Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	Year.
SCOTLAND. (Furnished by the Registrar-General, Scotland.)																		
1896	4,254,153	60,540	129,172	70,677	14·2	30·4	16·6	115	662	2	1,515	669	1,970	1,126	—	† 6,893	3,013	1896
1897	4,299,132	62,100	128,877	79,144	14·4	30·0	18·4	138	655	10	2,056	716	2,877	812	—	7,200	3,212	1897
1898	4,344,589	64,224	130,861	78,397	14·8	30·1	18·0	134	814	2	2,290	909	2,476	850	—	7,090	3,453	1898
1899	4,390,530	65,956	130,733	79,593	15·0	29·8	18·1	131	803	1	1,599	831	1,894	856	—	7,275	3,572	1899
1900	4,436,958	64,888	131,401	82,296	14·6	29·6	18·5	128	644	53	1,825	654	1,812	961	—	7,299	3,503	1900
1901*	4,479,104	62,774	132,192	80,107	14·0	29·5	17·9	129	717	278	1,655	595	2,751	878	—	6,776	3,662	1901*
1902	4,507,220	63,826	132,267	77,941	14·2	29·3	17·3	113	552	80	1,388	524	1,765	787	—	6,572	3,711	1902
1903	4,535,513	64,702	133,525	76,002	14·3	29·4	16·8	118	552	41	1,133	407	1,946	715	—	6,630	3,798	1903
1904	4,563,985	64,542	132,603	77,981	14·1	29·1	17·1	123	410	185	1,512	277	2,405	750	—	6,738	3,920	1904
1905	4,592,636	62,540	131,410	74,536	13·6	28·6	16·2	116	373	4	1,662	211	2,243	721	—	6,374	4,132	1905
1906	4,621,466	66,284	132,005	75,635	14·3	28·6	16·4	115	400	1	1,445	230	1,363	862	—	6,491	4,509	1906
1907	4,650,478	66,596	128,840	77,296	14·3	27·7	16·6	110	367	1	1,153	233	2,485	729	—	6,415	4,551	1907
1908	4,679,671	63,212	131,362	77,838	13·5	28·1	16·6	121	282	6	2,503	381	2,144	748	—	6,079	4,611	1908
1909	4,709,048	60,216	128,669	74,632	12·8	27·3	15·8	108	296	—	890	555	2,215	917	—	6,000	4,782	1909
1910	4,738,611	61,804	124,059	72,268	13·0	26·2	15·3	108	264	—	2,243	595	999	939	—	5,409	4,863	1910
1911*	4,751,132	63,688	121,850	71,732	13·4	25·6	15·1	112	272	5	923	451	2,347	931	—	5,451	4,948	1911*
1912	4,741,077	65,012	122,790	72,340	13·7	25·9	15·3	105	196	17	1,983	439	1,427	824	—	5,306	5,195	1912
1913	4,728,132	67,378	120,516	73,069	14·2	25·5	15·5	110	171	—	1,329	591	1,819	794	—	5,103	5,212	1913
1914	4,747,167	70,056	123,934	73,557	14·8	26·1	15·5	111	225	1	1,458	815	1,342	901	—	4,917	5,388	1914
1915	4,785,598	72,544	114,181	81,631	15·2	23·9	17·1	126	171	2	2,221	950	2,820	836	—	5,291	5,291	1915
SERBIA. (Furnished by the Director of the State Statistical Bureau, Serbia.)																		
1896	† 2,345,837	41,682	96,752	63,399	17·8	41·2	27·0	167	2,471	5,567	386	5,174	11,572	—	5,109	154	1896
1897	2,384,205	42,314	101,605	63,237	17·7	42·6	26·5	167	3,412	1,548	306	5,741	7,663	—	5,413	167	1897
1898	2,413,694	45,042	84,789	55,300	18·7	35·1	22·9	161	2,726	2,693	420	5,745	3,401	—	5,228	178	1898
1899	2,450,392	48,912	96,246	59,548	20·0	39·3	24·3	152	2,638	4,203	1,953	5,019	4,241	—	5,811	233	1899
1900*	2,492,882	62,406	104,772	58,034	25·0	42·0	23·3	150	2,351	1,343	2,074	5,703	3,194	—	6,396	235	1900*
1901	2,535,956	42,060	96,348	53,274	16·6	38·0	21·0	145	2,432	799	1,799	3,913	1,937	—	6,166	230	1901
1902	2,576,517	53,036	98,000	57,439	20·6	38·0	22·3	151	2,179	1,654	2,635	5,214	1,875	—	6,843	248	1902
1903	2,621,576	49,002	105,553	60,494	19·0	40·9	23·5	151	1,834	3,148	2,593	7,544	1,992	—	7,276	238	1903
1904	2,671,505	61,098	106,259	56,330	22·9	39·8	21·1	135	1,964	1,067	2,498	4,642	1,366	—	7,400	275	1904
1905*	2,688,747	53,216	100,242	65,276	19·8	37·3	24·4	165	435	2,607	2,418	4,408	1,433	—	8,940	279	1905*
1906	2,735,147	55,956	112,973	65,851	20·4	41·3	24·0	144	451	4,778	4,696	4,166	1,415	—	7,861	290	1906
1907	2,784,036	59,130	111,340	62,451	21·2	40·0	22·8	147	367	996	3,974	4,986	1,142	—	8,143	371	1907
1908	2,821,015	51,780	103,903	66,924	18·4	36·8	23·7	158	371	1,722	3,987	5,856	915	—	8,799	355	1908
1909	2,847,891	53,282	110,226	83,350	18·7	36·5	29·3	181	3,488	5,735	5,363	4,886	1,115	—	9,789	374	1909
1910*	2,911,701	53,872	112,215	64,464	20·5	38·5	22·1	138	3,527	1,093	3,412	4,930	1,167	—	9,383	373	1910*
1911	2,954,515	60,906	107,229	64,415	20·6	36·2	21·8	146	2,569	1,235	3,097	5,143	1,408	—	9,566	399	1911
1912	3,005,414	26,578	114,257	63,358	8·8	38·0	21·1	—	—	—	—	—	—	—	—	—	1912
1913	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1913
1914	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1914
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1915
SPAIN. (Furnished by the Director General of the Geographical and Statistical Institute, Spain).																		
1896	18,238,200	265,290	654,796	539,145	14·5	35·9	29·6	—	—	§ —	—	—	—	—	—	—	—	1896
1897	18,319,700	257,360	625,304	520,210	14·0	34·1	28·4	—	—	—	—	—	—	—	—	—	—	1897
1898	18,401,500	250,818	612,343	518,795	13·6	33·3	28·2	—	—	—	—	—	—	—	—	—	—	1898
1899	18,483,700	312,226	632,588	533,109	16·9	34·2	28·8	—	—	—	—	—	—	—	—	—	—	1899
1900*	18,566,200	322,402	627,848	536,716	17·4	33·8	28·9	204	11426‡	6,497	12,010	1,237	4,750	8,489	—	23,026	7,294	1900*
1901	18,657,000	315,624	650,649	517,578	16·9	34·9	27·7	186	9,594	5,250	18,463	1,140	3,889	6,299	—	28,649	7,912	1901
1902	18,755,000	327,834	666,687	488,289	17·5	35·5	26·0	181	8,587	5,590	10,746	1,184	4,236	5,247	—	27,983	8,117	1902
1903	18,853,000	308,978	685,265	470,387	16·4	36·3	25·0	162	8,164	4,699	9,989	1,011	4,551	4,751	—	27,096	8,315	1903
1904	18,951,000	290,916	649,878	486,889	15·3	34·3	25·7	173	8,397	2,859	9,770	978	4,559	3,823	—	28,523	8,825	1904
1905	19,049,000	273,794	670,651	491,369	14·4	35·2	25·8	161	7,158	2,740	13,763	1,046	4,386	3,524	—	26,827	8,719	1905
1906	19,147,000	276,968	650,385	499,018	14·5	34·0	26·1	173	8,068	4,342	8,699	1,399	4,434	3,390	—	27,502	9,113	1906
1907	19,245,000	272,646	646,371	472,007	14·2	33·6	24·5	158	6,826	3,234	6,834	2,357	3,397	3,634	—	27,017	9,172	1907
1908†	19,343,000	282,092	657,701	460,940	14·6	34·0	23·8	—	6,319	2,802	7,188	2,201	4,837	3,932	—	26,651	9,947	1908†
1909†	19,442,000	259,056	650,415	466,675	13·3	33·5	24·0	—	5,367	3,965	7,735	1,735	3,537	4,263	—	24,762	9,914	1909†
1910*†	19,540,000	278,352	646,786	456,127	14·2	33·1	23·3	—	4,639	2,105	6,870	1,622	2,497	4,228	—	24,508	10,093	1910*†
1911†	19,993,860	284,238	625,172	463,679	14·2	31·2	23·2	—	5,332	1,512	7,498	766	2,549	3,795	43	24,461	10,282	1911†
1912†	19,562,568	285,794	637,901	426,269	14·6	32·6	21·8	—	4,488	2,515	5,333	669	2,492	5,458	—	23,558	10,899	1912†
1913†	20,349,803	275,472	618,082	450,003	13·5	30·4	22·1	—	4,649	3,198	6,018	429	2,878	5,038	—	24,408	11,199	1913†
1914†	20,441,693	264,902	609,188	451,098	13·0	29·8	22·1	—	6,419	2,330	5,967	1,267	2,156	4,786	—	25,152	11,377	1914†
1915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1915

* Census year.

† Excluding acute miliary tuberculosis for years prior to 1911.

* Census year.

† Population at the end of each year.

* Census year.

† The figures for the years 1908–14 are provisional.

‡ Including typhus.

§ Including chicken-pox.

Table 29 (formerly 42).—Population, Marriages, Births, and Deaths—*continued.*

Year.	Numbers. Estimated Population in the middle of each Year.	Persons Married.	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Proportion per 1,000 of the Population. Persons Married.	Births.	Deaths.	Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include :— Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	Year.
SWEDEN. (Furnished by the Director of the Central Statistical Bureau, Sweden.)																		
1896	4,940,914	58,752	134,308	77,259	11·9	27·2	15·6	103	Not available.	2	665	654	1,109	1,871	—	Not available.	Not available.	1896
1897	4,986,100	60,442	132,999	76,558	12·1	26·7	15·4	99		1	620	415	1,038	1,701	—			1897
1898	5,036,275	61,800	136,523	75,949	12·3	27·1	15·1	91		1	324	271	1,047	1,881	—			1898
1899	5,080,160	63,420	133,882	89,678	12·5	26·4	17·7	112		1	786	414	1,092	2,974	—			1899
1900*	5,116,922	62,956	138,139	86,146	12·3	27·0	16·8	99		2	459	426	626	2,610	—			1900*
1901	5,155,835	62,556	139,370	82,772	12·1	27·0	16·1	103	636	—	378	485	884	2,617	—			1901
1902	5,186,990	61,792	137,364	79,722	11·9	26·5	15·4	86	529	1	638	436	1,084	1,754	—			1902
1903	5,210,022	60,176	133,896	78,610	11·6	25·7	15·1	93	247	2	807	352	953	1,382	—			1903
1904	5,241,051	61,366	134,952	80,152	11·7	25·8	15·3	84	245	1	173	437	885	1,346	—			1904
1905	5,277,848	61,776	135,409	82,443	11·7	25·7	15·6	88	343	3	142	624	765	1,710	—			1905
1906	5,315,970	65,166	136,620	76,366	12·3	25·7	14·4	81	218	—	198	387	881	1,146	—			1906
1907	5,357,384	66,502	136,793	78,149	12·4	25·5	14·6	77	222	—	440	221	630	834	—			1907
1908	5,403,657	66,168	138,874	80,568	12·2	25·7	14·9	85	277	1	490	252	962	643	—			1908
1909	5,453,021	65,092	139,505	74,538	11·9	25·6	13·7	72	156	—	221	270	750	722	—			1909
1910*	5,499,422	66,324	135,625	77,212	12·1	24·7	14·0	75	237	—	558	334	717	796	—			1910*
1911	5,542,101	65,228	132,977	76,462	11·8	24·0	13·8	72	230	—	470	297	696	862	2	8,606	6,103	1911
1912	5,582,996	66,298	132,868	79,241	11·9	23·8	14·2	71	172	—	586	224	1,106	780	—	8,816	6,157	1912
1913	5,621,388	66,658	130,200	76,724	11·8	23·2	13·6	70	—	—	—	—	—	—	—	—	—	1913
1914†	5,659,095	65,690	129,451	78,189	11·6	22·9	13·8	—	—	—	—	—	—	—	—	—	—	1914†
1915†	5,696,174	66,296	123,049	83,422	11·6	21·6	14·6	—	—	—	—	—	—	—	—	—	—	1915†
SWITZERLAND. (Furnished by the Director of the Federal Statistical Bureau, Switzerland.)																		
1896	3,151,101	47,568	88,428	56,096	15·1	28·1	17·8	132	288	8	423	89	511	848	—	6,051	3,916	1896
1897	3,188,310	49,908	90,078	56,399	15·7	28·3	17·7	141	261	1	272	47	476	760	—	6,106	4,088	1897
1898	3,225,520	50,228	91,793	58,914	15·6	28·5	18·3	155	308	2	354	34	445	994	—	5,984	4,125	1898
1899	3,262,729	50,824	94,472	57,591	15·6	29·0	17·7	136	269	3	264	38	601	1,106	—	5,823	4,130	1899
1900*	3,299,939	51,074	94,316	63,606	15·5	28·6	19·3	150	220	30	809	34	695	981	—	6,692	4,285	1900*
1901	3,340,984	50,756	97,028	60,018	15·2	29·0	18·0	137	240	37	829	71	846	1,052	—	6,241	4,271	1901
1902	3,384,769	50,156	96,481	57,702	14·8	28·5	17·0	132	207	2	456	73	512	726	—	6,280	4,258	1902
1903	3,428,554	50,566	93,824	59,626	14·7	27·4	17·4	133	169	4	545	162	561	540	—	6,381	4,447	1903
1904	3,472,339	51,004	94,867	60,859	14·7	27·3	17·5	140	265	4	821	279	836	607	—	6,452	4,464	1904
1905	3,516,124	52,538	94,653	61,800	14·9	26·9	17·6	129	174	36	657	312	654	668	—	6,630	4,555	1905
1906	3,559,909	54,596	95,595	59,204	15·3	26·9	16·6	127	167	14	569	153	649	516	—	6,407	4,593	1906
1907	3,603,694	55,320	94,508	59,252	15·4	26·2	16·4	121	176	8	613	140	433	528	—	6,063	4,414	1907
1908	3,647,479	55,268	96,245	57,697	15·2	26·4	15·8	108	135	2	226	147	489	565	—	6,150	4,669	1908
1909	3,691,264	54,940	94,112	59,416	14·9	25·5	16·1	115	113	3	373	170	846	580	—	6,008	4,676	1909
1910*	3,735,049	54,602	93,514	56,498	14·6	25·0	15·1	105	152	2	352	100	741	455	—	6,011	4,612	1910*
1911	3,781,100	55,618	91,320	59,619	14·8	24·2	15·8	123	181	11	344	129	394	502	—	5,872	4,673	1911
1912	3,831,220	56,686	92,196	54,102	14·5	24·1	14·1	94	133	3	220	102	446	421	—	5,495	4,875	1912
1913	3,877,210	53,682	89,757	55,427	13·8	23·1	14·3	96	100	—	368	93	550	343	—	5,467	4,913	1913
1914	3,886,430	44,490	87,330	53,629	11·4	22·5	13·8	91	97	—	300	74	442	374	—	5,375	4,987	1914
1915†	3,878 000	39,056	75,550	51,535	10·0	19·5	13·3	—	—	—	—	—	—	—	—	—	—	1915†
UNITED KINGDOM.																		
1896	39,599,072	592,178	1,152,144	673,104	15·0	29·0	16·9	139	6,503	547	19,649	6,897	16,276	12,442	† —	‡ 56,195	28,971	1896
1897	39,987,294	606,172	1,157,224	704,470	15·2	28·9	17·6	150	6,504	38	15,837	5,815	16,159	10,355	—	58,590	30,290	1897
1898	40,380,792	620,142	1,159,483	712,942	15·4	28·7	17·7	153	7,806	255	15,826	4,782	14,239	10,165	—	58,103	31,306	1898
1899	40,774,296	635,246	1,163,279	741,091	15·6	28·5	18·2	154	7,997	176	13,129	4,758	13,011	11,916	—	59,163	32,551	1899
1900	41,154,646	622,508	1,159,922	757,732	15·1	28·2	18·4	147	7,004	139	15,175	4,743	13,968	11,874	—	60,362	32,941	1900
1901*	41,538,211	626,702	1,162,975	710,811	15·1	28·0	17·1	144	6,617	636	11,133	5,139	14,079	11,302	—	57,549	34,042	1901*
1902	41,892,680	633,224	1,174,639	691,155	15·1	28·0	16·5	128	5,314	2,545	15,394	5,585	12,572	9,970	—	56,643	34,444	1902
1903	42,246,591	632,892	1,183,627	667,988	15·0	28·0	15·8	127	4,379	841	10,969	4,775	12,530	7,929	—	56,321	35,935	1903
1904	42,611,375	626,176	1,181,803	707,278	14·7	27·7	16·6	139	4,029	708	14,340	4,251	15,865	7,615	—	58,422	36,657	1904
1905	42,980,788	630,180	1,163,535	669,638	14·7	27·1	15·6	124	3,927	125	13,547	4,215	11,533	7,241	—	54,540	37,644	1905
1906	43,361,077	651,684	1,170,622	681,343	15·0	27·0	15·7	127	3,963	22	11,277	3,854	10,605	8,072	—	55,170	39,658	1906
1907	43,737,834	664,456	1,148,624	678,851	15·2	26·3	15·5	114	3,073	12	14,362	3,552	13,549	7,293	—	55,082	39,634	1907
1908	44,123,819	638,560	1,173,784	675,185	14·4	26·5	15·3	118	3,271	18	11,372	3,280	12,940	7,158	—	54,089	40,642	1908
1909	44,519,454	626,604	1,145,900	667,608	14·1	25·7	15·0	107	2,743	21	13,951	3,899	10,572	6,953	1	52,690	42,337	1909
1910	44,915,934	641,470	1,122,984	630,409	14·3	25·0	14·0	105	2,431	19	11,398	3,138	11,093	5,746	—	49,270	43,134	1910
1911*	45,324,425	660,520	1,104,746	672,017	14·6	24·4	14·8	125	3,044	28	14,482	2,636	11,006	6,398	—	52,267	44,432	1911*
1912	45,508,243	679,246	1,096,562	631,466	14·9	24·0	13·8	95	2,028	26	15,651	2,742	10,879	5,598	—	50,841	46,252	1912
1913	45,713,370	685,076	1,102,500	652,738	15·0	24·1	14·3	108	1,965	10	12,893	3,049	7,895	5,667	—	49,524	48,051	1913
1914	46,089,249	706,248	1,101,836	661,644	15·3	23·9	14·4	104	2,217	5	11,610	4,165	10,133	7,194	—	50,717	48,712	1914
1915	46,089,249§	842,622	1,024,378	720,035	18·3	22·2	15·6	110	1,797	15	19,261	3,782	11,786	7,134	—	54,514	48,964	1915

* Census year.

† The figures for the years 1914–1915 are provisional.

NOTE.—The tabulated causes of death relate only to those cases which were medically certified (except deaths from violence and deaths of newly-born infants); the proportion of such certified deaths was 93 per cent. in 1893 and 97 per cent. in 1911.

* Census year.

† Provisional figures.

* Census year.

† Deaths from Asiatic cholera were not separately tabulated in England and Wales prior to 1901.

‡ Excluding acute miliary tuberculosis for years prior to 1911.

§ Population in 1914.

TABLE 29 (formerly 42).—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

UNITED STATES OF AMERICA (REGISTRATION AREA). (Furnished by Chief Statistician for Vital Statistics Bureau of the Census, U.S.A.)

NOTE.—The following Table embodies the Mortality Statistics collected and tabulated by the Bureau of the Census since 1900 from those States and Cities whose registration laws are considered to be efficient by the Bureau. The Registration Area for the years 1900–05 includes the States of Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont; to which were added, for the years 1906–15, California, Colorado, Maryland, Pennsylvania; 1906–09, South Dakota; 1908–15, Washington and Wisconsin; 1909–15, Ohio; 1910–15, Minnesota, Montana, and Utah; 1911–15, Kentucky, and Missouri; 1913–15, Virginia; and 1914–15, Kansas. The District of Columbia (city of Washington) is treated as a separate city, 1900–15 and for 1910–15 all Municipalities of North Carolina of 1,000 population or over in 1910 (in addition to seven cities of 10,000 population and over) are included.

Year.	Estimated Population in the middle of each year.		The Registration Area includes:—		Deaths, excluding Still-births.	Death-rate per 1,000 persons living.	The Total Deaths include:—									Year
	Total United States (Continental).	Total Registration Area.	States.	Cities (not included in preceding column).			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).	
1900*	75,994,575	30,765,618	10	134	539,939	17·6	11,044	611	3,865	3,135	3,719	13,314	—	55,910	19,381	1900*
1901	77,747,402	31,370,952	10	126	518,207	16·5	10,127	1,085	2,287	4,113	3,051	10,667	—	55,262	20,171	1901
1902	79,365,396	32,029,815	10	125	508,640	15·9	10,980	2,111	3,033	4,041	3,854	9,859	—	52,620	20,847	1902
1903	80,983,390	32,701,083	10	125	524,415	16·0	11,149	1,382	3,221	3,991	5,171	10,363	—	54,449	22,325	1903
1904	82,601,384	33,345,163	10	124	551,354	16·5	10,557	709	3,659	3,610	2,183	9,444	—	59,333	23,395	1904
1905	84,219,378	34,052,201	10	124	545,533	16·0	9,479	308	2,557	2,284	3,599	8,039	—	57,380	24,330	1905
1906	85,837,372	41,983,419	15	78	658,105	15·7	13,160	95	5,087	3,227	6,324	10,793	—	65,986	29,020	1906
1907	87,455,366	43,016,990	15	77	687,034	16·0	12,670	74	4,302	4,309	4,856	10,154	—	67,064	30,514	1907
1908	89,073,360	46,789,913	17	75	691,574	14·8	11,375	92	4,611	5,577	4,969	10,052	—	68,074	33,465	1908
1909	90,691,354	50,870,518	18	55	732,538	14·4	10,722	79	4,860	5,781	4,906	10,358	—	70,844	37,562	1909
1910*	92,309,348	53,843,896	20	51	805,412	15·0	12,673	202	6,598	6,255	6,146	11,521	—	75,211	41,039	1910*
1911	93,927,342	59,275,977	22	46	839,284	14·2	12,451	130	5,922	5,243	6,682	11,174	2	81,796	44,024	1911
1912	95,545,336	60,427,247	22	55	838,251	13·9	9,987	165	4,240	4,038	5,619	11,013	—	78,465	46,531	1912
1913	97,163,330	63,298,718	23	49	890,848	14·1	11,323	125	8,108	5,498	6,332	11,920	—	80,812	49,928	1913
1914	98,781,324	65,989,295	24	40	898,059	13·6	10,185	212	4,461	4,340	6,816	11,786	—	84,366	52,420	1914
1915	100,399,318	67,336,992	24	49	909,155	13·5	8,332	169	3,649	2,419	5,421	10,544	—	85,993	54,584	1915

* Census year.

NOTE.—The registration area for births was established in 1915, and the birth rates are computed from returns for certain places for which the registration of births is accepted by the Bureau of the Census as being approximately complete. This area includes Connecticut, Maine, Massachusetts, Michigan, Minnesota, New Hampshire, New York, Pennsylvania, Rhode Island, Vermont, and the District of Columbia, of which the estimated population in 1915 was 31,150,803, or 31 per cent. of the total estimated population of the United States, and the number of births returned was 776,451, or 24·9 per 1,000 of population.

Number of Marriages in each Registration County and District, 1915.

District.	Marriages.
ENGLAND AND WALES.	360885
I. LONDON.	58354
Paddington ...	2025
Kensington ...	2124
Hammersmith } *	3575
Fulham ... }	
Chelsea	861
St. George, Hanover Square.	1738
St. Martin ...	866
St. Marylebone ...	1708
Hampstead ...	945
St. Pancras ...	2948
Islington	4268
Hackney	3149
St. Giles	447
Holborn	1348
London City ...	512
Shoreditch ...	1527
Bethnal Green ...	1536
Whitechapel ...	682
St. George in the East.	366
Stepney	614
Mile End Old Town	1903
Poplar	2116
Southwark ...	2850
St. Olave (Bermondsey).	1713
Lambeth	3847
Wandsworth ...	5470
Camberwell ...	3291
Greenwich ...	2232
Lewisham ...	1776
Woolwich ...	1917
2. SURREY.	8515
Epsom	630
Chertsey	425
Guildford ...	675
Farnham	860
Hambledon ...	233
Dorking	126
Reigate	408
Godstone	270
Croydon	2603
Kingston	1634
Richmond ...	651
3. KENT.	10560
Bromley	846
Dartford	1074
Gravesend ...	364
Strood	463
Hoo	38
Medway	1358
Malling	239
Sevenoaks ...	228
Tonbridge ...	669
Maidstone ...	532
Hollingbourn ...	102
Cranbrook ...	101
Tenterden ...	67
West Ashford ...	242

District.	Marriages.
3. KENT—*cont.*	
East Ashford ...	114
Bridge	94
Canterbury ...	292
Blean	214
Faversham ...	309
Milton	294
Sheppey...	326
Thanet	658
Eastry	262
Dover	696
Elham	926
Romney Marsh...	52
4. SUSSEX.	5994
Rye	88
Hastings ...	509
Battle	220
Eastbourne ...	647
Hailsham ...	101
Ticehurst ...	132
Uckfield ...	214
East Grinstead ...	164
Cuckfield ...	219
Lewes	194
Newhaven ...	116
Brighton ...	1247
Steyning ...	860
Horsham ...	288
Petworth ...	60
Thakeham ...	59
East Preston ...	412
Westhampnett ...	183
Chichester ...	112
Midhurst ...	103
Westbourne ...	66
5. HAMPSHIRE.	9543
Havant	119
Portsmouth ...	2977
Alverstoke ...	324
Fareham ...	246
Isle of Wight ...	768
Lymington ...	127
Christchurch ...	906
Ringwood ...	45
Fordingbridge ...	49
New Forest ...	155
Southampton ...	1202
South Stoneham	577
Romsey	107
Stockbridge ...	48
Winchester ...	465
Droxford ...	95
Catherington ...	33
Petersfield ...	130
Alresford ...	62
Alton	210
Hartley Wintney	319
Basingstoke ...	257
Whitchurch ...	51
Andover... ...	201
Kingsclere ...	70

District.	Marriages.
6. BERKSHIRE.	3014
Newbury ...	230
Hungerford ...	114
Faringdon ...	97
Abingdon ...	167
Wantage... ...	118
Wallingford ...	111
Bradfield ...	129
Reading ...	1035
Wokingham ...	207
Maidenhead ...	277
Easthampstead ...	148
Windsor... ...	381
7. MIDDLESEX.	11703
Staines	332
Uxbridge ...	502
Brentford ...	2854
Willesden ...	1669
Hendon	889
Barnet	754
Edmonton ...	4703
8. HERTFORDSHIRE.	2585
Ware	176
Bishop Stortford	207
Royston	155
Hitchin	350
Hertford ...	162
Hatfield	95
St. Albans ...	481
Watford... ...	601
Hemel Hempstead	197
Berkhampstead	161
9. BUCKINGHAMSHIRE.	1649
Amersham ...	245
Eton	338
Wycombe ...	497
Aylesbury ...	259
Winslow ...	39
Newport Pagnell	201
Buckingham ...	70
10. OXFORDSHIRE.	1584
Henley	143
Thame	104
Headington ...	400
Oxford	241
Bicester	77
Woodstock ...	90
Witney	169
Chipping Norton	123
Banbury ...	237
11. NORTHAMPTONSHIRE.	3749
Brackley ...	58
Towcester ...	73
Potterspury ...	95
Hardingstone ...	101
Northampton ..	1228
Daventry ...	126

District.	Marriages.
11. NORTHAMPTONSHIRE—*cont.*	
Brixworth ...	90
Wellingborough	649
Kettering ...	575
Thrapston ...	103
Oundle	87
Peterborough ...	564
12. HUNTINGDONSHIRE.	354
Huntingdon ...	155
St. Ives	90
St. Neots ...	109
13. BEDFORDSHIRE.	2065
Bedford	661
Biggleswade ...	249
Ampthill ...	191
Leighton Buzzard	198
Luton	766
14. CAMBRIDGESHIRE.	1982
Caxton	51
Chesterton ...	361
Cambridge ...	468
Linton	87
Newmarket ...	267
Ely	150
North Witchford	169
Whittlesey ...	68
Wisbech... ...	361
15. ESSEX.	14180
West Ham ...	8408
Epping	253
Ongar	68
Romford ...	1460
Orsett	413
Billericay ...	213
Chelmsford ...	388
Rochford ...	981
Maldon	193
Tendring ...	447
Colchester ...	527
Lexden	169
Halstead ...	154
Braintree ...	262
Dunmow ...	122
Saffron Walden...	122
16. SUFFOLK.	3371
Risbridge ...	110
Sudbury ...	194
Cosford	108
Bury St. Edmunds	282
Mildenhall ...	44
Stow	155
Hartismere ...	151
Bosmere... ...	94
Samford... ...	96
Ipswich	855
Woodbridge ...	295
Plomesgate ...	135
Blything ...	177
Wangford ...	135
Mutford... ...	540

* On the 1st August, 1915, the district of Fulham was divided into two districts, viz., Hammersmith and Fulham. The marriages are shown for the combined area.

NUMBER of MARRIAGES in each REGISTRATION COUNTY and DISTRICT, 1915—*continued.*

District.	Marriages.
17. NORFOLK.	**4540**
Yarmouth ...	609
Flegg	64
Smallburgh ...	121
Erpingham ..	193
Aylsham	144
St. Faith's ...	103
Norwich	1514
Forehoe	93
Henstead... ...	81
Blofield	87
Loddon	90
Depwade	171
Wayland	99
Mitford	175
Walsingham ...	168
Docking	122
Freebridge Lynn	85
King's Lynn ...	219
Downham ...	159
Swaffham ...	72
Thetford	171
18. WILTSHIRE.	**2598**
Swindon	623
Cricklade... ...	82
Malmesbury ...	94
Chippenham ...	213
Calne	49
Marlborough ...	69
Devizes	143
Melksham ...	182
Bradford on Avon	71
Westbury ...	88
Warminster ...	170
Pewsey	114
Amesbury ...	124
Salisbury ...	361
Wilton	106
Tisbury	65
Mere	44
19. DORSETSHIRE.	**2042**
Shaftesbury ...	96
Sturminster ...	59
Blandford ...	115
Wimborne ...	138
Poole	443
Wareham ...	185
Weymouth ...	528
Dorchester ...	213
Sherborne ...	80
Beaminster ...	75
Bridport	110
20. DEVONSHIRE	**6610**
Axminster ...	131
Honiton	161
St. Thomas ...	412
Exeter	554
Newton Abbot ...	775
Totnes	391
Kingsbridge ...	114
Plympton St. Mary	221

District.	Marriages.
20. DEVONSHIRE—*cont.*	
Plymouth ...	1418
East Stonehouse	170
Devonport ...	924
Tavistock ...	178
Okehampton ...	144
Crediton ...	78
Tiverton ...	184
South Molton ...	89
Barnstaple ...	367
Torrington ...	65
Bideford ...	156
Holsworthy ...	78
21. CORNWALL.	**2571**
Stratton	44
Camelford ...	55
Launceston ..	113
St. Germans ...	180
Liskeard ...	188
Bodmin ...	138
St. Columb ...	128
St. Austell ...	301
Truro	213
Falmouth ...	217
Helston	156
Redruth... ...	430
Penzance ...	398
Isles of Scilly ...	10
22. SOMERSETSHIRE.	**4067**
Williton ..	130
Dulverton ...	27
Wellington ...	141
Taunton ...	366
Bridgwater ...	295
Langport ...	82
Chard	192
Yeovil	281
Wincanton ...	105
Frome	181
Shepton Mallet...	104
Wells	197
Axbridge ...	466
Clutton	223
Bath	751
Keynsham ...	343
Long Ashton ...	183
23. GLOUCESTERSHIRE.	**6759**
Bristol	4084
ChippingSodbury	137
Thornbury ...	128
Dursley	103
Westbury on Severn.	200
Newent	54
Gloucester ...	618
Wheatenhurst ...	42
Stroud	352
Tetbury	40
Cirencester ...	148
Northleach ...	58
Stow on the Wold	53

District.	Marriages.
23. GLOUCESTERSHIRE—*cont.*	
Winchcomb ...	69
Cheltenham ...	585
Tewkesbury ...	88
24. HEREFORDSHIRE.	**848**
Ledbury... ...	100
Ross	128
Hereford ...	374
Weobley ...	34
Bromyard ...	54
Leominster ...	98
Kington	60
25. SHROPSHIRE.	**2040**
Ludlow	124
Clun	54
Church Stretton	42
Cleobury Mortimer.	53
Bridgnorth ...	103
Shifnal	83
Madeley ...	176
Atcham	476
Oswestry ...	243
Ellesmere ...	105
Wem	71
Whitchurch ...	116
Market Drayton...	96
Wellington ...	196
Newport... ...	102
26. STAFFORDSHIRE.	**13616**
Stafford	298
Stone	151
Newcastle under Lyme.	408
Wolstanton ...	1133
Stoke upon Trent	1726
Leek	417
Cheadle	235
Uttoxeter ...	109
Burton upon Trent	853
Tamworth ...	413
Lichfield ...	428
Cannock ...	502
Wolverhampton	1773
Walsall	1395
West Bromwich	2164
Dudley	1611
27. WORCESTERSHIRE.	**3043**
Stourbridge ...	981
Kidderminster ...	442
Tenbury... ...	48
Worcester ..	618
Upton on Severn	209
Evesham ...	159
Pershore ...	83
Droitwich ...	129
Bromsgrove ...	374

District.	Marriages.
28. WARWICKSHIRE.	**13777**
Kings Norton ...	2522
Birmingham ...	3178
Aston	4242
Meriden ...	109
Atherstone ...	174
Nuneaton ...	433
Foleshill ...	258
Coventry ...	1282
Rugby	393
Solihull	128
Warwick ..	544
Stratford on Avon	178
Alcester	179
Shipston on Stour	101
Southam ...	56
29. LEICESTERSHIRE.	**5042**
Lutterworth ...	95
Market Harborough.	170
Billesdon ...	41
Blaby	252
Hinckley ...	297
Market Bosworth	155
Ashby de la Zouch	464
Loughborough ...	314
Barrow upon Soar	233
Leicester ...	2810
Melton Mowbray	211
30. RUTLANDSHIRE.	**139**
Oakham	71
Uppingham ...	68
31. LINCOLNSHIRE.	**5060**
Stamford ...	130
Bourne	146
Spalding ...	211
Holbeach ...	134
Boston	327
Sleaford ...	185
Grantham ...	391
Lincoln	832
Horncastle ..	134
Spilsby	191
Louth ...	226
Grimsby ...	1283
Caistor	114
Glanford Brigg...	477
Gainsborough ...	279
32. NOTTINGHAMSHIRE.	**6973**
East Retford ...	202
Worksop ...	441
Mansfield ...	1174
Basford	1700
Nottingham ...	2933
Southwell ...	143
Newark	280
Bingham ...	100

NUMBER of MARRIAGES in each REGISTRATION COUNTY AND DISTRICT, 1915—*continued.*

District.	Marriages.
33. DERBYSHIRE.	**4785**
Shardlow ...	593
Derby	1158
Belper	619
Ashbourne ...	165
Chesterfield ...	1442
Bakewell	216
Chapel en le Frith	261
Glossop	229
Hayfield	102
34. CHESHIRE.	**8014**
Stockport... ...	1645
Macclesfield ...	562
Bucklow	738
Runcorn	390
Northwich ...	490
Congleton ...	286
Nantwich... ...	662
Chester	710
Wirral	472
Birkenhead ...	2059
35. LANCASHIRE.	**47128**
Liverpool ...	2006
Toxteth Park ...	1162
West Derby ...	6211
Prescot	1381
Ormskirk ...	1021
Wigan	1844
Warrington ...	1021
Leigh	969
Bolton	2597
Bury	1411
Barton upon Irwell	1224
Chorlton	4440
Salford	2525
Manchester ...	1244
Prestwich ...	2310
Ashton under Lyne	1714
Oldham	2274
Rochdale	1088
Haslingden ...	1090
Burnley	2167
Clitheroe	160
Blackburn ...	2117
Chorley	588
Preston	1526
Fylde	1154
Garstang	85
Lancaster ...	547
Lunesdale ...	33
Ulverston... ...	360
Barrow in Furness	859
36. YORKSHIRE, WEST RIDING.	**29365**
Sedbergh	22
Settle	108
Skipton	441
Pateley Bridge ...	68
Ripon	139
Great Ouseburn ...	83
Knaresborough ...	503
Wetherby ...	91
36. WEST RIDING—*cont.*	
Wharfedale ...	482
Keighley ...	758
Todmorden ...	309
Saddleworth ...	119
Huddersfield ...	1742
Halifax	1812
North Bierley ...	1274
Bradford ...	2459
Bramley ...	708
Leeds	2963
Hunslet	851
Holbeck ...	340
Dewsbury ...	1660
Wakefield ...	1081
Pontefract ...	731
Hemsworth ...	304
Barnsley ...	1332
Penistone ...	135
Wortley	339
Ecclesall Bierlow	1927
Sheffield ...	3132
Rotherham ...	1433
Doncaster ...	1239
Thorne	154
Goole	250
Selby	157
Tadcaster ...	219
37. YORKSHIRE, EAST RIDING.	**5330**
York	1006
Pocklington ...	84
Howden ...	117
Beverley ...	244
Sculcoates ...	2369
Hull	1069
Patrington ...	74
Skirlaugh ...	74
Driffield ...	112
Bridlington ...	181
38. YORKSHIRE, NORTH RIDING.	**3517**
Scarborough ...	466
Malton	155
Easingwold ...	59
Thirsk	103
Helmsley ...	65
Pickering ...	62
Whitby	155
Guisborough ...	434
Middlesbrough	1559
Stokesley ...	93
Northallerton ...	106
Bedale	79
Leyburn ...	54
Aysgarth ...	23
Reeth	15
Richmond ...	89
39. DURHAM.	**12816**
Darlington ...	679
Stockton ...	623
Hartlepool ...	926
Sedgefield ...	225
39. DURHAM—*cont.*	
Auckland ...	905
Teesdale... ...	156
Weardale ...	100
Lanchester ...	837
Durham... ...	729
Easington ...	704
Houghton le Spring.	457
Chester le Street	561
Sunderland ...	2018
South Shields	1955
Gateshead ...	1941
40. NORTHUMBERLAND.	**6930**
Newcastle upon Tyne.	3165
Tynemouth ...	1962
Castle Ward ...	351
Hexham... ...	277
Haltwhistle ...	79
Bellingham ...	26
Morpeth ...	641
Alnwick... ...	179
Belford	37
Berwick... ...	120
Glendale ...	62
Rothbury ...	31
41. CUMBERLAND.	**2135**
Alston	18
Penrith	162
Brampton ...	61
Longtown ...	38
Carlisle	548
Wigton	160
Cockermouth ...	580
Whitehaven ...	458
Bootle	110
42. WESTMORLAND.	**459**
East Ward ...	81
West Ward ...	56
Kendal	322
43. MONMOUTHSHIRE.	**3879**
Chepstow ...	163
Monmouth ...	261
Abergavenny ...	254
Bedwellty ...	1093
Pontypool ...	519
Newport ...	1589
44. GLAMORGANSHIRE.	**10529**
Cardiff	2849
Pontypridd ...	2462
Merthyr Tydfil...	1437
Bridgend ...	778
Neath	972
Pontardawe ...	327
Swansea... ...	1593
Gower	111
45. CARMARTHENSHIRE.	**1268**
Llanelly... ...	688
Llandovery ...	60
Llandilofawr ...	252
Carmarthen ...	268
46. PEMBROKESHIRE.	**846**
Narberth ...	136
Pembroke ...	369
Haverfordwest ...	341
47. CARDIGANSHIRE.	**506**
Cardigan ...	75
Newcastle in Emlyn.	123
Lampeter ...	53
Aberayron ...	67
Aberystwith ...	149
Tregaron ...	39
48. BRECKNOCKSHIRE.	**464**
Builth	62
Brecknock ...	111
Crickhowell ...	223
Hay	68
49. RADNORSHIRE.	**130**
Knighton ...	65
Rhayader ...	65
50. MONTGOMERYSHIRE.	**423**
Machynlleth ...	65
Newtown ...	139
Forden	116
Llanfyllin ...	103
51. FLINTSHIRE.	**505**
Holywell ...	330
Hawarden ...	175
52. DENBIGHSHIRE.	**1221**
Wrexham ...	665
Ruthin	79
St. Asaph ...	402
Llanrwst ...	75
53. MERIONETHSHIRE.	**371**
Corwen	113
Bala	50
Dolgelly... ...	81
Festiniog ...	127
54. CARNARVONSHIRE.	**1109**
Pwllheli... ...	132
Carnarvon ...	239
Bangor	256
Conway	482
55. ANGLESEY.	**228**
Anglesey ...	70
Holyhead ...	158

England and Wales.—Ages of the Bachelors and Spinsters Married in the Year 1915.

Ages of Husbands.	Ages of Wives. 15	16	17	18	19	20	Minors *not stated.*	21	22	23	24	25	26	27	28	29
16	1	2*	—	3	1	—	—	1	1	1	—	—	—	—	—	—
17	1	4	16	22	11	9	—	8	4	1	1	2	—	1	—	—
18	1	11	94	247	151	84	—	53	33	22	12	4	7	2	—	1
19	2*	27	177	764	1,015	557	—	400	204	112	56	38	17	15	8	3
20	3	16	203	978	1,880	2,090	—	1,308	725	445	238	133	81	52	29	24
Minors *not stated.*	—	—	—	—	—	1	19	—	—	1	—	—	1	—	—	—
21	2	41	276	1,491	3,198	4,333	3	6,466	3,047	1,781	1,090	638	340	218	156	69
22	2	21	205	1,024	2,411	3,809	2	6,538	5,141	3,494	2,093	1,175	724	464	281	151
23	3	17	123	788	1,911	3,270	4	5,888	5,727	5,426	3,677	2,136	1,320	827	543	269
24	—	8	90	536	1,266	2,462	1	4,646	4,910	5,486	5,190	3,432	2,015	1,315	879	522
25	3	6	50	378	877	1,738	2	3,372	3,699	4,378	4,689	4,415	2,934	1,797	1,161	763
26	—	5	40	280	635	1,185	2	2,389	2,787	3,345	3,826	3,802	3,690	2,372	1,496	942
27	1†	1	38	189	453	850	1	1,726	1,975	2,492	2,856	3,035	2,977	2,733	1,815	1,088
28	1	5	25	147	334	613	—	1,276	1,558	1,784	2,129	2,232	2,279	2,163	2,139	1,354
29	—	3	22	71	243	434	1	859	1,022	1,257	1,471	1,639	1,658	1,604	1,656	1,549
30	—	1	14	66	161	355	1	624	748	888	1,115	1,146	1,175	1,232	1,258	1,149
31	—	2	9	46	82	197	—	431	463	585	676	772	836	901	853	850
32	—	4	11	32	67	145	—	284	422	475	570	549	677	679	697	672
33	—	4	7	16	54	106	—	224	218	315	343	387	433	493	477	510
34	—	—	4	12	52	80	—	176	207	268	360	286	325	359	379	387
35	—	—	5	15	25	75	—	148	162	167	209	323	246	292	308	325
36	—	1	3	14	18	27	1	84	97	138	139	174	251	210	236	233
37	—	2	2	7	17	26	—	67	67	95	128	128	139	192	158	180
38	—	—	1	6	16	34	—	67	70	92	97	101	140	140	212	152
39	—	—	1	4	11	30	—	44	56	63	81	94	76	90	102	136
40	—	—	1	3	6	15	1	18	42	32	63	71	65	74	88	75
41	—	—	1	3	2	9	—	22	17	24	40	36	36	51	55	59
42	—	—	1	1	3	8	—	23	22	16	26	27	39	43	33	53
43	—	—	1	1	3	5	—	9	12	15	14	20	39	21	31	34
44	—	—	1	1	4	4	—	7	8	12	12	14	18	30	35	24
45	—	1	—	2	4	6	—	3	10	9	14	19	19	22	20	17
46	—	—	—	2	—	—	—	3	4	9	10	5	13	10	8	10
47	—	—	—	—	—	2	—	4	4	10	11	9	14	7	8	8
48	—	—	—	1	1	3	—	2	2	3	3	8	9	9	7	6
49	—	—	—	—	—	—	—	2	4	7	8	4	5	6	7	10
50	—	—	—	—	—	—	—	1	1	5	2	5	1	2	2	4
51	—	—	—	—	—	1	—	2	2	2	3	2	3	—	3	3
52	—	—	—	—	—	1	—	1	4	1	2	1	4	2	2	—
53	—	—	—	—	—	1	—	1	—	—	1	2	1	4	4	—
54	—	—	—	—	—	1	—	—	—	2	—	1	—	—	4	2
55	—	—	—	—	—	1	—	—	—	1	1	1	—	—	—	2
56	—	—	—	—	1	4	—	—	1	—	—	—	1	—	2	—
57	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
58	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—
59	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
60	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
61	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
62	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
63	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
64	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
66	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70 years and upwards.	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Full Age, *not stated.*	—	1	—	2	10	24	—	1	4	6	2	9	2	2	2	2
Total ...	20	183	1,421	7,153	14,923	22,596	38	37,178	33,483	33,268	31,262	26,875	22,612	18,436	15,157	11,639

The table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at marriage:—Thus: Of 22,596 *Wives* at the age of 20 and under 21 years, *nine* married Husbands aged 17 and under 18 years, *eighty-four* married Husbands aged 18 and under 19 years, *five hundred and fifty-seven* married Husbands aged 19 and under 20 years, &c. Read *horizontally* the table shows the number of *Husbands* at each age, with the ages of their Wives at marriage:—Thus: Of 8,250 *Husbands* aged 20 and under 21 years, *three* married wives aged 15 years and under 16 years, *sixteen* married wives aged 16 and under 17 years, *two hundred and three* married wives aged 17 and under 18 years, &c.

* Including one aged 14 years.

† Aged 14 years.

England and Wales.—Ages of the Bachelors and Spinsters Married in the Year 1915—*continued.*

Ages of Husbands.	Ages of Wives. 30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19	8	1	2	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—
20	11	4	6	4	2	—	1	3	1	1	1	—	—	—	—	—	—	—	—	2
Minors *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	59	37	21	13	10	5	4	2	—	2	—	1	2	—	1	—	1	—	—	—
22	93	60	50	15	23	10	7	7	3	4	2	2	1	2	1	—	—	—	—	1
23	190	90	69	54	28	16	8	13	9	9	1	3	1	2	3	1	—	—	1	—
24	294	175	117	67	81	30	16	11	16	3	3	2	3	1	1	2	2	—	—	—
25	432	263	157	98	79	51	27	14	13	7	6	8	5	2	2	—	—	1	1	—
26	591	309	255	128	112	76	49	31	18	11	7	3	3	—	3	1	1	1	—	—
27	785	402	279	198	139	86	49	41	31	18	7	3	4	6	1	2	1	1	1	—
28	921	477	400	229	185	136	66	52	39	19	13	9	6	4	2	1	2	—	2	—
29	1011	575	425	274	195	141	87	52	38	37	20	13	5	2	4	—	4	1	2	—
30	1142	660	524	302	270	176	102	65	68	42	34	10	12	9	6	6	1	—	2	2
31	859	738	524	251	217	156	89	84	57	36	23	18	9	5	6	7	1	1	—	—
32	643	605	573	388	263	191	130	65	70	42	22	18	24	6	6	6	1	3	1	1
33	452	399	441	425	286	199	146	97	62	49	36	16	16	9	5	8	5	2	3	1
34	425	335	380	324	355	237	151	108	101	53	30	18	26	8	13	7	4	5	2	1
35	323	235	310	270	261	267	178	125	84	70	44	28	17	12	10	10	4	1	3	—
36	258	188	234	176	198	209	219	137	96	84	48	26	19	14	9	9	7	2	2	1
37	174	166	161	166	147	151	154	150	119	82	52	24	27	17	8	10	5	5	1	5
38	161	143	164	145	144	156	168	133	174	108	95	38	34	25	17	8	15	7	18	3
39	118	111	105	98	121	122	101	103	123	126	117	48	38	22	15	12	15	3	10	8
40	133	83	84	72	103	73	99	76	114	89	99	66	30	34	18	15	14	8	4	2
41	66	72	55	63	61	65	55	53	71	69	52	58	39	24	25	19	9	9	5	4
42	75	57	76	46	51	65	73	47	61	47	56	48	59	39	16	14	18	13	11	7
43	33	39	38	43	30	45	39	50	36	41	50	38	43	35	26	13	17	8	9	9
44	26	23	32	31	36	39	32	24	31	37	45	17	29	17	33	19	20	8	10	9
45	35	26	28	36	39	45	29	29	28	34	24	17	22	23	20	25	21	20	12	10
46	31	10	12	15	16	24	23	17	20	21	24	15	26	23	13	25	16	16	14	11
47	16	10	12	14	13	18	17	29	18	15	25	13	19	22	15	22	22	17	7	7
48	11	15	11	10	15	12	14	18	38	15	15	15	13	7	8	16	13	12	16	13
49	11	4	7	11	12	9	12	11	15	17	12	15	14	7	7	19	9	15	17	16
50	8	4	5	2	14	12	14	9	11	8	15	13	16	19	9	14	6	6	15	10
51	4	3	2	3	5	12	8	9	4	9	5	5	7	5	9	8	4	6	9	6
52	8	3	3	—	5	7	7	4	7	7	4	6	13	6	4	7	4	6	5	7
53	1	1	3	2	4	8	3	3	7	7	8	1	8	8	6	5	2	3	7	4
54	8	—	3	4	4	4	2	—	4	3	4	1	4	7	7	—	5	2	6	5
55	2	1	2	2	4	2	1	2	3	5	3	—	3	5	6	5	—	1	2	2
56	3	2	1	3	2	5	4	2	1	2	3	3	1	—	3	2	3	2	2	2
57	2	3	1	—	2	2	1	2	2	1	2	—	4	2	3	1	2	3	2	1
58	1	1	—	2	—	1	—	1	2	1	2	—	—	1	—	1	1	1	4	3
59	—	—	1	—	—	—	1	1	—	5	2	1	1	1	2	—	1	2	5	4
60	1	—	—	1	—	—	3	—	1	1	—	—	1	2	—	4	—	3	1	—
61	—	1	—	—	—	1	1	—	—	1	—	—	1	—	—	—	1	—	1	1
62	—	—	—	1	—	—	2	2	3	1	1	—	—	—	—	1	—	—	1	2
63	—	—	1	—	—	1	—	1	—	1	—	—	—	1	—	1	—	—	—	1
64	—	—	—	—	—	2	—	—	—	1	—	—	1	—	2	1	—	3	—	—
65	1	—	—	—	—	1	—	—	1	1	1	—	—	—	1	1	1	—	—	1
66	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	1	—
67	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—
68	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	1	2	—	2	—
69	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70 years and upwards.	1	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	1	—	1	1
Full Age *not stated.*	2	1	2	—	1	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—
Total ...	9,432	6,332	5,576	3,987	3,535	2,870	2,193	1,686	1,600	1,243	1,014	621	607	437	347	329	263	197	220	163

For the method of reading this table, *see* explanatory note on page 86.

England and Wales.—Ages of the Bachelors and Spinsters Married in the Year 1915—*continued.*

Ages of Husbands.	Ages of Wives. 50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70 & upws.	Full Age, *not stated.*	Total.
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	80
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	726
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	3,413
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	8,250
Minors *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	23,316
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	27,823
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	32,442
24	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	22	33,607
25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24	31,452
26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19	28,414
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	24,300
28	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	28	20,631
29	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	16,393
30	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	13,376
31	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	9,802
32	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	8,357
33	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	6,261
34	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	12	5,494
35	2	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	9	4,566
36	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	5	3,569
37	7	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	2,852
38	2	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	2,896
39	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	2,215
40	3	2	2	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5	1,785
41	2	2	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1,240
42	3	1	4	1	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1,193
43	5	1	1	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	5	862
44	3	4	1	—	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	703
45	8	5	4	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	5	694
46	2	1	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	454
47	7	4	2	—	1	1	2	—	1	—	1	—	1	—	—	—	—	—	—	—	—	4	432
48	8	3	3	3	3	1	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	1	367
49	5	3	1	3	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	311
50	18	5	8	3	1	2	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	1	274
51	11	9	5	1	2	2	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	179
52	5	4	12	2	4	3	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	1	168
53	7	7	7	5	2	1	1	2	1	1	—	1	—	—	—	—	—	—	—	—	—	1	141
54	3	2	6	4	2	4	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2	108
55	7	—	6	5	3	2	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	1	91
56	1	2	1	2	4	4	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	72
57	2	3	3	2	3	1	1	2	1	—	—	—	—	—	1	—	—	—	—	—	—	1	58
58	3	2	1	3	1	1	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	41
59	2	1	3	1	1	1	—	—	1	2	1	1	1	—	—	—	1	—	—	—	—	—	45
60	2	1	1	—	1	2	2	2	2	—	3	2	—	1	1	—	—	—	—	—	1	—	41
61	1	—	—	—	2	—	1	1	2	—	3	—	—	—	—	—	—	—	—	—	1	—	20
62	1	2	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	1	—	25
63	—	—	—	2	1	—	—	—	1	1	1	1	—	—	—	—	1	—	—	—	—	—	17
64	—	—	—	1	1	1	2	—	—	2	1	—	1	—	—	1	—	—	—	1	1	—	22
65	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	11
66	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9
67	—	—	—	—	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	7
68	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	1	1	—	2	—	1	15
69	1	—	—	—	—	—	—	—	3	—	—	1	—	—	—	—	1	1	1	1	1	—	11
70 years and upwards.	—	1	1	—	1	1	—	—	1	1	—	2	—	3	1	1	1	—	3	1	7	—	34
Full Age, *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,375	1,452
Total ...	129	69	84	51	42	36	30	17	29	14	14	9	6	5	3	3	4	2	5	5	13	1,683	321,149

For the method of reading this table, *see* explanatory note on page 86.

Population, Births, and Deaths (Civil Population only), in Administrative Areas, 1915.

Note.—For the reasons indicated on page ix the estimated populations shown in this table are based upon the results obtained under the National Registration Act, 1915, and differ from those in previous Reports in the following respects :—(1) They relate to the civil population only. (2) They are based upon an enumeration of habitual residents instead of the population actually present at the time of enumeration. (3) Institutional population has been distributed evenly over all areas in place of the inclusion of the population of each institution in that of the area in which it is situated. The populations marked * have been adjusted to allow for changes in the boundaries of the areas during the year. Births occurring in lying-in institutions have been transferred to the parents' area of residence where this differed from that in which the birth took place. Deaths of civilians, in this as in other tables, have been transferred to the area of residence in accordance with the rules laid down by the Local Government Board. Under these rules the deaths of refugees and interned aliens could not be transferred. Deaths of non-civilians have been excluded from all tables relating to administrative areas or groups of areas. Birth-rates are stated per 1000 total population, 1914, and death-rates per 1000 civil population, 1915.

Summary.

Area.		Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
All Areas	North ...	11,982,574	140,626	135,353	6,425	6,095	288,499	23·3	199,754	16·7	35,858	124
	Midlands	11,177,958	123,610	118,615	5,658	5,599	253,482	21·9	163,409	14·6	25,767	102
	South ...	9,773,365	101,212	97,708	4,964	4,887	208,771	20·0	152,850	15·6	20,588	99
	Wales ...	2,424,999	31,377	29,868	1,333	1,284	63,862	25·3	37,463	15·4	7,167	112
	England and Wales.	35,358,896	396,825	381,544	18,380	17,865	814,614	22·0	553,476†	15·7	89,380	110
London		4,310,030	49,655	48,366	2,054	2,042	102,117	22·6	72,393	16·8	11,464	112
County Boroughs.	North ...	6,360,407*	76,165	73,076	3,560	3,260	156,061	23·9	112,273	17·7	20,487	131
	Midlands ...	3,688,267	43,419	41,959	1,800	1,801	88,979	23·5	57,286	15·5	10,322	116
	South ...	1,204,513	12,101	11,554	747	748	25,150	18·9	19,087	15·8	2,357	94
	Wales ...	452,615	5,982	5,687	229	210	12,108	25·3	7,099	15·7	1,379	114
	England and Wales	11,705,802*	137,667	132,276	6,336	6,019	282,298	23·3	195,745	16·7	34,545	122
Other Urban Districts.	North ...	4,002,228*	45,325	43,897	1,946	1,931	93,099	22·4	64,068	16·0	11,215	120
	Midlands ...	4,371,642	47,892	46,103	2,218	2,159	98,372	21·7	61,154	14·0	9,858	100
	South ...	2,364.062*	22,329	21,262	1,250	1,224	46,065	17·9	34,535	14·6	3,990	87
	Wales ...	1,162,989	16,120	15,359	624	576	32,679	26·9	18,187	15·6	3,934	120
	England and Wales.	11,900,921*	131,666	126,621	6,038	5,890	270,215	21·6	177,944	15·0	28,997	107
Rural Districts.	North ...	1,619,939*	19,136	18,380	919	904	39,339	23·2	23,413	14·5	4,156	106
	Midlands ...	3,118,049	32,299	30,553	1,640	1,639	66,131	20·2	44,969	14·4	5,587	84
	South ...	1,894.760*	17,127	16,526	913	873	35,439	17·5	26,835	14·2	2,777	78
	Wales ...	809,395	9,275	8,822	480	498	19,075	23·0	12,177	15·0	1,854	97
	England and Wales	7,442,143*	77,837	74,281	3,952	3,914	159,984	20·5	107,394	14·4	14,374	90

County Boroughs.

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915	Deaths under one year. Number.	Rate per 1,000 Births.
Barnsley	50,409	695	672	49	51	1,467	27·7	933	18·5	252	172
Barrow in Furness ...	83,051	953	981	35	13	1,982	30·3	1,135	13·7	246	124
Bath	63,452	508	495	26	31	1,060	15·1	1,008	15·9	85	80
Birkenhead	134,913	1,926	1,798	56	66	3,846	28·3	2,196	16·3	470	122
Birmingham	864,545	10,412	10,138	391	361	21,302	24·8	12,902	14·9	2,510	118
Blackburn	127,443	1,147	1,212	55	37	2,451	18·3	2,070	16·2	357	146
Blackpool...	64,208	506	420	44	32	1,002	16·4	1,062	16·5	129	129
Bolton	172,514	1,743	1,738	72	90	3,643	19·8	2,730	15·8	451	124
Bootle	71,617	988	1,012	32	20	2,052	28·4	1,285	17·9	291	142
Bournemouth	72,197	532	561	37	57	1,187	14·1	1,134	15·7	111	94
Bradford	280,737	2,428	2,337	176	149	5,090	17·5	4,755	16·9	628	123
Brighton	118,286	10,75	1,000	99	93	2,267	17·0	2,111	17·8	215	95
Bristol	352.859	3,690	3,444	121	128	7,383	20·4	5,546	15·7	856	116
Burnley	103,098	987	869	81	76	2,013	18·4	1,751	17·0	335	166
Burton upon Trent ...	45,786	505	459	22	19	1,005	21·1	619	13·5	76	76
Bury	54,773	483	472	45	24	1,024	17·3	950	17·3	119	116
Canterbury	24,595	252	207	26	14	499	20·3	413	16·8	54	108
Carlisle	50,036	576	555	25	41	1,197	22·7	969	19·4	172	144
Chester	37,479	384	423	26	13	846	21·6	666	17·8	93	110
Coventry	120,529	1,470	1,460	35	34	2,999	26·0	1,597	13·2	258	86
Croydon	177,345	1,788	1,724	96	98	3,706	20·8	2,410	13·6	310	84
Darlington§	59,828*	752	714	34	39	1,539	25·7	960	16·0	176	114
Derby	119,072	1,323	1,276	47	58	2,704	21·5	1,838	15·4	259	96
Dewsbury...	53,299	531	546	28	30	1,135	21·1	914	17·1	131	115
Dudley	50,849	698	712	15	20	1,445	28·0	855	16·8	180	125
Eastbourne	47,125	374	334	29	31	768	14·0	703	14·9	76	99
East Ham§	142,582	1,615	1,595	39	36	3,285	23·0	1,670	11·7	267	81
Exeter	55,460	536	495	45	39	1,115	18·5	914	16·5	97	87
Gateshead...	120,830	1,801	1,702	69	69	3,641	30·7	2,323	19·2	536	147

† This number differs from the total given elsewhere by excluding deaths of non-civilians.
§ Constituted a County Borough on 1st April, 1915. The figures shown above relate to the whole year.

POPULATION, BIRTHS, AND DEATHS (Civil Population only), IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Gloucester	48,139	574	521	29	16	1,140	22·5	745	15·5	124	109
Great Yarmouth	50,475	547	492	38	53	1,130	19·8	924	18·3	121	107
Grimsby	72,126	976	873	72	53	1,974	25·5	1,135	15·7	210	106
Halifax	99,497	798	765	54	46	1,663	16·5	1,712	17·2	160	96
Hastings	52,053	396	329	40	45	810	13·5	908	17·4	79	98
Huddersfield	111,139	977	888	36	38	1,939	17·5	1,831	16·5	215	111
Ipswich	74,251	774	759	48	38	1,619	21·4	1,158	15·6	153	95
Kingston upon Hull ...	269,530	3,545	3,379	175	157	7,256	25·2	4,492	16·7	868	120
Leeds	446,349	4,706	4,631	309	235	9,881	21·6	7,602	17·0	1,255	127
Leicester	225,907	2,316	2,273	117	128	4,834	20·9	3,373	14·9	598	124
Lincoln	55,226	570	552	30	30	1,182	19·9	828	15·0	115	97
Liverpool	740,162	10,723	10,109	403	386	21,621	28·3	14,533	19·6	2,875	133
Manchester	700,319	8,046	7,910	379	361	16,696	22·8	12,236	17·5	2,141	128
Middlesbrough	116,901	1,749	1,771	68	66	3,654	29·3	2,579	22·1	549	150
Newcastle upon Tyne ...	278,107	3,737	3,501	166	149	7,553	27·8	4,806	17·3	1,012	134
Newport (Mon.)	80,379	1,122	1,015	26	31	2,194	25·0	1,159	14·4	216	98
Northampton	90,296	862	824	41	47	1,774	19·5	1,532	17·0	237	134
Norwich	115,902	1,171	1,176	74	81	2,502	20·3	1,798	15·5	293	117
Nottingham	240,588	2,623	2,553	196	174	5,546	20·9	4,002	16·6	726	131
Oldham	141,781	1,459	1,349	86	56	2,950	19·7	2,542	17·9	368	125
Oxford	49,027	428	401	32	32	893	16·5	700	14·3	64	72
Plymouth	187,911	2,002	2,028	113	103	4,246	20·1	3,273	17·4	505	119
Portsmouth	202,441	2,473	2,260	119	119	4,971	20·6	3,289	16·2	441	89
Preston	111,936	1,213	1,205	80	52	2,550	21·6	2,079	18·6	395	155
Reading	86,299	857	842	54	49	1,802	20·2	1,196	13·9	148	82
Rochdale	90,653	760	758	49	51	1,618	17·3	1,449	16·0	191	118
Rotherham	64,324	883	870	40	38	1,831	28·4	1,110	17·3	236	129
St. Helens	92,240	1,468	1,416	32	50	2,966	29·8	1,758	19·1	381	128
Salford	219,979	2,723	2,550	113	97	5,483	23·4	4,206	19·1	737	134
Sheffield	476,012	6,000	5,627	262	250	12,139	25·7	8,176	17·2	1,620	133
Smethwick	72,439	925	923	16	24	1,888	25·3	1,002	13·8	205	109
Southampton	117,349	1,308	1,279	63	69	2,719	22·2	1,728	14·7	236	87
Southend on Sea ...	76,382	670	668	40	41	1,419	17·7	1,015	13·3	121	85
Southport	65,866	462	467	33	39	1,001	14·1	1,067	16·2	88	88
South Shields	109,855	1,608	1,552	69	54	3,283	29·7	2,137	19·5	468	143
Stockport	120,030	1,196	1,151	45	42	2,434	19·6	2,006	16·7	309	127
Stoke on Trent	225,405	3,123	3,077	147	174	6,521	27·2	4,169	18·5	963	148
Sunderland	148,120	2,204	2,085	94	103	4,486	29·4	2,947	19·9	677	151
Tynemouth	58,199	771	727	32	27	1,557	25·7	1,040	17·9	210	135
Wakefield§	48,407	504	483	20	31	1,038	19·8	817	16·9	125	120
Wallasey	84,875	885	846	23	19	1,773	20·9	1,122	13·2	146	82
Walsall	92,045	1,318	1,276	35	38	2,667	28·5	1,591	17·3	380	142
Warrington	72,297	962	887	31	22	1,902	25·6	1,204	16·7	212	111
West Bromwich	68,402	1,004	948	23	26	2,001	28·9	1,208	17·7	267	133
West Ham	294,396	4,218	3,952	98	112	8,380	28·5	4,747	16·1	940	112
West Hartlepool	63,463	847	781	32	25	1,685	26·2	1,145	18·0	252	150
Wigan	86,329	1,179	1,089	59	58	2,385	26·3	1,657	19·2	392	164
Wolverhampton	94,968	1,148	1,140	50	51	2,389	25·0	1,627	17·1	316	132
Worcester	46,071	459	467	44	27	997	20·1	705	15·3	83	83
York	79,802	860	828	43	58	1,789	21·5	1,321	16·6	219	122
Cardiff	184,900	2,269	2,159	116	103	4,647	24·9	2,829	15·3	496	107
Merthyr Tydfil	76,493	1,061	1,025	49	38	2,173	25·9	1,453	19·0	338	156
Swansea	110,843	1,530	1,488	38	38	3,094	25·8	1,658	15·0	329	106
Administrative Counties.											
BEDFORDSHIRE.	191,767	1,897	1,788	124	115	3,924	19·6	3,097	16·1	395	101
Total Urban Districts ...	117,418	1,177	1,127	82	70	2,456	20·1	1,905	16·2	276	112
Total Rural Districts ...	74,349	720	661	42	45	1,468	18·8	1,192	16·0	119	81
Urban Districts.											
Ampthill	2,188	15	11	4	—	30	13·1	34	15·5	—	—
Bedford M.B.	37,113	290	325	32	31	678	16·9	607	16·4	58	86
Biggleswade	5,182	60	64	6	5	135	24·8	87	16·8	11	81
Dunstable M.B.	7,845	79	75	2	4	160	18·9	118	15·0	13	81
Kempston	4,714	59	36	4	3	102	18·5	104	22·1	13	127
Leighton Buzzard ...	6,451	61	63	4	3	131	19·0	153	23·7	16	122
Luton M.B.	53,925	613	553	30	24	1,220	22·9	802	14·9	165	135
Rural Districts.											
Ampthill	18,705	169	163	7	12	351	17·9	334	17·9	32	91
Bedford	18,588	174	155	15	17	361	18·7	326	17·5	26	72
Biggleswade	20,083	191	186	12	11	400	18·2	309	15·4	35	88
Eaton Bray	3,731	35	32	1	1	69	18·0	59	15·8	5	72
Eaton Socon	3,267	36	25	4	2	67	18·6	43	13·2	2	30
Luton	9,975	115	100	3	2	220	22·5	121	12·1	19	86

§ Constituted a County Borough on 1st April, 1915. The figures shown above relate to the whole year.

Population, Births, and Deaths (Civil Population only), in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population. 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Berkshire.	180,553	1,704	1,597	104	106	3,511	17·8	2,608	14·4	297	85
Total Urban Districts ...	53,467	513	472	37	34	1,056	18·1	829	15·5	92	87
Total Rural Districts ...	127,086	1,191	1,125	67	72	2,455	17·7	1,779	14·0	205	84
Urban Districts.											
Abingdon M.B.	6,331	62	43	4	2	111	16·1	98	15·5	10	90
Maidenhead M.B. ...	15,031	137	134	11	15	297	18·8	228	15·2	34	114
Newbury M.B.	11,525	94	90	6	6	196	15·8	167	14·5	17	87
New Windsor M.B. ...	10,547	119	113	7	5	244	19·8	181	17·2	14	57
Wallingford M.B. ...	2,551	30	25	1	2	58	21·5	38	14·9	3	52
Wantage	3,516	37	33	4	2	76	21·2	46	13·1	8	105
Wokingham M.B. ...	3,966	34	34	4	2	74	16·3	71	17·9	6	81
Rural Districts.											
Abingdon...	9,158	95	86	3	11	195	20·6	105	11·5	13	67
Bradfield	13,180	128	97	7	10	242	16·5	186	14·1	14	58
Cookham	12,423	120	108	5	5	238	18·7	156	12·6	21	88
Easthampstead	14,993	150	141	9	7	307	17·1	213	14·2	22	72
Faringdon (part of)§ ...	10,028	95	108	4	9	216	19·2	148	14·8	14	65
Hungerford	8,174	93	83	10	6	192	21·0	129	15·8	24	125
Newbury	10,525	80	72	2	3	157	14·3	148	14·1	15	96
Wallingford	6,351	60	60	1	5	126	16·8	84	13·2	15	119
Wantage	11,327	98	99	8	4	209	17·3	177	15·6	21	100
Windsor	14,246	120	144	8	3	275	17·6	206	14·5	19	69
Wokingham	16,681	152	127	10	9	298	17·3	227	13·6	27	91
Buckinghamshire.	214,727	1,978	1,942	114	121	4,155	18·4	3,065	14·3	362	87
Total Urban Districts ...	77,271	735	724	51	52	1,562	18·9	1,145	14·8	151	97
Total Rural Districts ...	137,456	1,243	1,218	63	69	2,593	18·2	1,920	14·0	211	81
Urban Districts.											
Aylesbury...	10,786	98	108	5	9	220	19·1	171	15·9	18	82
Beaconsfield	3,191	29	25	1	2	57	20·8	22	6·9	—	—
Bletchley	4,941	52	49	4	3	108	20·5	74	15·0	8	74
Buckingham M.B. ...	3,038	26	32	2	1	61	18·4	57	18·8	8	131
Chepping Wycombe M.B.	19,933	184	183	14	15	396	18·8	282	14·1	47	119
Chesham	7,964	74	80	3	6	163	19·3	114	14·3	9	55
Eton	2,125	18	10	—	—	28	8·8	34	16·0	2	71
Linslade	2,204	17	24	2	—	43	18·8	27	12·3	1	23
Marlow	4,617	39	47	8	6	100	21·2	69	14·9	12	120
Newport Pagnell... ...	4,054	36	33	2	1	72	16·8	76	18·7	8	111
Slough	14,418	162	133	10	9	314	19·8	219	15·2	38	121
Rural Districts.											
Amersham	17,854	206	187	6	6	405	20·6	268	15·0	35	86
Aylesbury...	14,588	149	125	8	9	291	18·0	218	14·9	20	69
Buckingham	7,804	68	70	1	1	140	16·7	108	13·8	10	71
Eton	24,812	240	230	9	9	488	20·1	350	14·1	48	98
Hambleden	1,870	19	14	1	2	36	18·6	16	8·6	4	111
Long Crendon	3,884	22	31	3	5	61	14·5	63	16·2	7	115
Newport Pagnell... ...	18,371	146	150	4	9	309	16·3	241	13·1	20	65
Stratford and Wolverton	10,635	86	92	1	2	181	16·5	124	11·7	18	99
Wing	5,802	47	29	6	6	88	14·6	100	17·2	5	57
Winslow	6,626	46	46	4	4	100	14·3	107	16·1	18	180
Wycombe...	25,210	214	244	20	16	494	19·8	325	12·9	26	53
Cambridgeshire.	123,297	1,115	1,053	67	69	2,304	17·7	2,053	16·7	211	92
Urban District	54,029	475	474	24	29	1,002	17·5	885	16·4	88	88
Total Rural Districts ...	69,268	640	579	43	40	1,302	17·8	1,168	16·9	123	94
Urban District.											
Cambridge M.B.	54,029	475	474	24	29	1,002	17·5	885	16·4	88	88
Rural Districts.											
Caxton and Arrington ...	7,155	69	66	2	3	140	18·0	131	18·3	10	71
Chesterton	22,485	197	176	15	14	402	17·0	355	15·8	35	87
Linton	9,664	93	85	5	2	185	17·6	170	17·6	20	108
Melbourn...	8,287	66	57	10	4	137	16·1	168	20·3	16	117
Newmarket	19,217	197	168	8	13	386	19·2	305	15·9	40	104
Swavesey	2,460	18	27	3	4	52	19·9	39	15·9	2	38
Cheshire.	591,740	5,882	5,689	269	270	12,110	19·8	8,349	14·1	1,205	100
Total Urban Districts ...	410,384*	4,214	4,043	196	172	8,625	20·3	6,135	14·9	940	109
Total Rural Districts ...	181,356*	1,668	1,646	73	98	3,485	18·5	2,214	12·2	265	76
Urban Districts.											
Alderley Edge	2,985	23	14	—	1	38	11·9	28	9·4	1	26
Alsager	2,716	21	16	1	—	38	13·7	45	16·6	2	53
Altrincham	17,731	170	181	15	10	376	20·8	225	12·7	27	72
Ashton upon Mersey ...	7,483	74	78	3	3	158	20·6	97	13·0	12	76
Bollington	5,001	45	40	2	4	91	17·4	87	17·4	8	88

§ The remainder of Faringdon Rural District is in Gloucestershire ; *see* page 97.

POPULATION, BIRTHS, AND DEATHS (Civil Population only), IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
CHESHIRE—*cont.*											
Bowdon	2,872	10	23	1	1	35	11·3	30	10·4	2	57
Bredbury and Romiley ...	9,163	62	69	4	3	138	15·2	125	13·6	14	101
Bromborough	2,178	25	17	—	1	43	21·6	15	6·9	5	116
Buglawton	1,460	15	18	1	1	35	24·4	16	11·0	5	143
Cheadle and Gatley ...	10,417	90	85	7	1	183	17·6	109	10·5	11	60
Compstall	900	9	10	—	—	19	20·7	14	15·6	3	158
Congleton, M.B.	10,918	119	112	3	4	238	20·8	176	16·1	24	101
Crewe, M.B.	45,825	520	482	30	12	1,044	22·9	668	14·6	127	122
Dukinfield, M.B.... ...	18,590	228	217	15	9	469	24·0	350	18·8	64	136
Ellesmere Port and Whitby	10,701	175	192	1	2	370	31·1	126	11·8	33	89
Hale	8,914	63	57	3	1	124	13·3	88	9·9	3	24
Handforth	956	10	7	—	1	18	19·1	12	12·6	—	—
Hazel Grove and Bramhall	10,002	79	83	2	6	170	16·9	117	11·7	12	71
Higher Bebington ...	1,628	24	19	—	—	43	24·9	27	16·6	4	93
Hollingworth	2,521	17	20	1	1	39	14·9	34	13·5	8	205
Hoole	5,619	62	51	—	1	114	18·8	81	14·4	18	158
Hoylake and West Kirby	13,676*	113	106	8	5	232	15·7	164	12·0	11	47
Hyde, M.B.	32,665	305	275	16	15	611	18·2	624	19·1	86	141
Knutsford	4,964	52	38	4	1	95	16·1	59	11·9	5	53
Lower Bebington ...	13,118	148	135	7	1	291	23·9	143	10·9	29	100
Lymm	5,028	62	47	1	4	114	22·5	63	12·5	4	35
Macclesfield, M.B. ...	32,199	304	281	14	19	618	17·7	576	17·9	88	142
Marple	6,298	51	45	2	—	98	14·6	85	13·5	12	122
Middlewich	4,860	71	56	1	4	132	26·6	57	11·7	14	106
Mottram in Longdendale	2,988	10	23	—	—	33	10·9	50	16·7	4	121
Nantwich	7,136	63	70	4	6	143	18·2	120	16·8	17	119
Neston and Parkgate ...	4,570	62	62	—	6	130	27·6	76	16·6	17	131
Northwich	18,027	201	204	7	12	424	23·2	268	14·9	48	113
Runcorn	17,676	213	238	7	3	461	26·2	275	15·6	61	132
Sale	15,486	158	142	4	5	309	19·6	214	13·8	29	94
Sandbach	5,784	70	74	6	5	155	26·9	95	16·4	11	71
Stalybridge, M.B. ...	24,511	274	255	16	11	556	21·2	489	20·0	82	147
Tarporley	2,402	24	18	3	1	46	17·7	33	13·7	1	22
Wilmslow	8,131	70	60	4	3	137	16·4	107	13·2	10	73
Winsford	10,664	113	110	3	8	234	21·5	149	14·0	28	120
Yeardsley cum Whaley ...	1,621	9	13	—	1	23	13·5	18	11·1	—	—
Rural Districts.											
Bucklow	21,883	159	181	6	11	357	15·1	261	11·9	38	106
Chester	11,091	105	110	2	6	223	17·4	135	12·2	18	81
Congleton...	12,840	122	121	4	8	255	19·7	155	12·1	19	75
Disley	2,972	31	23	—	1	55	18·4	33	11·1	4	73
Macclesfield	16,680	130	130	5	3	268	15·9	208	12·5	21	78
Malpas	4,330	41	43	6	4	94	20·1	53	12·2	5	53
Nantwich	24,572	251	229	15	18	513	20·2	315	12·8	39	76
Northwich	23,435	221	241	9	18	489	20·7	285	12·2	39	80
Runcorn	28,405	281	249	10	8	548	18·6	314	11·1	34	62
Tarvin	12,850	128	119	6	8	261	19·6	185	14·4	8	31
Tintwistle	2,184	10	20	2	1	33	14·9	33	15·1	3	91
Wirral	20,114*	189	180	8	12	389	19·1	237	11·8	37	95
CORNWALL.	307,626	2,789	2,747	162	178	5,876	17·8	4,951	16·1	539	92
Total Urban Districts ...	132,736	1,213	1,171	75	91	2,550	17·2	2,206	16·6	265	104
Total Rural Districts ...	174,890	1,576	1,576	87	87	3,326	18·4	2,745	15·7	274	82
Urban Districts.											
Bodmin, M.B.	4,014	23	33	2	6	64	11·0	72	17·9	8	125
Callington	1,663	15	9	1	2	27	15·8	28	16·8	2	74
Camborne	15,418	167	156	11	10	344	21·4	233	15·1	30	87
Falmouth, M.B.	10,811	98	98	5	9	210	15·6	195	18·0	30	143
Fowey, M.B.	1,893	8	12	—	—	20	8·8	24	12·7	—	—
Hayle	973	10	7	1	1	19	18·7	8	8·2	1	53
Helston M.B.	2,603	26	23	4	2	55	19·0	66	25·4	11	200
Launceston M.B.... ...	3,901	22	27	3	3	55	13·3	68	17·4	4	73
Liskeard M.B.	4,123	35	30	4	3	72	16·1	68	16·5	7	97
Looe	2,605	19	16	—	—	35	12·7	21	8·1	1	29
Lostwithiel M.B.... ...	1,250	13	9	—	1	23	16·6	24	19·2	2	87
Ludgvan	2,169	22	15	2	1	40	18·2	28	12·9	4	100
Madron	3,439	30	23	3	1	57	15·1	45	13·1	8	140
Newquay	4,212	22	29	—	4	55	11·6	53	12·6	5	91
Padstow	1,503	18	15	1	3	37	13·7	19	12·6	1	27
Paul	5,534	59	46	1	2	108	18·2	88	15·9	12	111
Penryn M.B.	2,917	33	35	—	3	71	23·1	56	19·2	14	197
Penzance M.B.	11,409	84	90	7	5	186	13·7	239	20·9	24	129

POPULATION, BIRTHS, AND DEATHS (Civil Population only), IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
CORNWALL—*cont.*											
Phillack	3,746	52	35	3	3	93	26·2	51	13·6	6	65
Redruth	10,474	111	80	9	12	212	19·4	196	18·7	22	104
St. Austell	2,935	31	27	1	—	59	17·5	49	16·7	3	51
St. Ives M.B.	6,391	60	51	1	1	113	15·5	102	16·0	8	71
St. Just	5,403	56	64	1	3	124	21·5	99	18·3	17	137
Saltash M.B.	3,632	23	41	2	3	69	16·0	66	18·2	11	159
Stratton and Bude ...	2,755	24	34	3	1	62	19·7	38	13·8	3	48
Torpoint	4,192	34	50	—	—	84	18·7	62	14·8	9	107
Truro M.B.	10,446	95	105	10	11	221	19·6	173	16·6	21	95
Wadebridge	2,325	23	11	—	1	35	14·7	35	15·1	1	29
Rural Districts.											
Bodmin	10,099	80	93	3	8	184	17·8	144	14·3	11	60
Calstock	4,683	29	33	5	1	68	14·7	82	17·5	10	147
Camelford	7,251	74	60	6	3	143	19·2	97	13·4	10	70
East Kerrier	7,869	78	62	3	2	145	18·2	115	14·6	12	83
Helston	16,304	156	136	7	10	309	18·1	274	16·8	29	94
Holsworthy (part of) § ...	312	2	2	—	—	4	12·3	2	6·4	—	—
Launceston	7,246	55	54	2	4	115	15·4	114	15·7	8	70
Liskeard	14,136	124	121	5	7	257	16·8	221	15·6	14	54
Redruth	17,201	177	221	12	6	416	23·2	312	18·1	45	108
St. Austell	30,402	303	301	20	18	642	20·6	448	14·7	59	92
St. Columb Major ...	11,184	77	86	6	9	178	15·6	170	15·2	18	101
St. Germans	11,478	106	108	4	5	223	19·0	174	15·2	13	58
Scilly, Isles of	1,663	10	6	1	—	17	8·1	33	19·8	—	—
Stratton	4,888	60	43	—	2	105	21·4	55	11·3	4	38
Truro	19,585	164	169	11	8	352	17·5	364	18·6	29	82
West Penwith	10,589	81	81	2	4	168	15·1	140	13·2	12	71
CUMBERLAND.	204,939	2,332	2,313	153	132	4,930	23·2	3,531	17·2	597	121
Total Urban Districts ...	114,091	1,405	1,389	87	60	2,941	25·0	2,145	18·8	413	140
Total Rural Districts ...	90,848	927	924	66	72	1,989	20·9	1,386	15·3	184	93
Urban Districts.											
Arlecdon and Frizington	4,900	74	82	7	1	164	31·9	98	20·0	19	116
Aspatria	3,331	50	36	3	—	89	25·8	69	20·7	11	124
Cleator Moor	7,991	111	115	4	4	234	28·0	148	18·5	26	111
Cockermouth	4,526	45	44	2	2	93	18·0	82	18·1	13	140
Egremont	6,275	84	79	6	5	174	27·0	115	18·3	28	161
Harrington	3,963	57	53	1	2	113	25·1	67	16·9	14	124
Holme Cultram	4,436	36	39	2	3	80	17·6	56	12·6	6	75
Keswick	4,381	27	33	1	2	63	14·3	59	13·5	2	32
Maryport	10,320	137	126	11	1	275	24·3	173	16·8	27	98
Millom	9,376	108	86	6	5	205	25·1	134	14·3	27	132
Penrith	8,230	78	77	9	11	175	19·6	132	16·0	24	137
Whitehaven M.B. ...	18,040	251	289	13	7	560	29·5	440	24·4	91	163
Wigton	3,419	38	30	3	5	76	20·6	62	18·1	5	66
Workington M.B. ...	24,903	309	300	19	12	640	25·8	510	20·5	120	188
Rural Districts.											
Alston with Garrigill ...	2,761	27	27	4	2	60	19·6	57	20·6	5	83
Bootle	5,502	43	50	2	3	98	17·4	77	14·0	7	71
Brampton...	7,717	53	55	5	7	120	15·4	124	16·1	9	75
Carlisle	10,790	81	96	5	6	188	15·9	166	15·4	16	85
Cockermouth	21,379	288	238	13	20	559	25·0	346	16·2	62	111
Longtown...	5,859	64	54	4	7	129	21·4	105	17·9	16	124
Penrith	12,282	107	104	11	9	231	18·6	163	13·3	19	82
Whitehaven	13,722	163	183	9	9	364	25·2	181	13·2	30	82
Wigton	10,836	101	117	13	9	240	21·1	167	15·4	20	83
DERBYSHIRE.	553,990	6,871	6,347	308	280	13,806	23·8	7,362	13·3	1,354	98
Total Urban Districts ...	284,948	3,544	3,339	166	152	7,201	24·2	3,944	13·8	783	109
Total Rural Districts ...	269,042	3,327	3,008	142	128	6,605	23·4	3,418	12·7	571	86
Urban Districts.											
Alfreton	19,431	267	262	9	15	553	28·5	229	11·8	35	63
Alvaston and Boulton ...	1,529	16	26	1	—	43	30·1	18	11·8	3	70
Ashbourne	3,888	33	37	1	3	74	18·2	53	13·6	10	135
Bakewell	2,837	28	13	—	2	43	13·7	34	12·0	5	116
Baslow and Bubnell ...	798	8	10	—	1	19	21·8	17	21·3	2	105
Belper	11,756	141	143	6	1	291	24·6	175	14·9	32	110
Bolsover	11,088	163	159	12	9	343	27·9	146	13·2	46	134
Bonsall	1,214	12	14	1	—	27	22·1	13	10·7	—	—
Brampton and Walton ...	2,287	22	22	3	2	49	23·2	34	14·9	1	20
Buxton	9,590	66	69	9	5	149	14·9	128	13·3	18	121

§ The remainder of Holsworthy Rural District is in Devonshire; *see* page 95.

POPULATION, BIRTHS, AND DEATHS (Civil Population only), IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
DERBYSHIRE—*cont.*											
Chesterfield M.B. ...	37,653	528	441	28	26	1,023	26·4	578	15·4	116	113
Clay Cross	8,108	129	118	6	9	262	31·3	139	17·1	37	141
Dronfield	4,179	37	48	4	1	90	22·6	65	15·6	11	122
Fairfield	4,299	39	47	4	2	92	20·9	65	15·1	14	152
Glossop M.B.	20,665	184	159	10	2	355	16·3	293	14·2	41	115
Heage	3,678	52	48	—	1	101	27·9	41	11·1	7	69
Heanor	20,918	269	258	5	10	542	26·1	235	11·2	42	77
Ilkeston M.B.	30,859	457	430	19	18	924	27·8	460	14·9	130	141
Long Eaton	17,460	184	175	5	2	366	17·6	204	11·7	28	77
Matlock	5,950	43	45	3	4	95	13·7	85	14·3	9	95
Matlock Bath and Scarthin Nick.	1,593	16	11	—	1	28	15·6	15	9·4	1	36
New Mills	8,288	64	74	4	3	145	15·6	124	15·0	24	166
North Darley	3,011	29	24	2	—	55	15·9	30	10·0	5	91
Ripley	12,661	178	157	6	8	349	28·4	144	11·4	28	80
South Darley	742	7	6	1	—	14	17·2	9	12·1	—	—
Swadlincote District ...	18,975	275	265	12	10	562	29·8	246	13·0	65	116
Whittington and Newbold	17,834	260	245	11	14	530	29·8	292	16·4	66	125
Wirksworth	3,657	37	33	4	3	77	19·7	72	19·7	7	91
Rural Districts.											
Ashbourne	10,318	114	103	7	3	227	22·1	130	12·6	15	66
Bakewell	19,380	169	162	8	5	344	16·6	313	16·2	23	67
Belper	25,451	241	221	11	11	484	20·3	294	11·6	34	70
Blackwell...	39,540	644	561	36	27	1,268	30·2	485	12·3	133	105
Chapel en le Frith ...	15,383	129	147	4	4	284	16·4	181	11·8	11	39
Chesterfield	71,888	1,018	973	34	44	2,069	27·9	965	13·4	202	98
Clowne	17,507	289	236	13	11	549	28·4	208	11·9	55	100
Glossop Dale	3,801	37	25	—	2	64	16·1	46	12·1	3	47
Hartshorn and Seals ...	8,113	96	100	5	3	204	24·9	94	11·6	20	98
Hayfield	4,054	39	24	—	2	65	11·8	47	11·6	3	46
Norton	4,228	35	24	2	1	62	15 3	43	10·2	3	48
Repton	14,453	156	126	10	4	296	18·1	192	13·3	16	54
Shardlow	30,959	322	260	9	9	600	18·8	371	12·0	48	80
Sudbury	2,527	23	27	3	1	54	19·9	29	11·5	5	93
Civil Parishes of Codnor Park and Shipley administered by Rural District Council of Basford (Nottinghamshire).	1,440	15	19	—	1	35	24·7	20	13·9	—	—
DEVONSHIRE.	400,985	3,303	3,184	205	201	6,893	15·7	6,206	15·5	601	87
Total Urban Districts ...	191,788*	1,502	1,433	105	104	3,144	14·9	3,102	16·2	287	91
Total Rural Districts ...	209,197*	1,801	1,751	100	97	3,749	16·6	3,104	14·8	314	84
Urban Districts.											
Ashburton	2,227	20	27	1	2	50	20·3	38	17·1	3	60
Axminster §	1,472*	9	17	1	1	28	16·6	16	10·9	—	—
Bampton	1,490	12	11	1	—	24	15·5	30	20·1	3	125
Barnstaple M.B.	13,479	114	99	7	11	231	15·9	227	16·8	14	61
Bideford M.B.	8,403	69	77	11	5	162	17·7	115	13·7	17	105
Brixham	7,738	85	79	1	5	170	21·5	139	18·0	24	141
Buckfastleigh	2,209	17	12	—	—	29	12·0	29	13·1	2	69
Budleigh Salterton ...	2,325	17	17	—	1	35	15·6	28	12·0	—	—
Crediton	3,305	21	22	—	5	48	13·5	66	20·0	5	104
Dartmouth M.B. ...	5,457	58	50	3	3	114	16·0	83	15·2	10	88
Dawlish	3,729	37	36	3	—	76	18·4	76	20·4	9	118
Exmouth	12,022	84	83	6	5	178	14·4	166	13·8	6	34
Great Torrington M.B. ...	2,828	21	28	3	1	53	17·7	36	12·7	1	19
Holsworthy	1,378	14	5	2	2	23	15·0	25	18·1	1	43
Honiton M.B.	2,904	35	19	1	2	57	18·0	42	14·5	5	88
Ilfracombe	8,517	56	51	8	1	116	12·8	125	14 7	12	103
Ivybridge	1,587	7	12	1	1	21	11·9	23	14·5	2	95
Kingsbridge	2,910	16	14	—	1	31	10·1	54	18 6	5	161
Lynton	1,726	15	9	—	—	24	13·3	25	14 5	4	167
Newton Abbot	12,939	113	107	5	8	233	16·6	213	16 5	26	112
Northam	5,362	49	28	2	—	79	14·3	77	14·4	13	165
Okehampton M.B. ...	3,045	19	29	1	1	50	15·0	55	18·1	13	260
Ottery St. Mary	3,445	22	33	—	1	56	14·9	41	11·9	2	36
Paignton	11,880	78	94	4	11	187	15·6	181	15 2	9	48
Salcombe	1,920	12	12	—	2	26	12·3	30	15 6	1	38
Seaton	1,734	9	6	—	—	15	8·4	22	12·7	—	—

§ Created on 1st April, 1915.

POPULATION, BIRTHS, AND DEATHS (Civil Population only), IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
DEVONSHIRE—*cont.*											
Sidmouth	4,637	42	34	3	3	82	13·7	60	12·9	4	49
South Molton M.B. ...	2,574	19	24	3	2	48	17·7	49	19·0	3	63
Tavistock	4,209	34	23	2	4	63	14·6	83	19·7	10	159
Teignmouth	8,919	46	55	9	3	113	12·1	156	17·5	20	177
Tiverton M.B.	9,077	82	70	2	3	157	15·5	147	16·2	16	102
Torquay M.B.	32,520	233	221	24	19	497	12·4	580	17·8	41	82
Totnes M.B.	3,821	37	29	1	1	68	16·4	65	17·0	6	88
Rural Districts.											
Axminster	10,173*	87	85	5	6	183	17·1	175	17·2	17	93
Barnstaple	17,629	133	140	6	7	286	15·6	229	13·0	19	66
Bideford	6,103	63	63	7	3	136	21·5	89	14·6	8	59
Broadwood Widger ...	2,260	18	19	—	1	38	16·0	27	11·9	3	79
Crediton	10,044	103	106	5	4	218	20·3	173	17·2	18	83
Culmstock	3,214	27	22	4	3	56	16·7	56	17·4	5	89
Holsworthy (part of)§ ...	6,772	66	51	3	4	124	17·6	103	15·2	9	73
Honiton	9,105	68	57	4	4	133	13·8	121	13·3	8	60
Kingsbridge	11,132	81	92	6	7	186	15·9	150	13·5	16	86
Newton Abbot	18,782	145	170	6	7	328	16·7	252	13·4	33	101
Okehampton	12,867	103	107	10	4	224	16·3	192	14·9	12	54
Plympton St. Mary ...	19,173	195	169	11	12	387	17·7	327	17·1	40	103
St. Thomas	23,467	205	196	11	16	428	15·8	383	16·3	34	79
South Molton	10,181	96	70	7	2	175	16·1	131	12·9	12	69
Tavistock	14,358	111	113	4	3	231	14·3	205	14·3	26	113
Tiverton	14,382	120	131	3	4	258	17·1	196	13·6	20	78
Torrington	8,396	83	68	4	3	158	17·8	122	14·5	16	101
Totnes	11,159	97	92	4	7	200	16·1	173	15·5	18	90
DORSETSHIRE.	206,982	1,934	1,848	120	97	3,999	17·5	3,090	14·9	317	79
Total Urban Districts ...	108,357	1,035	998	75	61	2,169	17·6	1,588	14·7	189	87
Total Rural Districts ...	98,625	899	850	45	36	1,830	17·3	1,502	15·2	128	70
Urban Districts.											
Blandford Forum M.B. ...	3,349	31	34	2	3	70	20·4	68	20·3	10	143
Bridport M.B.	5,557	50	47	1	2	100	16·9	114	20·5	11	110
Dorchester M.B.	8,873	72	83	11	3	169	17·0	139	15·7	13	77
Lyme Regis M.B. ...	2,238	24	15	2	—	41	13·9	40	17·9	6	146
Poole M.B.	39,461	398	383	34	26	841	20·2	520	13·2	74	88
Portland	9,159	111	90	7	5	213	12·2	117	12·8	20	94
Shaftesbury M.B. ...	1,761	9	17	—	—	26	14·2	34	19·3	1	38
Sherborne...	5,514	45	44	—	2	91	15·2	86	15·6	10	110
Swanage	4,643	39	32	3	4	78	15·6	57	12·3	4	51
Wareham M.B.	2,100	20	17	2	3	42	21·0	41	19·5	2	48
Weymouth and Melcombe Regis M.B.	22,224	202	215	13	10	440	19·2	322	14·5	35	80
Wimborne Minster ...	3,478	34	21	—	3	58	15·6	50	14·4	3	52
Rural Districts.											
Beaminster	8,389	73	77	4	—	154	16·7	128	15·3	12	78
Blandford	8,195	57	66	7	3	133	15·2	119	14·5	8	60
Bridport	6,408	70	53	1	2	126	18·7	124	19·4	6	48
Cerne	4,437	41	33	1	2	77	15·8	77	17·4	4	52
Dorchester	7,824	81	76	3	4	164	17·0	95	12·1	11	67
Poole	6,995	79	55	4	3	141	21·1	87	12·4	11	78
Shaftesbury	9,859	88	81	4	1	174	16·0	146	14·8	10	57
Sherborne	5,324	51	39	—	2	92	15·4	90	16·9	5	54
Sturminster	7,448	65	67	—	3	135	16·0	136	18·3	11	81
Wareham and Purbeck ...	10,506	82	90	6	8	186	17·6	154	14·7	10	54
Weymouth	8,822	75	93	4	4	176	20·6	140	15·9	13	74
Wimborne and Cranborne	14,418	137	120	11	4	272	17·7	206	14·3	27	99
DURHAM.‖	855,685*	12,633	12,424	534	519	26,110	28·7	14,788	17·3	3,462	133
Total Urban Districts‖ ...	464,380	6,850	6,755	298	304	14,207	28·7	8,460	18·2	1,866	131
Total Rural Districts ...	391,305*	5,783	5,669	236	215	11,903	28·7	6,328	16·2	1,596	134
Urban Districts.											
Annfield Plain	15,889	221	222	8	4	455	25·9	271	17·1	64	141
Barnard Castle	4,206	39	42	3	3	87	18·0	88	20·9	7	80
Benfieldside	7,568	105	101	3	11	220	25·6	136	18·0	26	118
Bishop Auckland ...	12,825	166	131	11	9	317	22·2	248	19·3	50	158
Blaydon	30,699	502	491	23	20	1,036	30·5	487	15·9	139	134
Brandon and Byshottles...	16,902	302	260	10	9	581	31·9	326	19·3	72	124
Chester le Street... ...	14,091	186	180	12	12	390	25·2	229	16·3	49	126
Consett	10,688	139	132	6	12	289	24·9	213	19·9	34	118

§ The remainder of Holsworthy Rural District is in Cornwall ; *see page* 93.
‖ Excluding Darlington (constituted a County Borough, 1st April, 1915) for the whole year.

Population, Births, and Deaths (Civil Population only), in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Durham—*cont.*											
Crook	11,823	177	170	7	9	363	29·0	197	16·7	45	124
Durham, M.B.	14,712	184	159	13	11	367	20·5	343	23·3	61	166
Felling	24,697	362	353	13	15	743	28·9	469	19·0	92	124
Hartlepool, M.B.... ...	18,819	262	264	5	15	546	27·2	372	19·8	52	95
Hebburn	22,805	381	361	16	13	771	35·1	382	16·8	85	110
Hetton	15,477	277	268	6	14	565	34·9	289	18·7	82	145
Houghton le Spring ...	8,979	136	135	5	2	278	27·2	178	19·8	42	151
Jarrow, M.B.	35,394	495	517	15	15	1,042	31·0	762	21·5	157	151
Leadgate	4,791	66	76	4	—	146	28·8	86	18·0	25	171
Ryton	11,286	207	195	7	8	417	29·6	181	16·0	41	98
Seaham Harbour... ...	15,857	282	250	10	13	555	32·3	300	18·9	91	164
Shildon	12,974	189	177	13	8	387	27·8	239	18·4	55	142
Southwick on Wear ...	13,634	213	199	11	8	431	30·6	259	19·0	65	151
Spennymoor	16,785	257	282	10	9	558	30·6	310	18·5	68	122
Stanhope	1,792	20	20	1	2	43	21·3	30	16·7	4	93
Stanley	22,989	381	378	21	16	796	30·9	391	17·0	105	132
Stockton on Tees, M.B....	57,882	803	795	37	37	1,672	28·3	1,062	18·3	215	129
Tanfield	9,673	119	145	5	7	276	26·1	150	15·5	35	127
Tow Law	3,449	42	50	3	4	99	23·0	64	18·6	14	141
Whickham	18,898	235	270	16	12	533	27·0	262	13·9	67	126
Willington	8,796	102	132	4	6	244	27·3	136	15·5	24	98
Rural Districts.											
Auckland	57,644	820	831	28	37	1,716	28·6	956	16·6	233	136
Barnard Castle	11,378	129	128	9	6	272	22·9	197	17·3	31	114
Chester le Street	63,555	989	983	46	35	2,053	30·3	1,078	17·0	279	136
Darlington	9,545*	125	91	9	4	229	23·3	143	15·0	26	114
Durham	29,238	445	418	17	21	901	28·4	474	16·2	112	124
Easington...	66,471	1,074	1,067	47	42	2,230	34·3	1,163	17·5	346	155
Hartlepool	2,735	29	27	—	3	59	17·0	44	16·1	6	102
Houghton le Spring ...	25,081	410	412	17	13	852	31·5	428	17·1	130	153
Lanchester	30,630	446	420	20	18	904	27·0	427	13·9	99	110
Sedgefield	32,398	490	518	13	13	1,034	27·9	471	14·5	136	132
South Shields	15,456	218	171	5	4	398	25·8	222	14·4	46	116
Stockton	11,091	125	128	2	4	259	22·6	137	12·4	21	81
Sunderland	27,161	394	399	16	9	818	26·8	466	17·2	122	149
Weardale	8,922	89	76	7	6	178	18·5	122	13·7	9	51
Ely, Isle of.	69,247	758	689	57	43	1,547	21·8	1,051	15·2	144	93
Total Urban Districts ...	35,815	362	332	39	30	763	20·4	574	16·0	82	107
Total Rural Districts ...	33,432	396	357	18	13	784	23·2	477	14·3	62	79
Urban Districts.											
Chatteris	5,103	47	47	8	2	104	19·3	71	13·9	11	106
Ely	7,468	77	68	9	6	160	20·1	136	18·2	23	144
March	8,481	99	79	8	8	194	22·5	124	14·6	18	93
Whittlesey	4,084	33	40	3	3	79	18·4	56	13·7	6	76
Wisbech, M.B.	10,679	106	98	11	11	226	20·4	187	17·5	24	106
Rural Districts.											
Ely	12,804	145	128	3	5	281	21·5	188	14·7	19	68
North Witchford ...	4,941	49	55	4	2	110	20·6	73	14·8	9	82
Thorney	2,045	19	33	—	1	53	27·5	27	13·2	3	57
Whittlesey	3,269	46	33	3	1	83	24·2	32	9·8	7	84
Wisbech	10,373	137	108	8	4	257	25·7	157	15·1	24	93
Essex.§	860,695	8,632	8,280	366	344	17,622	19·6	11,424	13·3	1,530	87
Total Urban Districts§ ...	608,752	6,316	6,036	231	245	12,828	20·2	7,672	12·6	1,138	89
Total Rural Districts ...	251,943	2,316	2,244	135	99	4,794	18·1	3,752	14·9	392	82
Urban Districts.											
Barking Town	34,479	443	465	14	12	934	27·7	507	14·7	110	118
Braintree	6,375	61	49	3	—	113	17·7	109	17·1	16	142
Brentwood	6,255	50	52	6	2	110	14·8	88	14·1	8	73
Brightlingsea	4,370	45	29	3	—	77	17·6	73	16·7	8	104
Buckhurst Hill	4,770	53	38	6	14	111	22·6	60	12·6	4	36
Burnham on Crouch ...	3,183	16	27	4	2	49	15·0	51	16·0	3	61
Chelmsford M.B. ...	19,836	193	203	9	12	417	22·4	278	14·0	34	82
Chingford...	9,078	89	82	5	6	182	19·9	101	11·1	19	104
Clacton	9,127	71	70	10	4	155	15·0	124	13·6	17	110
Colchester M.B.	38,699	377	363	23	20	783	17·5	574	14·8	66	84
Epping	4,120	41	38	1	1	81	18·5	59	14·3	7	86
Frinton on Sea	1,614	11	8	1	2	22	12·7	15	9·3	—	—

§ Excluding East Ham (constituted a County Borough 1st April, 1915) for the whole year.

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
ESSEX—*cont.*											
Grays Thurrock	16,083	194	185	6	8	393	23·8	200	12·4	46	117
Halstead	5,891	46	43	3	2	94	14·9	99	16·8	5	53
Harwich M.B.	11,984	171	155	7	8	341	23·5	177	14·8	37	109
Ilford	80,832	749	724	26	30	1,529	17·5	853	10·6	125	82
Leyton	124,497	1,326	1,224	36	44	2,630	20·0	1,489	12·0	221	84
Loughton	5,642	37	40	2	2	81	14·4	55	9·7	6	74
Maldon M.B.	5,736	59	50	9	1	119	18·5	86	15·0	9	76
Romford	17,985	192	188	11	10	401	22·5	238	13·2	34	85
Saffron Walden M.B. ...	5,544	36	47	2	3	88	13·7	94	17·0	5	57
Shoeburyness	4,590	57	61	1	2	121	23·1	70	15·3	12	99
Tilbury	6,330	99	96	2	2	199	29·5	124	19·6	22	111
Waltham Holy Cross ...	7,294	76	63	2	5	146	21·3	102	14·0	12	82
Walthamstow	131,718	1,443	1,371	32	40	2,886	21·9	1,587	12·0	271	94
Walton on the Naze ...	2,030	16	19	—	1	36	16·3	25	12·3	2	56
Wanstead	15,635	139	110	3	1	253	16·9	137	8·8	12	47
Witham	3,327	27	42	—	3	72	20·6	55	16·5	4	56
Wivenhoe	2,303	18	28	—	2	48	20·6	35	15·2	3	63
Woodford	19,428	181	166	4	6	357	18·1	207	10·7	20	56
Rural Districts.											
Belchamp	4,252	40	27	2	4	73	15·8	77	18·1	4	55
Billericay	19,221	168	176	18	7	369	16·3	286	14·9	32	87
Braintree	17,764	164	163	8	6	341	18·4	304	17·1	40	117
Bumpstead	2,338	21	18	2	—	41	15·7	27	11·5	5	122
Chelmsford	22,661	213	221	17	11	462	19·8	349	15·4	28	61
Dunmow	14,944	134	130	4	8	276	17·1	250	16·7	15	54
Epping	13,828	112	106	4	7	229	16·1	176	12·7	17	74
Halstead	9,644	71	80	2	6	159	15·3	157	16·3	13	82
Lexden and Winstree ...	18,946	141	134	10	5	290	14·5	287	15·1	28	97
Maldon	15,339	141	123	4	5	273	16·5	245	16·0	13	48
Ongar	10,047	116	96	10	4	226	20·9	159	15·8	17	75
Orsett	19,948	221	196	11	3	431	22·2	263	13·2	39	90
Rochford	19,015	178	177	10	9	374	19·6	258	13·6	31	83
Romford	26,692	257	260	15	7	539	20·0	336	12·6	43	80
Saffron Walden	10,139	78	100	1	5	184	17·0	152	15·0	21	114
Stansted	6,956	64	36	6	2	108	15·2	129	18·5	15	139
Tendring	20,209	197	201	11	10	419	18·7	297	14·7	31	74
GLOUCESTERSHIRE.	311,767	2,963	2,850	144	164	6,121	18·5	4,824	15·5	512	84
Total Urban Districts ...	92,049	826	802	52	64	1,744	17·4	1,552	16·9	158	91
Total Rural Districts ...	219,718	2,137	2,048	92	100	4,377	19·0	3,272	14·9	354	81
Urban Districts.											
Awre	1,055	7	9	—	—	16	15·1	13	12·3	—	—
Charlton Kings	4,329	45	29	2	2	78	16·7	71	16·4	10	128
Cheltenham M.B. ...	43,266	368	341	26	38	773	15·8	784	18·1	68	88
Cirencester	6,940	64	53	6	4	127	16·6	120	17·3	16	126
Coleford	2,577	34	38	—	1	73	27·9	41	15·9	6	82
Kingswood	12,993	130	124	6	7	267	20·7	157	12·1	22	82
Nailsworth	2,922	25	28	1	1	55	18·1	50	17·1	6	109
Newnham	1,024	10	7	1	—	18	18·4	14	13·7	—	—
Stow on the Wold ...	1,127	12	15	—	1	28	21·9	17	15·1	1	36
Stroud	7,929	63	80	5	6	154	17·8	153	19·3	14	91
Tetbury	1,535	12	14	2	—	28	16·5	31	20·2	4	143
Tewkesbury M.B. ...	4,717	42	51	2	3	98	18·7	75	15·9	9	92
Westbury on Severn ...	1,635	14	13	1	1	29	16·1	26	15·9	2	69
Rural Districts.											
Campden	5,101	48	63	3	4	118	20·9	92	18·0	10	85
Cheltenham	5,157	41	34	4	1	80	14·8	68	13·2	4	50
Chipping Sodbury ...	19,905	185	174	4	10	373	18·0	323	16·2	28	75
Cirencester	11,637	115	95	3	4	217	16·8	186	16·0	16	74
Dursley	12,020	102	113	4	5	224	18·1	149	12·4	18	80
East Dean and United Parishes.	19,918	239	240	15	8	502	25·2	308	15·5	44	88
Faringdon (part of)§ ...	1,053	8	13	—	1	22	18·9	17	16·1	—	—
Gloucester	10,847	94	84	5	5	188	14·4	142	13·1	12	64
Lydney	9,071	97	98	2	3	200	22·0	104	11·5	13	65
Marston Sicca	1,676	11	13	1	3	28	17·1	23	13·7	—	—
Newent	6,704	58	65	1	1	125	18·0	106	15·8	14	112
Northleach	7,610	76	81	5	9	171	21·3	121	15·9	14	82
Pebworth	3,160	29	24	—	2	55	16·6	44	13·9	3	55

§ The remainder of Faringdon Rural District is in Berkshire; *see page* 91.

Population, Births, and Deaths (Civil Population only) in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Gloucestershire—*cont.*											
Stow on the Wold (part of)§	6,259	58	50	4	5	117	17·0	108	17·3	7	60
Stroud	27,186	246	226	6	4	482	17·1	432	15·9	44	91
Tetbury (part of)‖ ...	3,467	37	28	1	2	68	17·3	43	12·4	6	88
Tewkesbury (part of)§ ...	4,663	36	37	1	3	77	15·1	74	15·9	3	39
Thornbury	17,711	176	153	9	7	345	17·9	245	13·8	23	67
Warmley	17,507	165	160	9	5	339	19·4	225	12·9	38	112
West Dean	14,219	176	163	8	7	354	25·9	221	15·5	32	90
Wheatenhurst	5,924	52	50	3	6	111	18·2	96	16·2	10	90
Winchcomb (part of)§ ...	8,923	88	84	4	5	181	18·6	145	16·2	15	83
Herefordshire.	106,879	1,003	970	56	83	2,112	18·5	1,735	16·2	167	79
Total Urban Districts ...	36,834	350	330	24	21	725	18·0	600	16·3	72	99
Total Rural Districts ...	70,045	653	640	32	62	1,387	18·7	1,135	16·2	95	68
Urban Districts.											
Bromyard...	1,565	16	12	3	1	32	18·7	23	14·7	1	31
Hereford M.B.	21,219	209	184	15	13	421	18·4	326	15·4	34	81
Kington	1,562	16	16	1	1	34	19·0	29	18·6	1	29
Ledbury	2,934	34	29	1	—	64	18·9	46	15·7	9	141
Leominster M.B. ...	5,269	44	49	4	4	101	17·7	83	15·8	16	158
Ross	4,285	31	40	—	2	73	15·4	93	21·7	11	151
Rural Districts.											
Bredwardine	1,856	23	21	3	1	48	24·4	26	14·0	1	21
Bromyard...	7,504	60	68	7	9	144	18·3	112	14·9	11	76
Dore	6,028	47	58	1	4	110	17·1	122	20·2	8	73
Hereford	12,092	116	100	4	7	227	16·6	217	17·9	15	66
Kington	4,666	48	47	3	3	101	20·5	75	16·1	6	59
Ledbury	8,618	78	77	6	9	170	18·8	128	14·9	16	94
Leominster	7,565	68	74	3	7	152	19·2	120	15·9	10	66
Ross	10,138	101	89	3	9	202	19·3	162	16·0	9	45
Weobley	6,377	60	51	2	3	116	17·5	96	15·1	10	86
Whitchurch	1,535	10	17	—	3	30	19·7	32	20·8	5	167
Wigmore	3,666	42	38	—	7	87	23·6	45	12·3	4	46
Hertfordshire.	305,122	2,988	2,784	157	120	6,049	18·6	4,022	13·2	453	75
Total Urban Districts ...	202,953	1,937	1,873	105	70	3,985	18·7	2,658	13·1	298	75
Total Rural Districts ...	102,169	1,051	911	52	50	2,064	18·5	1,364	13·4	155	75
Urban Districts.											
Baldock	2,285	25	23	1	1	50	21·2	37	16·2	6	120
Barnet	11,359	108	82	3	7	200	16·8	149	13·1	19	95
Bishop's Stortford ...	8,158	79	60	4	7	150	16·5	116	14·2	11	73
Bushey	6,964	55	48	4	1	108	14·2	72	10·3	9	83
Cheshunt	14,013	139	136	7	5	287	21·9	174	12·4	27	94
Chorleywood	2,140	24	15	—	1	40	18·7	11	5·1	5	125
East Barnet Valley ...	12,595	116	107	2	—	225	17·4	128	10·2	10	44
Great Berkhampstead ...	7,084	57	58	4	3	122	16·2	82	11·6	8	66
Harpenden	6,255	47	44	2	3	96	14·7	69	11·0	4	42
Hemel Hempstead M.B....	12,403	130	144	5	4	283	21·3	209	16·9	21	74
Hertford M.B.	9,583	81	94	8	5	188	17·7	166	17·3	17	90
Hitchin	11,471	121	113	9	2	245	19·8	125	10·9	15	61
Hoddesdon	5,073	56	53	7	—	116	21·8	76	15·0	7	60
Rickmansworth	6,944	71	54	1	2	128	18·1	94	13·5	12	94
Royston	3,706	24	20	1	1	46	11·2	73	19·7	7	152
St. Albans M.B.	24,393	222	222	13	12	469	18·3	312	12·8	32	68
Sawbridgeworth	2,224	22	12	—	—	34	14·4	36	16·2	1	29
Stevenage...	4,930	39	64	4	1	108	21·3	74	15·0	10	93
Tring	4,202	46	41	5	1	93	20·6	64	15·2	7	75
Ware	5,531	49	65	5	6	125	21·2	83	15·0	9	72
Watford	41,640	426	418	20	8	872	19·9	508	12·2	61	70
Rural Districts.											
Ashwell	3,897	30	41	2	—	73	18·5	50	12·8	4	55
Barnet	4,143	50	50	—	1	101	23·7	44	10·6	7	69
Berkhampstead	4,479	40	39	2	4	85	18·1	55	12·3	8	94
Buntingford	4,690	44	41	3	5	93	18·5	86	18·3	4	43
Hadham	5,486	55	38	7	5	105	17·7	83	15·1	5	48
Hatfield	8,242	98	87	7	5	197	22·2	112	13·6	13	66
Hemel Hempstead ...	6,486	71	52	2	5	130	19·4	93	14·3	11	85
Hertford	7,423	78	54	1	6	139	18·1	83	11·2	13	94
Hitchin	21,580	236	202	13	7	458	23·0	261	12·1	39	85

§ The remaining parts of Stow on the Wold, Tewkesbury, and Winchcomb Rural Districts are in Worcestershire; *see page* 114.
‖ The remainder of Tetbury Rural District is in Wiltshire; *see page* 113.

Population, Births, and Deaths (Civil Population only) in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Hertfordshire—*cont.*											
St. Albans	10,444	118	107	11	8	244	17·0	165	15·8	15	61
Ware	10,240	104	92	1	2	199	17·1	149	14·6	19	95
Watford	12,614	102	92	3	1	198	12·5	157	12·4	15	76
Welwyn	2,445	25	16	—	1	42	17·0	26	10·6	2	48
Huntingdonshire.	53,246	469	489	33	42	1,033	18·5	829	15·6	84	81
Total Urban Districts ...	22,949	208	241	16	18	483	20·2	336	14·6	38	79
Total Rural Districts ...	30,297	261	248	17	24	550	17·2	493	16·3	46	84
Urban Districts.											
Godmanchester, M.B. ...	1,960	17	25	2	1	45	20·9	36	18·4	3	67
Huntingdon, M.B. ...	3,856	26	34	3	3	66	16·8	50	13·0	2	30
Old Fletton	5,101	57	57	6	7	127	24·8	73	14·3	14	110
Ramsey	5,264	54	61	2	3	120	22·0	67	12·7	11	92
St. Ives, M.B.	2,782	22	18	—	1	41	13·5	40	14·4	2	49
St. Neots	3,986	32	46	3	3	84	19·8	70	17·6	6	71
Rural Districts.											
Huntingdon	6,512	52	61	5	6	124	17·9	103	15·8	12	97
Norman Cross	5,336	51	58	1	2	112	19·9	81	15·2	8	71
Oundle (part of)§ ...	1,070	9	9	1	—	19	17·0	15	14·0	3	158
St. Ives	9,246	89	61	4	5	159	16·3	156	16·9	14	88
St. Neots	6,872	48	51	4	9	112	15·5	109	15·9	7	63
Thrapston (part of)§ ...	851	6	6	1	—	13	14·7	22	25·9	2	154
Civil Parish of Sibson cum Stibbington administered by Rural District Council of Barnack (Soke of Peterborough).	410	6	2	1	2	11	25·3	7	17·1	—	—
Kent.	985,147	9,695	9,310	509	497	20,011	19·2	14,320	14·5	1,784	89
Total Urban Districts ...	682,086	6,854	6,568	358	350	14,130	19·4	10,159	14·9	1,302	92
Total Rural Districts ...	303,061	2,841	2,742	151	147	5,881	18·7	4,161	13·7	482	82
Urban Districts.											
Ashford	14,200	127	113	8	8	256	18·4	204	14·4	27	105
Beckenham	31,569	276	258	14	5	553	16·7	338	10·7	39	71
Bexley	18,660	210	160	9	5	384	23·3	280	15·0	45	117
Broadstairs and St. Peter's	9,423	51	68	—	—	119	11·2	108	11·5	4	34
Bromley, M.B.	32,768	291	296	17	17	621	17·6	381	11·6	33	53
Chatham, M.B.	39,248	473	430	20	21	944	21·7	734	18·7	115	122
Cheriton	4,913	71	62	9	7	149	19·4	97	19·7	23	154
Chislehurst	8,341	75	79	6	3	163	18·2	87	10·4	19	117
Dartford	22,337	251	212	10	9	482	19·4	272	12·2	43	89
Deal, M.B.	10,566	99	106	8	5	218	19·0	204	19·3	24	110
Dover, M.B.	38,571	433	417	17	26	893	20·3	661	17·1	112	125
Erith	35,232	373	346	13	9	741	26·1	368	10·4	56	76
Faversham, M.B. ...	11,272	132	123	1	5	261	25·0	174	15·4	22	84
Folkestone, M.B.‖ ...	32,753	291	313	29	25	658	19·5	513	15·7	74	112
Foots Cray	8,738	73	71	6	5	155	17·4	91	10·4	10	65
Gillingham, M.B. ...	45,058	534	515	10	13	1,072	19·6	651	14·4	104	97
Gravesend, M.B.	27,808	285	298	15	11	609	21·5	429	15·4	57	94
Herne Bay	7,238	46	51	5	6	108	13·4	120	16·6	6	56
Hythe, M.B.	6,698	61	62	9	7	139	21·1	110	16·4	12	86
Lydd, M.B.	2,336	32	23	—	—	55	18·8	32	13·7	5	91
Maidstone, M.B.	32,128	334	323	23	26	706	19·6	551	17·2	70	99
Margate, M.B.	25,278	212	199	17	14	442	15·0	330	13·1	30	68
Milton Regis	6,976	80	62	4	3	149	19·7	96	13·8	8	54
New Romney, M.B. ...	1,222	8	10	1	2	21	15·7	24	19·6	2	95
Northfleet...	14,756	203	181	11	9	404	27·9	232	15·7	36	89
Penge	22,218	181	212	14	14	421	18·9	333	15·0	40	95
Queenborough, M.B. ...	3,034	42	41	1	1	85	28·0	43	14·2	12	141
Ramsgate, M.B.	25,899	261	224	11	19	515	17·1	449	17·3	36	70
Rochester, M.B.	31,125	345	282	18	17	662	21·0	466	15·0	53	80
Sandgate¶	1,723	8	11	2	1	22	7·4	27	15·7	1	45
Sandwich, M.B.	2,957	29	27	1	1	58	19·3	53	17·9	3	52
Sevenoaks...	8,795	60	69	4	5	138	14·6	122	13·9	13	94
Sheerness	16,598	209	201	3	6	419	24·2	299	18·0	45	107
Sittingbourne	8,463	91	103	5	8	207	25·1	121	14·3	12	58
Southborough	6,567	62	53	5	3	123	17·6	120	18·3	13	106
Tenterden, M.B.... ...	3,178	26	19	2	2	49	14·4	61	19·2	2	41
Tonbridge	13,946	113	144	6	11	274	17·9	203	14·6	23	84

§ The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire; *see page* 106.
‖ Excluding C.P. of Folkestone next Sandgate. ¶ Including C.P. of Folkestone next Sandgate.

Population, Births, and Deaths (Civil Population only) in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Kent—*cont.*											
Tunbridge Wells, M.B. ...	33,430	248	269	18	18	553	15·2	560	16·8	51	92
Walmer	3,808	53	36	1	1	91	17·2	49	12·9	6	66
Whitstable	8,162	69	63	3	1	136	16·6	124	15·2	10	74
Wrotham	4,094	36	36	2	1	75	17·4	42	10·3	6	80
Rural Districts.											
Blean	7,267	65	48	7	7	127	16·4	90	12·4	7	55
Bridge	9,477	105	94	5	11	215	19·1	151	15·9	17	79
Bromley	23,058	212	196	9	7	424	18·6	281	12·2	36	85
Cranbrook	12,806	139	88	9	8	244	17·6	193	15·1	21	86
Dartford	39,870	432	409	11	16	868	21·4	496	12·4	78	90
Dover	7,132	45	63	3	3	114	12·9	99	13·9	14	123
East Ashford	13,925	133	120	6	4	263	19·1	178	12 8	24	91
Eastry	12,683	111	134	6	7	258	19·2	179	14·1	15	58
Elham	7,551	47	66	1	4	118	15·5	119	15·8	13	110
Faversham	14,474	146	155	7	5	313	22·6	219	15·1	23	73
Hollingbourne	12,432	105	92	4	3	204	15·8	193	15·5	19	93
Hoo	4,059	59	41	—	2	102	26·2	64	15·8	8	78
Isle of Thanet	9,518	74	69	5	7	155	14·3	144	15·1	13	84
Maidstone...	16,478	167	148	8	14	337	20·3	261	15·8	32	95
Malling	23,463	226	221	16	11	474	19·7	331	14·1	33	70
Milton	12,890	122	143	5	6	276	22·0	186	14·4	35	127
Romney Marsh	2,728	20	32	3	2	57	20·0	38	13·9	5	88
Sevenoaks...	23,177	182	198	11	6	397	16·3	281	12·1	30	76
Sheppey	4,231	44	42	4	4	94	20·6	61	14·4	8	85
Strood	15,446	156	143	10	2	311	20·0	202	13·1	22	71
Tenterden	5,739	58	51	4	3	116	19·0	90	15·7	9	78
Tonbridge	17,204	142	142	11	11	306	17·1	199	11·6	12	39
West Ashford	7,453	51	47	6	4	108	13·5	106	14·2	8	74
Lancashire.	1,666,467	16,998	16,402	655	658	34,713	19·9	25,650	15·4	4,151	120
Total Urban Districts ...	1,436,698	14,771	14,283	582	585	30,221	20·2	22,518	15·7	3,725	123
Total Rural Districts ...	229,769	2,227	2,119	73	73	4,492	18·4	3,132	13·6	426	95
Urban Districts.											
Abram	6,782	91	89	3	3	186	26·4	121	17·8	32	172
Accrington M.B.	43,050	378	349	12	14	753	16·5	650	15·1	78	104
Adlington	4,416	42	50	1	—	93	20·9	52	11·8	8	86
Ashton in Makerfield ...	21,709	298	289	13	10	610	27·4	381	17·6	96	157
Ashton under Lyne M.B.	41,149	432	411	40	22	905	19·9	792	19·2	154	170
Aspull	7,849	104	93	4	4	205	24·9	137	17·5	35	171
Atherton	19,065	225	228	5	16	474	24·1	256	13·4	50	105
Audenshaw	7,776	81	72	3	3	159	19·5	135	17·4	19	119
Bacup M.B.	21,325	176	185	5	10	376	16·9	372	17·4	38	101
Barrowford	5,751	46	46	—	1	93	16·4	66	11·5	6	65
Billinge	4,611	52	60	2	1	115	22·7	78	16·9	15	130
Bispham with Norbreck...	2,965	15	13	—	—	28	10·9	45	15·2	—	—
Blackrod	3,741	43	49	2	2	96	24·6	52	13·9	12	125
Brierfield	8,258	87	58	1	4	150	17·6	117	14·2	11	73
Carnforth	3,020	32	37	—	1	70	22·1	42	13·9	4	57
Chadderton	27,868	321	315	7	16	659	22·6	429	15·4	81	123
Chorley M.B.	28,930	337	346	11	12	706	22·6	468	16·2	93	132
Church	6,507	57	56	2	1	116	16·6	102	15·7	10	86
Clayton le Moors ...	8,653	90	74	4	5	173	19·1	148	17·1	33	191
Clitheroe M.B.	12,034	117	110	4	4	235	18·4	179	14·9	20	85
Colne M.B.	25,272	195	215	11	7	428	16·2	358	14·2	51	119
Crompton	14,552	152	128	8	4	292	19·4	211	14·5	37	127
Croston	2,056	19	18	—	1	38	18·8	18	8·8	—	—
Dalton in Furness ...	12,684	172	149	13	10	344	33·7	195	15·4	45	131
Darwen M.B.	38,782	324	320	8	14	666	16·3	591	15·2	75	113
Denton	17,134	166	153	2	6	327	18·8	254	14·8	48	147
Droylsden	13,329	151	159	3	3	316	22·9	226	17·0	41	130
Eccles M.B.	42,274	446	399	17	21	883	20·1	672	15·9	106	120
Failsworth	16,707	176	201	7	8	392	23·8	257	15·4	38	97
Farnworth	26,241	276	282	8	10	576	20·1	482	18·4	101	175
Fleetwood	15,207	188	172	5	10	375	22·3	219	14·4	33	88
Formby	5,771	53	38	2	2	95	15·8	62	10·7	4	42
Fulwood	5,747	35	38	2	—	75	10·8	98	17·1	6	80
Golborne	6,622	106	89	3	3	201	28·9	156	23·6	39	194
Grange	1,901	9	7	—	—	16	6·8	31	16·3	—	—
Great Crosby	13,065	117	109	5	1	232	17·2	132	10·1	18	78

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
LANCASHIRE—*cont.*											
Great Harwood	13,858	114	114	3	2	233	16·3	172	12·4	19	82
Haslingden M.B. ...	17,844	145	138	3	3	289	15·4	279	15·6	34	118
Haydock	9,194	148	125	4	7	284	28·6	175	19·0	43	151
Heysham	3,373	26	18	1	—	45	13·5	59	17·5	1	22
Heywood M.B.	25,809	249	241	19	17	526	19·5	470	18·2	65	124
Hindley	23,574	326	322	16	17	681	28·1	450	19·1	108	159
Horwich	16,003	142	137	8	7	294	17·7	176	11·0	24	82
Hurst	7,722	102	92	5	4	203	25·3	145	18·8	31	153
Huyton with Roby ...	4,708	45	35	5	2	87	19·2	51	10·8	9	103
Ince in Makerfield ...	21,728	349	312	13	17	691	31·1	450	20·7	117	169
Irlam	8,637	105	109	2	4	220	32·3	88	10·2	24	109
Kearsley	9,607	110	100	5	3	218	22·3	161	16·8	33	151
Kirkham	3,616	31	26	3	2	62	16·2	51	14·1	7	113
Lancaster M.B.	33,861	328	294	23	22	667	16·0	556	16·4	91	136
Lathom and Burscough...	7,498	84	69	5	3	161	22·2	127	16·9	14	87
Lees	4,717	56	43	1	1	101	20·3	82	17·4	15	149
Leigh M.B.	44,014	546	540	20	17	1,123	24·9	860	19·5	187	167
Leyland	8,776	96	105	2	3	206	24·5	127	14·5	21	102
Litherland	15,631	246	224	6	6	482	30·4	250	16·0	66	137
Littleborough	11,702	108	93	4	4	209	17·7	196	16·7	25	120
Little Crosby	963	6	8	—	—	14	15·3	11	11·4	—	—
Little Hulton	7,978	100	104	4	2	210	25·3	114	14·3	26	124
Little Lever	4,911	48	49	—	1	98	18·8	73	14·9	16	163
Longridge	4,328	44	46	1	1	92	21·2	57	13·2	6	65
Lytham	8,903	52	68	2	5	127	12·7	154	17·3	8	63
Middleton M.B.	27,806	238	251	10	6	505	17·6	449	16·1	47	93
Milnrow	8,410	63	80	4	3	150	17·3	151	18·0	21	140
Morecambe M.B.... ...	12,782	81	95	8	9	193	15·8	237	18·5	15	78
Mossley M.B.	12,450	101	116	8	4	229	17·4	198	15·9	28	122
Nelson M.B.	40,747	295	303	10	14	622	15·1	450	11·0	57	92
Newton in Makerfield ...	17,502	217	216	5	1	439	23·2	237	13·5	44	100
Norden	4,067	37	37	1	—	75	19·9	65	16·0	9	120
Ormskirk	6,739	81	62	5	3	151	20·0	99	14·7	14	93
Orrell	6,853	87	86	3	5	181	27·7	101	14·7	26	144
Oswaldtwistle	15,496	139	163	6	2	310	19·3	220	14·2	42	135
Padiham	12,437	123	108	7	9	247	17·7	200	16·1	28	113
Poulton le Fylde... ...	2,456	23	14	1	1	39	15·8	34	13·8	8	205
Preesall	1,733	12	13	1	1	27	15·1	29	16·7	1	37
Prescot	8,303	101	110	2	5	218	26·2	126	15·2	20	92
Prestwich...	14,569	134	129	2	3	268	14·6	193	13·2	18	67
Radcliffe	24,565	215	199	8	11	433	16·7	436	17·7	63	145
Rainford	3,285	38	41	2	—	81	22·9	39	11·9	6	74
Ramsbottom	15,056	112	119	3	3	237	15·9	215	14·3	25	105
Rawtenstall M.B. ...	29,575	276	253	10	10	549	18·1	483	16·3	73	133
Rishton	7,346	53	62	—	3	118	15·6	100	13·6	9	76
Royton	16,981	178	155	5	13	351	19·9	265	15·6	47	134
St. Anne's on the Sea ...	9,933	44	50	2	3	99	9·3	129	13·0	2	20
Skelmersdale	6,689	88	104	3	6	201	28·3	119	17·8	30	149
Standish with Langtree...	7,340	94	82	1	3	180	23·9	110	15·0	26	144
Stretford	44,042	322	322	17	5	666	14·6	543	12·3	60	90
Swinton and Pendlebury	30,719	347	330	8	8	693	21·9	465	15·1	103	149
Thornton...	4,859	51	45	—	1	97	19·2	56	11·5	7	72
Tottington	6,602	65	41	—	1	107	15·4	100	15·1	10	93
Trawden	2,903	21	28	—	1	50	16·4	22	7·6	6	120
Turton	12,237	97	89	3	5	194	15·2	159	13·0	18	93
Tyldesley with Shakerley	15,234	184	192	7	6	389	24·7	254	16·7	44	113
Ulverston...	10,199	97	87	12	7	203	21·5	155	15·2	22	108
Upholland	5,253	71	70	7	—	148	27·7	101	19·2	18	122
Urmston	8,034	75	65	1	3	144	17·5	67	8·3	6	42
Walton le Dale	11,934	118	111	6	4	239	18·9	185	15·5	34	142
Wardle	3,907	30	25	2	1	58	12·1	69	17·7	6	103
Waterloo with Seaforth...	27,473	291	304	10	10	615	22·6	400	14·6	57	93
Westhoughton	15,333	187	188	10	6	391	25·7	225	14·7	59	151
Whitefield	6,803	60	53	5	3	121	17·1	109	16·0	11	91
Whitworth	8,390	72	75	4	7	158	18·2	149	17·8	12	76
Widnes M.B.	30,911	455	456	13	13	937	29·0	627	20·3	134	143
Withnell	3,319	40	23	—	1	64	18·8	38	11·4	1	16
Worsley	13,698	143	112	2	6	263	18·4	191	13·9	31	118

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
LANCASHIRE—*cont.*											
Rural Districts.											
Barton upon Irwell ...	9,685	102	99	1	—	202	21·1	112	11·6	12	59
Blackburn...	8,853	80	71	2	1	154	15·8	120	13·6	10	65
Burnley	19,766	157	145	8	6	316	15·4	273	13·8	34	108
Bury	9,258	85	81	2	1	169	18·2	139	15·0	20	118
Chorley	21,947	245	192	4	8	449	20·4	285	13·0	43	96
Clitheroe	6,203	53	48	5	1	107	16·5	86	13·9	8	75
Fylde	11,592	129	100	6	6	241	20·2	157	13·5	26	108
Garstang	10,457	83	89	6	7	185	17·2	132	12·6	13	70
Lancaster	8,763	72	68	6	4	150	16·4	113	12·9	16	107
Leigh	10,375	137	136	1	4	278	26·5	158	15·2	33	119
Limehurst	9,007	102	105	2	1	210	22·6	161	17·9	29	138
Lunesdale...	6,588	54	45	3	4	106	15·4	94	14·3	11	104
Preston	18,822	170	157	4	4	335	15·5	255	13·5	23	69
Sefton	5,377	45	39	2	2	88	14·7	74	13·8	12	136
Ulverston	17,035	131	154	4	7	296	17·6	210	12·3	19	64
Warrington	10,903	113	131	2	3	249	17·1	156	14·3	30	120
West Lancashire	20,205	184	179	9	7	379	18·1	260	12·9	26	69
Whiston	18,587	217	225	5	6	453	20·9	271	14·6	41	91
Wigan	6,346	68	55	1	1	125	19·5	76	12·0	20	160
LEICESTERSHIRE.	249,107	2,690	2,578	99	105	5,472	21·4	3,403	13·7	530	97
Total Urban Districts ...	102,787	1,169	1,121	39	46	2,375	22·8	1,411	13·7	239	101
Total Rural Districts ...	146,320	1,521	1,457	60	59	3,097	20·5	1,992	13·6	291	94
Urban Districts.											
Ashby de la Zouch ...	4,644	55	48	1	2	106	21·3	72	15·5	6	57
Ashby Woulds	2,853	41	37	1	3	82	29·5	32	11·2	6	73
Coalville	19,686	281	280	6	14	581	29·7	273	13·9	74	127
Hinckley	13,257	167	162	5	2	336	25·4	180	13·6	32	95
Loughborough M.B. ...	23,724	230	231	14	11	486	20·8	319	13·4	52	107
Market Harborough ...	8,753	68	56	4	4	132	14·5	100	11·4	9	68
Melton Mowbray ...	8,544	93	111	3	6	213	22·1	147	17·2	22	103
Oadby	2,900	35	26	1	1	63	22·6	28	9·7	3	48
Quorndon	2,334	20	19	1	1	41	17·0	35	15·0	6	146
Shepshed	5,454	63	47	2	1	113	20·2	99	18·2	13	115
Thurmaston	2,004	24	26	—	—	50	27·1	22	11·0	2	40
Wigston Magna	8,634	92	78	1	1	172	19·7	104	12·0	14	81
Rural Districts.											
Ashby de la Zouch ...	16,297	220	198	10	13	441	26·7	263	16·1	52	118
Barrow upon Soar ...	23,872	247	235	10	10	502	20·7	330	13·8	50	100
Belvoir	3,181	19	29	4	2	54	16·9	57	17·9	3	56
Billesdon	6,257	62	41	2	2	107	15·1	68	10·9	6	56
Blaby	15,967	142	141	2	3	288	17·0	193	12·1	24	83
Castle Donington ...	6,055	65	49	1	2	117	18·1	82	13·5	9	77
Hallaton	1,839	12	7	—	1	20	10·8	23	12·5	—	—
Hinckley	14,469	155	139	7	5	306	21·7	195	13·5	35	114
Loughborough	4,212	44	43	—	—	87	18·8	51	12·1	9	103
Lutterworth	10,007	74	70	3	2	149	14·8	150	15·0	11	74
Market Bosworth ...	21,925	278	311	10	12	611	27·0	298	13·6	57	93
Market Harborough ...	7,466	66	61	3	3	133	16·8	91	12·2	6	45
Melton Mowbray ...	14,773	137	133	8	4	282	18·3	191	12·9	29	103
LINCOLNSHIRE											
(PARTS OF HOLLAND).	81,052	877	851	47	56	1,831	21·8	1,254	15·5	173	94
Total Urban Districts ...	35,780	358	338	28	17	741	19·5	617	17·2	75	101
Total Rural Districts ...	45,272	519	513	19	39	1,090	23·6	637	14·1	98	90
Urban Districts.											
Boston M.B.	15,565	155	155	14	9	333	19·7	284	18·2	37	111
Holbeach	4,992	60	48	6	2	116	21·5	79	15·8	9	78
Long Sutton	2,884	22	25	1	1	49	16·8	51	17·7	7	143
Spalding	10,184	98	96	6	5	205	19·5	166	16·3	21	102
Sutton Bridge	2,155	23	14	1	—	38	17·5	37	17·2	1	26
Rural Districts.											
Boston	20,897	241	252	11	17	521	24·4	287	13·7	41	79
Crowland	2,655	27	24	—	2	53	19·9	35	13·2	5	94
East Elloe...	8,677	96	96	1	10	203	23·1	122	14·1	22	108
Spalding	13,043	155	141	7	10	313	23·4	193	14·8	30	96

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
LINCOLNSHIRE—*cont.*											
(PARTS OF KESTEVEN).	106,814	1,119	1,036	58	79	2,292	20·3	1,676	15·7	237	103
Total Urban Districts ...	41,442	425	406	29	27	887	19·6	699	16·9	112	126
Total Rural Districts ...	65,372	694	630	29	52	1,405	20·7	977	14·9	125	89
Urban Districts.											
Bourne	4,105	39	37	2	3	81	18·7	66	16·1	8	99
Bracebridge	2,264	25	13	2	1	41	17·0	21	9·3	6	146
Grantham M.B.	19,248	203	200	12	9	424	20·5	332	17·2	56	132
Ruskington	1,158	9	12	1	—	22	18·0	17	14·7	—	—
Sleaford	5,610	49	51	4	10	114	17·1	106	18·9	18	158
Stamford M.B.	9,057	100	93	8	4	205	20·5	157	17·3	24	117
Rural Districts.											
Bourne	12,774	134	114	9	16	273	20·3	183	14·3	21	77
Branston	14,858	157	154	5	12	328	21·3	219	14·7	24	73
Claypole	7,625	78	63	1	6	148	18·7	124	16·3	15	101
Grantham...	12,183	137	108	6	7	258	21·1	187	15·3	29	112
Sleaford	16,421	179	173	6	11	369	21·3	241	14·7	34	92
Uffington	1,511	9	18	2	—	29	18·9	23	15·2	2	69
(PARTS OF LINDSEY).	234,483	2,632	2,563	162	150	5,507	22·4	3,512	15·0	533	97
Total Urban Districts ...	95,702	1,099	1,056	77	63	2,295	22·7	1,450	15·2	243	106
Total Rural Districts ...	138,781	1,533	1,507	85	87	3,212	22·2	2,062	14·9	290	90
Urban Districts.											
Alford	2,123	12	19	9	6	46	19·4	42	19·8	4	87
Barton upon Humber ...	6,288	68	68	4	6	146	21·1	83	13·2	14	96
Brigg	3,119	33	46	3	4	86	25·3	54	17·3	8	93
Broughton	1,555	25	14	—	—	39	27·8	22	14·1	4	103
Brumby and Frodingham	3,500	47	46	5	5	103	33·3	50	14·3	8	78
Cleethorpe with Thrunscoe.	23,496	294	300	16	9	619	26·2	275	11·7	56	90
Crowle	2,855	39	27	3	5	74	25·7	37	13·0	2	27
Gainsborough	18,826	218	200	12	10	440	20·6	304	16·1	57	130
Horncastle	3,523	24	28	2	2	56	14·5	86	24·4	8	143
Louth M.B.	9,261	84	80	9	3	176	17·7	184	19·9	20	114
Mablethorpe	1,445	8	8	—	—	16	12·2	21	14·5	—	—
Market Rasen	2,113	23	16	1	—	40	17·2	47	22·2	3	75
Roxby cum Risby ...	518	11	4	—	1	16	42·7	10	19·3	2	125
Scunthorpe	10,540	163	143	9	7	322	29·2	158	15·0	49	152
Skegness	3,622	24	39	4	4	71	17·0	47	13·0	6	85
Winterton	1,463	17	15	—	1	33	22·9	20	13·7	1	30
Woodhall Spa	1,455	9	3	—	—	12	7·5	10	6·9	1	83
Rural Districts.											
Caistor	12,473	120	126	6	5	257	19·6	177	14·2	29	113
Gainsborough	13,979	168	143	9	8	328	22·2	205	14·7	14	43
Glanford Brigg	31,772	383	414	21	18	836	26·6	453	14·3	89	106
Grimsby	10,426	120	141	3	8	272	22·8	153	14·7	27	99
Horncastle	12,500	157	123	16	11	307	23·6	191	15·3	21	68
Isle of Axholme	6,521	66	69	4	4	143	20·9	102	15·6	15	105
Louth	17,438	182	167	8	10	367	20·1	291	16·7	41	112
Sibsey	2,890	31	38	—	—	69	22·9	41	14·2	6	87
Spilsby	20,038	201	182	13	11	407	19·3	273	13·6	28	69
Welton	10,744	105	104	5	12	226	20·4	176	16·4	20	88
LONDON.	4,310,030	49,655	48,366	2054	2042	102117	22·6	72,393	16·8	11464	112
Metropolitan Boroughs.											
City of London	19,461	78	68	3	4	153	8·6	293	15·1	18	118
Battersea	161,945	1,872	1,839	64	63	3,838	22·9	2,684	16·6	435	113
Bermondsey	117,188	1,754	1,729	33	40	3,556	28·5	2,502	21·4	528	148
Bethnal Green	120,207	1,782	1,688	26	28	3,524	27·6	2,121	17·6	430	122
Camberwell	254,385	3,027	2,971	103	76	6,177	23·6	3,953	15·5	638	103
Chelsea	58,421	526	495	45	38	1,104	17·1	1,080	18·5	112	101
Deptford	110,299	1,445	1,429	45	49	2,968	27·2	1,972	17·9	389	131
Finsbury	76,915	1,091	1,035	39	42	2,207	26·1	1,658	21·6	281	127
Fulham	151,161	1,907	1,754	99	109	3,869	24·6	2,354	15·6	452	117
Greenwich	96,385	1,164	1,108	37	36	2,345	24·4	1,568	16·3	245	104
Hackney	217,883	2,377	2,366	70	58	4,871	21·8	3,279	15·0	533	109
Hammersmith	118,559	1,320	1,232	76	87	2,715	21·9	1,949	16·4	281	103
Hampstead	81,760	621	618	45	42	1,326	15·3	1,004	12·3	105	79
Holborn	40,405	312	307	25	32	676	14·4	746	18·5	68	101
Islington	316,242	3,722	3,577	148	139	7,586	23·3	5,586	17·7	815	107
Kensington	155,795	1,438	1,482	95	107	3,122	18·2	2,662	17·1	371	119
Lambeth	284,188	3,168	3,088	174	175	6,605	22·2	4,801	16·9	695	105
Lewisham...	164,438	1,596	1,592	70	82	3,340	19·7	2,118	12·9	265	79

Population, Births, and Deaths (Civil Population only) in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population. 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
London—*cont.*											
Paddington	131,397	1,331	1,246	92	83	2,752	19·4	2,305	17·5	318	116
Poplar	156,247	2,313	2,342	50	68	4,773	29·7	3,079	19·7	634	133
St. Marylebone	100,260	858	855	79	62	1,854	16·2	1,692	16·9	180	97
St. Pancras	200,322	2,280	2,229	140	133	4,782	22·3	3,569	17·8	506	106
Shoreditch	103,627	1,506	1,527	38	51	3,122	28·5	2,080	20·1	454	145
Southwark	179,424	2,523	2,544	96	91	5,254	27·9	3,757	20·9	696	132
Stepney	265,731	3,835	3,574	71	72	7,552	27·5	4,620	17·4	872	115
Stoke Newington ...	50,527	443	443	16	18	920	18·2	787	15·6	94	102
Wandsworth	312,249	3,052	2,993	137	128	6,310	19·0	4,188	13·4	597	95
Westminster	135,104	919	889	87	82	1,977	12·8	2,149	15·9	184	93
Woolwich	129,505	1,395	1,346	51	47	2,839	23·2	1,837	14·2	268	94
Middlesex.	1,184,250	12,785	12,247	492	485	26,009	21·5	14,509	12·3	2,302	89
Total Urban Districts ...	1,133,625	12,287	11,748	469	463	24,967	21·5	13,907	12·3	2,226	89
Total Rural Districts ...	50,625	498	499	23	22	1,042	20·5	602	11·9	76	73
Urban Districts.											
Acton	58,238	691	662	36	38	1,427	22·8	788	13·5	150	105
Brentford...	16,068	221	161	7	1	390	23·1	244	15·2	37	95
Chiswick	38,445	418	384	21	15	838	20·4	601	15·6	76	91
Ealing M.B.	66,181	558	566	20	19	1,163	17·0	827	12·5	89	77
Edmonton	68,143	821	804	34	33	1,692	24·4	823	12·1	189	112
Enfield	61,218	651	641	12	20	1,324	22·2	689	11·3	116	88
Feltham	5,124	74	48	—	3	125	23·6	71	13·9	7	56
Finchley	44,185	460	413	13	22	908	20·7	492	11·1	59	65
Friern Barnet	13,238	164	161	5	5	335	21·2	176	13·3	30	90
Greenford	1,183	8	15	—	1	24	21·3	25	21·1	4	167
Hampton	9,202	80	76	10	3	169	17·2	111	12·1	18	107
Hampton Wick	2,474	13	15	2	1	31	13·1	26	10·5	1	32
Hanwell	19,775	218	196	7	21	442	20·7	239	12·1	40	90
Harrow on the Hill ...	17,165	188	159	6	3	356	18·9	136	7·9	12	34
Hayes	5,066	44	59	2	2	107	22·9	69	13·6	15	140
Hendon	53,184	508	505	23	17	1,053	24·5	481	9·0	76	72
Heston and Isleworth ...	41,836	401	499	26	26	952	20·5	598	14·3	98	103
Hornsey M.B.	82,365	696	664	30	13	1,403	16·0	1,005	12·2	114	81
Kingsbury	874	12	8	—	—	20	23·9	17	19·5	3	150
Ruislip Northwood ...	7,263	85	64	1	2	152	22·1	68	9·4	11	72
Southall Norwood ...	25,480	299	306	7	12	624	21·1	275	10·8	66	106
Southgate...	38,231	353	322	3	6	684	17·9	327	8·6	30	44
Staines	6,468	61	61	4	3	129	19·0	98	15·2	18	140
Sunbury on Thames ...	4,805	54	43	8	3	108	23·4	55	11·4	6	56
Teddington	18,282	223	185	7	9	424	22·5	273	14·9	41	97
Tottenham	143,267	1,818	1,736	57	46	3,657	25·0	1,932	13·5	336	92
Twickenham	33,083	330	305	15	29	679	21·6	397	12·0	70	103
Uxbridge	10,092	122	101	11	9	243	22·5	166	16·4	23	95
Wealdstone	12,504	143	144	10	7	304	22·6	125	10·0	28	92
Wembley	14,433	169	156	5	4	334	27·3	132	9·1	23	69
Willesden	160,778	1,818	1,758	72	72	3,720	22·7	1,996	12·4	338	91
Wood Green	50,545	523	476	12	15	1,026	19·3	602	11·9	92	90
Yiewsley	4,430	63	55	3	3	124	27·0	43	9·7	10	81
Rural Districts.											
Hendon	16,603	144	141	4	2	291	18·7	134	8·1	6	21
South Mimms	2,791	25	30	1	1	57	20·1	38	13·6	6	105
Staines	21,909	241	226	14	16	497	21·7	311	14·2	51	103
Uxbridge	9,322	88	102	4	3	197	20·5	119	12·8	13	66
Monmouthshire.	323,882	4,748	4,463	149	166	9,526	28·7	4,983	15·4	1,203	126
Total Urban Districts ...	280,935	4,303	4,081	133	144	8,661	30·0	4,393	15·6	1,132	131
Total Rural Districts ...	42,947	445	382	16	22	865	20·0	590	13·7	71	82
Urban Districts.											
Abercarn	18,371	304	297	7	14	622	35·7	235	12·8	63	101
Abergavenny M.B. ...	8,044	101	75	3	8	187	21·5	175	21·8	34	182
Abersychan	25,574	361	333	9	11	714	27·1	340	13·3	98	137
Abertillery	37,091	585	594	18	17	1,214	31·3	512	13·8	161	133
Bedwas and Machen ...	7,358	123	106	6	1	236	44·2	92	12·5	27	114
Bedwellty...	26,419	466	452	19	16	953	37·1	404	15·3	124	130
Blaenavon	12,168	138	135	4	5	282	22·9	209	17·1	37	131
Caerleon	1,677	15	14	2	—	31	14·0	25	14·9	6	194
Chepstow	2,638	36	20	—	2	58	19·8	42	15·9	6	103
Ebbw Vale	31,738	519	438	15	17	989	30·0	565	17·8	155	157
Llanfrechfa Upper ...	4,469	61	53	2	1	117	24·2	60	13·4	10	85
Llantarnam	6,673	92	90	2	2	186	24·8	100	15·0	18	97

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
MONMOUTHSHIRE—*cont.*											
Monmouth M.B.	4,646	38	46	4	3	91	17·1	86	18·5	16	176
Mynyddislwyn	12,212	216	224	5	7	452	38·8	175	14·3	54	119
Nantyglo and Blaina ...	15,175	247	235	6	16	504	31·8	272	17·9	60	119
Panteg	10,152	116	103	3	8	230	21·4	123	12·1	26	113
Pontypool	5,906	93	85	2	1	181	27·7	99	16·8	21	116
Rhymney	10,761	162	162	7	6	337	27·3	227	21·1	49	145
Risca	15,402	221	231	7	7	466	30·5	225	14·6	53	114
Tredegar	23,162	398	378	10	2	788	31·7	400	17·3	112	142
Usk	1,279	11	10	2	—	23	15·3	27	21·1	2	87
Rural Districts.											
Abergavenny	7,910	74	65	3	4	146	16·5	116	14·7	14	96
Chepstow	8,171	77	79	5	5	166	20·5	127	15·5	14	84
Magor	4,960	53	53	—	1	107	21·6	68	13·7	5	47
Monmouth	6,436	75	66	4	5	150	22·9	89	13·8	9	60
Pontypool	4,944	53	43	2	3	101	19·5	78	15·8	10	99
St. Mellons	10,526	113	76	2	4	195	20·1	112	10·6	19	97
NORFOLK.	303,780	2,974	2,783	214	231	6,202	19·1	4,704	15·5	608	98
Total Urban Districts ...	58,220	559	472	47	60	1,138	18·5	894	15·4	124	109
Total Rural Districts ...	245,560	2,415	2,311	167	171	5,064	19·3	3,810	15·5	484	96
Urban Districts.											
Cromer	3,642	23	21	1	1	46	11·1	34	9·3	6	130
Diss	3,552	34	31	3	6	74	19·6	68	19·1	6	81
Downham Market ...	2,266	25	17	4	3	49	19·6	34	15·0	11	224
East Dereham	5,567	49	48	10	5	112	19·4	78	14·0	11	98
King's Lynn M.B. ...	19,380	191	168	12	22	393	19·5	328	16·9	50	127
New Hunstanton ...	2,425	16	13	—	1	30	11·3	22	9·1	1	33
North Walsham	4,179	40	38	1	6	85	19·7	54	12·9	9	106
Sheringham	3,342	34	22	1	1	58	16·0	43	12·9	2	34
Swaffham	2,866	25	20	4	1	50	15·6	47	16·4	5	100
Thetford M.B.	4,707	42	40	3	4	89	18·5	72	15·3	7	79
Walsoken	3,874	49	34	6	7	96	23·6	71	18·3	11	115
Wells	2,420	31	20	2	3	56	21·7	43	17·8	5	89
Rural Districts.											
Aylsham	16,344	145	155	10	11	321	18·4	274	16·8	32	100
Blofield	10,745	117	93	6	5	221	18·1	162	15·1	15	68
Depwade	18,543	174	179	13	7	373	18·8	332	17·9	41	110
Docking	16,114	154	136	13	14	317	18·4	272	16·9	32	101
Downham...	15,132	145	151	8	12	316	20·1	249	16·5	35	111
East and West Flegg ...	9,615	132	98	5	6	241	23·8	135	14·0	19	79
Erpingham	16,144	145	154	11	8	318	18·3	217	13·4	31	97
Forehoe	10,782	129	103	7	9	248	21·8	173	16·0	22	89
Freebridge Lynn... ...	11,537	99	113	12	7	231	19·0	197	17·1	21	91
Henstead	9,960	89	98	6	3	196	19·1	128	12·9	18	92
King's Lynn	940	11	7	—	—	18	17·9	16	17·0	3	167
Loddon and Clavering ...	11,964	109	130	7	5	251	19·9	209	17·5	31	124
Marshland	12,732	153	123	10	12	298	23·6	155	12·2	17	57
Mitford and Launditch ...	16,961	169	163	19	16	367	19·6	273	16·1	40	109
St. Faith's...	9,493	98	92	3	13	206	18·9	136	14·3	14	68
Smallburgh	13,059	117	121	3	13	254	18·9	190	14·5	23	91
Swaffham	7,217	74	58	4	3	139	18·4	108	15·0	16	115
Thetford	9,095	94	65	11	5	175	17·3	142	15·6	25	143
Walsingham	16,619	143	142	10	12	307	17·8	220	13·2	27	88
Wayland	12,564	118	130	9	10	267	18·3	222	17·7	22	82
NORTHAMPTONSHIRE.	210,360	1,965	1,839	90	104	3,998	18·6	3,011	14·3	378	95
Total Urban Districts ...	96,037	911	823	39	50	1,823	18·9	1,277	13·3	179	98
Total Rural Districts ...	114,323	1,054	1,016	51	54	2,175	18·3	1,734	15·2	199	91
Urban Districts.											
Brackley M.B.	2,179	22	15	1	1	39	14·6	25	11·5	3	77
Daventry M.B.	3,247	29	32	2	2	65	18·8	62	19·1	5	77
Desborough	4,167	40	41	—	7	88	20·8	51	12·2	8	91
Finedon	4,040	55	32	—	3	90	24·4	70	17·3	10	111
Higham Ferrers M.B. ...	2,849	25	27	—	—	52	18·8	39	13·7	4	77
Irthlingborough	4,790	38	53	3	1	95	20·2	63	13·2	16	168
Kettering	30,453	289	275	13	16	593	19·6	382	12·5	54	91
Oundle	2,287	22	13	—	3	38	13·4	38	16·6	3	79
Raunds	4,081	43	33	2	2	80	20·6	51	12·5	9	113
Rothwell	4,455	47	34	1	—	82	18·3	63	14·1	5	61
Rushden	13,787	137	123	11	4	275	20·3	143	10·4	29	105
Wellingborough	19,702	164	145	6	11	326	16·2	290	14·7	33	101

Population, Births, and Deaths (Civil Population only) in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Northamptonshire—*cont.*											
Rural Districts.											
Brackley	6,820	65	60	4	5	134	18·6	105	15·4	13	97
Brixworth...	11,559	105	95	8	9	217	18·3	166	14·4	17	78
Crick	2,406	14	10	—	—	24	10·2	26	10·8	3	125
Daventry	13,544	140	125	4	3	272	19·6	197	14·5	21	77
Easton on the Hill ...	1,429	23	13	2	—	38	24·3	24	16·8	2	53
Gretton	1,487	9	17	—	1	27	17·7	22	14·8	3	111
Hardingstone	7,428	79	67	1	3	150	20·0	119	16·0	14	93
Kettering...	12,758	127	118	4	8	257	19·5	214	16·8	33	128
Middleton Cheney ...	2,467	20	32	1	1	54	20·7	39	15·8	1	19
Northampton	5,741	57	56	1	4	118	17·4	97	16·9	12	102
Oundle (part of)§ ...	6,625	50	60	3	2	115	16·2	105	15·8	9	78
Oxendon	4,178	26	35	2	—	63	14·7	55	13·2	5	79
Potterspury	4,792	42	52	3	—	97	18·9	63	13·1	8	82
Thrapston (part of)§ ...	10,502	108	97	5	4	214	20·0	173	16·5	19	89
Towcester	9,864	82	85	9	6	182	17·5	145	14·7	16	88
Wellingborough	12,723	107	94	4	8	213	17·1	184	14·5	23	103
Northumberland.	364,347	4,688	4,547	203	218	9,656	24·9	5,798	15·9	1,170	121
Total Urban Districts ...	267,215	3,681	3,564	141	158	7,544	26·4	4,442	16·6	972	129
Total Rural Districts ...	97,132	1,007	983	62	60	2,112	20·6	1,356	14·0	198	94
Urban Districts.											
Alnwick	6,607	81	80	8	5	174	24·4	138	20·9	15	86
Amble	4,177	59	62	—	2	123	24·6	66	15·8	9	73
Ashington	25,409	448	412	11	18	889	32·6	426	16·8	117	132
Bedlingtonshire	23,976	363	358	18	18	757	27·9	360	15·0	95	125
Berwick upon Tweed M.B.	11,731	110	119	8	6	243	18·7	245	20·9	30	123
Blyth	29,196	392	434	18	22	866	27·1	537	18·4	138	159
Cramlington	7,445	111	106	1	4	222	26·7	137	18·4	26	117
Earsdon	10,371	170	147	9	6	332	30·3	190	18·3	61	184
Gosforth	14,077	145	149	3	6	303	18·1	173	12·3	27	89
Hexham	7,972	88	79	5	4	176	20·1	152	19·1	20	114
Longbenton	12,473	190	156	6	8	360	26·8	203	16·3	58	161
Morpeth M.B.	6,756	93	82	3	4	182	23·5	142	21·0	31	170
Newbiggin by the Sea ...	5,055	90	75	4	2	171	42·0	86	17·0	17	99
Newburn	18,115	247	235	10	15	507	27·7	243	13·4	51	101
Prudhoe	7,807	106	111	5	9	231	27·1	128	16·4	24	104
Rothbury...	1,078	7	7	—	1	15	13·5	31	28·8	2	133
Seaton Delaval	6,626	82	68	5	5	160	22·0	96	14·5	20	125
Seghill	1,979	23	28	1	—	52	25·9	39	19·7	9	173
Wallsend M.B.	43,093	652	633	15	15	1,315	29·9	741	17·2	167	127
Weetslade...	6,253	99	91	5	5	200	28·5	116	18·6	37	185
Whitley and Monkseaton	17,019	125	132	6	3	266	16·5	193	11·3	18	68
Rural Districts.											
Alnwick	11,291	127	114	8	8	257	21·3	151	13·4	19	74
Belford	4,621	39	39	2	1	81	16·3	85	18·4	7	86
Bellingham	5,750	58	45	3	6	112	20·0	88	15·3	10	89
Castle Ward	10,989	134	109	10	7	260	20·6	147	13·4	32	123
Glendale	8,089	70	85	5	3	163	19·1	114	14·1	14	86
Haltwhistle	9,121	88	109	7	8	212	24·8	123	13·5	19	90
Hexham	21,356	201	195	17	9	422	19·0	296	13·9	38	90
Morpeth	15,936	205	183	7	9	404	22·8	199	12·5	40	99
Norham and Islandshires	5,466	52	58	2	5	117	20·3	90	16·5	13	111
Rothbury...	4,513	33	46	1	4	84	18·3	63	14·0	6	71
Moot Hall and precincts‖	—	—	—	—	—	—	—	—	—	—	—
Nottinghamshire.	353,193	4,204	4,224	217	190	8,835	24·4	5,073	14·4	1,010	114
Total Urban Districts ...	226,656	2,845	2,888	145	129	6,007	26·2	3,255	14·4	760	127
Total Rural Districts ...	126,537	1,359	1,336	72	61	2,828	21·4	1,818	14·4	250	88
Urban Districts.											
Arnold	11,388	133	148	8	8	297	25·3	169	14·8	44	148
Beeston	11,324	122	118	9	6	255	21·4	143	12·6	19	75
Carlton	16,992	186	185	9	15	395	23·3	222	13·1	43	109
East Retford M.B. ...	12,545	150	117	7	5	279	20·4	195	15·5	22	79
Eastwood	4,831	66	61	1	5	133	28·5	81	16·8	23	173
Hucknall Torkard ...	15,497	199	196	18	9	422	26·3	219	14·1	48	114
Huthwaite	5,453	66	67	7	3	143	25·9	60	11·0	11	77
Kirkby in Ashfield ...	16,322	236	224	9	4	473	28·4	275	16·8	81	171
Mansfield M.B.	41,415	577	555	21	24	1,177	28·9	580	14·0	142	121
Mansfield Woodhouse ...	12,571	186	204	11	2	403	32·1	171	13·6	59	146
Newark M.B.	15,759	163	159	10	13	345	20·6	267	16·9	48	139

§ The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire; *see page* 99.

‖ Included with the Rural Districts for convenience. The Population was registered in Newcastle-upon-Tyne County Borough, and is included in the estimate for that area.

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
NOTTINGHAMSHIRE—*cont.*											
Sutton in Ashfield ...	23,487	303	331	11	12	657	28·0	372	15·8	121	184
Warsop	5,261	82	108	4	3	197	41·5	70	13·3	20	102
West Bridgford	13,119	103	113	4	3	223	17·4	129	9·8	9	40
Worksop	20,692	273	302	16	17	608	28·3	302	14·6	70	115
Rural Districts.											
Basford	41,674	492	473	22	21	1,008	23·5	581	13·9	105	104
Bingham	13,616	109	118	3	6	236	15·9	189	13·9	15	64
Blyth and Cuckney ...	4,667	43	48	5	—	96	19·0	66	14·1	4	42
East Retford	13,948	158	137	5	8	308	20·7	207	14·8	26	84
Leake	3,546	30	30	1	1	62	16·7	55	15·5	5	81
Misterton	3,966	44	44	3	3	94	22·8	63	15·9	8	85
Newark	7,950	83	81	6	2	172	20·3	111	14·0	14	81
Skegby	7,764	121	101	6	6	234	31·8	139	17·9	31	132
Southwell...	19,215	163	181	14	8	366	18·6	285	14·8	20	55
Stapleford	9,798	111	121	7	5	244	23·1	119	12·1	22	90
Civil Parishes of Kingston upon Soar and Ratcliffe upon Soar administered by Rural District Council of Shardlow (Derbyshire).	393	5	2	—	1	8	20·7	3	7·6	—	—
OXFORDSHIRE.	126,412	1,205	1,159	79	76	2,519	18·3	1,830	14·5	175	69
Total Urban Districts ...	32,983	326	280	22	28	656	17·9	530	16·1	58	88
Total Rural Districts ...	93,429	879	879	57	48	1,863	18·4	1,300	13·9	117	63
Urban Districts.											
Banbury M.B.	12,199	140	101	5	9	255	18·8	178	14·6	19	75
Bicester	2,936	32	29	4	6	71	20·4	53	18·1	7	99
Chipping Norton M.B. ...	3,317	43	23	2	3	71	17·7	66	19·9	11	155
Henley on Thames M.B.	6,316	58	53	8	6	125	19·0	87	13·8	9	72
Thame	2,624	16	25	1	1	43	14·5	44	16·8	3	70
Wheatley	916	5	4	—	—	9	9·1	22	24·0	2	222
Witney	3,388	22	28	2	—	52	14·8	54	15·9	5	96
Woodstock M.B.... ...	1,287	10	17	—	3	30	19·1	26	20·2	2	67
Rural Districts.											
Banbury	10,776	102	114	5	3	224	19·6	155	14·4	13	58
Bicester	8,680	86	80	9	1	176	18·3	112	12·9	10	57
Chipping Norton... ...	10,602	97	94	4	6	201	17·7	135	12·7	6	30
Crowmarsh	4,815	43	42	4	4	93	18·3	70	14·5	3	32
Culham	2,416	18	25	—	1	44	16·5	25	10·3	—	—
Goring	2,920	26	18	3	1	48	14·7	34	11·6	4	83
Headington	12,086	129	118	11	12	270	19·7	161	13·3	19	70
Henley	9,756	71	92	5	5	173	16·5	116	11·9	7	40
Thame	5,127	49	44	4	2	99	18·1	84	16·4	7	71
Witney	15,971	148	139	5	7	299	17·2	250	15·7	26	87
Woodstock	10,280	110	113	7	6	236	21·9	158	15·4	22	93
PETERBOROUGH, SOKE OF.	45,968	465	416	32	33	946	20·7	680	14·8	81	86
Urban District	34,827	342	318	21	21	702	20·5	526	15·1	62	88
Total Rural Districts ...	11,141	123	98	11	12	244	21·5	154	13·8	19	78
Urban District.											
Peterborough M.B. ...	34,827	342	318	21	21	702	20·5	526	15·1	62	88
Rural Districts.											
Barnack	1,992	28	13	1	2	44	20·7	27	13·6	2	45
Peterborough	9,149	95	85	10	10	200	21·6	127	13·9	17	85
RUTLANDSHIRE.	18,420	181	168	14	10	373	18·2	303	16·4	33	88
Urban District	3,297	39	28	5	3	75	19·9	56	17·0	4	53
Total Rural Districts ...	15,123	142	140	9	7	298	17·8	247	16·3	29	97
Urban District.											
Oakham	3,297	39	28	5	3	75	19·9	56	17·0	4	53
Rural Districts.											
Ketton	2,717	20	34	3	1	58	19·6	63	23·2	9	155
Oakham	6,446	65	50	5	1	121	17·1	102	15·8	11	91
Uppingham	5,960	57	56	1	5	119	17·7	82	13·8	9	76
SHROPSHIRE.	232,508	2,328	2,255	152	138	4,873	19·7	3,540	15·2	428	88
Total Urban Districts ...	107,391	1,054	1,075	87	67	2,283	19·8	1,730	16·1	220	96
Total Rural Districts ...	125,117	1,274	1,180	65	71	2,590	19·6	1,810	14·5	208	80
Urban Districts.											
Bishop's Castle, M.B. ...	1,250	12	4	—	1	17	12·0	24	19·2	4	235
Bridgnorth, M.B. ...	5,218	48	43	2	1	94	16·5	88	16·9	13	138
Church Stretton	1,296	9	10	1	—	20	12·4	15	11·6	3	150
Dawley	7,021	82	92	6	6	186	24·0	112	16·0	23	124

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
SHROPSHIRE—*cont.*											
Ellesmere	1,824	11	18	2	—	31	15·9	28	15·4	1	32
Ludlow, M.B.	5,504	62	46	3	5	116	20·0	100	18·2	11	95
Market Drayton ...	4,434	37	40	4	5	86	17·0	74	16·7	7	81
Newport	2,920	28	36	2	3	69	21·2	43	14·7	8	116
Oakengates	11,063	148	140	15	6	309	25·8	152	13·7	26	84
Oswestry, M.B.	9,955	77	81	12	4	174	17·2	187	18·8	16	92
Shrewsbury, M.B. ...	28,575	281	279	16	15	591	19·9	449	15·7	44	74
Wellington	7,216	69	75	3	6	153	19·1	135	18·7	24	157
Wem	2,124	17	21	2	1	41	17·8	34	16·0	3	73
Wenlock, M.B.	13,346	116	138	12	12	278	18·4	184	13·8	24	86
Whitchurch	5,645	57	52	7	2	118	20·0	105	18·6	13	110
Rural Districts.											
Atcham	19,916	201	175	8	6	390	17·7	288	14·5	31	79
Bridgnorth	8,669	83	66	2	1	152	16·4	124	14·3	12	79
Burford	1,143	9	17	—	3	29	21·9	18	15·7	—	—
Chirbury	3,050	28	28	2	3	61	18·8	47	15·4	4	66
Church Stretton	4,513	36	41	2	3	82	16·8	63	14·0	2	24
Cleobury Mortimer ...	7,065	98	90	5	3	196	27·8	89	12·6	20	102
Clun	6,263	66	70	2	4	142	21·8	100	16·0	15	106
Drayton	7,084	64	67	8	6	145	19·5	91	12·8	6	41
Ellesmere	7,955	79	64	7	3	153	18·0	106	13·3	7	46
Ludlow	9,170	81	94	7	8	190	20·2	126	13·7	8	42
Newport	5,409	53	26	3	3	85	14·2	99	18·3	11	129
Oswestry	14,784	169	159	6	7	341	21·8	235	15·9	34	100
Shifnal	7,447	84	58	3	3	148	18·1	96	12·9	11	74
Teme	1,577	22	21	3	4	50	31·4	18	11·4	2	40
Wellington	10,805	106	121	4	7	238	21·4	159	14·7	27	113
Wem	8,296	80	69	2	3	154	18·3	121	14·6	16	104
Whitchurch	1,971	15	14	1	4	34	17·5	30	15·2	2	59
SOMERSETSHIRE.	368,858	3,302	3,213	147	143	6,805	17·3	5,502	14·9	513	75
Total Urban Districts ...	150,057	1,302	1,224	71	66	2,663	16·5	2,284	15·2	229	86
Total Rural Districts ...	218,801	2,000	1,989	76	77	4,142	17·8	3,218	14·7	284	69
Urban Districts.											
Bridgwater, M.B.... ...	15,133	154	156	13	11	334	19·4	238	15·7	29	87
Burnham	4,284	32	31	4	2	69	14·8	79	18·4	5	72
Chard, M.B.	4,114	38	32	2	1	73	15·9	75	18·2	11	151
Clevedon	5,617	30	26	5	4	65	10·5	100	17·8	7	108
Crewkerne	3,861	33	27	3	1	64	16·6	48	12·4	4	63
Frome	10,240	91	54	5	4	154	14·2	180	17·6	17	110
Glastonbury, M.B. ...	3,908	47	34	1	1	83	19·3	65	16·6	3	36
Highbridge	2,292	31	22	1	—	54	22·8	48	20·9	8	148
Ilminster	2,386	22	11	1	—	34	13·5	32	13·4	1	29
Midsomer Norton ...	7,554	64	87	3	4	158	20·6	75	9·9	11	70
Minehead	3,675	27	24	2	1	54	14·6	57	15·5	10	185
Portishead	3,472	29	35	1	1	66	18·7	47	13·5	9	136
Radstock	3,612	33	42	1	1	77	20·4	50	13·8	4	52
Shepton Mallet	4,120	42	45	—	1	88	17·8	70	17·0	6	68
Street	4,082	27	37	—	2	66	15·4	56	13·7	5	76
Taunton M.B.	21,219	202	184	11	11	408	17·8	308	14·5	37	91
Watchet	1,699	15	15	—	—	30	16·3	25	14·7	2	67
Wellington	7,362	50	50	1	1	102	13·2	104	14·1	6	59
Wells M.B.	4,290	30	43	—	5	78	16·9	75	17·5	6	77
Weston super Mare ...	22,372	165	127	8	11	311	12·9	331	14·8	32	103
Wiveliscombe	1,326	12	9	—	—	21	16·3	28	21·1	1	48
Yeovil M.B.	13,439	128	133	9	4	274	19·0	193	14·4	15	55
Rural Districts.											
Axbridge	21,615	196	190	7	6	399	17·6	308	14·2	19	48
Bath	14,118	131	159	7	5	302	19·9	186	13·2	25	83
Bridgwater	16,968	155	159	5	4	323	17·8	246	14·5	16	50
Chard	12,638	107	111	3	5	226	16·9	187	14·8	15	66
Clutton	15,428	147	185	3	5	340	20·7	230	14·9	26	76
Dulverton...	4,486	37	35	1	—	73	14·9	51	11·4	7	96
Frome	10,923	117	102	8	4	231	20·7	158	14·5	16	69
Keynsham	10,218	102	76	5	4	187	17·6	134	13·1	12	64
Langport	12,289	112	104	5	5	226	17·0	195	15·9	23	102
Long Ashton	16,157	129	135	6	6	276	16·9	218	13·5	20	72
Shepton Mallet	9,914	85	84	6	2	177	17·2	130	13·1	14	79
Taunton	16,332	136	124	5	8	273	15·3	263	16·1	26	95
Wellington	5,808	55	45	2	5	107	17·8	89	15·3	4	37
Wells	8,846	95	90	4	4	193	18·2	151	17·1	6	31
Williton	12,091	103	111	1	4	219	17·3	163	13·5	13	59
Wincanton	15,231	133	122	4	7	266	16·2	252	16·5	18	68
Yeovil	15,739	160	157	4	3	324	19·6	257	16·3	24	74

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
SOUTHAMPTON.	395,648	3,951	3,869	204	181	8,205	18·2	5,493	13·9	671	82
Total Urban Districts ...	181,957	1,918	1,899	99	85	4,001	18·7	2,576	14·2	342	85
Total Rural Districts ...	213,691	2,033	1,970	105	96	4,204	17·8	2,917	13·7	329	78
Urban Districts.											
Aldershot	22,051	276	261	25	20	582	16·1	332	15·1	69	119
Alton	5,256	49	36	3	10	98	17·6	82	15·6	10	102
Andover M.B.	8,097	97	81	11	4	193	24·5	140	17·3	16	83
Basingstoke M.B. ...	12,434	133	119	3	2	257	21·5	142	11·4	18	70
Christchurch M.B. ...	5,561	49	51	2	2	104	16·4	82	14·7	12	115
Eastleigh and Bishopstoke	14,638	157	158	5	2	322	19·2	154	10·5	14	43
Fareham	7,624	82	76	2	3	163	16·2	127	16·7	9	55
Farnborough	9,728	108	110	2	4	224	15·1	135	13·9	24	107
Fleet	3,611	29	30	—	3	62	17·2	56	15·5	5	81
Gosport and Alverstoke...	27,537	321	336	15	7	679	19·7	404	14·7	53	78
Havant	4,015	29	33	—	2	64	15·2	55	13·7	6	94
Itchen	22,311	281	262	9	7	559	26·5	252	11·3	43	77
Lymington M.B.... ...	4,100	30	36	3	2	71	16·2	81	19·8	9	127
Petersfield	3,735	29	34	2	2	67	16·3	47	12·6	3	45
Romsey M.B.	4,698	44	46	5	2	97	20·4	75	16·0	5	52
Warblington	3,769	27	38	—	1	66	16·8	55	14·6	3	45
Winchester M.B.... ...	22,792	177	192	12	12	393	16·4	357	15·7	43	109
Rural Districts.											
Alresford	7,172	72	56	4	5	137	17·9	95	13·2	12	88
Alton	13,259	144	129	6	3	282	14·0	194	14·6	35	124
Andover	10,060	98	99	3	7	207	13·3	180	17·9	21	101
Basingstoke	12,261	100	122	2	3	227	18·2	155	12·6	18	79
Catherington	3,481	25	30	2	—	57	14·9	45	12·9	2	35
Christchurch	4,818	49	42	8	3	102	19·4	64	13·3	4	39
Droxford	12,202	118	87	8	5	218	16·5	162	13·3	17	78
Fareham	13,761	129	134	9	6	278	18 9	207	15·0	22	79
Fordingbridge	6,142	54	50	2	4	110	16 9	86	14·0	11	100
Hartley Wintney ...	18,150	168	183	9	9	369	19·4	269	14·8	24	65
Havant	5,559	41	40	3	4	88	14·3	76	13·7	11	125
Hursley	4,257	35	40	1	2	78	17·1	66	15·5	5	64
Kingsclere	8,652	84	72	7	4	167	18·7	111	12·8	13	78
Lymington	11,597	119	113	1	4	237	18·9	147	12·7	17	72
New Forest	16,917	178	176	8	9	371	22·1	205	12·1	20	54
Petersfield	11,001	98	92	4	9	203	16·0	143	13·0	17	84
Ringwood...	6,803	62	69	1	6	138	18·7	89	13·1	8	58
Romsey	7,034	59	59	6	6	130	18·7	86	12·2	13	100
South Stoneham	18,481	176	164	7	4	351	19·3	212	11·5	25	71
Stockbridge	6,203	56	54	4	—	114	17·3	86	13·9	12	105
Whitchurch	6,079	71	57	6	1	135	21·8	93	15·3	9	67
Winchester	9,802	97	102	4	2	205	18·7	146	14·9	13	63
STAFFORDSHIRE.	666,208	8,633	8,410	319	313	17,675	25·9	10,163	15·3	1,922	109
Total Urban Districts ...	462,812	6,226	6,155	223	217	12,821	27·2	7,364	15·9	1,513	118
Total Rural Districts ...	203,396	2,407	2,255	96	96	4,854	22·8	2,799	13·8	409	84
Urban Districts.											
Amblecote	3,091	29	29	1	1	60	19·0	55	17·8	11	183
Audley	14,756	226	169	5	10	410	27·2	216	14·6	44	107
Biddulph	7,773	90	91	7	2	190	24·6	110	14·2	23	121
Bilston	25,229	363	400	14	8	785	30·1	515	20·4	122	155
Brierley Hill	12,034	145	171	—	8	324	26·3	178	14·8	24	74
Brownhills	17,564	290	239	9	10	548	31·8	238	13·6	55	100
Cannock	30,337	471	426	17	18	932	31·3	418	13·8	91	98
Coseley	22,817	305	317	11	12	645	28·1	411	18·0	95	147
Darlaston	17,384	264	251	8	9	532	30·3	303	17·4	80	150
Heathtown or Wednesfield Heath.	12,174	173	179	3	4	359	27·6	179	14·7	33	92
Kidsgrove...	8,972	124	119	7	9	259	28·2	136	15·2	32	124
Leek	17,658	145	160	8	13	326	19·2	270	15·3	33	101
Lichfield, M.B.	8,196	75	83	9	11	178	20·2	133	16·2	18	101
Newcastle under Lyme, M.B.	19,282	259	242	10	15	526	25·9	345	17·9	57	108
Perry Barr	2,458	28	33	—	—	61	25·2	24	9·8	4	66
Quarry Bank	7,636	106	112	2	1	221	29·4	115	15·1	33	149
Rowley Regis	38,274	520	510	8	7	1,045	27·8	565	14·8	141	135
Rugeley	4,438	53	43	2	2	100	22·1	61	13·7	5	50
Sedgley	16,459	216	228	8	6	458	27·5	245	14·9	51	111
Short Heath	4,084	74	65	4	2	145	34·4	62	15·2	17	117
Smallthorne	13,606	215	219	10	8	452	31·8	184	13·5	50	111
Stafford, M.B.	21,748	250	253	13	9	525	21·9	326	15·0	51	97
Stone	5,223	59	54	2	2	117	20·6	91	17·4	7	60

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
STAFFORDSHIRE—*cont.*											
Tamworth, M.B.... ...	7,311	85	82	2	—	169	21·5	115	15·7	20	118
Tettenhall	5,408	55	40	3	1	99	18·4	66	12·2	5	51
Tipton	32,005	480	478	25	10	993	31·0	640	20·0	137	138
Uttoxeter...	5,203	61	59	3	5	128	21·8	72	13·8	13	102
Wednesbury, M.B. ...	28,414	367	401	9	9	786	27·6	469	16·5	90	115
Wednesfield	6,784	90	68	3	4	165	23·9	98	14·4	18	109
Willenhall	18,880	265	250	11	5	531	28·1	348	18·4	82	154
Wolstanton United ...	27,614	343	384	9	16	752	26·4	376	13·6	71	94
Rural Districts.											
Blore Heath	2,204	34	17	3	—	54	23·2	28	12·7	1	19
Cannock	19,936	251	229	11	6	497	24·5	233	11·7	33	66
Cheadle	25,950	301	305	13	12	631	23·2	386	14·9	53	84
Dudley‖		—	—	—	—	—	—	—	—	—	—
Gnosall	4,593	52	35	—	3	90	18·8	80	17·4	13	144
Kingswinford	20,446	289	279	10	13	591	28·0	336	16·4	65	110
Leek	15,641	177	164	7	8	356	22·6	203	13·0	33	93
Lichfield	24,626	290	301	13	13	617	21·1	299	12·1	48	78
Mayfield	3,957	38	40	—	1	79	20·4	62	15·7	3	38
Newcastle under Lyme ...	6,198	63	65	5	1	134	21·0	85	13·7	14	104
Seisdon	15,348	163	152	4	9	328	21·0	219	14·3	25	76
Stafford	12,097	138	115	6	6	265	21·9	150	12·4	15	57
Stoke upon Trent ...	4,692	60	73	6	3	142	29·0	72	15·3	21	148
Stone	13,710	134	128	3	5	270	18·6	187	13·6	19	70
Tamworth (part of)§ ...	5,124	58	51	1	2	112	21·6	64	12·5	4	36
Tutbury	8,490	78	89	3	7	177	19·5	112	13·2	9	51
Uttoxeter...	7,383	72	65	6	2	145	17·8	91	12·3	12	83
Walsall	12,272	205	141	5	5	356	31·9	187	15·2	41	115
Civil Parishes of Blymhill and Weston under Lizard administered by Rural District Council of Shifnal (Shropshire).	729	4	6	—	—	10	12·6	5	6·9	—	—
SUFFOLK, EAST.	190,909	2,020	1,904	118	121	4,163	20·1	2,914	15·3	393	94
Total Urban Districts ...	77,273	854	841	40	51	1,786	21·5	1,155	14·9	180	101
Total Rural Districts ...	113,636	1,166	1,063	78	70	2,377	19·2	1,759	15·5	213	90
Urban Districts.											
Aldeburgh, M.B.... ...	2,214	15	23	1	2	41	17·3	31	14·0	3	73
Beccles, M.B.	6,730	76	72	3	4	155	21·5	115	17·1	16	103
Bungay	2,918	30	33	2	—	65	19·3	55	18·8	5	77
Eye, M.B....	1,837	20	15	—	1	36	18·0	23	12·5	4	111
Felixstowe	8,034	88	70	3	5	166	17·7	132	16·4	28	169
Halesworth	2,099	19	15	—	—	34	15·0	39	18·6	5	147
Leiston cum Sizewell ...	4,189	55	41	5	3	104	22·4	46	11·0	6	58
Lowestoft, M.B.... ...	32,646	379	409	14	29	831	23·9	417	12·8	73	88
Oulton Broad	4,038	55	48	2	1	106	24·1	61	15·1	10	94
Saxmundham	1,392	9	11	3	1	24	17·2	24	17·2	6	250
Southwold, M.B.... ...	2,415	13	21	2	2	38	14·5	49	20·3	—	—
Stowmarket	4,441	60	40	4	1	105	24·7	88	19·8	13	124
Woodbridge	4,320	35	43	1	2	81	17·5	75	17·4	11	136
Rural Districts.											
Blything	16,887	155	154	13	11	333	18·1	276	16·3	24	72
Bosmere and Claydon ...	13,513	132	122	9	8	271	19·3	198	14·7	27	100
East Stow	6,195	69	56	—	2	127	20·2	85	13·7	12	94
Hartismere	10,982	123	111	5	10	249	21·7	166	15·1	20	80
Hoxne	9,801	96	89	9	7	201	19·2	163	16·6	17	85
Mutford and Lothingland	10,692	140	126	9	5	280	24·7	160	15·0	31	111
Plomesgate	14,757	151	130	17	11	309	19·7	220	14·9	29	94
Samford	11,924	106	111	8	3	228	16·0	189	15·9	16	70
Wangford...	4,527	53	42	1	2	98	20·2	72	15·9	8	82
Woodbridge	14,358	141	122	7	11	281	16·9	230	16·0	29	103
SUFFOLK, WEST.	107,772	1,044	965	73	82	2,164	18·5	1,766	16·4	188	87
Total Urban Districts ...	39,885	386	374	31	33	824	18·8	720	18·1	80	97
Total Rural Districts ...	67,887	658	591	42	49	1,340	18·4	1,046	15·4	108	81
Urban Districts.											
Bury St. Edmunds M.B.	15,506	156	152	11	9	328	19·4	286	18·4	36	110
Glemsford	1,372	6	12	—	1	19	13·8	16	11·7	2	105
Hadleigh	2,919	19	43	2	4	68	21·3	56	19·2	5	74
Haverhill	4,416	40	27	4	3	74	15·7	77	17·4	4	54
Newmarket	9,178	123	96	6	9	234	22·4	147	16·0	14	60
Sudbury M.B.	6,494	42	44	8	7	101	14·1	138	21·3	19	188

§ The remainder of Tamworth Rural District is in Warwickshire ; *see page* 112.
‖ The estimated Population is included in that of Dudley County Borough.

Population, Births, and Deaths (Civil Population only) in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Suffolk, West—*cont.*											
Rural Districts.											
Brandon	5,606	42	57	3	5	107	18·2	93	16·6	10	93
Clare	7,649	66	61	1	7	135	15·8	119	15·6	9	67
Cosford	10,644	102	99	7	4	212	17·9	176	16·5	24	113
Melford	11,818	116	102	6	10	234	18·4	214	18·1	22	94
Mildenhall	7,945	69	71	5	5	150	18·0	109	13·7	4	27
Moulton	2,200	20	23	—	1	44	19·7	24	10·9	2	45
Thedwastre	8,278	99	67	6	8	180	20·0	121	14·6	17	94
Thingoe	13,747	144	111	14	9	278	19·3	190	13·8	20	72
Surrey.	662,282	6,233	5,816	298	317	12,664	17·7	8,112	12·2	950	75
Total Urban Districts ...	497,808*	4,715	4,492	235	243	9,685	18·0	6,062	12·2	704	73
Total Rural Districts ...	164,474*	1,518	1,324	63	74	2,979	16·9	2,050	12·5	246	83
Urban Districts.											
Barnes	32,288	316	312	18	10	656	19·6	376	11·6	55	84
Beddington & Wallington§	11,553*	76	99	—	1	176	14·8	129	11·2	12	68
Carshalton	12,397	108	97	7	7	219	17·0	111	9·0	13	59
Caterham	7,596	87	84	5	6	182	16·3	100	13·2	14	77
Chertsey	13,297	117	122	9	7	255	18·1	198	14·9	20	78
Coulsdon and Purley§ ...	13,501*	111	124	2	3	240	14·8	99	7·3	13	54
Dorking	7,088	55	56	1	4	116	14·7	109	15·4	12	103
East and West Molesey...	6,564	59	54	1	6	120	18·2	92	14·0	7	58
Egham	11,721	103	108	6	7	224	17·6	170	14·5	19	85
Epsom	11,927	124	110	6	6	246	11·6	164	13·8	18	73
Esher and the Dittons ...	12,911	142	124	2	—	268	20·2	133	10·3	6	22
Farnham	11,880	131	132	8	10	281	23·4	174	14·6	33	117
Frimley	10,207	108	101	2	9	220	14·7	129	12·6	12	55
Godalming M.B.	8,292	79	63	6	8	156	17·6	114	13·7	19	122
Guildford M.B.	23,681	204	191	17	12	424	17·2	305	12·9	40	94
Ham	1,180	12	12	2	1	27	18·9	26	22·0	2	74
Haslemere	3,928	31	40	2	—	73	19·5	46	11·7	3	41
Kingston on Thames M.B.	36,375	391	354	23	27	795	20·4	512	14·1	71	89
Leatherhead	5,128	52	33	4	—	89	15·6	54	10·5	4	45
Merton and Morden ...	16,196	199	193	7	9	408	25·0	178	11·0	28	69
Mitcham§...	25,170*	332	299	15	9	655	26·1	258	10·3	47	72
Reigate M.B.	26,838	205	209	9	17	440	15·1	335	12·5	26	59
Richmond M.B.	33,730	295	254	14	17	580	17·3	486	14·4	47	81
Surbiton	17,426	156	127	8	9	300	16·3	232	13·3	21	70
Sutton	20,012	191	141	10	9	351	15·7	223	11·1	24	68
The Maldens and Coombe	13,806	127	155	4	3	289	21·2	162	11·7	17	59
Walton upon Thames ...	13,072	110	127	4	4	245	18·2	118	9·0	9	37
Weybridge	6,278	47	43	3	3	96	14·7	76	12·1	4	42
Wimbledon M.B. ...	56,409	501	459	18	23	1,001	17·2	624	11·1	71	71
Windlesham	4,214	44	34	2	1	81	18·2	66	15·7	4	49
Woking	23,143	202	235	20	15	472	17·9	263	11·4	33	70
Rural Districts.											
Chertsey	9,925	65	87	6	1	159	15·8	90	9·1	7	44
Croydon‖	16,700*	192	162	6	12	372	21·0	233	14·0	33	89
Dorking	10,316	75	66	4	6	151	14·0	128	12·4	11	73
Epsom	28,417*	286	232	11	15	544	17·0	284	10·0	30	55
Farnham	16,656	177	158	9	4	348	20·8	248	14·9	40	115
Godstone	22,321*	191	171	8	7	377	15·1	287	12·9	30	80
Guildford...	18,271	152	146	4	3	305	16·3	224	12·3	29	95
Hambledon	22,114	199	154	8	14	375	16·6	332	15·0	38	101
Reigate	19,754	181	148	7	12	348	15·6	224	11·3	28	80
Sussex, East	226,746	1,903	1,765	135	115	3,918	15·8	3,223	14·2	341	87
Total Urban Districts ...	109,390	928	807	64	68	1,867	15·6	1,731	15·8	184	99
Total Rural Districts ...	117,356	975	958	71	47	2,051	15·9	1,492	12·7	157	77
Urban Districts.											
Battle	2,763	22	20	3	1	46	15·8	40	14·5	4	87
Bexhill M.B.	14,546	121	104	3	8	236	14·6	220	15·1	25	106
Burgess Hill	4,960	45	29	1	3	78	15·0	88	17·7	8	103
Cuckfield	1,820	14	8	1	—	23	12·0	24	13·2	2	87
East Grinstead	6,904	60	55	4	2	121	16·5	78	11·3	12	99
Hayward's Heath ...	4,715	38	26	—	2	66	12·9	59	12·5	3	45
Hove M.B	38,741	288	262	30	30	610	14·0	663	17·1	71	116
Lewes M.B.	10,243	79	89	10	6	184	16·9	167	16·3	13	71
Newhaven...	6,511	62	56	4	5	127	19·1	97	14·9	7	55
Portslade by Sea... ...	6,593	87	59	—	4	150	22·2	104	15·8	16	107
Rye M.B....	3,866	55	39	5	2	101	23·4	64	16·6	8	79
Seaford	4,624	30	31	2	3	66	12·8	73	15·8	9	136
Uckfield	3,104	27	29	1	2	59	17·1	54	17·4	6	102

§ Created on 1st April, 1915.
‖ Abolished on 1st April, 1915.

Population, Births, and Deaths (Civil Population only) in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate M.	Legitimate F.	Illegitimate M.	Illegitimate F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Sussex, East—*cont.*											
Rural Districts.											
Battle	6,007	45	54	3	2	104	15·8	77	12·8	11	106
Chailey	10,699	94	73	11	5	183	14·2	137	12·8	10	55
Cuckfield	15,911	113	108	7	3	231	13·5	205	12·9	16	69
Eastbourne	5,075	52	32	4	2	90	16·5	64	12·6	6	67
East Grinstead	12,631	123	118	2	3	246	18·5	156	12·4	22	89
Hailsham	15,835	146	168	10	12	336	18·0	208	13·1	21	63
Hastings	1,514	10	15	1	—	26	15·1	26	17·2	1	38
Newhaven...	4,328	39	34	2	—	75	14·6	50	11·6	9	120
Rye	6,640	45	59	4	1	109	15·3	96	14·5	11	101
Steyning East	2,661	13	14	5	3	35	11·5	35	13·2	4	114
Ticehurst	13,041	101	100	8	8	217	15·9	147	11·3	14	65
Uckfield	23,014	194	183	14	8	399	16·7	291	12·6	32	80
Sussex, West.	164,207	1,430	1,298	101	94	2,923	16·0	2,583	15·7	228	78
Total Urban Districts ...	77,418	675	627	46	47	1,395	16·0	1,319	17·0	115	82
Total Rural Districts ...	86,789	755	671	55	47	1,528	16·0	1,264	14·6	113	74
Urban Districts.											
Arundel M.B.	2,528	33	26	—	5	64	23·0	51	20·0	4	63
Bognor	7,673	76	50	5	2	133	15·4	104	13·6	9	68
Chichester M.B.	10,240	106	89	6	6	207	16·3	206	20·1	26	126
Horsham	10,635	103	100	7	3	213	18·6	184	17·3	17	80
Littlehampton	8,015	64	55	6	7	132	15·4	108	13·5	3	23
Shoreham by Sea ...	5,599	54	46	2	7	109	18·2	84	15·0	11	101
Southwick	4,576	45	50	1	5	101	22·2	74	16·2	11	109
Worthing M.B.	28,152	194	211	19	12	436	13·5	508	18·0	34	78
Rural Districts.											
East Preston	6,550	61	45	2	5	113	15·9	83	12·7	10	88
Horsham	20,004	156	141	9	4	310	14·3	260	13·0	15	48
Midhurst	13,953	133	113	6	9	261	16·6	203	14·5	30	115
Petworth	8,287	66	59	4	3	132	14·9	144	17·4	13	98
Steyning West	8,173	72	58	6	5	141	15·5	133	16·3	14	99
Thakeham	7,805	75	66	5	10	156	18·2	106	13·6	6	38
Westbourne	8,100	71	73	10	4	158	18·1	128	15·8	11	70
Westhampnett	13,917	121	116	13	7	257	16·1	207	14·9	14	54
Warwickshire.	308,012	3,439	3,318	137	112	7,006	22·4	4,163	13·5	604	86
Total Urban Districts ...	136,672	1,410	1,352	59	55	2,876	20·6	1,958	14·3	284	99
Total Rural Districts ...	171,340	2,029	1,966	78	57	4,130	23·9	2,205	12·9	320	77
Urban Districts.											
Bulkington	2,048	22	31	1	1	55	28·8	34	16·6	7	127
Kenilworth	5,885	63	63	2	2	130	21·4	83	14·1	11	85
Nuneaton M.B.	38,652	513	515	13	12	1,053	26·3	541	14·0	124	118
Royal Leamington Spa M.B.	25,912	207	195	14	14	430	16·1	471	18·2	44	102
Rugby	23,083	232	221	8	11	472	20·5	250	10·8	34	72
Stratford on Avon M.B.	8,224	69	54	6	4	133	15·5	152	18·5	16	120
Sutton Coldfield M.B. ...	21,589	183	162	7	5	357	16·5	241	11·2	24	67
Warwick M.B.	11,279	121	111	8	6	246	20·8	186	16·5	24	98
Rural Districts.											
Alcester	11,552	95	98	6	5	204	17·0	157	13·6	13	64
Atherstone	19,710	302	280	8	2	592	29·9	238	12·1	56	95
Brailes	5,709	52	59	2	2	115	19·2	115	20·1	10	87
Coventry	2,166	33	23	—	—	56	86·4‖	9	4·2	2	36
Farnborough	1,349	13	8	—	—	21	14·3	20	14·8	3	143
Foleshill	27,331	397	446	14	9	866	35·3	327	12·0	69	80
Meriden	15,332	145	145	10	7	307	19·5	209	13·6	25	81
Monks Kirby	1,452	14	13	—	1	28	18·1	18	12·4	3	107
Nuneaton	2,882	43	39	1	3	86	31·4	30	10·4	6	70
Rugby	18,382	213	215	15	5	448	25·0	237	12·9	29	65
Solihull	19,306	165	175	4	6	350	17·7	225	11·7	18	51
Southam	9,370	114	87	5	4	210	21·0	157	16·8	18	86
Stratford on Avon ...	10,373	107	90	2	7	206	18·4	148	14·3	11	53
Tamworth (part of)§ ...	16,051	229	195	8	3	435	25·7	192	12·0	42	97
Warwick	10,375	107	93	3	3	206	16·3	123	11·9	15	73
Westmorland.	60,741	513	489	40	32	1,074	16·9	873	14·4	80	74
Total Urban Districts ...	25,604	190	204	15	16	425	15·9	336	13·1	32	75
Total Rural Districts ...	35,137	323	285	25	16	649	17·7	537	15·3	48	74
Urban Districts.											
Ambleside...	2,230	13	9	2	—	24	9·4	32	14·3	2	83
Appleby M.B.	1,702	18	22	—	2	42	24·3	19	11·2	1	24
Grasmere	770	8	1	—	—	9	10·0	10	13·0	1	111

§ The remainder of Tamworth Rural District is in Staffordshire; *see page* 110.
‖ Erratum.—Birth-rate, 1914, should read 103·4.

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
WESTMORLAND—*cont.*											
Kendal M.B.	13,194	106	112	10	10	238	17·0	195	14·8	18	76
Kirkby Lonsdale ...	1,377	7	12	1	1	21	14·0	9	6·5	1	48
Shap	950	9	9	—	—	18	18·9	15	15·8	2	111
Windermere	5,381	29	39	2	3	73	14·1	56	10·4	7	96
Rural Districts.											
East Westmorland ...	10,980	118	75	14	8	215	19·4	171	15·6	18	84
South Westmorland ...	17,909	145	160	7	6	318	16·7	281	15·7	19	60.
West Ward	6,248	60	50	4	2	116	18·1	85	13·6	11	95
WIGHT, ISLE OF.	79,269	673	568	45	45	1,331	14·8	1,275	16·1	120	90
Total Urban Districts ...	52,642	465	400	32	26	923	15·9	878	16·7	90	98
Rural District	26,627	208	168	13	19	408	12·9	397	14·9	30	74
Urban Districts.											
Cowes	10,068	95	83	4	5	187	18·9	154	15·3	24	128
East Cowes	4,907	58	47	2	1	108	21·5	60	12·2	8	74
Newport M.B.	10,881	109	103	12	7	231	20·6	203	18·7	33	143
Ryde M.B.	9,276	66	50	4	3	123	11·7	207	22·3	10	81
St. Helens	4,567	45	29	2	3	79	15·6	64	14·0	1	13
Sandown	4,755	46	43	2	2	93	16·4	71	14·9	8	86
Shanklin	4,095	20	20	3	2	45	9·4	57	13·9	3	67
Ventnor	4,093	26	25	3	3	57	9·9	62	15·1	3	53
Rural District.											
Isle of Wight	26,627	208	168	13	19	408	12·9	397	14·9	30	74
WILTSHIRE.	280,519	2,539	2,573	133	123	5,368	18·5	4,007	14·3	406	76
Total Urban Districts ...	126,356	1,209	1,171	53	49	2,482	19·0	1,801	14·3	191	77
Total Rural Districts ...	154,163	1,330	1,402	80	74	2,886	18·0	2,206	14·3	215	74
Urban Districts.											
Bradford on Avon ...	4,402	31	45	—	2	78	17·3	58	13·2	6	77
Calne M.B.	3,468	34	28	1	5	68	19·1	54	15·6	7	103
Chippenham M.B. ...	7,439	65	68	1	4	138	16·7	98	13·2	4	29
Devizes M.B.	6,128	47	56	7	3	113	16·6	90	14·7	10	88
Malmesbury M.B. ...	2,441	21	17	—	1	39	15·0	38	15·6	4	103
Marlborough M.B. ...	3,680	33	27	1	—	61	13·6	50	13·6	3	49
Melksham...	3,424	27	19	—	—	46	12·6	43	12·6	4	87
Salisbury M.B.	20,958	204	198	12	11	425	19·8	360	17·2	45	106
Swindon M.B.	51,647	531	526	21	15	1,093	20·9	655	12·7	74	68
Trowbridge	11,654	130	94	7	4	235	19·8	179	15·4	17	72
Warminster	5,480	44	40	1	3	88	16·1	93	17·0	12	136
Westbury...	3,454	18	32	2	—	52	15·0	50	14·5	2	38
Wilton M.B.	2,181	24	21	—	1	46	21·9	33	15·1	3	65
Rural Districts.											
Amesbury	13,031	92	90	7	5	194	16·3	140	10·7	17	88
Bradford on Avon ...	5,178	45	47	2	2	96	17·9	65	12·6	5	52
Calne	4,316	32	43	1	2	78	17·0	61	14·1	8	103
Chippenham	14,733	108	127	9	9	253	16·4	213	14·5	17	67
Cricklade and Wootton Bassett	10,282	87	105	1	5	198	18·1	138	13·4	13	66
Devizes	10,759	109	115	3	6	233	18·2	185	17·2	15	64
Highworth	14,505	150	159	9	6	324	21·1	180	12·4	20	62
Malmesbury	8,890	70	66	5	4	145	15·7	117	13·2	15	103
Marlborough	4,195	35	44	2	1	82	18·1	48	11·4	5	61
Melksham...	4,634	42	46	2	2	92	19·5	50	10·8	4	43
Mere	4,830	35	35	3	2	75	14·5	81	16·8	3	40
Pewsey	12,338	127	117	8	13	265	19·2	162	13·1	18	68
Ramsbury	6,705	49	46	7	3	105	14·8	98	14·6	7	67
Salisbury	9,964	101	87	7	4	199	19·4	167	16·8	18	90
Tetbury (part of)§ ...	330	4	3	—	—	7	18·6	3	9·1	1	143
Tisbury	7,487	62	73	4	6	145	18·5	128	17·1	5	34
Warminster	6,281	60	47	6	1	114	19·4	132	21·0	15	132
Westbury and Whorwellsdown.	6,403	60	52	1	1	114	17·1	99	15·5	12	105
Wilton	9,302	62	100	3	2	167	20·3	139	14·9	17	102
WORCESTERSHIRE.	279,706	2,956	2,748	129	132	5,965	20·4	4,160	14·9	638	107
Total Urban Districts ...	153,235	1,672	1,550	67	78	3,367	21·0	2,334	15·2	415	123
Total Rural Districts ...	126,471	1,284	1,198	62	54	2,598	19·6	1,826	14·4	223	86
Urban Districts.											
Bewdley M.B.	2,536	26	26	2	4	58	21·4	33	13·0	4	69
Bromsgrove	8,495	107	77	8	5	197	21·8	152	17·9	22	112
Droitwich M.B.	3,639	39	40	2	3	84	20·3	63	17·3	8	95
Evesham M.B.	8,050	90	84	3	3	180	20·8	108	13·4	22	122

§ The remainder of Tetbury Rural District is in Gloucestershire; *see page* 98.

Population, Births, and Deaths (Civil Population only) in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Worcestershire—*cont.*											
Kidderminster M.B. ...	25,198	256	214	12	13	495	18·0	390	15·5	64	129
Lye and Wollescote ...	11,905	131	154	4	5	294	24·8	189	15·9	51	173
Malvern	14,362	84	90	8	8	190	11·5	217	15·1	24	126
North Bromsgrove ...	6,763	86	59	2	1	148	19·5	72	10·6	12	81
Oldbury	35,228	482	456	12	12	962	28·3	602	17·1	137	142
Redditch	15,955	139	146	3	3	291	18·2	190	11·9	20	69
Stourbridge M.B. ...	16,857	196	171	7	15	389	22·1	239	14·2	42	108
Stourport...	4,247	36	33	4	6	79	17·9	79	18·6	9	114
Rural Districts.											
Bromsgrove	15,211	138	125	4	4	271	17·7	172	11·3	18	66
Droitwich...	11,822	94	102	10	6	212	17·3	181	15·3	23	108
Evesham	9,054	102	87	6	5	200	21·1	112	12·4	10	50
Feckenham	5,373	46	44	4	3	97	17·8	73	13·6	8	82
Halesowen	27,389	363	342	8	6	719	27·0	364	13·2	73	102
Kidderminster	7,030	57	73	2	3	135	18·6	117	16·6	13	96
Martley	12,139	110	113	9	7	239	19·0	176	14·5	19	79
Pershore	12,144	112	106	4	7	229	17·2	186	15·3	21	92
Rock	2,127	14	17	1	1	33	15·0	38	17·9	2	61
Shipston on Stour ...	4,164	45	30	3	3	81	17·2	81	19·5	5	62
Stow on the Wold (part of)‖	288	1	1	—	—	2	6·3	3	10·4	1	500
Tenbury	4,569	49	36	3	3	91	19·4	63	13·8	7	77
Tewkesbury (part of)‖ ...	2 125	17	18	3	—	38	16·4	24	11·3	1	26
Upton on Severn ...	11,780	122	95	4	6	227	15·5	216	18·3	20	88
Winchcomb (part of)‖ ...	108	1	1	—	—	2	17·2	3	27·8	—	—
Civil Parishes of Redmarley d'Abitôt and Staunton administered by Rural District Council of Newent (Gloucestershire).	1,148	13	8	1	—	22	18·4	20	17·4	2	91
Yorkshire, East Riding	150,176	1,538	1,454	137	125	3,254	20·7	2,175	14·5	244	75
Total Urban Districts ...	59,509	559	521	52	47	1,179	19·1	948	15·9	87	74
Total Rural Districts ...	90,667	979	933	85	78	2,075	21·7	1,227	13·5	157	76
Urban Districts.											
Beverley M.B.	13,265	145	131	8	14	298	21·6	245	18·5	20	67
Bridlington M.B. ...	13,868	109	108	17	11	245	16·6	213	15·4	20	82
Cottingham	4,815	50	43	3	1	97	19·9	49	10·2	—	—
Filey	3,099	24	28	2	3	57	17·4	42	13·6	—	—
Great Driffield	5,563	43	39	6	9	97	17·2	95	17·1	12	124
Hedon M.B.	1,241	15	10	2	1	28	23·1	10	8·1	2	71
Hessle	5,553	56	65	7	—	128	22·4	87	15·7	11	86
Hornsea	3,249	34	24	—	5	63	19·8	47	14·5	10	159
Norton	3,741	40	30	3	1	74	18·4	69	18·4	3	41
Pocklington	2,520	22	27	3	2	54	21·1	50	19·8	6	111
Withernsea	2,595	21	16	1	—	38	14·5	41	15·8	3	79
Rural Districts.											
Beverley	10,336	109	111	6	5	231	19·7	130	12·6	17	74
Bridlington	7,588	75	77	8	6	166	21·4	79	10·4	7	42
Driffield	11,453	136	119	13	15	283	23·3	161	14·1	21	74
Escrick	5,209	53	43	4	5	105	17·4	69	13·2	11	105
Howden	11,812	152	98	13	12	275	21·6	158	13·4	16	58
Norton	5,385	60	40	7	7	114	19·5	80	14·9	11	96
Patrington	6,747	64	84	8	3	159	22·3	105	15·6	15	94
Pocklington	10,620	96	122	5	10	233	20·6	158	14·9	24	103
Riccall	4,062	53	57	1	3	114	34·3	66	16·2	8	70
Sculcoates...	8,595	87	97	4	2	190	23·3	111	12·9	13	68
Sherburn	2,022	20	19	4	5	48	21·1	27	13·4	5	104
Skirlaugh	6,838	74	66	12	5	157	21·8	83	12·1	9	57
Yorkshire, North Riding.	285,420	3,199	3,045	174	198	6,616	21·7	4,572	16·0	649	98
Total Urban Districts ...	154,729	1,901	1,810	94	120	3,925	23·3	2,681	17·3	451	115
Total Rural Districts ...	130,691	1,298	1,235	80	78	2,691	19·6	1,891	14·5	198	74
Urban Districts.											
Eston§	27,466	399	397	8	12	816	28·6	589	21·4	139	170
Guisborough	6,458	89	79	10	6	184	24·8	111	17·2	13	71
Hinderwell	2,406	35	23	—	3	61	23·2	37	15·4	9	148
Kirklington cum Upsland	259	2	—	—	—	2	8·3	3	11·6	1	500
Loftus	8,355	124	146	6	4	280	29·6	96	11·5	30	107
Malton	4,448	52	41	4	6	103	21·3	77	17·3	7	68
Masham	2,348	21	21	—	3	45	13·2	30	12·8	2	44

§ United with South Bank in Normanby Urban District on 1st April, 1915. The figures shown above relate to the whole year.
‖ The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire; *see page* 98.

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
YORKSHIRE, NORTH RIDING—*cont.*											
Northallerton	4,434	59	51	6	6	122	24·4	62	14·0	8	66
Pickering	3,525	29	22	6	6	63	16·9	39	11·1	1	16
Redcar	10,517	115	109	1	7	232	20·7	155	14·7	24	103
Richmond, M.B	3,456	39	34	3	3	79	20·0	75	21·7	6	76
Saltburn by the Sea ...	3,186	31	27	2	3	63	18·0	39	12·2	3	48
Scalby	1,276	11	3	—	—	14	8·2	13	10·2	—	—
Scarborough, M.B. ...	32,630	281	225	26	33	565	15·3	556	17·0	47	83
Skelton and Brotton ...	15,116	234	211	8	16	469	29·9	252	16·7	63	134
Thornaby on Tees, M.B.	18,487	276	312	8	8	604	31·4	382	20·7	83	137
Whitby	10,362	104	109	6	4	223	20·3	165	15·9	15	67
Rural Districts.											
Aysgarth	4,261	50	34	2	5	91	21·7	68	16·0	8	88
Bedale	6,593	69	59	8	1	137	19·6	95	14·4	12	88
Croft	2,211	22	19	2	—	43	19·0	24	10·9	2	47
Easingwold	9,956	95	91	7	9	202	19·6	136	13·7	12	59
Flaxton	7,411	68	83	2	3	156	17·6	94	12·7	15	96
Guisborough	7,248	78	77	2	5	162	20·6	99	13·7	13	80
Helmsley	4,747	52	30	—	1	83	16·1	60	12·6	7	84
Kirkby Moorside ...	4,721	49	40	4	2	95	19·4	69	14·6	12	126
Leyburn	6,105	47	49	2	2	100	15·8	80	13·1	11	110
Malton	5,640	41	53	8	4	106	17·1	88	15·6	2	19
Middlesbrough	2,170	30	18	4	1	53	25·5	27	12·4	1	19
Northallerton	7,304	82	75	5	4	166	21·3	110	15·1	7	42
Pickering	6,409	67	63	7	4	141	21·9	101	15·8	12	85
Reeth	2,405	16	22	1	1	40	16·9	36	15·0	3	75
Richmond	7,685	74	86	3	6	169	20·8	120	15·6	13	77
Scarborough	6,286	50	44	4	7	105	16·7	89	14·2	8	76
Startforth	4,677	34	45	4	1	84	17·1	58	12·4	5	60
Stokesley	11,893	143	121	4	8	276	22·4	181	15·2	19	69
Thirsk	12,400	136	130	9	9	284	22·2	217	17·5	23	81
Wath	2,069	16	15	2	1	34	15·5	26	12·6	2	59
Whitby	8,500	79	81	—	4	164	19·0	113	13·3	11	67
YORKSHIRE, WEST RIDING§	1,442,652	16,678	15,914	700	683	33,975	23·3	21,745	15·1	3,813	112
Total Urban Districts§ ...	1,069,618*	11,754	11,328	481	469	24,032	22·2	16,403	15·3	2,729	114
Total Rural Districts ...	373,034*	4,924	4,586	219	214	9,943	26·2	5,342	14·3	1,084	109
Urban Districts.											
Adwick le Street‖ ...	7,859*	146	168	5	3	322	49·8	105	13·4	36	112
Altofts	4,799	69	60	5	—	134	27·6	69	14·4	16	119
Ardsley	6,921	110	126	8	6	250	35·6	114	16·5	32	128
Ardsley East and West ...	8,642	91	80	1	3	175	21·1	98	11·3	17	97
Baildon	6,427	53	42	2	—	97	15·9	92	14·3	11	113
Barkisland	1,572	16	13	—	1	30	18·7	18	11·5	3	100
Barnoldswick	12,099	87	115	8	7	217	20·6	124	10·2	16	74
Batley, M.B.	36,355	355	360	9	25	749	20·4	662	18·2	91	121
Bentley with Arksey ...	11,134	195	196	4	5	400	53·1	137	12·3	45	113
Bingley	18,714	144	139	5	2	290	15·4	275	14·7	25	86
Birkenshaw	2,627	23	24	1	—	48	18·5	38	14·5	6	125
Birstal	7,240	81	71	3	1	156	21·5	131	18·1	21	135
Bolton upon-Dearne ...	9,760	173	173	4	10	360	36·4	144	14·8	44	122
Brighouse M.B.	20,170	169	169	5	8	351	17·0	331	16·4	36	103
Burley in Wharfedale ...	3,414	24	20	2	—	46	11·9	55	16·1	7	152
Calverley	3,424	31	19	2	1	53	17·2	36	10·5	3	57
Castleford	23,102	318	323	16	14	671	27·4	434	18·8	113	168
Clayton	4,784	27	25	1	—	53	11·0	51	10·7	3	57
Clayton West	1,879	23	27	1	—	51	26·0	40	21·3	5	98
Cudworth	6,976	140	130	5	9	284	37·0	134	19·2	43	151
Darfield	5,452	80	76	3	1	160	27·9	91	16·7	20	125
Darton	10,405	182	154	10	2	348	35·6	147	14·1	37	106
Denby and Cumberworth	3,791	34	38	1	1	74	19·6	41	10·8	4	54
Denholme...	2,948	15	22	2	1	40	13·4	45	15·3	10	250
Dodworth...	3,234	45	45	—	3	93	27·8	35	10·8	10	108
Doncaster M.B.	50,960	596	600	27	26	1,249	24·6	734	14·4	121	97
Drighlington	4,176	32	44	—	—	76	18·5	68	16·3	6	79
Earby	6,020	59	56	3	6	124	19·0	89	14·8	14	113
Elland	10,959	85	80	7	3	175	16·3	146	13·3	17	97
Emley	1,630	15	16	—	—	31	18·6	17	10·4	3	97
Farnley Tyas	492	5	9	—	—	14	29·3	5	10·2	—	—

§ Excluding Wakefield (constituted a County Borough 1st April, 1915) for the whole year.
‖ Created on 1st April, 1915.

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
YORKSHIRE, WEST RIDING —*cont.*											
Farsley	6,129	54	57	3	4	118	19·4	81	13·2	8	68
Featherstone	14,220	226	231	11	9	477	31·9	246	17·3	61	128
Flockton	1,387	23	17	—	—	40	28·3	21	15·1	6	150
Garforth	3,885	45	48	2	—	95	22·8	53	13·6	8	84
Gildersome	3,007	20	26	2	1	49	16·6	44	14·6	5	102
Golcar	10,566	93	107	3	1	204	19·8	166	15·7	20	98
Goole	19,358	251	217	14	10	492	23·1	292	15·1	68	138
Greasbrough	3,195	29	35	—	—	64	20·4	43	13·5	4	63
Greetland...	4,439	36	25	4	1	66	14·7	75	16·9	11	167
Guiseley	5,111	50	34	—	2	86	17·1	61	11·9	7	81
Gunthwaite and Ingbirchworth.	325	2	1	—	—	3	7·7	7	21·5	1	333
Handsworth	15,216	206	209	10	6	431	29·9	204	13·4	43	100
Harrogate M.B.	33,933	236	233	17	19	505	14·4	509	15·0	58	115
Haworth	6,565	55	43	4	—	102	16·3	98	14·9	9	88
Hebden Bridge	6,973	40	44	2	1	87	12·3	104	14·9	9	103
Heckmondwike	8,846	79	97	6	3	185	20·8	178	20·1	23	124
Hipperholme	4,799	31	33	—	1	65	14·5	68	14·2	3	46
Holme	378	6	3	—	1	10	26·2	5	13·2	—	—
Holmfirth...	10,548	90	90	—	6	186	17·4	131	12·4	18	97
Honley	4,693	39	36	—	—	75	16·0	67	14·3	3	40
Horbury	7,814	85	80	2	—	167	21·7	120	15·4	27	162
Horsforth...	9,313	87	85	4	3	179	18·9	128	13·7	10	56
Hoyland Nether	14,513	212	216	12	10	450	29·6	257	17·7	60	133
Hoyland Swaine	592	8	6	—	—	14	23·0	4	6·8	2	143
Hunsworth	1,229	10	9	—	—	19	14·4	22	17·9	3	158
Ilkley	8,107	71	53	3	1	128	15·7	112	13·8	13	102
Keighley M.B.	42,235	363	328	16	13	720	16·4	613	14·5	94	131
Kirkburton	3,462	21	29	1	2	53	15·1	49	14·2	6	113
Kirkheaton	2,677	24	18	—	—	42	15·8	48	17·9	4	95
Knaresborough	4,982	59	42	5	3	109	20·3	87	17·5	9	83
Knottingley	6,555	85	79	4	5	173	25·1	100	15·3	24	139
Lepton	3,146	26	22	—	1	49	16·0	36	11·4	5	102
Linthwaite	9,856	76	105	3	5	189	19·9	118	12·0	12	63
Luddenden Foot... ...	2,870	32	16	—	—	48	17·2	44	15·3	—	—
Marsden	6,050	57	65	1	3	126	20·6	68	11·2	13	103
Meltham	4,950	28	46	4	—	78	15·0	77	15·6	8	103
Methley	4,491	66	54	2	—	122	28·1	63	14·0	9	74
Mexborough	14,465	229	220	13	7	469	30·5	229	15·8	60	128
Midgley	1,959	21	20	—	1	42	20·1	35	17·9	3	71
Mirfield	11,942	106	100	1	3	210	17·8	197	16·5	19	90
Monk Bretton	4,763	104	66	4	2	176	35·3	89	18·7	24	136
Morley M.B.	24,553	243	220	13	12	488	20·0	348	14·2	63	129
Mytholmroyd	4,160	22	30	2	—	54	13·0	62	14·9	2	37
New Mill	4,469	38	48	4	2	92	20·2	50	11·2	8	87
Normanton	15,022	240	214	4	9	467	29·7	265	17·6	57	122
Oakworth...	4,029	27	28	2	—	57	13·3	67	16·6	5	88
Ossett M.B.	14,345	153	180	4	5	342	23·8	240	16·7	43	126
Otley	9,600	68	74	6	3	151	15·3	145	15·1	16	106
Oxenhope...	2,411	18	15	1	1	35	14·7	31	12·9	2	57
Penistone...	3,398	41	29	2	—	72	20·6	55	16·2	5	69
Pontefract M.B.	14,909	208	201	8	12	429	25·9	296	19·9	73	170
Pudsey M.B.	14,375	131	114	5	8	258	18·7	249	17·3	35	136
Queensbury	6,189	30	27	—	2	59	9·7	93	15·0	7	119
Rawdon	3,336	32	25	1	—	58	18·1	43	12·9	3	52
Rawmarsh	17,507	276	230	16	11	533	29·9	304	17·4	81	152
Ripon M.B.	8,411	63	79	6	11	159	19·4	193	22·9	18	113
Rishworth	873	5	2	—	—	7	7·5	9	10·3	—	—
Rothwell	14,755	191	186	5	6	388	26·0	225	15·2	46	119
Royston	6,143	107	120	4	1	232	34·6	131	21·3	40	172
Saddleworth	12,493	104	108	4	1	217	17·1	211	16·9	24	111
Scammonden	370	—	1	—	—	1	3·0	7	18·9	1	1000
Selby	9,422	103	120	8	6	237	25·3	112	11·9	16	68
Shelf	2,480	13	16	1	1	31	13·5	45	18·1	1	32
Shelley	1,675	16	20	—	—	36	19·9	33	19·7	4	111
Shepley	1,828	8	14	—	2	24	12·5	33	18·1	5	208
Shipley	27,995	254	226	11	12	503	17·8	417	14·9	53	105
Silsden	5,021	32	44	—	1	77	15·0	67	13·3	6	78
Skelmanthorpe	3,785	44	50	1	1	96	24·4	36	9·5	5	52
Skipton	11,776	93	85	8	6	192	14·5	145	12·3	15	78
Slaithwaite	5,525	47	46	3	3	99	17·2	92	16·7	12	121

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

dministrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born)						Deaths (exclusive of Still-born).		Deaths under one year.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population, 1914.	Total.	Rate per 1,000 Civil Population, 1915.	Number.	Rate per 1,000 Births.
		M.	F.	M.	F.						
YORKSHIRE, WEST RIDING —*cont.*											
South Crosland	3,136	27	26	1	2	56	17·7	49	15·6	3	54
Southowram	2,395	28	17	4	—	49	18·0	35	14·6	1	20
Sowerby	3,063	25	16	1	—	42	13·4	43	14·0	—	—
Sowerby Bridge	11,675	102	86	4	2	194	17·1	184	15·8	8	41
Soyland	2,824	22	14	—	—	36	12·5	32	11·3	1	28
Spenborough§	31,608	282	266	9	14	571	18·1	474	15·0	65	114
Springhead	4,780	50	33	4	1	88	17·1	81	16·9	5	57
Stainland with Old Lindley	4,437	30	29	1	1	61	13·8	73	16·5	3	49
Stanley	14,365	201	159	4	6	370	26·6	185	12·9	46	124
Stocksbridge	7,766	101	91	2	—	194	26·9	100	12·9	24	124
Swinton	13,092	217	202	9	10	438	31·3	226	17·3	62	142
Thurlstone	2,737	21	19	1	1	42	14·9	35	12·8	4	95
Thurnscoe	4,398	82	66	2	2	152	33·7	73	16·6	11	72
Thurstonland	983	11	15	—	1	27	11·6	30	30·5	1	37
Tickhill	2,008	22	37	1	—	60	32·1	25	12·5	5	83
Todmorden M.B. ...	24,483	181	196	5	11	393	15·5	393	16·1	38	97
Wath upon Dearne ...	12,368	201	195	4	6	406	32·1	174	14·1	38	94
Whitley Upper	840	9	8	—	1	18	21·3	10	11·9	3	167
Whitwood	5,305	98	92	1	8	199	35·0	107	20·2	36	181
Wombwell	18,279	342	273	7	13	635	34·1	273	14·9	61	96
Worsborough	13,144	216	208	6	10	440	32·9	231	17·6	71	161
Yeadon	7,568	75	63	3	2	143	19·0	111	14·7	12	84
Rural Districts.											
Barnsley	4,081	58	62	4	4	128	30·9	75	18·4	15	117
Bishopthorpe	2,116	21	21	—	3	45	21·2	20	9·5	6	133
Bowland	5,874	44	55	1	—	100	18·6	69	11·7	9	90
Doncaster...	35,998*	615	562	23	14	1,214	36·2	557	15·5	150	124
Goole	8,266	102	91	7	12	212	24·5	120	14·5	24	113
Great Ouseburn	10,611	94	121	2	11	228	20·8	158	14·9	21	92
Halifax	6,170	56	59	—	1	116	18·9	91	14·7	9	78
Hemsworth	44,129	844	762	32	31	1,669	37·7	705	16·0	241	144
Hunslet	8,003	88	71	7	5	171	21·2	131	16·4	21	123
Keighley	6,630	46	36	1	2	85	12·5	94	14·2	11	129
Kiveton Park	14,407	213	184	8	10	415	27·4	144	10·0	31	75
Knaresborough	8,432	68	67	3	2	140	16·6	97	11·5	13	93
Pateley Bridge	6,859	55	56	3	3	117	15·2	129	18·8	9	77
Penistone	5,448	57	59	4	1	121	22·8	78	14·3	8	66
Pontefract	16,224	245	240	15	10	510	31·9	266	16·4	75	147
Ripon	5,464	42	44	7	1	94	17·3	77	14·1	6	64
Rotherham	32,140	543	491	24	25	1,083	35·4	433	13·5	120	111
Sedbergh	3,595	22	28	3	1	54	14·6	55	15·3	8	148
Selby	5,823	54	76	7	4	141	23·7	83	14·3	11	78
Settle	14,170	153	152	5	11	321	21·3	193	13·6	24	75
Skipton	18,844	144	141	6	5	296	15·9	243	12·9	24	81
Tadcaster	27,323	358	348	12	18	736	26·5	375	13·7	70	95
Thorne	9,035	127	116	7	8	258	28·1	129	14·3	22	85
Todmorden	4,669	37	31	1	—	69	15·3	77	16·5	5	72
Wakefield	16,678	240	191	10	8	449	25·7	249	14·9	58	129
Wetherby	14,582	122	116	9	8	255	16·8	187	12·8	18	71
Wharfedale	7,224	65	53	5	1	124	13·0	87	12·0	7	56
Wortley	30,239	411	353	13	15	792	23·8	420	13·9	68	86
ANGLESEY.	49,647	473	430	45	58	1,006	19·7	802	16·2	110	109
Total Urban Districts ...	18,550	185	175	12	22	394	20·7	313	16·9	44	112
Total Rural Districts ...	31,097	288	255	33	36	612	19·1	489	15·7	66	108
Urban Districts.											
Amlwch	2,694	30	29	1	3	63	23·8	57	21·2	10	159
Beaumaris M.B.	1,863	7	12	3	3	25	11·3	37	19·9	1	40
Holyhead	10,751	117	106	6	10	239	22·2	151	14·0	27	113
Llangefni	1,637	22	14	1	3	40	22·5	31	18·9	5	125
Menai Bridge	1,605	9	14	1	3	27	16·6	37	23·1	1	37
Rural Districts.											
Aethwy	8,507	87	65	9	10	171	19·6	126	14·8	21	123
Dwyran	2,965	30	23	2	4	59	19·8	44	14·8	6	102
Twrcelyn	9,049	77	74	13	8	172	18·5	150	16·6	17	99
Valley	10,576	94	93	9	14	210	19·1	169	16·0	22	105

§ On the 1st April, 1915, the Urban Districts of Cleckheaton, Gomersal, and Liversedge were united and called Spenborough. The figures shown above relate to the whole year.

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
BRECKNOCKSHIRE.	58,389	659	642	36	28	1,365	22·5	909	15·6	153	112
Total Urban Districts ...	16,569	199	185	20	15	419	23·6	304	18·3	53	126
Total Rural Districts ...	41,820	460	457	16	13	946	22·1	605	14·5	100	106
Urban Districts.											
Brecknock§	5,264	57	50	5	4	116	19·6	95	18·0	15	129
Brynmawr	7,501	103	100	10	6	219	28·2	118	15·7	36	164
Builth Wells	1,602	13	11	4	2	30	17·8	40	25·0	—	—
Hay	1,390	18	13	1	3	35	22·1	37	26·6	1	29
Llanwrtyd	812	8	11	—	—	19	24·2	14	17·2	1	53
Rural Districts.											
Brecknock	9,139	88	73	4	1	166	18·4	140	15·3	13	78
Builth	4,141	24	43	1	3	71	16·9	51	12·3	9	127
Crickhowell	7,501	108	71	2	—	181	23·0	104	13·9	17	94
Hay	3,309	30	37	2	1	70	19·1	53	16·0	4	57
Vaynor and Penderyn ...	5,695	66	62	1	4	133	23·3	106	18·6	18	135
Ystradgynlais	10,997	140	165	6	4	315	27·0	139	12·6	36	114
Civil Parish of Llanwrthwl administered by Rural District Council of Rhayader (Radnor).	391	2	4	—	—	6	14·6	5	12·8	—	—
Civil Parish of Ystradfellte administered by Rural District Council of Neath (Glam.).	647	2	2	—	—	4	6·2	7	10·8	3	750
CARDIGANSHIRE.	57,323	457	433	29	39	958	16·1	1,074	18·7	100	104
Total Urban Districts ...	15,576	123	113	6	5	247	14·7	298	19·1	34	138
Total Rural Districts ...	41,747	334	320	23	34	711	16·6	776	18·6	66	93
Urban Districts.											
Aberayron	1,360	8	13	2	1	24	17·8	23	16·9	1	42
Aberystwyth M.B. ...	7,841	65	58	4	3	130	14·6	156	19·9	19	146
Cardigan M.B.	3,429	29	25	—	1	55	15·3	54	15·7	8	145
Lampeter M.B.	1,682	13	9	—	—	22	12·1	35	20·8	3	136
New Quay	1,264	8	8	—	—	16	13·6	30	23·7	3	188
Rural Districts.											
Aberayron	7,663	66	58	6	8	138	18·1	146	19·1	15	109
Aberystwyth	12,217	95	76	6	8	185	14·7	235	19·2	17	92
Cardigan	3,063	22	28	—	—	50	15·5	55	18·0	4	80
Lampeter	3,426	35	36	4	5	80	22·7	57	16·6	7	88
Llandyssil...	7,774	63	62	—	6	131	16·5	120	15·4	8	61
Tregaron	7,207	52	58	7	6	123	16·6	156	21·6	14	114
Civil Parish of Ysgubor y Coed administered by Rural District Council of Machynlleth (Montgomeryshire).	397	1	2	—	1	4	9·3	7	17·6	1	250
CARMARTHENSHIRE.	163,622	2,034	1,948	78	86	4,146	24·9	2,453	15·0	422	102
Total Urban Districts ...	66,053	841	810	25	21	1,697	24·5	1,011	15·3	182	107
Total Rural Districts ...	97,569	1,193	1,138	53	65	2,449	25·1	1,442	14·8	240	98
Urban Districts.											
Ammanford	6,504	99	91	6	1	197	28·8	86	13·2	20	102
Burry Port	5,330	72	70	3	—	145	30·3	74	13·9	19	131
Carmarthen M.B. ...	8,634	93	115	2	5	215	20·9	147	17·0	18	84
Cwmamman	4,951	71	69	2	1	143	25·5	59	11·9	18	126
Kidwelly M.B.	2,903	39	44	—	—	83	25·8	46	15·8	9	108
Llandilo	1,714	15	13	2	2	32	16·6	38	22·2	4	125
Llandovery M.B. ...	1,708	20	18	1	—	39	19·1	25	14·6	3	77
Llanelly M.B.	33,487	421	383	9	12	825	24·5	520	15·5	91	110
Newcastle Emlyn. ...	822	11	7	—	—	18	19·2	16	19·5	—	—
Rural Districts.											
Carmarthen	24,553	297	306	17	17	637	26·1	361	14·7	52	82
Llandilo Fawr	20,739	274	256	8	11	549	25·8	332	16·0	65	118
Llandovery	7,040	55	66	5	5	131	18·1	118	16·8	10	76
Llanelly	30,256	434	381	11	17	843	28·9	393	13·0	89	106
Llanybyther	3,603	25	30	2	2	59	16·6	62	17·2	6	102
Newcastle in Emlyn ...	6,395	59	54	9	7	129	20·0	90	14·1	15	116
Whitland	4,983	49	45	1	6	101	19·4	86	17·3	3	30

§ Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

Population, Births, and Deaths (Civil Population only) in Administrative Areas, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
Carnarvonshire.	116,633	992	963	90	62	2,107	16·9	2,083	17·9	208	99
Total Urban Districts ...	54,804	438	417	43	31	929	15·9	1,023	18·7	109	117
Total Rural Districts ...	61,829	554	546	47	31	1,178	17·8	1,060	17·1	99	84
Urban Districts.											
Bangor M.B.	10,017	84	83	10	4	181	16·1	212	21·2	26	144
Bethesda	4,048	26	24	1	5	56	12·2	83	20·5	9	161
Bettws y Coed	791	3	4	—	—	7	7·9	22	27·8	2	286
Carnarvon M.B.	8,331	85	66	5	2	158	17·6	185	22·2	22	139
Conway M.B.	5,021	44	41	6	3	94	17·5	85	16·9	6	64
Criccieth	1,532	7	11	—	3	21	15·4	22	14·4	3	143
Llandudno	10,525	81	74	12	8	175	16·3	149	14·2	15	86
Llanfairfechan	2,947	22	18	3	—	43	14·2	43	14·6	2	47
Penmaenmawr	3,718	25	34	2	—	61	14·6	58	15·6	9	148
Portmadoc§	4,198	29	33	3	4	69	15·9	84	20·0	5	72
Pwllheli M.B.	3,676	32	29	1	2	64	16·8	80	21·8	10	156
Rural Districts.											
Conway	7,465	83	74	5	3	165	22·4	117	15·7	13	79
Geirionydd	3,851	34	36	6	2	78	17·8	74	19·2	3	38
Glaslyn	3,111	33	21	2	1	57	17·5	35	11·3	3	53
Gwyrfai	24,595	224	227	9	11	471	16·9	453	18·4	39	83
Lleyn	16,916	135	141	23	12	311	18·5	261	15·4	30	96
Ogwen	5,891	45	47	2	2	96	14·4	120	20·4	11	115
Denbighshire.	140,756	1,570	1,503	101	103	3,277	22·1	2,305	16·4	356	109
Total Urban Districts ...	45,933	456	440	24	27	947	18·7	784	17·1	107	113
Total Rural Districts ...	94,823	1,114	1,063	77	76	2,330	23·9	1,521	16·0	249	107
Urban Districts.											
Abergele and Pensarn ...	2,171	15	24	1	1	41	19·2	44	20·3	3	73
Colwyn Bay and Colwyn	12,694	101	103	4	5	213	15·6	167	13·2	23	108
Denbigh M.B.	5,555	58	55	3	7	123	17·6	123	22·1	16	130
Llangollen	3,015	17	19	1	2	39	12·1	57	18·9	3	77
Llanrwst	2,256	25	19	2	3	49	19·7	49	21·7	3	61
Ruthin M.B.	2,476	24	29	2	—	55	19·2	47	19·0	6	109
Wrexham M.B.	17,766	216	191	11	9	427	22·2	297	16·7	53	124
Rural Districts.											
Chirk	4,412	63	54	4	10	131	28·6	63	14·3	8	61
Llangollen	3,627	32	41	5	1	79	21·8	55	15·2	9	114
Llanrwst	4,239	35	41	1	4	81	18·6	61	14·4	10	123
Llansilin	3,010	35	18	4	3	60	18·8	46	15·3	4	67
Ruthin	8,553	77	82	7	6	172	19·0	172	20·1	16	93
St. Asaph (Denbigh) ...	7,435	72	52	6	5	135	20·3	100	13·4	7	52
Uwchaled	2,344	36	23	2	4	65	28·9	39	16·6	5	77
Wrexham	59,425	750	731	48	43	1,572	25·3	956	16·1	187	119
Civil Parishes of Llanelian yn Rhôs and Llansantffraid Glan Conway administered by Rural District Council of Conway (Carnarvonshire).	1,778	14	21	—	—	35	20·0	29	16·3	3	86
Flintshire.	92,944	1,014	981	62	70	2,127	22·3	1,467	15·8	197	93
Total Urban Districts ...	35,653	390	367	23	30	810	22·5	592	16·6	81	100
Total Rural Districts ...	57,291	624	614	39	40	1,317	22·1	875	15·3	116	88
Urban Districts.											
Buckley	6,473	95	85	3	4	187	28·9	95	14·7	20	107
Connah's Quay	4,716	51	61	2	3	117	23·9	55	11·7	7	60
Flint M.B.	5,448	70	75	3	7	155	27·3	109	20·0	26	168
Holywell	2,515	27	21	3	7	58	23·0	49	19·5	4	69
Mold	4,464	53	43	2	1	99	19·7	79	17·7	7	71
Prestatyn	2,431	18	12	1	—	31	13·9	31	12·8	1	32
Rhyl	9,606	76	70	9	8	163	17·8	174	18·1	16	98
Rural Districts.											
Hawarden...	21,734	281	263	11	16	571	26·2	303	13·9	47	82
Holywell	24,039	243	236	18	18	515	20·1	389	16·2	45	87
Overton	5,007	48	61	4	2	115	22·1	68	13·6	6	52
St Asaph (Flint) ...	6,511	52	54	6	4	116	16·8	115	17·7	18	155
Glamorganshire.	766,741	11,504	10,869	364	311	23,048	29·0	10,889	14·2	2,653	115
Total Urban Districts ...	548,788	8,405	7,978	275	221	16,880	29·4	8,016	14·6	2,007	119
Total Rural Districts ...	217,953	3,098	2,891	89	90	6,168	27·9	2,873	13·2	646	105
Urban Districts.											
Aberavon M.B.	12,319	229	214	6	6	455	40·5	213	17·3	65	143
Aberdare	51,279	727	727	27	24	1,505	28·6	831	16·2	214	142
Barry	35,222	435	420	8	10	873	24·6	425	12·1	70	80

§ Formerly called Ynyscynhaiarn.

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born). Legitimate. M.	Legitimate. F.	Illegitimate M.	Illegitimate F.	Total.	Rate per 1,000 Total Population, 1914.	Deaths (exclusive of Still-born). Total.	Rate per 1,000 Civil Population, 1915.	Deaths under one year. Number.	Rate per 1,000 Births.
GLAMORGANSHIRE—*cont.*											
Bridgend	7,778	87	81	2	2	172	20·3	95	12·2	9	52
Briton Ferry	8,539	100	104	3	—	207	23·4	132	15·5	23	111
Caerphilly	33,112	538	541	25	15	1,119	30·1	456	13·8	127	113
Cowbridge M.B.	1,033	11	4	2	—	17	14·7	16	15·5	1	59
Gelligaer	37,503	689	655	20	18	1,382	34·5	614	16·4	173	125
Glyncorwg	9,563	163	164	12	3	342	37·0	143	15·0	38	111
Maesteg	26,138	437	400	15	10	862	31·4	418	16·0	119	138
Margam	15,693	225	172	6	7	410	25·4	165	10·5	38	93
Mountain Ash	41,003	670	629	13	18	1,330	29·5	656	16·0	174	131
Neath M.B.	16,532	243	207	6	5	461	24·8	269	16·3	49	106
Ogmore and Garw ...	27,490	444	417	15	15	891	31·3	421	15·3	134	150
Oystermouth	6,737	68	68	3	4	143	22·0	91	13·5	8	56
Penarth	15,620	163	137	3	7	310	19·6	173	11·1	31	100
Pontypridd	42,583	654	643	19	16	1,332	29·0	624	14·7	165	124
Porthcawl...	4,384	43	32	2	—	77	20·1	56	12·8	5	65
Rhondda	156,260	2,480	2,363	88	61	4,992	30·7	2,218	14·2	564	113
Rural Districts.											
Cowbridge	8,233	108	105	2	7	222	27·0	122	14·8	26	117
Gower	8,728	110	94	3	2	209	23·3	120	13·7	14	67
Llandaff and Dinas Powis	37,022	411	407	8	6	832	23·3	407	11·0	56	67
Llantrisant and Llantwit-fardre.	20,982	350	329	13	8	700	37·0	277	13·2	70	100
Neath	42,929	667	618	17	22	1,324	29·4	610	14·2	149	113
Penybont	20,640	307	284	17	10	618	25·9	256	12·4	51	83
Pontardawe	32,506	488	453	7	19	967	28·3	450	13·8	135	140
Swansea	46,913	657	601	22	16	1,296	27·8	631	13·5	145	112
MERIONETHSHIRE.	42,378	321	359	38	39	757	16·9	751	17·7	86	114
Total Urban Districts ...	18,374	151	159	17	18	345	17·6	361	19·6	41	119
Total Rural Districts ...	24,004	170	200	21	21	412	16·4	390	16·2	45	109
Urban Districts.											
Bala	1,342	6	18	2	—	26	16·9	34	25·3	4	154
Barmouth...	2,338	17	18	1	1	37	17·8	41	17·5	5	135
Dolgelley	1,927	17	16	1	4	38	18·2	45	23·4	8	211
Ffestiniog...	8,087	81	70	8	9	168	18·2	154	19·0	19	113
Mallwyd	735	6	4	—	1	11	15·2	30	40·8	—	—
Towyn	3,945	24	33	5	3	65	16·4	57	14·4	5	77
Rural Districts.											
Deudraeth	7,209	49	54	9	7	119	15·4	118	16·4	13	109
Dolgelley	7,810	45	72	4	8	129	16·6	134	17·2	8	62
Edeirnion...	4,673	47	48	2	4	101	19·7	81	17·3	15	149
Penllyn	3,903	28	26	6	1	61	15·1	47	12·0	9	148
Civil Parish of Pennal administered by Rural District Council of Machynlleth (Montgomeryshire).	409	1	—	—	1	2	4·9	10	24·4	—	—
MONTGOMERYSHIRE.	50,473	479	449	35	39	1,002	19·0	835	16·5	83	83
Total Urban Districts ...	17,767	148	154	13	17	332	17·6	311	17·5	30	90
Total Rural Districts ...	32,706	331	295	22	22	670	19·8	524	16·0	53	79
Urban Districts.											
Llanfyllin M.B.	1,434	13	18	—	1	32	19·6	25	17·4	4	125
Llanidloes M.B.	2,466	18	23	3	3	47	18·4	38	15·4	3	64
Machynlleth	1,826	17	14	2	1	34	17·7	29	15·9	2	59
Montgomery M.B. ...	908	1	5	—	—	6	6·2	16	17·6	2	333
Newtown and Llanllwchaiarn.	5,636	58	38	4	7	107	18·0	99	17·6	13	121
Welshpool M.B.	5,497	41	56	4	5	106	18·1	104	18·9	6	57
Rural Districts.											
Forden	5,397	52	52	3	6	113	19·7	85	15·7	7	62
Llanfyllin...	12,305	121	113	5	5	244	19·6	217	17·6	19	78
Machynlleth	3,927	46	26	6	4	82	20·1	59	15·0	7	85
Newtown and Llanidloes	11,077	112	104	8	7	231	20·0	163	14·7	20	87
PEMBROKESHIRE.	87,825	920	932	62	51	1,965	21·7	1,495	17·0	179	91
Total Urban Districts ...	38,272	431	427	28	21	907	23·1	680	17·8	103	114
Total Rural Districts ...	49,553	489	505	34	30	1,058	20·6	815	16·4	76	72
Urban Districts.											
Fishguard...	2,923	40	36	1	1	78	24·5	43	14·7	4	51
Haverfordwest M.B. ...	5,540	50	41	8	5	104	17·6	96	17·3	10	96
Milford Haven	6,770	108	103	3	2	216	32·1	122	18·0	24	111
Narberth	1,111	7	12	1	1	21	18·9	25	22·5	4	190

POPULATION, BIRTHS, AND DEATHS (Civil Population only) IN ADMINISTRATIVE AREAS, 1915—*continued.*

Administrative Area.	Estimated Civil Population, 1915.	Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population, 1914.	Total.	Rate per 1,000 Civil Population, 1915.	Number.	Rate per 1,000 Births.
		M.	F.	M.	F.						
PEMBROKESHIRE—*cont.*											
Neyland	2,565	35	30	2	1	68	29·3	52	20·3	10	147
Pembroke M.B.	15,380	166	166	12	5	349	22·3	274	17·8	43	123
Tenby M.B.	3,983	25	39	1	6	71	16·3	68	17·1	8	113
Rural Districts.											
Haverfordwest	20,510	241	224	17	14	496	22·9	335	16·3	40	81
Llanfyrnach	2,409	26	19	2	3	50	20·8	31	12·9	5	100
Narberth	10,596	89	118	5	8	220	20·0	167	15·8	13	59
Pembroke...	8,059	83	73	8	2	166	19·7	134	16·6	9	54
St. Dogmells	7,979	50	71	2	3	126	16·2	148	18·5	9	71
RADNORSHIRE.	21,771	224	209	15	22	470	21·0	318	14·6	38	81
Total Urban Districts ...	5,715	49	53	5	4	111	18·6	101	17·7	11	99
Total Rural Districts ...	16,056	175	156	10	18	359	21·8	217	13·5	27	75
Urban Districts.											
Knighton	1,703	18	14	1	3	36	19·8	32	18·8	4	111
Llandrindod Wells ...	2,933	20	31	1	—	52	17·2	47	16·0	4	77
Presteigne	1,079	11	8	3	1	23	20·6	22	20·4	3	130
Rural Districts.											
Colwyn	1,938	18	17	—	1	36	17·2	22	11·4	1	28
Knighton	4,397	53	44	4	6	107	24·7	42	9·6	7	65
New Radnor	2,633	27	26	3	—	56	20·7	37	14·1	7	125
Painscastle	2,145	25	25	—	5	55	23·6	36	16·8	4	73
Rhayader	4,943	52	44	3	6	105	21·1	80	16·2	8	76

England and Wales—Deaths at each Year of Age registered in the Year 1915.

Age.	Persons.	Males.	Females. Total.	Single.	Married.	Widowed.	Age.	Persons.	Males.	Females. Total.	Single.	Married.	Widowed.
All Ages	562,253	292,381	269,872	113,042	77,567	79,263	50	5,544	3,098	2,446	419	1,593	434
							51	4,883	2,679	2,204	349	1,477	378
0	89,380	51,013	38,367	38,367	—	—	52	5,958	3,255	2,703	419	1,746	538
1	30,279	15,944	14,335	14,335	—	—	53	5,741	3,160	2,581	375	1,667	539
2	12,482	6,552	5,930	5,930	—	—	54	6,030	3,294	2,736	419	1,697	620
3	7,498	3,836	3,662	3,662	—	—							
4	5,348	2,774	2,574	2,574	—	—	55	5,958	3,305	2,653	375	1,689	589
							56	6,127	3,385	2,742	373	1,678	691
5	4,486	2,207	2,279	2,279	—	—	57	6,173	3,405	2,768	411	1,600	757
6	3,270	1,664	1,606	1,606	—	—	58	6,935	3,825	3,110	430	1,805	875
7	2,645	1,318	1,327	1,327	—	—	59	6,917	3,877	3,040	396	1,687	957
8	2,198	1,139	1,059	1,059	—	—							
9	1,789	915	874	874	—	—	60	7,442	4,067	3,375	488	1,757	1,130
							61	6,701	3,690	3,011	394	1,521	1,096
10	1,759	901	858	858	—	—	62	7,749	4,294	3,455	442	1,727	1,286
11	1,623	829	794	794	—	—	63	7,955	4,338	3,617	430	1,753	1,434
12	1,594	798	796	796	—	—	64	8,586	4,520	4,066	497	1,891	1,678
13	1,661	799	862	862	—	—							
14	1,767	874	893	893	—	—	65	8,660	4,659	4,001	487	1,782	1,732
							66	7,728	4,099	3,629	461	1,557	1,611
15	1,910	947	963	963	—	—	67	7,979	4,149	3,830	476	1,577	1,777
16	2,084	1,069	1,015	1,014	1	—	68	8,744	4,421	4,323	531	1,666	2,126
17	2,243	1,164	1,079	1,067	11	1	69	8,794	4,480	4,314	490	1,517	2,307
18	2,287	1,253	1,034	1,003	31	—							
19	2,648	1,542	1,106	1,023	83	—	70	9,336	4,651	4,685	548	1,575	2,562
							71	8,815	4,345	4,470	537	1,349	2,584
20	2,485	1,421	1,064	919	145	—	72	9,790	4,704	5,086	578	1,458	3,050
21	2,507	1,425	1,082	842	237	3	73	9,611	4,542	5,069	562	1,326	3,181
22	2,644	1,465	1,179	823	352	4	74	10,102	4,716	5,386	608	1,231	3,547
23	2,630	1,468	1,162	745	409	8							
24	2,600	1,443	1,157	618	536	3	75	9,899	4,634	5,265	624	1,113	3,528
							76	8,904	4,062	4,842	537	956	3,349
25	2,546	1,347	1,199	591	597	11	77	8,174	3,613	4,561	564	793	3,204
26	2,610	1,395	1,215	575	625	15	78	7,984	3,463	4,521	542	734	3,245
27	2,728	1,483	1,245	515	709	21	79	7,108	3,111	3,997	516	551	2,930
28	2,790	1,571	1,219	461	732	26							
29	2,863	1,511	1,352	468	860	24	80	6,796	2,937	3,859	503	499	2,857
							81	5,660	2,449	3,211	413	369	2,429
30	3,039	1,626	1,413	398	980	35	82	5,850	2,439	3,411	436	358	2,617
31	2,766	1,506	1,260	361	871	28	83	5,044	2,041	3,003	416	264	2,323
32	3,088	1,694	1,394	371	991	32	84	4,757	1,973	2,784	335	227	2,222
33	3,076	1,696	1,380	353	982	45							
34	3,358	1,863	1,495	364	1,077	54	85	4,130	1,673	2,457	281	183	1,993
							86	3,386	1,346	2,040	282	101	1,657
35	3,492	1,941	1,551	372	1,118	61	87	2,820	1,026	1,794	216	95	1,483
36	3,471	1,912	1,559	343	1,142	74	88	2,274	841	1,433	194	67	1,172
37	3,557	1,981	1,576	327	1,181	68	89	1,847	706	1,141	167	42	932
38	4,062	2,193	1,869	352	1,426	91							
39	4,010	2,177	1,833	356	1,382	95	90	1,446	538	908	110	32	766
							91	994	340	654	89	12	553
40	4,204	2,279	1,925	377	1,403	145	92	850	282	568	75	15	478
41	3,683	2,046	1,637	319	1,203	115	93	629	211	418	53	3	362
42	4,511	2,479	2,032	356	1,502	174	94	457	154	303	43	5	255
43	4,140	2,313	1,827	318	1,322	187							
44	4,265	2,339	1,926	377	1,358	191	95	367	119	248	42	5	201
							96	256	82	174	25	3	146
45	4,669	2,658	2,011	366	1,440	205	97	138	34	104	16	—	88
46	4,438	2,401	2,037	350	1,468	219	98	100	32	68	8	3	57
47	4,663	2,535	2,128	367	1,500	261	99	72	16	56	8	1	47
48	4,989	2,731	2,258	401	1,568	289							
49	5,145	2,841	2,304	373	1,568	363	100 and over.	73	23	50	8	—	42

Note.—The 562,253 deaths at all ages include 1,217 cases (811 males and 406 females) in which only approximate ages were stated; these have been included under the stated age (*e.g.*, age "about 40" under age 40). In 56 cases (44 males and 12 females) the ages were stated to be within certain limits (*e.g.*, age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 200 cases (196 males and 4 females) the ages were stated to be unknown; these have been distributed to the particular ages with regard as far as possible to the cause of death (the number of males whose ages were not stated showed a considerable increase over the number in 1914, owing in the main, to the inclusion of the deaths of Indian soldiers).

Of the 269,872 deaths of females, 1,345 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 25 divorced women are included with the deaths of widows.

Deaths at Different Ages in Metropolitan Boroughs, 1915.

(See Note at head of page 89.)

Age.	Sex.	City of London.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.	Holborn.
All Ages	M	150	1348	1330	1170	2016	589	1037	884	1180	844	1665	1011	472	412
	F	143	1336	1172	951	1937	491	935	774	1174	724	1614	938	532	334
Under 1 month	M	6	66	81	62	121	22	65	39	86	31	93	57	23	9
	F	2	61	55	37	75	6	56	29	60	30	63	37	18	9
1–3 months	M	2	45	56	46	81	18	40	30	49	28	54	21	13	8
	F	4	32	42	20	58	5	36	33	38	21	51	20	6	6
3–6 months	M	2	43	52	56	69	13	40	28	49	28	49	39	9	8
	F	—	30	49	37	45	10	31	20	34	25	52	18	10	8
6–12 months	M	—	86	115	96	105	19	66	53	68	41	90	47	11	9
	F	2	72	78	76	84	19	55	49	68	41	81	42	15	11
Total under 1 year	M	10	240	304	260	376	72	211	150	252	128	286	164	56	34
	F	8	195	224	170	262	40	178	131	200	117	247	117	49	34
1—	M	1	73	113	94	110	23	78	73	78	45	78	44	11	14
	F	1	106	127	66	89	25	60	51	77	53	78	45	12	13
2—	M	—	43	38	30	55	13	35	20	34	18	41	31	9	7
	F	—	39	43	46	50	7	24	27	27	21	32	14	4	5
3—	M	1	22	24	12	22	6	17	10	17	12	17	15	4	4
	F	—	27	22	13	25	11	22	12	18	14	21	10	1	5
4—	M	—	16	9	8	26	2	12	7	11	11	12	13	1	2
	F	—	12	11	18	21	4	9	7	10	4	12	10	4	3
Total under 5 years	M	12	394	488	404	589	116	353	260	392	214	434	267	81	61
	F	9	379	427	313	447	87	293	228	332	209	390	196	70	60
5—	M	2	39	38	42	53	10	22	24	33	20	37	24	9	13
	F	4	35	24	35	51	11	30	22	24	23	25	27	9	7
10—	M	—	21	19	18	31	3	17	12	19	18	19	16	3	1
	F	1	18	27	9	39	5	14	11	24	12	24	10	8	6
15—	M	2	18	22	15	39	8	17	15	17	20	28	15	6	3
	F	3	27	14	18	39	4	22	16	29	21	31	20	9	5
20—	M	1	20	30	14	44	6	21	8	16	23	35	21	9	8
	F	1	25	25	27	41	5	25	15	25	14	43	14	10	7
25—	M	2	31	32	22	48	8	15	22	30	23	45	17	11	6
	F	1	29	26	16	47	9	13	19	26	17	34	28	8	10
30—	M	6	34	42	33	55	12	24	28	38	23	58	27	10	18
	F	1	26	27	15	48	11	28	11	30	14	42	16	21	12
35—	M	8	50	46	46	74	22	35	31	37	32	66	54	15	11
	F	5	45	37	29	62	10	26	30	43	16	44	25	17	9
40—	M	9	58	50	58	70	22	36	52	39	30	72	48	14	31
	F	8	36	37	32	76	22	39	30	42	27	54	50	20	19
45—	M	11	79	76	67	104	31	59	66	66	37	81	42	38	31
	F	6	47	38	49	80	28	42	39	51	25	74	47	18	12
50—	M	6	82	71	64	110	33	52	53	82	49	90	72	30	36
	F	9	66	54	52	81	30	45	41	71	35	86	55	29	19
55—	M	18	78	89	80	121	34	71	50	79	62	114	76	27	29
	F	11	67	71	44	91	31	50	41	59	39	85	53	38	24
60—	M	21	104	80	66	161	42	75	54	82	68	138	67	45	35
	F	7	87	62	61	111	48	47	45	83	46	117	63	38	28
65—	M	17	92	84	64	144	67	78	54	83	60	127	71	40	33
	F	9	101	67	64	136	44	56	51	64	41	128	79	45	32
70—	M	15	90	73	75	155	74	62	68	59	66	132	81	55	42
	F	22	108	81	86	179	42	75	57	84	56	124	73	56	26
75—	M	8	73	48	60	119	57	63	44	62	46	92	46	40	30
	F	15	108	84	50	174	41	55	56	74	51	137	75	57	30
80—	M	6	49	22	33	65	30	21	26	32	33	61	41	27	18
	F	13	75	42	35	130	34	44	35	55	52	99	56	42	19
85—	M	6	36	20	9	34	14	16	17	14	20	36	26	12	6
	F	18	57	29	16	105	29	31	27	58	26	77	51	37	9

DEATHS AT DIFFERENT AGES IN METROPOLITAN BOROUGHS, 1915—*continued.*

Age.	Sex.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages	M	2876	1227	2448	984	1083	1653	836	1858	1088	1979	2491	360	2062	1124	962
	F	2710	1435	2353	1134	1222	1426	856	1711	992	1778	2129	427	2126	1025	875
Under 1 month	M	167	49	124	56	52	98	22	99	69	120	145	19	128	39	44
	F	98	51	91	41	34	69	26	74	43	97	95	16	75	24	35
1–3 months	M	81	36	80	35	39	67	18	56	45	63	76	8	51	20	36
	F	68	34	60	23	31	49	12	44	38	50	69	7	37	16	14
3–6 months	M	94	41	78	20	30	69	23	49	43	75	96	5	49	15	28
	F	62	31	59	21	21	57	16	40	42	69	92	6	49	20	22
6–12 months	M	127	76	108	31	59	128	34	76	96	131	158	20	120	31	47
	F	118	53	95	38	52	97	29	68	78	91	141	13	88	19	42
Total under 1 year	M	469	202	390	142	180	362	97	280	253	389	475	52	348	105	155
	F	346	169	305	123	138	272	83	226	201	307	397	42	249	79	113
1—	M	177	81	113	30	66	126	46	83	80	98	164	19	104	33	37
	F	154	81	80	38	50	119	30	84	67	121	143	14	96	33	39
2—	M	68	26	42	20	21	53	14	35	41	62	66	13	51	12	13
	F	63	40	57	8	23	58	8	31	28	56	67	9	43	9	17
3—	M	57	16	28	6	19	23	8	23	21	23	41	4	32	8	6
	F	45	15	21	5	11	22	7	22	25	29	31	2	22	10	13
4—	M	31	9	22	13	10	20	3	15	14	18	22	1	19	7	5
	F	35	6	17	4	11	15	6	18	14	19	27	1	16	6	8
Total under 5 years	M	802	334	595	211	296	584	168	436	409	590	768	89	554	165	216
	F	643	311	480	178	233	486	134	381	335	532	665	68	426	137	190
5—	M	84	20	56	18	27	36	11	45	26	39	63	12	50	17	29
	F	53	29	48	27	25	42	16	42	37	55	48	12	61	20	31
10—	M	43	9	39	13	9	17	7	24	20	23	35	6	30	5	14
	F	38	14	27	15	13	20	7	28	9	37	42	2	22	9	16
15—	M	49	16	26	22	15	18	16	21	15	31	53	1	20	19	23
	F	55	25	37	23	4	27	14	29	28	31	48	2	40	17	23
20—	M	42	16	52	21	21	21	11	26	14	29	73	8	39	21	18
	F	52	27	48	16	16	28	15	28	26	32	42	11	41	21	21
25—	M	61	22	62	22	17	32	15	45	22	42	55	8	34	23	16
	F	54	34	51	24	20	33	13	33	28	39	59	14	40	30	22
30—	M	79	29	69	25	31	51	19	67	32	56	68	7	51	37	29
	F	61	31	63	27	22	24	18	45	24	43	57	8	53	24	25
35—	M	115	53	91	28	33	69	21	77	33	82	102	13	80	50	49
	F	78	33	83	26	34	41	28	62	35	73	69	14	69	30	31
40—	M	131	52	128	35	39	53	33	86	56	95	132	13	92	54	42
	F	117	48	91	38	37	54	34	63	31	76	100	12	79	45	41
45—	M	163	57	130	42	53	79	50	114	73	139	134	15	106	79	64
	F	121	75	99	61	52	61	36	95	40	70	89	18	92	56	41
50—	M	174	68	136	64	69	96	69	126	61	133	188	30	125	78	61
	F	132	76	128	55	61	73	57	106	53	99	130	28	118	67	47
55—	M	162	73	194	60	81	100	64	135	49	129	160	33	115	94	62
	F	148	74	123	70	68	63	51	88	56	113	120	24	109	52	64
60—	M	216	123	202	88	82	123	78	160	63	163	176	30	160	114	67
	F	180	93	133	75	89	79	53	130	63	103	119	31	149	79	56
65—	M	242	92	205	76	88	87	86	156	74	124	154	25	175	100	60
	F	216	111	191	84	98	90	74	123	58	102	123	31	173	87	60
70—	M	207	97	179	92	85	110	83	115	55	142	159	30	159	115	88
	F	234	135	213	117	134	112	84	139	60	126	165	52	188	107	66
75—	M	167	80	139	87	57	91	50	111	50	80	91	19	134	66	51
	F	235	141	233	120	128	94	96	142	55	128	125	40	180	115	63
80—	M	88	50	98	41	46	62	39	74	30	51	49	12	89	61	43
	F	160	95	179	101	90	52	66	110	34	62	69	28	164	77	39
85—	M	51	36	47	39	34	24	16	40	6	31	31	9	49	26	30
	F	133	83	126	77	98	47	60	67	20	57	59	32	122	52	39

Deaths at Different Ages in County Boroughs, 1915.

Age.	Sex.	Barnsley.	Barrow in Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.
All Ages	M	499	644	417	1167	6727	1024	520	1366	710	535	2338	981	2756	875	347	464
	F	434	491	591	1029	6175	1046	542	1364	575	599	2417	1130	2790	876	272	486
Under 1 month	M	52	60	21	74	441	63	25	76	35	36	130	52	177	63	15	23
	F	40	31	16	67	349	50	16	63	30	18	97	26	126	33	12	18
1–3 months	M	28	22	7	58	267	28	20	45	29	5	54	18	95	34	12	12
	F	19	18	11	35	210	27	7	34	19	8	46	17	67	26	7	15
3–6 months	M	27	22	9	62	270	36	13	59	49	11	60	21	82	37	5	12
	F	13	14	6	41	192	37	6	38	23	15	50	18	62	33	7	10
6–12 months	M	37	44	10	73	426	62	25	79	58	10	118	35	147	60	7	16
	F	36	35	5	60	355	54	17	57	48	8	73	28	100	49	11	13
Total under 1 year	M	144	148	47	267	1404	189	83	259	171	62	362	126	501	194	39	63
	F	108	98	38	203	1106	168	46	192	120	49	266	89	355	141	37	56
1—	M	55	44	6	74	424	66	10	84	64	8	117	36	148	56	15	24
	F	50	29	6	69	360	58	15	79	57	13	97	48	117	49	10	23
2—	M	13	10	6	24	134	17	7	30	17	7	38	22	54	21	6	6
	F	6	10	9	23	163	18	11	26	13	6	28	16	59	20	5	4
3—	M	13	12	4	20	84	12	1	8	14	3	33	7	30	16	2	4
	F	10	4	5	15	90	6	2	21	11	6	30	12	34	12	2	4
4—	M	7	6	5	10	60	9	4	14	4	6	21	6	25	8	3	6
	F	8	6	1	3	56	8	2	16	5	1	19	3	19	5	1	5
Total under 5 years	M	232	220	68	395	2106	293	105	395	270	86	571	197	758	295	65	103
	F	182	147	59	313	1775	258	76	334	206	75	440	168	584	227	55	92
5—	M	8	15	10	27	163	29	10	41	12	4	45	18	60	22	7	8
	F	14	16	4	26	156	24	6	37	12	12	54	22	56	27	8	9
10—	M	7	10	2	18	84	13	4	28	14	5	28	7	52	8	4	6
	F	10	7	9	15	104	22	9	16	6	2	48	12	47	14	4	6
15—	M	8	9	3	20	85	14	6	25	15	8	39	15	48	16	5	4
	F	9	8	4	15	96	16	8	26	10	7	44	13	62	16	4	8
20—	M	5	12	10	28	132	19	6	21	13	11	40	13	48	14	8	7
	F	5	14	12	19	134	17	9	31	10	6	56	13	63	11	2	15
25—	M	11	17	9	34	156	18	9	22	13	14	42	22	66	13	7	5
	F	7	9	10	29	134	27	11	28	13	8	66	23	84	19	7	14
30—	M	14	16	9	29	191	26	13	39	22	12	59	21	70	18	11	10
	F	10	22	9	28	154	21	16	34	15	16	68	32	75	28	5	15
35—	M	7	28	10	46	289	29	20	37	26	18	90	39	97	23	10	25
	F	14	18	19	37	189	33	26	48	20	22	109	33	82	34	4	12
40—	M	13	27	20	54	311	37	21	69	37	27	104	41	105	26	10	32
	F	11	14	19	36	234	34	21	57	18	13	92	46	100	33	4	12
45—	M	18	40	17	65	355	42	28	62	29	17	116	38	119	31	31	29
	F	25	23	25	55	264	62	26	79	28	19	117	58	99	44	15	29
50—	M	25	28	26	53	372	71	34	82	38	26	164	48	128	42	21	25
	F	20	14	28	55	306	66	31	73	36	34	137	64	130	54	10	30
55—	M	30	42	30	77	457	91	42	85	42	38	188	69	151	66	26	42
	F	19	28	27	47	330	80	28	93	28	41	164	74	133	61	20	37
60—	M	23	46	28	78	464	104	61	136	51	41	205	82	198	83	41	51
	F	25	31	41	64	381	75	55	110	35	50	203	77	197	69	27	42
65—	M	36	53	41	64	492	69	62	101	38	56	216	87	235	84	24	35
	F	23	38	49	60	441	91	53	113	33	62	200	99	205	81	25	32
70—	M	29	44	51	81	450	77	54	123	44	58	201	89	241	66	29	40
	F	21	35	60	89	486	88	59	117	48	70	242	118	273	72	19	47
75—	M	17	24	33	53	353	52	31	60	31	54	137	94	195	43	28	30
	F	19	41	68	66	490	82	54	94	34	66	205	113	252	57	27	47
80—	M	11	9	26	30	181	31	11	26	11	33	64	60	126	20	12	9
	F	11	12	69	40	306	32	32	51	15	55	109	86	197	25	17	27
85—	M	5	4	24	15	86	9	3	14	4	27	29	41	59	5	8	3
	F	9	14	79	35	195	18	22	23	8	41	63	79	151	4	19	12

Deaths at Different Ages in County Boroughs, 1915—*continued.*

Age.	Sex.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington*	Derby.	Dewsbury.	Dudley.	Eastbourne.	East Ham.*	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.
All Ages	M	191	473	343	830	1211	512	979	469	467	309	838	424	1212	370	445	640	831	403
	F	222	496	323	767	1199	448	859	445	388	394	832	490	1111	375	479	495	881	505
Under 1 month	M	10	25	14	66	83	33	53	29	47	12	57	21	98	25	24	34	35	24
	F	6	35	9	43	45	25	39	19	25	13	39	21	64	16	15	34	32	12
1–3 months	M	4	25	8	30	34	13	30	16	21	4	29	6	49	10	18	15	12	5
	F	6	12	8	17	19	17	27	2	6	5	20	7	31	12	10	19	8	3
3–6 months	M	7	17	8	17	26	19	25	15	17	14	29	7	52	20	14	27	10	7
	F	2	14	11	15	21	13	13	10	16	6	16	10	50	6	8	18	10	2
6–12 months	M	11	25	16	41	41	28	40	28	25	12	35	13	118	13	17	35	29	10
	F	8	19	19	29	41	28	32	12	23	10	42	12	74	22	15	28	24	16
Total under 1 year	M	32	92	46	154	184	93	148	88	110	42	150	47	317	68	73	111	86	46
	F	22	80	47	104	126	83	111	43	70	34	117	50	219	56	48	99	74	33
1—	M	12	24	23	49	56	41	42	16	25	10	33	17	103	22	16	36	32	21
	F	5	33	13	48	44	32	50	26	25	8	35	10	119	15	17	30	32	10
2—	M	3	9	13	27	25	19	25	8	13	3	11	7	46	12	6	21	15	11
	F	1	9	7	17	28	16	20	6	14	4	21	3	46	9	5	14	11	6
3—	M	2	5	4	14	15	14	9	5	11	3	9	3	23	6	4	14	8	2
	F	5	6	6	17	8	15	11	8	8	3	8	4	27	3	2	8	7	2
4—	M	3	8	2	12	17	7	15	4	7	3	9	4	12	7	4	8	9	5
	F	1	4	1	9	7	3	7	4	1	2	9	3	18	11	3	7	4	2
Total under 5 years	M	52	138	88	256	297	174	239	121	166	61	212	78	501	115	103	190	150	85
	F	34	132	74	195	213	149	199	87	118	51	190	70	429	94	75	158	128	53
5—	M	6	21	6	33	37	22	34	8	11	13	22	8	30	4	8	24	19	12
	F	7	18	2	28	30	18	22	16	8	11	26	9	46	9	12	12	26	5
10—	M	3	5	6	14	21	7	15	3	5	4	17	6	15	5	10	7	11	7
	F	—	9	4	13	17	8	9	4	8	6	17	5	24	7	7	10	12	2
15—	M	2	11	2	8	22	8	23	8	10	3	19	13	19	11	9	11	18	6
	F	3	19	2	23	19	12	22	6	5	10	18	10	30	8	11	9	14	10
20—	M	—	12	5	18	18	10	21	1	6	4	17	4	28	5	8	10	18	4
	F	3	11	4	13	18	7	18	4	4	7	23	6	28	8	11	6	18	9
25—	M	2	16	9	15	21	7	19	5	8	9	33	4	25	8	13	18	9	8
	F	1	6	5	22	30	9	16	13	7	10	15	15	27	8	8	11	17	6
30—	M	2	16	9	32	41	14	31	16	5	7	22	8	31	8	10	23	20	4
	F	4	13	9	23	32	13	27	13	14	10	22	11	30	4	4	19	21	9
35—	M	6	14	11	38	41	13	26	24	18	12	31	15	36	9	16	27	26	8
	F	5	23	13	10	25	16	25	24	14	15	34	9	34	6	8	22	26	9
40—	M	4	15	16	32	51	16	40	20	17	12	46	19	38	11	13	21	42	11
	F	5	15	14	27	41	8	28	14	10	11	37	17	36	9	19	16	36	13
45—	M	10	14	20	37	48	20	34	26	25	12	50	17	55	26	17	42	49	12
	F	7	17	13	44	55	12	29	18	14	13	38	28	40	15	16	21	43	21
50—	M	9	20	18	47	61	23	68	32	16	20	50	26	56	16	22	37	61	25
	F	9	25	12	35	50	14	43	21	17	20	55	22	51	9	21	29	42	26
55—	M	7	25	21	50	72	24	61	45	28	21	52	22	66	21	19	41	82	23
	F	8	28	24	43	59	20	49	33	14	21	50	28	57	28	20	25	55	24
60—	M	17	28	24	56	78	32	72	42	37	32	59	32	80	19	30	47	91	22
	F	16	31	23	47	75	27	64	39	23	31	46	30	55	17	28	29	93	30
65—	M	19	33	31	50	95	38	68	37	42	28	55	37	85	29	28	36	69	43
	F	20	36	25	47	98	31	85	36	31	32	59	39	56	28	42	22	91	50
70—	M	11	43	30	53	103	41	105	46	23	24	71	53	55	27	49	42	74	41
	F	26	49	32	70	146	39	62	47	40	31	76	64	60	36	57	30	100	53
75—	M	21	32	26	50	98	38	62	24	28	16	37	38	48	30	44	30	57	33
	F	27	28	29	53	130	31	77	39	26	42	59	46	62	29	54	28	94	76
80—	M	9	15	10	24	63	15	46	9	16	16	28	26	31	16	27	17	25	29
	F	26	21	21	40	88	21	53	20	22	42	38	40	29	44	46	27	46	57
85—	M	11	15	11	17	44	10	15	2	6	15	17	18	13	10	19	17	10	30
	F	21	15	17	34	73	13	31	11	13	31	29	41	17	16	40	21	19	52

* Constituted a County Borough on 1st April, 1915. The figures shown above relate to the whole year.

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1915—*continued.*

Age.	Sex.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle upon Tyne.	Newport (Mon.).	Northampton.	Norwich.	Nottingham.	Oldham.
All Ages	M	910	604	2334	3982	1780	429	7723	6333	1385	2596	626	764	898	2068	1245
	F	921	554	2158	3620	1593	399	6810	5903	1194	2210	533	768	900	1934	1297
Under 1 month	M	50	37	168	224	107	18	478	419	76	245	42	34	56	134	71
	F	30	14	100	188	94	22	332	291	76	149	35	40	39	99	50
1–3 months	M	23	15	93	117	55	15	305	208	49	66	22	35	31	77	45
	F	13	11	68	75	45	7	225	149	35	56	17	12	23	53	26
3–6 months	M	19	9	110	140	71	8	331	210	56	82	25	23	24	82	34
	F	13	11	72	106	39	10	256	180	44	84	15	15	29	50	34
6–12 months	M	36	35	135	242	107	18	518	377	123	188	29	40	49	135	54
	F	31	21	122	163	80	17	430	307	90	142	31	38	42	96	54
Total under 1 year	M	128	96	506	723	340	59	1632	1214	304	581	118	132	160	428	204
	F	87	57	362	532	258	56	1243	927	245	431	98	105	133	298	164
1—	M	27	31	137	257	88	29	618	423	164	184	17	54	34	106	65
	F	33	20	123	180	62	30	531	394	165	179	35	59	26	91	53
2—	M	11	12	69	120	32	16	227	156	69	83	8	40	12	38	23
	F	13	7	34	84	25	14	199	138	70	64	9	25	10	41	25
3—	M	4	10	29	59	8	7	111	80	33	36	10	24	17	24	14
	F	5	9	27	54	21	6	110	87	35	39	9	26	14	20	17
4—	M	3	5	25	37	12	3	79	62	27	29	2	14	5	12	12
	F	2	5	22	34	13	3	77	72	24	28	4	13	5	11	15
Total under 5 years	M	173	154	766	1196	480	114	2667	1935	597	913	155	264	228	608	318
	F	140	98	568	884	379	109	2160	1618	539	741	155	228	188	461	274
5—	M	30	19	59	79	42	18	170	151	44	64	23	30	18	39	36
	F	25	16	67	78	35	9	187	159	54	63	11	34	26	30	34
10—	M	12	8	39	60	22	1	139	98	17	33	10	10	6	27	13
	F	15	18	40	43	33	7	124	92	18	39	6	16	12	25	16
15—	M	17	8	32	62	44	7	117	105	25	40	18	13	20	41	24
	F	15	11	43	71	32	7	151	125	22	40	9	23	18	36	25
20—	M	19	4	38	89	41	9	160	128	16	39	14	12	11	25	20
	F	23	11	54	95	40	4	142	115	24	37	17	20	18	31	28
25—	M	11	16	52	61	41	9	162	140	29	57	8	15	19	32	17
	F	10	12	59	91	56	7	146	157	25	38	16	18	21	56	23
30—	M	26	14	61	105	57	10	213	202	44	70	25	16	17	56	38
	F	28	7	72	109	53	10	184	187	35	62	22	17	23	48	44
35—	M	36	19	75	138	69	14	322	279	40	92	22	16	25	81	49
	F	42	11	69	133	57	14	250	213	34	71	24	17	20	63	54
40—	M	37	14	85	187	71	14	410	331	64	104	30	20	22	85	55
	F	44	19	69	140	62	8	272	248	33	86	25	19	24	68	51
45—	M	46	24	108	186	89	14	423	344	80	129	34	30	26	95	80
	F	38	23	89	169	63	12	299	284	30	85	20	19	33	100	76
50—	M	56	25	130	244	101	22	478	418	78	142	53	42	47	119	107
	F	50	18	120	208	84	11	366	368	45	102	19	27	38	112	76
55—	M	92	43	128	251	107	31	499	412	65	159	41	35	62	149	97
	F	75	25	109	229	96	18	396	335	52	112	18	39	34	119	101
60—	M	93	46	208	335	158	29	498	524	66	190	44	41	75	159	125
	F	88	26	126	223	89	23	410	391	49	162	40	42	63	136	118
65—	M	84	50	162	311	135	34	492	452	62	185	36	58	56	153	96
	F	93	53	137	280	118	33	420	392	60	141	31	56	67	156	103
70—	M	74	50	160	300	116	43	479	375	71	172	59	50	90	170	85
	F	103	60	167	345	115	39	555	513	74	155	41	69	98	168	108
75—	M	64	49	114	242	104	34	294	260	57	120	25	55	79	122	58
	F	68	63	187	276	137	39	413	410	50	132	40	61	86	152	105
80—	M	29	32	82	100	68	20	130	116	23	60	15	34	53	70	19
	F	41	45	108	163	89	27	219	207	31	94	26	33	77	109	38
85—	M	11	29	35	36	35	6	70	63	7	27	14	23	44	37	8
	F	23	38	74	83	55	22	116	89	19	50	13	30	54	64	23

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1915—*continued.*

Age.	Sex.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend on Sea.	Southport.	South Shields.	Stockport.
All Ages	M	343	1577	1681	983	562	714	625	942	2170	4440	514	910	504	466	1162	974
	F	357	1696	1608	1096	634	735	485	816	2036	3736	488	818	511	601	975	1032
Under 1 month	M	15	79	103	82	23	37	56	58	139	308	49	50	30	20	88	48
	F	9	61	57	45	33	30	27	42	84	233	25	36	21	10	57	49
1–3 months	M	7	55	36	36	12	29	23	39	65	161	16	21	13	11	56	30
	F	3	39	28	25	16	11	12	20	50	78	13	18	7	9	27	33
3–6 months	M	4	44	39	38	12	17	18	37	65	153	18	25	13	9	58	33
	F	8	55	37	37	11	15	18	20	49	118	23	18	6	8	34	24
6–12 months	M	8	100	84	71	20	30	50	84	144	342	33	36	19	12	85	47
	F	10	72	57	61	21	22	32	81	141	227	28	32	12	9	63	45
Total under 1 year	M	34	278	262	227	67	113	147	218	413	964	116	132	75	52	287	158
	F	30	227	179	168	81	78	89	163	324	656	89	104	46	36	181	151
1—	M	11	99	92	70	25	31	53	98	178	406	42	40	17	8	86	50
	F	14	75	100	56	21	15	55	97	190	356	33	41	10	11	92	53
2—	M	1	43	44	34	10	6	10	40	63	175	19	16	5	8	35	22
	F	6	35	38	29	6	8	22	50	64	142	11	15	5	9	41	24
3—	M	2	29	29	13	7	5	11	24	42	91	6	13	2	4	20	17
	F	1	29	32	20	3	6	11	17	31	77	6	11	3	1	22	12
4—	M	1	19	13	13	6	6	5	17	31	51	9	8	1	2	17	11
	F	—	12	24	12	3	3	6	17	24	55	6	5	2	5	8	9
Total under 5 years	M	49	468	440	357	115	161	226	397	727	1687	192	209	100	74	445	258
	F	51	378	373	285	114	110	183	344	633	1286	145	176	66	62	344	249
5—	M	3	32	60	29	14	25	26	37	57	139	11	26	10	13	34	19
	F	5	41	70	26	12	22	21	44	60	124	20	32	11	7	26	27
10—	M	5	26	22	17	9	11	12	27	28	73	4	19	8	6	22	8
	F	4	27	22	22	8	11	7	20	32	58	10	8	3	8	21	16
15—	M	4	22	22	12	10	17	15	20	41	68	9	15	9	4	27	10
	F	5	34	23	22	7	16	12	26	43	59	8	15	10	7	30	14
20—	M	4	31	33	14	14	10	9	20	37	68	15	11	8	7	20	13
	F	6	43	26	24	17	20	14	18	50	74	13	10	13	8	24	22
25—	M	8	36	41	12	20	14	11	17	59	84	10	22	8	2	40	21
	F	9	28	52	32	11	13	15	26	39	86	9	21	22	10	25	31
30—	M	10	31	51	20	19	22	12	23	61	109	19	28	24	11	26	20
	F	5	48	68	33	13	29	9	24	47	87	14	19	17	15	22	28
35—	M	15	51	32	23	15	31	25	29	81	156	20	39	22	13	33	52
	F	8	54	53	36	21	24	15	19	62	138	16	29	21	19	32	40
40—	M	5	54	67	31	14	38	29	29	106	203	21	41	30	20	46	43
	F	6	63	61	34	29	31	20	26	81	155	19	39	18	17	33	50
45—	M	15	69	87	47	21	32	29	46	126	231	18	52	27	18	53	39
	F	21	77	77	45	26	47	19	25	83	128	27	29	27	31	33	56
50—	M	24	76	81	60	29	45	24	47	124	254	29	52	29	27	68	60
	F	12	88	70	55	37	43	16	30	108	182	31	35	29	42	38	48
55—	M	29	95	122	70	44	51	34	40	144	282	25	55	32	44	68	91
	F	15	94	79	54	32	44	22	28	120	176	24	35	31	34	51	58
60—	M	34	103	131	67	52	66	47	58	165	290	36	71	42	38	56	104
	F	28	116	100	81	57	84	19	47	153	243	32	56	35	42	56	80
65—	M	42	122	121	74	44	68	37	52	136	295	29	75	39	42	76	80
	F	34	110	120	86	45	66	29	31	127	251	31	58	39	61	59	80
70—	M	29	127	135	71	60	56	45	42	142	206	40	75	51	55	65	67
	F	44	134	119	109	61	82	33	54	177	267	28	60	56	69	67	102
75—	M	38	105	115	41	40	43	27	36	81	172	23	56	23	50	51	52
	F	38	143	134	80	57	59	19	32	122	211	30	61	49	83	70	70
80—	M	15	75	81	28	30	18	10	17	38	85	8	40	26	27	24	24
	F	34	111	86	48	47	24	19	15	69	111	16	69	41	50	28	40
85—	M	14	54	40	10	12	6	7	5	17	38	5	24	16	15	8	13
	F	32	107	75	24	40	10	13	7	30	100	15	66	23	36	16	21

Deaths at Different Ages in County Boroughs, 1915—*continued.*

Age.	Sex.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.*	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Swansea.
All Ages	M	2193	1516	557	423	547	837	648	659	2529	600	865	863	358	684	1505	811	836
	F	1976	1431	483	394	575	754	556	549	2218	545	792	764	347	637	1324	642	822
Under 1 month	M	190	124	50	21	27	58	52	50	153	41	55	56	24	42	92	50	68
	F	134	96	32	18	26	51	28	41	117	43	43	45	11	35	96	45	54
1–3 months	M	91	68	25	16	12	37	20	30	98	18	34	38	9	22	42	28	29
	F	73	43	17	13	11	36	10	12	87	17	21	19	3	17	29	19	24
3–6 months	M	98	59	18	13	19	43	17	29	108	17	54	21	10	22	50	34	43
	F	67	67	7	7	13	30	15	15	87	13	35	33	8	12	43	29	23
6–12 months	M	164	122	39	23	22	75	39	56	153	61	85	53	7	38	94	75	48
	F	146	98	22	14	16	50	31	34	137	42	65	51	11	31	50	58	40
Total under 1 year	M	543	373	132	73	80	213	128	165	512	137	228	168	50	124	278	187	188
	F	420	304	78	52	66	167	84	102	428	115	164	148	33	95	218	151	141
1—	M	140	147	45	21	14	73	41	62	192	62	97	57	15	28	75	80	42
	F	162	144	48	26	14	65	43	63	154	54	85	45	9	33	63	63	34
2—	M	52	46	25	12	8	25	16	35	78	19	32	41	8	9	21	26	12
	F	63	48	19	8	6	23	22	21	66	23	21	23	3	8	29	32	17
3—	M	34	32	6	8	2	19	19	13	40	12	21	21	2	9	21	20	9
	F	37	28	11	7	4	20	18	17	39	12	16	25	1	6	17	12	12
4—	M	35	17	6	9	7	7	8	9	29	9	17	12	1	8	15	9	9
	F	29	15	4	3	4	13	7	7	36	11	11	12	2	4	7	9	10
Total under 5 years	M	804	615	214	123	111	337	212	284	851	239	395	299	76	178	410	322	260
	F	711	539	160	96	94	288	174	210	723	215	297	253	48	146	334	267	214
5—	M	72	50	14	7	17	36	30	20	86	23	33	30	7	14	42	19	19
	F	66	48	13	9	13	29	26	27	63	15	21	23	5	13	45	18	17
10—	M	35	32	7	6	16	9	14	13	43	9	16	5	2	16	13	14	6
	F	35	23	10	7	10	8	17	7	42	6	18	9	4	8	30	6	13
15—	M	46	27	8	13	14	13	23	2	49	10	15	10	3	14	29	12	16
	F	34	24	10	8	9	12	16	10	50	11	17	15	2	13	43	16	19
20—	M	32	19	8	6	4	19	13	11	53	7	18	14	7	9	37	19	14
	F	41	26	14	9	14	15	14	7	50	12	23	19	8	8	35	18	21
25—	M	33	27	10	8	12	13	12	10	57	7	22	14	5	14	47	19	21
	F	56	30	17	9	7	18	17	10	41	18	23	25	16	15	37	19	23
30—	M	44	35	15	12	22	28	24	13	70	21	24	22	9	16	49	18	21
	F	56	44	15	13	16	17	14	15	52	11	24	16	11	21	29	15	22
35—	M	72	42	11	12	21	32	31	19	88	17	24	27	13	18	64	25	38
	F	59	43	17	18	29	24	22	8	71	15	30	18	10	18	50	14	35
40—	M	83	57	25	13	28	26	30	17	111	16	23	30	9	36	52	38	40
	F	66	57	20	23	17	25	19	13	71	13	24	33	11	24	63	36	39
45—	M	136	51	28	30	24	29	28	19	104	26	40	45	18	35	84	43	41
	F	93	48	17	11	34	30	19	20	88	28	37	28	10	30	57	29	26
50—	M	130	67	23	24	27	36	48	34	165	31	39	49	14	36	104	47	44
	F	101	56	24	17	25	27	20	18	118	22	34	43	13	29	74	31	42
55—	M	145	84	28	26	46	43	47	46	159	36	50	49	28	44	99	51	56
	F	106	57	19	15	35	42	22	25	100	33	44	35	20	27	67	28	56
60—	M	146	93	38	35	48	42	37	37	175	41	54	51	18	42	99	40	60
	F	110	69	25	27	42	37	39	32	134	32	45	44	25	41	97	28	62
65—	M	131	114	37	32	41	57	34	43	148	35	36	66	36	64	108	44	63
	F	111	78	28	32	58	49	36	36	137	35	37	46	33	52	71	33	43
70—	M	147	85	44	30	44	48	32	39	157	38	41	70	36	59	124	60	56
	F	132	87	37	41	52	55	51	38	155	23	55	54	40	64	93	41	64
75—	M	76	63	19	20	38	41	27	33	107	24	22	36	31	48	75	25	44
	F	109	103	25	30	64	44	29	45	163	25	42	47	37	49	98	26	62
80—	M	46	40	20	21	25	19	5	14	68	15	10	22	30	28	48	8	23
	F	66	70	22	19	27	23	12	19	91	17	16	38	34	41	60	13	43
85—	M	15	15	8	5	9	9	1	5	38	5	3	24	16	13	21	7	14
	F	24	29	10	10	29	11	9	9	69	14	5	18	20	38	41	4	21

* Constituted a County Borough on 1st April, 1915. The figures shown above relate to the whole year.

Deaths at Different Ages in Urban and Rural Aggregates of Administrative Counties—1915.

Age.	Sex.	Bedfordshire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.		Devonshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	957	598	414	876	564	965	425	632	3045	1130	1019	1358	1140	698	2059	1780	1408	1562
	F	948	594	415	903	581	955	460	536	3090	1084	1187	1387	1005	688	1885	1638	1694	1542
Under 1 month	M	64	33	22	49	33	46	20	30	164	69	40	50	84	43	182	147	55	69
	F	33	21	15	36	18	48	18	21	139	60	38	48	45	35	118	85	40	60
1–3 months	M	38	12	5	23	11	28	8	9	89	23	36	33	32	23	80	64	29	36
	F	19	9	6	17	15	11	9	7	76	16	20	22	24	17	51	33	21	29
3–6 months	M	26	4	11	23	14	14	6	9	93	22	21	24	41	14	78	57	31	16
	F	15	9	5	14	10	6	3	7	89	25	13	18	40	10	53	38	25	19
6–12 months	M	48	17	16	26	31	35	18	26	155	20	56	40	89	22	126	84	45	50
	F	33	14	12	17	19	23	6	14	135	30	41	39	58	20	95	63	41	35
Total under 1 year	M	176	66	54	121	89	123	52	74	501	134	153	147	246	102	466	352	160	171
	F	100	53	38	84	62	88	36	49	439	131	112	127	167	82	317	219	127	143
1—	M	66	20	6	24	30	32	26	19	159	36	38	30	93	30	136	92	40	35
	F	56	16	15	24	24	19	18	16	157	36	34	36	82	20	117	85	44	25
2—	M	22	5	8	13	11	11	10	6	77	12	12	16	26	15	38	34	27	8
	F	31	2	5	10	9	14	7	3	70	12	21	15	30	12	44	27	19	13
3—	M	14	6	3	8	5	9	7	2	44	13	17	12	24	5	38	29	13	14
	F	13	8	1	7	6	9	7	4	33	13	11	10	20	4	23	18	9	12
4—	M	16	10	4	3	5	8	1	5	23	11	7	6	17	4	22	20	17	11
	F	23	4	5	—	3	7	4	1	19	8	6	7	11	3	24	22	13	10
Total under 5 years	M	294	107	75	169	140	183	96	106	804	206	227	211	406	156	700	527	257	239
	F	223	83	64	125	104	137	72	73	718	200	184	195	310	121	525	371	212	203
5—	M	42	12	6	13	14	19	17	11	63	28	38	24	40	12	44	49	26	25
	F	38	22	14	21	14	26	17	7	69	16	34	24	27	15	56	62	31	38
10—	M	14	12	6	18	5	18	8	10	48	17	15	20	16	11	38	28	20	16
	F	15	6	2	6	8	7	7	8	39	20	18	15	21	8	31	27	20	25
15—	M	20	12	8	13	6	20	5	9	35	27	19	35	13	10	34	34	19	27
	F	16	10	5	15	8	13	9	9	66	27	17	23	24	13	30	33	23	24
20—	M	15	5	5	8	7	15	9	5	45	23	21	26	22	11	31	24	24	20
	F	20	9	3	15	12	16	5	6	66	18	25	25	23	20	52	38	34	25
25—	M	23	6	5	18	11	17	6	7	62	15	20	31	23	15	36	29	24	24
	F	28	10	4	19	17	13	12	8	65	20	28	25	25	15	40	36	34	40
30—	M	26	11	9	10	15	22	14	12	78	34	36	20	27	10	46	50	26	27
	F	25	13	12	15	15	19	13	7	73	33	35	23	31	21	43	54	38	32
35—	M	19	19	7	22	18	20	10	15	90	29	23	54	33	13	52	59	40	43
	F	24	4	10	26	13	26	16	11	97	31	30	36	26	12	62	50	35	34
40—	M	31	10	14	33	26	31	14	14	125	37	29	52	28	11	48	45	48	42
	F	35	19	11	22	20	29	11	14	97	41	27	43	30	23	77	45	52	46
45—	M	36	24	17	30	17	37	11	19	147	42	37	56	35	23	94	65	59	41
	F	25	14	13	31	14	29	20	21	122	42	31	42	32	31	65	57	58	48
50—	M	58	28	20	47	22	40	18	22	213	58	45	69	55	29	118	78	75	80
	F	30	20	13	37	26	42	16	21	169	37	55	66	38	29	86	92	74	69
55—	M	56	29	15	52	37	56	28	31	193	79	64	81	61	46	125	116	74	97
	F	44	33	15	44	36	42	32	22	172	54	47	75	52	26	96	77	93	72
60—	M	62	34	39	77	41	78	39	41	252	76	70	87	79	57	144	141	94	130
	F	53	37	33	70	40	58	24	43	246	62	72	92	54	51	112	104	122	93
65—	M	55	51	37	64	51	84	45	58	265	107	73	118	89	64	167	114	134	131
	F	72	60	34	81	48	92	38	37	237	100	83	115	70	63	143	141	129	127
70—	M	73	72	53	97	37	98	37	68	241	117	93	139	98	67	145	146	154	173
	F	95	72	41	111	58	97	45	59	306	122	121	164	89	72	182	117	197	179
75—	M	48	71	45	84	56	103	32	92	225	104	98	131	59	77	135	134	151	200
	F	86	65	60	108	59	108	43	63	268	105	164	178	70	79	129	150	215	201
80—	M	49	52	34	71	34	75	25	67	90	84	72	112	35	56	65	80	101	138
	F	70	55	42	80	59	107	47	65	174	99	127	129	56	48	101	117	188	150
85—	M	36	43	19	50	27	49	11	45	69	47	39	92	21	30	37	61	82	109
	F	49	62	39	77	30	94	33	62	106	57	89	117	27	41	55	67	139	136

Deaths at Different Ages in Urban and Rural Aggregates of Administrative Counties—1915—*continued.*

Age.	Sex.	Dorset-shire.		Durham.*		Ely, Isle of.		Essex.†		Gloucester-shire.		Hereford-shire.		Hertford-shire.		Hunting-donshire.		Kent.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	777	747	4578	3393	297	234	3914	1950	715	1691	315	608	1365	706	166	227	5061	2226
	F	811	755	3882	2935	277	243	3758	1802	837	1581	285	527	1293	658	170	266	5098	1935
Under 1 month	M	51	34	407	350	21	16	235	95	36	92	14	27	73	42	4	14	275	103
	F	32	20	262	224	13	11	156	56	26	76	6	23	53	23	5	8	200	88
1–3 months	M	15	13	158	118	11	4	156	37	14	32	11	12	29	12	2	4	113	49
	F	14	10	94	92	3	4	78	21	13	19	3	5	23	17	5	2	91	26
3–6 months	M	18	9	164	139	5	3	102	36	9	24	5	9	31	13	7	2	135	39
	F	8	9	143	121	7	6	87	28	18	19	6	7	21	8	5	4	80	40
6–12 months	M	22	18	348	312	11	14	180	58	22	52	16	5	43	21	7	6	208	79
	F	29	15	290	240	11	4	144	61	20	40	11	7	25	19	3	6	200	58
Total under 1 year	M	106	74	1077	919	48	37	673	226	81	200	46	53	176	88	20	26	731	270
	F	83	54	789	677	34	25	465	166	77	154	26	42	122	67	18	20	571	212
1—	M	43	25	427	292	16	4	203	61	19	46	6	14	59	27	5	2	234	62
	F	20	19	380	302	7	10	191	68	18	37	6	7	33	22	3	5	174	46
2—	M	9	5	171	132	7	5	91	26	13	22	4	7	27	15	2	1	98	21
	F	4	9	138	116	3	1	75	15	7	16	7	6	22	7	3	3	101	25
3—	M	8	5	100	65	2	1	54	16	6	19	2	3	19	12	—	2	64	13
	F	9	8	100	85	4	2	51	16	10	13	3	5	7	9	1	1	38	13
4—	M	9	1	62	53	2	2	41	10	3	13	5	4	11	2	—	1	40	20
	F	8	4	73	56	3	5	33	13	5	9	3	2	4	1	—	—	32	11
Total under 5 years	M	175	110	1837	1461	75	49	1062	339	122	300	63	81	292	144	27	32	1167	386
	F	124	94	1480	1236	51	43	815	278	117	229	45	62	188	106	25	29	916	307
5—	M	13	16	167	122	8	5	102	48	15	45	6	11	28	13	4	3	135	50
	F	17	13	143	134	6	7	104	38	22	37	6	9	23	13	3	9	129	59
10—	M	7	8	74	55	4	3	65	36	9	27	4	8	23	14	3	2	97	32
	F	10	10	89	66	3	2	48	25	17	31	6	9	18	12	3	5	83	32
15—	M	9	18	78	77	5	3	73	42	12	20	3	5	21	19	5	2	81	39
	F	13	6	89	63	9	2	80	26	13	40	6	13	15	13	5	4	111	35
20—	M	12	13	89	65	5	3	73	22	7	24	2	5	16	11	4	1	107	39
	F	12	14	94	84	5	5	83	33	9	45	7	12	31	9	2	7	89	29
25—	M	19	14	82	77	3	3	97	41	9	33	7	7	23	15	1	5	90	47
	F	22	12	87	64	8	5	91	38	11	31	7	12	36	15	6	11	104	36
30—	M	16	14	96	65	5	4	110	37	15	32	1	11	33	12	4	5	131	47
	F	19	16	102	71	3	8	95	24	18	37	6	17	33	11	3	7	126	49
35—	M	24	23	115	77	5	12	139	48	22	37	10	8	36	11	4	8	175	61
	F	23	15	117	75	6	2	112	36	20	31	10	14	43	13	6	6	148	52
40—	M	32	21	145	85	9	5	156	62	24	48	13	12	52	21	5	7	192	70
	F	26	26	113	77	13	5	142	56	21	36	7	14	47	22	2	3	185	60
45—	M	28	32	165	103	10	10	174	65	28	65	14	28	68	22	3	9	228	79
	F	25	20	139	80	10	10	139	68	27	56	9	11	57	26	4	4	199	86
50—	M	28	28	202	134	14	14	207	90	34	78	12	27	78	30	7	16	257	108
	F	40	29	144	109	8	10	173	70	34	70	8	24	49	26	6	14	221	84
55—	M	54	53	220	149	12	11	242	113	56	103	17	37	76	43	11	10	293	123
	F	49	40	164	112	13	7	199	94	50	83	15	31	53	30	7	12	303	102
60—	M	66	56	300	173	14	9	240	114	54	124	23	56	106	48	9	20	332	162
	F	48	56	224	156	15	14	222	115	51	93	19	35	93	42	12	12	343	103
65—	M	76	61	309	204	26	25	309	153	86	174	39	61	128	74	14	14	431	221
	F	64	67	235	134	25	20	284	143	67	145	26	49	127	55	17	19	393	158
70—	M	84	101	340	222	37	25	301	217	64	175	40	75	133	73	26	29	457	229
	F	103	104	242	186	25	35	352	197	95	174	32	58	134	75	18	38	496	189
75—	M	58	73	198	180	31	26	265	228	71	171	27	84	130	61	15	25	422	221
	F	78	92	212	143	33	29	352	220	118	172	31	67	142	82	19	27	486	205
80—	M	38	41	116	97	22	16	178	164	51	135	16	54	64	51	15	19	265	181
	F	80	77	127	92	18	21	238	192	74	139	27	50	110	53	20	27	389	195
85—	M	38	65	45	47	12	11	121	131	36	100	18	38	58	44	9	20	201	131
	F	58	64	81	53	26	18	229	149	73	132	18	40	94	55	12	32	377	154

* Excluding Darlington (constituted a County Borough 1st April, 1915) for the whole year.
† Excluding East Ham (constituted a County Borough 1st April, 1915) for the whole year.

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1915—*continued.*

Age.	Sex.	Lancashire.		Leicestershire.		Lincolnshire, (Parts of Holland).		Lincolnshire, (Parts of Kesteven).		Lincolnshire, (Parts of Lindsey).		Middlesex.		Monmouthshire.		Norfolk.		Northamptonshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	11398	1608	705	1001	317	325	365	495	708	1072	6997	312	2356	306	443	1915	669	846
	F	11120	1524	706	991	300	312	334	482	742	990	6910	290	2037	284	451	1895	608	888
Under 1 month	M	757	101	49	67	12	22	26	32	54	76	479	17	233	22	18	112	36	66
	F	498	68	36	53	9	22	20	22	43	53	353	16	155	15	18	87	29	39
1–3 months	M	340	45	18	23	5	6	12	10	34	39	232	8	122	6	13	66	21	17
	F	264	32	18	29	10	4	6	8	11	20	147	4	72	1	10	38	10	16
3–6 months	M	375	41	24	32	11	11	10	16	23	31	221	7	82	3	12	38	18	12
	F	292	22	20	21	5	8	10	6	21	15	146	3	88	5	11	26	15	15
6–12 months	M	677	68	37	27	12	11	16	14	29	31	348	10	209	15	27	73	31	22
	F	522	49	37	39	11	14	12	17	28	25	300	11	171	4	15	44	19	12
Total under 1 year	M	2149	255	128	149	40	50	64	72	140	177	1280	42	646	46	70	289	106	117
	F	1576	171	111	142	35	48	48	53	103	113	946	34	486	25	54	195	73	82
1—	M	690	63	41	26	16	16	13	14	35	34	383	13	197	14	16	51	30	22
	F	632	62	33	31	15	10	11	5	33	26	376	20	191	7	16	40	26	16
2—	M	261	24	14	11	6	6	9	5	15	16	182	5	78	3	6	8	20	16
	F	243	23	20	8	3	5	10	5	16	15	158	6	81	5	4	21	13	14
3—	M	194	19	9	14	3	1	6	3	7	7	93	2	41	4	1	8	16	9
	F	143	16	10	4	5	—	2	5	5	12	101	3	54	2	3	8	10	9
4—	M	104	15	10	10	1	4	—	3	7	10	79	3	39	2	2	17	7	7
	F	112	10	8	8	1	6	2	5	6	7	76	2	32	—	2	8	8	8
Total under 5 years	M	3398	376	202	210	66	77	92	97	204	244	2017	65	1001	69	95	373	179	171
	F	2706	282	182	193	59	69	73	73	163	173	1657	65	844	39	79	272	130	129
5—	M	285	37	14	24	11	10	8	6	15	20	221	17	78	5	5	34	17	27
	F	291	36	16	16	6	9	5	11	27	19	180	12	67	9	9	27	26	25
10—	M	178	28	7	15	4	6	3	11	11	16	110	7	36	7	9	22	12	6
	F	191	28	10	17	3	7	4	8	13	13	113	5	31	5	2	25	18	16
15—	M	219	23	14	18	4	5	3	4	10	25	103	7	32	5	5	31	13	11
	F	202	27	19	29	11	4	7	9	18	23	136	7	42	8	9	32	16	11
20—	M	233	24	18	20	4	4	5	7	14	18	123	6	51	3	7	22	12	12
	F	248	23	15	16	4	5	7	13	17	21	133	5	63	8	9	34	23	13
25—	M	222	26	12	25	5	4	6	13	8	19	155	9	43	5	10	32	22	13
	F	270	45	18	19	5	9	4	7	19	18	158	2	48	8	10	40	13	19
30—	M	278	35	17	30	8	4	4	8	10	23	194	8	59	7	17	25	17	14
	F	278	51	18	16	9	8	10	13	15	27	220	8	53	11	6	43	16	16
35—	M	381	46	9	20	7	6	13	7	27	22	234	9	67	7	7	32	20	26
	F	388	58	18	28	4	9	13	18	26	23	192	10	81	7	10	51	9	10
40—	M	438	58	27	36	9	6	10	14	23	22	267	9	82	9	11	39	27	21
	F	402	59	25	35	10	7	13	14	23	27	257	7	53	9	10	56	18	29
45—	M	531	60	28	40	11	9	9	7	16	32	312	22	89	10	12	43	18	19
	F	467	52	29	37	12	9	10	15	22	33	276	12	66	14	13	48	29	32
50—	M	683	90	30	38	19	15	17	18	40	31	401	14	99	13	16	91	33	26
	F	595	77	29	35	15	8	12	12	33	38	300	14	64	7	18	58	25	36
55—	M	809	107	40	59	9	19	28	28	52	52	453	15	127	18	24	82	46	50
	F	706	80	40	47	17	9	17	33	37	43	353	12	86	10	24	74	31	50
60—	M	954	134	59	79	14	19	21	41	56	60	487	17	153	25	38	124	40	55
	F	827	114	53	59	22	23	15	29	34	47	424	18	121	19	33	97	36	58
65—	M	925	131	51	67	25	25	28	51	50	71	504	19	130	27	32	169	55	68
	F	934	136	38	71	24	27	32	47	60	75	511	24	101	23	29	149	38	58
70—	M	820	176	66	95	50	32	39	48	54	121	526	33	146	39	50	213	54	92
	F	1076	158	67	96	20	29	36	52	68	108	630	24	132	28	58	213	61	100
75—	M	633	136	63	101	16	32	33	70	54	127	445	26	87	24	39	232	48	87
	F	884	159	53	101	30	34	33	50	68	111	520	25	97	32	48	237	49	125
80—	M	299	82	36	74	34	34	34	36	41	100	259	18	52	22	38	195	27	94
	F	422	92	42	86	20	19	23	41	55	103	471	16	50	28	43	229	36	89
85—	M	112	39	12	50	21	18	12	29	23	69	186	11	24	11	28	156	29	54
	F	233	47	34	90	29	27	20	37	44	88	379	24	38	19	41	210	34	72

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1915—*continued.*

Age.	Sex.	Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough, Soke of.		Rutlandshire.		Shropshire.		Somersetshire.		Southampton.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	2318	680	1709	960	268	702	268	78	33	142	875	917	1080	1645	1339	1545
	F	2124	676	1546	858	262	598	258	76	23	105	855	893	1204	1573	1237	1372
Under 1 month	M	183	57	163	58	14	28	15	2	2	6	45	58	67	71	64	96
	F	153	43	109	42	8	22	11	1	1	6	33	38	37	47	47	57
1–3 months	M	100	13	77	31	9	12	6	4	1	4	27	23	21	39	41	27
	F	59	11	48	18	5	7	2	2	—	—	20	13	15	20	30	29
3–6 months	M	87	18	80	15	5	8	9	1	—	1	20	15	18	25	37	22
	F	63	11	59	14	4	6	3	3	—	—	10	13	14	16	27	15
6–12 months	M	175	27	137	38	7	25	6	6	—	7	36	25	37	46	58	38
	F	152	18	87	34	6	9	10	—	—	5	29	23	20	20	38	45
Total under 1 year	M	545	115	457	142	35	73	36	13	3	18	128	121	143	181	200	183
	F	427	83	303	108	23	44	26	6	1	11	92	87	86	103	142	146
1—	M	208	18	156	37	9	11	9	3	1	5	26	29	40	38	55	39
	F	194	14	107	36	6	11	7	4	2	2	22	28	28	30	58	51
2—	M	76	18	54	15	3	9	6	—	—	2	5	12	12	21	33	18
	F	74	11	42	22	2	5	3	2	—	3	5	17	9	14	31	20
3—	M	44	5	26	10	1	3	1	—	—	2	6	7	5	13	15	16
	F	52	4	41	9	2	5	1	—	—	1	7	6	8	9	19	18
4—	M	24	3	18	14	—	—	1	1	—	2	8	11	7	10	14	10
	F	42	6	19	5	1	—	1	—	—	—	6	3	6	11	19	11
Total under 5 years	M	897	159	711	218	48	96	53	17	4	29	173	180	207	263	317	266
	F	789	118	512	180	34	65	38	12	3	17	132	141	137	167	269	246
5—	M	58	14	43	26	5	7	4	2	—	1	19	16	22	37	49	39
	F	63	15	58	19	2	4	4	2	—	3	16	24	16	26	44	26
10—	M	38	16	29	16	5	5	6	—	2	2	18	7	18	17	18	16
	F	47	10	25	10	6	6	5	—	—	—	7	16	15	13	16	13
15—	M	55	12	29	20	4	12	3	1	1	2	15	14	20	21	23	27
	F	50	12	37	19	6	12	6	2	1	—	19	13	26	27	20	22
20—	M	52	7	32	13	5	14	5	1	1	6	13	14	20	21	27	22
	F	39	16	20	23	4	10	3	1	2	1	17	22	32	37	16	31
25—	M	45	15	26	25	4	13	6	1	1	—	22	18	23	34	24	31
	F	52	28	35	24	4	8	4	1	—	—	20	20	22	26	32	29
30—	M	50	22	40	16	6	11	8	—	—	—	18	22	24	40	32	34
	F	60	21	38	18	3	16	2	4	1	—	21	22	25	38	36	35
35—	M	65	12	49	25	8	16	7	3	—	2	32	22	29	34	44	35
	F	67	21	42	37	3	14	6	1	1	3	27	19	41	42	38	43
40—	M	80	20	40	30	12	20	8	—	—	1	37	22	46	44	59	43
	F	58	16	50	27	14	18	10	1	1	3	26	32	25	38	44	40
45—	M	82	15	50	27	13	21	14	2	3	5	24	32	47	64	65	54
	F	65	25	66	25	13	23	11	3	1	5	27	27	44	36	51	42
50—	M	109	35	65	35	10	29	14	1	—	6	43	48	58	95	70	64
	F	79	32	69	30	13	26	12	6	—	7	34	27	51	65	58	51
55—	M	131	44	91	46	14	42	23	6	2	9	58	49	74	102	85	93
	F	99	23	67	37	10	33	12	5	1	7	39	44	56	72	44	70
60—	M	132	53	106	77	19	53	21	8	4	4	65	60	98	137	91	112
	F	107	43	86	50	20	36	13	2	—	5	61	46	93	117	66	74
65—	M	168	58	98	67	23	59	25	8	3	14	88	87	91	155	98	155
	F	127	59	98	60	22	48	27	6	—	12	74	80	110	156	93	127
70—	M	144	70	106	95	27	82	26	3	2	22	92	90	95	196	128	175
	F	146	76	121	88	29	74	24	6	2	10	107	95	142	202	114	119
75—	M	119	60	94	94	24	97	23	12	8	15	74	112	107	174	91	146
	F	147	75	99	89	32	75	37	13	2	15	112	101	151	189	117	140
80—	M	60	42	64	84	19	76	16	11	1	13	51	63	58	123	65	133
	F	71	48	68	61	25	72	20	3	4	9	59	104	127	180	100	144
85—	M	33	26	36	46	22	49	6	2	1	11	33	61	43	88	53	100
	F	58	38	55	61	22	58	24	8	4	8	57	60	91	142	79	120

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1915—*continued.*

Age.	Sex.	Staffordshire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.		Warwickshire.		Westmorland.		Wight, Isle of.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	3921	1429	577	962	355	504	3005	1070	787	735	600	679	939	1134	158	271	429	211
	F	3443	1370	578	797	365	542	3057	980	944	757	719	585	1019	1071	178	266	449	186
Under 1 month	M	313	93	47	44	11	21	159	57	39	38	27	26	64	84	4	14	17	8
	F	215	75	25	39	18	34	111	38	24	27	19	21	35	64	5	9	18	6
1–3 months	M	141	32	22	15	12	15	70	22	16	19	15	20	30	36	2	7	7	1
	F	113	33	14	21	5	6	55	18	17	8	7	7	30	12	1	4	6	3
3–6 months	M	160	31	14	27	3	8	64	29	24	15	12	10	24	27	5	4	12	4
	F	105	40	9	10	5	7	51	14	15	10	5	8	22	16	4	2	3	1
6–12 months	M	252	61	28	38	17	11	109	40	24	24	15	11	52	47	6	5	15	4
	F	214	44	21	19	9	6	85	28	25	16	15	10	27	34	5	3	12	3
Total under 1 year	M	866	217	111	124	43	55	402	148	103	96	69	67	170	194	17	30	51	17
	F	647	192	69	89	37	53	302	98	81	61	46	46	114	126	15	18	39	13
1—	M	299	91	27	30	17	15	126	36	24	17	11	16	54	32	3	6	12	3
	F	227	62	22	18	8	18	92	31	25	12	15	15	52	40	9	5	14	3
2—	M	122	39	17	7	12	6	54	17	23	10	10	13	17	28	1	1	8	4
	F	113	18	10	11	8	3	38	17	9	5	6	3	17	15	1	—	6	3
3—	M	61	16	8	3	5	—	34	14	6	2	7	6	13	12	—	2	5	1
	F	48	14	9	7	6	2	23	6	7	4	9	4	10	16	1	—	2	1
4—	M	41	11	3	3	3	2	23	3	4	2	2	2	13	14	3	1	2	—
	F	41	9	12	2	2	2	30	12	5	3	3	1	10	6	2	—	2	—
Total under 5 years	M	1389	374	166	167	80	78	639	218	160	127	99	104	267	280	24	40	78	25
	F	1076	295	122	127	61	78	485	164	127	85	79	69	203	203	28	23	63	20
5—	M	115	46	16	18	11	3	69	20	24	4	11	10	27	36	2	1	10	1
	F	117	40	12	15	7	8	90	21	17	12	14	17	20	19	1	3	11	1
10—	M	54	29	5	14	8	4	53	15	9	8	8	13	19	17	2	—	8	1
	F	58	20	11	11	9	4	45	8	12	10	13	12	17	20	3	2	3	3
15—	M	79	13	12	16	3	8	49	15	3	13	7	6	11	17	—	4	7	—
	F	66	27	16	16	7	11	52	19	11	13	7	12	13	21	6	7	4	5
20—	M	71	25	8	18	7	9	44	8	9	12	5	9	15	22	3	6	11	2
	F	80	25	10	18	4	14	52	15	12	13	13	12	30	16	7	3	6	4
25—	M	68	27	8	29	8	9	68	11	11	16	8	15	15	30	5	7	5	6
	F	85	26	11	11	5	10	77	27	25	15	21	7	23	24	—	5	10	3
30—	M	101	27	12	22	8	7	77	20	16	16	16	18	21	22	1	1	11	1
	F	83	29	15	17	7	11	87	35	24	15	17	11	24	24	5	7	15	4
35—	M	126	43	13	23	7	9	94	31	19	17	19	15	35	42	5	3	5	11
	F	106	43	11	22	9	15	92	22	26	31	19	15	33	26	4	7	13	2
40—	M	149	36	26	25	16	17	132	37	29	24	26	22	39	28	5	5	16	6
	F	123	44	14	15	8	10	90	40	32	27	26	16	28	34	5	11	12	8
45—	M	159	56	21	27	13	15	132	41	37	19	25	17	28	36	8	3	14	16
	F	130	46	16	38	13	19	126	34	46	34	25	31	40	37	6	8	17	8
50—	M	194	57	29	31	21	22	168	46	47	22	32	28	43	48	11	8	16	7
	F	152	46	23	28	12	14	163	44	32	37	29	18	45	48	5	7	21	9
55—	M	186	75	31	44	28	29	202	66	51	43	39	40	56	57	10	20	25	14
	F	172	69	33	42	22	19	175	58	51	39	27	34	47	45	7	21	22	3
60—	M	254	94	36	78	21	40	243	75	63	51	37	62	61	72	12	32	34	13
	F	192	77	32	48	24	28	181	57	66	60	37	44	78	79	16	12	24	7
65—	M	265	122	42	83	31	38	259	104	66	88	56	70	67	81	17	23	43	21
	F	216	125	48	62	28	46	246	71	85	68	70	44	77	83	13	25	38	21
70—	M	285	132	49	92	33	65	259	105	75	60	75	71	78	99	14	33	41	27
	F	284	140	61	70	43	60	324	113	103	72	84	60	91	100	25	35	61	23
75—	M	214	124	51	97	22	56	233	101	76	88	53	76	63	131	22	30	48	26
	F	250	157	50	103	47	73	303	85	114	85	94	61	111	121	21	36	57	31
80—	M	145	104	27	98	21	51	170	103	44	71	47	69	52	76	11	33	33	18
	F	163	92	50	84	33	64	250	94	83	71	85	61	74	98	17	35	32	18
85—	M	67	45	25	80	17	44	114	54	48	56	37	34	42	40	6	22	24	16
	F	90	69	43	70	26	58	219	73	78	70	59	61	65	73	9	19	40	16

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1915—*continued.*

Age.	Sex.	Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.		Yorkshire, West Riding.*		Anglesey.		Brecknockshire.		Cardiganshire.		Carmarthenshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb	Rur.
All Ages	M	898	1144	1179	950	467	636	1394	1002	8312	2755	144	225	156	308	134	368	521	678
	F	903	1062	1155	876	481	591	1287	889	8091	2587	169	264	148	297	164	408	490	764
Under 1 month	M	42	55	69	53	24	48	83	58	575	231	13	10	11	21	4	15	32	47
	F	28	40	67	40	14	23	67	34	424	176	6	15	8	17	7	11	21	37
1–3 months	M	19	22	39	20	10	15	32	20	269	111	4	8	8	8	1	11	21	34
	F	16	23	31	18	7	12	36	16	212	78	6	5	6	13	4	11	14	27
3–6 months	M	14	16	38	15	8	14	42	19	251	110	6	10	6	10	4	3	20	24
	F	12	8	25	17	8	13	33	5	158	77	3	4	2	3	4	4	21	21
6–12 months	M	35	28	80	33	5	22	79	24	452	155	2	8	7	17	3	8	31	33
	F	25	23	66	27	11	10	79	22	388	146	4	6	5	11	7	3	22	17
Total under 1 year	M	110	121	226	121	47	99	236	121	1547	607	25	36	32	56	12	37	104	138
	F	81	94	189	102	40	58	215	77	1182	477	19	30	21	44	22	29	78	102
1—	M	39	36	76	26	12	21	115	27	510	173	6	6	6	13	1	4	21	21
	F	37	26	64	30	11	11	85	23	406	189	8	2	9	11	5	3	23	17
2—	M	24	10	34	12	2	6	54	14	184	78	4	2	3	7	2	1	6	13
	F	17	13	18	9	7	11	39	8	189	78	1	2	1	4	1	1	7	9
3—	M	12	3	25	11	8	6	21	3	114	50	1	—	2	2	1	1	10	9
	F	12	6	21	6	4	7	24	4	107	41	1	—	—	5	1	3	9	8
4—	M	9	16	16	8	—	1	11	7	91	35	1	—	2	4	1	4	6	4
	F	5	9	11	6	1	5	13	4	94	27	2	2	2	2	1	4	6	8
Total under 5 years	M	194	186	377	178	69	133	437	172	2446	943	37	44	45	82	17	47	147	185
	F	152	148	303	153	63	92	376	116	1978	812	31	36	33	66	30	40	123	144
5—	M	19	21	27	21	6	11	32	11	246	77	1	5	3	9	2	5	23	13
	F	30	22	37	24	12	13	40	23	230	72	6	5	5	5	5	1	10	12
10—	M	13	15	16	16	3	8	22	9	124	46	5	1	2	5	1	2	5	9
	F	12	15	15	14	7	8	19	13	131	40	3	—	1	6	1	8	6	6
15—	M	13	12	16	17	7	12	30	20	156	54	3	2	3	7	—	5	12	19
	F	17	19	19	13	2	12	19	16	155	47	2	6	7	9	3	9	13	17
20—	M	11	16	25	23	4	8	25	12	148	49	2	—	—	1	5	9	7	15
	F	17	16	18	14	8	12	27	17	185	51	3	6	—	7	5	12	17	18
25—	M	22	22	24	19	14	8	28	16	164	48	1	6	4	6	4	13	16	22
	F	13	19	27	23	16	10	33	22	184	55	3	6	3	16	4	15	14	23
30—	M	22	14	26	22	18	11	27	11	189	55	3	3	2	8	6	11	11	21
	F	19	20	27	16	20	14	27	22	214	58	3	6	1	3	2	7	13	20
35—	M	24	27	21	15	14	13	50	28	270	56	3	5	8	15	6	13	21	20
	F	20	19	37	18	21	15	38	24	268	82	4	5	7	9	5	12	14	28
40—	M	25	40	37	27	11	11	55	23	282	94	7	6	6	10	4	8	18	23
	F	25	28	28	22	15	20	42	22	280	83	6	5	5	14	5	17	15	21
45—	M	48	28	54	37	10	17	58	41	375	101	6	5	4	14	8	9	22	29
	F	29	35	43	26	19	20	31	27	303	90	5	5	7	11	6	13	21	30
50—	M	60	48	49	39	17	32	54	37	417	90	8	5	6	17	8	15	32	24
	F	39	39	49	36	10	28	48	42	370	104	8	6	6	9	5	11	18	29
55—	M	61	82	52	44	33	38	67	64	555	130	6	11	9	24	7	21	30	35
	F	56	60	54	41	30	32	68	46	476	138	8	24	4	15	10	16	31	49
60—	M	70	78	82	71	34	47	94	85	670	190	9	20	10	16	11	27	46	25
	F	58	74	70	57	36	36	87	53	632	158	15	12	9	15	7	26	42	57
65—	M	86	86	87	94	44	51	105	87	677	221	15	19	14	25	16	44	35	57
	F	70	94	77	73	43	50	89	85	684	175	10	20	13	24	14	40	35	54
70—	M	79	146	118	99	70	71	116	102	656	215	15	27	14	27	21	36	46	68
	F	108	138	115	103	46	66	121	109	744	214	21	48	11	28	20	48	38	87
75—	M	75	148	87	103	53	70	108	127	572	194	13	33	11	17	8	42	32	59
	F	102	115	106	89	55	58	106	107	654	208	14	26	13	26	16	55	43	66
80—	M	44	103	46	71	39	54	47	82	237	109	4	16	8	15	8	32	12	25
	F	81	101	66	81	31	53	56	68	373	114	8	27	14	18	17	39	20	56
85—	M	32	72	35	54	21	41	39	68	128	83	6	17	7	10	2	29	6	29
	F	55	100	64	73	47	52	60	77	230	86	19	21	9	16	9	39	17	47

* Excluding Wakefield (constituted a County Borough 1st April, 1915) for the whole year.

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1915—*continued.*

Age.	Sex.	Carnarvonshire.		Denbighshire.		Flintshire.		Glamorganshire.		Merionethshire.		Montgomeryshire.		Pembrokeshire.		Radnorshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	486	519	384	783	306	470	4313	1486	182	186	164	278	344	373	44	121
	F	537	541	400	738	286	405	3703	1387	179	204	147	246	336	442	57	96
Under 1 month	M	19	15	20	44	16	26	380	134	9	9	7	18	17	20	1	12
	F	18	23	15	33	11	21	285	111	6	9	5	14	15	19	2	4
1–3 months	M	10	12	18	27	8	12	238	71	2	3	3	5	5	7	1	1
	F	8	6	7	17	7	5	156	49	10	4	1	5	6	6	—	4
3–6 months	M	14	16	9	24	5	11	199	73	2	4	3	3	14	7	1	1
	F	9	11	11	20	4	9	139	43	1	3	2	3	7	6	1	—
6–12 months	M	23	9	20	38	19	16	357	83	5	7	6	4	21	5	1	2
	F	8	7	7	46	11	16	253	82	6	6	3	1	18	6	4	3
Total under 1 year	M	66	52	67	133	48	65	1174	361	18	23	19	30	57	39	4	16
	F	43	47	40	116	33	51	833	285	23	22	11	23	46	37	7	11
1—	M	22	9	18	27	14	18	335	75	3	1	2	10	14	12	3	2
	F	9	17	20	37	17	12	288	66	2	1	4	1	11	8	2	1
2—	M	6	6	5	18	13	6	115	34	1	—	1	3	9	3	—	2
	F	7	4	5	12	7	8	118	39	2	1	2	3	4	2	1	—
3—	M	—	4	5	13	7	8	70	21	—	1	4	—	1	2	—	—
	F	1	1	5	8	4	5	79	23	3	1	—	1	6	3	—	1
4—	M	5	—	3	7	3	5	55	16	—	—	1	1	4	—	1	—
	F	1	4	3	6	3	5	41	11	1	1	—	1	3	2	—	—
Total under 5 years	M	99	71	98	198	85	102	1749	507	22	25	27	44	85	56	8	20
	F	61	73	73	179	64	81	1359	424	31	26	17	29	70	52	10	13
5—	M	13	10	5	15	13	6	135	41	2	3	3	1	9	8	1	—
	F	12	5	5	21	7	10	117	53	5	3	3	2	8	9	—	4
10—	M	8	6	6	11	4	4	64	25	—	3	2	—	5	5	—	1
	F	8	7	6	10	3	8	62	27	2	2	2	2	6	3	3	2
15—	M	5	13	2	19	3	7	73	58	5	7	2	2	5	7	2	2
	F	8	17	5	15	4	10	93	33	1	1	2	1	5	7	1	—
20—	M	7	10	2	21	9	7	87	36	2	4	3	7	8	8	2	5
	F	16	10	6	18	6	6	118	41	3	7	4	5	10	18	2	3
25—	M	14	13	7	16	7	11	112	45	5	5	2	4	9	14	2	2
	F	12	7	5	21	10	10	116	43	8	5	5	5	8	13	—	2
30—	M	13	12	12	11	8	14	131	42	2	3	9	8	6	12	2	1
	F	17	15	5	17	5	6	137	51	4	6	2	4	4	17	—	2
35—	M	18	12	14	16	10	12	133	37	4	9	4	8	10	13	—	3
	F	21	18	14	25	6	12	163	62	3	4	4	10	15	9	3	3
40—	M	15	16	13	25	8	19	160	54	10	11	5	8	11	10	1	5
	F	28	12	16	26	10	14	135	44	5	7	6	4	12	9	2	5
45—	M	15	18	17	34	17	22	186	55	7	6	5	10	18	13	—	6
	F	26	19	18	32	9	15	147	49	8	7	5	5	9	14	1	4
50—	M	32	28	17	44	19	28	240	62	11	8	10	13	15	20	1	4
	F	31	24	23	33	14	16	143	58	9	6	7	11	16	12	4	4
55—	M	34	35	32	50	15	31	242	69	10	9	15	19	18	21	3	11
	F	39	30	24	33	17	26	165	53	6	12	10	15	13	22	5	6
60—	M	43	48	34	50	27	33	290	93	25	13	9	16	29	23	1	9
	F	41	38	27	43	12	24	192	81	15	15	8	21	27	28	6	8
65—	M	38	56	31	70	27	47	233	103	29	14	14	26	18	32	1	10
	F	43	51	34	59	29	32	204	82	15	11	12	15	23	31	5	8
70—	M	58	67	41	92	23	56	236	107	17	23	15	39	47	53	6	13
	F	61	70	56	77	29	53	228	106	18	26	19	29	35	52	8	7
75—	M	41	52	26	56	21	34	139	80	16	21	17	36	28	34	8	9
	F	54	77	41	63	26	33	177	97	20	33	21	38	38	70	1	8
80—	M	24	29	20	38	6	24	71	46	10	14	18	25	13	28	5	8
	F	40	43	23	40	15	32	90	54	15	17	12	29	19	47	3	11
85—	M	9	23	7	17	4	13	32	26	5	8	4	12	10	16	1	12
	F	19	25	19	26	20	17	57	29	11	16	8	21	18	29	3	6

CAUSES OF DEATH.

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes	M	292,381	17,923	9,026	8,819	15,245	51,013	15,944	6,552	3,836	2,774
		F	269,872	12,944	6,461	6,742	12,220	38,367	14,335	5,930	3,662	2,574
1	Enteric fever	M	822	—	—	1	2	3	2	3	5	6
		F	566	—	—	—	1	1	1	1	4	6
2	Typhus	M	5	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	A. Relapsing fever ...	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Mediterranean fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	55	—	—	—	—	—	—	—	—	1
		F	10	—	—	—	—	—	1	—	—	—
5	Small-pox	M	7	—	—	—	—	—	1	—	—	—
		F	6	—	—	—	—	—	—	—	1	—
6	Measles	M	8,583	20	36	128	1,665	1,849	3,346	1,444	697	467
		F	7,862	16	19	99	1,384	1,518	3,040	1,398	670	436
7	Scarlet fever	M	1,226	1	6	1	28	36	113	175	160	138
		F	1,180	2	1	3	26	32	103	169	153	141
8	Whooping cough ...	M	3,694	45	282	404	1,024	1,755	1,099	424	182	111
		F	4,449	53	323	411	1,088	1,875	1,384	568	296	149
9	Diphtheria, Croup ...	M	2,874	6	5	11	101	123	324	379	403	366
		F	3,021	—	4	9	82	95	268	310	384	375
	A. Diphtheria ...	M	2,852	6	4	11	101	122	319	377	399	361
		F	3,004	—	4	8	82	94	261	308	380	375
	B. Membranous laryngitis.	M	5	—	—	—	—	—	1	1	1	1
		F	4	—	—	1	—	1	—	—	2	—
	C. Croup	M	17	—	1	—	—	1	4	1	3	4
		F	13	—	—	—	—	—	7	2	2	—
10	Influenza	M	5,228	24	57	46	120	247	106	46	31	24
		F	5,256	20	37	45	80	182	83	42	41	15
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	11	—	—	—	—	—	—	—	—	—
		F	10	—	—	1	3	4	1	—	—	—
14	Dysentery	M	338	—	—	2	6	8	2	1	1	3
		F	274	—	—	4	1	5	2	1	1	2
15	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	590	28	30	14	18	90	6	2	1	1
		F	487	12	30	15	22	79	7	4	—	—

AT DIFFERENT AGE-PERIODS, 1915.

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
80,119	7,243	4,201	5,975	7,222	7,307	8,385	10,204	11,456	13,166	15,486	17,797	20,909	21,808	22,958	18,883	11,839	7,423	All Causes
64,868	7,145	4,203	5,197	5,644	6,230	6,942	8,388	9,347	10,738	12,670	14,313	17,524	20,097	24,696	23,186	16,268	12,416	
19	32	60	83	112	109	87	83	79	59	38	37	15	4	4	1	—	—	1
13	32	52	72	82	52	72	45	43	33	21	21	13	8	3	3	1	—	
—	—	—	—	—	1	2	—	1	—	—	1	—	—	—	—	—	—	2
—	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	—	—	5	6	8	7	3	7	3	2	6	2	2	1	1	—	4
1	—	—	1	1	—	—	1	1	1	—	—	1	—	1	1	1	—	
1	1	—	—	—	2	—	1	1	—	—	—	1	—	—	—	—	—	5
1	—	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—	
7,803	598	42	52	49	23	9	2	2	—	1	—	2	—	—	—	—	—	6
7,062	687	44	10	15	10	7	10	5	2	2	2	2	—	1	2	—	1	
622	332	100	71	41	26	17	9	5	1	—	—	2	—	—	—	—	—	7
598	339	115	37	26	18	16	14	6	3	2	4	1	—	1	—	—	—	
3,571	120	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	8
4,272	161	6	2	—	—	2	—	1	—	—	—	1	2	1	1	—	—	
1,595	984	197	40	11	7	5	9	8	8	5	1	2	—	1	—	—	1	9
1,432	1,221	246	41	20	12	17	11	2	3	9	4	2	1	—	—	—	—	
1,578	980	196	40	11	7	5	9	8	8	5	1	2	—	1	—	—	1	A
1,418	1,218	246	41	20	12	17	11	2	3	9	4	2	1	—	—	—	—	
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
11	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
454	61	59	120	134	161	193	260	252	300	404	414	494	486	544	436	293	163	10
363	63	59	96	98	119	136	162	156	209	250	305	410	559	757	681	495	338	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	1	—	—	—	1	—	—	—	1	2	2	1	1	—	1	—	13
5	—	—	—	—	1	1	—	—	—	—	1	—	—	2	—	—	—	
15	5	3	23	46	47	32	33	20	17	23	14	20	22	12	4	—	2	14
11	1	—	2	4	13	19	18	21	27	31	26	23	15	27	25	9	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
100	2	12	13	11	20	25	29	25	40	52	43	53	45	48	41	18	13	18
90	7	8	11	13	5	11	24	17	25	42	20	46	45	47	30	33	13	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
19	Other epidemic diseases	M	87	1	5	9	16	31	19	11	8	1
		F	116	—	5	7	26	38	28	11	8	8
	A. Mumps	M	16	—	—	—	1	1	3	2	—	1
		F	13	—	1	—	3	4	1	1	1	2
	B. German measles ...	M	32	1	1	2	2	6	10	5	5	—
		F	48	—	—	3	5	8	12	6	5	5
	C. Varicella	M	39	—	4	7	13	24	6	4	3	—
		F	53	—	4	4	18	26	13	4	2	1
	D. Other diseases included under 19.	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—
20	Pyæmia, Septicæmia ...	M	435	13	11	5	5	34	7	8	2	4
		F	223	12	14	4	6	36	3	4	—	4
	A. Pyæmia	M	71	3	2	1	2	8	3	1	—	1
		F	38	2	5	1	3	11	—	—	—	—
	B. Septicæmia	M	360	10	7	3	3	23	4	7	2	3
		F	184	10	8	3	3	24	3	4	—	4
	C. Vaccinia	M	4	—	2	1	—	3	—	—	—	—
		F	1	—	1	—	—	1	—	—	—	—
21	Glanders	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic fever)	M	23	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	127	12	2	1	—	15	3	—	3	1
		F	29	11	1	—	—	12	—	—	1	—
25	Mycoses	M	28	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
	A. Actinomycosis ...	M	23	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
	B. Other mycoses ...	M	5	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
26	Pellagra	M	3	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	—	—	—	—	—
27	Beri-beri	M	4	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	21,550	1	7	15	79	102	144	102	57	53
		F	16,131	2	4	14	44	64	131	80	57	42
	A. Pulmonary tuberculosis.	M	14,888	1	6	11	71	89	124	90	48	45
		F	10,919	2	3	11	40	56	111	72	43	29
	B. Phthisis (not defined as tuberculous).	M	6,662	—	1	4	8	13	20	12	9	8
		F	5,212	—	1	3	4	8	20	8	14	13
29	Acute phthisis, Acute miliary tuberculosis.	M	2,080	2	3	15	50	70	70	55	32	33
		F	1,915	—	9	12	35	56	62	38	31	25
	A. Acute phthisis ...	M	1,617	1	1	7	9	18	19	17	10	10
		F	1,505	—	6	4	13	23	15	16	13	12
	B. Acute miliary tuberculosis.	M	463	1	2	8	41	52	51	38	22	23
		F	410	—	3	8	22	33	47	22	18	13
28 & 29	Pulmonary tuberculosis, acute and chronic.	M	23,630	3	10	30	129	172	214	157	89	86
		F	18,046	2	13	26	79	120	193	118	88	67
30	Tuberculous meningitis	M	2,788	10	35	138	322	505	527	327	217	161
		F	2,541	4	29	88	262	383	465	294	205	157

T DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos
70	8	3	3	2	—	—	—	—	—	1	—	—	—	—	—	—	—	19
93	13	3	1	—	3	—	—	2	1	—	—	—	—	—	—	—	—	
7	4	2	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	A
9	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
26	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	B
36	6	2	1	—	2	—	—	1	—	—	—	—	—	—	—	—	—	
37	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
46	6	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
55	14	24	29	25	16	18	29	36	30	37	28	25	22	22	16	4	5	20
47	9	8	8	10	9	7	15	12	15	16	14	13	20	8	11	1	—	
13	4	5	8	4	1	3	4	5	2	5	9	1	3	3	—	—	1	A
11	3	2	1	1	1	1	2	3	1	1	3	3	2	1	2	—	—	
39	10	19	21	21	15	14	25	31	28	32	19	24	19	19	16	4	4	B
35	6	6	7	9	8	6	13	9	14	15	11	10	18	7	9	1	—	
3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	C
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	2	2	2	4	4	2	3	2	—	—	—	—	—	22
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	14	14	13	7	6	6	7	8	8	6	6	2	4	3	1	—	—	24
13	1	2	2	—	2	—	2	1	3	1	—	1	—	1	—	—	—	
—	—	—	2	4	3	4	4	3	2	2	1	—	2	—	—	1	—	25
—	—	2	—	—	1	2	—	1	1	—	—	2	—	—	—	—	—	
—	—	—	1	4	3	4	4	1	2	1	1	—	2	—	—	—	—	A
—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	2	—	1	—	—	—	—	—	1	—	B
—	—	—	—	—	1	1	—	1	1	—	—	2	—	—	—	—	—	
—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	26
—	—	—	—	2	—	—	2	3	1	4	1	—	—	—	—	—	—	
—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
458	250	340	1187	1921	2,167	2,413	2,803	2,565	2,242	1,908	1,427	1,024	532	226	61	24	2	28
374	271	691	1722	1921	2,006	1,923	1,815	1,560	1,182	927	622	470	341	194	86	19	7	
396	195	245	808	1314	1,515	1,657	1,904	1,796	1,558	1,280	961	678	371	153	41	15	1	A
311	213	485	1130	1326	1,318	1,291	1,173	1,073	798	640	427	305	223	132	56	15	3	
62	55	95	379	607	652	756	899	769	684	628	466	346	161	73	20	9	1	B
63	58	206	592	595	688	632	642	487	384	287	195	165	118	62	30	4	4	
260	88	89	176	210	195	208	232	175	162	112	83	54	25	6	2	3	—	29
212	105	171	298	217	185	166	161	131	76	89	46	34	17	4	2	1	—	
74	44	51	141	176	173	189	212	158	143	98	74	51	23	5	2	3	—	A
79	58	124	237	186	163	148	144	121	69	81	39	33	16	4	2	1	—	
186	44	38	35	34	22	19	20	17	19	14	9	3	2	1	—	—	—	B
133	47	47	61	31	22	18	17	10	7	8	7	1	1	—	—	—	—	
718	338	429	1363	2131	2,362	2,621	3,035	2,740	2,404	2,020	1,510	1,078	557	232	63	27	2	28 & 29.
586	376	862	2020	2138	2,191	2,089	1,976	1,691	1,258	1,016	668	504	358	198	88	20	7	
1,737	481	240	134	56	36	34	23	16	12	8	4	4	1	1	1	—	—	30
1,504	493	234	126	65	35	27	17	16	9	7	5	1	1	1	—	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
31	Tuberculosis of peritoneum and intestines.	M	1,898	7	96	178	229	510	343	188	80	63
		F	1,717	4	63	114	177	358	286	135	74	52
	A. Tabes mesenterica	M	263	4	28	43	49	124	49	31	13	8
		F	197	1	13	25	36	75	59	20	5	7
	B. Other peritoneal and intestinal tubercle	M	1,635	3	68	135	180	386	294	157	67	55
		F	1,520	3	50	89	141	283	227	115	69	45
32	Tuberculosis of spinal column.	M	331	—	—	1	1	2	4	4	7	2
		F	282	—	1	1	2	4	5	3	4	6
33	Tuberculosis of joints ...	M	206	—	—	2	1	3	3	—	4	1
		F	150	1	1	—	3	5	3	1	2	3
34	Tuberculosis of other organs.	M	340	3	2	2	12	19	15	6	7	4
		F	309	—	1	2	12	15	15	9	3	1
	A. Lupus	M	19	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	1	1	—	—	—	—
	B. Scrofula	M	4	—	—	—	1	1	—	1	—	—
		F	10	—	—	1	1	2	4	—	—	—
	C. Other tuberculosis included under 34.	M	317	3	2	2	11	18	15	5	7	4
		F	272	—	1	1	10	12	11	9	3	1
35	Disseminated tuberculosis	M	1,152	4	22	41	75	142	117	77	41	34
		F	905	2	19	19	61	101	98	54	46	22
28–35	Tuberculosis (all forms)	M	30,345	27	165	392	769	1,353	1,223	759	445	351
		F	23,950	13	127	250	596	986	1,065	614	422	308
36	Rickets, Softening of bones.	M	548	3	16	36	146	201	211	68	23	9
		F	373	2	5	32	77	116	133	57	13	6
	A. Rickets	M	524	3	16	35	146	200	211	68	23	8
		F	335	2	5	32	77	116	132	57	13	6
	B. Other forms of bone softening.	M	24	—	—	1	—	1	—	—	—	1
		F	38	—	—	—	—	—	1	—	—	—
37	Syphilis	M	1,090	238	242	134	62	676	45	10	8	1
		F	795	130	186	118	59	493	32	7	5	—
38	Other venereal diseases...	M	41	10	11	3	1	25	—	—	—	—
		F	20	4	5	2	—	11	—	—	—	—
	A. Soft chancre ...	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Gonococcus infection.	M	19	1	3	—	—	4	—	—	—	—
		F	11	1	1	—	—	2	—	—	—	—
	C. Purulent ophthalmia.	M	21	9	8	3	1	21	—	—	—	—
		F	9	3	4	2	—	9	—	—	—	—
39	Cancer of the buccal cavity.	M	2,110	—	—	—	—	—	—	1	1	—
		F	353	—	—	—	—	—	1	—	—	—
40	Cancer of the stomach, liver, &c.	M	6,914	—	—	3	—	3	1	1	4	—
		F	6,537	—	—	—	—	—	1	1	2	1
41	Cancer of the peritoneum, intestines and rectum.	M	3,815	—	—	—	—	—	—	2	3	—
		F	4,201	—	—	—	—	—	—	1	—	1
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	4,767	—	—	—	—	—	1	—	—	1
43	Cancer of the breast ...	M	34	—	—	—	—	—	—	—	—	—
		F	3,920	—	—	—	—	—	—	—	—	—
44	Cancer of the skin ...	M	611	—	—	—	1	1	—	1	—	—
		F	392	—	—	—	—	—	1	—	1	—
45	Cancer of other or unspecified organs.	M	3,937	—	4	5	5	14	12	13	8	10
		F	2,256	—	4	—	3	7	5	13	6	5

T DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
1,184	191	126	100	58	44	35	41	24	27	25	14	16	4	5	4	—	—	31
905	164	145	112	65	60	54	60	51	35	24	17	11	8	1	3	—	2	
225	17	9	6	1	1	—	1	—	—	1	2	—	—	—	—	—	—	A
166	16	7	2	1	1	3	1	—	—	—	—	—	—	—	—	—	—	
959	174	117	94	57	43	35	40	24	27	24	12	16	4	5	4	—	—	B
739	148	138	110	64	59	51	59	51	35	24	17	11	8	1	3	—	2	
19	22	33	40	30	39	24	24	24	23	12	10	16	7	6	2	—	—	32
22	18	19	35	25	25	18	17	14	16	14	16	11	12	8	6	5	1	
11	20	30	21	22	10	11	15	8	10	12	6	12	8	6	2	2	—	33
14	10	21	18	16	7	5	9	5	5	3	6	8	11	5	4	2	1	
51	8	16	23	21	23	25	23	23	13	28	19	15	16	20	9	7	—	34
43	12	16	21	20	14	21	24	23	21	17	17	12	12	16	13	7	—	
—	—	1	—	1	1	1	1	2	—	—	1	1	1	3	3	3	—	A
1	—	1	1	2	2	2	2	1	—	1	5	1	1	5	2	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	B
6	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	
49	8	15	23	20	22	24	22	21	13	28	18	13	15	17	5	4	—	C
36	12	14	20	18	12	19	22	22	21	15	12	11	11	11	10	6	—	
411	123	87	93	96	57	59	44	46	40	19	25	25	15	7	4	1	—	35
321	99	67	94	58	49	38	36	37	29	21	20	19	9	1	3	4	—	
4,131	1,183	961	1774	2414	2,571	2,809	3,205	2,881	2,529	2,124	1,588	1,166	608	277	85	37	2	28–35
3,395	1,172	1364	2426	2387	2,381	2,252	2,139	1,837	1,373	1,102	749	566	411	230	117	38	11	
512	12	1	—	4	3	3	3	—	2	1	2	1	2	1	1	—	—	36
325	7	1	2	2	3	3	7	4	4	3	2	2	3	1	1	3	—	
510	11	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	A
324	7	1	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	
2	1	1	—	2	2	3	3	—	2	1	2	1	2	1	1	—	—	B
1	—	—	2	1	3	2	7	4	3	3	2	2	3	1	1	3	—	
740	7	2	6	8	18	31	36	52	46	47	39	29	15	6	6	1	1	37
537	4	6	10	11	20	23	32	28	34	24	19	14	20	6	6	1	—	
25	—	—	1	2	1	3	1	2	1	3	—	1	1	—	—	—	—	38
11	—	1	1	2	2	1	2	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	1	2	1	2	1	2	1	3	—	1	1	—	—	—	—	B
2	—	1	1	2	2	1	2	—	—	—	—	—	—	—	—	—	—	
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	3	3	3	2	1	11	27	73	153	306	329	339	333	251	159	85	30	39
1	—	2	3	2	4	5	13	20	22	23	52	56	53	38	31	16	12	
9	4	1	8	10	23	49	113	251	532	772	1,030	1,206	1,196	945	518	197	50	40
5	4	2	2	8	25	60	144	255	416	651	851	1,031	1,063	1,009	643	267	101	
5	—	1	11	17	28	50	96	163	214	341	507	634	672	538	367	125	46	41
2	2	3	3	14	26	56	91	168	247	398	504	616	654	666	448	226	77	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
2	1	2	2	12	41	97	281	472	659	701	659	605	518	388	213	82	32	
—	—	—	—	—	—	—	2	2	4	3	4	1	7	5	1	4	1	43
—	—	—	—	—	14	66	181	310	467	540	484	479	419	407	272	185	96	
2	—	—	—	1	3	4	15	22	34	40	67	81	66	99	98	48	31	44
2	—	—	—	4	3	1	5	12	18	23	24	49	56	57	73	36	29	
57	25	24	45	67	65	83	113	180	268	408	525	622	548	463	296	114	34	45
36	18	17	34	28	28	53	94	130	181	247	276	289	284	263	189	58	31	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
39-45	Cancer (all sites) ...	M	17,421	—	4	8	6	18	13	18	16	10
		F	22,426	—	4	—	3	7	9	15	9	8
46	Other tumours (situation undefined).	M	87	—	1	—	1	2	—	—	2	—
		F	115	—	—	2	2	4	1	—	—	—
	A. Angioma	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
	B. Adenoma	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	C. Other tumours included under 46.	M	87	—	1	—	1	2	—	—	2	—
		F	114	—	—	2	2	4	1	—	—	—
47	Rheumatic fever ...	M	1,030	1	—	1	2	4	2	4	8	20
		F	1,121	—	—	1	2	3	2	2	8	11
48	Chronic rheumatism, Osteo-arthritis, Gout.	M	913	—	—	—	—	—	—	—	—	—
		F	1,420	—	—	—	—	—	—	—	—	—
	A. Chronic rheumatism.	M	186	—	—	—	—	—	—	—	—	—
		F	294	—	—	—	—	—	—	—	—	—
	B. Osteo-arthritis ...	M	421	—	—	—	—	—	—	—	—	—
		F	1,034	—	—	—	—	—	—	—	—	—
	C. Gout	M	306	—	—	—	—	—	—	—	—	—
		F	92	—	—	—	—	—	—	—	—	—
49	Scurvy	M	13	—	—	—	4	4	3	1	2	—
		F	20	—	1	2	4	7	7	2	2	—
50	Diabetes	M	2,335	—	—	—	1	1	3	5	2	6
		F	2,324	—	—	—	1	1	—	5	5	4
51	Exophthalmic goître ...	M	32	—	—	—	—	—	—	—	—	—
		F	400	—	—	—	—	—	1	—	—	—
52	Addison's disease ...	M	102	—	—	—	—	—	—	—	—	—
		F	139	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma.	M	414	—	—	1	1	2	6	3	3	5
		F	310	—	—	1	3	4	5	2	3	1
	A. Leucocythæmia (Leuchæmia).	M	226	—	—	1	1	2	4	3	2	2
		F	207	—	—	—	3	3	4	2	3	1
	B. Lymphadenoma ...	M	188	—	—	—	—	—	2	—	1	3
		F	103	—	—	1	—	1	1	—	—	—
54	Anæmia, Chlorosis ...	M	1,122	2	—	3	4	9	11	5	4	4
		F	1,459	1	2	2	5	10	12	5	4	2
55	Other general diseases ...	M	288	32	15	8	10	65	10	8	6	4
		F	266	30	3	—	15	48	10	11	9	3
	A. Diabetes insipidus	M	23	—	—	—	—	—	—	—	—	1
		F	9	—	—	—	—	—	—	—	—	—
	B. Purpura	M	156	9	11	6	10	36	6	6	3	2
		F	186	12	2	—	14	28	8	10	6	3
	C. Hæmophilia ...	M	77	21	4	1	—	26	2	1	3	—
		F	35	17	1	—	1	19	1	—	1	—
	D. Other diseases included under 55.	M	32	2	—	1	—	3	2	1	—	1
		F	36	1	—	—	—	1	1	1	2	—
56	Alcoholism (acute or chronic).	M	293	—	—	—	—	—	—	—	—	—
		F	204	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning...	M	71	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	A. Occupational lead poisoning.	M	68	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Non - occupational lead poisoning.	M	3	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
75	32	29	67	97	120	197	366	691	1,205	1,870	2,462	2,883	2,822	2,301	1,439	573	192	39-45
48	25	26	44	68	141	338	809	1,367	2,010	2,583	2,850	3,125	3,047	2,828	1,869	870	378	
4	—	—	—	1	1	5	3	7	5	10	9	10	12	8	7	5	—	46
5	—	—	3	1	5	4	4	5	10	15	12	13	12	8	10	4	4	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	—	1	1	5	3	7	5	10	9	10	12	8	7	5	—	C
5	—	—	3	1	5	4	4	5	9	15	12	13	12	8	10	4	4	
38	133	157	128	76	78	60	71	62	50	49	48	27	27	16	6	1	3	47
26	129	189	139	106	74	73	68	53	62	58	47	43	23	12	11	4	4	
—	—	1	3	1	3	5	10	16	32	61	91	135	165	166	128	72	24	48
—	—	1	3	2	6	8	18	30	59	86	111	183	231	285	228	104	65	
—	—	—	—	—	2	2	—	3	3	7	12	28	28	41	28	24	8	A
—	—	—	—	—	—	3	—	2	9	16	15	33	48	71	58	26	13	
—	—	1	3	1	1	3	9	9	15	33	43	67	80	66	55	29	6	B
—	—	1	3	2	6	5	17	28	47	60	87	139	168	199	157	72	43	
—	—	—	—	—	—	—	1	4	14	21	36	40	57	59	45	19	10	C
—	—	—	—	—	—	—	1	—	3	10	9	11	15	15	13	6	9	
10	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	49
18	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
17	29	62	85	85	91	104	110	124	138	191	264	310	285	224	155	47	14	50
15	25	56	51	68	72	77	94	91	100	159	254	342	340	319	167	67	27	
—	—	—	2	—	1	2	1	1	8	3	6	4	1	3	—	—	—	51
1	—	1	21	31	26	40	49	44	40	47	37	36	12	11	3	—	1	
—	1	1	6	5	7	13	7	9	11	10	7	10	10	4	1	—	—	52
—	—	1	4	8	8	11	12	14	16	18	13	9	13	9	—	3	—	
19	38	23	34	30	23	20	37	32	25	39	32	27	24	11	—	—	—	53
15	16	16	19	15	15	18	22	37	27	32	21	25	13	15	2	2	—	
13	23	12	20	17	10	10	22	18	15	23	17	14	5	7	—	—	—	A
13	9	12	9	9	5	12	16	33	19	18	14	18	10	8	1	1	—	
6	15	11	14	13	13	10	15	14	10	16	15	13	19	4	—	—	—	B
2	7	4	10	6	10	6	6	4	8	14	7	7	3	7	1	1	—	
33	14	14	24	15	19	40	47	77	99	160	165	143	149	78	37	8	—	54
33	12	14	36	41	55	68	111	126	123	158	181	170	159	110	48	13	1	
93	23	23	13	19	8	11	9	10	14	11	12	14	10	7	7	4	—	55
81	18	19	20	13	7	17	9	6	10	11	11	11	11	9	8	4	1	
1	—	—	2	—	—	—	2	1	3	—	2	4	4	2	2	—	—	A
—	—	—	—	—	—	1	—	—	1	2	—	1	—	2	1	1	—	
53	14	13	4	9	3	3	3	5	6	9	9	6	6	5	5	3	—	B
55	13	15	11	11	6	11	9	5	5	7	9	6	8	6	6	3	—	
32	5	8	7	6	4	5	2	3	3	1	—	1	—	—	—	—	—	C
21	—	2	6	1	—	1	—	1	1	1	—	1	—	—	—	—	—	
7	4	2	—	4	1	3	2	1	2	1	1	3	—	—	—	1	—	D
5	5	2	3	1	1	4	—	—	3	1	2	3	3	1	1	—	1	
—	—	—	1	1	12	24	34	37	42	46	32	34	20	7	2	1	—	56
—	—	—	—	1	9	9	26	36	40	32	19	14	12	5	—	1	—	
—	—	—	1	1	2	5	5	9	12	12	6	13	5	—	—	—	—	57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	2	5	5	9	12	11	6	12	5	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
58	Other chronic occupational poisonings.	M	4	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings	M	11	—	—	—	1	1	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—
60	Encephalitis	M	169	1	—	—	6	7	8	3	2	2
		F	133	1	5	2	3	11	5	4	3	4
61	Meningitis	M	3,588	20	92	230	435	777	428	197	141	141
		F	2,527	19	61	149	294	523	349	171	134	101
	A. Cerebro-spinal fever	M	1,347	3	12	33	71	119	57	29	31	36
		F	627	—	11	22	48	81	43	30	28	20
	B. Posterior basal meningitis.	M	128	3	4	21	35	63	27	9	7	2
		F	101	1	5	10	32	48	16	8	1	6
	C. Meningitis — other forms.	M	2,113	14	76	176	329	595	344	159	103	103
		F	1,799	18	45	117	214	394	290	133	105	75
62	Locomotor ataxy... ...	M	625	—	—	—	—	—	—	—	—	—
		F	110	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	1,560	2	3	3	13	21	18	6	6	3
		F	1,286	—	—	5	11	16	10	10	10	7
	A. Diseases formerly classed to "Other nervous affectns."	M	556	—	—	—	1	1	1	1	—	—
		F	485	—	—	—	1	1	—	—	—	—
	B. Other diseases included under 63.	M	1,004	2	3	3	12	20	17	5	6	3
		F	801	—	—	5	10	15	10	10	10	7
64	Cerebral hæmorrhage, Apoplexy.	M	11,565	5	2	4	10	21	6	5	3	2
		F	13,858	1	3	—	4	8	5	3	—	1
	A. Apoplexy	M	2,382	—	—	—	1	1	—	1	2	—
		F	2,922	—	—	—	—	—	1	—	—	—
	B. Serous apoplexy and œdema of brain.	M	68	—	—	—	1	1	2	—	—	1
		F	78	—	—	—	—	—	—	2	—	—
	C. Cerebral congestion	M	65	5	2	2	3	12	3	3	—	—
		F	46	1	3	—	4	8	2	—	—	—
	D. Cerebral atheroma	M	187	—	—	—	—	—	—	—	—	—
		F	158	—	—	—	—	—	—	—	—	—
	E. Cerebral hæmorrhage.	M	8,863	—	—	2	5	7	1	1	1	1
		F	10,654	—	—	—	—	—	2	1	—	1
65	Softening of brain ...	M	718	—	—	—	—	—	—	—	—	—
		F	754	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause.	M	1,319	—	—	1	—	1	—	2	1	—
		F	1,664	—	—	—	—	—	2	2	—	—
	A. Hemiplegia ...	M	1,039	—	—	1	—	1	—	1	1	—
		F	1,395	—	—	—	—	—	2	1	—	—
	B. Paraplegia	M	106	—	—	—	—	—	—	1	—	—
		F	110	—	—	—	—	—	—	1	—	—
	C. Other forms of paralysis.	M	174	—	—	—	—	—	—	—	—	—
		F	159	—	—	—	—	—	—	—	—	—
67	General paralysis of the insane.	M	1,829	—	—	—	—	—	—	—	—	—
		F	434	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation.	M	449	—	—	—	—	—	—	—	—	—
		F	657	—	—	—	—	—	—	—	1	—

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—	58
—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	1	—	—	2	1	1	—	1	2	1	1	—	—	59
—	—	—	—	—	—	—	1	1	2	1	1	2	—	1	1	—	—	
22	15	13	12	10	19	13	7	12	6	10	7	7	2	8	5	1	—	60
27	7	12	7	4	11	6	10	6	10	6	7	4	4	7	3	—	2	
1,684	395	214	365	296	141	99	91	68	64	39	43	31	24	16	11	4	3	61
1,278	339	239	145	90	71	66	48	48	50	52	35	18	6	11	15	10	6	
272	125	91	263	253	112	69	60	38	26	15	11	6	5	1	—	—	—	A
202	99	80	57	39	39	26	20	21	14	11	11	4	—	2	2	—	—	
108	10	3	1	2	1	—	2	—	1	—	—	—	—	—	—	—	—	B
79	7	5	2	2	—	—	1	2	1	2	—	—	—	—	—	—	—	
1,304	260	120	101	41	28	30	29	30	37	24	32	25	19	15	11	4	3	C
997	233	154	86	49	32	40	27	25	35	39	24	14	6	9	13	10	6	
—	—	—	—	—	5	12	35	64	87	86	93	107	72	42	21	1	—	62
—	—	—	1	—	1	2	8	14	10	17	21	11	15	5	3	2	—	
54	25	22	32	22	40	51	65	85	100	138	145	183	220	198	115	44	21	63
53	16	21	22	19	41	44	65	84	99	103	121	125	141	152	105	52	23	
3	1	7	11	4	5	2	3	15	21	37	33	71	109	105	81	30	18	A
1	1	3	4	2	7	7	8	12	13	27	42	52	73	105	72	35	21	
51	24	15	21	18	35	49	62	70	79	101	112	112	111	93	34	14	3	B
52	15	18	18	17	34	37	57	72	86	76	79	73	68	47	33	17	2	
37	14	12	14	30	43	70	116	250	453	737	1,110	1,582	1,849	2,196	1,695	932	425	64
17	10	6	12	22	35	59	153	292	566	939	1,257	1,663	1,997	2,579	2,193	1,297	761	
4	1	4	1	4	8	13	23	51	96	148	203	318	380	463	354	211	100	A
1	2	1	1	2	10	12	34	49	128	193	272	330	416	563	472	269	167	
4	—	2	1	—	2	—	3	1	2	4	5	5	5	15	11	6	2	B
2	—	—	1	1	—	2	—	5	5	3	6	11	7	13	9	7	6	
18	4	—	—	—	3	3	2	1	3	6	1	2	6	4	4	5	3	C
10	3	1	1	2	2	2	4	2	4	1	2	2	3	2	4	—	1	
—	—	—	—	1	—	—	—	1	9	9	14	25	24	40	29	29	6	D
—	—	—	—	—	—	—	1	3	1	8	12	17	25	34	23	14	20	
11	9	6	12	25	30	54	88	196	343	570	887	1,232	1,434	1,674	1,297	681	314	E
4	5	4	9	17	23	43	114	233	428	734	965	1,303	1,546	1,967	1,685	1,007	567	
—	1	1	1	2	1	1	5	19	22	21	71	113	118	127	113	68	34	65
—	—	1	1	3	—	2	15	14	26	31	61	88	117	116	125	91	63	
4	—	6	4	1	2	8	15	18	27	67	114	161	221	261	248	109	53	66
4	5	2	2	3	4	6	16	29	57	75	105	189	211	331	308	189	128	
3	—	1	—	—	2	6	6	12	19	57	92	122	175	211	199	91	43	A
3	1	1	2	3	1	3	10	22	43	68	90	158	183	278	261	166	102	
1	—	2	3	—	—	—	3	2	2	4	11	14	21	20	18	3	2	B
1	—	1	—	—	2	—	3	4	9	1	9	11	14	18	21	7	9	
—	—	3	1	1	—	2	6	4	6	6	11	25	25	30	31	15	8	C
—	4	—	—	—	1	3	3	3	5	6	6	20	14	35	26	16	17	
—	1	3	5	19	47	195	337	329	327	247	159	82	52	16	8	2	—	67
—	—	1	7	—	14	33	58	79	72	52	49	23	21	12	9	3	1	
—	—	—	9	16	13	21	27	28	32	51	53	75	51	41	24	6	2	68
1	—	—	5	23	23	30	39	69	66	81	65	83	63	48	41	17	3	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
69	Epilepsy	M	1,649	8	11	4	12	35	7	19	6	10
		F	1,425	1	3	2	9	15	19	6	8	9
70	Convulsions (non-puerperal; 5 years and over).	M	62	—	—	—	—	—	—	—	—	—
		F	59	—	—	—	—	—	—	—	—	—
	A. Epileptiform convulsions.	M	10	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
	B. Others included under 70.	M	52	—	—	—	—	—	—	—	—	—
		F	50	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years).	M	4,915	1,557	916	716	926	4,115	606	127	46	21
		F	3,685	968	671	577	746	2,962	540	122	37	24
	A. Convulsions with teething.	M	815	—	1	93	402	496	288	31	—	—
		F	664	—	4	65	316	385	255	24	—	—
	B. Other infantile convulsions.	M	4,100	1,557	915	623	524	3,619	318	96	46	21
		F	3,021	968	667	512	430	2,577	285	98	37	24
72	Chorea	M	43	—	—	—	—	—	—	—	—	2
		F	110	—	—	—	—	—	—	1	2	1
73	Hysteria, Neuralgia, Neuritis.	M	189	—	—	—	—	—	—	—	—	—
		F	325	—	—	—	—	—	—	1	—	—
	A. Hysteria, Neuralgia, Sciatica.	M	27	—	—	—	—	—	—	—	—	—
		F	45	—	—	—	—	—	—	—	—	—
	B. Neuritis	M	162	—	—	—	—	—	—	—	—	—
		F	280	—	—	—	—	—	—	1	—	—
74	Other diseases of the nervous system.	M	1,081	10	5	8	20	43	13	22	19	17
		F	1,122	3	2	5	16	26	22	10	20	11
	A. Idiocy, Imbecility	M	137	—	2	2	4	8	2	6	9	7
		F	126	1	—	2	5	8	5	4	10	3
	B. Cretinism	M	21	—	—	—	2	2	—	3	3	2
		F	32	—	—	—	1	1	7	—	2	3
	C. Cerebral tumour ...	M	508	—	—	1	2	3	2	9	5	6
		F	501	—	—	—	—	—	2	2	4	2
	D. Other diseases included under 74.	M	415	10	3	5	12	30	9	4	2	2
		F	463	2	2	3	10	17	8	4	4	3
75	Diseases of the eyes and annexa.	M	28	—	2	1	—	3	5	1	—	—
		F	23	—	—	—	1	1	—	1	—	1
76	Diseases of the ears ...	M	700	2	9	32	81	124	64	33	18	19
		F	519	1	13	19	40	73	46	34	12	16
	A. Mastoid disease ...	M	202	—	1	7	23	31	19	11	6	7
		F	127	—	1	6	9	16	8	6	5	6
	B. Other diseases of the ears.	M	498	2	8	25	58	93	45	22	12	12
		F	392	1	12	13	31	57	38	28	7	10
77	Pericarditis	M	278	—	2	2	3	7	5	7	3	1
		F	225	—	—	3	2	5	4	3	7	6
78	Acute endocarditis ...	M	871	—	—	—	5	5	4	1	4	3
		F	958	—	—	2	2	4	5	3	6	11
	A. Acute myocarditis	M	201	—	—	—	1	1	—	—	1	—
		F	171	—	—	1	—	1	2	—	2	1
	B. Infective endocarditis.	M	250	—	—	—	—	—	2	—	1	1
		F	284	—	—	—	—	—	2	—	—	3
	C. Other acute endocarditis.	M	420	—	—	—	4	4	2	1	2	2
		F	503	—	—	1	2	3	1	3	4	7

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
77	73	72	132	133	134	124	120	137	111	106	100	109	82	69	43	18	9	69
57	43	48	86	98	99	120	129	127	124	99	102	93	66	66	38	18	12	
—	35	10	2	2	—	1	—	—	3	2	1	—	2	—	1	2	1	70
—	39	2	3	1	1	—	3	1	—	3	1	1	—	1	2	—	1	
—	1	1	1	1	—	1	—	—	2	2	—	—	—	—	—	1	—	A
—	2	—	2	—	1	—	—	—	—	1	1	—	—	—	1	—	1	
—	34	9	1	1	—	—	—	—	1	—	1	—	2	—	1	1	1	B
—	37	2	1	1	—	—	3	1	—	2	—	1	—	1	1	—	—	
4,915	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	71
3,685	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
815	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
664	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4,100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
3,021	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	12	10	9	2	—	—	—	1	2	2	1	—	1	1	—	—	—	72
4	22	29	30	8	4	1	—	1	1	1	2	1	2	2	—	2	—	
—	—	1	2	3	2	5	11	19	21	19	27	24	27	15	6	7	—	73
1	—	—	2	7	5	13	28	51	43	39	35	24	25	29	15	5	3	
—	—	—	1	—	—	1	1	1	2	2	2	5	4	5	1	2	—	A
—	—	—	2	3	2	3	2	3	4	1	2	4	4	5	6	3	1	
—	—	1	1	3	2	4	10	18	19	17	25	19	23	10	5	5	—	B
1	—	—	—	4	3	10	26	48	39	38	33	20	21	24	9	2	2	
114	68	46	57	41	44	55	69	82	78	80	86	71	61	55	43	20	11	74
89	61	65	54	50	44	52	83	80	88	97	71	79	56	62	47	29	15	
32	23	15	15	11	9	2	11	4	2	6	3	3	—	1	—	—	—	A
30	22	16	12	9	8	7	3	3	3	5	3	2	3	—	—	—	—	
10	2	—	1	—	2	2	—	2	—	2	—	—	—	—	—	—	—	B
13	2	6	5	—	—	2	—	4	—	—	—	—	—	—	—	—	—	
25	28	23	30	25	24	45	47	55	57	43	47	29	15	8	6	1	—	C
10	24	28	27	36	30	36	61	48	56	56	26	30	13	14	5	1	—	
47	15	8	11	5	9	6	11	21	19	29	36	39	46	46	37	19	11	D
36	13	15	10	5	6	7	19	25	29	36	42	47	40	48	42	28	15	
9	1	—	1	2	—	1	1	2	—	1	2	—	2	3	1	—	2	75
3	2	2	—	1	—	1	—	5	1	—	—	2	3	1	—	1	1	
258	80	76	62	59	34	38	24	18	12	14	3	11	3	5	2	1	—	76
181	80	69	44	38	16	19	11	8	9	17	9	6	5	1	4	1	1	
74	26	22	18	18	11	10	5	5	1	6	2	1	—	1	1	1	—	A
41	26	17	11	7	7	5	4	1	2	3	2	—	—	—	1	—	—	
184	54	54	44	41	23	28	19	13	11	8	1	10	3	4	1	—	—	B
140	54	52	33	31	9	14	7	7	7	14	7	6	5	1	3	1	1	
23	21	25	12	15	9	12	21	21	17	20	20	26	17	9	3	7	—	77
25	21	16	10	8	4	12	13	10	11	11	6	19	19	17	14	6	3	
17	46	53	69	63	53	61	80	57	90	103	122	19	18	10	7	2	1	78
29	52	68	81	76	70	71	58	81	96	102	112	14	18	11	9	9	1	
2	3	3	5	5	4	6	16	16	21	45	58	6	5	3	3	—	—	A
6	7	1	2	2	6	4	9	16	26	30	39	5	5	4	2	6	1	
4	14	9	29	28	23	33	27	14	27	11	10	9	8	3	1	—	—	B
5	9	15	43	44	31	37	17	21	21	12	12	3	7	4	3	—	—	
11	29	41	35	30	26	22	37	27	42	47	54	4	5	4	3	2	1	C
18	36	52	36	30	33	30	32	44	49	60	61	6	6	3	4	3	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
79	Organic disease of the heart.	M	26,737	—	—	—	12	12	14	7	9	9
		F	29,639	—	—	1	10	11	8	10	19	24
	A. Valvular disease ...	M	11,670	—	—	—	3	3	5	3	3	8
		F	13,414	—	—	—	5	5	4	5	6	16
	B. Fatty degeneration of the heart.	M	1,527	—	—	—	—	—	—	1	—	—
		F	1,824	—	—	1	—	1	—	—	1	1
	C. Other organic disease of the heart.	M	13,540	—	—	—	9	9	9	3	6	1
		F	14,401	—	—	—	5	5	4	5	12	7
80	Angina pectoris	M	847	—	—	—	—	—	—	—	—	—
		F	407	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma, Aneurysm, &c.	M	5,745	—	—	—	—	—	—	—	—	—
		F	3,522	—	—	—	—	—	—	—	—	—
	A. Aneurysm ...	M	896	—	—	—	—	—	—	—	—	—
		F	245	—	—	—	—	—	—	—	—	—
	B. Arterial sclerosis ...	M	4,773	—	—	—	—	—	—	—	—	—
		F	3,216	—	—	—	—	—	—	—	—	—
	C. Other diseases of arteries.	M	76	—	—	—	—	—	—	—	—	—
		F	61	—	—	—	—	—	—	—	—	—
82	Embolism and thrombosis	M	1,408	6	2	1	1	10	2	2	2	1
		F	1,924	2	—	1	—	3	2	1	2	2
	A. Cerebral embolism and thrombosis.	M	1,239	1	1	—	1	3	2	1	1	—
		F	1,744	—	—	—	—	—	2	—	1	1
	B. Other embolism and thrombosis.	M	169	5	1	1	—	7	—	1	1	1
		F	180	2	—	1	—	3	—	1	1	1
83	Dis. of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	126	—	1	—	—	1	—	—	—	—
		F	194	—	—	—	—	—	—	—	—	—
	A. Phlebitis	M	71	—	1	—	—	1	—	—	—	—
		F	99	—	—	—	—	—	—	—	—	—
	B. Varix	M	52	—	—	—	—	—	—	—	—	—
		F	92	—	—	—	—	—	—	—	—	—
	C. Pylephlebitis ...	M	2	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
	D. Varicocele	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M	192	11	23	27	30	91	19	10	3	5
		F	129	10	12	18	15	55	17	6	3	2
	A. Status lymphaticus	M	120	10	18	25	17	70	10	7	1	3
		F	79	7	11	16	8	42	9	2	3	1
	B. Other diseases of the lymphatic system.	M	72	1	5	2	13	21	9	3	2	2
		F	50	3	1	2	7	13	8	4	—	1
85	Hæmorrhage, other dis. of the circulatory system.	M	126	—	1	—	1	2	—	—	—	—
		F	150	2	—	—	1	3	—	—	3	1
	A. Functional disease of the heart.	M	89	—	—	—	—	—	—	—	—	—
		F	116	—	—	—	—	—	—	—	—	—
	B. Epistaxis	M	6	—	1	—	1	2	—	—	—	—
		F	12	2	—	—	—	2	—	—	2	1
	C. Other diseases included under 85.	M	31	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	1	1	—	—	1	—
86	Diseases of the nasal fossæ.	M	36	5	4	2	3	14	—	1	—	4
		F	31	—	3	3	2	8	3	—	1	—

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
51	179	264	364	367	384	531	724	1,080	1,437	1,947	2,649	3,638	4,105	4,056	2,886	1,394	681	79
72	243	414	433	424	547	629	862	1,177	1,521	1,987	2,499	3,459	4,108	4,582	3,629	1,992	1,061	
22	117	164	243	236	240	338	410	615	762	928	1,189	1,537	1,629	1,560	1,027	453	200	A
36	160	284	296	281	349	399	528	683	832	963	1,171	1,528	1,689	1,753	1,390	723	349	
1	1	—	2	1	9	13	30	59	91	133	176	245	285	247	127	79	28	B
3	1	—	—	6	19	23	43	71	76	160	206	278	331	294	176	96	41	
28	61	100	119	130	135	180	284	406	584	886	1,284	1,856	2,191	2,249	1,732	862	453	C
33	82	130	137	137	179	207	291	423	613	864	1,122	1,653	2,088	2,535	2,063	1,173	671	
—	—	—	—	—	1	7	11	22	47	79	134	150	163	119	71	32	11	80
—	—	—	1	—	1	3	4	10	28	26	44	57	68	67	60	27	11	
—	1	1	2	8	13	42	71	160	254	301	477	717	897	1,016	884	576	325	81
—	2	1	2	1	5	11	19	38	54	124	196	287	441	676	682	530	453	
—	—	1	—	4	9	27	52	117	151	127	126	124	66	53	27	10	2	A
—	1	1	2	—	2	7	9	17	21	24	25	41	28	34	18	12	3	
—	1	—	2	3	3	11	17	35	99	163	345	579	824	953	849	566	323	B
—	1	—	—	1	3	2	10	21	30	99	166	240	404	633	650	510	446	
—	—	—	—	1	1	4	2	8	4	11	6	14	7	10	8	—	—	C
—	—	—	—	—	—	2	—	—	3	1	5	6	9	9	14	8	4	
17	5	9	12	9	12	20	25	30	54	70	113	163	218	250	209	119	73	82
10	7	2	14	23	18	28	35	44	75	104	143	186	222	309	317	237	150	
7	1	5	7	6	9	15	18	24	43	53	95	148	194	235	199	111	69	A
4	6	1	10	14	15	21	21	33	64	91	125	169	205	283	307	229	146	
10	4	4	5	3	3	5	7	6	11	17	18	15	24	15	10	8	4	B
6	1	1	4	9	3	7	14	11	11	13	18	17	17	26	10	8	4	
1	—	—	2	2	4	6	14	17	15	19	13	7	7	14	5	—	—	83
—	1	—	—	4	2	8	10	14	11	24	32	28	22	17	13	6	2	
1	—	—	1	1	2	2	2	9	8	13	7	6	6	10	3	—	—	A
—	—	—	—	3	2	3	7	4	7	12	18	14	13	8	5	3	—	
—	—	—	—	1	1	3	12	8	7	6	6	1	1	4	2	—	—	B
—	—	—	—	1	—	5	3	8	4	12	14	14	9	9	8	3	2	
—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	C
—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
128	15	9	3	2	1	2	3	5	1	2	4	7	3	3	—	3	1	84
83	10	5	7	4	5	1	1	2	1	1	1	1	2	2	1	1	1	
91	13	9	2	1	—	1	2	—	—	1	—	—	—	—	—	—	—	A
57	8	5	5	2	1	1	—	—	—	—	—	—	—	—	—	—	—	
37	2	—	1	1	1	1	1	5	1	1	4	7	3	3	—	3	1	B
26	2	—	2	2	4	—	1	2	1	1	1	1	2	2	1	1	1	
2	1	—	1	4	3	2	3	7	4	6	13	18	18	21	15	6	2	85
7	—	2	2	1	—	6	5	4	6	12	16	15	19	20	21	8	6	
—	—	—	—	2	—	1	3	4	2	5	8	13	15	17	13	4	2	A
—	—	1	2	1	—	5	4	3	4	11	12	12	16	16	19	6	4	
2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	B
5	—	1	—	—	—	—	—	—	1	—	—	1	—	1	1	1	1	
—	—	—	1	2	3	1	—	3	2	1	4	5	3	4	—	2	—	C
2	—	—	—	—	—	1	1	1	1	1	4	2	3	3	1	1	1	
19	3	3	2	1	1	2	1	—	—	1	—	—	1	2	—	—	—	86
12	4	2	—	2	1	2	—	1	2	1	—	1	1	1	—	1	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
87	Diseases of the larynx ...	M	717	19	18	32	77	146	110	92	91	64
		F	539	11	5	12	46	74	112	72	68	42
	A. Laryngismus stridulus.	M	152	10	2	15	29	56	30	20	18	12
		F	91	7	2	2	15	26	25	14	7	11
	B. Laryngitis	M	551	9	16	17	48	90	80	70	73	51
		F	430	4	3	10	31	48	86	58	60	31
	C. Other diseases of larynx.	M	14	—	—	—	—	—	—	2	—	1
		F	18	—	—	—	—	—	1	—	1	—
88	Diseases of the thyroid body.	M	65	1	—	—	—	1	—	1	—	—
		F	248	—	—	—	—	—	1	—	3	—
89 & 90.	Bronchitis	M	25,068	469	1,058	1,113	1,824	4,464	1,305	332	149	84
		F	25,906	297	719	849	1,409	3,274	1,156	287	144	70
	A. Bronchiectasis, Bronchial catarrh, &c.	M	486	20	22	21	17	80	12	8	5	—
		F	378	12	12	12	16	52	18	2	5	—
	B. Other bronchitis ...	M	24,582	449	1,036	1,092	1,807	4,384	1,293	324	144	84
		F	25,528	285	707	837	1,393	3,222	1,138	285	139	70
91	Broncho-pneumonia ...	M	12,455	170	662	1,095	3,029	4,956	3,132	976	448	228
		F	10,785	113	466	788	2,282	3,649	2,643	866	425	201
92	Pneumonia, lobar and undefined.	M	15,459	73	185	311	822	1,391	921	380	241	160
		F	10,175	56	130	226	586	998	810	325	208	131
	A. Lobar pneumonia...	M	6,548	9	41	61	188	299	231	122	89	56
		F	4,139	13	26	40	135	214	203	96	68	34
	B. Pneumonia (type not stated).	M	8,911	64	144	250	634	1,092	690	258	152	104
		F	6,036	43	104	186	451	784	607	229	140	97
93	Pleurisy	M	897	2	3	3	16	24	40	26	16	12
		F	639	2	3	6	13	24	34	19	15	9
	A. Empyema	M	295	—	—	2	10	12	36	22	12	9
		F	172	—	—	5	10	15	31	13	15	5
	B. Other pleurisy ...	M	602	2	3	1	6	12	4	4	4	3
		F	467	2	3	1	3	9	3	6	—	4
94	Pulmonary congestion, Pulmonary apoplexy.	M	818	29	24	27	43	123	51	8	7	4
		F	897	27	32	18	26	103	24	13	7	2
	A. Pulmonary apoplexy & infarction.	M	15	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
	B. Pulmonary œdema and congestion.	M	715	29	24	25	43	121	49	8	7	4
		F	756	27	32	15	26	100	24	13	7	2
	C. Hypostatic pneumonia.	M	85	—	—	—	—	—	1	—	—	—
		F	131	—	—	—	—	—	—	—	—	—
	D. Collapse of lung (3 months & over).	M	3	—	—	2	—	2	1	—	—	—
		F	3	—	—	3	—	3	—	—	—	—
95	Gangrene of the lung ...	M	52	—	—	—	—	—	—	—	—	—
		F	28	—	—	—	—	—	—	—	—	—
96	Asthma	M	1,336	—	1	—	1	2	2	3	3	2
		F	979	—	—	—	—	—	3	—	2	4
97	Pulmonary emphysema	M	367	—	—	—	—	—	1	—	—	—
		F	169	—	—	—	—	—	1	—	—	—
98	Other diseases of the respiratory system.	M	404	1	—	5	3	9	7	4	2	2
		F	168	—	3	7	1	11	3	2	2	2
	A. Fibroid disease of lung.	M	220	—	—	—	—	—	1	—	1	—
		F	65	—	—	—	—	—	—	—	—	1
	B. Other diseases included under 98.	M	184	1	—	5	3	9	6	4	1	2
		F	103	—	3	7	1	11	3	2	2	1

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
503	103	12	1	3	4	5	7	5	10	10	8	13	15	5	8	4	1	87
368	96	11	2	—	4	6	7	6	6	7	5	4	6	3	2	4	2	
136	14	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
83	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
364	88	10	1	3	3	5	6	5	10	10	6	12	11	4	8	4	1	B
283	87	10	2	—	2	5	6	4	6	5	4	3	4	3	2	4	—	
3	1	—	—	—	1	—	1	—	—	—	2	1	4	1	—	—	—	C
2	2	—	—	—	2	1	1	2	—	2	1	1	2	—	—	—	2	
2	1	3	10	4	2	1	4	3	6	7	2	9	5	5	1	—	—	88
4	2	6	8	4	8	6	10	14	19	23	21	27	59	24	8	4	1	
6,334	128	40	43	70	81	168	283	439	702	990	1,547	2,232	2,711	3,384	2,890	1,875	1,151	89 &
4,931	118	38	44	54	84	108	185	300	503	793	1,144	1,925	2,772	3,916	4,021	2,918	2,052	90
105	2	6	9	11	13	15	18	19	19	37	44	29	38	37	32	22	30	A
77	4	5	9	12	6	8	8	7	7	14	10	17	19	39	34	47	55	
6,229	126	34	34	59	68	153	265	420	683	953	1,503	2,203	2,673	3,347	2,858	1,853	1,121	B
4,854	114	33	35	42	78	100	177	293	496	779	1,134	1,908	2,753	3,877	3,987	2,871	1,997	
9,740	303	47	42	55	52	74	113	129	158	192	206	282	310	318	232	124	78	91
7,784	349	79	34	43	46	57	88	98	110	162	214	265	340	393	355	240	128	
3,093	438	244	415	536	631	800	1,006	1,045	1,133	1,235	1,172	1,222	969	728	461	231	100	92
2,472	410	196	260	288	343	396	447	539	551	579	561	691	718	710	577	272	165	
797	179	122	211	296	326	428	495	522	576	593	545	507	406	275	169	64	37	A
615	179	94	145	170	190	196	232	273	279	273	286	317	297	252	217	84	40	
2,296	259	122	204	240	305	372	511	523	557	642	627	715	563	453	292	167	63	B
1,857	231	102	115	118	153	200	215	266	272	306	275	374	421	458	360	188	125	
118	26	14	27	42	48	38	57	59	59	70	69	67	84	58	35	22	4	93
101	29	13	14	13	23	17	32	26	32	48	40	54	47	60	51	22	17	
91	14	9	17	21	18	17	19	20	15	17	12	12	7	4	2	—	—	A
79	19	8	6	1	8	2	10	7	4	12	2	9	3	—	1	1	—	
27	12	5	10	21	30	21	38	39	44	53	57	55	77	54	33	22	4	B
22	10	5	8	12	15	15	22	19	28	36	38	45	44	60	50	21	17	
193	12	10	3	7	6	5	19	20	27	30	27	51	59	86	94	89	80	94
149	7	10	9	6	13	7	12	14	21	8	28	41	59	110	146	128	129	
—	—	—	—	—	1	—	1	—	2	2	1	2	4	1	—	—	1	A
—	—	—	—	—	2	1	1	1	1	—	—	—	—	—	—	—	1	
189	12	10	3	6	5	5	16	20	24	25	25	43	52	71	77	69	63	B
146	7	10	7	6	11	4	10	13	19	8	27	33	48	93	121	97	96	
1	—	—	—	1	—	—	2	—	1	3	1	6	3	14	17	20	16	C
—	—	—	2	—	—	2	1	—	1	—	1	8	11	17	25	31	32	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	1	2	1	1	2	6	1	8	9	7	8	1	3	—	1	—	95
—	1	—	1	2	—	1	5	5	5	1	1	1	2	1	2	—	—	
12	4	4	4	5	17	38	55	89	112	146	164	178	201	162	93	42	10	96
9	5	3	7	8	20	25	44	53	77	88	118	125	117	136	77	49	18	
1	—	—	2	—	2	7	9	14	23	27	47	63	59	52	36	19	6	97
1	—	—	—	1	1	—	8	1	10	6	14	29	26	26	25	15	6	
24	5	1	7	7	9	16	22	37	42	53	46	52	37	25	12	6	3	98
20	1	1	3	3	4	3	8	11	8	18	14	17	15	22	8	8	4	
2	2	—	4	—	2	9	13	25	30	30	31	32	24	10	3	1	2	A
1	1	—	3	1	1	1	2	4	4	8	6	9	8	9	4	1	2	
22	3	1	3	7	7	7	9	12	12	23	15	20	13	15	9	5	1	B
19	—	1	—	2	3	2	6	7	4	10	8	8	7	13	4	7	2	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
99	Diseases of the mouth and annexa.	M	238	37	34	15	13	99	19	10	4	2
		F	203	24	26	8	20	78	19	4	3	5
	A. Diseases of the teeth and gums.	M	150	8	12	6	9	35	17	7	3	2
		F	128	6	7	5	11	29	14	3	1	5
	B. Thrush, Aphthous stomatitis.	M	63	28	22	7	3	60	1	1	—	—
		F	50	18	19	2	7	46	4	—	—	—
	C. Parotitis	M	13	1	—	—	—	1	—	1	1	—
		F	18	—	—	1	1	2	1	—	1	—
	D. Other diseases of mouth and annexa.	M	12	—	—	2	1	3	1	1	—	—
		F	7	—	—	—	1	1	—	1	1	—
100	Diseases of the pharynx, Tonsillitis.	M	383	3	2	6	14	25	26	24	26	17
		F	337	4	2	2	17	25	22	19	19	17
	A. Tonsillitis	M	274	1	—	2	6	9	18	21	21	15
		F	243	2	1	1	4	8	16	12	18	14
	B. Ludwig's angina ...	M	21	—	—	1	1	2	1	—	1	—
		F	17	—	—	—	—	—	2	—	—	1
	C. Other diseases of the pharynx.	M	88	2	2	3	7	14	7	3	4	2
		F	77	2	1	1	13	17	4	7	1	2
101	Diseases of the œsophagus	M	44	—	—	—	—	—	—	1	—	—
		F	28	—	—	—	—	—	1	—	1	—
102	Perforating ulcer of stomach.	M	1,001	—	1	2	—	3	1	1	1	—
		F	945	—	—	—	1	1	—	—	1	—
103	Other diseases of the stomach.	M	2,047	153	333	257	189	932	113	34	28	13
		F	2,040	97	229	162	158	646	112	49	28	24
	A. Inflammation of stomach.	M	1,701	139	310	238	181	868	107	29	22	11
		F	1,702	84	206	144	150	584	106	42	27	21
	B. Other diseases included under 103.	M	346	14	23	19	8	64	6	5	6	2
		F	338	13	23	18	8	62	6	7	1	3
104 & 105	Diarrhœa and enteritis ...	M	11,149	537	1,733	2,291	2,554	7,115	1,578	302	120	78
		F	9,002	290	1,040	1,717	2,171	5,218	1,451	268	133	64
	A. Infective enteritis...	M	3,458	117	503	838	1,047	2,505	635	111	41	18
		F	2,752	51	311	646	856	1,864	578	84	50	16
	B. Diarrhœa—not returned as infective.	M	2,313	110	394	483	557	1,544	353	59	23	15
		F	1,941	60	214	360	473	1,107	318	58	17	16
	C. Enteritis—not returned as infective.	M	1,848	103	304	331	343	1,081	222	46	21	16
		F	1,704	73	189	258	312	832	217	43	25	13
	D. Gastro-enteritis—not returned as infective.	M	2,608	171	447	582	580	1,780	359	86	35	29
		F	2,149	84	275	415	504	1,278	332	82	40	19
	E. Dyspepsia—under 2 years.	M	178	27	75	47	23	172	6	—	—	—
		F	124	20	45	30	24	119	5	—	—	—
	F. Colic	M	50	7	10	5	1	23	1	—	—	—
		F	34	1	5	4	1	11	—	—	—	—
	G. Ulceration of intestines.	M	163	2	—	5	3	10	2	—	—	—
		F	167	1	1	4	1	7	1	1	1	—
	H. Duodenal ulcer ...	M	531	—	—	—	—	—	—	—	—	—
		F	131	—	—	—	—	—	—	—	—	—
106	Ankylostomiasis... ...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	14	—	—	1	—	1	3	2	2	2
		F	17	—	—	—	1	1	—	7	—	3
108	Appendicitis	M	1,441	—	—	1	—	1	3	10	19	11
		F	1,062	—	1	—	—	1	1	6	9	20

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
134	6	1	6	3	6	4	4	8	9	11	7	12	13	5	5	3	1	99
109	10	5	1	6	6	5	5	6	7	7	6	8	4	7	6	4	1	
64	6	1	5	2	5	4	3	8	7	10	7	11	9	3	5	—	—	A
52	9	4	1	5	5	5	3	5	6	6	6	8	4	5	2	2	—	
62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	B
50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	1	1	—	—	—	—	—	—	—	1	2	2	—	3	—	C
4	—	1	—	1	1	—	1	1	—	—	—	—	—	2	4	2	1	
5	—	—	—	—	1	—	1	—	2	1	—	—	2	—	—	—	—	D
3	1	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	
118	61	27	31	20	11	18	10	12	10	18	17	5	9	7	3	3	3	100
102	70	30	11	17	14	6	7	9	13	13	6	6	11	6	6	5	5	
84	52	22	23	18	9	12	8	9	7	12	8	1	1	4	1	2	1	A
68	61	25	9	12	12	4	5	8	10	9	3	2	5	3	3	3	1	
4	1	1	2	1	1	1	1	1	1	4	2	—	—	—	1	—	—	B
3	—	—	—	1	—	2	1	1	—	1	2	2	3	—	1	—	—	
30	8	4	6	1	1	5	1	2	2	2	7	4	8	3	1	1	2	C
31	9	5	2	4	2	—	1	—	3	3	1	2	3	3	2	2	4	
1	—	—	1	—	—	—	3	4	4	3	4	7	4	8	3	1	1	101
2	1	—	2	2	1	—	3	3	1	2	3	1	1	5	—	1	—	
6	2	4	13	32	67	99	108	113	122	110	86	105	53	44	24	8	5	102
2	4	9	37	70	77	82	100	116	112	87	67	66	48	36	18	10	4	
1,120	39	18	11	16	16	28	38	50	67	56	83	90	114	119	89	52	41	103
859	42	20	17	16	16	29	45	54	62	63	86	99	155	153	158	105	61	
1,037	32	14	9	8	13	14	24	28	52	32	57	68	78	99	69	39	28	A
780	34	16	13	10	11	19	35	46	48	42	65	86	117	127	129	78	46	
83	7	4	2	8	3	14	14	22	15	24	26	22	36	20	20	13	13	B
79	8	4	4	6	5	10	10	8	14	21	21	13	38	26	29	27	15	
9,193	118	30	32	60	77	106	103	134	143	163	153	150	167	205	151	106	58	104 & 105
7,134	127	28	26	58	57	59	76	88	111	100	139	149	185	196	219	149	101	
3,310	36	5	1	10	2	6	6	7	9	7	5	6	18	13	7	10	—	A
2,592	34	8	6	2	5	2	8	9	14	7	6	10	18	10	10	8	3	
1,994	18	3	5	3	2	3	4	8	8	11	18	25	30	54	58	42	27	B
1,516	23	4	2	2	6	3	6	7	14	9	20	23	51	58	88	68	41	
1,386	24	11	13	11	16	20	18	30	19	38	35	38	46	58	40	28	17	C
1,130	19	5	11	15	9	16	20	30	33	43	57	60	52	66	69	45	24	
2,289	38	9	8	2	11	7	8	13	22	18	26	29	22	48	33	15	10	D
1,751	50	10	2	14	10	16	18	13	20	17	28	28	37	45	41	24	25	
178	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
124	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24	—	—	—	1	—	—	—	—	1	2	3	2	3	5	1	4	4	F
11	—	—	—	—	—	—	1	—	1	3	2	6	—	5	1	1	3	
12	2	2	2	11	11	13	17	9	14	15	13	15	11	4	7	5	—	G
10	1	1	4	18	17	13	17	16	11	7	8	11	16	6	6	2	3	
—	—	—	3	22	35	57	50	67	70	72	53	35	37	23	5	2	—	H
—	—	—	1	7	10	9	6	13	18	14	18	11	11	6	4	1	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	107
11	2	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
44	170	203	175	139	119	88	87	89	69	69	55	51	37	20	18	6	2	108
37	149	136	126	94	60	67	62	77	50	52	46	32	30	24	10	5	5	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
109	Hernia, Intestinal obstruction.	M	2,189	45	42	115	120	322	51	30	22	15
		F	2,263	20	13	42	67	142	24	7	6	7
	A. Hernia	M	898	17	23	34	16	90	15	4	2	—
		F	1,010	5	2	2	3	12	—	1	—	—
	B. Intestinal obstruction.	M	1,291	28	19	81	104	232	36	26	20	15
		F	1,253	15	11	40	64	130	24	6	6	7
110	Other diseases of the intestines.	M	275	1	11	13	15	40	6	—	1	—
		F	287	4	10	9	7	30	4	1	5	1
111	Acute yellow atrophy of the liver.	M	22	—	—	—	—	—	—	—	—	2
		F	30	—	—	—	—	—	—	—	—	1
112	Hydatid of liver	M	9	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ...	M	2,154	—	—	—	—	—	1	1	1	—
		F	1,582	—	—	—	3	3	—	—	—	1
	A. Cirrhosis of the liver not ret'd alcoholic	M	1,947	—	—	—	—	—	1	1	1	—
		F	1,364	—	—	—	3	3	—	—	—	1
	B. Cirrhosis of the liver ret'd as alcoholic.	M	160	—	—	—	—	—	—	—	—	—
		F	161	—	—	—	—	—	—	—	—	—
	C. Dis. formerly classed to "Other dis. of liver and gall bladder."	M	47	—	—	—	—	—	—	—	—	—
		F	57	—	—	—	—	—	—	—	—	—
114	Biliary calculi	M	222	—	—	—	—	—	—	—	—	—
		F	582	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	411	—	—	11	6	17	9	1	—	7
		F	522	—	2	13	8	23	6	4	8	5
116	Diseases of the spleen ...	M	24	—	—	—	—	—	1	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
	A. Infarction of spleen	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of the spleen.	M	24	—	—	—	—	—	1	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M	225	5	11	10	10	36	5	4	10	5
		F	288	2	11	6	3	22	6	5	7	6
118	Other diseases of the digestive system.	M	117	—	—	—	—	—	—	—	—	1
		F	112	—	—	—	—	—	1	—	2	—
	A. Abdominal abscess, Sub-phrenic abscs.	M	24	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 118	M	93	—	—	—	—	—	—	—	—	1
		F	96	—	—	—	—	—	1	—	2	—
119	Acute nephritis	M	1,177	7	14	18	24	63	76	53	38	42
		F	1,006	3	3	10	20	36	79	39	23	31
120	Bright's disease	M	7,553	—	—	1	—	1	6	7	7	7
		F	6,333	—	—	—	—	—	9	5	7	1
	A. Bright's disease as in 1901 list.	M	6,402	—	—	—	—	—	6	6	7	6
		F	5,381	—	—	—	—	—	7	5	7	1
	B. Nephritis (unqualified) 10 yrs. and over, and Uræmia.	M	1,151	—	—	1	—	1	—	1	—	1
		F	952	—	—	—	—	—	2	—	—	—
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
440	65	32	46	50	43	47	47	89	92	127	146	184	222	231	185	91	52	109
186	35	15	18	28	29	51	63	98	129	155	215	250	276	278	223	130	84	
111	7	3	12	19	20	22	16	32	34	59	65	91	110	122	95	53	27	A
13	1	2	1	—	5	13	22	48	64	83	133	141	159	144	104	52	25	
329	58	29	34	31	23	25	31	57	58	68	81	93	112	109	90	38	25	B
173	34	13	17	28	24	38	41	50	65	72	82	109	117	134	119	78	59	
47	8	4	5	7	3	7	6	11	18	19	19	26	24	34	17	12	8	110
41	3	2	7	6	8	16	14	18	10	14	18	17	15	23	34	28	13	
2	6	—	—	—	1	—	—	1	—	2	2	4	—	2	1	1	—	111
1	2	1	3	—	3	3	5	4	3	2	2	1	—	—	—	—	—	
—	—	—	—	—	1	2	1	—	—	2	2	1	—	—	—	—	—	112
—	—	—	—	—	1	1	1	2	—	—	—	1	—	3	—	—	—	
3	2	6	5	7	18	39	81	174	231	353	383	336	232	174	87	17	6	113
4	1	1	1	3	11	32	79	170	222	272	249	198	145	112	57	19	6	
3	2	6	5	6	11	33	75	148	214	316	352	302	214	160	81	14	5	A
4	1	1	1	3	5	26	65	138	187	232	216	179	129	105	51	17	4	
—	—	—	—	—	5	6	6	25	13	32	26	28	10	7	2	—	—	B
—	—	—	—	—	4	4	12	29	28	31	24	13	10	3	2	1	—	
—	—	—	—	1	2	—	—	1	4	5	5	6	8	7	4	3	1	C
—	—	—	—	—	2	2	2	3	7	9	9	6	6	4	4	1	2	
—	—	—	—	1	1	2	7	9	17	32	27	33	37	26	16	9	5	114
—	—	1	—	1	4	11	8	21	34	54	76	92	87	87	69	20	17	
34	2	5	3	14	15	11	17	24	35	41	30	36	45	44	22	19	14	115
46	9	2	3	7	12	8	23	19	37	38	39	43	56	69	53	35	23	
1	1	4	1	1	—	—	5	3	3	—	2	3	—	—	—	—	—	116
—	—	—	—	2	—	2	2	2	1	1	7	2	—	—	3	—	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	4	1	1	—	—	5	3	3	—	2	3	—	—	—	—	—	B
—	—	—	—	2	—	2	2	2	1	1	7	2	—	—	3	—	1	
60	15	11	10	8	7	11	14	7	15	11	13	10	10	12	6	5	—	117
46	44	16	7	13	14	21	20	16	15	14	12	11	13	10	13	2	1	
1	3	3	1	6	5	5	5	17	8	15	19	15	7	3	4	—	—	118
3	—	3	2	4	4	7	10	14	13	12	16	7	8	3	4	2	—	
—	2	3	—	3	1	3	—	3	—	3	3	2	—	—	1	—	—	A
—	—	2	—	1	—	2	2	1	1	1	2	2	1	—	—	1	—	
1	1	—	1	3	4	2	5	14	8	12	16	13	7	3	3	—	—	B
3	—	1	2	3	4	5	8	13	12	11	14	5	7	3	4	1	—	
272	82	51	54	51	56	50	63	77	86	66	69	60	53	41	32	11	3	119
208	67	38	43	48	47	56	62	65	76	74	56	54	30	39	27	8	8	
28	33	54	77	109	149	191	291	403	612	780	950	1,053	1,028	852	614	229	100	120
22	34	44	85	107	132	179	255	382	524	631	700	808	771	755	549	245	110	
25	31	36	59	75	104	149	233	325	506	669	815	911	914	744	540	193	73	A
20	29	30	56	74	98	140	210	325	428	529	580	712	679	677	486	211	97	
3	2	18	18	34	45	42	58	78	106	111	135	142	114	108	74	36	27	B
2	5	14	29	33	34	39	45	57	96	102	120	96	92	78	63	34	13	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
122	Other diseases of the kidney and annexa.	M	238	2	1	3	—	6	4	5	1	1
		F	257	—	—	1	3	4	2	3	1	2
	A. Abscess of kidney...	M	24	1	—	1	—	2	—	—	—	—
		F	25	—	—	—	—	—	—	—	—	—
	B. Cystic disease ...	M	18	—	—	—	—	—	1	—	—	—
		F	30	—	—	—	—	—	—	1	—	—
	C. Suppression of urine	M	17	1	1	—	—	2	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
	D. Other diseases included under 122	M	179	—	—	2	—	2	3	5	1	1
		F	198	—	—	1	3	4	2	2	1	2
123	Calculi of the urinary passages.	M	185	1	—	—	—	1	2	—	1	—
		F	85	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder...	M	1,177	2	—	1	—	3	—	1	1	1
		F	287	—	1	—	1	2	—	—	—	1
125	Diseases of the urethra, Urinary abscess, &c.	M	419	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
	A. Perineal abscess ...	M	24	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of urethra, &c.	M	395	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate...	M	1,547	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	40	3	9	2	1	15	2	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	24	—	—	—	—	—	—	—	—	—
	A. Menorrhagia	M	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
	B. Other uterine hæmorrhage.	M	—	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	328	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	147	—	—	—	—	—	—	—	—	—
	A. Disorders of menstruation (except menorrhagia).	M	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 130.	M	—	—	—	—	—	—	—	—	—	—
		F	133	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	300	—	—	—	—	—	—	1	—	—
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	205	3	1	2	—	6	6	2	—	—
	A. Diseases of ovary (excluding ovarian tumour).	M	—	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 132.	M	—	—	—	—	—	—	—	—	—	—
		F	187	3	1	2	—	6	6	2	—	—
133	Non-puerperal diseases of the breast (non-cancerous).	M	6	3	3	—	—	6	—	—	—	—
		F	23	3	3	—	1	7	—	—	1	—

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
17	—	4	1	11	10	12	8	13	12	24	22	21	25	18	23	11	6	122
12	6	1	—	8	14	16	23	17	26	29	17	18	23	13	17	11	6	
2	—	—	—	3	1	2	—	—	3	4	2	1	3	1	2	—	—	A
—	3	—	—	2	—	1	2	5	3	2	2	2	1	—	2	—	—	
1	—	—	1	1	—	—	3	4	1	2	1	2	—	1	—	1	—	B
1	1	1	—	1	1	2	4	2	3	8	1	—	3	2	—	—	—	
2	—	—	—	—	1	—	—	1	—	—	2	—	2	—	6	—	3	C
—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	
12	—	4	—	7	8	10	5	8	8	18	17	18	20	16	15	10	3	D
11	2	—	—	5	13	13	17	10	20	19	12	16	18	11	15	10	6	
4	3	1	2	3	7	4	8	9	15	15	15	21	35	20	13	4	6	123
—	1	—	—	1	1	8	4	5	9	9	7	8	10	9	6	4	3	
6	1	—	—	10	6	11	16	17	31	37	84	104	189	217	217	154	77	124
3	1	—	2	7	3	7	4	11	13	15	23	20	32	43	38	36	29	
—	—	1	2	2	9	6	17	23	37	59	67	60	55	41	26	8	6	125
—	—	—	—	—	—	—	—	1	1	—	—	—	2	—	—	—	—	
—	—	—	—	—	—	—	1	—	4	3	2	3	7	2	1	1	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	2	2	9	6	16	23	33	56	65	57	48	39	25	7	6	B
—	—	—	—	—	—	—	—	1	1	—	—	—	2	—	—	—	—	
—	—	—	—	—	—	2	2	2	4	21	54	137	280	362	359	198	126	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17	—	—	1	1	1	—	—	—	1	1	3	7	2	4	1	—	1	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	1	—	5	2	1	1	3	8	2	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	1	—	1	—	1	6	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	1	—	4	2	—	1	2	2	2	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	—	—	4	15	33	65	76	35	15	17	27	13	14	11	3	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	1	3	5	7	18	18	13	19	13	8	8	8	9	13	2	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	1	1	—	1	—	—	2	8	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	2	5	6	18	18	11	11	12	8	8	8	9	13	2	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
1	—	—	3	6	16	16	23	23	35	27	28	32	28	32	18	7	5	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
14	—	1	7	18	29	36	36	26	11	13	8	2	1	2	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	2	2	1	3	3	4	—	1	1	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
14	—	1	5	16	28	33	33	22	11	12	7	1	1	2	1	—	—	
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
8	—	—	—	2	2	—	—	—	3	2	—	1	—	3	1	1	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
134	Accidents of pregnancy	M	—	—	—	—	—	—	—	—	—	—
		F	365	—	—	—	—	—	—	—	—	—
	A. Abortion	M	—	—	—	—	—	—	—	—	—	—
		F	126	—	—	—	—	—	—	—	—	—
	B. Hæmorrhage of pregnancy.	M	—	—	—	—	—	—	—	—	—	—
		F	91	—	—	—	—	—	—	—	—	—
	C. Uncontrollable vomiting.	M	—	—	—	—	—	—	—	—	—	—
		F	37	—	—	—	—	—	—	—	—	—
	D. Ectopic gestation ...	M	—	—	—	—	—	—	—	—	—	—
		F	74	—	—	—	—	—	—	—	—	—
	E. Other accidents of pregnancy.	M	—	—	—	—	—	—	—	—	—	—
		F	37	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	465	—	—	—	—	—	—	—	—	—
136	Other accidents of childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	409	—	—	—	—	—	—	—	—	—
137	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—
		F	1,201	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	626	—	—	—	—	—	—	—	—	—
	A. Puerperal nephritis and uræmia.	M	—	—	—	—	—	—	—	—	—	—
		F	151	—	—	—	—	—	—	—	—	—
	B. Puerperal albuminuria and Bright's disease.	M	—	—	—	—	—	—	—	—	—	—
		F	45	—	—	—	—	—	—	—	—	—
	C. Puerperal convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	430	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	292	—	—	—	—	—	—	—	—	—
	A. Puerperal phlegmasia alba dolens and phlebitis.	M	—	—	—	—	—	—	—	—	—	—
		F	50	—	—	—	—	—	—	—	—	—
	B. Puerperal embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	242	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	34	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	3,408	—	—	—	—	—	—	—	—	—
142	Gangrene	M	879	4	2	—	2	8	4	4	6	3
		F	744	2	3	2	1	8	7	9	4	13
	A. Senile gangrene ...	M	782	—	—	—	—	—	—	—	—	—
		F	634	—	—	—	—	—	—	—	—	—
	B. Noma, Gangrene of mouth.	M	42	2	—	—	2	4	4	4	6	3
		F	56	—	3	1	1	5	5	5	3	12
	C. Noma pudendi ...	M	20	1	2	—	—	3	—	—	—	—
		F	9	1	—	—	—	1	2	3	1	1
	D. Other gangrene ...	M	35	1	—	—	—	1	—	—	—	—
		F	45	1	—	1	—	2	—	1	—	—
143	Carbuncle, Boil	M	198	—	3	3	—	6	1	—	—	—
		F	86	—	—	4	2	6	—	1	—	—

T DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	7	32	69	91	113	41	12	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	3	9	23	38	35	14	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	5	10	19	37	16	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	2	9	12	5	7	1	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	—	4	16	24	21	8	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
—	—	—	2	5	8	5	13	2	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	4	44	73	116	140	80	8	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	6	52	86	98	117	46	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	1	30	210	314	322	226	89	9	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	31	135	133	134	137	50	6	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	2	26	36	36	33	15	3	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	2	5	13	9	11	4	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	27	104	84	89	93	31	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	—	38	81	79	69	21	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	9	13	18	8	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	29	68	61	61	19	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	1	1	10	7	11	3	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	2	3	1	5	3	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
—	—	1	81	515	767	852	816	332	44	—	—	—	—	—	—	—	—	
25	2	2	5	—	1	1	2	1	5	10	20	72	101	191	216	132	93	142
41	7	5	2	1	4	3	3	3	7	11	15	57	77	128	141	122	117	
—	—	—	—	—	—	—	—	—	—	1	1	62	98	183	212	132	93	A
—	—	—	—	—	—	—	—	—	—	1	5	52	74	125	140	120	117	
21	2	2	4	—	1	—	—	—	2	2	2	3	1	1	1	—	—	B
30	7	3	1	1	2	2	—	1	2	1	—	2	2	1	—	1	—	
3	—	—	—	—	—	—	—	—	1	3	1	4	—	6	2	—	—	C
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	1	—	—	1	2	1	2	4	16	3	2	1	1	—	—	D
3	—	2	1	—	1	1	3	2	5	9	10	3	1	2	1	1	—	
7	—	1	6	1	3	11	9	11	14	9	22	29	16	25	20	12	2	143
7	—	1	1	1	4	3	6	4	6	5	11	5	7	9	10	4	2	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
144	Phlegmon, Acute abscess	M	448	18	19	19	18	74	11	2	2	3
		F	374	24	22	13	27	86	12	4	3	5
	A. Phlegmon	M	293	10	4	4	6	24	5	—	—	3
		F	215	9	11	3	10	33	5	1	2	2
	B. Acute Abscess ...	M	155	8	15	15	12	50	6	2	2	—
		F	159	15	11	10	17	53	7	3	1	3
145	Diseases of the integumentary system.	M	520	90	61	24	41	216	21	5	2	1
		F	591	59	26	18	18	121	14	9	2	2
	A. Ulcer, Bedsore ...	M	178	1	—	2	2	5	—	—	—	—
		F	335	3	1	1	2	7	1	3	—	—
	B. Eczema	M	145	25	30	15	31	101	18	2	—	1
		F	76	10	14	10	9	43	6	1	1	1
	C. Pemphigus... ...	M	61	27	8	1	4	40	—	1	2	—
		F	52	25	5	2	1	33	1	1	—	—
	D. Other dis. of the integumentary sys.	M	136	37	23	6	4	70	3	2	—	—
		F	128	21	6	5	6	38	6	4	1	1
146	Diseases of the bones ...	M	318	4	7	3	4	18	8	16	8	8
		F	198	1	4	1	8	14	9	3	4	5
147	Diseases of the joints ...	M	83	2	3	3	5	13	2	—	—	1
		F	67	1	2	—	1	4	6	1	—	—
148	Amputations	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	35	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—
150	Congenital malformations	M	2,149	1,186	359	174	165	1,884	81	35	18	18
		F	1,705	934	278	166	122	1,500	51	22	11	6
	A. Congenital hydrocephalus.	M	208	28	20	23	56	127	29	10	7	8
		F	148	32	16	28	35	111	12	6	2	2
	B. Phimosis	M	29	9	6	3	4	22	5	2	—	—
		F	—	—	—	—	—	—	—	—	—	—
	C. Congenital malformation of heart.	M	849	513	111	55	50	729	24	12	8	8
		F	697	390	94	58	40	582	29	6	6	4
	D. Other congenital malformations.	M	1,063	636	222	93	55	1,006	23	11	3	2
		F	860	512	168	80	47	807	10	10	3	—
151	Premature birth, Infantile debility, Icterus and Sclerema.	M	14,601	11,038	2,172	866	525	14,601	—	—	—	—
		F	11,030	8,270	1,607	730	423	11,030	—	—	—	—
	A. Premature birth ...	M	8,715	7,945	674	72	24	8,715	—	—	—	—
		F	6,716	6,013	610	80	13	6,716	—	—	—	—
	B. Infant. atrophy, debility and marasmus.	M	5,307	2,689	1,380	754	484	5,307	—	—	—	—
		F	3,985	2,030	930	627	398	3,985	—	—	—	—
	C. Icterus neonatorum	M	427	371	52	4	—	427	—	—	—	—
		F	240	206	27	6	1	240	—	—	—	—
	D. Sclerema and œdema neonatorum.	M	12	8	4	—	—	12	—	—	—	—
		F	13	6	7	—	—	13	—	—	—	—
	E. Want of breast milk	M	140	25	62	36	17	140	—	—	—	—
		F	76	15	33	17	11	76	—	—	—	—
152	Other diseases peculiar to early infancy.	M	1,566	1,494	72	—	—	1,566	—	—	—	—
		F	1,091	1,042	49	—	—	1,091	—	—	—	—
	A. Diseases of umbilicus, &c.	M	171	151	20	—	—	171	—	—	—	—
		F	170	149	21	—	—	170	—	—	—	—
	B. Atelectasis	M	820	782	38	—	—	820	—	—	—	—
		F	530	509	21	—	—	530	—	—	—	—
	C. Injuries at birth ...	M	553	540	13	—	—	553	—	—	—	—
		F	377	371	6	—	—	377	—	—	—	—
	D. Cyanosis neonatorum.	M	22	21	1	—	—	22	—	—	—	—
		F	14	13	1	—	—	14	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
92	7	11	6	14	7	18	18	24	29	34	37	38	40	31	28	11	3	144
110	8	8	6	5	13	3	19	16	17	25	24	30	26	22	19	17	6	
32	4	9	1	5	5	15	15	20	21	29	27	32	27	25	18	6	2	A
43	3	3	3	1	9	3	11	13	8	20	17	20	20	15	12	9	5	
60	3	2	5	9	2	3	3	4	8	5	10	6	13	6	10	5	1	B
67	5	5	3	4	4	—	8	3	9	5	7	10	6	7	7	8	1	
245	—	4	3	7	3	2	5	6	10	11	13	23	39	52	50	31	16	145
148	5	2	5	4	4	3	9	10	12	12	29	42	45	75	76	49	61	
5	—	2	—	3	—	—	2	2	4	4	9	13	19	38	40	26	11	A
11	—	—	2	1	1	1	5	4	6	7	19	30	38	60	64	36	50	
122	—	—	—	1	1	1	—	2	2	1	1	2	7	3	1	1	—	B
52	1	—	1	—	—	1	1	2	—	1	1	6	1	1	2	4	2	
43	—	—	1	1	—	—	1	—	2	3	1	2	2	2	1	—	2	C
35	—	—	—	—	1	1	1	1	1	1	3	1	—	5	1	—	1	
75	—	2	2	2	2	1	2	2	2	3	2	6	11	9	8	4	3	D
50	4	2	2	3	2	—	2	3	5	3	6	5	6	9	9	9	8	
58	39	61	28	14	9	8	10	7	7	13	12	16	19	8	8	1	—	146
35	22	21	13	6	3	3	6	6	6	3	15	10	8	13	17	6	5	
16	1	4	4	4	5	1	4	4	4	6	2	6	7	7	7	1	—	147
11	1	2	1	1	2	3	1	3	6	4	6	3	6	6	7	3	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	1	2	2	4	1	1	—	1	2	5	2	3	6	3	2	—	—	149
—	1	—	—	—	—	3	1	1	—	—	—	2	1	—	1	—	—	
2,036	49	26	11	4	4	5	5	3	—	2	1	2	1	—	—	—	—	150
1,590	40	19	20	12	6	3	4	5	2	2	1	1	—	—	—	—	—	
181	15	5	—	1	1	1	—	2	—	2	—	—	—	—	—	—	—	A
133	7	3	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
781	27	14	10	3	3	4	4	1	—	—	1	—	1	—	—	—	—	C
627	18	14	15	7	3	2	3	4	1	1	1	1	—	—	—	—	—	
1,045	7	7	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	D
830	15	2	3	4	1	1	1	1	1	1	—	—	—	—	—	—	—	
14,601	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151
11,030	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8,715	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
6,716	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5,307	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
3,985	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
427	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
240	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
140	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
76	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,566	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
1,091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
171	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
170	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
820	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
530	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
553	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
377	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
153	Lack of care	M	118	117	1	—	—	118	—	—	—	—
		F	115	114	1	—	—	115	—	—	—	—
154	Old age	M	13,759	—	—	—	—	—	—	—	—	—
		F	19,207	—	—	—	—	—	—	—	—	—
	A. Senile dementia ...	M	548	—	—	—	—	—	—	—	—	—
		F	713	—	—	—	—	—	—	—	—	—
	B. Senile decay ...	M	13,211	—	—	—	—	—	—	—	—	—
		F	18,494	—	—	—	—	—	—	—	—	—
155	Suicide by poison ...	M	156	—	—	—	—	—	—	—	—	—
		F	168	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ...	M	106	—	—	—	—	—	—	—	—	—
		F	59	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	517	—	—	—	—	—	—	—	—	—
		F	182	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ...	M	371	—	—	—	—	—	—	—	—	—
		F	336	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ...	M	241	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	455	—	—	—	—	—	—	—	—	—
		F	89	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	76	—	—	—	—	—	—	—	—	—
		F	52	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ...	M	98	—	—	—	—	—	—	—	—	—
		F	31	—	—	—	—	—	—	—	—	—
163	Other suicides	M	9	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
164	Poisoning by food ...	M	54	—	—	—	—	—	1	1	3	3
		F	39	—	—	—	—	—	—	2	—	—
165	Other acute poisonings ...	M	99	2	1	1	2	6	5	2	2	—
		F	79	—	—	1	1	2	5	5	3	2
166	Conflagration	M	38	—	—	1	2	3	3	3	1	2
		F	34	—	—	—	—	—	1	1	2	3
167	Burns (conflagration excepted).	M	1,002	2	2	8	55	67	190	186	131	73
		F	1,424	2	1	8	38	49	149	125	113	120
168	Absorption of deleterious gases (conflagration excepted).	M	698	202	188	115	43	548	8	2	—	—
		F	556	147	187	100	39	473	6	1	—	1
169	Accidental drowning ...	M	2,257	10	1	—	4	15	36	57	50	43
		F	474	6	4	—	1	11	19	17	10	9
170	Injury by firearms ...	M	151	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	—	—	—	1	—
171	Injury by cutting or piercing instruments.	M	31	1	—	—	1	2	1	1	1	1
		F	8	—	—	—	1	1	—	—	—	—
172	Injury by fall	M	2,117	—	3	2	9	14	33	22	19	12
		F	1,445	—	—	2	11	13	15	10	11	16
173	Injury in mines and quarries.	M	1,165	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
115	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	3	2	34	173	588	2,522	3,632	3,660	3,145	154
—	—	—	—	—	—	—	—	—	1	4	39	206	703	2,911	4,832	5,120	5,391	
—	—	—	—	—	—	—	—	—	1	1	12	51	92	122	139	81	49	A
—	—	—	—	—	—	—	—	—	1	1	16	46	100	168	183	120	78	
—	—	—	—	—	—	—	—	—	2	1	22	122	496	2,400	3,493	3,579	3,096	B
—	—	—	—	—	—	—	—	—	—	3	23	160	603	2,743	4,649	5,000	5,313	
—	—	1	2	8	8	13	15	16	19	19	22	15	7	7	4	—	—	155
—	—	—	15	18	10	22	16	20	17	17	11	11	4	4	3	—	—	
—	—	—	1	5	8	7	12	7	15	17	9	15	7	2	1	—	—	156
—	—	—	3	—	4	2	13	4	13	3	6	5	3	2	1	—	—	
—	—	—	9	13	22	31	34	50	53	69	70	76	38	29	17	6	—	157
—	—	—	2	7	8	13	12	25	25	17	25	25	11	9	3	—	—	
—	—	1	4	16	15	23	29	51	34	43	57	34	35	16	7	5	1	158
—	—	4	36	31	17	26	39	32	45	37	26	19	14	6	2	2	—	
—	—	1	9	31	20	16	29	24	31	22	12	25	11	8	1	1	—	159
—	—	—	1	—	1	1	1	3	—	—	1	1	—	2	—	—	—	
—	—	—	3	18	26	53	63	61	41	36	43	33	29	25	15	4	5	160
—	—	—	1	1	8	8	10	7	17	8	7	7	6	4	3	2	—	
—	—	—	1	4	3	9	8	6	8	6	11	8	9	1	1	1	—	161
—	—	—	1	1	4	3	9	3	10	3	5	4	3	5	1	—	—	
—	—	1	4	8	8	11	11	18	13	5	7	7	2	1	2	—	—	162
—	—	—	4	9	2	—	5	4	2	—	2	1	2	—	—	—	—	
—	—	—	—	—	1	—	1	1	—	2	1	1	1	1	—	—	—	163
—	—	—	—	1	2	—	2	3	—	—	—	—	—	—	1	—	—	
8	8	4	4	4	—	2	2	3	6	5	3	3	1	—	1	—	—	164
2	1	1	3	3	4	2	—	7	1	1	7	1	1	3	2	—	—	
15	5	2	1	8	6	5	7	7	9	11	9	4	4	4	2	—	—	165
17	—	2	4	1	4	9	5	7	5	7	9	3	2	2	1	1	—	
12	2	3	1	—	3	2	2	1	2	1	2	—	2	1	2	2	—	166
7	4	—	1	1	2	—	—	—	2	3	5	3	1	2	1	1	1	
647	96	16	14	15	19	22	15	15	16	15	21	9	15	27	21	10	9	167
556	285	75	55	27	18	19	19	18	29	31	36	45	38	62	54	28	29	
558	5	4	6	11	13	9	12	12	13	6	10	12	9	11	4	2	1	168
481	6	1	—	1	3	4	4	3	6	4	12	6	10	7	3	4	1	
201	252	144	162	173	148	159	179	188	153	143	113	89	77	42	22	9	3	169
66	35	19	43	27	33	27	35	37	44	34	25	26	12	5	5	—	1	
—	3	5	32	27	17	15	8	11	14	8	4	4	2	1	—	—	—	170
1	3	1	2	2	4	1	1	—	1	1	1	—	—	—	—	—	—	
6	4	2	2	1	—	1	3	1	3	3	1	1	1	1	1	—	—	171
1	—	—	—	—	1	1	—	3	1	1	—	—	—	—	—	—	—	
100	56	59	78	65	99	87	127	146	153	162	182	171	153	140	141	110	88	172
65	29	10	9	6	6	10	33	35	52	70	74	83	121	194	232	195	221	
—	—	48	163	99	108	120	123	134	109	91	80	52	29	8	1	—	—	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List No.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
174	Injury by machines ...	M	331	—	—	—	—	—	—	—	1	3
		F	9	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.)	M	3,672	1	—	2	1	4	23	36	48	58
		F	777	—	1	—	—	1	21	38	32	28
176	Injury by animals ...	M	105	—	—	—	—	—	1	2	—	1
		F	8	—	—	—	—	—	1	—	—	—
177	Starvation	M	25	—	—	—	—	—	—	—	1	—
		F	13	—	—	1	1	2	—	—	—	—
178	Excessive cold	M	111	—	—	—	1	1	—	—	—	1
		F	21	—	—	—	—	—	—	—	—	—
179	Effects of heat	M	50	—	—	—	1	1	2	—	4	2
		F	19	1	—	1	—	2	1	2	2	—
180	Lightning...	M	20	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
181	Electricity (lightning excepted).	M	29	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	13	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	23	4	—	—	4	8	2	1	1	—
		F	30	2	1	—	1	4	—	—	—	—
184	Homicide by other means	M	93	28	3	—	3	34	2	2	2	—
		F	105	24	2	2	2	30	3	1	1	—
185	Fractures (cause not specified).	M	67	3	—	—	—	3	1	—	—	—
		F	23	2	—	1	—	3	—	—	—	—
186	Other violence	M	2,785	11	12	15	16	54	18	8	9	3
		F	228	5	21	7	15	48	10	5	12	8
155–186	All violence	M	16,965	264	210	144	142	760	326	323	273	202
		F	6,255	189	217	123	110	639	231	207	187	187
187	Dropsy	M	14	—	—	—	—	—	2	—	—	—
		F	24	—	—	—	—	—	1	1	—	—
188	Syncope, Sudden death...	M	176	—	—	—	—	—	—	1	1	—
		F	123	—	—	—	1	1	—	2	—	—
	A. Syncope (aged 1 year and under 70 yrs.).	M	169	—	—	—	—	—	—	1	1	—
		F	122	—	—	—	—	—	—	2	—	—
	B. Sudden death (not otherwise defined.)	M	7	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	1	—	—	—	—
189	Ill-defined causes ..	M	1,450	53	11	11	31	106	259	41	12	5
		F	1,236	38	12	12	21	83	239	51	16	6
	A. Heart failure (aged 1 yr. and under 70).	M	806	—	—	—	—	—	5	—	1	1
		F	629	—	—	—	—	—	—	4	2	—
	B. Atrophy, debility, marasmus (aged 1 yr. and under 70).	M	319	—	—	—	—	—	232	39	11	2
		F	332	—	—	—	—	—	221	46	12	4
	C. Teething	M	42	—	1	2	23	26	16	—	—	—
		F	27	—	1	—	16	17	9	1	—	—
	D. Pyrexia	M	4	—	—	—	1	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths.	M	215	30	8	8	6	52	5	2	—	1
		F	190	19	8	10	5	42	9	—	1	2
	F. Cause not specified	M	64	23	2	1	1	27	1	—	—	1
		F	57	19	3	2	—	24	—	—	1	—

AT DIFFERENT AGE-PERIODS, 1915—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
4	6	24	62	33	23	24	26	25	36	23	19	14	9	2	1	—	—	174
—	1	1	2	—	—	—	1	1	1	—	1	1	—	—	—	—	—	
169	354	230	247	209	228	251	294	257	283	287	234	231	159	115	66	36	22	175
120	109	42	33	30	31	22	30	36	41	41	48	59	58	35	31	8	3	
4	9	7	13	10	3	6	5	8	8	8	6	9	3	4	1	1	—	176
1	1	3	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	
1	—	—	—	1	—	1	—	3	1	1	2	3	5	2	3	1	1	177
2	—	—	—	—	—	—	1	1	1	—	2	1	2	—	2	—	1	
2	—	1	3	8	3	4	7	6	10	17	4	8	8	15	13	1	1	178
—	1	—	—	—	—	—	2	4	—	—	2	4	4	3	1	—	—	
9	5	2	1	—	1	3	4	3	2	1	4	4	3	4	3	1	—	179
7	2	2	—	—	—	1	—	1	—	2	1	2	—	—	—	1	—	
—	—	—	3	5	4	1	2	—	1	1	1	—	1	1	—	—	—	180
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	2	3	4	5	4	6	4	—	—	—	1	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	2	1	1	3	2	—	—	2	1	—	—	—	—	—	182
—	—	—	—	—	1	1	1	3	—	—	—	1	—	—	—	—	—	
12	—	—	—	2	1	2	2	1	3	—	—	—	—	—	—	—	—	183
4	—	1	2	5	4	6	2	3	3	—	—	—	—	—	—	—	—	
40	4	1	3	4	6	2	6	5	5	4	2	4	3	1	2	1	—	184
35	6	—	3	8	15	13	13	4	2	1	2	—	—	1	1	1	—	
4	—	—	3	2	7	6	7	6	2	7	7	2	6	3	1	4	—	185
3	—	—	—	1	—	2	1	1	2	3	—	—	1	—	3	5	1	
92	32	33	261	771	569	401	247	142	70	49	38	32	28	8	6	3	3	186
83	15	8	12	10	9	12	12	9	7	15	6	7	10	7	3	2	1	
1,884	843	593	1096	1558	1374	1293	1287	1210	1113	1062	977	867	657	480	339	198	134	155–186
1,451	498	170	232	190	191	205	267	276	328	299	314	316	303	353	353	250	259	
2	—	—	—	2	—	—	—	1	—	1	1	1	1	1	2	2	—	187
2	—	—	—	—	1	—	—	1	—	3	4	2	1	5	4	1	—	
2	—	3	1	2	3	6	6	6	13	25	27	36	42	2	1	1	—	188
3	3	2	—	3	8	2	7	7	11	22	14	23	18	—	—	—	—	
2	—	3	1	2	3	6	6	6	12	25	27	36	40	—	—	—	—	A
2	3	2	—	3	8	2	7	7	11	22	14	23	18	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	—	—	—	2	2	1	1	—	B
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
423	24	18	11	14	19	20	39	58	84	120	166	198	218	21	8	8	1	189
395	28	12	13	12	15	20	40	48	72	98	114	149	164	20	18	8	10	
7	7	9	7	10	17	14	26	51	66	93	140	167	192	—	—	—	—	A
6	11	7	9	7	12	17	30	44	54	78	99	120	135	—	—	—	—	
284	7	2	2	—	1	—	1	—	2	4	4	5	7	—	—	—	—	B
283	9	2	2	1	—	—	3	2	3	7	4	8	8	—	—	—	—	
42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
60	8	7	1	2	1	6	8	3	11	15	21	24	17	17	7	6	1	E
54	7	1	2	2	1	2	5	1	13	12	9	19	17	18	15	5	7	
29	1	—	1	2	—	—	3	4	5	7	1	2	2	4	1	2	—	F
25	1	2	—	2	2	1	2	1	2	1	2	2	4	2	3	3	2	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes	M	37,139	1,992	1,202	1,200	2,048	6,442	2,092	911	498	339
		F	35,254	1,407	924	976	1,715	5,022	1,952	856	481	328
1	Enteric fever	M	62	—	—	—	1	1	—	—	1	2
		F	42	—	—	—	—	—	—	—	—	—
2	Typhus	M	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	2	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
5	Small-pox	M	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	1	—
6	Measles	M	1,155	3	5	17	244	269	493	195	84	58
		F	1,131	3	4	16	199	222	476	187	90	45
7	Scarlet fever	M	172	1	1	—	4	6	19	32	25	20
		F	155	1	—	—	3	4	12	26	23	10
8	Whooping cough ...	M	509	3	34	31	154	222	169	68	23	14
		F	649	4	41	54	161	260	191	95	44	33
9A	Diphtheria	M	338	1	1	3	19	24	44	54	57	38
		F	365	—	3	3	21	27	43	59	37	48
9 B, C	Croup	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—
10	Influenza	M	535	2	2	5	9	18	6	3	1	4
		F	523	2	3	4	5	14	8	3	3	3
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
14	Dysentery	M	48	—	—	—	—	—	—	1	—	—
		F	83	—	—	—	—	—	—	—	—	—
15	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	86	4	—	3	6	13	2	1	—	—
		F	94	—	9	7	4	20	3	1	—	—
19	Other epidemic diseases	M	11	—	—	2	3	5	2	1	2	—
		F	22	—	1	—	6	7	5	5	2	1
20	Pyæmia, Septicæmia ...	M	44	—	2	1	2	5	1	1	1	1
		F	49	2	3	1	2	8	2	—	—	2
21	Glanders	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only).

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
10,282	899	491	570	668	788	1,058	1,423	1,630	2,086	2,308	2,439	2,883	2,758	2,763	2,061	1,297	735	All Causes
8,639	873	507	661	701	777	827	1,104	1,358	1,562	1,903	1,927	2,275	2,538	3,001	2,902	2,057	1,642	
4	3	6	2	5	7	5	9	7	7	3	2	2	—	—	—	—	—	1
—	3	3	4	9	6	5	3	2	3	—	2	2	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	4
—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5
1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
1,099	52	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
1,020	93	6	3	2	—	1	1	1	1	—	—	1	—	—	1	—	1	
102	46	9	6	3	1	4	—	1	—	—	—	—	—	—	—	—	—	7
75	42	12	3	7	4	3	5	2	1	—	1	—	—	—	—	—	—	
496	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
623	25	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
217	98	13	4	—	1	—	1	2	2	—	—	—	—	—	—	—	—	9 A
214	119	21	2	2	2	2	2	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9 B, C
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32	5	3	9	12	13	20	28	28	35	54	49	48	53	52	43	37	14	10
31	5	5	11	11	10	9	15	15	24	33	26	57	53	76	55	47	40	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	13
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	1	—	4	5	8	2	1	6	6	3	4	5	1	—	—	1	14
—	—	—	1	2	6	6	7	8	6	10	9	7	4	8	7	2	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16	—	1	—	2	3	4	6	2	6	5	5	9	8	6	8	4	1	18
24	—	2	1	2	—	1	5	2	5	7	1	7	12	6	7	9	3	
10	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	2	3	3	—	1	1	3	3	3	2	4	5	2	2	—	1	—	20
12	1	2	2	1	1	1	3	4	3	4	—	5	6	1	2	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
22	Anthrax (Splenic fever)	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	7	1	1	—	—	2	—	—	—	—
		F	2	2	—	—	—	2	—	—	—	—
25	Mycoses	M	6	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
26	Pellagra	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
27	Beri-beri	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	3,855	—	—	4	7	11	19	18	9	12
		F	2,464	1	1	1	6	9	19	13	10	8
29A	Acute phthisis	M	209	—	—	2	3	5	4	4	2	—
		F	187	—	1	1	1	3	—	2	3	5
29B	Acute miliary tuberculosis	M	89	1	1	2	15	19	16	10	9	3
		F	71	—	—	—	10	10	7	8	5	4
28 & 29	Pulmonary tuberculosis, acute and chronic.	M	4,153	1	1	8	25	35	39	32	20	15
		F	2,722	1	2	2	17	22	26	23	18	17
30	Tuberculous meningitis	M	433	2	9	24	43	78	88	54	38	23
		F	398	—	4	13	48	65	77	63	34	31
31	Tuberculosis of peritoneum and intestines.	M	184	—	12	20	29	61	28	19	6	3
		F	144	—	7	15	12	34	25	11	3	7
32	Tuberculosis of spinal column.	M	43	—	—	—	—	—	1	—	—	—
		F	42	—	1	—	1	2	1	—	1	2
33	Tuberculosis of joints ...	M	26	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	1	—	1
34	Tuberculosis of other organs.	M	38	—	—	—	3	3	—	1	2	1
		F	36	—	—	1	2	3	2	2	—	—
35	Disseminated tuberculosis	M	183	1	5	2	17	25	30	19	5	5
		F	140	—	6	8	13	27	17	14	10	3
28–35	Tuberculosis (all forms)	M	5,060	4	27	54	117	202	186	125	71	47
		F	3,496	1	20	39	93	153	148	114	66	61
36	Rickets, Softening of bones.	M	66	—	2	1	18	21	33	7	1	—
		F	26	—	—	1	5	6	10	5	2	—
37	Syphilis	M	200	49	46	17	9	121	12	—	—	—
		F	114	8	27	14	13	62	8	1	1	—
38	Other venereal diseases...	M	5	—	3	—	—	3	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
39	Cancer of the buccal cavity.	M	271	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	—	—	—	—	—
40	Cancer of the stomach, liver, &c.	M	911	—	—	—	—	—	—	—	—	—
		F	717	—	—	—	—	—	1	1	—	—
41	Cancer of the peritoneum, intestines, and rectum.	M	508	—	—	—	—	—	—	—	—	—
		F	637	—	—	—	—	—	—	1	—	—
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	684	—	—	—	—	—	—	—	—	—
43	Cancer of the breast ...	M	7	—	—	—	—	—	—	—	—	—
		F	572	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	—	—	1	—	1	—	1	—	1	—	—	—	1	—	—	—	24
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	—	—	1	—	1	1	—	—	—	—	—	1	—	25
—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
69	39	42	174	269	338	381	483	504	490	391	259	219	115	55	21	5	1	28
59	36	87	237	262	260	250	280	246	222	191	114	74	69	46	22	7	2	
15	8	9	11	16	12	28	38	21	22	15	10	4	—	—	—	—	—	29A
13	10	11	27	24	16	14	22	20	7	10	4	6	1	1	1	—	—	
57	6	7	3	5	3	1	—	1	3	1	1	—	—	1	—	—	—	29B
34	9	9	8	3	2	—	2	1	1	1	1	—	—	—	—	—	—	
141	53	58	188	290	353	410	521	526	515	407	270	223	115	56	21	5	1	28 & 29
106	55	107	272	289	278	264	304	267	230	202	119	80	70	47	23	7	2	
281	86	24	20	6	1	3	4	1	4	1	—	2	—	—	—	—	—	30
270	66	29	17	4	3	4	—	4	—	—	—	—	1	—	—	—	—	
117	18	11	4	3	3	5	3	8	5	3	1	1	2	—	—	—	—	31
80	12	14	7	3	5	1	6	3	5	1	1	4	2	—	—	—	—	
1	4	3	7	3	3	2	3	3	4	2	4	1	—	3	—	—	—	32
6	5	6	7	1	3	1	3	2	2	—	2	2	1	—	—	1	—	
—	6	7	1	4	—	1	1	1	1	1	—	1	1	—	—	1	—	33
2	1	—	1	1	1	—	—	2	1	2	1	1	—	1	—	—	—	
7	—	1	—	1	1	3	5	2	—	5	3	2	4	3	1	—	—	34
7	3	3	2	2	1	2	2	2	3	—	1	1	—	5	1	1	—	
84	30	12	12	11	5	4	4	1	3	2	3	5	3	2	1	1	—	35
71	19	8	10	7	3	6	1	3	4	1	3	2	1	—	—	1	—	
631	197	116	232	318	366	428	541	542	532	421	281	235	125	64	23	7	1	28–35
542	161	167	316	307	294	278	316	283	245	206	127	90	75	53	24	10	2	
62	—	—	—	—	1	—	—	—	—	—	—	—	1	1	1	—	—	36
23	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
133	—	—	—	1	7	5	7	10	10	11	8	3	4	1	—	—	—	37
72	—	—	—	—	3	2	8	7	5	3	4	4	5	—	1	—	—	
3	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	38
—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	—	—	—	—	1	3	19	42	54	56	42	30	12	9	2	39
—	—	1	—	—	—	—	2	3	1	3	7	10	6	4	6	1	2	
—	1	—	—	—	4	12	10	33	82	102	156	181	146	100	56	21	7	40
2	—	—	—	—	7	6	16	31	42	82	91	106	120	99	77	27	11	
—	—	—	3	5	6	13	16	19	30	44	72	93	72	66	47	14	8	41
1	1	1	1	—	5	9	12	27	41	65	67	94	110	81	66	39	17	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
—	—	—	1	3	5	10	39	70	97	97	104	93	60	62	27	9	7	
—	—	—	—	—	—	—	1	1	—	2	1	—	1	1	—	—	—	43
—	—	—	—	—	1	15	22	50	84	84	68	51	60	54	38	30	15	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ...	M	53	—	—	—	—	—	—	—	—	—
		F	35	—	—	—	—	—	—	—	—	—
45	Cancer of other or unspecified organs.	M	574	—	—	—	1	1	1	1	2	2
		F	318	—	1	—	—	1	1	1	1	—
39–45	Cancer (all sites)... ...	M	2,324	—	—	—	1	1	1	1	2	2
		F	3,009	—	1	—	—	1	2	3	1	—
46	Other tumours (situation undefined).	M	6	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
47	Rheumatic fever... ...	M	105	1	—	—	—	1	1	1	2	2
		F	128	—	—	—	—	—	—	1	1	—
48 A, B	Chronic rheumatism, Osteo-arthritis.	M	64	—	—	—	—	—	—	—	—	—
		F	151	—	—	—	—	—	—	—	—	—
48C	Gout	M	50	—	—	—	—	—	—	—	—	—
		F	20	—	—	—	—	—	—	—	—	—
49	Scurvy	M	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	1	1	—	—	—
50	Diabetes	M	249	—	—	—	—	—	1	—	—	—
		F	262	—	—	—	—	—	—	—	1	—
51	Exophthalmic goître ...	M	—	—	—	—	—	—	—	—	—	—
		F	34	—	—	—	—	—	—	—	—	—
52	Addison's disease ...	M	13	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma.	M	53	—	—	1	—	1	2	—	1	—
		F	35	—	—	—	—	—	1	1	—	—
54	Anæmia, Chlorosis ...	M	70	—	—	—	—	—	3	1	—	—
		F	96	—	1	—	—	1	—	—	—	—
55	Other general diseases ...	M	29	2	1	—	2	5	1	1	1	—
		F	24	2	1	—	3	6	1	—	1	1
56	Alcoholism (acute or chronic).	M	29	—	—	—	—	—	—	—	—	—
		F	25	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning...	M	4	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings.	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
60	Encephalitis	M	14	—	—	—	—	—	1	—	—	—
		F	15	—	1	—	3	4	—	—	—	2
61A	Cerebro-spinal fever ...	M	172	1	6	18	30	55	17	9	4	8
		F	149	—	5	6	21	32	19	6	10	5
61B	Posterior basal meningitis	M	23	—	2	4	6	12	2	3	2	—
		F	17	—	1	2	5	8	3	—	1	—
61C	Meningitis, other forms	M	181	2	7	14	31	54	27	17	8	8
		F	162	4	6	11	20	41	22	12	8	6
62	Locomotor ataxy... ...	M	99	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	166	—	—	—	—	—	3	1	—	1
		F	136	—	—	—	3	3	1	2	1	1

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	1	—	3	3	5	4	4	4	5	12	7	3	2	44
—	—	—	—	—	1	—	1	1	2	1	2	3	7	6	4	5	2	
7	6	8	4	3	8	17	17	22	43	54	70	87	82	83	43	16	4	45
4	1	1	6	3	4	7	12	27	30	35	37	36	40	39	22	11	3	
7	8	8	7	8	19	42	48	81	179	248	357	421	348	292	165	63	23	39–45
7	2	3	8	6	23	47	104	209	297	367	376	393	403	345	240	122	57	
—	—	—	—	—	—	—	1	—	1	1	—	—	1	2	—	—	—	46
—	—	—	—	—	1	1	—	—	1	2	1	2	3	1	2	1	1	
7	17	17	15	7	5	4	9	3	6	7	1	3	1	3	—	—	—	47
2	14	25	21	11	9	13	4	10	6	6	3	3	—	1	—	—	—	
—	—	—	—	—	—	—	1	1	—	4	7	10	12	14	10	3	2	48
—	—	—	1	—	1	1	3	1	3	7	11	19	24	23	33	12	12	A, B
—	—	—	—	—	—	—	—	—	3	2	6	6	8	13	8	4	—	48C
—	—	—	—	—	—	—	—	—	2	2	1	3	4	4	2	1	1	
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	49
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	5	5	7	7	7	11	6	7	14	28	34	35	30	30	18	2	2	50
1	2	2	3	6	8	9	10	14	14	23	31	43	41	32	17	6	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	51
—	—	—	3	3	2	6	5	1	3	5	4	2	—	—	—	—	—	
—	1	—	2	1	1	2	—	1	1	1	1	—	1	—	1	—	—	52
—	—	1	—	2	2	1	1	—	3	—	—	1	2	2	—	—	—	
4	6	1	3	4	3	4	2	4	5	3	5	—	5	4	—	—	—	53
2	5	2	3	—	2	1	1	7	2	—	2	5	2	1	—	—	—	
4	2	2	1	2	1	2	4	3	3	10	5	12	12	3	3	1	—	54
1	—	—	3	3	1	5	11	8	11	16	8	17	5	6	—	—	1	
8	4	—	—	1	—	6	1	—	4	2	—	1	1	1	—	—	—	55
9	—	1	2	2	1	—	—	1	2	1	—	1	1	—	1	2	—	
—	—	—	—	—	1	1	8	2	4	6	1	4	2	—	—	—	—	56
—	—	—	—	1	1	2	—	5	3	6	3	1	2	1	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—	57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	59
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	2	—	1	1	2	—	—	2	—	2	2	—	—	1	—	—	—	60
6	2	—	1	—	—	—	—	—	1	—	1	—	1	1	2	—	—	
93	18	19	8	7	6	2	2	5	6	1	3	—	2	—	—	—	—	61A
72	23	14	12	5	4	4	2	3	2	4	3	1	—	—	—	—	—	
19	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	61B
12	1	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	
114	27	7	5	2	3	4	3	1	3	2	7	2	—	1	—	—	—	61C
89	24	13	3	2	2	5	1	1	5	5	2	—	3	1	1	4	1	
—	—	—	—	—	1	1	10	4	16	13	15	15	10	9	5	—	—	62
—	—	—	1	—	—	—	2	2	1	3	3	2	3	—	—	—	—	
5	3	1	1	4	6	7	5	7	13	13	22	17	25	19	11	5	2	63
8	1	1	—	2	4	2	6	8	6	8	20	11	20	21	12	2	4	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
64	Cerebral hæmorrhage, Apoplexy.	M	1,086	—	—	—	2	2	1	—	1	1
		F	1,396	—	—	—	—	—	—	2	—	—
65	Softening of brain ...	M	64	—	—	—	—	—	—	—	—	—
		F	86	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause.	M	112	—	—	—	—	—	—	1	—	—
		F	195	—	—	—	—	—	—	—	—	—
67	General paralysis of the insane.	M	333	—	—	—	—	—	—	—	—	—
		F	79	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation.	M	56	—	—	—	—	—	—	—	—	—
		F	71	—	—	—	—	—	—	—	—	—
69	Epilepsy	M	211	—	—	—	1	1	—	—	1	1
		F	170	—	—	—	2	2	1	1	—	—
70	Convulsions (non-puerperal ; 5 yrs. and over).	M	5	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years).	M	305	111	53	50	52	266	30	8	1	—
		F	235	58	55	32	46	191	35	6	2	1
72	Chorea	M	2	—	—	—	—	—	—	—	—	1
		F	10	—	—	—	—	—	—	—	—	—
73	Hysteria, Neuralgia, Neuritis.	M	20	—	—	—	—	—	—	—	—	—
		F	51	—	—	—	—	—	—	—	—	—
74	Other diseases of the nervous system.	M	117	1	—	2	—	3	—	3	3	1
		F	130	1	—	1	4	6	2	2	6	2
75	Diseases of the eyes and annexa.	M	2	—	—	1	—	1	—	—	—	—
		F	5	—	—	—	1	1	—	—	—	—
76A	Mastoid disease	M	41	—	1	—	5	6	3	3	1	1
		F	25	—	1	1	2	4	—	1	—	—
76B	Other diseases of the ears	M	79	—	3	5	9	17	9	4	3	—
		F	52	—	4	3	2	9	4	3	1	2
77	Pericarditis	M	53	—	—	—	2	2	1	3	—	—
		F	50	—	—	—	1	1	3	1	4	2
78	Acute endocarditis ...	M	113	—	—	—	—	—	—	—	1	1
		F	130	—	—	—	—	—	—	—	2	2
79A	Valvular disease... ...	M	1,528	—	—	—	—	—	—	—	1	—
		F	1,897	—	—	—	—	—	—	—	1	4
79B	Fatty degeneration of the heart.	M	336	—	—	—	—	—	—	1	—	—
		F	339	—	—	—	—	—	—	—	—	1
79C	Other organic disease of the heart.	M	1,626	—	—	—	—	—	—	1	—	—
		F	1,787	—	—	—	—	—	—	—	1	1
80	Angina pectoris	M	105	—	—	—	—	—	—	—	—	—
		F	42	—	—	—	—	—	—	—	—	—
81A	Aneurysm	M	198	—	—	—	—	—	—	—	—	—
		F	74	—	—	—	—	—	—	—	—	—
81B	Arterial sclerosis... ...	M	540	—	—	—	—	—	—	—	—	—
		F	454	—	—	—	—	—	—	—	—	—
81C	Other diseases of arteries	M	15	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
5	1	1	—	2	4	4	12	27	60	88	115	154	182	198	119	76	38	64
2	1	—	2	2	1	6	16	42	67	102	144	151	163	261	215	141	80	
—	—	—	1	—	—	—	1	3	8	2	9	11	8	8	10	—	3	65
—	—	—	—	—	—	1	5	1	8	4	8	12	17	9	11	7	3	
1	—	—	1	—	—	1	—	—	—	5	14	10	21	27	21	7	4	66
—	—	—	—	—	—	—	3	3	4	9	10	21	21	44	36	21	23	
—	—	1	2	3	8	36	65	63	65	42	31	8	5	2	1	1	—	67
—	—	—	3	—	2	8	9	17	12	11	8	4	2	—	1	1	1	
—	—	—	1	3	—	2	4	5	6	6	6	7	9	4	2	1	—	68
—	—	—	—	3	4	3	2	8	8	9	10	7	7	4	2	3	1	
3	5	4	15	13	24	13	17	19	14	12	17	14	9	15	8	6	3	69
4	4	3	12	11	15	9	16	20	13	13	7	15	11	8	5	2	2	
—	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	70
—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
305	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	71
235	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	72
—	2	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	2	1	1	7	2	3	2	—	—	1	—	73
—	—	—	1	3	—	3	6	9	6	5	3	3	6	3	2	1	—	
10	8	12	8	3	3	8	8	7	12	10	10	7	3	5	1	2	—	74
18	12	7	2	9	3	2	10	4	10	8	11	7	5	8	3	8	3	
1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	75
1	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	
14	8	6	2	2	4	1	3	—	—	1	—	—	—	—	—	—	—	76A
5	7	6	2	2	1	—	1	—	—	—	1	—	—	—	—	—	—	
33	4	10	9	3	2	5	3	4	1	1	—	3	—	1	—	—	—	76B
19	8	6	3	6	2	2	—	—	2	2	1	1	—	—	—	—	—	
6	7	5	4	3	2	2	2	1	2	6	2	4	4	3	—	—	—	77
11	7	7	4	2	—	1	1	2	2	1	—	4	2	3	2	1	—	
2	7	7	13	7	10	7	9	4	20	10	11	3	2	1	—	—	—	78
4	7	14	20	21	7	8	9	9	7	5	14	2	2	1	—	—	—	
1	22	35	33	32	32	36	65	79	129	142	168	208	194	163	117	54	18	79A
5	24	61	52	48	57	60	81	115	114	157	143	188	195	236	205	98	58	
1	1	—	—	—	4	3	4	13	27	26	30	51	65	54	31	17	9	79B
1	—	—	—	—	4	7	9	17	12	32	42	42	54	52	41	19	7	
1	7	17	17	12	14	20	43	62	79	117	172	229	245	238	191	103	59	79C
2	17	19	22	20	27	34	38	61	83	112	149	203	246	261	237	152	104	
—	—	—	—	—	—	—	1	1	6	12	15	21	20	13	10	5	1	80
—	—	—	—	—	—	—	—	—	4	3	4	4	7	5	10	3	2	
—	—	—	—	2	2	3	7	26	25	31	29	28	18	20	6	1	—	81A
—	—	1	—	—	1	2	3	5	5	6	8	13	9	10	7	4	—	
—	—	—	—	—	—	1	1	1	21	22	35	53	96	121	93	51	45	81B
—	—	—	—	1	—	1	1	1	6	10	16	40	61	84	99	70	64	
—	—	—	—	—	1	2	—	4	1	1	—	4	—	1	1	—	—	81C
—	—	—	—	—	—	—	—	—	3	—	1	—	1	3	3	1	—	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	M	155	—	—	—	—	—	—	—	—	—
		F	255	—	—	—	—	—	—	—	—	—
82B	Other embolism and thrombosis.	M	25	1	1	—	—	2	—	1	1	1
		F	27	—	—	1	—	1	—	—	—	1
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	8	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ...	M	36	2	6	8	4	20	5	2	1	—
		F	22	1	7	4	2	14	2	1	2	—
84B	Other diseases of the lymphatic system.	M	7	—	1	—	—	1	—	—	—	—
		F	9	—	—	1	1	2	2	—	—	1
85	Hæmorrhage; other diseases of the circulatory system.	M	13	—	1	—	—	1	—	—	—	—
		F	18	2	—	—	1	3	—	—	—	—
86	Diseases of the nasal fossæ.	M	2	—	—	—	—	—	—	—	—	1
		F	4	—	—	1	—	1	1	—	1	—
87	Diseases of the larynx ...	M	54	2	2	4	4	12	4	13	4	2
		F	38	—	1	2	3	6	10	1	6	3
88	Diseases of the thyroid body.	M	7	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	—	—	—	—	—
89 & 90	Bronchitis	M	3,485	63	126	121	142	452	122	33	22	11
		F	3,573	43	75	84	122	324	98	35	8	4
91	Broncho-pneumonia ...	M	1,794	33	107	157	416	713	416	143	73	33
		F	1,679	25	77	127	342	571	389	133	64	27
92A	Lobar pneumonia ...	M	974	1	10	9	26	46	41	22	15	9
		F	729	7	5	7	13	32	42	19	10	6
92B	Pneumonia (type not stated).	M	1,118	8	28	29	97	162	88	35	15	12
		F	839	9	17	24	70	120	91	34	19	8
93	Pleurisy	M	141	—	—	—	4	4	6	5	3	3
		F	81	—	—	2	5	7	9	3	1	1
94	Pulmonary congestion, Pulmonary apoplexy.	M	78	1	1	2	5	9	3	1	1	1
		F	140	5	3	4	8	20	4	1	1	—
95	Gangrene of the lung ...	M	11	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
96	Asthma	M	165	—	—	—	—	—	—	—	—	—
		F	111	—	—	—	—	—	—	—	—	—
97	Pulmonary emphysema	M	64	—	—	—	—	—	—	—	—	—
		F	36	—	—	—	—	—	—	—	—	—
98A	Fibroid disease of lung ...	M	18	—	—	—	—	—	—	—	1	—
		F	15	—	—	—	—	—	—	—	—	—
98B	Other diseases of the respiratory system.	M	25	—	—	1	—	1	3	—	—	1
		F	15	—	—	—	1	1	—	—	1	1
99A	Diseases of the teeth and gums.	M	19	—	1	1	1	3	1	1	—	—
		F	22	—	1	—	1	2	—	1	1	1
99 B, C, D	Other diseases of the mouth and annexa.	M	7	1	—	1	—	2	—	—	—	—
		F	4	—	—	—	—	—	1	—	—	—
100	Diseases of pharynx, Tonsillitis.	M	55	1	1	2	3	7	8	2	4	2
		F	41	—	—	—	4	4	3	1	2	1

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	2	—	—	2	3	2	2	6	8	9	20	29	34	21	10	7	82A
—	1	1	2	—	4	2	3	5	8	16	18	24	31	46	47	33	14	
5	1	1	1	—	—	—	—	2	—	2	2	—	4	2	3	—	2	82B
2	1	—	—	—	1	—	—	1	3	—	2	2	5	9	—	—	1	
—	—	—	—	—	—	—	3	2	—	1	1	—	—	1	—	—	—	83
—	—	—	—	1	—	—	—	1	2	5	4	4	1	3	1	1	—	
28	5	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	84A
19	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	1	—	—	—	3	—	1	—	1	—	84B
5	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	1	
1	—	—	1	1	—	—	—	1	1	—	—	3	1	1	1	2	—	85
3	—	1	1	—	—	2	—	—	1	3	1	—	2	—	2	1	1	
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	86
3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
35	6	1	—	—	1	1	3	—	—	1	1	1	3	—	1	—	—	87
26	5	—	—	—	—	—	—	1	2	1	—	—	1	—	—	1	1	
—	—	—	1	—	—	—	1	—	—	1	—	2	2	—	—	—	—	88
—	1	—	—	—	—	1	—	—	3	5	3	4	7	6	1	—	1	
640	10	4	5	12	14	30	69	91	131	158	254	383	371	484	398	271	160	89 & 90
469	9	1	3	8	8	11	32	58	70	127	164	291	382	535	592	459	354	
1,378	42	6	6	2	2	12	6	18	24	47	37	31	48	68	34	20	13	91
1,184	40	14	6	2	4	12	12	24	15	27	38	44	57	59	60	52	29	
133	20	9	14	24	30	61	68	85	93	91	92	88	72	41	27	17	9	92A
109	26	8	21	20	40	24	32	47	55	57	50	56	55	50	49	21	9	
312	21	13	20	16	25	45	67	60	64	102	75	89	75	60	37	28	9	92B
272	33	7	19	9	18	18	22	27	38	59	46	55	56	57	52	29	22	
21	8	2	1	2	4	4	5	11	11	11	13	14	16	8	3	7	—	93
21	2	1	2	2	3	2	2	4	3	3	8	5	4	8	6	2	3	
15	—	—	—	—	—	—	4	2	—	5	2	5	6	9	8	13	9	94
26	1	—	2	—	3	—	1	2	6	1	—	8	9	12	22	22	25	
—	—	—	1	1	—	—	3	—	—	1	3	1	1	—	—	—	—	95
—	—	—	—	1	—	—	1	1	2	1	—	1	—	—	—	—	—	
—	—	—	—	—	2	3	9	18	20	19	22	22	14	15	13	7	1	96
—	1	—	—	3	1	2	5	3	10	16	17	16	9	12	8	5	3	
—	—	—	—	—	1	1	2	2	5	8	6	7	13	12	5	2	—	97
—	—	—	—	—	1	—	4	—	4	3	1	5	6	4	5	3	—	
1	—	—	1	—	—	—	—	—	4	1	3	4	2	—	1	1	—	98A
—	1	—	2	—	—	—	—	1	1	1	1	1	2	2	2	—	1	
5	—	—	1	1	2	2	1	—	3	—	1	2	2	3	2	—	—	98B
3	—	—	—	—	—	1	1	—	1	2	1	1	1	1	1	2	—	
5	2	—	—	—	—	3	2	1	1	—	1	1	2	—	1	—	—	99A
5	6	—	—	—	1	1	—	—	2	—	1	2	2	1	—	1	—	
2	—	—	1	1	—	—	—	—	—	—	—	—	2	—	—	1	—	99 B, C, D.
1	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	
23	8	3	3	3	1	—	1	1	1	3	4	—	1	—	1	2	—	100
11	7	4	2	1	3	—	—	2	3	1	1	1	—	—	3	1	1	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ...	M	6	—	—	—	—	—	—	1	—	—
		F	2	—	—	—	—	—	—	—	1	—
102	Perforating ulcer of stomach.	M	152	—	—	—	—	—	1	—	—	—
		F	146	—	—	—	—	—	—	—	—	—
103A	Inflammation of stomach	M	124	11	22	19	13	65	4	3	2	—
		F	133	10	15	12	9	46	5	3	2	2
103B	Other diseases of the stomach.	M	30	1	1	2	2	6	1	—	—	—
		F	45	—	6	3	2	11	—	—	—	1
104 & 105.	Diarrhœa and enteritis ...	M	1,669	65	272	393	438	1,168	212	39	11	12
		F	1,429	32	200	332	394	958	218	36	17	6
106	Ankylostomiasis... ...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	1	—	—	1	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
108	Appendicitis	M	142	—	—	1	—	1	—	1	2	1
		F	126	—	—	—	—	—	—	2	2	2
109A	Hernia	M	100	3	4	4	—	11	2	—	—	—
		F	158	1	1	—	1	3	—	—	—	—
109B	Intestinal obstruction ...	M	153	2	—	13	13	28	6	5	4	2
		F	151	1	1	5	7	14	1	3	1	—
110	Other diseases of the intestines.	M	43	1	2	2	1	6	3	—	1	—
		F	45	—	1	2	—	3	2	—	—	—
111	Acute yellow atrophy of liver.	M	2	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
112	Hydatid of liver ...	M	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ...	M	320	—	—	—	—	—	1	—	—	—
		F	338	—	—	—	—	—	—	—	—	1
114	Biliary calculi	M	14	—	—	—	—	—	—	—	—	—
		F	49	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	43	—	—	—	1	1	—	1	—	—
		F	64	—	—	1	1	2	—	1	1	—
116	Diseases of the spleen ...	M	3	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M	25	1	2	1	1	5	1	—	—	1
		F	42	—	4	2	—	6	3	—	3	1
118	Other diseases of the digestive system.	M	15	—	—	—	—	—	—	—	—	—
		F	20	—	—	—	—	—	—	—	—	—
119	Acute nephritis	M	117	2	3	3	3	11	5	3	3	4
		F	79	—	—	—	2	2	1	4	1	2
120	Bright's disease	M	1,063	—	—	—	—	—	—	—	—	1
		F	898	—	—	—	—	—	—	—	1	—
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the kidney and annexa.	M	39	1	—	2	—	3	—	—	—	—
		F	46	—	—	—	1	1	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1	—	—	—	—	—	—	1	1	—	—	—	—	1	1	—	—	1	101
1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
1	—	—	4	2	11	10	12	20	24	24	13	18	7	6	—	—	—	102
—	1	1	2	4	14	8	10	17	18	18	14	15	10	6	4	2	2	
74	—	—	—	—	—	—	4	4	11	—	4	6	2	12	5	1	1	103A
58	3	—	1	3	3	4	1	6	2	8	4	7	7	11	7	4	4	
7	—	—	—	1	1	1	—	—	2	3	3	2	6	—	1	3	—	103B
12	—	—	—	—	—	3	1	1	—	6	5	3	4	2	—	6	2	
1,442	12	4	1	3	9	14	8	24	21	26	11	23	17	23	15	10	6	104 &
1,235	11	—	2	7	8	6	14	9	14	12	17	10	16	16	26	15	11	105
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	107
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	17	15	12	12	7	6	9	15	8	7	5	14	5	2	2	1	—	108
6	22	12	11	14	7	10	4	7	6	6	7	4	5	1	3	1	—	
13	—	—	1	3	1	2	2	7	1	4	6	18	9	13	8	11	1	109A
3	—	—	—	—	2	4	1	8	7	11	25	18	26	25	17	10	1	
45	5	6	5	1	3	5	4	6	7	8	10	11	9	13	8	5	2	109B
19	3	2	1	3	5	6	5	9	7	7	14	10	14	17	14	8	7	
10	1	—	1	2	—	—	—	1	2	2	5	4	3	5	5	2	—	110
5	1	—	1	—	—	2	2	4	1	3	3	3	1	4	9	4	2	
—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	111
—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	112
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
1	—	2	1	3	1	8	15	25	33	52	56	43	43	25	11	1	—	113
1	—	—	—	1	3	5	18	38	53	69	50	30	34	17	15	3	1	
—	—	—	—	—	—	—	—	—	1	—	2	1	6	2	2	—	—	114
—	—	—	—	1	2	2	1	3	2	7	6	3	7	10	5	—	—	
2	—	1	—	2	2	1	2	1	3	6	2	4	8	5	3	1	—	115
4	—	1	1	—	—	2	2	4	7	8	5	6	5	9	5	4	1	
—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	116
—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
7	—	2	1	1	—	1	4	1	4	—	1	—	2	—	1	—	—	117
13	3	4	—	1	2	2	3	—	1	1	3	3	2	2	2	—	—	
—	—	—	—	—	2	1	—	2	2	4	2	2	—	—	—	—	—	118
—	—	1	1	2	—	—	3	2	3	2	2	2	1	—	—	1	—	
26	6	5	5	5	3	7	10	8	13	8	7	3	4	5	2	—	—	119
10	6	1	4	3	7	3	1	3	5	7	5	8	4	5	4	2	1	
1	3	5	10	17	13	22	41	51	91	135	124	172	151	109	83	27	8	120
1	2	6	9	11	18	17	38	39	88	112	88	114	107	117	81	32	18	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	2	—	—	1	—	4	1	2	6	5	5	2	2	4	2	—	122
1	1	1	—	1	1	3	7	2	5	8	5	3	2	—	2	3	1	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages.	M	23	—	—	—	—	—	2	—	—	—
		F	12	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder...	M	154	—	—	—	—	—	—	—	1	—
		F	27	—	—	—	—	—	—	—	—	—
125	Diseases of the urethra, Urinary abscess, &c.	M	65	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate...	M	180	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	9	1	4	—	—	5	2	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	20	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	—	—	—	—	—
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	36	1	1	—	—	2	1	—	—	—
133	Non-puerperal dis. of the breast (non-cancerous).	M	2	—	2	—	—	2	—	—	—	—
		F	5	—	—	—	—	—	—	—	1	—
134	Accidents of pregnancy...	M	—	—	—	—	—	—	—	—	—	—
		F	35	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	33	—	—	—	—	—	—	—	—	—
136	Other accidents of child-birth.	M	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	—	—	—	—	—
137	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—
		F	132	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	33	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	285	—	—	—	—	—	—	—	—	—
142A	Senile gangrene	M	73	—	—	—	—	—	—	—	—	—
		F	79	—	—	—	—	—	—	—	—	—
142B, C, D.	Gangrene, other types ...	M	16	—	1	—	—	1	1	—	1	1
		F	11	—	1	—	—	1	1	2	—	1
143	Carbuncle, Boil	M	31	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
144	Phlegmon, Acute abscess	M	71	—	2	2	6	10	4	1	—	—
		F	55	—	2	2	6	10	2	1	—	—
145	Diseases of the integumentary system.	M	54	11	9	1	4	25	3	—	—	—
		F	70	7	1	2	2	12	1	1	—	—

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
2	—	—	—	1	1	2	3	1	1	3	1	2	4	—	2	—	—	123
—	—	—	—	1	—	—	2	—	1	1	2	1	—	1	1	1	1	
1	—	—	—	—	1	2	2	1	4	6	13	17	32	26	20	20	9	124
—	—	—	—	1	—	—	1	1	1	2	3	2	4	2	4	5	1	
—	—	—	—	—	—	2	1	2	5	9	11	9	13	3	5	2	3	125
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	1	3	3	12	38	34	49	25	14	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	—	—	—	2	2	6	13	8	2	4	5	1	2	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	—	—	—	1	2	1	1	3	3	2	1	1	2	3	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
—	—	—	—	—	2	1	1	—	4	2	8	6	4	2	2	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
3	—	—	1	3	8	5	8	3	1	2	1	—	—	—	1	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
1	—	—	—	2	—	—	—	—	—	1	—	—	—	—	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	—	3	5	7	9	9	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	—	1	4	11	11	5	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	—	5	10	4	9	3	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	—	3	26	32	32	29	10	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	1	7	5	9	5	5	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	—	3	5	3	4	1	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
—	—	—	4	45	63	66	67	34	6	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	1	11	10	19	15	12	4	142A
—	—	—	—	—	—	—	—	—	—	—	1	3	11	12	19	16	17	
4	—	2	—	—	—	—	1	—	1	1	3	—	—	3	1	—	—	142B, C, D.
5	—	1	—	—	1	—	—	1	2	1	—	—	—	—	—	—	—	
—	—	—	—	—	1	2	1	—	3	1	4	7	3	3	4	2	—	143
—	—	—	—	—	1	—	—	—	—	1	4	1	—	1	2	—	1	
15	—	1	1	1	—	2	3	5	6	5	5	10	5	4	6	2	—	144
13	2	—	—	—	2	—	—	4	3	6	3	4	6	4	4	2	2	
28	—	—	—	—	—	—	—	—	—	2	4	3	4	5	3	5	—	145
14	—	—	1	1	—	1	—	2	2	1	1	5	6	10	10	6	10	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ...	M	45	—	3	—	—	3	3	4	2	—
		F	29	—	—	—	2	2	2	2	—	—
147	Diseases of the joints ...	M	16	1	1	1	—	3	2	—	—	—
		F	5	—	—	—	1	1	—	—	—	—
148	Amputations	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	4	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
150	Congenital malformations	M	293	141	63	30	21	255	7	3	3	3
		F	221	120	44	22	13	199	7	—	1	—
151A	Premature birth	M	1,023	924	90	6	3	1,023	—	—	—	—
		F	774	688	78	7	1	774	—	—	—	—
151, B–E.	Infantile debility, Icterus and Sclerema.	M	632	231	190	130	81	632	—	—	—	—
		F	464	164	136	109	55	464	—	—	—	—
152	Other diseases peculiar to early infancy.	M	237	223	14	—	—	237	—	—	—	—
		F	156	148	8	—	—	156	—	—	—	—
153	Lack of care	M	16	16	—	—	—	16	—	—	—	—
		F	17	17	—	—	—	17	—	—	—	—
154	Old age	M	1,140	—	—	—	—	—	—	—	—	—
		F	1,900	—	—	—	—	—	—	—	—	—
155	Suicide by poison ...	M	33	—	—	—	—	—	—	—	—	—
		F	39	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ...	M	27	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	40	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ...	M	27	—	—	—	—	—	—	—	—	—
		F	24	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ...	M	28	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	43	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	21	—	—	—	—	—	—	—	—	—
		F	21	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ...	M	5	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
163	Other suicides	M	2	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
164	Poisoning by food ...	M	6	—	—	—	—	—	1	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
165	Other acute poisonings ...	M	12	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	—	1	1	—	—
166	Conflagration	M	6	—	—	—	1	1	—	1	—	—
		F	7	—	—	—	—	—	1	1	—	2
167	Burns (conflagration excepted).	M	119	—	—	—	8	8	30	22	15	4
		F	163	—	—	1	6	7	20	13	13	15
168	Absorption of deleterious gases (conflagration excepted).	M	125	43	29	20	14	106	1	1	—	—
		F	114	29	46	20	5	100	2	—	—	1

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
12	6	11	2	—	—	1	1	2	1	1	1	2	2	2	1	—	—	146
6	3	1	1	2	—	—	—	—	—	2	3	3	2	2	3	1	—	
5	—	2	1	1	—	1	2	—	—	2	—	1	1	—	—	—	—	147
1	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	149
—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	
271	10	6	—	1	1	1	1	1	—	—	1	—	—	—	—	—	—	150
207	3	5	1	2	—	1	—	1	—	—	1	—	—	—	—	—	—	
1,023	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151A
774	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
632	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151 B–E.
464	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
237	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
156	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	5	30	70	223	288	291	233	154
—	—	—	—	—	—	—	—	—	—	—	5	26	85	261	457	493	573	
—	—	—	—	2	1	1	2	4	3	7	5	5	1	2	—	—	—	155
—	—	—	2	4	2	4	5	5	4	4	4	3	1	1	—	—	—	
—	—	—	1	2	3	3	3	1	4	3	4	1	1	1	—	—	—	156
—	—	—	1	—	1	—	5	1	1	—	1	—	—	1	—	—	—	
—	—	—	1	3	2	5	2	8	1	3	2	4	2	5	1	1	—	157
—	—	—	1	1	2	2	2	8	4	1	3	5	1	2	—	—	—	
—	—	—	—	2	1	3	1	3	5	1	6	3	2	—	—	—	—	158
—	—	—	1	3	—	1	6	4	4	2	2	1	—	—	—	—	—	
—	—	—	—	2	4	3	4	1	3	3	1	3	3	1	—	—	—	159
—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	
—	—	—	—	—	4	2	5	4	7	3	5	1	6	2	2	1	1	160
—	—	—	—	1	1	2	2	—	2	1	—	1	1	2	1	—	—	
—	—	—	—	—	—	2	2	3	2	2	3	2	5	—	—	—	—	161
—	—	—	—	1	2	2	6	—	4	1	4	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	2	—	—	1	1	—	—	—	—	162
—	—	—	1	2	—	—	2	—	1	—	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	163
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	1	—	1	—	—	3	—	—	—	—	—	—	—	—	164
—	—	—	—	1	—	—	—	2	—	—	2	—	—	—	1	—	—	
—	—	—	—	2	—	1	—	1	3	1	1	1	1	1	—	—	—	165
2	—	—	—	—	1	1	1	2	—	1	3	—	1	—	1	—	—	
2	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—	—	—	166
4	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	
79	11	—	1	1	1	3	1	—	2	1	8	1	2	4	2	—	2	167
68	23	9	4	—	1	4	1	2	2	5	2	9	3	13	9	2	6	
108	—	—	—	2	—	2	4	1	2	2	1	—	3	—	—	—	—	168
103	—	—	—	—	—	2	—	2	—	1	1	—	3	1	—	1	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ...	M	174	1	—	—	—	1	1	1	—	2
		F	44	—	2	—	—	2	2	—	1	—
170	Injury by firearms ...	M	5	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
171	Injury by cutting or piercing instruments.	M	5	1	—	—	1	2	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
172	Injury by fall	M	360	—	3	1	2	6	9	7	5	6
		F	288	—	—	—	4	4	4	6	—	1
173	Injury in mines and quarries.	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ...	M	35	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.).	M	539	—	—	1	—	1	3	5	6	14
		F	193	—	—	—	—	—	2	6	5	5
176	Injury by animals ...	M	5	—	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	—	—	—	—
177	Starvation	M	4	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
178	Excessive cold	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
179	Effects of heat	M	1	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	1	—	—
180	Lightning...	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
181	Electricity (lightning excepted)	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	5	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
184	Homicide by other means	M	14	4	—	—	2	6	—	2	—	—
		F	24	6	—	1	—	7	1	—	—	—
185	Fractures (cause not specified)	M	14	2	—	—	—	2	—	—	—	—
		F	5	1	—	1	—	2	—	—	—	—
186	Other violence	M	108	5	3	3	3	14	2	2	1	—
		F	65	—	4	2	4	10	3	2	3	1
155–186	All violence	M	1,768	56	35	25	31	147	47	42	27	27
		F	1,090	36	52	25	19	132	36	30	22	25
187	Dropsy	M	2	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
188A	Syncope (aged 1 year and under 70).	M	5	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
188B	Sudden death (not otherwise defined)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
189A	Heart failure (aged 1 year and under 70).	M	7	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
189 B–E.	Other ill-defined causes...	M	32	—	—	—	1	1	18	4	3	—
		F	28	—	—	—	—	—	19	5	1	—
189F	Cause not specified ...	M	2	2	—	—	—	2	—	—	—	—
		F	3	2	—	—	—	2	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
5	33	9	10	13	11	10	11	11	13	17	9	7	6	7	2	—	—	169
5	2	—	1	—	—	5	10	4	4	3	3	6	—	1	—	—	—	
—	—	—	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	170
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	171
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
33	9	6	8	6	17	15	19	26	33	25	20	28	20	27	34	26	8	172
15	5	4	2	1	1	3	14	10	9	7	15	16	21	37	40	46	42	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	5	3	2	—	5	7	2	5	2	2	2	—	—	—	—	—	174
—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
29	75	39	24	19	18	27	26	32	33	53	40	45	23	31	10	9	6	175
18	25	8	4	7	5	7	7	13	13	12	15	14	21	14	8	2	—	
1	—	1	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	176
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	1	—	177
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	178
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	179
1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	182
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	—	—	183
—	—	—	—	1	1	—	1	3	1	—	—	—	—	—	—	—	—	
8	—	—	—	—	2	—	1	—	1	—	—	—	1	—	1	—	—	184
8	2	—	1	2	4	4	1	1	—	—	—	—	—	—	—	1	—	
2	—	—	1	1	1	1	—	3	—	2	1	—	2	—	—	—	—	185
2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	
19	3	4	3	9	8	3	6	8	10	10	7	7	7	2	1	1	—	186
19	3	3	5	3	3	1	6	2	3	4	2	2	4	3	1	1	—	
290	131	65	54	69	73	92	99	110	136	139	116	114	87	83	54	39	17	155–186
245	62	25	24	28	25	39	69	62	53	44	60	59	56	76	61	53	49	
—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	187
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	2	—	2	—	—	—	—	188A
—	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	188B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	—	—	3	3	—	—	—	—	189A
—	—	—	—	—	—	—	—	—	1	1	1	2	1	—	—	—	—	
26	2	—	—	—	—	—	—	—	1	2	—	—	1	—	—	—	—	189 B–E
25	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	189F
2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	

Aggregate of County Boroughs.—Causes of Death

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All causes	M	100,992	6,530	3,446	3,568	6,149	19,693	6,540	2,598	1483	1074
		F	94,753	4,777	2,450	2,749	4,876	14,852	5,937	2,349	1455	957
1	Enteric fever	M	268	—	—	—	—	—	1	2	1	2
		F	199	—	—	—	—	—	—	1	2	2
2	Typhus	M	3	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	21	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
5	Small-pox	M	4	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
6	Measles	M	3,261	9	12	42	639	702	1,318	594	282	164
		F	3,039	7	8	42	553	610	1,217	544	260	166
7	Scarlet fever	M	447	—	1	—	14	15	50	67	60	59
		F	449	—	—	1	12	13	44	53	74	63
8	Whooping cough... ...	M	1,287	13	80	158	345	596	388	148	79	41
		F	1,452	15	91	134	331	571	486	190	105	42
9A	Diphtheria	M	992	1	—	3	45	49	134	130	137	136
		F	1,046	—	—	3	36	39	115	117	155	118
9 B, C	Croup	M	10	—	1	—	—	1	3	1	1	2
		F	5	—	—	—	—	—	3	—	1	—
10	Influenza	M	1,410	5	11	8	25	49	26	13	11	5
		F	1,388	1	6	8	14	29	18	13	15	4
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	4	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	2	2	—	—	—	—
14	Dysentery	M	80	—	—	—	3	3	1	—	—	3
		F	90	—	—	1	1	2	2	1	—	1
15	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	215	11	13	4	5	33	1	1	1	—
		F	188	6	8	3	13	30	3	2	—	—
19	Other epidemic diseases	M	23	1	1	3	8	13	5	2	—	—
		F	27	—	1	3	6	10	7	1	1	3
20	Pyæmia, Septicæmia ...	M	129	4	6	—	1	11	4	2	—	1
		F	68	4	5	2	2	13	1	2	—	1
21	Glanders	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only).

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
31,388	2,673	1499	1705	1805	2,092	2,742	3,633	4,298	4,950	5,799	6,590	7,497	7,303	7,238	5,306	2,921	1,553	All Causes.
25,550	2,615	1527	1845	1990	2,260	2,596	3,158	3,504	4,108	4,791	5,182	6,290	6,715	8,016	7,120	4,491	2,995	
6	13	25	20	27	38	21	30	33	19	13	14	5	—	4	—	—	—	1
5	11	21	23	32	17	22	19	17	14	6	4	4	1	1	2	—	—	
—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	1	3	1	1	3	2	1	3	2	2	—	—	—	4
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	5
—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
3,060	195	4	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	6
2,797	225	6	1	4	—	1	2	—	1	1	—	—	—	—	1	—	—	
251	125	42	15	3	4	3	3	—	—	—	—	1	—	—	—	—	—	7
247	125	44	16	8	3	2	3	—	—	—	—	1	—	—	—	—	—	
1,252	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
1,394	53	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
586	328	57	5	1	3	2	3	2	2	—	1	—	—	1	—	—	1	9A
544	402	71	7	4	3	7	4	1	—	2	1	—	—	—	—	—	—	
8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9 B, C
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
104	19	19	26	31	38	65	78	85	98	128	119	150	134	139	92	55	30	10
79	14	15	39	30	38	38	56	47	65	69	78	113	152	203	159	109	84	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	—	—	—	13
2	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
7	2	1	3	2	7	5	9	4	3	8	4	10	7	6	1	—	1	14
6	1	—	1	1	3	5	4	8	8	11	5	9	6	9	10	2	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
36	1	2	1	5	4	9	12	12	14	22	20	21	17	22	9	5	3	18
35	1	3	6	4	1	6	10	6	12	14	8	22	12	23	9	12	4	
20	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
22	3	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
18	4	6	13	5	1	6	7	11	11	16	8	3	9	5	4	—	2	20
17	5	3	2	3	7	1	4	—	5	4	2	3	5	5	2	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
22	Anthrax (Splenic fever)	M	6	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	31	2	—	1	—	3	—	—	1	—
		F	6	2	—	—	—	2	—	—	—	—
25	Mycoses	M	3	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
26	Pellagra	M	1	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
27	Beri-beri	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	8,445	1	3	6	43	53	55	42	26	21
		F	6,088	—	—	6	17	23	62	30	28	20
29A	Acute phthisis	M	612	—	—	4	2	6	9	8	2	3
		F	595	—	3	2	6	11	7	6	4	—
29B	Acute miliary tuberculosis	M	165	—	—	4	11	15	17	15	7	8
		F	140	—	1	3	6	10	17	9	6	1
28 & 29	Pulmonary tuberculosis, acute and chronic.	M	9,222	1	3	14	56	74	81	65	35	32
		F	6,823	—	4	11	29	44	86	45	38	22
30	Tuberculous meningitis	M	1,016	3	10	54	119	186	201	118	83	66
		F	907	3	12	25	100	140	188	106	83	47
31	Tuberculosis of peritoneum and intestines.	M	830	4	47	84	114	249	151	95	38	38
		F	719	2	29	56	91	178	117	63	30	15
32	Tuberculosis of spinal column.	M	114	—	—	—	1	1	1	2	3	1
		F	91	—	—	1	1	2	3	1	2	2
33	Tuberculosis of joints ...	M	66	—	—	1	—	1	1	—	1	—
		F	52	—	—	—	1	1	1	—	2	1
34	Tuberculosis of other organs.	M	121	3	1	1	4	9	9	1	3	2
		F	110	—	—	—	5	5	5	2	2	1
35	Disseminated tuberculosis	M	428	3	12	16	24	55	44	32	17	12
		F	307	1	4	8	27	40	31	17	18	11
28–35	Tuberculosis (all forms)	M	11,797	14	73	170	318	575	488	313	180	151
		F	9,009	6	49	101	254	410	431	234	175	98
36	Rickets, Softening of bones.	M	224	2	7	15	55	79	88	28	8	6
		F	155	1	2	11	28	42	62	30	5	4
37	Syphilis	M	485	116	122	65	32	335	17	5	2	1
		F	364	67	84	65	24	240	14	3	1	—
38	Other venereal diseases...	M	16	4	4	3	—	11	—	—	—	—
		F	11	2	4	1	—	7	—	—	—	—
39	Cancer of the buccal cavity.	M	773	—	—	—	—	—	—	1	1	—
		F	127	—	—	—	—	—	—	—	—	—
40	Cancer of the stomach, liver, &c.	M	2,137	—	—	—	—	—	—	—	—	—
		F	2,068	—	—	—	—	—	—	—	—	—
41	Cancer of the peritoneum, intestines, and rectum.	M	1,101	—	—	—	—	—	—	1	1	—
		F	1,254	—	—	—	—	—	—	—	—	—
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	1,726	—	—	—	—	—	—	—	—	—
43	Cancer of the breast ...	M	11	—	—	—	—	—	—	—	—	—
		F	1,248	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	—	2	1	1	—	—	1	1	—	—	—	—	—	22
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	4	6	1	1	2	2	3	3	2	—	1	—	1	1	—	—	—	24
2	1	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	25
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	26
—	—	—	—	—	—	—	1	2	—	4	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
197	103	143	445	693	749	941	1,166	1059	918	769	584	381	200	72	17	7	1	28
163	118	261	619	723	764	720	710	623	490	348	208	155	105	57	16	5	3	
28	15	14	49	50	60	74	94	64	61	37	37	18	9	2	—	—	—	29A
28	26	50	88	62	61	64	56	49	40	39	15	11	4	2	—	—	—	
62	17	14	15	11	2	8	11	5	9	7	3	1	—	—	—	—	—	29B
43	16	14	24	9	10	4	5	4	4	2	4	1	—	—	—	—	—	
287	135	171	509	754	811	1023	1271	1128	988	813	624	400	209	74	17	7	1	28 & 29
234	160	325	731	794	835	788	771	676	534	389	227	167	109	59	16	5	3	
654	179	89	32	15	12	10	7	8	3	2	3	1	1	—	—	—	—	30
564	169	83	36	21	9	4	7	3	3	5	3	—	—	—	—	—	—	
571	87	54	39	16	12	6	13	5	7	8	5	3	—	3	1	—	—	31
403	79	60	42	20	23	21	16	19	12	12	9	1	2	—	—	—	—	
8	11	15	14	8	11	7	8	11	7	3	2	6	2	1	—	—	—	32
10	3	7	13	6	3	8	5	5	3	7	7	3	4	4	1	2	—	
3	5	8	9	7	5	4	6	2	2	5	—	4	2	1	2	1	—	33
5	6	9	5	5	3	1	3	—	2	1	3	2	5	1	—	—	1	
24	3	7	11	6	7	9	4	10	6	10	8	5	3	5	2	1	—	34
15	3	10	5	6	6	8	10	6	9	10	6	6	2	2	4	2	—	
160	49	37	37	32	21	15	18	16	11	8	7	8	5	3	1	—	—	35
117	38	19	28	14	16	12	16	13	8	7	7	5	4	—	2	1	—	
1,707	469	381	651	838	879	1,074	1,327	1,180	1024	849	649	427	222	87	23	9	1	28–35
1,348	458	513	860	866	895	842	828	722	571	431	262	184	126	66	23	10	4	
209	6	1	—	1	—	1	2	—	1	—	2	—	1	—	—	—	—	36
143	3	—	—	—	—	—	2	1	1	—	1	1	3	—	—	—	—	
360	2	1	4	4	4	11	16	18	18	13	15	9	4	2	2	1	1	37
258	1	—	4	4	9	13	15	8	18	13	5	6	7	2	1	—	—	
11	—	—	—	1	—	—	1	—	1	2	—	—	—	—	—	—	—	38
7	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	
2	1	1	2	1	—	2	8	33	72	123	125	124	121	88	45	18	7	39
—	—	—	3	1	3	3	2	8	9	7	22	14	21	17	12	4	1	
—	—	—	3	4	6	16	53	89	194	272	317	372	374	264	117	48	8	40
—	1	—	2	5	2	28	56	102	141	224	285	336	319	300	164	73	30	
2	—	—	3	5	9	14	25	60	59	111	160	182	188	147	96	31	9	41
—	—	—	2	7	12	17	34	55	91	134	165	194	192	175	113	52	11	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
—	1	2	1	5	18	38	119	183	266	267	227	207	177	122	68	20	5	
—	—	—	—	—	—	—	1	1	1	1	—	—	5	1	—	1	—	43
—	—	—	—	—	9	21	68	98	137	181	144	188	130	121	73	49	29	

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ...	M	198	—	—	—	—	—	—	—	—	—
		F	117	—	—	—	—	—	—	—	—	—
45	Cancer of other or unspecified organs.	M	1,272	—	1	1	2	4	6	4	1	2
		F	697	—	1	—	—	1	1	5	1	3
39-45	Cancer (all sites) ...	M	5,492	—	1	1	2	4	6	6	3	2
		F	7,237	—	1	—	—	1	1	5	1	3
46	Other tumours (situation undefined).	M	32	—	—	—	—	—	—	—	1	—
		F	30	—	—	—	—	—	—	—	—	—
47	Rheumatic fever ...	M	346	—	—	—	1	1	—	1	1	10
		F	429	—	—	—	1	1	—	1	3	7
48 A, B	Chronic rheumatism, Osteo-arthritis.	M	182	—	—	—	—	—	—	—	—	—
		F	393	—	—	—	—	—	—	—	—	—
48C	Gout	M	93	—	—	—	—	—	—	—	—	—
		F	36	—	—	—	—	—	—	—	—	—
49	Scurvy	M	7	—	—	—	4	4	2	—	1	—
		F	8	—	1	1	1	3	2	—	1	—
50	Diabetes	M	754	—	—	—	—	—	1	1	1	1
		F	699	—	—	—	—	—	—	3	2	1
51	Exophthalmic goître ...	M	5	—	—	—	—	—	—	—	—	—
		F	111	—	—	—	—	—	—	—	—	—
52	Addison's disease ...	M	28	—	—	—	—	—	—	—	—	—
		F	36	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma.	M	123	—	—	—	1	1	3	1	1	1
		F	98	—	—	—	1	1	3	—	1	—
54	Anæmia, Chlorosis ...	M	355	—	—	2	2	4	3	2	2	2
		F	467	1	1	1	2	5	7	2	2	1
55	Other general diseases ...	M	99	12	7	5	3	27	4	3	1	2
		F	99	11	—	—	7	18	4	5	4	1
56	Alcoholism (acute or chronic).	M	111	—	—	—	—	—	—	—	—	—
		F	94	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning ...	M	34	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings.	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings	M	8	—	—	—	1	1	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
60	Encephalitis	M	57	1	—	—	3	4	2	—	1	—
		F	54	1	1	2	—	4	3	2	1	2
61A	Cerebro-spinal fever ...	M	198	1	2	6	22	31	20	4	11	14
		F	171	—	2	6	14	22	9	12	7	6
61B	Posterior basal meningitis	M	61	1	2	12	15	30	17	5	1	1
		F	37	1	1	4	12	18	4	4	—	2
61C	Meningitis, other forms	M	831	6	30	85	113	234	134	62	43	43
		F	695	8	14	47	81	150	126	58	34	35
62	Locomotor ataxy... ...	M	234	—	—	—	—	—	—	—	—	—
		F	52	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	497	—	1	1	3	5	5	4	3	1
		F	409	—	—	4	3	7	3	3	3	1

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	1	—	8	14	15	18	31	28	18	20	26	14	5	44
—	—	—	—	1	1	1	1	4	8	7	9	16	19	16	21	8	5	
17	10	6	15	23	20	16	39	71	88	151	176	221	176	137	73	25	8	45
11	7	4	12	9	5	18	44	40	63	74	94	84	87	77	50	10	8	
21	11	7	23	33	36	48	134	268	429	676	809	927	882	657	357	137	37	39–45
11	9	6	20	28	50	126	324	490	715	894	946	1,039	945	828	501	216	89	
1	—	—	—	—	1	1	—	4	1	6	5	5	5	—	3	—	—	46
—	—	—	2	—	—	—	2	1	4	4	5	2	5	2	2	1	—	
13	41	47	40	28	24	19	26	31	14	26	12	10	10	3	1	—	1	47
12	55	66	44	41	22	32	29	17	25	20	27	17	9	4	5	3	1	
—	—	—	2	—	3	2	5	4	8	18	18	29	30	34	16	10	3	48
—	—	—	2	—	1	4	5	12	24	35	27	54	59	81	57	19	13	A, B.
—	—	—	—	—	—	—	—	1	7	10	12	15	16	14	13	3	2	48C
—	—	—	—	—	—	—	1	—	—	7	4	3	5	3	6	4	3	
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	49
6	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
4	8	16	25	23	29	34	34	41	42	66	98	118	87	63	44	18	4	50
6	7	15	18	20	17	23	32	32	30	56	84	113	89	86	47	17	7	
—	—	—	—	—	—	—	—	—	2	—	2	—	—	1	—	—	—	51
—	—	1	5	9	7	10	18	10	15	15	5	9	2	4	—	—	1	
—	—	—	2	2	1	2	2	2	3	2	—	5	4	3	—	—	—	52
—	—	—	2	2	2	3	2	4	5	5	3	2	3	1	—	2	—	
7	13	5	4	4	10	7	8	18	6	14	17	5	3	2	—	—	—	53
5	3	7	4	6	4	5	11	14	11	9	7	4	2	5	1	—	—	
13	6	3	9	3	7	17	17	21	43	52	50	47	37	23	6	1	—	54
17	4	8	14	13	17	25	26	43	43	52	54	52	49	31	15	4	—	
37	8	8	5	3	3	3	4	2	2	7	6	2	3	—	3	3	—	55
32	5	8	9	7	3	9	2	2	3	3	3	4	3	3	1	1	1	
—	—	—	—	—	4	8	11	13	17	20	15	14	5	2	1	1	—	56
—	—	—	—	—	7	5	14	14	21	12	8	7	4	2	—	—	—	
—	—	—	—	—	—	3	4	4	6	6	5	4	2	—	—	—	—	57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	2	1	1	—	—	1	1	1	—	—	59
—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	
7	4	9	5	1	1	4	3	8	2	3	3	4	—	2	1	—	—	60
12	4	4	5	3	4	2	5	3	3	3	1	1	2	2	—	—	—	
80	27	17	22	15	5	6	6	4	3	5	4	3	—	1	—	—	—	61A
56	31	24	14	9	11	6	6	7	1	1	3	1	—	—	1	—	—	
54	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	61B
28	4	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
516	101	41	32	9	11	4	11	12	15	11	12	14	14	12	9	4	3	61C
403	97	58	29	11	10	13	8	9	6	11	9	7	1	6	9	3	5	
—	—	—	—	—	1	9	9	26	43	32	33	44	23	8	5	1	—	62
—	—	—	—	—	—	1	1	6	7	7	11	6	8	2	2	1	—	
18	7	8	10	6	10	16	35	25	36	50	48	60	57	60	37	10	4	63
17	6	4	9	9	16	14	18	33	36	37	40	36	47	39	27	16	5	

Aggregate of County Boroughs.—Causes of Death

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
64	Cerebral hæmorrhage, Apoplexy.	M	3,742	1	1	2	3	7	1	3	1	—
		F	4,645	1	2	—	3	6	2	1	—	1
65	Softening of brain ...	M	257	—	—	—	—	—	—	—	—	—
		F	274	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause.	M	500	—	—	1	—	1	—	1	—	—
		F	601	—	—	—	—	—	2	1	—	—
67	General paralysis of the insane.	M	726	—	—	—	—	—	—	—	—	—
		F	182	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation.	M	184	—	—	—	—	—	—	—	—	—
		F	247	—	—	—	—	—	—	—	1	—
69	Epilepsy	M	569	2	6	2	5	15	1	9	1	5
		F	479	1	2	—	3	6	7	2	3	1
70	Convulsions (non-puerperal; 5 years and over).	M	26	—	—	—	—	—	—	—	—	—
		F	21	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years).	M	1,858	589	333	249	382	1,553	240	44	15	6
		F	1,471	389	241	235	302	1,167	226	50	18	10
72	Chorea	M	13	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	—	—	—	2	1
73	Hysteria, Neuralgia, Neuritis.	M	55	—	—	—	—	—	—	—	—	—
		F	144	—	—	—	—	—	—	—	—	—
74	Other diseases of the nervous system.	M	365	4	1	—	13	18	4	6	7	5
		F	379	—	1	—	7	8	6	4	5	3
75	Diseases of the eyes and annexa.	M	10	—	1	—	—	1	3	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
76A	Mastoid disease	M	64	—	—	2	8	10	7	4	3	4
		F	47	—	—	3	3	6	3	3	1	2
76B	Other diseases of the ears	M	167	1	3	5	23	32	16	7	4	7
		F	156	—	6	5	14	25	16	11	3	4
77	Pericarditis	M	98	—	1	1	—	2	3	1	2	1
		F	69	—	—	—	—	—	—	1	2	1
78	Acute endocarditis ...	M	319	—	—	—	3	3	1	—	—	1
		F	400	—	—	1	—	1	2	3	2	6
79A	Valvular disease... ...	M	3,915	—	—	—	—	—	3	1	1	5
		F	4,534	—	—	—	3	3	1	3	2	8
79B	Fatty degeneration of the heart.	M	412	—	—	—	—	—	—	—	—	—
		F	536	—	—	—	—	—	—	—	1	—
79C	Other organic disease of the heart.	M	4,245	—	—	—	6	6	6	1	3	1
		F	4,475	—	—	—	4	4	2	2	4	1
80	Angina pectoris	M	280	—	—	—	—	—	—	—	—	—
		F	137	—	—	—	—	—	—	—	—	—
81A	Aneurysm	M	301	—	—	—	—	—	—	—	—	—
		F	76	—	—	—	—	—	—	—	—	—
81B	Arterial sclerosis... ...	M	1,705	—	—	—	—	—	—	—	—	—
		F	1,201	—	—	—	—	—	—	—	—	—
81C	Other diseases of arteries	M	31	—	—	—	—	—	—	—	—	—
		F	26	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
12	7	5	5	7	23	26	44	86	163	268	414	607	599	682	480	233	81	64
10	8	3	2	7	12	25	66	123	228	390	467	625	659	845	676	336	163	
—	—	—	—	2	1	—	4	8	7	7	29	38	44	46	39	23	9	65
—	—	1	—	—	—	1	5	8	3	13	25	32	43	46	47	30	20	
2	—	2	1	—	—	3	7	9	14	37	52	68	87	92	85	31	10	66
3	2	1	2	3	2	4	5	14	24	33	42	89	82	120	85	55	35	
—	—	—	1	7	14	73	137	130	135	108	58	39	22	1	1	—	—	67
—	—	—	4	—	8	15	32	37	28	18	17	7	8	3	4	1	—	
—	—	—	—	5	2	9	11	12	11	23	22	36	22	18	11	1	1	68
1	—	—	2	2	10	14	13	26	23	27	26	32	28	15	20	6	2	
31	25	32	56	44	32	32	42	48	40	40	36	45	31	15	15	3	2	69
19	14	18	28	34	27	45	43	40	40	42	31	36	21	16	13	9	3	
—	15	5	—	1	—	—	—	—	2	—	1	—	—	—	1	—	1	70
—	15	1	—	1	—	—	1	1	—	2	—	—	—	—	—	—	—	
1,858	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	71
1,471	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	5	1	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	72
3	8	8	15	4	1	—	—	—	—	1	—	1	2	2	—	1	—	
—	—	1	1	1	2	2	6	6	5	4	7	7	4	5	2	2	—	73
—	—	—	—	2	1	7	12	27	24	19	14	12	9	12	5	—	—	
40	32	9	15	15	12	17	22	33	22	29	29	24	25	19	13	5	4	74
26	16	28	20	16	15	19	33	30	35	38	20	23	24	15	16	2	3	
4	—	—	1	—	—	—	—	1	—	1	1	—	—	1	—	—	1	75
—	1	1	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	
28	9	9	5	2	3	1	—	1	—	2	2	1	—	1	—	—	—	76A
15	8	5	7	2	1	3	3	—	—	3	—	—	—	—	—	—	—	
66	22	19	11	11	7	6	4	4	4	5	1	4	2	—	1	—	—	76B
59	20	22	12	12	3	7	1	3	2	8	1	2	3	—	—	—	1	
9	10	8	4	—	3	4	5	11	10	9	8	6	4	3	1	3	—	77
4	9	4	2	4	1	3	5	1	2	4	5	6	5	8	3	1	2	
5	16	18	28	18	15	27	23	25	32	44	53	7	2	3	2	1	—	78
14	18	26	23	23	29	32	22	33	45	53	54	3	8	7	4	5	1	
10	54	56	89	78	101	147	159	253	280	356	444	533	552	462	229	80	32	79A
17	61	104	120	120	143	147	218	264	328	359	446	523	538	519	377	177	73	
—	—	—	—	1	1	4	7	19	24	42	60	63	82	61	23	22	3	79B
1	—	—	—	2	4	5	14	26	28	61	67	83	99	70	47	21	8	
17	21	40	29	41	56	57	102	157	226	298	478	631	683	675	446	194	94	79C
13	26	49	61	41	70	74	110	155	234	337	385	576	639	759	529	267	150	
—	—	—	—	—	—	4	2	13	18	24	41	50	54	40	25	8	1	80
—	—	—	1	—	1	1	1	5	11	13	17	24	19	21	17	4	2	
—	—	—	—	—	3	5	13	46	63	46	42	39	23	7	9	3	2	81A
—	—	—	2	—	—	3	3	9	7	10	9	15	3	9	2	3	1	
—	1	—	—	1	2	—	4	19	35	68	178	234	299	345	277	168	74	81B
—	—	—	—	—	3	1	7	8	12	35	69	106	158	257	246	174	125	
—	—	—	—	1	—	1	1	1	2	3	3	7	4	6	2	—	—	81C
—	—	—	—	—	—	1	—	—	—	1	2	2	4	3	7	4	2	

Aggregate of County Boroughs.—Causes of Death

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	M	358	—	1	—	—	1	1	—	—	—
		F	494	—	—	—	—	—	1	—	—	1
82B	Other embolism and thrombosis.	M	47	2	—	—	—	2	—	—	—	—
		F	59	1	—	—	—	1	—	—	1	—
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	34	—	—	—	—	—	—	—	—	—
		F	55	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ...	M	36	4	4	6	6	20	2	1	—	1
		F	26	2	2	5	1	10	6	—	1	—
84B	Other diseases of the lymphatic system.	M	22	1	1	1	5	8	2	—	1	—
		F	18	1	—	—	4	5	2	3	—	—
85	Hæmorrhage; other diseases of the circulatory system.	M	34	—	—	—	1	1	—	—	—	—
		F	54	—	—	—	—	—	—	—	—	—
86	Diseases of the nasal fossæ.	M	10	—	2	—	2	4	—	—	—	2
		F	13	—	1	1	—	2	—	—	—	—
87	Diseases of the larynx ...	M	240	6	8	15	27	56	41	26	28	24
		F	190	5	—	5	16	26	42	37	19	12
88	Diseases of the thyroid body.	M	23	—	—	—	—	—	—	1	—	—
		F	68	—	—	—	—	—	—	—	2	—
89 & 90.	Bronchitis	M	9,524	179	416	427	717	1,739	541	126	61	27
		F	9,860	116	295	357	589	1,357	475	112	59	29
91	Broncho-pneumonia ...	M	4,822	45	219	412	1,176	1,852	1,288	427	187	104
		F	4,245	41	157	276	893	1,367	1,087	363	175	85
92A	Lobar pneumonia ...	M	2,515	6	16	23	87	132	97	57	36	21
		F	1,518	1	8	16	47	72	84	38	30	12
92B	Pneumonia (type not stated).	M	3,251	23	49	95	230	397	281	105	54	45
		F	2,237	9	38	68	162	277	246	93	60	47
93	Pleurisy	M	306	1	1	—	3	5	17	8	5	2
		F	231	—	—	1	4	5	16	7	4	2
94	Pulmonary congestion, Pulmonary apoplexy.	M	272	13	9	10	16	48	21	5	2	2
		F	281	8	13	4	9	34	7	5	3	2
95	Gangrene of the lung ...	M	18	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
96	Asthma	M	401	—	—	—	—	—	1	1	3	1
		F	331	—	—	—	—	—	2	—	—	—
97	Pulmonary emphysema	M	126	—	—	—	—	—	—	—	—	—
		F	56	—	—	—	—	—	1	—	—	—
98A	Fibroid disease of lung ...	M	57	—	—	—	—	—	1	—	—	—
		F	19	—	—	—	—	—	—	—	—	—
98B	Other diseases of the respiratory system.	M	68	—	—	—	2	2	1	2	—	1
		F	45	—	2	2	—	4	1	2	1	—
99A	Diseases of the teeth and gums.	M	47	3	6	2	3	14	6	2	2	2
		F	48	3	2	—	3	8	8	1	—	3
99B, C, D.	Other diseases of the mouth and annexa.	M	30	10	7	4	2	23	2	2	1	—
		F	31	9	10	—	5	24	2	—	1	—
100	Diseases of pharynx, Tonsillitis.	M	114	1	—	1	5	7	8	8	7	7
		F	85	1	—	—	2	3	9	8	6	3

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
2	1	1	4	4	4	1	5	6	13	21	37	44	59	69	44	27	16	82A
2	1	—	2	3	4	6	3	10	24	24	46	59	58	76	78	65	33	
2	—	2	—	—	—	4	6	1	2	5	4	5	7	3	5	—	1	82B
2	—	—	1	3	1	2	8	5	4	8	6	5	4	3	4	2	1	
—	—	—	1	—	2	3	2	6	4	5	2	1	3	3	2	—	—	83
—	—	—	—	2	—	2	4	2	4	8	12	8	6	2	2	2	1	
24	3	6	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	84A
17	2	2	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
11	1	—	—	—	1	1	—	3	1	—	1	—	1	1	—	—	1	84B
10	1	—	—	1	2	—	—	—	1	—	—	1	1	—	—	1	—	
1	1	—	—	1	—	1	—	1	—	1	4	5	5	7	4	1	2	85
—	—	—	—	—	—	4	2	2	3	3	7	8	4	9	9	2	1	
6	1	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	86
2	3	1	—	2	—	1	—	—	1	1	—	—	—	1	—	1	—	
175	28	3	—	1	1	1	1	2	4	2	2	5	8	3	3	1	—	87
136	27	5	1	—	1	2	4	2	2	2	1	1	1	2	2	1	—	
1	—	2	4	2	—	—	1	3	1	2	1	3	—	3	—	—	—	88
2	—	3	3	1	1	2	3	5	6	3	8	6	14	4	6	1	—	
2,494	53	19	10	21	28	69	117	204	328	448	670	970	1,120	1,232	968	505	268	89 & 90.
2,032	42	21	13	19	36	43	83	119	268	400	543	843	1,127	1,479	1,412	862	518	
3,858	116	17	10	13	13	16	46	50	66	79	82	134	107	95	70	31	19	91
3,077	151	29	14	23	28	22	40	33	50	70	88	117	126	137	134	69	37	
343	86	65	70	78	102	174	204	208	258	241	204	199	126	83	53	14	7	92A
236	71	37	55	52	70	75	90	105	105	104	123	94	106	79	78	27	11	
882	108	53	60	69	102	138	184	196	227	256	236	270	191	150	77	35	17	92B
723	79	53	33	56	64	93	83	116	103	111	103	133	134	156	105	58	34	
37	8	7	12	11	14	15	24	19	20	22	25	20	30	20	14	7	1	93
34	14	6	4	2	11	8	14	11	11	21	11	23	22	19	9	7	4	
78	9	3	—	2	1	2	7	7	10	13	9	16	19	28	26	28	14	94
51	1	2	3	1	6	2	6	6	8	2	14	12	19	40	43	33	32	
—	1	1	—	—	—	1	1	—	3	4	1	5	—	1	—	—	—	95
—	1	—	—	—	—	—	3	2	1	—	1	—	1	—	—	—	—	
6	2	2	1	2	4	11	20	27	37	48	50	53	69	42	18	7	2	96
2	2	2	2	1	8	9	14	18	33	33	54	37	44	43	18	7	4	
—	—	—	—	—	—	3	3	5	12	11	15	24	14	18	12	6	3	97
1	—	—	—	1	—	—	2	1	2	1	4	13	9	8	7	5	2	
1	—	—	2	—	2	3	1	5	9	10	7	6	8	3	—	—	—	98A
—	—	—	—	1	—	—	1	—	3	3	3	2	3	1	1	1	—	
6	1	—	1	2	2	4	4	6	2	16	6	5	6	4	2	1	—	98B
8	—	—	—	1	1	—	2	7	2	3	5	4	2	5	1	2	2	
26	—	—	2	1	2	1	—	3	2	2	1	3	3	1	—	—	—	99A
20	1	3	1	3	2	1	2	3	1	2	2	3	1	1	1	1	—	
28	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	99B C, D
27	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	1	—	
37	20	9	7	—	2	5	3	6	7	6	5	1	3	2	1	—	—	100
29	18	7	2	3	4	3	2	3	2	2	1	1	5	2	—	1	—	

Aggregate of County Boroughs.—Causes of Death

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ...	M	15	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	317	—	—	1	—	1	—	1	1	—
		F	289	—	—	—	—	—	—	—	—	—
103A	Inflammation of stomach	M	610	62	108	97	68	335	46	12	10	6
		F	610	35	86	49	59	229	49	15	12	6
103B	Other diseases of the stomach.	M	113	6	13	9	2	30	2	3	3	—
		F	104	5	9	6	1	21	4	5	1	—
104 & 105.	Diarrhœa and enteritis ...	M	5,015	240	747	1,079	1,236	3,302	830	150	49	33
		F	3,989	127	443	787	1,013	2,370	745	126	65	35
106	Ankylostomiasis... ...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	5	—	—	—	—	—	—	1	1	—
		F	3	—	—	—	—	—	—	1	—	1
108	Appendicitis	M	432	—	—	—	—	—	—	2	6	3
		F	335	—	—	—	—	—	1	1	4	3
109A	Hernia	M	289	6	5	13	7	31	5	3	1	—
		F	353	4	1	1	2	8	—	1	—	—
109B	Intestinal obstruction ...	M	405	5	8	25	40	78	11	8	9	8
		F	401	4	6	14	21	45	14	1	1	2
110	Other diseases of the intestines.	M	94	—	3	7	6	16	—	—	—	—
		F	98	1	6	3	4	14	—	—	1	—
111	Acute yellow atrophy of liver.	M	5	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
112	Hydatid of liver ...	M	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ...	M	665	—	—	—	—	—	—	—	1	—
		F	505	—	—	—	1	1	—	—	—	—
114	Biliary calculi	M	74	—	—	—	—	—	—	—	—	—
		F	200	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	133	—	—	2	2	4	2	—	—	5
		F	181	—	1	6	1	8	3	2	3	3
116	Diseases of the spleen ...	M	7	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M	68	1	2	3	4	10	—	3	5	4
		F	94	1	2	2	1	6	1	2	—	4
118	Other diseases of the digestive system.	M	38	—	—	—	—	—	—	—	—	—
		F	31	—	—	—	—	—	—	—	—	—
119	Acute nephritis	M	417	3	6	4	11	24	26	25	16	15
		F	389	1	3	5	8	17	41	13	6	10
120	Bright's disease	M	2,464	—	—	—	—	—	2	4	4	1
		F	2,152	—	—	—	—	—	5	3	3	1
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the kidney and annexa.	M	69	—	1	1	—	2	2	2	—	1
		F	90	—	—	1	—	1	1	2	—	1

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	1	1	3	1	6	1	1	—	1	—	101
—	1	—	2	—	1	—	—	3	—	1	2	—	—	2	—	1	—	
3	1	3	1	13	23	28	40	41	36	36	26	32	11	10	8	2	3	102
—	1	6	10	22	26	31	39	34	27	26	20	21	13	8	4	1	—	
409	12	5	3	3	6	5	9	5	17	13	20	22	25	30	14	8	4	103A
311	11	5	5	3	4	7	12	16	17	16	24	33	35	39	33	28	11	
38	6	2	—	1	1	4	4	8	5	7	10	5	9	5	5	1	2	103B
31	5	1	1	1	—	3	6	3	3	7	9	4	10	6	5	6	3	
4,364	52	16	10	19	23	36	43	47	41	51	51	47	65	66	46	26	12	104 & 105
3,341	54	12	10	23	16	16	19	31	47	35	56	53	66	70	63	52	25	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	107
2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11	64	79	40	32	38	24	17	26	22	29	14	17	11	3	5	—	—	108
9	42	38	51	31	16	23	18	32	9	18	15	8	12	9	2	1	1	
40	3	1	2	4	5	6	7	16	16	24	24	27	39	32	25	13	5	109A
9	1	1	—	—	—	3	9	16	25	31	48	57	53	57	26	9	8	
114	18	7	7	7	5	6	11	21	23	21	33	21	41	35	22	7	6	109B
63	20	4	4	9	8	13	16	16	25	24	24	37	36	38	29	21	14	
16	2	1	2	1	1	3	1	4	7	10	7	11	10	11	3	3	1	110
15	1	1	1	1	4	5	4	8	3	3	7	9	3	8	12	9	4	
—	1	—	—	—	1	—	—	—	—	—	1	1	—	1	—	—	—	111
—	—	—	1	—	2	1	1	1	1	—	—	1	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	112
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	3	2	1	7	12	24	57	80	122	130	88	68	41	26	2	—	113
1	—	—	—	2	4	12	25	63	72	91	79	72	35	31	12	5	1	
—	—	—	—	—	1	2	2	3	7	13	9	12	10	7	4	2	2	114
—	—	—	—	—	1	5	2	11	10	20	30	34	29	21	17	8	12	
11	2	2	—	1	5	3	5	9	14	18	11	17	10	11	6	6	2	115
19	1	1	1	3	4	4	11	9	14	9	14	14	22	21	18	12	4	
—	—	—	—	1	—	—	4	1	—	—	—	1	—	—	—	—	—	116
—	—	—	—	1	—	—	—	—	—	1	2	1	—	—	1	—	—	
22	6	3	4	1	3	1	6	3	6	5	4	—	2	2	—	—	—	117
13	16	4	4	3	5	7	8	5	4	5	4	5	6	3	—	1	1	
—	1	2	—	1	—	1	4	5	2	1	8	7	3	1	2	—	—	118
—	—	1	—	—	3	4	3	4	3	4	2	2	2	1	2	—	—	
106	33	19	15	17	15	11	16	30	33	27	28	21	21	9	12	3	1	119
87	25	15	17	18	16	27	23	30	27	28	18	18	12	17	7	2	2	
11	15	22	23	30	39	66	82	160	228	297	357	374	317	228	135	57	23	120
12	14	11	34	41	47	66	88	148	213	232	256	294	249	203	148	75	21	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	—	1	1	1	2	6	—	4	5	8	5	5	6	5	8	4	1	122
5	3	—	—	2	4	8	7	6	10	7	6	11	7	5	5	3	1	

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages.	M	47	1	—	—	—	1	—	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder	M	314	2	—	—	—	2	—	—	—	—
		F	88	—	—	—	—	—	—	—	—	—
125	Diseases of the urethra, Urinary abscess, &c.	M	176	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate	M	445	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	15	1	4	1	1	7	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	113	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	49	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	88	—	—	—	—	—	—	—	—	—
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	79	1	—	2	—	3	2	2	—	—
133	Non-puerperal dis. of the breast (non-cancerous).	M	3	3	—	—	—	3	—	—	—	—
		F	9	2	1	—	1	4	—	—	—	—
134	Accidents of pregnancy...	M	—	—	—	—	—	—	—	—	—	—
		F	136	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	161	—	—	—	—	—	—	—	—	—
136	Other accidents of child-birth.	M	—	—	—	—	—	—	—	—	—	—
		F	138	—	—	—	—	—	—	—	—	—
137	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—
		F	479	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	200	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	89	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	1,226	—	—	—	—	—	—	—	—	—
142A	Senile gangrene	M	225	—	—	—	—	—	—	—	—	—
		F	188	—	—	—	—	—	—	—	—	—
142B, C, D.	Gangrene, other types ...	M	38	1	1	—	1	3	3	2	3	2
		F	49	—	—	1	1	2	4	5	4	10
143	Carbuncle, Boil	M	63	—	1	—	—	1	1	—	—	—
		F	29	—	—	—	—	—	—	—	—	—
144	Phlegmon, Acute abscess	M	143	13	7	11	6	37	3	—	2	2
		F	134	11	8	6	10	35	5	2	1	—
145	Diseases of the integumentary system.	M	166	38	19	8	12	77	8	1	1	—
		F	200	21	11	7	6	45	6	6	—	—

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
1	1	1	2	1	—	1	2	2	5	3	4	5	9	6	4	—	—	123
—	1	—	—	—	—	2	1	1	3	2	4	2	3	—	2	1	1	
2	—	—	—	1	1	1	5	6	10	7	34	35	57	58	58	28	11	124
—	—	—	—	3	1	3	—	7	6	8	4	7	10	13	9	7	10	
—	—	—	1	1	4	2	7	16	18	24	32	27	14	19	7	3	1	125
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	6	19	50	87	110	79	59	34	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	—	—	—	—	—	—	—	—	—	—	1	4	1	1	—	—	1	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	—	—	2	1	1	—	1	2	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	—	—	1	7	10	31	30	10	3	7	6	3	3	2	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	—	—	2	2	6	7	8	3	3	6	3	1	4	4	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
—	—	—	1	2	6	6	7	7	12	6	6	13	7	11	3	—	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
7	—	—	3	8	9	13	16	11	5	4	2	—	—	1	—	—	—	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
4	—	—	—	—	1	—	—	—	1	—	—	—	—	2	—	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	1	12	28	38	47	6	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	—	13	27	41	51	28	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	2	18	23	41	38	14	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	—	14	77	124	137	96	29	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	10	46	45	41	40	18	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	—	13	26	28	16	5	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	1	5	4	4	2	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	2	1	1	2	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
—	—	—	27	182	279	331	294	102	11	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	26	36	59	51	35	18	142A
—	—	—	—	—	—	—	—	—	—	1	2	20	24	41	42	28	30	
13	2	—	3	—	—	—	—	1	2	4	6	5	—	2	—	—	—	142B, C, D
25	4	2	—	1	1	1	1	—	1	3	6	—	2	1	—	1	—	
2	—	—	3	—	1	1	3	3	2	4	9	9	7	9	8	2	—	143
—	—	—	—	—	—	—	2	2	3	2	3	3	4	4	5	1	—	
44	1	3	—	3	2	6	4	7	6	12	10	10	13	9	7	5	1	144
43	1	3	3	1	7	1	8	7	6	11	6	9	5	7	6	7	3	
87	—	3	—	1	—	1	2	2	4	3	5	7	12	19	9	6	5	145
57	3	1	3	1	—	—	4	5	5	8	7	15	18	24	27	12	10	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ...	M	84	1	3	—	3	7	3	4	—	1
		F	63	—	1	—	3	4	4	1	2	3
147	Diseases of the joints ...	M	22	—	2	1	2	5	—	—	—	—
		F	20	1	2	—	—	3	3	—	—	—
148	Amputations	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	13	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
150	Congenital malformations	M	713	414	106	50	52	622	37	13	4	2
		F	560	299	95	57	40	491	15	9	6	1
151A	Premature birth	M	3,170	2,889	248	20	13	3,170	—	—	—	—
		F	2,561	2,281	250	25	5	2,561	—	—	—	—
151 B–E.	Infantile debility, Icterus and Sclerema.	M	2,160	1,049	558	325	228	2,160	—	—	—	—
		F	1,569	756	349	287	177	1,569	—	—	—	—
152	Other diseases peculiar to early infancy.	M	573	547	26	—	—	573	—	—	—	—
		F	375	367	8	—	—	375	—	—	—	—
153	Lack of care	M	46	46	—	—	—	46	—	—	—	—
		F	59	58	1	—	—	59	—	—	—	—
154	Old age	M	3,783	—	—	—	—	—	—	—	—	—
		F	5,734	—	—	—	—	—	—	—	—	—
155	Suicide by poison ...	M	47	—	—	—	—	—	—	—	—	—
		F	60	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ...	M	50	—	—	—	—	—	—	—	—	—
		F	35	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	160	—	—	—	—	—	—	—	—	—
		F	57	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ...	M	94	—	—	—	—	—	—	—	—	—
		F	95	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ...	M	32	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	134	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	26	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ...	M	21	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
163	Other suicides	M	2	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
164	Poisoning by food ...	M	22	—	—	—	—	—	—	—	2	1
		F	14	—	—	—	—	—	—	—	—	—
165	Other acute poisonings ...	M	31	—	—	1	1	2	2	—	1	—
		F	26	—	—	1	—	1	1	2	1	2
166	Conflagration	M	13	—	—	—	1	1	1	2	—	1
		F	9	—	—	—	—	—	—	—	1	—
167	Burns (conflagration excepted).	M	409	1	1	2	27	31	71	76	51	35
		F	619	2	1	4	13	20	58	55	55	56
168	Absorption of deleterious gases (conflagration excepted).	M	314	81	105	53	21	260	4	1	—	—
		F	259	58	88	56	20	222	3	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
15	11	16	8	5	3	3	3	—	—	3	7	4	4	2	—	—	—	146
14	7	5	6	2	1	1	1	4	4	1	5	1	2	2	6	—	1	
5	—	—	1	—	2	—	1	2	2	2	1	2	1	1	2	—	—	147
6	1	1	1	—	1	2	1	1	—	—	4	—	—	—	1	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	1	—	—	—	—	2	3	—	1	3	1	1	—	—	149
—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	
678	14	10	6	3	—	1	—	—	—	—	—	1	—	—	—	—	—	150
522	17	8	5	2	1	1	2	—	1	1	—	—	—	—	—	—	—	
3,170	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151A
2,561	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2,160	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151 B–E
1,569	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
573	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
375	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	2	2	17	79	240	895	1,049	880	619	154
—	—	—	—	—	—	—	—	—	—	2	22	90	281	1,031	1,601	1,440	1,267	
—	—	1	2	1	2	3	6	4	6	7	6	4	1	2	2	—	—	155
—	—	—	4	8	5	11	4	3	6	7	4	5	1	1	1	—	—	
—	—	—	—	3	4	2	3	5	8	8	2	10	5	—	—	—	—	156
—	—	—	2	—	3	1	5	2	8	2	5	3	2	1	1	—	—	
—	—	—	2	3	4	6	8	13	23	24	21	32	10	8	5	1	—	157
—	—	—	—	2	1	4	5	7	11	6	8	3	7	1	2	—	—	
—	—	1	3	3	3	4	9	11	8	14	13	9	12	2	1	1	—	158
—	—	—	12	7	4	9	13	10	16	10	4	5	3	1	—	1	—	
—	—	1	—	3	—	2	3	4	3	5	3	3	2	3	—	—	—	159
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	2	4	17	21	18	13	10	11	14	7	10	5	1	—	160
—	—	—	—	—	2	1	1	2	6	4	1	2	2	1	1	—	—	
—	—	—	—	1	2	2	2	1	5	3	4	4	—	—	1	1	—	161
—	—	—	1	—	1	1	1	2	5	1	1	1	1	3	—	—	—	
—	—	—	1	1	2	2	2	5	1	2	2	2	1	—	—	—	—	162
—	—	—	—	1	—	—	—	1	1	—	—	—	1	—	—	—	—	
—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	163
—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	
3	5	3	1	—	—	1	1	1	1	2	2	—	1	—	1	—	—	164
—	1	1	1	1	3	1	—	1	—	—	2	1	1	1	—	—	—	
5	2	2	1	2	2	1	1	3	3	2	2	1	2	1	1	—	—	165
7	—	1	—	—	2	3	1	2	2	4	1	2	1	—	—	—	—	
5	1	2	1	—	—	—	—	—	—	—	—	—	1	1	1	1	—	166
1	3	—	—	—	1	—	—	—	—	2	2	—	—	—	—	—	—	
264	41	9	8	3	5	13	3	10	9	6	8	4	6	7	7	4	2	167
244	144	35	22	9	6	9	9	7	12	13	11	15	18	27	20	11	7	
265	1	1	2	5	6	2	5	5	5	2	3	4	2	3	2	—	1	168
225	3	1	—	1	1	1	2	1	2	2	6	3	4	2	3	2	—	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ...	M	655	1	1	—	—	2	7	5	21	7
		F	148	3	—	—	1	4	3	6	4	2
170	Injury by firearms ...	M	12	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
171	Injury by cutting or piercing instruments.	M	8	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	1	1	—	—	—	—
172	Injury by fall	M	809	—	—	—	3	3	11	7	7	2
		F	565	—	—	2	4	6	7	3	6	5
173	Injury in mines and quarries.	M	167	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ...	M	141	—	—	—	—	—	—	—	—	1
		F	5	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.).	M	1,053	1	—	—	1	2	9	10	16	18
		F	261	—	1	—	—	1	10	19	12	12
176	Injury by animals ...	M	22	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	1	—	—	—
177	Starvation	M	3	—	—	—	—	—	—	—	1	—
		F	6	—	—	1	—	1	—	—	—	—
178	Excessive cold	M	14	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
179	Effects of heat	M	14	—	—	—	—	—	1	—	1	1
		F	3	—	—	—	—	—	—	—	—	—
180	Lightning...	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
181	Electricity (lightning excepted).	M	12	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	3	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	8	1	—	—	2	3	—	1	—	—
		F	10	—	—	—	—	—	—	—	—	—
184	Homicide by other means	M	34	9	2	—	1	12	—	—	1	—
		F	42	6	2	—	—	8	1	—	—	—
185	Fractures (cause not specified).	M	16	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
186	Other violence	M	189	3	6	10	6	25	4	2	3	—
		F	76	2	14	3	6	25	2	—	1	2
155–186	All violence	M	4,515	97	115	66	63	341	110	104	104	66
		F	2,361	71	106	67	45	289	86	85	80	79
187	Dropsy	M	6	—	—	—	—	—	1	—	—	—
		F	4	—	—	—	—	—	1	—	—	—
188A	Syncope (aged 1 year and under 70).	M	55	—	—	—	—	—	—	—	1	—
		F	51	—	—	—	—	—	—	1	—	—
188B	Sudden death (not otherwise defined).	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
189A	Heart failure (aged 1 year and under 70).	M	255	—	—	—	—	—	1	—	—	—
		F	205	—	—	—	—	—	—	2	2	—
189 B–E.	Other ill-defined causes...	M	255	6	4	3	7	20	131	17	5	3
		F	241	6	1	4	5	16	126	28	5	3
189F	Cause not specified ...	M	7	5	—	—	—	5	—	—	—	—
		F	11	4	1	—	—	5	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
42	95	47	44	36	44	44	50	53	51	35	41	32	23	11	3	4	—	169
19	14	9	8	8	12	8	7	15	16	12	6	9	3	2	—	—	—	
—	1	—	3	3	—	—	2	1	2	—	—	—	—	—	—	—	—	170
—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	
—	3	1	1	—	—	1	—	—	—	1	—	—	—	—	1	—	—	171
1	—	—	—	—	1	1	—	3	—	1	—	—	—	—	—	—	—	
30	21	20	29	19	28	26	50	62	62	68	86	71	58	49	58	44	28	172
27	13	3	4	—	—	7	10	13	23	42	35	44	54	68	91	67	64	
—	—	5	27	17	17	10	19	20	13	11	15	10	3	—	—	—	—	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	8	23	14	14	10	10	12	21	10	9	4	3	1	—	—	—	174
—	—	1	1	—	—	—	—	1	1	—	—	1	—	—	—	—	—	
55	131	67	56	28	49	78	71	74	85	95	76	73	47	30	21	10	7	175
54	35	16	12	6	5	4	11	6	11	14	18	19	25	11	9	4	1	
—	2	2	1	1	—	—	—	2	3	3	3	2	1	1	1	—	—	176
1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	177
1	—	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	1	
—	—	1	—	—	—	—	1	1	—	4	1	1	1	—	3	—	1	178
—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	
3	3	1	1	—	—	—	—	—	1	—	—	2	2	—	1	—	—	179
—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	180
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	1	2	—	2	1	3	3	—	—	—	—	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	182
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
4	—	—	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	183
—	—	1	—	2	1	4	1	—	1	—	—	—	—	—	—	—	—	
13	2	1	2	—	2	—	—	4	3	2	2	3	—	—	—	—	—	184
9	2	—	1	6	3	8	6	3	1	1	—	—	—	1	1	—	—	
—	—	—	—	1	1	1	1	—	—	2	5	2	—	2	1	—	—	185
—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	2	—	
34	9	13	9	11	13	14	13	12	14	12	10	9	9	3	2	—	2	186
30	6	1	3	3	3	4	2	2	4	6	2	5	1	2	1	—	1	
725	319	189	218	161	204	242	285	322	341	328	325	297	198	134	118	67	42	155–186
619	222	70	71	55	56	78	82	84	126	129	108	119	125	122	133	88	74	
1	—	—	—	—	—	—	—	1	—	—	1	1	—	1	—	1	—	187
1	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	
1	—	—	1	1	1	2	3	2	5	7	11	11	10	—	—	—	—	188A
1	1	2	—	2	3	—	5	4	6	10	5	9	3	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	188B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	3	4	—	3	7	4	12	11	21	30	53	48	58	—	—	—	—	189A
4	7	5	3	2	5	5	8	16	16	24	29	42	39	—	—	—	—	
176	5	4	—	1	1	2	3	2	7	9	10	15	8	8	3	1	—	189 B–E.
178	6	—	4	—	1	1	3	1	1	12	6	7	9	7	3	1	1	
5	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	189F
5	1	1	—	—	1	—	—	1	—	—	1	—	1	—	—	—	—	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes	M	90,266	6,000	2,919	2,783	4,947	16,649	5,301	2,160	1308	909
		F	87,678	4,246	2,067	2,075	3,960	12,348	4,601	1,944	1201	904
1	Enteric fever	M	251	—	—	1	—	1	—	1	2	2
		F	222	—	—	—	—	—	1	—	—	4
2	Typhus	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	16	—	—	—	—	—	—	—	—	1
		F	3	—	—	—	—	—	1	—	—	—
5	Small-pox	M	2	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
6	Measles	M	3,047	5	12	47	584	648	1,194	499	256	176
		F	2,756	5	6	28	493	532	1,006	515	238	166
7	Scarlet fever	M	358	—	3	1	6	10	33	55	61	39
		F	378	—	1	2	8	11	28	67	43	46
8	Whooping cough ...	M	1,307	13	106	146	359	624	387	146	59	36
		F	1,626	22	113	142	418	695	505	214	104	52
9A	Diphtheria	M	984	4	2	3	29	38	104	119	133	123
		F	1,050	—	—	2	17	19	71	98	124	143
9 B, C	Croup	M	8	—	—	—	—	—	2	—	1	2
		F	8	—	—	1	—	1	3	2	1	—
10	Influenza	M	1,604	4	22	16	43	85	32	17	10	8
		F	1,829	9	12	16	32	69	31	11	11	5
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	2	—	—	—	—	—	—	—	—	—
		F	6	—	—	1	1	2	1	—	—	—
14	Dysentery	M	47	—	—	2	3	5	—	—	1	—
		F	61	—	—	2	—	2	—	—	1	—
15	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	173	10	12	7	3	32	2	—	—	1
		F	147	5	8	3	5	21	—	—	—	—
19	Other epidemic diseases	M	31	—	3	4	3	10	8	3	4	1
		F	45	—	1	1	12	14	13	4	3	1
20	Pyæmia, Septicæmia ...	M	133	6	3	2	—	11	2	4	—	2
		F	68	4	5	1	1	11	—	2	—	—
21	Glanders	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

Causes of Death at different Age-Periods, 1915—(Civil Population only).

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
26,327	2,447	1406	1507	1636	1,806	2,220	2,754	3,273	3,782	4,727	5,517	6,567	7,044	7,325	6,061	3,586	2,281	All Causes.
20,998	2,404	1402	1702	1883	2,057	2,278	2,720	2,928	3,297	3,879	4,651	5,728	6,631	8,218	7,578	5,253	4,071	
6	11	21	26	25	30	30	26	20	23	13	11	7	1	—	1	—	—	1
5	11	16	29	30	23	36	15	16	9	11	10	4	5	1	—	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	—	—	1	2	4	1	1	—	1	1	1	—	—	1	1	—	4
1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
2,773	248	15	4	2	—	2	1	—	—	—	—	2	—	—	—	—	—	6
2,457	260	11	3	6	6	3	4	4	—	1	—	1	—	—	—	—	—	
198	105	31	9	3	5	2	3	1	—	—	—	1	—	—	—	—	—	7
195	115	34	10	5	5	7	4	—	2	—	1	—	—	—	—	—	—	
1,252	54	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
1,570	49	1	1	—	—	1	—	1	—	—	—	1	—	1	1	—	—	
517	364	73	12	2	2	1	4	3	1	4	—	1	—	—	—	—	—	9A
455	467	89	11	8	4	5	3	—	1	4	2	—	1	—	—	—	—	
5	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9 B, C
7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
152	19	22	29	40	52	56	92	85	95	125	137	144	138	162	126	75	55	10
127	27	22	25	36	49	54	57	46	71	88	117	134	181	248	250	186	111	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	13
3	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	
6	2	—	—	4	1	3	7	2	1	3	3	4	5	4	2	—	—	14
3	—	—	—	1	3	6	4	5	8	6	8	3	3	4	5	2	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
35	—	5	6	2	3	5	4	8	12	18	13	14	12	9	17	6	4	18
21	5	3	3	5	2	3	8	4	4	16	9	10	14	14	13	8	5	
26	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
35	5	1	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—	
19	3	9	6	3	5	7	9	15	9	13	9	7	6	8	4	—	1	20
13	2	1	3	4	1	3	5	7	4	3	9	3	5	1	4	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
22	Anthrax (Splenic fever)	M	4	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	40	7	1	—	—	8	1	—	2	—
		F	10	4	1	—	—	5	—	—	—	—
25	Mycoses	M	11	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
26	Pellagra	M	2	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
27	Beri-beri	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	5,873	—	3	4	20	27	53	32	20	15
		F	4,766	—	1	6	16	23	34	26	14	9
29A	Acute phthisis	M	433	1	1	1	3	6	5	5	5	6
		F	473	—	2	—	2	4	6	7	4	6
29B	Acute miliary tuberculosis	M	121	—	1	1	12	14	13	7	3	8
		F	143	—	2	2	4	8	19	2	7	6
28 & 29	Pulmonary tuberculosis, acute and chronic.	M	6,427	1	5	6	35	47	71	44	28	29
		F	5,382	—	5	8	22	35	59	35	25	21
30	Tuberculous meningitis	M	902	4	13	40	111	168	181	121	67	52
		F	838	—	8	39	80	127	148	80	59	58
31	Tuberculosis of peritoneum and intestines.	M	583	1	25	51	60	137	115	53	29	16
		F	551	1	17	28	48	94	93	38	33	20
32	Tuberculosis of spinal column.	M	99	—	—	1	—	1	1	1	3	1
		F	95	—	—	—	—	—	1	2	—	2
33	Tuberculosis of joints ...	M	64	—	—	—	—	—	1	—	2	1
		F	56	1	1	—	2	4	1	—	—	1
34	Tuberculosis of other organs.	M	104	—	1	1	1	3	3	4	2	1
		F	98	—	1	—	3	4	6	2	—	—
35	Disseminated tuberculosis	M	342	—	5	14	26	45	37	17	13	13
		F	303	—	6	2	16	24	33	19	13	8
28–35	Tuberculosis (all forms)	M	8,521	6	49	113	233	401	409	240	144	113
		F	7,323	2	38	77	171	288	341	176	130	110
36	Rickets, Softening of bones.	M	162	1	5	12	45	63	57	21	10	2
		F	122	1	2	12	26	41	41	14	4	1
37	Syphilis	M	279	55	52	39	12	158	12	3	4	—
		F	228	45	55	29	12	141	7	2	1	—
38	Other venereal diseases...	M	12	4	2	—	1	7	—	—	—	—
		F	5	1	1	1	—	3	—	—	—	—
39	Cancer of the buccal cavity.	M	641	—	—	—	—	—	—	—	—	—
		F	102	—	—	—	—	—	1	—	—	—
40	Cancer of the stomach, liver, &c.	M	2,237	—	—	3	—	3	1	—	1	—
		F	2,235	—	—	—	—	—	—	—	1	—
41	Cancer of the peritoneum, intestines, and rectum.	M	1,214	—	—	—	—	—	—	1	1	—
		F	1,396	—	—	—	—	—	—	—	—	1
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	1,524	—	—	—	—	—	1	—	—	—
43	Cancer of the breast ...	M	11	—	—	—	—	—	—	—	—	—
		F	1,280	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11	6	2	6	—	—	1	—	2	3	2	2	1	3	1	—	—	—	24
5	—	—	1	—	—	—	2	1	—	1	—	—	—	—	—	—	—	
—	—	—	—	2	1	2	—	3	—	1	—	—	2	—	—	—	—	25
—	—	2	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	26
—	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
147	75	103	325	567	598	675	757	673	557	499	396	277	140	62	17	5	—	28
106	68	237	552	594	613	573	535	427	293	235	195	155	100	52	23	7	1	
27	15	19	34	47	48	40	40	43	41	33	13	21	8	1	2	1	—	29A
27	18	44	81	61	58	45	40	31	12	24	12	8	9	1	1	1	—	
45	13	10	6	6	7	7	7	7	4	5	1	2	1	—	—	—	—	29B
42	18	20	20	12	7	9	7	2	2	3	1	—	—	—	—	—	—	
219	103	132	365	620	653	722	804	723	602	537	410	300	149	63	19	6	—	28 & 29
175	104	301	653	667	678	627	582	460	307	262	208	163	109	53	24	8	1	
589	149	81	30	9	13	12	9	2	4	3	—	1	—	—	—	—	—	30
472	168	84	45	24	15	10	6	8	2	1	1	1	—	1	—	—	—	
350	60	48	24	19	14	16	13	6	10	7	3	9	1	—	3	—	—	31
278	43	48	39	31	13	21	22	18	14	7	5	4	4	—	2	—	2	
7	7	10	11	10	13	8	5	6	7	5	1	4	4	1	—	—	—	32
5	10	3	10	11	12	5	4	5	6	4	5	6	4	1	2	1	1	
4	6	12	6	7	3	2	3	2	3	3	4	4	2	3	—	—	—	33
6	3	5	11	7	1	4	4	2	1	—	—	5	2	1	2	2	—	
13	4	7	9	8	7	9	7	4	6	6	4	4	6	5	3	2	—	34
12	3	1	11	7	4	6	9	12	5	5	6	1	5	5	3	3	—	
125	32	23	24	29	14	24	14	18	15	7	5	6	5	1	—	—	—	35
97	33	27	37	25	21	10	11	13	9	6	6	4	3	1	—	—	—	
1,307	361	313	469	702	717	793	855	761	647	568	427	328	167	73	25	8	—	28–35
1,045	364	469	806	772	744	683	638	518	344	285	231	184	127	62	33	14	4	
153	3	—	—	2	1	1	1	—	—	1	—	—	—	—	—	—	—	36
101	2	1	1	1	1	2	2	2	2	2	1	1	—	1	—	2	—	
177	2	1	2	—	3	13	7	16	13	14	11	13	4	1	2	—	—	37
151	3	4	2	5	5	7	7	9	7	6	7	2	5	4	3	1	—	
7	—	—	1	—	1	1	—	—	—	1	—	1	—	—	—	—	—	38
3	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	1	—	1	—	—	5	10	24	39	95	92	97	118	75	53	23	8	39
1	—	1	—	1	1	—	4	7	8	8	11	20	17	9	5	5	4	
5	1	1	4	3	3	11	34	75	150	250	333	412	391	324	171	57	12	40
1	3	—	—	2	10	17	47	77	155	222	293	369	374	337	215	79	34	
2	—	—	—	2	7	11	35	54	73	111	151	190	238	175	113	41	11	41
1	1	2	—	1	4	21	26	59	68	117	157	216	204	250	163	81	25	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
1	—	—	—	3	14	38	87	159	196	227	207	191	176	126	61	27	11	
—	—	—	—	—	—	—	—	—	2	—	2	1	—	3	—	2	1	43
—	—	—	—	—	3	21	65	104	158	168	170	137	144	135	88	63	24	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ...	M	182	—	—	—	1	1	—	—	—	—
		F	139	—	—	—	—	—	—	—	1	—
45	Cancer of other or unspecified organs.	M	1,245	—	2	3	1	6	4	8	3	4
		F	787	—	1	—	2	3	3	5	3	2
39–45	Cancer (all sites) ...	M	5,530	—	2	6	2	10	5	9	5	4
		F	7,463	—	1	—	2	3	5	5	5	3
46	Other tumours (situation undefined).	M	29	—	—	—	1	1	—	—	1	—
		F	37	—	—	1	1	2	1	—	—	—
47	Rheumatic fever... ...	M	338	—	—	1	1	2	1	1	4	5
		F	396	—	—	1	1	2	—	—	3	4
48 A,B	Chronic rheumatism, Osteo-arthritis.	M	198	—	—	—	—	—	—	—	—	—
		F	441	—	—	—	—	—	—	—	—	—
48C	Gout	M	95	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	—	—	—	—	—
49	Scurvy	M	4	—	—	—	—	—	1	—	1	—
		F	7	—	—	1	2	3	3	1	—	—
50	Diabetes	M	730	—	—	—	1	1	—	1	1	3
		F	850	—	—	—	1	1	—	2	1	—
51	Exophthalmic goître ...	M	17	—	—	—	—	—	—	—	—	—
		F	151	—	—	—	—	—	1	—	—	—
52	Addison's disease ...	M	32	—	—	—	—	—	—	—	—	—
		F	56	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma.	M	130	—	—	—	—	—	—	1	—	1
		F	104	—	—	1	2	3	1	—	1	—
54	Anæmia, Chlorosis ...	M	403	1	—	—	2	3	4	1	1	2
		F	549	—	—	1	2	3	5	1	1	1
55	Other general diseases ...	M	95	10	4	2	4	20	3	2	2	1
		F	81	11	—	—	4	15	3	4	—	1
56	Alcoholism (acute or chronic).	M	85	—	—	—	—	—	—	—	—	—
		F	60	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning...	M	24	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings.	M	1	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings	M	1	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
60	Encephalitis	M	60	—	—	—	2	2	3	1	1	2
		F	42	—	2	—	—	2	1	1	2	—
61A	Cerebro-spinal fever ...	M	240	1	3	8	12	24	15	10	8	9
		F	184	—	4	7	8	19	11	7	7	7
61B	Posterior basal meningitis	M	25	1	—	4	7	12	5	—	4	1
		F	30	—	2	3	8	13	5	3	—	4
61C	Meningitis, other forms	M	698	5	25	57	130	217	130	58	37	33
		F	616	5	17	38	72	132	94	46	42	27
62	Locomotor ataxy ...	M	191	—	—	—	—	—	—	—	—	—
		F	25	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	531	—	—	—	7	7	7	1	3	—
		F	427	—	—	—	4	4	4	3	3	4

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1	—	—	—	1	1	2	3	1	9	12	18	28	21	35	23	15	12	44
1	—	—	—	1	—	—	3	5	7	12	10	17	18	20	27	9	9	
25	6	7	10	18	17	24	31	60	79	135	165	205	179	132	100	39	13	45
16	5	7	10	12	13	21	17	45	53	91	92	103	103	98	71	22	8	
33	8	8	15	24	28	53	113	214	352	603	761	933	947	744	460	177	57	39–45
21	9	10	10	20	45	118	249	456	645	845	940	1053	1036	975	630	286	115	
2	—	—	—	—	—	1	1	3	—	3	1	3	5	3	3	4	—	46
3	—	—	1	1	2	3	1	2	2	6	5	2	2	3	1	1	2	
13	46	64	39	26	23	18	21	17	14	10	20	9	8	7	2	—	1	47
9	42	63	49	36	37	20	26	22	20	23	12	14	10	7	5	—	1	
—	—	1	1	1	—	1	1	5	8	10	23	36	30	29	30	20	2	48
—	—	1	—	2	2	2	7	11	18	20	39	54	81	90	56	40	18	A, B
—	—	—	—	—	—	—	1	2	3	8	13	9	22	13	12	7	5	48C
—	—	—	—	—	—	—	—	—	1	1	2	5	5	4	4	1	4	
2	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	49
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	10	20	19	15	29	32	35	45	52	58	84	91	84	76	58	12	4	50
4	8	22	16	25	31	28	36	28	29	49	100	115	131	132	56	30	10	
—	—	—	1	—	1	2	—	1	4	2	2	4	—	—	—	—	—	51
1	—	—	8	11	10	16	11	19	15	22	13	15	5	4	1	—	—	
—	—	—	1	1	1	5	3	3	5	2	4	2	4	1	—	—	—	52
—	—	—	2	3	1	5	5	6	4	9	9	2	5	4	—	1	—	
2	16	12	9	6	8	7	16	4	9	11	5	15	7	3	—	—	—	53
5	7	4	4	8	5	7	7	6	7	15	5	10	7	6	1	—	—	
11	6	6	4	5	2	12	13	31	35	61	62	45	64	29	13	4	—	54
11	4	4	11	13	16	23	46	45	42	57	77	64	66	45	20	5	—	
28	6	11	4	8	2	1	2	7	5	2	3	5	4	2	4	1	—	55
23	8	7	5	3	2	7	2	2	1	3	5	3	4	4	2	—	—	
—	—	—	—	1	1	5	8	14	14	14	8	11	6	2	1	—	—	56
—	—	—	—	—	—	2	10	11	15	10	6	3	1	2	—	—	—	
—	—	—	1	—	2	1	—	4	5	3	1	5	2	—	—	—	—	57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	58
—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	59
—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	1	—	—	
9	6	3	5	5	4	7	2	—	3	5	2	2	1	5	1	—	—	60
6	1	5	1	—	5	2	3	3	4	3	4	2	1	—	1	—	1	
66	50	38	30	11	10	7	5	9	5	5	1	2	1	—	—	—	—	61A
51	23	27	18	14	13	8	5	10	4	3	4	2	—	1	1	—	—	
22	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	61B
25	2	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
475	79	50	26	8	2	10	9	9	14	4	7	4	1	—	—	—	—	61C
341	75	53	37	23	16	10	11	8	11	14	7	5	2	2	—	1	—	
—	—	—	—	—	2	2	14	18	20	25	29	38	24	12	7	—	—	62
—	—	—	—	—	1	—	3	4	1	5	3	2	3	2	—	1	—	
18	8	6	11	5	10	15	18	31	28	46	51	68	85	68	43	12	8	63
18	5	10	8	5	12	19	29	20	33	32	40	43	41	53	33	18	8	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
64	Cerebral hæmorrhage, Apoplexy.	M	3,871	3	1	1	4	9	2	1	—	1
		F	4,670	—	1	—	1	2	1	—	—	—
65	Softening of brain ...	M	240	—	—	—	—	—	—	—	—	—
		F	230	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause.	M	382	—	—	—	—	—	—	—	1	—
		F	473	—	—	—	—	—	—	—	—	—
67	General paralysis of the insane.	M	532	—	—	—	—	—	—	—	—	—
		F	123	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation.	M	121	—	—	—	—	—	—	—	—	—
		F	203	—	—	—	—	—	—	—	—	—
69	Epilepsy	M	496	4	2	2	4	12	4	5	3	1
		F	488	—	1	1	1	3	6	2	3	6
70	Convulsions (non-puerperal; 5 yrs. and over).	M	20	—	—	—	—	—	—	—	—	—
		F	26	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years).	M	1,832	560	347	283	326	1,516	233	53	22	8
		F	1,258	318	243	201	252	1,014	183	38	13	10
72	Chorea	M	21	—	—	—	—	—	—	—	—	1
		F	37	—	—	—	—	—	—	1	—	—
73	Hysteria, Neuralgia, Neuritis.	M	72	—	—	—	—	—	—	—	—	—
		F	90	—	—	—	—	—	—	1	—	—
74	Other diseases of the nervous system.	M	352	3	3	5	6	17	8	8	6	8
		F	380	2	—	2	3	7	9	4	2	3
75	Diseases of the eyes and annexa.	M	11	—	1	—	—	1	1	1	—	—
		F	9	—	—	—	—	—	—	1	—	1
76A	Mastoid disease	M	60	—	—	3	7	10	9	2	2	1
		F	37	—	—	1	3	4	4	—	3	4
76B	Other diseases of the ears	M	142	1	2	8	19	30	12	9	3	3
		F	126	—	2	3	12	17	13	10	2	4
77	Pericarditis	M	69	—	1	1	1	3	—	3	—	—
		F	63	—	—	1	1	2	1	—	—	1
78	Acute endocarditis ...	M	258	—	—	—	1	1	3	1	2	1
		F	301	—	—	1	1	2	2	—	2	1
79A	Valvular disease	M	3,427	—	—	—	1	1	1	1	1	1
		F	4,187	—	—	—	2	2	2	1	3	2
79B	Fatty degeneration of the heart.	M	435	—	—	—	—	—	—	—	—	—
		F	578	—	—	—	—	—	—	—	—	—
79C	Other organic disease of the heart.	M	4,261	—	—	—	3	3	2	1	—	—
		F	4,756	—	—	—	—	—	2	3	4	3
80	Angina pectoris	M	280	—	—	—	—	—	—	—	—	—
		F	144	—	—	—	—	—	—	—	—	—
81A	Aneurysm	M	230	—	—	—	—	—	—	—	—	—
		F	58	—	—	—	—	—	—	—	—	—
81B	Arterial sclerosis... ...	M	1,480	—	—	—	—	—	—	—	—	—
		F	979	—	—	—	—	—	—	—	—	—
81C	Other diseases of arteries	M	21	—	—	—	—	—	—	—	—	—
		F	19	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
13	4	5	4	6	7	19	33	69	164	257	377	519	649	761	565	286	133	64
3	1	1	7	8	13	20	51	81	187	303	425	558	739	853	747	412	261	
—	1	1	—	—	—	1	—	7	4	6	21	47	43	45	33	25	6	65
—	—	—	—	1	—	—	3	3	11	10	23	27	33	34	36	28	21	
1	—	3	1	—	2	3	3	8	8	18	29	48	68	75	70	28	17	66
—	3	1	—	—	1	2	5	5	16	28	25	51	66	95	95	55	25	
—	—	2	1	3	17	50	95	104	94	69	47	24	18	5	2	1	—	67
—	—	—	—	—	2	9	13	19	26	16	18	8	4	6	2	—	—	
—	—	—	4	2	5	5	4	10	7	16	16	19	12	14	6	1	—	68
—	—	—	2	13	6	5	17	21	22	27	19	24	18	18	9	2	—	
25	29	20	40	41	40	41	26	44	39	32	27	30	21	25	10	5	1	69
20	17	17	26	32	44	44	45	47	45	27	38	24	21	21	14	3	3	
—	15	2	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	70
—	16	1	2	—	1	—	2	—	—	1	1	—	—	1	1	—	—	
1,832	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	71
1,258	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	6	6	4	1	—	—	—	1	—	1	—	—	—	1	—	—	—	72
1	6	13	7	3	2	1	—	—	1	—	2	—	—	—	—	1	—	
—	—	—	—	1	—	1	1	11	11	6	12	10	10	5	2	2	—	73
1	—	—	1	1	2	2	9	10	8	12	16	7	7	6	4	2	2	
47	15	13	19	16	15	14	16	28	28	24	33	23	20	16	17	5	3	74
25	16	19	21	14	17	19	24	28	33	33	23	27	15	23	22	15	6	
3	1	—	—	—	—	—	1	1	—	—	1	—	1	2	1	—	—	75
2	1	—	—	1	—	—	—	—	—	—	—	2	2	1	—	—	—	
24	7	6	6	3	—	5	1	2	1	3	—	—	—	—	1	1	—	76A
15	9	3	1	2	2	2	—	1	2	—	—	—	—	—	—	—	—	
57	20	16	5	14	6	7	5	3	4	1	—	2	1	1	—	—	—	76B
46	22	17	11	7	3	3	4	1	1	3	3	2	—	—	2	1	—	
6	3	6	3	4	—	5	7	6	3	5	4	8	4	1	2	2	—	77
4	3	4	3	—	1	6	6	5	6	6	—	4	5	5	1	3	1	
8	13	19	14	14	13	18	21	17	27	32	41	6	8	3	3	—	1	78
7	19	19	28	25	24	22	19	24	30	32	32	6	6	2	2	4	—	
5	36	49	84	84	68	84	108	183	205	275	351	460	480	458	305	131	61	79A
10	57	85	86	81	117	140	161	215	238	287	363	487	537	531	4[illegible]2	230	110	
—	—	—	2	—	3	4	9	10	20	37	46	79	83	71	48	16	7	79B
—	1	—	—	3	5	6	16	19	24	42	50	102	120	100	51	24	15	
6	22	30	45	52	37	60	76	112	174	309	391	615	743	709	515	249	116	79C
12	30	44	38	50	52	70	110	143	202	259	364	547	681	855	720	380	199	
—	—	—	—	—	1	—	5	4	16	26	47	46	57	39	21	12	6	80
—	—	—	—	—	—	1	2	3	8	4	16	19	28	25	18	14	6	
—	—	1	—	—	1	7	14	22	42	32	34	34	13	19	7	4	—	81A
—	—	—	—	—	1	—	1	3	5	5	4	9	10	7	7	4	2	
—	—	—	1	2	1	3	4	11	29	52	83	198	262	305	257	177	95	81B
—	—	—	—	—	—	—	1	7	7	37	58	64	121	184	192	159	149	
—	—	—	—	—	—	—	—	3	1	4	2	2	3	3	3	—	—	81C
—	—	—	—	—	—	1	—	—	—	—	2	3	3	3	3	3	1	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	M	434	1	—	—	1	2	1	—	—	—
		F	618	—	—	—	—	—	1	—	1	—
82B	Other embolism and thrombosis.	M	49	2	—	1	—	3	—	—	—	—
		F	60	—	—	—	—	—	—	1	—	—
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	50	—	1	—	—	1	—	—	—	—
		F	64	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ...	M	31	4	7	7	6	24	1	3	—	1
		F	24	3	1	5	5	14	1	1	—	—
84B	Other diseases of the lymphatic system.	M	21	—	—	—	6	6	3	1	1	1
		F	14	2	1	1	—	4	2	—	—	—
85	Hæmorrhage; other diseases of the circulatory system.	M	40	—	—	—	—	—	—	—	—	—
		F	48	—	—	—	—	—	—	—	1	1
86	Diseases of the nasal fossæ.	M	15	4	2	1	—	7	—	1	—	1
		F	8	—	1	1	1	3	—	—	—	—
87	Diseases of the larynx ...	M	272	7	5	8	34	54	43	33	39	23
		F	183	—	3	3	19	25	38	17	27	19
88	Diseases of the thyroid body.	M	11	—	—	—	—	—	—	—	—	—
		F	77	—	—	—	—	—	1	—	—	—
89 & 90	Bronchitis	M	7,555	151	340	379	663	1,533	440	122	45	29
		F	8,110	84	227	282	479	1,072	406	93	49	26
91	Broncho-pneumonia ...	M	3,929	62	212	364	983	1,621	1,039	314	133	69
		F	3,408	29	156	273	742	1,200	846	265	143	65
92A	Lobar pneumonia ...	M	1,783	2	12	18	54	86	74	32	24	16
		F	1,250	3	10	7	54	74	58	28	21	9
92B	Pneumonia (type not stated).	M	2,670	24	50	91	220	385	245	78	61	29
		F	1,909	16	31	54	146	247	197	76	42	29
93	Pleurisy	M	251	—	2	1	7	10	13	12	7	4
		F	214	—	2	2	4	8	6	5	6	4
94	Pulmonary congestion, Pulmonary apoplexy.	M	265	8	6	10	13	37	18	1	—	—
		F	268	6	9	5	4	24	9	5	2	—
95	Gangrene of the lung ...	M	12	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
96	Asthma	M	459	—	1	—	—	1	1	1	—	—
		F	347	—	—	—	—	—	—	—	2	2
97	Pulmonary emphysema	M	98	—	—	—	—	—	—	—	—	—
		F	51	—	—	—	—	—	—	—	—	—
98A	Fibroid disease of lung...	M	85	—	—	—	—	—	—	—	—	—
		F	20	—	—	—	—	—	—	—	—	1
98B	Other diseases of the respiratory system.	M	53	—	—	1	—	1	1	2	1	—
		F	28	—	—	2	—	2	2	—	—	—
99A	Diseases of the teeth and gums.	M	52	3	4	2	3	12	7	4	1	—
		F	40	1	1	4	6	12	4	1	—	1
99B, C,D.	Other diseases of the mouth and annexa.	M	27	13	5	2	1	21	—	1	—	—
		F	25	8	5	2	2	17	—	—	1	—
100	Diseases of pharynx, Tonsillitis.	M	116	1	—	1	2	4	8	10	9	2
		F	126	—	—	1	11	12	8	5	7	8

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
3	—	1	1	1	—	6	5	9	16	15	35	56	65	80	83	41	17	82A
2	1	—	5	9	6	7	11	12	22	37	41	52	70	106	110	74	53	
3	1	1	1	1	2	—	1	2	3	5	7	7	7	4	1	2	1	82B
1	—	1	1	4	—	2	5	1	2	4	8	7	3	12	2	5	2	
1	—	—	—	—	2	1	2	6	4	11	7	4	4	6	2	—	—	83
—	—	—	—	1	1	4	4	6	3	5	9	9	9	8	4	1	—	
29	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84A
16	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	—	—	—	1	—	—	1	1	—	1	1	1	1	1	—	1	—	84B
6	1	—	2	—	—	—	1	2	—	1	1	—	—	—	—	—	—	
—	—	—	—	—	2	1	2	1	2	3	5	2	9	6	6	1	—	85
2	—	—	1	—	—	—	3	1	2	4	5	5	10	4	6	3	2	
9	1	3	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	86
3	1	—	—	—	1	—	—	1	1	—	—	—	1	—	—	—	—	
192	46	4	—	—	—	—	1	1	5	6	3	5	4	1	1	2	1	87
126	35	4	1	—	—	—	3	1	2	1	4	2	1	1	—	2	—	
—	—	1	2	1	1	—	—	—	3	2	1	—	—	—	—	—	—	88
1	—	1	2	2	1	1	4	4	6	10	5	12	18	7	1	2	—	
2,169	46	10	20	15	19	36	41	96	163	268	446	615	829	1,017	865	568	332	89 & 90
1,646	44	7	19	24	31	35	52	99	129	199	339	589	875	1,261	1,206	910	645	
3,176	89	16	6	10	10	12	26	25	38	43	58	83	98	92	73	47	27	91
2,519	110	23	7	13	13	14	28	28	32	44	51	77	108	135	103	65	38	
232	58	35	42	59	80	97	130	134	146	174	168	133	124	94	47	17	13	92A
190	52	31	43	63	51	64	75	78	82	85	79	103	84	68	67	25	10	
798	90	30	48	49	86	77	142	148	136	173	204	219	183	134	93	46	14	92B
591	78	29	47	35	47	56	76	75	77	85	87	114	127	163	127	49	46	
46	8	2	5	6	15	12	11	15	16	28	18	16	21	16	11	2	3	93
29	9	1	5	5	7	5	10	9	14	15	15	17	14	21	20	11	7	
56	2	3	1	3	2	3	4	8	11	7	9	22	21	32	35	22	24	94
40	3	6	3	2	3	3	4	3	4	3	7	10	20	34	48	35	40	
—	—	—	—	—	1	1	2	1	1	3	2	—	—	1	—	—	—	95
—	—	—	1	1	—	—	1	2	1	—	—	—	—	1	1	—	—	
3	1	1	2	2	7	10	19	24	31	47	57	73	70	56	35	16	5	96
4	2	1	3	2	6	13	20	23	26	27	29	52	41	48	24	20	6	
—	—	—	—	—	1	—	3	3	4	7	11	16	21	11	13	8	—	97
—	—	—	—	—	—	—	1	—	2	2	7	9	7	10	9	2	2	
—	2	—	—	—	—	3	9	9	10	9	11	14	10	5	2	—	1	98A
1	—	—	—	—	1	—	1	—	—	3	1	3	3	5	1	—	1	
5	2	—	1	2	1	1	3	3	5	5	3	7	4	5	2	4	—	98B
4	—	—	—	1	1	1	1	—	1	2	1	3	4	5	1	3	—	
24	4	1	1	—	2	—	—	3	3	5	2	4	1	1	1	—	—	99A
18	1	1	—	1	1	3	—	1	3	3	2	2	—	3	1	—	—	
22	—	—	—	—	1	—	1	—	—	1	—	1	1	—	—	—	—	99B, C, D.
18	—	—	—	1	1	—	1	1	—	—	—	—	—	—	1	1	1	
33	22	9	6	4	3	5	4	5	2	4	7	2	3	4	1	1	1	100
40	32	9	1	6	5	1	1	4	6	6	2	3	4	2	2	1	1	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ...	M	12	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	1	—	—	—
102	Perforating ulcer of stomach.	M	288	—	1	—	—	1	—	—	—	—
		F	310	—	—	—	1	1	—	—	—	—
103A	Inflammation of stomach	M	639	50	111	92	75	328	41	10	6	4
		F	622	24	74	53	54	205	40	16	7	6
103B	Other diseases of the stomach.	M	117	4	7	5	2	18	2	1	2	1
		F	108	5	3	7	3	18	2	2	—	1
104 & 105.	Diarrhœa and enteritis ...	M	3,125	167	533	588	674	1,962	407	84	40	20
		F	2,546	86	296	461	565	1,408	362	77	38	19
106	Ankylostomiasis... ...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	5	—	—	—	—	—	2	—	—	2
		F	7	—	—	—	1	1	—	3	—	1
108	Appendicitis	M	447	—	—	—	—	—	1	5	5	7
		F	374	—	1	—	—	1	—	2	1	9
109A	Hernia	M	293	6	7	9	7	29	4	—	1	—
		F	315	—	—	—	—	—	—	—	—	—
109B	Intestinal obstruction ...	M	422	13	7	29	36	85	8	7	5	2
		F	429	5	3	13	25	46	7	2	4	4
110	Other diseases of the intestines.	M	80	—	6	1	6	13	2	—	—	—
		F	86	2	1	2	3	8	2	—	2	—
111	Acute yellow atrophy of liver.	M	9	—	—	—	—	—	—	—	—	2
		F	10	—	—	—	—	—	—	—	—	—
112	Hydatid of liver... ...	M	5	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ...	M	744	—	—	—	—	—	—	1	—	—
		F	519	—	—	—	1	1	—	—	—	—
114	Biliary calculi	M	76	—	—	—	—	—	—	—	—	—
		F	214	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	125	—	—	4	2	6	3	—	—	2
		F	174	—	1	4	3	8	1	—	3	2
116	Diseases of the spleen ...	M	8	—	—	—	—	—	1	—	—	—
		F	12	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M	65	2	2	1	3	8	4	1	1	—
		F	74	—	1	1	2	4	1	3	2	—
118	Other diseases of the digestive system.	M	32	—	—	—	—	—	—	—	—	—
		F	31	—	—	—	—	—	—	—	1	—
119	Acute nephritis	M	390	2	4	9	6	21	28	20	16	18
		F	355	2	—	2	7	11	29	18	8	14
120	Bright's disease	M	2,507	—	—	1	—	1	2	3	3	2
		F	2,114	—	—	—	—	—	2	2	2	—
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the kidney and annexa.	M	77	1	—	—	—	1	2	1	1	—
		F	75	—	—	—	1	1	1	1	1	1

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	—	—	1	2	1	—	3	—	2	2	1	—	—	101
1	—	—	—	2	—	—	2	—	—	1	—	—	—	—	—	—	—	
1	1	1	1	7	13	31	30	26	37	28	28	34	24	15	9	2	—	102
1	1	1	12	28	21	31	32	43	40	23	21	19	16	12	5	3	1	
389	13	7	3	2	5	4	8	10	15	12	22	24	34	38	27	12	14	103A
274	15	8	6	3	3	5	16	13	22	14	25	32	42	55	49	23	17	
24	1	1	2	2	—	4	4	8	5	9	10	8	13	6	7	3	10	103B
23	2	2	1	3	5	2	1	2	6	4	5	5	16	9	15	4	3	
2,513	39	4	12	11	17	33	26	39	57	55	53	52	45	65	56	31	17	104 & 105.
1,904	40	10	8	13	20	32	27	30	34	34	44	59	66	75	64	49	37	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	107
5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18	64	66	48	27	34	34	30	22	25	22	25	10	10	5	4	2	1	108
13	53	57	36	36	23	21	20	23	21	17	18	14	7	8	2	1	4	
34	4	2	6	5	8	6	2	4	16	21	26	24	42	38	36	12	7	109A
—	—	1	—	—	—	4	10	17	21	26	40	43	47	36	42	19	9	
107	22	12	12	10	5	9	8	18	19	24	21	45	25	35	32	9	9	109B
63	8	4	5	7	9	13	12	19	24	25	27	37	36	39	53	29	19	
15	2	3	1	2	—	2	3	2	7	6	3	10	6	8	4	5	1	110
12	—	1	5	4	1	5	5	4	5	5	3	3	7	5	9	8	4	
2	4	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	111
—	1	1	—	—	—	1	2	3	1	—	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	—	2	1	1	—	—	—	—	—	112
—	—	—	—	—	—	1	1	1	—	—	—	—	—	2	—	—	—	
1	1	1	—	3	5	6	29	64	76	123	135	136	65	61	25	9	4	113
1	1	1	1	—	3	11	30	59	72	81	89	62	52	32	18	5	1	
—	—	—	—	—	—	—	4	2	5	12	8	15	8	11	5	5	1	114
—	—	1	—	—	1	2	4	3	16	20	24	43	32	34	28	4	2	
11	—	1	2	5	1	4	3	8	11	9	8	9	20	20	3	3	7	115
14	1	—	—	1	5	2	6	4	12	15	15	13	18	24	21	12	11	
1	—	2	—	—	—	—	1	—	1	—	1	2	—	—	—	—	—	116
—	—	—	—	1	—	1	1	2	1	—	4	—	—	—	1	—	1	
14	5	3	3	3	2	3	2	2	3	2	5	7	2	7	1	1	—	117
10	11	3	2	6	2	6	3	5	6	5	3	1	3	3	4	1	—	
—	1	1	1	—	2	2	1	5	1	4	5	3	3	1	2	—	—	118
1	—	1	1	—	1	1	2	6	4	3	6	2	—	2	1	—	—	
103	33	17	17	8	8	19	18	29	28	13	23	25	18	15	11	4	1	119
80	25	15	11	21	13	15	25	25	29	26	20	16	7	13	6	3	5	
11	5	20	26	34	48	56	94	126	199	242	318	342	348	308	212	76	42	120
6	10	17	33	35	47	62	89	122	146	185	248	269	261	271	182	85	46	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	—	—	—	3	3	3	3	5	2	5	10	7	10	6	7	5	3	122
5	—	—	—	2	5	5	6	5	8	9	3	1	9	2	8	5	2	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages.	M	70	—	—	—	—	—	—	—	1	—
		F	32	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder...	M	404	—	—	—	—	—	—	1	—	—
		F	93	—	—	—	1	1	—	—	—	1
125	Diseases of the urethra, Urinary abscess, &c.	M	111	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate...	M	500	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	11	1	1	1	—	3	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	116	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	49	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous)	M	—	—	—	—	—	—	—	—	—	—
		F	111	—	—	—	—	—	—	1	—	—
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	60	1	—	—	—	1	1	—	—	—
133	Non-puerperal dis. of the breast (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	4	1	1	—	—	2	—	—	—	—
134	Accidents of pregnancy...	M	—	—	—	—	—	—	—	—	—	—
		F	126	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	162	—	—	—	—	—	—	—	—	—
136	Other accidents of child-birth.	M	—	—	—	—	—	—	—	—	—	—
		F	158	—	—	—	—	—	—	—	—	—
137	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—
		F	381	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	242	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	114	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	1,200	—	—	—	—	—	—	—	—	—
142A	Senile gangrene	M	246	—	—	—	—	—	—	—	—	—
		F	213	—	—	—	—	—	—	—	—	—
142B, C, D.	Gangrene, other types ...	M	27	2	—	—	—	2	—	2	2	—
		F	37	2	—	1	—	3	2	2	—	2
143	Carbuncle, Boil	M	61	—	2	2	—	4	—	—	—	—
		F	32	—	—	3	2	5	—	1	—	—
144	Phlegmon, Acute abscess	M	127	5	6	3	4	18	3	—	—	1
		F	121	12	10	2	7	31	4	1	1	3
145	Diseases of the integumentary system.	M	161	22	21	9	15	67	6	2	—	—
		F	199	24	11	5	7	47	6	2	1	1

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1	—	—	—	—	3	—	1	5	5	6	6	12	14	8	3	1	5	123
—	—	—	—	—	1	3	1	2	4	4	1	3	3	6	3	—	1	
1	1	—	—	5	3	4	7	7	11	20	27	27	62	77	68	56	28	124
2	—	—	1	1	—	2	1	2	4	5	8	9	11	14	12	11	10	
—	—	—	1	—	1	1	6	3	10	19	15	16	20	12	6	1	—	125
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	2	1	1	6	20	50	81	121	125	54	38	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	—	1	—	—	—	—	—	1	2	1	2	1	—	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	1	—	2	—	—	1	2	3	—	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	—	—	—	4	16	20	27	9	9	4	9	8	4	3	3	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	1	—	3	3	7	8	2	9	4	—	2	4	3	1	1	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
1	—	—	—	3	6	4	11	7	11	12	8	11	11	11	7	5	3	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
2	—	—	2	4	7	14	9	9	4	4	2	2	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	5	10	27	27	32	20	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	1	19	25	41	44	27	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	2	20	37	35	43	21	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	—	6	66	102	113	57	32	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	15	47	50	48	62	16	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	—	12	28	30	32	12	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	—	3	3	5	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	1	1	—	3	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
—	—	—	30	175	272	300	275	129	19	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	18	31	53	87	32	25	142A
—	—	—	—	—	—	—	—	—	—	—	2	21	24	42	44	50	30	
6	—	—	—	—	—	1	—	—	1	3	5	3	2	3	3	—	—	142B C, D
9	3	2	—	—	1	1	2	1	4	5	3	3	—	2	1	—	—	
4	—	1	1	—	1	3	2	4	5	3	4	8	4	7	8	5	1	143
6	—	—	1	1	2	—	3	2	1	2	2	1	2	3	3	2	1	
22	2	2	3	4	2	6	6	10	9	11	16	7	10	9	8	—	—	144
40	1	4	1	3	3	2	4	3	7	4	14	13	3	8	6	4	1	
75	—	—	2	1	1	1	1	2	3	2	4	9	11	20	20	6	3	145
57	2	1	1	1	2	1	3	3	3	—	15	14	14	27	22	15	18	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ...	M	110	1	1	2	1	5	—	5	4	6
		F	66	1	2	—	2	5	2	—	2	1
147	Diseases of the joints ...	M	32	1	—	1	3	5	—	—	—	—
		F	26	—	—	—	—	—	2	1	—	—
148	Amputations	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	9	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
150	Congenital malformations	M	716	400	122	61	59	642	19	12	7	9
		F	560	307	91	51	42	491	19	8	4	5
151A	Premature birth	M	2,857	2,608	209	34	6	2,857	—	—	—	—
		F	2,154	1,915	202	35	2	2,154	—	—	—	—
151 B–E.	Infantile debility, Icterus and Sclerema.	M	2,060	1,168	505	234	153	2,060	—	—	—	—
		F	1,486	828	342	182	134	1,486	—	—	—	—
152	Other diseases peculiar to early infancy.	M	466	445	21	—	—	466	—	—	—	—
		F	367	348	19	—	—	367	—	—	—	—
153	Lack of care	M	31	31	—	—	—	31	—	—	—	—
		F	24	24	—	—	—	24	—	—	—	—
154	Old age	M	4,432	—	—	—	—	—	—	—	—	—
		F	6,444	—	—	—	—	—	—	—	—	—
155	Suicide by poison ...	M	50	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ...	M	22	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	162	—	—	—	—	—	—	—	—	—
		F	57	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ...	M	144	—	—	—	—	—	—	—	—	—
		F	131	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ...	M	48	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	131	—	—	—	—	—	—	—	—	—
		F	29	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	11	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ...	M	47	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	—	—	—	—	—
163	Other suicides	M	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
164	Poisoning by food ...	M	13	—	—	—	—	—	—	1	1	1
		F	16	—	—	—	—	—	—	2	—	—
165	Other acute poisonings ...	M	29	2	1	—	—	3	2	2	1	—
		F	25	—	—	—	1	1	1	—	1	—
166	Conflagration	M	12	—	—	1	—	1	2	—	1	1
		F	17	—	—	—	—	—	—	—	1	1
167	Burns (conflagration excepted).	M	316	1	1	2	12	16	59	56	45	23
		F	431	—	—	3	13	16	47	31	32	29
168	Absorption of deleterious gases (conflagration excepted).	M	157	48	36	28	5	117	2	—	—	—
		F	136	41	39	20	10	110	1	1	—	—

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
	Ages at Death.																	
20	14	18	10	3	3	1	4	3	4	7	2	7	8	4	2	—	—	146
10	6	9	3	1	2	—	3	2	1	—	6	4	4	6	4	2	3	
5	—	2	1	—	1	—	1	2	2	2	—	3	3	5	4	1	—	147
3	—	—	—	—	1	—	—	1	6	1	—	2	4	2	4	1	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	—	1	—	1	—	1	1	1	1	1	—	—	—	149
—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	
689	12	7	1	—	—	—	2	2	—	2	—	—	1	—	—	—	—	150
527	8	5	8	3	3	—	2	2	1	1	—	—	—	—	—	—	—	
2,857	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151A
2,154	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2,060	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151, B–E.
1,486	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
466	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
367	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	—	9	37	189	825	1,230	1,138	1,003	154
—	—	—	—	—	—	—	—	—	—	2	9	70	222	1,016	1,615	1,699	1,811	
—	—	—	—	3	3	4	5	6	4	4	7	5	5	3	1	—	—	155
—	—	—	6	5	2	5	4	9	3	3	2	2	1	2	2	—	—	
—	—	—	—	—	1	1	3	—	2	6	2	4	1	1	1	—	—	156
—	—	—	—	—	—	1	1	1	3	1	—	2	1	—	—	—	—	
—	—	—	1	—	9	7	11	16	16	24	23	23	12	12	5	3	—	157
—	—	—	—	2	2	6	3	8	8	4	10	9	2	2	1	—	—	
—	—	—	1	6	4	9	10	18	14	13	30	13	13	6	4	3	—	158
—	—	2	15	14	7	12	12	8	14	16	12	8	6	3	1	1	—	
—	—	—	—	4	2	1	5	2	4	5	5	10	5	3	1	1	—	159
—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	
—	—	—	1	5	6	16	14	15	16	9	19	10	6	3	6	2	3	160
—	—	—	—	—	5	4	4	3	4	—	2	3	3	—	1	—	—	
—	—	—	—	—	—	1	1	1	—	—	4	—	3	1	—	—	—	161
—	—	—	—	—	—	—	1	—	—	1	—	1	—	2	1	—	—	
—	—	1	3	4	3	4	6	9	5	1	5	4	—	1	1	—	—	162
—	—	—	1	5	2	—	2	2	—	—	1	1	1	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	163
—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
3	2	—	—	—	—	—	1	—	1	2	1	3	—	—	—	—	—	164
2	—	—	2	1	1	1	—	3	—	1	3	—	—	2	—	—	—	
8	1	—	—	—	1	2	1	1	3	3	4	1	1	2	1	—	—	165
3	—	—	3	1	1	3	3	3	3	2	1	1	—	1	—	—	—	
5	1	1	—	—	2	—	2	—	—	—	1	—	—	—	—	—	—	166
2	1	—	1	1	1	—	—	—	2	—	2	3	—	2	1	1	—	
199	32	4	3	8	10	4	7	4	3	6	4	3	5	13	7	4	—	167
155	68	25	20	10	8	5	6	7	11	12	18	20	13	15	18	10	10	
119	1	2	1	1	2	1	2	5	1	2	4	7	3	4	1	1	—	168
112	3	—	—	—	2	—	1	—	4	—	4	2	3	4	—	—	1	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ...	M	651	5	—	—	2	7	9	21	18	17
		F	159	—	—	—	—	—	3	7	3	4
170	Injury by firearms ...	M	24	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
171	Injury by cutting or piercing instruments.	M	12	—	—	—	—	—	1	1	1	—
		F	1	—	—	—	—	—	—	—	—	—
172	Injury by fall	M	538	—	—	1	3	4	8	3	4	3
		F	390	—	—	—	3	3	3	1	4	8
173	Injury in mines and quarries.	M	649	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ...	M	93	—	—	—	—	—	—	—	—	2
		F	—	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.).	M	1,011	—	—	1	—	1	8	11	18	17
		F	206	—	—	—	—	—	6	5	11	8
176	Injury by animals ...	M	19	—	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	—	—	—	—
177	Starvation	M	13	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	1	1	—	—	—	—
178	Excessive cold	M	35	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
179	Effects of heat	M	15	—	—	—	—	—	1	—	3	1
		F	7	1	—	—	—	1	1	1	1	—
180	Lightning...	M	4	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
181	Electricity (lightning excepted).	M	11	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	2	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	5	1	—	—	1	2	2	—	1	—
		F	11	2	1	—	1	4	—	—	—	—
184	Homicide by other means	M	18	7	1	—	—	8	1	—	1	—
		F	36	12	—	1	2	15	1	1	—	—
185	Fractures (cause not specified).	M	17	—	—	—	—	—	1	—	—	—
		F	8	1	—	—	—	1	—	—	—	—
186	Other violence	M	200	2	1	—	6	9	7	—	2	1
		F	68	3	2	2	4	11	4	3	6	3
155–186	All violence	M	4,460	66	40	33	29	168	103	96	96	66
		F	1,830	60	42	26	35	163	67	52	59	53
187	Dropsy	M	4	—	—	—	—	—	1	—	—	—
		F	10	—	—	—	—	—	—	1	—	—
188A	Syncope (aged 1 year and under 70).	M	61	—	—	—	—	—	—	—	—	—
		F	38	—	—	—	—	—	—	—	—	—
188B	Sudden death (not otherwise defined).	M	5	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
189A	Heart failure (aged 1 year and under 70).	M	303	—	—	—	—	—	2	—	—	—
		F	228	—	—	—	—	—	—	1	—	—
189 B–E.	Other ill-defined causes...	M	178	12	1	4	10	27	73	16	2	—
		F	172	8	3	4	10	25	65	12	5	2
189F	Cause not specified ...	M	16	7	2	—	1	10	—	—	—	—
		F	20	5	1	—	—	6	—	—	1	—

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
72	81	63	37	30	35	42	47	44	46	38	31	29	28	12	11	3	2	169
17	9	5	22	12	14	9	12	10	16	13	6	6	5	1	2	—	—	
—	—	3	1	2	1	5	1	4	3	3	1	—	—	—	—	—	—	170
—	1	1	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	
3	—	—	1	1	—	—	1	1	3	—	—	1	—	1	—	—	—	171
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
22	17	21	14	12	20	20	31	28	34	51	52	45	40	47	31	24	29	172
19	8	2	3	2	4	—	6	9	14	16	11	20	32	61	60	47	76	
—	—	27	87	55	54	76	65	84	60	59	37	18	21	5	1	—	—	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	1	6	23	10	6	6	8	9	4	7	4	2	3	1	1	—	—	174
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
55	88	77	56	39	53	60	93	73	91	80	64	66	60	24	17	11	4	175
30	34	13	11	9	16	7	8	7	10	7	8	20	7	5	11	1	2	
1	5	1	1	—	—	1	—	2	2	—	1	2	2	1	—	—	—	176
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	1	—	—	—	3	1	—	1	1	3	2	1	—	—	177
1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	
—	—	—	—	—	—	—	1	2	6	6	2	2	2	9	5	—	—	178
—	—	—	—	—	—	—	1	1	—	—	—	2	2	3	—	—	—	
5	—	—	—	—	1	—	—	1	—	1	3	1	1	1	1	—	—	179
4	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	1	4	1	2	1	—	—	—	—	1	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	182
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	183
4	—	—	1	2	2	1	—	—	1	—	—	—	—	—	—	—	—	
10	2	—	—	—	1	—	—	—	—	2	—	—	1	1	—	1	—	184
17	2	—	1	—	6	1	6	—	1	—	2	—	—	—	—	—	—	
1	—	—	1	—	—	2	2	1	—	3	1	—	3	—	—	3	—	185
1	—	—	—	1	—	1	—	—	—	1	—	—	—	—	2	1	1	
19	15	8	11	14	17	16	18	22	14	11	10	11	7	2	3	1	1	186
27	5	2	3	2	3	7	3	4	—	4	2	—	4	2	—	—	—	
529	247	215	246	196	236	280	336	351	333	336	319	261	225	155	99	57	39	155–186
394	131	52	90	68	76	64	73	79	96	83	84	101	81	106	101	61	90	
1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	187
1	—	—	—	—	1	—	—	1	—	1	1	1	—	1	2	1	—	
—	—	3	—	—	1	2	1	4	3	12	9	10	16	—	—	—	—	188A
—	1	—	—	—	2	2	2	—	1	5	7	12	6	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	—	—	—	2	1	—	1	—	188B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	2	3	1	3	3	5	6	21	23	37	52	71	74	—	—	—	—	189A
1	1	—	1	1	4	7	13	19	21	33	37	42	48	—	—	—	—	
118	4	3	1	—	—	3	1	—	4	9	9	9	9	2	3	3	—	189 B–E
109	10	2	—	2	—	—	3	1	9	2	5	12	6	3	6	—	2	
10	—	—	—	—	—	—	1	—	1	1	1	1	—	1	—	—	—	189F
7	—	—	—	2	1	1	2	—	1	—	—	2	1	1	2	—	—	

Aggregate of Rural Districts.—Causes of Death

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All causes	M	55,207	3,401	1,459	1,268	2,101	8,229	2,011	883	547	452
		F	52,187	2,514	1,020	942	1,669	6,145	1,845	781	525	385
1	Enteric fever	M	107	—	—	—	1	1	1	—	1	—
		F	103	—	—	—	1	1	—	—	2	—
2	Typhus	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	6	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
5	Small-pox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
6	Measles	M	1,011	3	7	22	198	230	341	156	75	69
		F	936	1	1	13	139	154	341	152	82	59
7	Scarlet fever	M	161	—	1	—	4	5	11	21	14	20
		F	198	1	—	—	3	4	19	23	13	22
8	Whooping cough ...	M	591	16	62	69	166	313	155	62	21	20
		F	722	12	78	81	178	349	202	69	43	22
9A	Diphtheria	M	521	—	1	2	8	11	37	74	72	64
		F	543	—	1	—	8	9	32	34	64	66
9 B, C	Croup	M	4	—	—	—	—	—	—	1	2	1
		F	3	—	—	—	—	—	1	—	1	—
10	Influenza	M	1,558	13	22	17	43	95	42	13	9	7
		F	1,516	8	16	17	29	70	26	15	12	3
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	4	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
14	Dysentery	M	21	—	—	—	—	—	1	—	—	—
		F	40	—	—	1	—	1	—	—	—	1
15	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	92	3	5	—	4	12	1	—	—	—
		F	58	1	5	2	—	8	1	1	—	—
19	Other epidemic diseases	M	17	—	1	—	2	3	4	5	2	—
		F	22	—	2	3	2	7	3	1	2	3
20	Pyæmia, Septicæmia ...	M	97	3	—	2	2	7	—	1	1	—
		F	38	2	1	—	1	4	—	—	—	1
21	Glanders	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only).

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
12,122	1,224	799	1005	876	1,107	1,122	1,379	1,590	1,887	2,408	3,132	3,902	4,681	5,630	5,454	4,035	2,854	All Causes
9,681	1,253	767	989	1070	1,136	1,241	1,406	1,557	1,771	2,097	2,553	3,231	4,213	5,461	5,586	4,467	3,708	
3	5	8	9	12	9	12	12	10	9	5	10	1	2	—	—	—	—	1
3	7	12	16	11	6	9	8	8	7	4	5	3	2	1	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	1	—	1	—	3	—	—	—	—	—	—	—	—	4
—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
871	103	20	5	3	6	2	—	—	—	1	—	—	—	—	—	—	—	6
788	109	21	3	3	4	2	3	—	—	—	2	—	—	1	—	—	—	
71	56	18	4	3	3	1	2	2	1	—	—	—	—	—	—	—	—	7
81	57	25	8	6	6	4	2	4	—	2	2	—	—	1	—	—	—	
571	18	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	8
685	34	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	
258	190	53	11	1	1	2	1	1	2	—	—	1	—	—	—	—	—	9 A
205	230	65	21	6	3	3	2	—	2	3	1	2	—	—	—	—	—	
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9 B, C
2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
166	18	15	36	28	35	43	46	47	62	93	104	148	161	191	175	126	64	10
126	17	17	21	21	22	35	34	48	49	60	84	106	173	230	217	153	103	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	13
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	1	1	2	—	1	1	—	1	3	4	—	3	1	1	—	—	14
2	—	—	—	—	1	2	3	—	5	4	4	4	2	6	3	3	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	1	4	3	—	5	4	3	2	4	6	5	9	7	11	7	3	5	18
10	1	—	1	2	2	1	1	5	4	5	2	7	7	4	1	4	1	
14	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	19
16	3	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
9	5	6	3	2	4	2	7	6	7	6	6	10	4	7	8	3	2	20
5	1	2	1	2	—	2	3	1	3	5	3	2	4	1	3	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
22	Anthrax (Splenic fever)	M	3	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	36	2	—	—	—	2	2	—	—	1
		F	11	3	—	—	—	3	—	—	1	—
25	Mycoses	M	6	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
26	Pellagra	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
27	Beri-beri	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	2,901	—	1	1	9	11	17	10	2	5
		F	2,813	1	2	1	5	9	16	11	5	5
29A	Acute phthisis	M	233	—	—	—	1	1	1	—	1	1
		F	250	—	—	1	4	5	2	1	2	1
29B	Acute miliary tuberculosis	M	68	—	—	1	3	4	5	6	3	4
		F	56	—	—	3	2	5	4	3	—	2
28 & 29	Pulmonary tuberculosis, acute and chronic.	M	3,202	—	1	2	13	16	23	16	6	10
		F	3,119	1	2	5	11	19	22	15	7	8
30	Tuberculous meningitis	M	383	1	3	20	49	73	57	34	29	20
		F	398	1	5	11	34	51	52	45	29	21
31	Tuberculosis of peritoneum and intestines.	M	277	2	12	23	26	63	49	21	7	6
		F	303	1	10	15	26	52	51	23	8	10
32	Tuberculosis of spinal column.	M	71	—	—	—	—	—	1	1	1	—
		F	54	—	—	—	—	—	—	—	1	—
33	Tuberculosis of joints	M	50	—	—	1	1	2	1	—	1	—
		F	28	—	—	—	—	—	1	—	—	—
34	Tuberculosis of other organs.	M	70	—	—	—	4	4	3	—	—	—
		F	65	—	—	1	2	3	2	3	1	—
35	Disseminated tuberculosis	M	181	—	—	9	8	17	6	9	6	4
		F	155	1	3	1	5	10	17	4	5	—
28–35	Tuberculosis (all forms)	M	4,234	3	16	55	101	175	140	81	50	40
		F	4,122	4	20	33	78	135	145	90	51	39
36	Rickets, Softening of bones.	M	96	—	2	8	28	38	33	12	4	1
		F	70	—	1	8	18	27	20	8	2	1
37	Syphilis	M	113	18	22	13	9	62	4	2	2	—
		F	89	10	20	10	10	50	3	1	2	—
38	Other venereal diseases...	M	7	2	2	—	—	4	—	—	—	—
		F	2	1	—	—	—	1	—	—	—	—
39	Cancer of the buccal cavity.	M	408	—	—	—	—	—	—	—	—	—
		F	78	—	—	—	—	—	—	—	—	—
40	Cancer of the stomach, liver, &c.	M	1,551	—	—	—	—	—	—	1	3	—
		F	1,517	—	—	—	—	—	—	—	1	1
41	Cancer of the peritoneum, intestines, and rectum.	M	954	—	—	—	—	—	—	—	1	—
		F	914	—	—	—	—	—	—	—	—	—
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	833	—	—	—	—	—	—	—	—	1
43	Cancer of the breast ...	M	4	—	—	—	—	—	—	—	—	—
		F	820	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	4	5	4	1	1	2	2	1	3	3	3	1	—	—	1	—	—	24
4	—	1	1	—	1	—	—	—	3	—	—	—	—	1	—	—	—	
—	—	—	1	—	—	2	2	—	—	—	1	—	—	—	—	—	—	25
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
45	33	52	191	300	399	331	320	288	251	237	180	147	77	37	6	7	—	28
46	49	106	314	342	369	380	290	264	177	153	105	86	67	39	25	—	1	
4	6	9	31	32	27	25	18	25	15	11	13	8	6	1	—	2	—	29A
11	4	19	41	39	28	25	26	21	10	8	8	8	2	—	—	—	—	
22	8	7	5	3	7	2	1	4	3	1	4	—	1	—	—	—	—	29B
14	4	4	9	7	3	5	3	3	—	2	1	—	1	—	—	—	—	
71	47	68	227	335	433	358	339	317	269	249	197	155	84	38	6	9	—	28 & 29
71	57	129	364	388	400	410	319	288	187	163	114	94	70	39	25	—	1	
213	67	46	27	9	4	6	3	3	—	2	1	—	—	1	1	—	—	30
198	90	38	28	16	8	9	4	1	4	1	1	—	—	—	—	—	—	
146	26	13	27	12	10	5	11	4	5	7	5	3	1	2	—	—	—	31
144	30	23	24	11	19	11	16	11	4	4	2	2	—	1	1	—	—	
3	—	5	8	8	10	6	8	4	5	2	3	5	1	1	2	—	—	32
1	—	3	5	7	7	4	5	2	5	3	2	—	3	3	3	1	—	
4	3	3	5	4	2	4	5	3	4	3	2	3	3	2	—	—	—	33
1	—	7	1	3	2	—	2	1	1	—	2	—	4	2	2	—	—	
7	1	1	3	5	6	4	5	5	1	7	4	4	3	7	3	4	—	34
9	3	2	3	5	3	5	3	3	4	2	4	4	5	4	5	1	—	
42	12	15	17	15	14	14	7	11	11	2	10	6	2	1	2	—	—	35
36	9	13	19	12	9	10	8	8	8	7	4	8	1	—	1	2	—	
486	156	151	314	388	479	397	378	347	295	272	222	176	94	52	14	13	—	28–35
460	189	215	444	442	448	449	357	314	213	180	129	108	83	49	37	4	1	
88	3	—	—	1	1	1	—	—	1	—	—	1	—	—	—	—	—	36
58	1	—	—	1	2	1	3	1	1	—	—	—	—	—	1	1	—	
70	3	—	—	—	2	1	2	7	4	9	4	4	3	2	2	—	—	37
56	—	2	4	2	3	1	2	4	4	2	3	2	3	—	1	—	—	
4	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	38
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	2	—	—	—	2	6	11	18	42	58	62	52	58	49	35	13	39
—	—	—	—	—	—	2	5	2	4	5	12	12	9	8	8	6	5	
4	2	—	—	2	3	5	11	39	85	137	218	236	284	257	174	71	23	40
2	—	2	—	1	6	9	25	45	78	123	182	220	250	273	187	88	26	
1	—	1	3	—	3	6	15	24	49	71	121	168	174	150	111	39	18	41
—	—	—	—	6	5	9	19	27	47	82	115	112	148	160	106	54	24	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
1	—	—	—	1	4	11	36	60	100	110	121	114	105	78	57	26	9	
—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—	43
—	—	—	—	—	1	9	26	58	88	107	102	103	85	97	73	43	28	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ...	M	177	—	—	—	—	—	—	1	—	—
		F	101	—	—	—	—	—	1	—	—	—
45	Cancer of other or unspecified organs.	M	772	—	1	1	1	3	1	—	2	2
		F	454	—	1	—	1	2	—	2	1	—
39-45	Cancer (all sites) ...	M	3,866	—	1	1	1	3	1	2	6	2
		F	4,717	—	1	—	1	2	1	2	2	2
46	Other tumours (situation undefined).	M	20	—	1	—	—	1	—	—	—	—
		F	32	—	—	1	1	2	—	—	—	—
47	Rheumatic fever... ...	M	202	—	—	—	—	—	—	1	1	3
		F	168	—	—	—	—	—	2	—	1	—
48 A, B	Chronic rheumatism, Osteo-arthritis.	M	162	—	—	—	—	—	—	—	—	—
		F	343	—	—	—	—	—	—	—	—	—
48C	Gout	M	68	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
49	Scurvy	M	1	—	—	—	—	—	—	1	—	—
		F	3	—	—	—	—	—	1	1	1	—
50	Diabetes	M	535	—	—	—	—	—	1	3	—	2
		F	513	—	—	—	—	—	—	—	1	3
51	Exophthalmic goître ...	M	10	—	—	—	—	—	—	—	—	—
		F	104	—	—	—	—	—	—	—	—	—
52	Addison's disease ...	M	24	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma.	M	90	—	—	—	—	—	1	1	1	3
		F	73	—	—	—	—	—	—	1	1	1
54	Anæmia, Chlorosis ...	M	268	1	—	1	—	2	1	1	1	—
		F	347	—	—	—	1	1	—	2	1	—
55	Other general diseases ...	M	55	8	3	1	1	13	2	2	2	1
		F	62	6	2	—	1	9	2	2	4	—
56	Alcoholism (acute or chronic).	M	55	—	—	—	—	—	—	—	—	—
		F	25	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning...	M	8	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings.	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings	M	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
60	Encephalitis	M	26	—	—	—	1	1	2	2	—	—
		F	22	—	1	—	—	1	1	1	—	—
61A	Cerebro-spinal fever ...	M	132	—	1	1	7	9	5	6	8	5
		F	123	—	—	3	5	8	4	5	4	2
61B	Posterior basal meningitis	M	14	1	—	1	7	9	3	1	—	—
		F	17	—	1	1	7	9	4	1	—	—
61C	Meningitis, other forms	M	353	1	14	20	55	90	53	22	15	19
		F	326	1	8	21	41	71	48	17	21	7
62	Locomotor ataxy ...	M	98	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	348	2	2	2	3	9	3	—	—	1
		F	314	—	—	1	1	2	2	2	3	1

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1	—	—	—	—	—	2	1	4	5	6	14	20	22	32	42	16	12	44
1	—	—	—	2	1	—	—	2	1	3	3	13	12	15	21	14	13	
8	3	3	8	8	9	13	18	19	52	66	112	108	111	111	80	34	9	45
5	5	5	6	4	6	7	21	18	35	47	53	66	54	49	46	15	12	
14	5	6	11	10	15	28	51	97	209	322	524	594	644	608	457	196	75	39–45
9	5	7	6	14	23	47	132	212	353	477	588	640	663	680	498	246	117	
1	—	—	—	1	—	3	1	—	3	—	3	2	1	3	1	1	—	46
2	—	—	—	—	2	—	1	2	3	3	1	7	2	2	5	1	1	
5	29	29	29	5	17	14	11	10	13	5	14	5	8	3	3	1	1	47
3	18	35	25	18	6	8	9	4	11	9	5	9	4	—	1	1	2	
—	—	—	—	—	—	2	1	2	2	8	7	20	36	30	27	20	7	48
—	—	—	—	—	2	1	2	6	11	14	25	45	52	76	69	27	13	A, B
—	—	—	—	—	—	—	—	1	1	1	5	10	11	19	12	5	3	48C
—	—	—	—	—	—	—	—	—	—	—	2	—	1	4	1	—	1	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	49
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	6	21	21	18	19	19	33	24	27	38	47	63	84	55	35	15	4	50
4	8	17	14	17	16	17	16	17	27	31	39	71	79	69	47	14	10	
—	—	—	1	—	—	—	1	—	2	1	2	—	1	2	—	—	—	51
—	—	—	5	8	7	8	15	14	7	5	15	10	5	3	2	—	—	
—	—	1	1	—	4	2	2	2	1	5	2	3	1	—	—	—	—	52
—	—	—	—	1	3	2	4	4	4	4	1	4	3	2	—	—	—	
6	3	5	11	6	2	2	10	6	5	11	5	7	9	2	—	—	—	53
3	1	3	8	1	4	5	3	10	7	8	7	6	2	3	—	2	—	
5	—	3	5	4	7	5	8	16	18	35	47	39	36	23	15	2	—	54
4	4	2	8	12	21	15	28	30	27	33	42	37	39	28	13	4	—	
20	5	4	4	1	3	—	—	1	2	—	3	6	2	4	—	—	—	55
17	5	3	4	1	1	1	5	1	4	4	3	3	3	2	4	1	—	
—	—	—	1	—	2	7	5	7	6	5	7	5	7	3	—	—	—	56
—	—	—	—	—	1	—	2	6	1	4	2	3	5	—	—	1	—	
—	—	—	—	1	—	—	1	—	1	3	—	2	—	—	—	—	—	57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	58
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	59
—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	
5	3	1	—	1	4	1	2	2	1	—	—	1	1	—	3	1	—	60
3	—	3	—	1	2	2	2	—	2	—	1	1	—	4	—	—	1	
33	30	16	14	6	7	1	9	5	5	2	2	1	1	—	—	—	—	61A
23	22	15	13	11	11	8	7	1	7	3	1	—	—	1	—	—	—	
13	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	61B
14	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
199	53	22	24	4	6	5	4	5	5	7	6	5	4	2	2	—	—	61C
164	37	30	17	13	4	12	7	7	13	9	6	2	—	—	3	2	—	
—	—	—	—	—	1	—	2	16	8	14	16	10	14	13	4	—	—	62
—	—	—	—	—	—	1	2	2	1	2	4	1	1	1	1	—	—	
13	7	7	7	4	10	9	5	22	23	28	24	37	53	51	24	17	7	63
10	4	6	5	3	9	9	12	23	24	26	21	35	33	39	33	16	6	

Aggregate of Rural Districts.—Causes of Death

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
64	Cerebral hæmorrhage, Apoplexy.	M	2,763	1	—	1	1	3	2	1	1	—
		F	3,147	—	—	—	—	—	2	—	—	—
65	Softening of brain ...	M	157	—	—	—	—	—	—	—	—	—
		F	164	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause.	M	322	—	—	—	—	—	—	—	—	—
		F	395	—	—	—	—	—	—	1	—	—
67	General paralysis of the insane.	M	192	—	—	—	—	—	—	—	—	—
		F	50	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation.	M	73	—	—	—	—	—	—	—	—	—
		F	136	—	—	—	—	—	—	—	—	—
69	Epilepsy	M	339	2	3	—	2	7	2	5	1	3
		F	288	—	—	1	3	4	5	1	2	2
70	Convulsions (non-puerperal ; 5 yrs. and over)	M	10	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years).	M	920	297	183	134	166	780	103	22	8	7
		F	721	203	132	109	146	590	96	28	4	3
72	Chorea	M	5	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
73	Hysteria, Neuralgia, Neuritis.	M	38	—	—	—	—	—	—	—	—	—
		F	40	—	—	—	—	—	—	—	—	—
74	Other diseases of the nervous system.	M	215	2	1	1	1	5	1	5	3	3
		F	233	—	1	2	2	5	5	—	7	3
75	Diseases of the eyes and annexa.	M	2	—	—	—	—	—	1	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
76A	Mastoid disease	M	19	—	—	2	3	5	—	2	—	1
		F	18	—	—	1	1	2	1	2	1	—
76B	Other diseases of the ears	M	67	—	—	7	7	14	8	2	2	2
		F	58	1	—	2	3	6	5	4	1	—
77	Pericarditis	M	41	—	—	—	—	—	1	—	1	—
		F	43	—	—	2	—	2	—	1	1	2
78	Acute endocarditis ...	M	117	—	—	—	1	1	—	—	1	—
		F	127	—	—	—	1	1	1	—	—	2
79A	Valvular disease	M	2,662	—	—	—	2	2	1	1	—	2
		F	2,796	—	—	—	—	—	1	1	—	2
79B	Fatty degeneration of the heart.	M	321	—	—	—	—	—	—	—	—	—
		F	371	—	—	1	—	1	—	—	—	—
79C	Other organic disease of the heart.	M	3,298	—	—	—	—	—	1	—	3	—
		F	3,383	—	—	—	1	1	—	—	3	2
80	Angina pectoris	M	170	—	—	—	—	—	—	—	—	—
		F	84	—	—	—	—	—	—	—	—	—
81A	Aneurysm	M	109	—	—	—	—	—	—	—	—	—
		F	37	—	—	—	—	—	—	—	—	—
81B	Arterial sclerosis... ...	M	1,025	—	—	—	—	—	—	—	—	—
		F	582	—	—	—	—	—	—	—	—	—
81C	Other diseases of arteries	M	5	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
7	2	1	—	4	2	8	16	46	54	115	196	298	418	555	531	337	173	64
2	—	2	1	5	9	8	20	46	84	144	221	329	436	620	555	408	257	
—	—	—	—	—	—	—	—	1	3	6	12	17	23	28	31	20	16	65
—	—	—	1	2	—	—	2	2	4	4	5	17	24	27	31	26	19	
—	—	1	1	1	—	—	4	1	5	7	19	34	45	67	72	43	22	66
1	—	—	—	—	1	—	3	7	13	5	28	28	42	72	92	58	45	
—	1	—	1	4	5	17	28	31	26	28	21	11	7	8	4	—	—	67
—	—	1	—	—	2	1	4	6	6	7	6	4	7	3	2	1	—	
—	—	—	2	1	4	3	5	1	7	6	9	13	8	5	5	3	1	68
—	—	—	1	5	3	8	7	14	13	18	10	20	10	11	10	6	—	
18	14	16	17	31	30	33	28	26	13	21	20	20	21	14	10	4	3	69
14	8	10	20	21	13	22	25	20	26	17	26	18	13	21	6	4	4	
—	3	1	1	—	—	—	—	—	1	1	—	—	2	—	—	1	—	70
—	7	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	
920	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	71
721	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	72
—	6	5	3	1	1	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	1	1	3	2	6	4	11	5	2	2	—	73
—	—	—	—	1	2	1	1	5	5	3	2	2	3	8	4	2	1	
17	13	12	12	4	11	12	15	6	14	17	13	17	13	15	12	8	4	74
20	17	11	11	11	9	12	16	18	10	18	17	22	12	16	6	4	3	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	75
—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	1	
8	2	1	3	2	1	1	1	—	—	—	—	—	—	—	—	—	—	76A
6	2	3	1	1	3	—	—	—	—	—	1	—	—	—	1	—	—	
28	8	8	6	3	2	3	3	2	—	1	—	1	—	2	—	—	—	76B
16	4	7	7	6	1	2	2	3	2	1	2	1	2	1	1	—	—	
2	1	6	—	1	1	—	5	1	1	—	6	8	5	2	—	2	—	77
6	2	1	1	2	2	2	1	2	1	—	1	5	7	1	8	1	—	
2	10	9	8	6	5	6	13	8	7	15	14	2	6	3	2	1	—	78
4	8	9	10	7	10	9	8	15	14	12	12	3	2	1	3	—	—	
6	5	24	32	31	34	47	52	73	127	147	220	332	402	477	376	188	89	79A
4	18	34	38	32	32	52	68	89	152	160	219	330	419	467	356	218	108	
—	—	—	—	—	1	1	5	10	15	25	38	52	55	61	25	24	9	79B
1	—	—	—	1	6	5	4	9	12	25	47	51	58	72	37	32	11	
4	11	13	23	16	21	25	43	60	89	151	239	376	520	627	580	316	184	79C
6	9	18	16	26	30	29	33	64	94	156	224	327	522	660	577	374	218	
—	—	—	—	—	—	—	2	3	5	15	29	33	31	27	15	7	3	80
—	—	—	—	—	—	1	1	2	5	6	7	10	14	16	15	6	1	
—	—	—	—	—	—	4	3	9	13	14	20	20	12	7	5	2	—	81A
—	1	—	—	—	—	2	2	—	4	3	4	4	6	8	2	1	—	
—	—	—	1	—	—	3	6	3	9	15	47	92	166	182	222	170	109	81B
—	1	—	—	—	—	—	1	5	5	17	23	30	64	108	113	107	108	
—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	2	—	—	81C
—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	1	

Aggregate of Rural Districts.—Causes of Death

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	M	277	—	—	—	—	—	—	1	1	—
		F	377	—	—	—	—	—	—	—	—	—
82B	Other embolism and thrombosis.	M	41	—	—	—	—	—	—	—	—	—
		F	31	1	—	—	—	1	—	—	—	—
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	18	—	—	—	—	—	—	—	—	—
		F	52	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ...	M	15	—	1	4	1	6	2	1	—	1
		F	7	1	1	2	—	4	—	—	—	1
84B	Other diseases of the lymphatic system.	M	22	—	3	1	2	6	4	2	—	1
		F	9	—	—	—	2	2	2	1	—	—
85	Hæmorrhage ; other diseases of the circulatory system.	M	34	—	—	—	—	—	—	—	—	—
		F	30	—	—	—	—	—	—	—	2	—
86	Diseases of the nasal fossæ.	M	6	1	—	1	1	3	—	—	—	—
		F	6	—	1	—	1	2	2	—	—	—
87	Diseases of the larynx ...	M	146	4	3	5	12	24	22	20	20	15
		F	128	6	1	2	8	17	22	17	16	8
88	Diseases of the thyroid body.	M	23	1	—	—	—	1	—	—	—	—
		F	71	—	—	—	—	—	—	—	1	—
89 & 90	Bronchitis	M	4,342	76	176	186	302	740	202	51	21	17
		F	4,363	54	122	126	219	521	177	47	28	11
91	Broncho-pneumonia ...	M	1,760	30	124	162	454	770	389	92	55	22
		F	1,453	18	76	112	305	511	321	105	43	24
92A	Lobar pneumonia ...	M	882	—	3	11	21	35	19	11	14	10
		F	642	2	3	10	21	36	19	11	7	7
92B	Pneumonia (type not stated).	M	1,476	9	17	35	87	148	76	40	22	18
		F	1,051	9	18	40	73	140	73	26	19	13
93	Pleurisy	M	147	1	—	2	2	5	4	1	1	3
		F	113	2	1	1	—	4	3	4	4	2
94	Pulmonary congestion, Pulmonary apoplexy.	M	194	7	8	5	9	29	9	1	4	1
		F	208	8	7	5	5	25	4	2	1	—
95	Gangrene of the lung ...	M	9	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
96	Asthma	M	286	—	—	—	1	1	—	1	—	1
		F	190	—	—	—	—	—	1	—	—	2
97	Pulmonary emphysema	M	75	—	—	—	—	—	1	—	—	—
		F	26	—	—	—	—	—	—	—	—	—
98A	Fibroid disease of lung ...	M	58	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
98B	Other diseases of the respiratory system.	M	36	1	—	3	1	5	1	—	—	—
		F	15	—	1	3	—	4	—	—	—	—
99A	Diseases of the teeth and gums.	M	28	2	1	1	2	6	3	—	—	—
		F	18	2	3	1	1	7	2	—	—	—
99B, C,D	Other diseases of the mouth and annexa.	M	24	5	10	2	1	18	—	—	—	—
		F	15	1	4	1	2	8	2	1	—	—
100	Diseases of pharynx, Tonsillitis.	M	72	—	1	2	4	7	2	4	6	6
		F	85	3	2	1	—	6	2	5	4	5

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
2	—	1	—	1	1	2	3	6	7	7	14	27	41	52	51	33	29	82A
—	3	—	1	2	1	6	4	6	10	14	20	34	46	55	72	57	46	
—	2	—	1	—	1	—	—	—	6	4	5	3	6	6	1	6	—	82B
1	—	—	2	2	1	3	1	4	2	1	2	3	5	2	4	1	—	
—	—	—	—	—	—	—	1	—	5	2	3	2	—	4	1	—	—	83
—	1	—	—	—	1	2	2	5	2	6	7	7	6	4	6	2	1	
10	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84A
5	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	1	—	1	—	—	—	—	—	—	—	2	3	1	—	—	1	—	84B
5	—	—	—	1	1	—	—	—	—	—	—	—	—	1	1	—	—	
—	—	—	—	1	—	—	—	2	1	2	4	8	3	7	4	2	—	85
2	—	1	—	1	—	—	—	1	—	2	3	2	3	7	4	2	2	
3	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	86
4	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
101	23	4	1	1	—	3	1	1	1	1	2	2	—	1	3	1	—	87
80	29	2	—	—	3	4	—	2	—	3	—	1	3	—	—	—	1	
1	1	—	3	1	—	1	2	—	2	2	—	4	3	2	1	—	—	88
1	1	2	3	1	6	2	3	5	4	5	5	5	20	7	—	1	—	
1031	19	7	6	5	7	8	21	31	56	100	170	261	388	651	659	531	391	89 & 90
784	23	9	9	3	9	19	18	24	36	67	98	202	388	641	811	687	535	
1328	56	7	2	—	10	12	15	19	16	19	24	33	56	63	55	26	19	91
1004	48	13	7	5	1	9	8	13	13	21	37	27	49	62	58	54	24	
89	15	13	31	31	38	40	54	58	64	79	80	85	82	57	42	16	8	92A
80	30	18	26	35	29	33	35	43	37	27	34	64	52	55	23	11	10	
304	40	26	25	28	28	50	64	81	99	101	106	135	114	109	85	58	23	92B
271	41	13	16	18	24	33	34	48	54	51	39	72	104	82	76	52	23	
14	2	3	5	5	7	4	7	12	10	9	8	17	17	14	7	6	—	93
17	4	5	3	4	2	2	6	2	4	9	6	9	7	12	16	2	3	
44	1	4	1	—	1	—	2	2	5	5	7	8	13	17	25	26	33	94
32	2	2	1	3	1	2	1	3	3	2	7	11	11	24	33	38	32	
—	—	—	1	—	—	—	—	—	2	1	1	2	—	1	—	1	—	95
—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	1	—	—	
3	1	1	—	—	3	7	4	14	20	30	35	30	48	49	27	12	2	96
3	—	—	2	2	5	1	5	9	8	12	18	20	23	33	27	17	5	
1	—	—	1	—	—	3	—	3	2	1	15	15	11	11	6	3	3	97
—	—	—	—	—	—	—	1	—	2	—	2	2	4	4	4	5	2	
—	—	—	1	—	—	3	2	11	7	9	10	8	4	2	—	—	1	98A
—	—	—	1	—	—	1	—	3	—	1	1	3	—	1	—	—	—	
6	—	1	—	2	2	—	1	2	2	1	5	6	1	3	3	—	1	98B
4	—	1	—	—	1	—	2	—	—	3	1	—	—	2	1	—	—	
9	—	—	1	—	1	—	1	—	1	2	3	3	3	1	3	—	—	99A
9	1	—	—	1	1	—	1	1	—	1	1	1	1	—	—	—	—	
18	—	—	—	—	—	—	—	—	1	—	—	—	1	2	—	1	1	99B, C, D
11	1	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	
25	11	6	6	3	2	5	1	—	—	5	1	2	2	1	—	—	2	100
22	13	10	6	7	2	2	4	—	2	4	2	1	2	2	1	2	3	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ...	M	10	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	172	—	—	1	—	1	—	—	—	—
		F	200	—	—	—	—	—	—	—	1	—
103A	Inflammation of stomach	M	324	16	69	30	25	140	16	4	4	1
		F	337	15	31	30	28	104	12	8	6	7
103B	Other diseases of the stomach.	M	75	3	2	3	2	10	1	1	1	1
		F	81	3	5	2	2	12	—	—	—	1
104 & 105.	Diarrhœa and enteritis ...	M	1,247	65	181	231	206	683	129	29	20	13
		F	1,038	45	101	137	199	482	126	29	13	4
106	Ankylostomiasis... ...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	3	—	—	—	—	—	1	1	1	—
		F	7	—	—	—	—	—	—	3	—	1
108	Appendicitis	M	280	—	—	—	—	—	2	2	6	—
		F	227	—	—	—	—	—	—	1	2	6
109A	Hernia	M	197	2	7	8	2	19	4	1	—	—
		F	184	—	—	1	—	1	—	—	—	—
109B	Intestinal obstruction ...	M	275	8	4	14	15	41	11	6	2	3
		F	272	5	1	8	11	25	2	—	—	1
110	Other diseases of the intestines.	M	51	—	—	3	2	5	1	—	—	—
		F	58	1	2	2	—	5	—	1	2	1
111	Acute yellow atrophy of liver.	M	5	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	1
112	Hydatid of liver ...	M	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ...	M	391	—	—	—	—	—	—	—	—	—
		F	220	—	—	—	1	1	—	—	—	—
114	Biliary calculi	M	54	—	—	—	—	—	—	—	—	—
		F	119	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	88	—	—	5	1	6	4	—	—	—
		F	103	—	—	2	3	5	2	1	1	—
116	Diseases of the spleen ...	M	4	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M	60	1	5	5	2	13	—	—	4	—
		F	78	1	4	1	—	6	1	—	2	1
118	Other diseases of the digestive system.	M	24	—	—	—	—	—	—	—	—	1
		F	30	—	—	—	—	—	1	—	1	—
119	Acute nephritis	M	184	—	1	2	4	7	17	5	3	5
		F	183	—	—	3	3	6	8	4	8	5
120	Bright's disease	M	1,363	—	—	—	—	—	2	—	—	3
		F	1,169	—	—	—	—	—	2	—	1	—
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
122	Other diseases of the kidney and annexa.	M	36	—	—	—	—	—	—	2	—	—
		F	46	—	—	—	1	1	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	—	—	1	—	2	—	—	1	—	4	2	—	—	101
—	—	—	—	—	—	—	1	—	1	—	1	1	1	2	—	—	—	
1	—	—	4	4	8	12	15	17	16	18	19	21	11	13	7	4	2	102
1	1	1	13	16	16	12	19	22	27	20	12	11	9	10	5	4	1	
165	7	2	3	2	2	4	3	8	8	7	11	16	17	19	23	18	9	103A
137	5	3	1	1	1	3	6	11	7	4	12	14	33	22	40	23	14	
14	—	1	—	2	—	2	3	4	3	5	3	7	8	9	7	6	1	103B
13	1	1	2	2	—	2	2	2	5	4	2	1	8	9	9	11	7	
874	15	6	2	6	7	13	14	17	17	26	36	28	40	51	33	39	23	104 & 105.
654	22	6	6	15	13	5	16	18	16	19	22	27	37	35	66	33	28	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	107
4	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
10	25	43	40	20	20	13	20	19	9	9	10	10	11	10	7	3	1	108
9	32	29	28	13	14	13	20	15	14	11	6	6	6	6	3	2	—	
24	—	—	2	2	1	2	3	5	1	10	9	22	20	39	26	17	14	109A
1	—	—	1	—	3	2	2	7	11	15	20	23	33	26	19	14	7	
63	13	3	4	2	2	5	3	10	8	14	16	16	37	26	28	17	8	109B
28	3	3	7	9	2	6	8	6	9	16	17	25	31	40	23	20	19	
6	3	—	1	1	—	1	1	3	1	1	4	1	5	10	5	2	6	110
9	1	—	—	1	3	4	3	2	1	3	5	2	4	6	4	7	3	
—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	1	—	111
1	1	—	1	—	1	1	2	—	1	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	112
—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
—	—	—	—	—	2	9	10	24	35	49	59	69	55	47	25	5	2	113
1	—	—	—	—	1	4	6	10	25	31	31	34	24	32	12	6	3	
—	—	—	—	1	—	—	—	2	3	7	8	5	13	6	5	2	2	114
—	—	—	—	—	—	2	1	4	6	7	16	12	19	22	19	8	3	
10	—	1	1	3	1	1	2	3	5	7	9	6	7	8	10	9	5	115
9	7	—	1	3	3	—	4	2	4	6	5	10	11	15	9	7	7	
—	—	1	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	116
—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	
17	4	3	2	1	—	4	2	1	2	3	3	3	4	3	4	4	—	117
10	14	5	1	3	5	6	6	6	4	3	2	2	2	2	7	—	—	
1	1	—	—	—	1	—	—	4	3	6	3	3	1	1	—	—	—	118
2	—	—	—	2	—	2	2	2	3	3	6	1	5	—	1	1	—	
37	10	10	7	5	14	7	9	4	9	16	11	11	10	12	7	4	1	119
31	11	7	11	6	11	11	13	7	15	13	13	12	7	4	10	1	—	
5	10	7	11	8	20	28	53	46	72	94	150	164	209	206	184	69	27	120
3	8	10	9	20	20	34	40	73	77	102	108	131	154	164	138	53	25	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
2	—	1	—	—	—	1	1	1	2	4	2	4	7	5	4	—	2	122
1	2	—	—	3	4	—	3	4	3	5	3	3	5	6	2	—	2	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages.	M	41	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder...	M	299	—	—	1	—	1	—	—	—	1
		F	79	—	1	—	—	1	—	—	—	—
125	Diseases of the urethra, Urinary abscess, &c.	M	59	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate...	M	416	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	53	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	29	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	69	—	—	—	—	—	—	—	—	—
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	30	—	—	—	—	—	2	—	—	—
133	Non-puerperal dis. of the breast (non-cancerous).	M	1	—	1	—	—	1	—	—	—	—
		F	5	—	1	—	—	1	—	—	—	—
134	Accidents of pregnancy...	M	—	—	—	—	—	—	—	—	—	—
		F	68	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	109	—	—	—	—	—	—	—	—	—
136	Other accidents of child-birth.	M	—	—	—	—	—	—	—	—	—	—
		F	81	—	—	—	—	—	—	—	—	—
137	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—
		F	209	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	151	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	72	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	697	—	—	—	—	—	—	—	—	—
142A	Senile gangrene	M	238	—	—	—	—	—	—	—	—	—
		F	154	—	—	—	—	—	—	—	—	—
142B, C,D.	Gangrene, other types ...	M	14	1	—	—	1	2	—	—	—	—
		F	13	—	2	—	—	2	—	—	—	—
143	Carbuncle, Boil	M	36	—	—	1	—	1	—	—	—	—
		F	14	—	—	1	—	1	—	—	—	—
144	Phlegmon, Acute abscess	M	95	—	4	3	2	9	1	1	—	—
		F	64	1	2	3	4	10	1	—	1	2
145	Diseases of the integumentary system.	M	131	19	12	6	10	47	4	2	1	1
		F	122	7	3	4	3	17	1	—	1	1

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	2	—	—	—	1	1	2	1	4	2	4	2	8	6	4	3	1	123
—	—	—	—	—	—	3	—	2	1	2	—	2	4	2	—	2	—	
2	—	—	—	1	1	3	2	3	5	3	10	25	38	56	71	50	29	124
1	1	—	1	2	2	2	2	1	2	—	8	2	7	14	13	13	8	
—	—	1	—	—	2	1	2	2	4	5	7	8	8	7	8	2	2	125
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	4	12	23	74	97	106	60	40	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	—	—	1	1	—	—	—	3	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	—	—	3	2	5	8	6	8	1	2	7	1	5	5	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	—	3	—	1	3	2	2	4	3	—	2	2	—	5	1	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
—	—	—	2	1	2	5	4	9	8	7	6	2	6	8	6	2	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
2	—	1	1	3	5	4	3	3	1	3	3	—	—	1	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
1	—	—	—	—	1	—	—	—	—	1	—	1	—	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	1	7	9	19	25	6	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	3	11	17	23	34	20	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	2	9	16	18	27	8	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	1	7	41	56	40	44	18	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	5	35	33	36	30	11	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	—	10	22	18	17	3	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
—	—	1	20	113	153	155	180	67	8	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	7	21	52	59	53	46	142A
—	—	—	—	—	—	—	—	—	—	—	—	8	15	30	35	26	40	
2	—	—	1	—	—	—	1	—	1	1	5	2	1	—	—	—	—	142B, C, D.
2	—	—	2	—	1	1	—	1	—	1	1	2	1	—	—	1	—	
1	—	—	1	—	—	1	2	4	4	1	5	5	2	6	—	3	1	143
1	—	1	—	—	1	3	1	—	2	—	2	—	1	1	—	1	—	
11	4	5	1	3	1	1	4	2	6	6	6	11	12	9	7	4	2	144
14	4	1	2	1	1	—	7	2	1	4	1	4	12	3	3	4	—	
55	—	1	—	2	1	—	1	1	2	4	—	4	12	8	18	14	8	145
20	—	—	—	1	2	1	2	—	2	3	6	8	7	14	17	16	23	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ...	M	62	2	—	1	—	3	2	3	2	1
		F	40	—	1	1	1	3	1	—	—	1
147	Diseases of the joints ...	M	8	—	—	—	—	—	—	—	—	1
		F	16	—	—	—	—	—	1	—	—	—
148	Amputations	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	6	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
150	Congenital malformations	M	427	231	68	33	33	365	18	7	4	4
		F	364	208	48	36	27	319	10	5	—	—
151A	Premature birth	M	1,665	1,524	127	12	2	1,665	—	—	—	—
		F	1,227	1,129	80	13	5	1,227	—	—	—	—
151 B–E.	Infantile debility, Icterus and Sclerema.	M	1,034	645	245	105	39	1,034	—	—	—	—
		F	795	509	170	72	44	795	—	—	—	—
152	Other diseases peculiar to early infancy.	M	290	279	11	—	—	290	—	—	—	—
		F	193	179	14	—	—	193	—	—	—	—
153	Lack of care	M	25	24	1	—	—	25	—	—	—	—
		F	15	15	—	—	—	15	—	—	—	—
154	Old age	M	4,403	—	—	—	—	—	—	—	—	—
		F	5,129	—	—	—	—	—	—	—	—	—
155	Suicide by poison ...	M	16	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ...	M	2	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	126	—	—	—	—	—	—	—	—	—
		F	36	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ...	M	97	—	—	—	—	—	—	—	—	—
		F	86	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ...	M	54	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	74	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	9	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ...	M	16	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
163	Other suicides	M	4	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
164	Poisoning by food ...	M	6	—	—	—	—	—	—	—	—	1
		F	3	—	—	—	—	—	—	—	—	—
165	Other acute poisonings ...	M	13	—	—	—	1	1	1	—	—	—
		F	15	—	—	—	—	—	2	2	1	—
166	Conflagration	M	7	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
167	Burns (conflagration excepted).	M	146	—	—	4	8	12	30	32	20	11
		F	211	—	—	—	6	6	24	26	13	20
168	Absorption of deleterious gases (conflagration excepted).	M	95	30	18	14	3	65	1	—	—	—
		F	47	19	14	4	4	41	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
11	8	16	2	1	1	2	—	2	1	2	2	3	5	—	5	1	—	146
5	6	6	3	1	—	2	2	—	1	—	1	2	—	3	4	3	1	
1	1	—	1	—	—	—	—	—	—	—	1	—	2	1	1	—	—	147
1	—	1	—	1	—	1	—	1	—	2	2	1	1	3	1	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	—	—	—	—	—	—	1	1	—	2	—	1	—	—	149
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
398	13	3	4	—	3	3	2	—	—	—	—	1	—	—	—	—	—	150
334	12	1	6	5	2	1	—	2	—	—	—	1	—	—	—	—	—	
1,665	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151A
1,227	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,034	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151 B–E.
795	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
290	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
193	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	3	26	89	579	1,065	1,351	1,290	154
—	—	—	—	—	—	—	—	—	1	—	3	20	115	603	1,159	1,488	1,740	
—	—	—	—	1	—	1	2	2	3	1	4	1	—	—	1	—	—	155
—	—	—	3	1	1	2	3	3	4	3	1	1	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	156
—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	
—	—	—	4	3	4	4	7	9	11	18	24	17	14	4	6	1	—	157
—	—	—	1	2	3	1	2	2	2	6	4	8	1	4	—	—	—	
—	—	—	—	3	4	4	8	19	7	15	8	9	8	8	2	1	1	158
—	—	2	8	7	6	4	8	10	11	9	8	5	5	2	1	—	—	
—	—	—	4	2	4	3	3	7	12	6	2	9	1	1	—	—	—	159
—	—	—	1	—	1	—	1	—	—	—	1	1	—	—	—	—	—	
—	—	—	—	—	1	3	6	12	2	11	8	8	10	10	2	—	1	160
—	—	—	1	—	—	1	3	2	5	3	4	1	—	1	—	2	—	
—	—	—	1	—	—	2	1	1	—	1	—	2	1	—	—	—	—	161
—	—	—	—	—	1	—	1	1	1	—	—	1	2	—	—	—	—	
—	—	—	—	2	1	2	2	2	4	2	—	—	—	—	1	—	—	162
—	—	—	2	1	—	—	1	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	1	1	—	—	1	—	—	—	163
—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	
1	1	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	164
—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	
2	2	—	—	—	—	1	2	1	—	3	1	1	—	—	—	—	—	165
5	—	1	1	—	—	2	—	—	—	—	4	—	—	1	—	1	—	
—	—	—	—	—	1	—	—	1	1	1	1	—	—	—	1	1	—	166
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
105	12	3	1	2	1	—	1	—	1	1	1	1	2	3	5	2	5	167
89	50	6	9	8	3	1	3	2	4	1	5	1	4	7	7	5	6	
66	3	1	2	1	3	2	1	1	5	—	2	1	1	4	1	1	—	168
41	—	—	—	—	—	1	1	—	—	1	1	1	—	—	—	1	—	

Aggregate of Rural Districts.—Causes of Death

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ...	M	502	3	—	—	2	5	19	30	11	17
		F	123	3	2	—	—	5	11	4	2	3
170	Injury by firearms ...	M	52	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	1	—
171	Injury by cutting or piercing instruments.	M	5	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
172	Injury by fall	M	289	—	—	—	1	1	5	5	3	1
		F	202	—	—	—	—	—	1	—	1	2
173	Injury in mines and quarries.	M	349	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ...	M	61	—	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.)	M	674	—	—	—	—	—	3	10	8	9
		F	117	—	—	—	—	—	3	8	4	3
176	Injury by animals ...	M	37	—	—	—	—	—	1	—	—	1
		F	3	—	—	—	—	—	—	—	—	—
177	Starvation	M	5	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
178	Excessive cold	M	42	—	—	—	1	1	—	—	—	1
		F	10	—	—	—	—	—	—	—	—	—
179	Effects of heat	M	17	—	—	—	1	1	—	—	—	—
		F	6	—	—	1	—	1	—	—	1	—
180	Lightning...	M	6	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
181	Electricity (lightning excepted).	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	1	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	3	2	—	—	1	3	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
184	Homicide by other means	M	15	8	—	—	—	8	1	—	—	—
		F	3	—	—	—	—	—	—	—	1	—
185	Fractures (cause not specified).	M	11	1	—	—	—	1	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
186	Other violence	M	102	1	2	2	1	6	5	4	3	2
		F	19	—	1	—	1	2	1	—	2	2
155–186	All violence	M	2,838	45	20	20	19	104	66	81	46	43
		F	974	22	17	5	11	55	42	40	26	30
187	Dropsy	M	2	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
188A	Syncope (aged 1 year and under 70).	M	42	—	—	—	—	—	—	1	—	—
		F	29	—	—	—	—	—	—	1	—	—
188B	Sudden death (not otherwise defined).	M	2	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	1	—	—	—	—
189A	Heart failure (aged 1 year and under 70).	M	217	—	—	—	—	—	2	—	1	1
		F	190	—	—	—	—	—	—	1	—	—
189 B–E.	Other ill-defined causes...	M	109	12	4	3	12	31	31	4	1	—
		F	109	5	5	2	6	18	29	2	2	1
189F.	Cause not specified ...	M	38	9	—	1	—	10	1	—	—	1
		F	23	8	1	2	—	11	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1915—(Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
82	43	25	39	18	23	26	36	47	31	43	29	19	20	12	6	2	1	169
25	10	5	12	7	7	5	6	8	8	6	10	5	4	1	3	—	1	
—	2	2	7	9	4	2	2	4	7	4	3	3	2	1	—	—	—	170
1	2	—	1	—	2	1	—	—	1	—	1	—	—	—	—	—	—	
—	1	—	—	—	—	—	1	—	—	2	—	—	1	—	—	—	—	171
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15	9	12	10	4	12	7	15	18	17	13	22	26	35	17	18	16	23	172
4	3	1	—	3	1	—	3	3	6	5	13	3	14	28	41	35	39	
—	—	16	49	27	37	34	39	30	36	21	28	24	5	3	—	—	—	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	4	5	13	7	2	3	1	2	6	4	4	6	3	—	—	—	—	174
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
30	60	46	59	33	44	29	56	47	51	44	45	42	29	30	18	6	5	175
18	15	5	6	8	5	4	4	10	7	8	7	6	5	5	3	1	—	
2	2	3	2	3	2	1	4	3	3	3	2	4	—	2	—	1	—	176
—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	177
—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	
2	—	—	—	—	1	2	3	1	4	7	—	5	5	6	5	1	—	178
—	1	—	—	—	—	—	1	3	—	—	1	2	1	—	1	—	—	
1	2	1	—	—	—	2	1	2	1	—	1	1	—	3	1	1	—	179
2	1	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	—	1	1	1	—	1	1	—	—	—	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	182
—	—	—	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	183
—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
9	—	—	1	1	—	—	1	—	—	—	—	1	1	—	1	—	—	184
1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	1	1	2	1	2	—	—	—	1	1	—	1	—	185
—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	
20	5	8	4	4	6	2	7	12	6	8	8	5	5	1	—	1	—	186
7	1	2	1	2	—	—	1	1	—	1	—	—	1	—	1	1	—	
340	146	123	197	121	151	133	201	225	213	210	197	187	147	108	68	35	36	155–186
193	83	23	47	39	34	24	43	51	53	43	62	37	41	49	58	48	46	
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	187
—	—	—	—	—	—	—	—	—	—	1	2	1	1	2	2	—	—	
1	—	—	—	—	1	—	1	—	1	6	5	15	12	—	—	—	—	188A
1	1	—	—	1	2	—	—	2	3	7	2	2	8	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	188B
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	2	2	4	2	3	3	4	13	18	26	34	45	57	—	—	—	—	189A
1	3	2	5	4	3	5	9	9	16	20	32	34	47	—	—	—	—	
67	5	2	1	1	1	—	3	—	1	—	6	5	6	7	1	2	1	189 B–E
52	—	1	—	1	—	1	2	1	6	3	2	7	10	8	6	4	5	
12	—	—	1	1	—	—	2	4	4	6	—	—	2	3	1	2	—	189F
11	—	1	—	—	—	—	—	—	1	—	1	—	2	1	1	3	2	

Causes of Death in each Quarter of the Year

(See Note at head

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
	All Causes	M	292,381	90,613	72,860	58,001	70,907	37,139	11,546	8,972	7,315	9,306
		F	269,872	86,630	65,715	51,405	66,122	35,254	11,340	8,340	6,610	8,964
1	Enteric fever	M	822	227	187	184	224	62	23	12	15	12
		F	566	140	128	143	155	42	12	7	10	13
2	Typhus	M	5	1	1	—	3	1	—	1	—	—
		F	4	—	1	—	3	1	—	1	—	—
3	Relapsing fever	M	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	55	14	16	9	16	2	—	2	—	—
		F	10	4	3	3	—	2	1	—	1	—
5	Small-pox	M	7	3	4	—	—	1	1	—	—	—
		F	6	2	3	—	1	2	2	—	—	—
6	Measles	M	8,583	3,072	3,536	1,106	869	1,155	534	517	70	34
		F	7,862	2,691	3,285	1,057	829	1,131	539	482	70	40
7	Scarlet fever	M	1,226	364	281	241	340	172	47	42	31	52
		F	1,180	341	318	226	295	155	53	42	30	30
8	Whooping cough ...	M	3,694	1,464	1,196	507	527	509	172	195	80	62
		F	4,449	1,620	1,447	649	733	649	187	246	114	102
9A	Diphtheria	M	2,852	831	595	544	882	338	95	69	69	105
		F	3,004	930	612	555	907	365	103	69	66	127
9 B, C	Croup	M	22	2	7	1	12	—	—	—	—	—
		F	17	3	4	2	8	1	—	1	—	—
10	Influenza	M	5,228	3,117	1,208	231	672	535	311	130	23	71
		F	5,256	3,328	1,128	198	602	523	345	101	22	55
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	11	—	2	9	—	1	—	—	1	—
		F	10	—	—	8	2	—	—	—	—	—
14	Dysentery	M	338	43	40	87	168	48	18	8	11	11
		F	274	67	82	47	78	83	34	23	9	17
15	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	590	194	138	87	171	86	25	22	17	22
		F	487	151	131	77	128	94	28	22	16	28
19	Other epidemic diseases	M	87	28	31	17	11	11	3	2	5	1
		F	116	34	45	16	21	22	8	10	2	2
20	Pyæmia, Septicæmia ...	M	435	135	106	63	131	44	11	8	8	17
		F	223	50	59	56	58	49	10	13	12	14
21	Glanders	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

IN DIFFERENT CLASSES OF AREA, 1915.

of page 89.)

Aggregate of County Boroughs.					Aggregate of Urban Districts.					Aggregate of Rural Districts.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
100,992	30,078	25,158	20,644	25,112	90,266	28,666	22,695	17,712	21,193	55,207	17,995	13,570	10,563	13,079	All Causes
94,753	29,200	23,127	18,592	23,834	87,678	28,811	21,406	16,558	20,903	52,187	17,279	12,842	9,645	12,421	
268	74	66	47	81	251	58	63	68	62	107	28	16	31	32	1
199	44	49	54	52	222	54	51	57	60	103	30	21	22	30	
3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21	3	8	3	7	16	5	3	2	6	6	1	2	2	1	4
2	2	—	—	—	3	—	2	1	—	3	1	1	1	—	
4	—	4	—	—	2	2	—	—	—	—	—	—	—	—	5
3	—	3	—	—	1	—	—	—	1	—	—	—	—	—	
3,261	1,210	1,294	392	365	3,047	983	1,264	463	337	1,011	265	440	173	133	6
3,039	1,041	1,271	368	359	2,756	870	1,132	447	307	936	241	400	172	123	
447	132	94	95	126	358	106	81	57	114	161	42	34	42	43	7
449	109	117	115	108	378	126	108	44	100	198	53	51	37	57	
1,287	487	423	161	216	1,307	577	416	164	150	591	228	162	102	99	8
1,452	489	508	206	249	1,626	677	501	207	241	722	267	192	122	141	
992	295	202	182	313	984	274	213	195	302	521	162	107	96	156	9A
1,046	341	222	198	285	1,050	315	221	186	328	543	171	100	105	167	
10	1	4	1	4	8	1	3	—	4	4	—	—	—	4	9 B, C.
5	1	—	—	4	8	2	—	2	4	3	—	3	—	—	
1,410	762	330	79	239	1,604	969	375	68	192	1,558	983	357	57	161	10
1,388	793	314	69	212	1,829	1,183	377	57	212	1,516	1,007	336	50	123	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	4	—	2	—	2	—	—	4	—	—	4	—	13
4	—	—	4	—	6	—	—	4	2	—	—	—	—	—	
80	15	12	21	32	47	8	10	15	14	21	1	7	4	9	14
90	15	30	17	28	61	11	17	15	18	40	7	12	6	15	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
215	73	59	26	57	173	52	38	28	55	92	38	14	12	28	18
188	61	44	31	52	147	45	47	21	34	58	17	18	9	14	
23	5	10	4	4	31	10	13	5	3	17	8	3	3	3	19
27	7	10	4	6	45	10	20	8	7	22	9	5	2	6	
129	41	36	17	35	133	48	31	14	40	97	28	22	17	30	20
68	19	16	20	13	68	13	23	14	18	38	8	7	10	13	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Causes of Death in each Quarter of the Year

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
22	Anthrax (Splenic fever)	M	23	5	5	5	8	2	1	—	1	—
		F	1	—	—	1	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	127	24	41	29	33	7	2	1	—	4
		F	29	10	6	6	7	2	1	—	1	—
25	Mycoses	M	28	12	7	5	4	6	3	—	1	2
		F	9	2	5	1	1	2	1	1	—	—
26	Pellagra	M	3	1	—	—	2	—	—	—	—	—
		F	13	—	1	3	9	—	—	—	—	—
27	Beri-beri	M	4	—	1	1	2	2	—	1	—	1
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	21,550	6,133	5,623	4,429	5,365	3,855	1,189	940	732	994
		F	16,131	4,442	4,147	3,441	4,101	2,464	731	534	529	670
29A	Acute phthisis	M	1,617	479	437	353	348	209	50	54	49	56
		F	1,505	423	410	351	321	187	57	56	37	37
29B	Acute miliary tuberculosis	M	463	141	130	102	90	89	34	25	20	10
		F	410	119	125	82	84	71	24	20	14	13
28 & 29	Pulmonary tuberculosis acute and chronic.	M	23,630	6,753	6,190	4,884	5,803	4,153	1,273	1,019	801	1,060
		F	18,046	4,984	4,682	3,874	4,506	2,722	812	610	580	720
30	Tuberculous meningitis	M	2,788	714	804	681	589	433	116	114	115	88
		F	2,541	625	764	621	531	398	93	108	114	83
31	Tuberculosis of peritoneum and intestines.	M	1,898	494	492	479	433	184	35	54	50	45
		F	1,717	412	464	455	386	144	30	38	41	35
32	Tuberculosis of spinal column.	M	331	108	89	59	75	43	13	8	11	11
		F	282	84	73	48	77	42	15	13	7	7
33	Tuberculosis of joints ...	M	206	53	45	57	51	26	6	9	3	8
		F	150	33	29	37	51	14	2	4	2	6
34	Tuberculosis of other organs.	M	340	95	99	71	75	38	12	11	5	10
		F	309	95	89	68	57	36	9	14	10	3
35	Disseminated tuberculosis	M	1,152	312	337	270	233	183	54	53	31	45
		F	905	227	260	216	202	140	32	38	39	31
28–35	Tuberculosis (all forms)	M	30,345	8,529	8,056	6,501	7,259	5,060	1,509	1,268	1,016	1,267
		F	23,950	6,460	6,361	5,319	5,810	3,496	993	825	793	885
36	Rickets, Softening of bones.	M	548	178	156	100	114	66	18	16	16	16
		F	373	100	106	83	84	26	7	9	3	7
37	Syphilis	M	1,090	342	255	235	258	200	67	49	39	45
		F	795	245	184	159	207	114	35	26	20	33
38	Other venereal diseases ...	M	41	11	9	12	9	5	2	1	—	2
		F	20	4	7	1	8	2	1	—	—	1
39	Cancer of the buccal cavity.	M	2,110	535	506	547	522	271	81	65	61	64
		F	353	89	87	100	77	46	8	14	14	10
40	Cancer of the stomach, liver, &c.	M	6,914	1,654	1,681	1,766	1,813	911	234	219	235	223
		F	6,537	1,607	1,611	1,621	1,698	717	170	191	189	167
41	Cancer of the peritoneum, intestines, and rectum.	M	3,815	955	970	960	930	508	140	119	135	114
		F	4,201	1,007	994	1,067	1,133	637	173	132	162	170
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	4,767	1,151	1,198	1,197	1,221	684	154	173	186	171
43	Cancer of the breast ...	M	34	12	9	7	6	7	4	2	1	—
		F	3,920	988	929	945	1,058	572	130	139	147	156

IN DIFFERENT CLASSES OF AREA, 1915—*continued.*

Aggregate of County Boroughs.					Aggregate of Urban Districts.					Aggregate of Rural Districts.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
6	2	1	1	2	4	—	1	1	2	3	1	1	—	1	22
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31	4	8	11	8	40	8	12	10	10	36	5	17	7	7	24
6	1	4	—	1	10	4	1	2	3	11	4	1	3	3	
3	—	1	2	—	11	4	5	1	1	6	4	1	—	1	25
1	—	1	—	—	5	1	2	1	1	1	—	1	—	—	
1	—	—	—	1	2	1	—	—	1	—	—	—	—	—	26
8	—	—	1	7	4	—	1	1	2	1	—	—	1	—	
1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8,445	2,360	2,233	1,754	2,098	5,873	1,650	1,541	1,228	1,454	2,901	826	785	612	678	28
6,088	1,680	1,588	1,269	1,551	4,766	1,297	1,243	1,043	1,183	2,813	734	782	600	697	
612	193	169	122	128	433	117	117	110	89	233	81	58	49	45	29A
595	166	159	141	129	473	138	124	118	93	250	62	71	55	62	
165	44	47	41	33	121	31	36	20	34	68	27	17	14	10	29B
140	43	46	24	27	143	40	42	34	27	56	12	17	10	17	
9,222	2,597	2,449	1,917	2,259	6,427	1,798	1,694	1,358	1,577	3,202	934	860	675	733	28 & 29
6,823	1,889	1,793	1,434	1,707	5,382	1,475	1,409	1,195	1,303	3,119	808	870	665	776	
1,016	237	310	254	215	902	233	271	202	196	383	115	96	97	75	30
907	235	286	210	176	838	209	258	190	181	398	88	112	107	91	
830	210	217	203	200	583	159	153	148	123	277	84	63	69	61	31
719	177	184	188	170	551	135	146	149	121	303	70	96	77	60	
114	44	29	16	25	99	30	30	19	20	71	21	20	13	17	32
91	24	22	18	27	95	26	30	11	28	54	19	8	12	15	
66	17	14	17	18	64	14	12	21	17	50	16	10	16	8	33
52	15	11	13	13	56	13	9	14	20	28	3	5	8	12	
121	30	40	26	25	104	28	29	25	22	70	24	16	15	15	34
110	32	32	26	20	98	31	25	23	19	65	23	18	9	15	
428	117	128	106	77	342	95	97	76	74	181	42	52	54	33	35
307	80	89	66	72	303	73	88	73	69	155	42	45	38	30	
11,797	3,252	3,187	2,539	2,819	8,521	2,357	2,286	1,849	2,029	4,234	1,236	1,117	939	942	28–35
9,009	2,452	2,417	1,955	2,185	7,323	1,962	1,965	1,655	1,741	4,122	1,053	1,154	916	999	
224	77	58	39	50	162	53	50	27	32	96	30	32	18	16	36
155	40	43	40	32	122	36	37	22	27	70	17	17	18	18	
485	143	116	109	117	279	89	64	62	64	113	39	22	24	28	37
364	113	77	79	95	228	70	52	45	61	89	27	29	15	18	
16	4	4	7	1	12	4	2	2	4	7	1	2	2	2	38
11	3	3	1	4	5	—	3	—	2	2	—	1	—	1	
773	197	191	209	176	641	159	140	177	165	408	96	107	96	109	39
127	31	24	39	33	102	29	26	26	21	78	21	23	21	13	
2,137	503	521	531	582	2,237	530	569	581	557	1,551	372	360	399	420	40
2,068	509	498	517	544	2,235	571	552	529	583	1,517	357	370	386	404	
1,101	283	280	262	276	1,214	282	316	314	302	954	245	244	236	229	41
1,254	280	293	314	367	1,396	350	346	350	350	914	204	223	241	246	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
1,726	420	419	432	455	1,524	363	395	369	397	833	214	211	210	198	
11	4	3	3	1	11	3	4	3	1	4	1	—	—	3	43
1,248	334	291	295	328	1,280	317	304	309	350	820	207	195	194	224	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
44	Cancer of the skin ...	M	611	148	150	154	159	53	13	10	11	19
		F	392	103	80	98	111	35	12	6	4	13
45	Cancer of other or unspecified organs.	M	3,937	993	970	942	1,032	574	172	142	125	135
		F	2,256	593	554	563	546	318	74	82	77	85
39–45	Cancer (all sites)... ...	M	17,421	4,297	4,286	4,376	4,462	2,324	644	557	568	555
		F	22,426	5,538	5,453	5,591	5,844	3,009	721	737	779	772
46	Other tumours (situation undefined).	M	87	21	15	27	24	6	1	1	2	2
		F	115	36	19	37	23	16	2	2	7	5
47	Rheumatic fever... ...	M	1,030	318	268	196	248	105	29	26	19	31
		F	1,121	337	285	228	271	128	38	38	20	32
48 A, B	Chronic rheumatism, Osteo-arthritis.	M	607	182	142	124	159	64	23	12	13	16
		F	1,328	368	332	254	374	151	43	37	22	49
48C	Gout	M	306	114	68	48	76	50	21	12	9	8
		F	92	30	18	14	30	20	6	3	3	8
49	Scurvy	M	13	4	2	3	4	1	—	—	—	1
		F	20	6	5	3	6	2	—	1	—	1
50	Diabetes	M	2,335	699	532	498	606	249	86	52	57	54
		F	2,324	691	544	500	589	262	83	74	52	53
51	Exophthalmic goitre ...	M	32	9	7	8	8	—	—	—	—	—
		F	400	117	110	75	98	34	8	10	6	10
52	Addison's disease ...	M	102	23	24	25	30	13	1	3	4	5
		F	139	33	34	38	34	15	2	4	4	5
53	Leucocythæmia, Lymphadenoma.	M	414	102	107	108	97	53	17	11	17	8
		F	310	83	71	83	73	35	8	11	9	7
54	Anæmia, Chlorosis ...	M	1,122	296	278	252	296	70	24	16	15	15
		F	1,459	371	392	307	389	96	21	23	25	27
55	Other general diseases ...	M	288	80	76	59	73	29	7	5	7	10
		F	266	81	69	54	62	24	6	8	5	5
56	Alcoholism (acute or chronic).	M	293	84	77	69	63	29	6	7	9	7
		F	204	63	40	44	57	25	7	7	5	6
57	Chronic lead poisoning...	M	71	24	14	14	19	4	1	3	—	—
		F	—	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings.	M	4	—	2	1	1	2	—	1	1	—
		F	4	3	1	—	—	—	—	—	—	—
59	Other chronic poisonings	M	11	8	—	—	3	2	2	—	—	—
		F	10	4	2	—	4	—	—	—	—	—
60	Encephalitis	M	169	49	37	41	42	14	2	1	5	6
		F	133	41	37	34	21	15	6	3	2	4
61A	Cerebro-spinal fever ...	M	1,347	509	550	167	121	172	44	80	34	14
		F	627	160	311	89	67	149	28	74	30	17
61B	Posterior basal meningitis	M	128	36	47	28	17	23	6	7	7	3
		F	101	36	30	21	14	17	11	4	1	1
61C	Meningitis, other forms	M	2,113	641	561	470	441	181	62	46	37	36
		F	1,799	548	501	397	353	162	64	41	25	32
62	Locomotor ataxy... ...	M	625	192	171	122	140	99	27	31	17	24
		F	110	38	16	25	31	17	8	3	2	4
63	Other diseases of the spinal cord.	M	1,560	470	391	298	401	166	58	38	32	38
		F	1,286	388	325	250	323	136	40	42	23	31

IN DIFFERENT CLASSES OF AREA, 1915—*continued.*

Aggregate of County Boroughs.					Aggregate of Urban Districts.					Aggregate of Rural Districts.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
198	52	43	53	50	182	32	53	46	51	177	51	44	43	39	44
117	31	22	26	38	139	36	25	46	32	101	24	27	22	28	
1,272	309	321	294	348	1,245	325	290	315	315	772	176	205	189	202	45
697	178	170	185	164	787	211	199	187	190	454	130	103	114	107	
5,492	1,348	1,359	1,352	1,433	5,530	1,331	1,372	1,436	1,391	3,866	941	960	963	1,002	39–45
7,237	1,783	1,717	1,808	1,929	7,463	1,877	1,847	1,816	1,923	4,717	1,157	1,152	1,188	1,220	
32	9	6	8	9	29	8	5	10	6	20	3	3	7	7	46
30	10	4	7	9	37	13	5	15	4	32	11	8	8	5	
346	111	79	66	90	338	104	84	72	78	202	62	66	33	41	47
429	132	99	97	101	396	117	105	78	96	168	50	43	33	42	
182	54	45	33	50	198	58	45	41	54	162	47	40	37	38	48
393	106	100	85	102	441	125	112	81	123	343	94	83	66	100	A, B.
93	28	22	13	30	95	37	21	13	24	68	28	13	13	14	48C
36	12	6	4	14	27	9	8	4	6	9	3	1	3	2	
7	2	2	1	2	4	1	—	2	1	1	1	—	—	—	49
8	3	—	1	4	7	3	1	2	1	3	—	3	—	—	
754	231	179	159	185	730	207	174	143	206	535	156	116	128	135	50
699	202	170	153	174	850	245	181	184	240	513	161	119	111	122	
5	1	—	3	1	17	6	3	2	6	10	2	4	3	1	51
111	28	25	28	30	151	53	38	22	38	104	28	37	19	20	
28	6	7	8	7	32	8	7	7	10	24	6	6	4	8	52
36	11	9	8	8	56	14	10	18	14	32	6	11	8	7	
123	30	36	27	30	130	33	32	36	29	90	17	23	26	24	53
98	23	25	27	23	104	29	21	27	27	73	23	14	20	16	
355	95	93	76	91	403	111	93	96	103	268	62	68	58	80	54
467	112	131	104	120	549	152	147	104	146	347	86	91	74	96	
99	28	25	21	25	95	29	24	17	25	55	14	18	13	10	55
99	35	24	21	19	81	23	19	16	23	62	17	18	12	15	
111	35	23	28	25	85	22	23	18	22	55	16	17	13	9	56
94	33	16	25	20	60	19	9	8	24	25	4	8	6	7	
34	10	10	7	7	24	8	1	5	10	8	5	—	1	2	57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	1	—	—	1	—	—	—	1	—	—	—	—	—	58
—	—	—	—	—	3	2	1	—	—	1	1	—	—	—	
8	6	—	—	2	1	—	—	—	1	—	—	—	—	—	59
3	1	1	—	1	4	2	1	—	1	3	1	—	—	2	
57	16	11	16	14	60	17	14	16	13	26	9	8	3	6	6C
54	12	18	16	8	42	15	11	11	5	22	8	5	5	4	
198	50	95	35	18	240	71	114	35	20	132	46	59	11	16	61A
171	44	87	21	19	184	58	86	25	15	123	30	64	13	16	
61	15	21	15	10	25	5	14	4	2	14	6	5	1	2	61B
37	9	9	12	7	30	7	12	6	5	17	9	5	2	1	
831	226	211	197	197	698	218	192	149	139	353	124	99	74	56	61C
695	204	209	139	143	616	190	155	158	113	326	90	96	75	65	
234	82	56	49	47	191	48	56	41	46	98	34	26	15	23	62
52	20	6	13	13	25	7	5	6	7	16	3	2	4	7	
497	139	135	82	141	531	162	127	108	134	348	108	86	72	82	63
409	126	102	71	110	427	132	99	88	108	314	90	82	68	74	

Causes of Death in each Quarter of the Year

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
64	Cerebral hæmorrhage, Apoplexy.	M	11,565	3,419	2,795	2,309	3,042	1,086	313	252	230	291
		F	13,858	4,090	3,303	2,859	3,606	1,396	433	286	281	396
65	Softening of brain ...	M	718	257	157	142	162	64	23	15	12	14
		F	754	216	199	152	187	86	21	25	19	21
66	Paralysis without specified cause.	M	1,319	379	332	263	345	112	31	26	27	28
		F	1,664	485	435	340	404	195	60	37	44	54
67	General paralysis of the insane.	M	1,829	526	411	338	554	333	102	77	58	96
		F	434	131	104	100	99	79	29	18	14	18
68	Other forms of mental alienation.	M	449	123	101	109	116	56	14	11	17	14
		F	657	186	170	152	149	71	20	16	15	20
69	Epilepsy	M	1,649	489	421	332	407	211	68	60	34	49
		F	1,425	422	371	294	338	170	43	31	46	50
70	Convulsions (non-puerperal; 5 yrs. and over).	M	62	11	18	17	16	5	1	1	3	—
		F	59	19	12	14	14	2	1	—	—	1
71	Infantile convulsions (under 5 years).	M	4,915	1,626	1,266	954	1,069	305	83	88	68	66
		F	3,685	1,177	940	742	826	235	72	57	55	51
72	Chorea	M	43	16	13	6	8	2	—	1	—	1
		F	110	30	36	19	25	10	4	1	1	4
73	Hysteria, Neuralgia, Neuritis.	M	189	49	48	34	58	20	5	4	2	9
		F	325	99	67	80	79	51	13	11	9	18
74	Other diseases of the nervous system.	M	1,081	309	267	229	276	117	30	32	24	31
		F	1,122	332	282	234	274	130	37	34	29	30
75	Diseases of the eyes and annexa.	M	28	9	9	4	6	2	—	1	—	1
		F	23	10	8	2	3	5	2	2	1	—
76A	Mastoid disease	M	202	51	49	56	46	41	9	9	10	13
		F	127	34	26	35	32	25	9	4	3	9
76B	Other diseases of the ears	M	498	161	125	103	109	79	23	19	17	20
		F	392	118	88	95	91	52	17	11	12	12
77	Pericarditis	M	278	93	68	52	65	53	16	11	12	14
		F	225	74	51	51	49	50	15	14	11	10
78	Acute endocarditis ...	M	871	261	212	194	204	113	39	25	24	25
		F	958	264	255	213	226	130	26	50	27	27
79A	Valvular disease	M	11,670	3,232	2,871	2,459	3,108	1,528	429	368	303	428
		F	13,414	4,031	3,176	2,732	3,475	1,897	608	414	358	517
79B	Fatty degeneration of the heart.	M	1,527	449	348	342	388	336	99	65	69	103
		F	1,824	582	441	364	437	339	120	62	70	87
79C	Other organic disease of the heart.	M	13,540	3,939	3,341	2,836	3,424	1,626	479	394	331	422
		F	14,401	4,702	3,319	2,654	3,726	1,787	591	389	267	540
80	Angina pectoris	M	847	245	221	154	227	105	30	29	15	31
		F	407	125	96	81	105	42	10	11	10	11
81A	Aneurysm	M	896	245	217	206	228	198	49	52	49	48
		F	245	69	56	60	60	74	21	10	20	23
81B	Arterial sclerosis ...	M	4,773	1,391	1,139	983	1,260	540	181	110	111	138
		F	3,216	1,066	765	589	796	454	166	101	76	111
81C	Other diseases of arteries	M	76	24	15	21	16	15	7	1	2	5
		F	61	12	17	13	19	12	—	3	3	6

IN DIFFERENT CLASSES OF AREA, 1915—*continued.*

Aggregate of County Boroughs.					Aggregate of Urban Districts.					Aggregate of Rural Districts.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
3,742	1,066	952	764	960	3,871	1,144	919	810	998	2,763	865	650	485	763	64
4,645	1,357	1,144	956	1,188	4,670	1,376	1,104	1,007	1,183	3,147	924	769	615	839	
257	90	50	54	63	240	83	62	51	44	157	61	30	25	41	65
274	78	81	47	68	230	65	55	56	54	164	52	38	30	44	
500	144	128	97	131	382	118	98	77	89	322	85	79	62	96	66
601	193	149	109	150	473	118	149	95	111	395	114	100	92	89	
726	209	162	141	214	532	151	128	95	158	192	61	40	30	61	67
182	58	32	45	47	123	31	39	26	27	50	13	15	15	7	
184	49	41	47	47	121	34	33	27	27	73	20	16	14	23	68
247	81	60	63	43	203	52	58	42	51	136	33	36	32	35	
569	159	145	124	141	496	157	121	106	112	339	98	87	57	97	69
479	137	131	92	119	488	148	124	101	115	288	94	85	55	54	
26	2	10	8	6	20	7	2	6	5	10	1	5	—	4	70
21	6	5	6	4	26	10	4	7	5	10	2	3	1	4	
1,858	581	478	371	428	1,832	654	454	356	368	920	308	246	159	207	71
1,471	446	386	307	332	1,258	420	308	248	282	721	239	189	132	161	
13	5	4	1	3	21	7	5	5	4	5	3	2	—	—	72
46	9	17	10	10	37	13	11	5	8	17	4	7	3	3	
55	14	18	10	13	72	22	12	16	22	38	8	12	6	12	73
144	46	29	38	31	90	26	17	27	20	40	14	10	6	10	
365	109	93	71	92	352	100	81	83	88	215	61	55	44	55	74
379	112	98	75	94	380	103	100	82	95	233	80	50	48	55	
10	2	3	2	3	11	5	4	1	1	2	—	—	1	1	75
5	2	2	—	1	9	5	2	1	1	4	1	2	—	1	
64	14	17	20	13	60	17	10	19	14	19	5	7	4	3	76A
47	11	11	14	11	37	7	8	16	6	18	7	3	2	6	
167	58	42	32	35	142	51	37	24	30	67	18	18	19	12	76B
156	47	35	36	38	126	38	29	37	22	58	16	13	10	19	
98	38	19	18	23	69	23	21	9	16	41	11	12	10	8	77
69	22	15	17	15	63	21	13	15	14	43	16	9	8	10	
319	95	83	74	67	258	68	61	59	70	117	36	35	24	22	78
400	114	91	90	105	301	91	79	69	62	127	33	35	27	32	
3,915	1,051	983	837	1,044	3,427	944	837	720	926	2,662	777	645	567	673	79A
4,534	1,304	1,104	941	1,185	4,187	1,280	1,005	861	1,041	2,796	839	653	572	732	
412	136	95	91	90	435	116	103	100	116	321	93	78	75	75	79B
536	166	128	109	133	578	185	158	111	124	371	111	93	74	93	
4,245	1,210	1,059	921	1,055	4,261	1,241	1,074	869	1,077	3,298	979	780	695	844	79C
4,475	1,480	1,026	812	1,157	4,756	1,555	1,103	926	1,172	3,383	1,076	801	649	857	
280	84	63	55	78	280	80	79	51	70	170	49	47	29	45	80
137	43	33	26	35	144	44	30	27	43	84	28	22	18	16	
301	88	76	66	71	230	72	47	51	60	109	26	25	22	36	81A
76	22	22	20	12	58	17	15	10	16	37	9	9	10	9	
1,705	482	418	329	476	1,480	423	369	327	361	1,025	298	238	211	278	81B
1,201	407	288	223	283	979	321	224	178	256	582	172	152	112	146	
31	6	8	10	7	21	9	5	4	3	5	1	—	3	1	81C
26	7	8	6	5	19	4	5	3	7	4	1	1	1	1	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
82A	Cerebral embolism and thrombosis.	M	1,239	391	290	248	310	155	49	33	38	35
		F	1,744	519	448	344	433	255	71	64	58	62
82B	Other embolism and thrombosis.	M	169	38	51	39	41	25	11	5	3	6
		F	180	50	52	36	42	27	8	9	6	4
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	126	40	29	26	31	8	1	—	5	2
		F	194	53	50	45	46	23	5	9	6	3
84A	Status lymphaticus ...	M	120	52	28	19	21	36	15	10	6	5
		F	79	31	22	8	18	22	5	11	3	3
84B	Other diseases of the lymphatic system.	M	72	27	17	9	19	7	—	4	—	3
		F	50	14	17	9	10	9	3	2	1	3
85	Hæmorrhage; other diseases of the circulatory system.	M	126	38	23	27	38	13	5	—	2	6
		F	150	41	35	28	46	18	4	5	2	7
86	Diseases of the nasal fossæ.	M	36	11	8	8	9	2	—	1	—	1
		F	31	13	6	5	7	4	2	1	—	1
87	Diseases of the larynx ...	M	717	254	157	101	205	54	18	18	8	10
		F	539	196	126	77	140	38	12	9	3	14
88	Diseases of the thyroid body.	M	65	17	17	13	18	7	1	2	2	2
		F	248	87	49	55	57	32	15	3	6	8
89 & 90	Bronchitis	M	25,068	10,942	5,314	2,557	6,255	3,485	1,452	699	348	986
		F	25,906	12,043	5,220	2,093	6,550	3,573	1,637	712	263	961
91	Broncho-pneumonia ...	M	12,455	5,472	3,042	1,356	2,585	1,794	698	446	194	456
		F	10,785	4,538	2,655	1,199	2,393	1,679	647	425	163	444
92A	Lobar pneumonia ...	M	6,548	2,013	1,961	1,025	1,549	974	273	288	160	253
		F	4,139	1,411	1,161	560	1,007	729	244	197	98	190
92B	Pneumonia (type not stated).	M	8,911	3,043	2,579	1,285	2,004	1,118	371	314	161	272
		F	6,036	2,240	1,552	772	1,472	839	297	213	100	229
93	Pleurisy	M	897	246	251	190	210	141	32	37	32	40
		F	639	194	181	124	140	81	28	18	12	23
94	Pulmonary congestion, Pulmonary apoplexy.	M	818	258	198	149	213	78	16	21	15	26
		F	897	331	208	146	212	140	55	32	19	34
95	Gangrene of the lung ...	M	52	16	14	10	12	11	3	3	2	3
		F	28	3	8	10	7	7	—	2	2	3
96	Asthma	M	1,336	553	245	168	370	165	82	25	14	44
		F	979	439	160	101	279	111	50	13	9	39
97	Pulmonary emphysema	M	367	150	96	47	74	64	17	16	9	22
		F	169	75	39	15	40	36	16	7	1	12
98A	Fibroid disease of lung...	M	220	72	54	42	52	18	11	—	3	4
		F	65	26	15	13	11	15	8	3	2	2
98B	Other diseases of the respiratory system.	M	184	56	44	36	48	25	4	5	8	8
		F	103	35	17	20	31	15	3	3	5	4
99A	Diseases of the teeth and gums.	M	150	35	41	40	34	19	5	6	6	2
		F	128	32	32	35	29	22	5	5	4	8
99B, C, D.	Other diseases of the mouth and annexa.	M	88	25	18	21	24	7	2	4	1	—
		F	75	24	29	13	9	4	1	3	—	—
100	Diseases of pharynx, Tonsillitis.	M	383	114	97	74	98	55	19	13	11	12
		F	337	107	73	70	87	41	14	5	9	13

IN DIFFERENT CLASSES OF AREA, 1915—*continued.*

Aggregate of County Boroughs.					Aggregate of Urban Districts.					Aggregate of Rural Districts.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
358	102	87	82	87	434	134	102	76	122	277	103	65	50	59	82A
494	138	119	101	136	618	205	163	114	136	377	105	102	71	99	
47	9	13	14	11	49	11	14	12	12	41	7	18	7	9	82B
59	18	14	12	15	60	20	16	7	17	34	4	13	11	6	
34	11	11	1	11	50	17	13	11	9	18	8	2	3	5	83
55	9	16	14	16	64	21	15	13	15	52	18	10	12	12	
36	13	13	7	3	31	14	4	4	9	15	9	1	2	3	84A
26	14	5	1	6	24	9	6	3	6	7	3	—	1	3	
22	10	4	2	6	21	7	5	3	6	22	10	4	4	4	84B
18	7	9	1	1	14	2	4	5	3	9	2	2	2	3	
34	8	10	6	10	40	14	4	10	12	34	11	6	8	9	85
54	15	14	10	15	48	16	10	9	13	30	6	6	7	11	
10	3	3	2	2	15	6	3	2	4	6	—	1	4	1	86
13	4	3	3	3	8	4	1	1	2	6	3	1	1	1	
240	84	39	36	81	272	108	60	36	68	146	43	39	19	45	87
190	67	39	29	55	183	71	43	28	41	128	46	35	17	30	
23	4	9	4	6	11	5	2	1	3	23	7	4	6	6	88
68	27	12	13	16	77	26	15	19	17	71	19	19	17	16	
9,524	3,810	2,081	1,076	2,557	7,555	3,482	1,596	748	1,729	4,342	2,139	915	374	914	89 &
9,860	4,252	2,033	838	2,737	8,110	3,883	1,623	667	1,937	4,363	2,271	852	325	915	90.
4,822	1,923	1,236	559	1,104	3,929	1,932	912	394	691	1,760	846	425	188	301	91
4,245	1,582	1,109	521	1,033	3,408	1,600	805	368	635	1,453	709	316	147	281	
2,515	768	771	379	597	1,783	536	552	300	395	882	297	251	132	202	92A
1,518	490	433	234	361	1,250	442	354	151	303	642	235	177	77	153	
3,251	1,009	974	508	760	2,670	969	768	363	570	1,476	539	409	213	315	92B
2,237	769	587	303	578	1,909	752	457	258	442	1,051	422	295	111	223	
306	85	95	63	63	251	69	69	54	59	147	43	43	27	34	93
231	78	63	47	43	214	52	64	44	54	113	36	36	21	20	
272	78	58	60	76	265	94	68	41	62	194	68	48	31	47	94
281	101	58	46	76	268	95	68	41	64	208	80	50	40	38	
18	7	6	1	4	12	2	3	5	2	9	3	2	2	2	95
9	—	4	3	2	8	3	1	3	1	4	—	1	2	1	
401	162	73	48	118	459	190	90	66	113	286	111	55	36	84	96
331	155	49	35	92	347	157	53	33	104	190	77	45	24	44	
126	60	39	11	16	98	43	22	15	18	75	28	18	12	17	97
56	28	11	3	14	51	22	11	10	8	26	9	10	1	6	
57	18	13	10	16	85	28	23	15	19	58	15	17	13	13	98A
19	8	3	5	3	20	8	7	2	3	11	2	2	4	3	
68	17	16	12	23	53	20	16	8	9	36	15	6	8	7	98B
45	19	8	5	13	28	6	4	8	10	15	7	2	2	4	
47	11	14	14	8	52	12	14	12	14	28	6	6	7	9	99A
48	7	12	16	13	40	11	12	10	7	18	9	3	5	1	
30	6	4	8	12	27	10	5	6	6	24	7	5	6	6	99B,
31	10	10	6	5	25	9	9	6	1	15	4	7	1	3	C, D.
114	37	26	18	33	116	36	30	23	27	72	15	20	15	22	100
85	22	25	18	20	126	45	23	25	33	85	26	20	18	21	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
101	Diseases of œsophagus ...	M	44	12	11	11	10	6	4	1	1	—
		F	28	6	8	5	9	2	1	1	—	—
102	Perforating ulcer of stomach.	M	1,001	256	241	237	267	152	40	42	36	34
		F	945	271	196	212	266	146	51	27	29	39
103A	Inflammation of stomach	M	1,701	473	389	406	433	124	37	27	30	30
		F	1,702	469	368	421	444	133	46	25	33	29
103B	Other diseases of the stomach.	M	346	99	78	74	95	30	9	5	9	7
		F	338	99	72	72	95	45	14	11	9	11
104 & 105.	Diarrhœa and enteritis ...	M	11,149	1,547	1,412	4,805	3,385	1,669	194	160	771	544
		F	9,002	1,219	1,166	3,832	2,785	1,429	141	131	689	468
106	Ankylostomiasis... ...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	14	3	5	1	5	1	—	—	—	1
		F	17	8	—	1	8	—	—	—	—	—
108	Appendicitis	M	1,441	350	356	370	365	142	34	31	49	28
		F	1,062	264	278	261	259	126	31	37	35	23
109A	Hernia	M	898	230	215	211	242	100	35	19	22	24
		F	1,010	302	264	197	247	158	53	40	28	37
109B	Intestinal obstruction ...	M	1,291	341	296	305	349	153	47	32	34	40
		F	1,253	338	298	306	311	151	44	42	36	29
110	Other diseases of the intestines.	M	275	83	66	60	66	43	11	17	6	9
		F	287	87	65	58	77	45	14	11	11	9
111	Acute yellow atrophy of liver.	M	22	3	7	4	8	2	—	1	1	—
		F	30	11	5	7	7	3	1	1	—	1
112	Hydatid of liver... ...	M	9	2	—	3	4	1	—	—	1	—
		F	9	—	2	1	6	1	—	—	1	—
113	Cirrhosis of the liver ...	M	2,154	596	545	503	510	320	91	71	86	72
		F	1,582	457	377	372	376	338	100	72	93	73
114	Biliary calculi	M	222	49	57	55	61	14	3	6	1	4
		F	582	149	136	141	156	49	11	16	9	13
115	Other diseases of the liver	M	411	102	118	107	84	43	12	12	9	10
		F	522	150	139	115	118	64	21	13	14	16
116	Diseases of the spleen ...	M	24	4	10	6	4	3	1	1	1	—
		F	23	6	5	8	4	2	1	—	—	1
117	Peritonitis (cause unstated).	M	225	52	66	49	58	25	8	5	6	6
		F	288	71	85	75	57	42	13	13	10	6
118	Other diseases of the digestive system.	M	117	37	31	22	27	15	5	2	5	3
		F	112	25	34	26	27	20	5	4	3	8
119	Acute nephritis	M	1,177	340	272	249	316	117	39	27	20	31
		F	1,006	297	246	191	272	79	18	21	18	22
120	Bright's disease	M	7,553	2,144	1,902	1,638	1,869	1,063	321	258	213	271
		F	6,333	1,872	1,536	1,329	1,596	898	258	226	164	250
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
122	Other diseases of the kidney and annexa.	M	238	73	48	55	62	39	16	7	7	9
		F	257	68	51	68	70	46	11	5	16	14

IN DIFFERENT CLASSES OF AREA, 1915—*continued.*

Aggregate of County Boroughs.					Aggregate of Urban Districts.					Aggregate of Rural Districts.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
15	3	3	3	6	12	4	4	2	2	10	1	2	5	2	101
13	4	4	2	3	6	—	1	2	3	7	1	2	1	3	
317	82	77	70	88	288	63	75	72	78	172	53	34	40	45	102
289	78	52	69	90	310	76	82	75	77	200	66	35	39	60	
610	151	147	155	157	639	188	140	149	162	324	96	74	70	84	103A
610	172	133	140	165	622	175	132	157	158	337	76	78	91	92	
113	41	29	19	24	117	25	26	28	38	75	19	18	15	23	103B
104	32	16	26	30	108	29	28	20	31	81	24	17	17	23	
5,015	597	542	2,402	1,474	3,125	471	470	1,230	954	1,247	261	226	380	380	104 & 105
3,989	418	501	1,894	1,176	2,546	417	369	923	837	1,038	243	165	326	304	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	2	1	—	2	5	1	2	—	2	3	—	2	1	—	107
3	2	—	—	1	7	2	—	—	5	7	4	—	1	2	
432	95	119	105	113	447	115	107	112	113	280	68	67	75	70	108
335	86	75	85	89	374	98	97	78	101	227	49	69	63	46	
289	76	75	69	69	293	70	78	62	83	197	43	40	54	60	109A
353	96	102	68	87	315	100	76	68	71	184	53	46	33	52	
405	108	92	96	109	422	110	94	97	121	275	70	71	67	67	109B
401	101	99	106	95	429	115	98	109	107	272	78	59	55	80	
94	27	17	24	26	80	26	17	18	19	51	18	14	12	7	110
98	33	17	20	28	86	22	27	17	20	58	18	10	10	20	
5	2	1	1	1	9	1	1	2	5	5	—	4	—	1	111
8	4	—	2	2	10	3	3	2	2	9	3	1	3	2	
1	—	—	—	1	5	1	—	2	2	1	1	—	—	—	112
1	—	—	—	1	5	—	1	—	4	2	—	1	—	1	
665	175	172	151	167	744	207	192	172	173	391	116	100	85	90	113
505	146	133	110	116	519	151	120	116	132	220	60	52	53	55	
74	12	22	21	19	76	17	13	21	25	54	16	16	10	12	114
200	57	42	52	49	214	48	47	56	63	119	33	31	24	31	
133	32	37	37	27	125	35	34	27	29	88	21	29	25	13	115
181	53	50	43	35	174	47	50	35	42	103	29	26	23	25	
7	1	3	2	1	8	2	4	2	—	4	—	1	—	3	116
6	1	2	2	1	12	4	3	3	2	3	—	—	3	—	
68	16	20	12	20	65	12	22	14	17	60	16	17	14	13	117
94	19	28	29	18	74	20	22	16	16	78	19	22	20	17	
38	12	13	5	8	32	7	11	6	8	24	8	5	6	5	118
31	4	11	7	9	31	9	8	9	5	30	7	11	7	5	
417	116	101	97	103	390	110	79	87	114	184	52	50	35	47	119
389	112	94	73	110	355	112	87	60	96	183	55	44	40	44	
2,464	705	613	543	603	2,507	702	696	519	590	1,363	367	314	327	355	120
2,152	628	524	461	539	2,114	650	496	452	516	1,169	336	290	252	291	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	
69	25	15	13	16	77	22	12	21	22	36	6	8	10	12	122
90	22	23	24	21	75	26	11	19	19	46	9	12	9	16	

Causes of Death in each Quarter of the Year

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
123	Calculi of the urinary passages.	M	185	46	38	42	59	23	7	5	6	5
		F	85	23	24	17	21	12	6	4	1	1
124	Diseases of the bladder ...	M	1,177	334	284	226	333	154	42	34	33	45
		F	287	83	68	62	74	27	8	6	4	9
125	Diseases of the urethra, Urinary abscess, &c.	M	419	118	87	108	106	65	17	21	10	17
		F	4	1	1	2	—	1	—	1	—	—
126	Diseases of the prostate ...	M	1,547	394	360	355	438	180	49	36	30	65
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	40	8	13	9	10	9	3	4	1	1
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	24	7	6	5	6	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	328	92	72	71	93	46	10	15	9	12
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	147	43	34	40	30	20	7	4	5	4
131	Ovarian cyst, tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	300	61	74	73	92	32	6	9	6	11
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	205	46	53	45	61	36	14	9	6	7
133	Non-puerperal dis. of the breast (non-cancerous).	M	6	2	—	1	3	2	1	—	—	1
		F	23	6	4	5	8	5	2	1	1	1
134	Accidents of pregnancy...	M	—	—	—	—	—	—	—	—	—	—
		F	365	91	82	100	92	35	7	6	11	11
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	465	107	145	90	123	33	9	11	4	9
136	Other accidents of childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	409	131	113	69	96	32	10	4	11	7
137	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—
		F	1,201	340	307	242	312	132	44	39	18	31
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	626	184	160	143	139	33	9	9	9	6
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	292	98	59	61	74	17	5	5	4	3
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	34	7	8	12	7	3	1	1	1	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	16	3	5	5	3	1	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	3,408	961	879	722	846	285	85	75	58	67
142A	Senile gangrene	M	782	221	238	155	168	73	21	21	13	18
		F	634	196	179	118	141	79	30	18	15	16
142B, C, D.	Gangrene, other types ...	M	97	26	24	21	26	16	3	6	2	5
		F	110	34	23	26	27	11	3	2	1	5
143	Carbuncle, Boil	M	198	53	49	48	48	31	8	9	8	6
		F	86	22	21	19	24	11	2	2	1	6
144	Phlegmon, Acute abscess	M	448	134	100	98	116	71	21	18	14	18
		F	374	115	102	64	93	55	20	13	9	13
145	Diseases of the integumentary system.	M	520	147	135	114	124	54	16	14	9	15
		F	591	190	145	111	145	70	29	13	9	19

IN DIFFERENT CLASSES OF AREA, 1915—*continued.*

Aggregate of County Boroughs.					Aggregate of Urban Districts.					Aggregate of Rural Districts.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
47	10	9	11	17	70	15	18	15	22	41	13	6	10	12	123
23	3	9	6	5	32	7	7	8	10	18	7	4	2	5	
314	91	75	56	92	404	115	108	75	106	299	85	65	60	89	124
88	23	24	17	24	93	26	25	20	22	79	26	13	21	19	
176	40	38	51	47	111	35	16	32	28	59	23	11	13	12	125
1	—	—	1	—	1	—	—	1	—	1	1	—	—	—	
445	120	103	101	121	500	125	124	114	137	416	100	95	107	114	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15	2	6	2	5	11	3	2	3	3	2	—	1	1	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
8	2	2	2	2	10	4	3	1	2	6	1	1	2	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
113	30	24	21	38	116	33	23	33	27	53	19	10	8	16	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
49	15	12	17	5	49	12	9	16	12	29	9	9	2	9	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
88	15	20	22	31	111	24	26	29	32	69	16	19	16	18	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
79	15	14	20	30	60	9	19	17	15	30	8	11	2	9	
3	—	—	1	2	—	—	—	—	—	1	1	—	—	—	133
9	2	1	1	5	4	—	1	1	2	5	2	1	2	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
136	34	36	32	34	126	34	28	34	30	68	16	12	23	17	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
161	31	50	34	46	162	43	43	35	41	109	24	41	17	27	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
138	51	36	21	30	158	50	43	23	42	81	20	30	14	17	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
479	124	118	110	127	381	119	90	75	97	209	53	60	39	57	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
200	52	54	46	48	242	80	56	54	52	151	43	41	34	33	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
89	31	17	21	20	114	41	21	23	29	72	21	16	13	22	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
17	3	3	6	5	11	2	3	4	2	3	1	1	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
6	2	3	1	—	6	1	1	2	2	4	—	1	2	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
1,226	328	317	271	310	1,200	370	285	250	295	697	178	202	143	174	
225	59	78	40	48	246	69	68	63	46	238	72	71	39	56	142A
188	57	44	41	46	213	63	60	38	52	154	46	57	24	27	
38	8	8	12	10	27	7	8	6	6	14	8	1	1	4	142B, C, D.
49	15	11	13	10	37	13	5	11	8	13	3	5	1	4	
63	20	13	14	16	61	17	14	15	15	36	6	13	8	9	143
29	5	9	9	6	32	11	10	5	6	14	4	—	4	6	
143	42	27	37	37	127	37	31	23	36	95	32	20	20	23	144
134	45	35	23	31	121	31	38	24	28	64	19	16	8	21	
166	44	33	44	45	161	47	45	33	36	131	38	41	25	27	145
200	61	45	31	63	199	53	57	50	39	122	47	30	21	24	

Causes of Death in each Quarter of the Year

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
146	Diseases of the bones ...	M	318	83	85	78	72	45	11	15	9	10
		F	198	60	50	39	49	29	3	12	5	9
147	Diseases of the joints ...	M	83	22	21	19	21	16	4	1	6	5
		F	67	15	13	17	22	5	2	—	1	2
148	Amputations	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—
149	Other diseases of locomotor system.	M	35	12	7	9	7	4	1	1	—	2
		F	10	3	2	2	3	3	1	1	—	1
150	Congenital malformations	M	2,149	610	559	459	521	293	72	67	63	91
		F	1,705	491	434	370	410	221	50	54	56	61
151A	Premature birth	M	8,715	2,574	2,175	1,849	2,117	1,023	284	248	219	272
		F	6,716	1,945	1,632	1,434	1,705	774	221	178	163	212
151 B–E.	Infantile debility, Icterus and Sclerema	M	5,886	1,804	1,385	1,273	1,424	632	189	139	142	162
		F	4,314	1,326	985	948	1,055	464	117	107	107	133
152	Other diseases peculiar to early infancy.	M	1,566	478	369	360	359	237	74	49	55	59
		F	1,091	308	282	223	278	156	40	45	33	38
153	Lack of care	M	118	30	30	30	28	16	4	2	6	4
		F	115	39	24	24	28	17	6	6	3	2
154	Old age	M	13,759	4,471	3,162	2,489	3,637	1,140	356	265	217	302
		F	19,207	6,258	4,600	3,365	4,984	1,900	623	462	331	484
155	Suicide by poison ...	M	156	32	50	36	38	33	6	10	9	8
		F	168	41	40	54	33	39	10	10	10	9
156	Suicide by asphyxia ...	M	106	23	41	21	21	27	7	14	2	4
		F	59	13	13	20	13	11	5	3	2	1
157	Suicide by hanging or strangulation.	M	517	127	172	122	96	40	6	16	8	10
		F	182	40	68	35	39	32	5	13	8	6
158	Suicide by drowning ...	M	371	82	118	98	73	27	4	10	6	7
		F	336	96	96	70	74	24	8	7	5	4
159	Suicide by firearms ...	M	241	63	57	68	53	28	10	7	8	3
		F	11	—	2	7	2	3	—	—	3	—
160	Suicide by cutting or piercing instruments.	M	455	111	137	110	97	43	7	12	11	13
		F	89	27	27	18	17	14	6	2	3	3
161	Suicide by jumping from high place.	M	76	26	14	19	17	21	8	3	4	6
		F	52	10	17	10	15	21	3	5	4	9
162	Suicide by crushing ...	M	98	16	36	24	22	5	1	1	3	—
		F	31	8	4	9	10	7	3	—	1	3
163	Other suicides	M	9	4	2	1	2	2	1	—	1	—
		F	9	2	1	4	2	1	—	—	1	—
164	Poisoning by food ...	M	54	8	17	19	10	6	—	3	3	—
		F	39	5	13	13	8	6	1	2	1	2
165	Other acute poisonings ...	M	99	19	21	31	28	12	1	6	4	1
		F	79	18	15	28	18	13	2	2	6	3
166	Conflagration	M	38	14	7	6	11	6	2	—	3	1
		F	34	12	6	6	10	7	3	1	1	2
167	Burns (conflagration excepted).	M	1,002	314	240	135	313	119	47	24	18	30
		F	1,424	499	295	170	460	163	62	38	25	38
168	Absorption of deleterious gases (conflagration excepted).	M	698	247	161	104	186	125	48	29	18	30
		F	556	209	126	87	134	114	42	28	17	27

IN DIFFERENT CLASSES OF AREA, 1915—*continued.*

Aggregate of County Boroughs.					Aggregate of Urban Districts.					Aggregate of Rural Districts.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
84	17	20	21	26	110	36	24	27	23	62	16	21	12	13	146
63	18	13	13	19	66	21	19	8	18	40	18	6	13	3	
22	6	6	4	6	32	6	11	9	6	8	3	2	—	3	147
20	6	4	4	6	26	4	8	7	7	16	3	1	5	7	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	
13	6	3	3	1	9	4	1	2	2	6	1	1	2	2	149
3	2	1	—	—	3	—	—	2	1	1	—	—	—	1	
713	208	157	162	186	716	198	222	140	156	427	132	113	94	88	150
560	161	143	125	131	560	166	134	119	141	364	114	103	70	77	
3,170	913	774	660	823	2,857	833	745	618	661	1,665	544	408	352	361	151A
2,561	713	624	562	662	2,154	637	528	462	527	1,227	374	302	247	304	
2,160	588	510	512	550	2,060	676	492	406	486	1,034	351	244	213	226	151 B–E.
1,569	458	335	367	409	1,486	473	345	321	347	795	278	198	153	166	
573	172	129	143	129	466	134	115	105	112	290	98	76	57	59	152
375	96	93	87	99	367	113	93	69	92	193	59	51	34	49	
46	12	12	11	11	31	7	6	9	9	25	7	10	4	4	153
59	18	14	9	18	24	9	2	7	6	15	6	2	5	2	
3,783	1,191	901	703	988	4,432	1,447	1,004	811	1,170	4,403	1,477	992	758	1,176	154
5,734	1,789	1,363	1,020	1,562	6,444	2,103	1,550	1,134	1,657	5,129	1,743	1,225	880	1,281	
47	10	15	11	11	50	13	14	11	12	16	2	7	3	4	155
60	17	15	20	8	46	12	13	11	10	23	2	2	13	6	
50	11	18	13	8	22	4	8	3	7	2	—	—	1	1	156
35	5	7	15	8	10	2	3	3	2	3	1	—	—	2	
160	39	49	38	34	162	43	58	35	26	126	38	40	29	19	157
57	16	23	6	12	57	12	22	9	14	36	7	10	12	7	
94	21	22	34	17	144	36	51	35	22	97	19	31	22	25	158
95	27	28	17	23	131	41	33	29	28	86	20	28	19	19	
32	8	6	12	6	48	16	13	10	9	54	15	12	14	13	159
—	—	—	—	—	3	—	1	1	1	5	—	1	3	1	
134	42	41	22	29	131	32	38	34	27	74	18	22	22	12	160
23	4	7	7	5	29	7	12	5	5	23	10	6	3	4	
26	6	4	9	7	11	5	4	1	1	9	3	2	2	2	161
18	4	8	3	3	6	—	2	2	2	7	3	2	1	1	
21	2	7	5	7	47	10	24	5	8	16	2	3	8	3	162
4	—	2	1	1	15	3	2	4	6	5	2	—	3	—	
2	—	—	—	2	1	—	1	—	—	4	3	1	—	—	163
3	2	—	—	1	2	—	1	1	—	3	—	—	2	1	
22	2	7	7	6	13	1	3	7	2	6	2	2	2	—	164
14	2	3	6	3	16	1	6	6	3	3	1	2	—	—	
31	6	5	10	10	29	8	3	8	10	13	1	4	6	2	165
26	8	6	7	5	25	7	5	8	5	15	1	2	7	5	
13	6	1	1	5	12	4	3	1	4	7	2	3	1	1	166
9	2	2	3	2	17	7	3	1	6	1	—	—	1	—	
409	119	100	54	136	316	94	81	48	93	146	54	34	14	44	167
619	207	116	73	223	431	159	91	48	133	211	71	50	24	66	
314	105	75	53	81	157	61	31	22	43	95	33	23	10	29	168
259	94	56	51	58	136	56	34	13	33	47	17	8	6	16	

Causes of Death in each Quarter of the Year

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
169	Accidental drowning ...	M	2,257	451	641	756	409	174	27	49	71	27
		F	474	119	137	120	98	44	11	15	11	7
170	Injury by firearms ...	M	151	36	36	39	40	5	1	1	1	2
		F	18	2	4	8	4	1	—	—	—	1
171	Injury by cutting or piercing instruments.	M	31	6	7	9	9	5	1	—	2	2
		F	8	1	1	3	3	—	—	—	—	—
172	Injury by fall	M	2,117	546	505	526	540	360	95	88	83	94
		F	1,445	430	320	300	395	288	83	69	58	78
173	Injuries in mines and quarries.	M	1,165	294	293	260	318	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ...	M	331	76	74	99	82	35	6	7	15	7
		F	9	3	2	4	—	3	—	1	2	—
175	Injury by other crushing (vehicles, railways, landslides, &c.).	M	3,672	762	918	993	999	539	106	125	134	174
		F	777	134	194	237	212	193	38	42	51	62
176	Injury by animals ...	M	105	24	30	29	22	5	1	1	2	1
		F	8	2	2	3	1	1	—	—	—	1
177	Starvation	M	25	10	3	7	5	4	2	1	—	1
		F	13	5	4	2	2	—	—	—	—	—
178	Excessive cold	M	111	68	3	6	34	1	1	—	—	—
		F	21	15	—	—	6	—	—	—	—	—
179	Effects of heat	M	50	1	26	21	2	1	—	—	1	—
		F	19	1	13	5	—	3	—	3	—	—
180	Lightning	M	20	—	1	19	—	1	—	—	1	—
		F	1	—	1	—	—	—	—	—	—	—
181	Electricity (lightning excepted).	M	29	9	6	5	9	2	1	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	13	2	5	5	1	1	—	—	1	—
		F	7	1	3	2	1	1	—	1	—	—
183	Homicide by cutting or piercing instruments.	M	23	7	7	5	4	5	2	—	1	2
		F	30	6	8	10	6	7	3	1	2	1
184	Homicide by other means	M	93	19	24	32	18	14	4	5	4	1
		F	105	36	23	22	24	24	6	7	4	7
185	Fractures (cause not specified).	M	67	19	18	10	20	14	4	5	1	4
		F	23	4	3	5	11	5	1	—	3	1
186	Other violence	M	2,785	438	1,016	611	720	108	20	17	36	35
		F	228	39	53	82	54	65	7	9	30	19
155–186	All violence	M	16,965	3,854	4,686	4,226	4,199	1,768	419	434	451	464
		F	6,255	1,778	1,491	1,334	1,652	1,090	299	259	248	284
187	Dropsy	M	14	7	3	2	2	2	—	—	—	2
		F	24	8	5	5	6	1	1	—	—	—
188A	Syncope (aged 1 year and under 70).	M	169	52	32	33	52	5	4	—	1	—
		F	122	41	24	20	37	4	3	—	—	1
188B	Sudden death (not otherwise defined).	M	7	4	—	1	2	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—
189A	Heart failure (aged 1 year and under 70).	M	806	228	197	149	232	7	3	1	—	3
		F	629	196	133	126	174	6	2	2	—	2
189 B–E.	Other ill-defined causes	M	580	166	125	119	170	32	10	4	9	9
		F	550	162	128	102	158	28	5	8	6	9
189F	Cause not specified ...	M	64	16	20	16	12	2	1	—	1	—
		F	57	21	13	10	13	3	1	—	2	—

IN DIFFERENT CLASSES OF AREA, 1915—*continued.*

Aggregate of County Boroughs.					Aggregate of Urban Districts.					Aggregate of Rural Districts.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
655	130	192	217	116	651	137	180	201	133	502	108	137	168	89	169
148	36	36	46	30	159	41	52	31	35	123	31	34	32	26	
12	3	2	2	5	24	6	3	8	7	52	9	15	16	12	170
3	1	1	—	1	5	1	—	4	—	9	—	3	4	2	
8	1	1	4	2	12	2	4	2	4	5	2	1	1	1	171
7	1	—	3	3	1	—	1	—	—	—	—	—	—	—	
809	198	203	196	212	538	156	113	127	142	289	64	67	93	65	172
565	178	114	114	159	390	102	92	93	103	202	67	45	35	55	
167	41	37	35	54	649	173	159	150	167	349	80	97	75	97	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
141	33	30	43	35	93	29	18	23	23	61	8	19	18	16	174
5	3	—	2	—	—	—	—	—	—	1	—	1	—	—	
1,053	215	253	282	303	1,011	225	249	283	254	674	138	166	187	183	175
261	43	64	81	73	206	35	54	68	49	117	18	34	37	28	
22	4	7	6	5	19	6	4	4	5	37	7	12	11	7	176
3	—	1	2	—	1	—	1	—	—	3	2	—	1	—	
3	2	—	1	—	13	4	2	4	3	5	2	—	2	1	177
6	3	2	1	—	4	2	1	1	—	3	—	1	—	2	
14	9	—	—	5	35	21	1	1	12	42	23	1	3	15	178
2	1	—	—	1	9	6	—	—	3	10	8	—	—	2	
14	—	6	7	1	15	1	9	4	1	17	—	8	9	—	179
3	—	1	2	—	7	—	6	1	—	6	1	3	2	—	
—	—	—	—	—	4	—	—	4	—	6	—	1	5	—	180
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
12	3	3	3	3	11	5	3	2	1	2	—	—	—	2	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	1	2	—	2	—	—	1	1	1	—	1	—	—	182
1	—	1	—	—	1	—	—	1	—	4	1	1	1	1	
8	2	3	3	—	5	1	3	—	1	3	1	1	1	—	183
10	1	4	4	1	11	1	3	4	3	2	1	—	—	1	
34	5	7	16	6	18	5	4	3	6	15	3	5	5	2	184
42	17	9	8	8	36	11	7	10	8	3	2	—	—	1	
16	5	4	—	7	17	5	4	7	1	11	1	3	1	6	185
6	1	2	1	2	8	1	—	1	6	4	1	1	—	2	
189	40	55	44	50	200	28	69	50	53	102	19	31	26	26	186
76	18	28	9	21	68	13	8	35	12	19	1	8	8	2	
4515	1068	1154	1130	1163	4460	1131	1157	1094	1078	2838	657	749	755	677	155–186
2361	691	537	482	651	1830	520	453	390	467	974	268	242	214	250	
6	4	1	1	—	4	2	1	1	—	2	1	1	—	—	187
4	4	—	—	—	10	2	2	3	3	9	1	3	2	3	
55	17	10	9	19	61	21	10	12	18	42	9	10	10	13	188A
51	18	9	10	14	38	9	8	4	17	29	11	7	6	5	
—	—	—	—	—	5	4	—	—	1	2	—	—	1	1	188B
—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	
255	67	63	39	86	303	90	75	58	80	217	65	52	45	55	189A
205	66	43	45	51	228	75	51	45	57	190	53	37	36	64	
255	65	52	50	88	178	56	48	37	37	109	33	20	22	34	189 B–E.
241	69	54	48	70	172	50	46	31	45	109	38	20	17	34	
7	1	2	2	2	16	4	3	8	1	38	9	15	5	9	189F
11	2	3	3	3	20	9	4	2	5	23	9	6	3	5	

England and Wales.—Causes of Death of Non-civilians at Different Age-periods, 1915.

Causes of Death.	All Ages.	15—	20—	25—	30—	35—	40—	45—	50—	55 years and upwards.
All Causes	8,777	1,194*	2,237	1,514	1,243	1,015	665	461	244	204
Enteric fever	134	26	43	25	19	6	9	1	4	1
Typhus	1	—	—	—	1	—	—	—	—	—
Malaria	10	—	1	2	1	4	1	1	—	—
Measles	109	42	44	16	4	1	2	—	—	—
Scarlet fever	88	37	29	13	7	1	1	—	—	—
Diphtheria	17	8	7	—	—	—	—	1	1	—
Influenza	121	20	23	23	9	16	7	10	4	9
Dysentery	142	19	34	34	15	14	13	6	3	4
Erysipelas	24	3	2	5	3	4	1	4	1	1
Mumps	2	1	1	—	—	—	—	—	—	—
German measles	3	2	1	—	—	—	—	—	—	—
Pyæmia, Septicæmia...	32	4	15	5	2	3	1	—	—	2
Anthrax	8	1	1	2	—	—	2	2	—	—
Tetanus	13	3†	4	3	—	2	1	—	—	—
Phthisis	626	74	132	112	108	100	46	30	14	10
Tuberculous meningitis	54	25	17	6	3	—	2	1	—	—
Other tuberculous diseases	53	9	19	12	6	4	3	—	—	—
Syphilis	13	—	3	2	1	4	1	1	—	1
Cancer...	209	11	22	22	26	20	31	36	21	20
Rheumatic fever	39	5	10	9	5	4	1	3	1	1
Diabetes	67	13	22	7	8	2	7	3	1	4
Leucocythæmia	11	5	6	—	—	—	—	—	—	—
Lymphadenoma	7	2	4	—	—	1	—	—	—	—
Anæmia, Chlorosis	26	5	1	2	4	5	6	—	2	1
Other general diseases	19	—	9	1	3	3	1	2	—	—
Alcoholism	13	—	—	4	3	2	1	1	1	1
Cerebro-spinal fever (61A and B)	610	191†	215	84	53	40	15	8	2	2
Meningitis—other forms	50	14	18	6	7	2	3	—	—	—
Cerebral hæmorrhage, Apoplexy	103	5	11	7	13	11	22	12	9	13
General paralysis of the insane	46	—	2	3	19	12	1	7	—	2
Epilepsy	34	4	4	8	5	7	—	5	1	—
Other diseases of the nervous system ...	90	12	15	17	12	15	8	4	3	4
Diseases of the ears	61	16†	19	9	9	4	2	2	—	—
Valvular disease	138	5	11	5	24	26	27	21	8	11
Aneurysm	58	—	2	3	8	15	14	8	4	4
Other diseases of the heart and circulatory system.	298	17	40	23	38	55	36	36	29	24
Bronchitis	162	2	17	13	25	35	17	24	16	13
Broncho-pneumonia	150	19†	30	17	22	20	17	14	4	7
Lobar pneumonia	394	54	104	76	56	39	37	15	8	5
Pneumonia (type not stated)	396	51	78	64	62	54	38	31	10	8
Empyema	24	3	9	5	—	4	1	2	—	—
Pleurisy	28	1	9	3	3	6	1	—	—	5
Other diseases of the respiratory system ...	53	4	5	7	7	8	10	7	4	1
Gastric ulcer	72	3	6	12	18	11	9	9	4	—
Duodenal ulcer	42	1	6	7	6	4	6	6	4	2
Appendicitis	140	35	48	20	11	11	7	5	2	1
Other diseases of the digestive system ...	238	28†	56	44	28	29	19	14	13	7
Acute nephritis	69	10	16	16	6	10	6	3	2	—
Bright's disease	156	7	20	29	19	21	20	22	12	6
Other diseases of the genito-urinary system	44	1	13	8	4	1	2	4	7	4
Other diseases	59	11	18	9	10	5	1	4	—	1
Suicide	223	7	42	32	44	44	28	19	6	1
Homicide	20	—	4	2	4	7	2	1	—	—
Drowning	275	32	76	35	37	35	33	12	10	5
Injury by crushing (vehicles, railways, &c.)	395	53†	90	64	57	48	31	23	15	14
Wounds in battle, &c.	1,947	207	678	466	314	180	75	20	5	2
Other violence	524	83	121	111	90	52	33	15	13	6
Ill-defined causes	37	3	4	4	4	8	7	6	—	1

* Including 6 aged 14 years.
† Including 1 aged 14 years.

Deaths tabulated by Cause and Place of Occurrence, 1915.

(*See note at head of page* 89.)

In the second column, the letters P.L. denote Poor Law Institutions, L.A. Lunatic Asylums, H. Hospitals and Nursing Homes and E. elsewhere than in Institutions.

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
1. Enteric fever ...	P.L.	9	22	14	3	49	7	12	3	3	25
	L.A.	6	6	6	7	25	4	12	18	3	37
	H.	35	149	121	40	460	24	106	94	38	262
	E.	12	91	110	57	288	7	69	107	59	242
2. Typhus	P.L	1	—	—	—	1	—	—	—	—	—
	H.	—	3	—	—	4	1	3	—	—	4
3A. Relapsing fever ...	H.	—	1	—	—	1	—	—	—	—	—
4. Malaria	P.L.	—	7	1	—	8	—	1	—	—	1
	H.	—	6	3	1	15	—	1	—	—	1
	E.	2	8	12	5	32	2	—	3	3	8
5. Small-pox	H.	1	4	2	—	7	1	2	1	—	4
	E.	—	—	—	—	—	1	1	—	—	2
6. Measles	P.L.	244	83	28	4	359	241	86	26	10	363
	L.A.	6	—	5	2	13	10	—	—	2	12
	H.	85	95	52	11	337	77	70	39	5	191
	E.	820	3,083	2,962	994	7,874	803	2,883	2,691	919	7,296
7. Scarlet fever ...	P.L.	—	4	—	3	7	1	1	2	2	6
	L.A.	—	—	1	—	1	—	—	3	—	3
	H.	159	332	209	79	864	145	338	194	91	768
	E.	13	111	148	79	354	9	110	179	105	403
8. Whooping cough ...	P.L.	114	44	19	5	182	125	45	15	6	191
	H.	26	11	7	2	46	30	15	8	4	57
	E.	369	1,232	1,281	584	3,466	494	1,392	1,603	712	4,201
9A. Diphtheria	P.L.	9	5	4	3	21	11	2	1	1	15
	H.	292	620	412	165	1,505	321	670	475	176	1,642
	E.	37	367	568	353	1,326	33	374	574	366	1,347
9B. Membranous laryngitis.	P.L.	—	—	—	—	—	1	—	—	—	1
	H.	—	2	—	—	2	—	—	—	—	—
	E.	—	—	1	2	3	—	—	2	1	3
9C. Croup	E.	—	8	7	2	17	—	5	6	2	13
10. Influenza	P.L.	59	100	81	81	321	41	100	60	25	226
	L.A.	7	17	11	8	43	7	15	20	18	60
	H.	7	16	20	12	114	9	17	21	7	54
	E.	462	1,277	1,492	1,457	4,750	466	1,256	1,728	1,466	4,916
13. Cholera nostras ...	P.L.	1	—	—	1	2	—	—	—	—	—
	E.	—	4	2	3	9	—	4	6	—	10
14. Dysentery	P.L.	2	6	2	—	10	1	3	—	—	4
	L.A.	36	55	24	14	133	81	71	50	33	235
	H.	4	2	3	2	139	—	3	1	—	4
	E.	6	17	18	5	56	1	13	10	7	31
17. Leprosy	E.	—	—	—	1	1	—	—	—	—	—
18. Erysipelas	P.L.	52	55	32	14	154	58	41	23	—	122
	L.A.	5	2	4	6	17	6	4	8	5	23
	H.	8	32	9	6	76	3	24	7	5	39
	E.	21	126	128	66	343	27	119	109	48	303

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males. London.	Males. County Boroughs.	Males. Other Urban Districts.	Males. Rural Districts	Males. England and Wales.	Females. London.	Females. County Boroughs	Females. Other Urban Districts.	Females. Rural Districts.	Females. England and Wales.
19A. Mumps	P.L.	—	—	1	—	2	—	—	—	—	—
	H.	—	—	—	—	1	—	—	—	—	—
	E.	1	5	4	3	13	2	5	4	2	13
19B. German measles ...	P.L.	—	—	1	—	1	1	1	—	1	3
	H.	—	—	1	—	4	1	—	—	—	1
	E.	1	5	13	8	27	9	4	21	10	44
19C. Varicella	P.L.	3	2	—	—	5	6	2	2	—	10
	H.	—	—	—	—	—	1	—	—	—	1
	E.	6	11	11	6	34	1	15	18	8	42
19D. Other diseases included under 19.	E.	—	—	—	—	—	1	—	—	1	2
20A. & B. Pyæmia, Septicæmia.	P.L.	14	19	10	7	50	18	8	13	3	42
	L.A.	1	1	1	1	4	2	1	3	—	6
	H.	15	61	41	26	173	20	29	18	9	76
	E.	13	47	81	62	204	9	30	34	25	98
20C. Vaccinia	E.	1	1	—	1	4	—	—	—	1	1
22. Anthrax (Splenic fever).	P.L.	—	—	1	—	1	—	—	—	—	—
	H.	2	4	2	3	17	—	1	—	—	1
	E.	—	2	1	—	5	—	—	—	—	—
24. Tetanus	P.L.	2	4	2	2	10	—	1	—	—	1
	H.	4	20	16	19	72	—	2	1	2	5
	E.	1	7	22	15	45	2	3	9	9	23
25. Mycoses	P.L.	1	—	—	1	2	—	—	—	—	—
	H.	3	1	5	4	15	1	—	1	—	2
	E.	2	2	6	1	11	1	1	4	1	7
26. Pellagra	L.A.	—	1	2	—	3	—	8	3	1	12
	E.	—	—	—	—	—	—	—	1	—	1
27. Beri-beri	H.	—	1	—	1	2	—	—	—	—	—
	E.	2	—	—	—	2	—	—	—	—	—
28A. Pulmonary tuberculosis.	P.L.	1,444	1,414	572	141	3,582	722	666	260	67	1,715
	L.A.	154	197	190	153	701	142	162	207	125	636
	H.	404	700	296	100	1,733	182	356	162	66	766
	E.	1,164	3,205	2,913	1,480	8,872	939	2,766	2,519	1,578	7,802
28B. Phthisis (not defined as tuberculous).	P.L.	137	784	296	74	1,297	80	346	111	34	571
	L.A.	26	82	55	60	227	29	82	60	53	224
	H.	44	145	55	16	299	37	64	59	18	178
	E.	482	1,918	1,496	877	4,839	333	1,646	1,388	872	4,239
29A. Acute phthisis ...	P.L.	36	41	24	8	111	11	21	22	8	62
	L.A.	27	47	40	36	152	28	53	50	24	155
	H.	22	75	22	14	227	23	47	17	7	94
	E.	124	449	347	175	1,127	125	474	384	211	1,194
29B. Acute miliary tuberculosis.	P.L.	24	14	6	1	45	16	8	4	2	30
	L.A.	—	5	3	5	13	1	3	6	7	17
	H.	47	40	22	13	140	40	27	21	9	97
	E.	18	106	90	49	265	14	102	112	38	266
28 & 29. Pulmonary tuberculosis, acute and chronic ...	P.L.	1,641	2,253	898	224	5,035	829	1,041	397	111	2,378
	L.A.	207	331	288	254	1,093	200	300	323	209	1,032
	H.	517	960	395	143	2,399	282	494	259	100	1,135
	E	1,788	5,678	4,846	2,581	15103	1,411	4,988	4,403	2,699	13501
30. Tuberculous meningitis.	P.L.	82	59	32	7	180	65	26	21	4	116
	L.A.	1	1	2	3	7	—	5	2	2	9
	H.	162	145	93	32	480	159	138	98	36	431
	E.	188	811	775	341	2,121	174	738	717	356	1,985

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
31A. Tabes mesenterica...	P.L.	2	3	1	1	7	2	5	4	—	11
	L.A.	—	—	2	—	2	—	—	—	—	—
	H.	2	11	3	—	16	1	4	2	1	8
	E.	15	114	68	41	238	7	83	55	33	178
31B. Other peritoneal and intestinal tubercle.	P.L.	56	58	26	8	149	24	56	31	4	115
	L.A.	3	7	14	10	34	5	19	14	7	45
	H.	41	106	70	22	256	32	82	62	33	209
	E.	65	531	399	195	1,196	73	470	383	225	1,151
32. Tuberculosis of spinal column.	P.L.	16	28	8	12	64	10	16	11	5	42
	L.A.	1	2	—	1	4	2	2	1	2	7
	H.	12	22	16	11	65	18	15	16	4	53
	E.	14	62	75	47	198	12	58	67	43	180
33. Tuberculosis of joints	P.L.	11	29	24	14	78	8	17	8	2	35
	L.A.	1	2	—	—	3	—	—	—	2	2
	H.	12	8	7	10	37	2	6	7	7	22
	E.	2	27	33	26	88	4	29	41	17	91
34A. Lupus	P.L.	—	2	—	2	4	2	3	4	2	11
	H.	—	—	—	—	—	—	1	—	—	1
	E.	2	3	4	6	15	—	6	7	2	15
34B. Scrofula	P.L.	—	—	1	—	1	—	—	—	—	—
	E.	—	—	1	2	3	1	2	3	4	10
34C. Other tuberculosis included under 34.	P.L.	12	36	13	5	66	14	28	6	3	51
	L.A.	5	3	1	—	9	2	8	2	3	15
	H.	10	30	15	10	72	8	11	16	15	50
	E.	9	47	69	45	170	9	51	60	36	156
35. Disseminated tuberculosis.	P.L.	56	93	36	8	193	31	41	23	9	104
	L.A.	9	22	16	20	67	14	15	19	15	63
	H.	66	75	33	18	208	50	56	39	18	163
	E.	52	238	257	135	684	45	195	222	113	575
28–35. Tuberculosis (all forms).	P.L.	1,876	2,561	1,039	281	5,777	985	1,233	505	140	2,863
	L.A.	227	368	323	288	1,219	223	349	361	240	1,173
	H.	822	1,357	632	246	3,533	552	807	499	214	2,072
	E.	2,135	7,511	6,527	3,419	19816	1,736	6,620	5,958	3,528	17842
36. Rickets, Softening of bones.	P.L.	19	18	3	3	43	4	13	7	2	26
	L.A.	—	—	—	—	—	2	—	—	—	2
	H.	10	19	3	2	34	5	9	6	—	20
	E.	37	187	156	91	471	15	133	109	68	325
37. Syphilis	P.L.	78	128	60	20	286	48	112	63	20	243
	L.A.	11	5	4	3	23	7	5	4	—	16
	H.	40	43	19	10	123	22	31	11	7	71
	E.	71	309	196	80	658	37	216	150	62	465
38A. Soft chancre ...	E.	—	—	—	1	1	—	—	—	—	—
38B. Gonococcus infection.	P.L.	2	4	1	—	7	—	2	—	—	2
	L.A.	—	—	—	—	—	1	—	—	—	1
	H.	1	—	1	1	4	1	2	1	—	4
	E.	—	2	4	2	8	—	2	1	1	4
38C. Purulent ophthalmia	P.L.	1	3	2	—	6	—	1	—	—	1
	H.	—	2	1	—	3	—	2	2	—	4
	E.	1	5	3	3	12	—	2	1	1	4
39. Cancer of the buccal cavity.	P.L.	126	256	154	81	618	18	29	12	4	63
	L.A.	6	5	2	2	15	1	1	2	1	5
	H.	39	64	50	26	188	7	6	6	3	22
	E.	100	448	435	299	1,289	20	91	82	70	263

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
40. Cancer of the stomach, liver, &c.	P.L.	270	344	224	122	962	128	175	94	54	451
	L.A.	22	21	18	7	70	12	10	17	12	51
	H.	151	184	180	92	660	66	125	130	64	385
	E.	468	1,588	1,815	1,330	5,222	511	1,758	1,994	1,387	5,650
41. Cancer of the peritoneum, intestines, and rectum.	P.L.	139	151	117	65	474	143	123	77	32	375
	L.A.	7	3	10	4	24	17	4	10	3	34
	H.	115	167	183	101	593	117	180	169	94	560
	E.	247	780	904	784	2,724	360	947	1,140	785	3,232
42. Cancer of the female genital organs.	P.L.	—	—	—	—	—	189	254	131	48	622
	L.A.	—	—	—	—	—	13	12	13	9	47
	H.	—	—	—	—	—	129	155	139	63	486
	E.	—	—	—	—	—	353	1,305	1,241	713	3,612
43. Cancer of the breast...	P.L.	4	2	2	2	10	113	134	99	41	387
	L.A.	—	—	—	—	—	8	14	9	9	40
	H.	—	1	1	—	3	84	67	73	40	264
	E.	3	8	8	2	21	367	1,033	1,099	730	3,229
44. Cancer of the skin ...	P.L.	33	71	38	40	182	12	31	22	13	78
	L.A.	—	1	1	—	3	—	1	3	1	5
	H.	5	19	14	7	45	2	2	6	5	15
	E.	15	107	129	130	381	21	83	108	82	294
45. Cancer of the other and unspecified organs.	P.L.	173	230	149	64	616	56	62	28	22	168
	L.A.	9	14	13	7	43	8	12	14	12	46
	H.	130	166	140	92	587	59	88	75	35	257
	E.	262	862	943	609	2,691	195	535	670	385	1,785
39–45. Cancer (all sites)	P.L.	745	1,054	684	374	2,862	659	808	463	214	2,144
	L.A.	44	44	44	20	155	59	54	68	47	228
	H.	440	601	568	318	2,076	464	623	598	304	1,989
	E.	1,095	3,793	4,234	3,154	12328	1,827	5,752	6,334	4,152	18065
46. Other tumours (situation undefined).	P.L.	1	3	2	1	7	4	1	1	—	6
	L.A.	—	1	—	—	1	1	1	—	—	2
	H.	—	8	5	1	14	2	3	10	6	21
	E.	5	20	22	18	65	9	25	26	26	86
47. Rheumatic fever ...	P.L.	24	25	14	10	73	20	21	8	2	51
	L.A.	1	—	1	—	2	—	—	2	1	3
	H.	14	37	22	11	105	26	44	27	8	105
	E.	66	284	301	181	850	82	364	359	157	962
48A. Chronic rheumatism	P.L.	3	16	10	4	33	11	30	21	13	75
	H.	1	—	—	—	1	—	1	2	—	3
	E.	5	45	51	51	152	9	66	75	66	216
48B. Osteo-arthritis ...	P.L.	21	28	29	17	95	50	71	47	27	195
	L.A.	—	1	—	1	2	—	1	3	1	5
	H.	1	3	3	—	8	8	7	10	—	25
	E.	33	89	105	89	316	73	217	283	236	809
48C. Gout	P.L.	15	9	6	4	34	4	5	—	—	9
	H.	2	—	1	1	4	—	1	—	—	1
	E.	33	84	88	63	268	16	30	27	9	82
49. Scurvy	P.L.	—	1	—	—	1	1	2	—	—	3
	L.A.	1	—	—	—	1	—	—	—	—	—
	H.	—	2	1	—	3	1	3	—	—	4
	E.	—	4	3	1	8	—	3	7	3	13
50. Diabetes	P.L.	50	68	30	19	167	50	65	42	12	169
	L.A.	2	7	9	5	23	2	4	7	5	18
	H.	32	63	43	33	218	21	48	47	31	147
	E.	165	616	648	478	1,927	189	582	754	465	1,990

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
51. Exophthalmic goître	P.L	—	—	1	—	1	5	3	5	2	15
	L.A.	—	—	—	—	—	1	3	7	1	12
	H.	—	1	3	—	4	11	24	17	12	64
	E.	—	4	13	10	27	17	81	122	89	309
52. Addison's disease ...	P.L.	3	2	2	1	8	1	2	4	1	8
	L.A.	—	—	1	—	1	—	2	1	—	3
	H.	4	3	3	3	18	3	6	6	2	17
	E.	6	23	26	20	75	11	26	45	29	111
53. Leucocythæmia, Lymphadenoma.	P.L.	9	10	7	4	30	5	3	3	2	13
	L.A.	—	—	—	—	—	—	1	—	1	2
	H.	19	20	24	10	87	10	18	8	5	41
	E.	25	93	99	76	297	20	76	93	65	254
54. Anæmia, Chlorosis ...	P.L.	12	37	31	20	100	17	45	21	14	97
	L.A.	2	1	5	—	8	5	4	3	1	13
	H.	11	32	27	11	99	15	41	25	11	92
	E.	45	285	340	237	915	59	377	500	321	1,257
55. Other general diseases.	P.L.	7	8	3	1	19	3	10	8	3	24
	L.A.	1	—	—	—	1	2	—	—	—	2
	H.	13	17	18	7	61	12	12	7	8	39
	E.	8	74	74	47	207	7	77	66	51	201
56. Alcoholism (acute or chronic).	P.L.	9	27	22	7	65	10	28	11	1	50
	L.A.	—	1	—	—	1	—	—	—	—	—
	H.	3	3	2	2	15	—	—	—	—	—
	E.	17	80	61	46	212	15	66	49	24	154
57. Chronic lead poisoning.	P.L.	2	6	—	1	9	—	—	—	—	—
	H.	2	3	3	—	9	—	—	—	—	—
	E.	—	25	21	7	53	—	—	—	—	—
58 & 59. Other chronic poisonings.	P.L.	—	2	—	—	2	—	1	1	1	3
	H.	2	1	—	—	3	—	—	—	—	—
	E.	2	6	2	—	10	—	2	6	3	11
60. Encephalitis	P.L.	2	10	4	1	17	2	4	3	2	11
	L.A.	1	5	4	2	12	1	2	1	1	5
	H.	5	19	17	3	55	5	14	5	3	27
	E.	6	23	35	20	85	7	34	33	16	90
61A. Cerebro-spinal fever.	P.L.	28	6	4	2	42	15	3	4	2	24
	L.A.	—	—	—	—	—	—	—	1	—	1
	H.	99	122	123	45	925	98	105	78	38	319
	E.	45	70	113	85	380	36	63	101	83	283
61B. Posterior basal meningitis.	P.L.	5	3	—	—	8	8	—	1	—	9
	H.	8	15	—	1	28	7	9	4	1	21
	E.	10	43	25	13	92	2	28	25	16	71
61C. Meningitis—other forms.	P.L.	30	74	16	2	124	27	48	15	7	97
	L.A.	5	5	5	2	17	4	5	7	6	22
	H.	51	80	49	16	231	32	66	25	6	129
	E.	95	672	628	333	1,741	99	576	569	307	1,551
62. Locomotor ataxy ...	P.L.	43	72	40	13	168	9	16	2	2	29
	L.A.	6	5	3	3	17	1	3	—	—	4
	H.	6	9	10	—	25	1	1	1	—	3
	E.	44	148	138	82	415	6	32	22	14	74
63. Other diseases of the spinal cord.	P.L.	80	137	94	36	347	46	89	49	33	217
	L.A.	2	4	1	2	9	3	3	4	2	12
	H.	10	20	17	7	71	11	23	24	10	68
	E.	74	336	419	303	1,133	76	294	350	269	989

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
64. Cerebral hæmorrhage, Apoplexy.	P.L.	372	655	513	280	1,825	326	572	404	213	1,515
	L.A.	26	41	32	33	133	34	47	38	24	143
	H.	39	141	68	20	316	28	60	35	11	134
	E.	649	2,905	3,258	2,430	9,291	1,008	3,966	4,193	2,899	12,066
65. Softening of brain ...	P.L.	11	97	68	29	205	16	87	48	34	185
	L.A.	28	—	29	25	82	52	57	47	22	178
	H.	—	39	—	—	39	1	—	3	—	4
	E.	25	121	143	103	392	17	130	132	108	387
66. Paralysis without specified cause.	P.L.	43	181	79	49	352	75	185	103	62	425
	L.A.	—	4	—	1	5	1	3	2	2	8
	H.	—	7	4	2	13	1	8	5	—	14
	E.	69	308	299	270	949	118	405	363	331	1,217
67. General paralysis of the insane.	P.L.	20	121	46	7	196	6	21	9	6	42
	L.A.	293	535	417	146	1,425	62	139	83	30	314
	H.	3	4	2	1	20	—	—	2	—	2
	E.	17	66	67	38	188	11	22	29	14	76
68. Other forms of mental alienation.	P.L.	21	106	23	7	157	31	96	29	16	172
	L.A.	26	60	68	43	199	29	101	96	57	283
	H.	—	1	2	—	16	3	1	2	2	8
	E.	9	17	28	23	77	8	49	76	61	194
69. Epilepsy	P.L.	54	164	90	32	341	45	122	90	28	285
	L.A.	97	139	103	88	427	69	96	85	55	305
	H.	2	15	7	3	43	2	9	9	4	24
	E.	58	251	296	216	838	54	252	304	201	811
70 & 71. Convulsions (non-puerperal).	P.L.	12	25	15	7	59	11	16	10	6	43
	L.A.	—	—	—	—	—	—	1	—	—	1
	H.	10	28	15	9	63	11	20	6	1	38
	E.	288	1,831	1,822	914	4,855	215	1,455	1,268	724	3,662
72. Chorea	P.L.	1	5	3	—	9	4	10	8	—	22
	L.A.	—	—	2	—	2	—	2	1	—	3
	H.	—	3	2	—	7	4	10	8	4	26
	E.	1	5	14	5	25	2	24	20	13	59
73A. Hysteria, Neuralgia, Sciatica.	P.L.	—	2	—	—	2	1	1	—	1	3
	H.	—	—	—	1	1	1	1	1	—	3
	E.	—	8	10	6	24	3	12	15	9	39
73B. Neuritis	P.L.	8	6	6	2	22	18	19	5	1	43
	L.A.	1	1	2	1	5	3	6	1	2	12
	H.	2	1	2	1	10	3	6	3	—	12
	E.	9	37	52	27	125	22	99	65	27	213
74A. Idiocy, Imbecility...	P.L.	—	25	10	4	39	6	15	8	7	36
	L.A.	3	7	7	3	20	1	4	4	1	10
	H.	—	—	1	—	1	1	1	1	—	3
	E.	3	26	24	24	77	6	23	21	27	77
74B. Cretinism	P.L.	1	—	—	—	1	—	—	—	1	1
	L.A.	—	—	1	—	1	—	—	—	1	1
	H.	—	1	—	—	1	—	—	1	1	2
	E.	1	7	5	5	18	1	6	10	11	28
74C. Cerebral tumour ...	P.L.	8	21	10	8	48	8	16	7	3	34
	L.A.	3	4	3	3	13	5	1	2	2	10
	H.	30	38	34	17	133	17	32	31	9	89
	E.	24	83	131	68	314	39	119	127	83	368
74D. Other diseases included in 74.	P.L.	7	35	15	14	71	16	29	13	7	65
	L.A.	21	54	21	12	109	11	61	40	27	139
	H.	3	7	4	1	23	3	7	3	1	14
	E.	13	57	86	56	212	16	65	112	52	245

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued*.

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
75. Diseases of the eyes and annexa.	P.L.	2	3	2	—	7	2	1	1	1	5
	H.	—	3	3	1	10	2	2	2	1	7
	E.	—	4	6	1	11	1	2	6	2	11
76. Diseases of the ears...	P.L.	38	19	8	3	68	13	21	8	—	42
	L.A.	3	1	1	—	5	—	1	—	1	2
	H.	50	106	87	33	331	46	81	51	32	210
	E.	29	105	106	50	296	18	100	104	43	265
77. Pericarditis	P.L.	5	9	2	—	16	9	8	1	2	20
	L.A.	4	7	3	2	16	1	7	2	7	17
	H.	17	13	7	5	56	16	7	2	2	27
	E.	27	69	57	34	190	24	47	58	32	161
78A. Acute myocarditis...	P.L.	4	13	2	2	21	4	18	4	—	26
	L.A.	—	—	—	1	1	—	2	—	—	2
	H.	5	13	2	4	33	1	6	5	—	12
	E.	13	49	56	22	146	8	69	36	18	131
78B. Infective endocarditis.	P.L.	14	5	1	4	24	14	5	9	2	30
	L.A.	—	1	1	1	3	3	5	4	1	13
	H.	21	25	15	6	97	39	29	21	5	94
	E.	16	37	46	24	126	17	55	45	30	147
78C. Other acute endocarditis.	P.L.	5	17	12	1	35	5	12	7	3	27
	L.A.	—	—	3	—	3	—	4	1	2	7
	H.	10	27	15	5	69	12	27	8	4	51
	E.	25	132	105	47	313	27	168	161	62	418
79A. Valvular disease ...	P.L.	400	743	395	249	1,788	466	606	294	129	1,495
	L.A.	55	117	100	85	358	127	171	147	93	538
	H.	105	135	98	43	445	127	133	101	44	405
	E.	968	2,920	2,834	2,285	9,079	1,177	3,624	3,645	2,530	10976
79B. Fatty degeneration of the heart.	P.L.	47	24	20	19	110	34	26	13	11	84
	L.A.	32	40	31	29	132	44	43	47	28	162
	H.	8	9	8	4	35	4	10	5	5	24
	E.	249	339	376	269	1,250	257	457	513	327	1,554
79C. Other organic diseases of the heart.	P.L.	650	921	639	326	2,536	498	613	408	221	1,740
	L.A.	76	49	48	29	202	80	55	54	53	242
	H.	69	72	53	29	254	49	54	61	18	182
	E.	831	3,203	3,521	2,914	10,548	1,160	3,753	4,233	3,091	12237
80. Angina pectoris ...	P.L.	4	7	8	6	25	2	1	1	2	6
	L.A.	—	—	—	—	—	—	—	1	—	1
	H.	4	6	2	1	17	—	—	1	1	2
	E.	97	267	270	163	805	40	136	141	81	398
81A. Aneurysm	P.L.	35	36	11	9	91	7	7	3	1	18
	L.A.	1	3	3	—	7	4	—	2	—	6
	H.	33	41	15	7	124	12	10	2	4	28
	E.	129	221	201	93	674	51	59	51	32	193
81B. Arterial sclerosis ...	P.L.	215	620	246	141	1,223	183	441	161	60	845
	L.A.	48	71	58	50	227	61	63	42	29	195
	H.	32	39	28	10	122	13	15	25	2	55
	E.	245	975	1,148	824	3,201	197	682	751	491	2,121
81C. Other diseases of the arteries.	P.L.	3	5	2	—	10	3	1	3	—	7
	L.A.	—	—	1	—	1	1	1	—	—	2
	H.	2	2	1	—	6	1	1	—	—	2
	E.	10	24	17	5	59	7	23	16	4	50
82A. Cerebral embolism and thrombosis.	P.L.	79	76	60	31	246	118	69	81	29	297
	L.A.	1	9	4	2	16	—	10	2	—	12
	H.	10	14	5	4	45	13	10	7	5	35
	E.	65	259	365	240	932	124	405	528	343	1,400

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
82B. Other embolism and thrombosis.	P.L.	3	5	3	2	13	5	3	3	1	12
	L.A.	—	—	1	2	3	1	1	—	—	2
	H.	6	16	8	1	36	4	12	5	1	22
	E.	16	26	37	36	117	17	43	52	32	144
83. Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	P.L.	4	5	3	3	15	3	6	4	3	16
	L.A.	—	—	—	—	—	—	—	1	—	1
	H.	1	8	8	2	34	2	7	3	2	14
	E.	3	21	39	13	77	18	42	56	47	163
84A. Status lymphaticus	P.L.	1	1	—	—	2	—	2	—	—	2
	H.	9	6	3	—	19	3	4	1	—	8
	E.	26	29	28	15	99	19	20	23	7	69
84B. Other diseases of the lymphatic system.	P.L.	2	1	1	1	5	3	1	—	—	4
	H.	1	5	4	4	14	3	2	3	3	11
	E.	4	16	16	17	53	3	15	11	6	35
85A. Functional disease of the heart.	P.L.	1	2	3	2	8	3	1	1	—	5
	H.	1	—	—	—	3	5	3	—	—	8
	E.	5	24	29	20	78	6	45	34	18	103
85B & C. Other diseases included under 85.	P.L.	1	—	—	—	1	—	—	—	—	—
	L.A.	—	—	—	1	1	—	1	—	—	1
	H.	2	1	—	2	6	1	—	1	—	2
	E.	3	7	8	9	29	3	4	12	12	31
86. Diseases of the nasal fossæ.	P.L.	—	1	—	—	1	—	1	—	—	1
	L.A.	—	—	—	—	—	—	1	—	—	1
	H.	2	3	2	—	10	1	3	3	1	8
	E.	—	6	13	6	25	3	8	5	5	21
87A. Laryngismus stridulus.	H.	1	1	—	—	2	1	1	—	—	2
	E.	10	57	58	25	150	4	35	31	19	89
87B. Laryngitis	P.L.	8	6	1	2	17	1	—	—	1	2
	L.A.	—	—	—	—	—	1	—	—	—	1
	H.	9	15	6	5	36	5	9	5	3	22
	E.	26	153	203	113	498	20	142	143	100	405
87C. Other diseases of the larynx.	P.L.	—	1	—	—	1	—	1	—	—	1
	L.A.	—	—	—	—	—	—	1	—	—	1
	H.	—	2	—	—	2	2	1	—	1	4
	E.	—	5	4	1	11	4	—	4	4	12
88. Diseases of the thyroid body.	P.L.	4	3	1	2	10	13	8	9	3	33
	L.A.	1	—	1	—	2	2	3	—	1	6
	H.	—	7	4	7	18	4	6	5	8	23
	E.	2	13	5	14	35	13	51	63	59	186
89 & 90. Bronchitis ...	P.L.	1,167	1,566	826	345	3,907	934	920	489	176	2,519
	L.A.	23	34	37	29	123	25	43	24	33	125
	H.	110	91	57	15	378	56	71	49	9	185
	E.	2,185	7,833	6,635	3,953	20660	2,558	8,826	7,548	4,145	23077
91. Broncho - pneumonia	P.L.	283	335	130	43	791	283	263	59	27	632
	L.A.	35	51	39	23	152	55	61	64	29	209
	H.	318	315	108	31	893	223	209	79	20	531
	E.	1,158	4,121	3,652	1,663	10619	1,118	3,712	3,206	1,377	9,413
92A. Lobar pneumonia ...	P.L.	283	413	126	44	881	154	148	66	13	381
	L.A.	121	139	114	78	455	136	112	115	90	453
	H.	145	245	107	56	855	89	139	83	30	341
	E.	425	1,718	1,436	704	4,357	350	1,119	986	509	2,964

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
92B. Pneumonia (type not stated).	P.L.	224	370	218	98	918	133	124	89	37	383
	L.A.	18	56	32	25	131	14	40	26	19	99
	H.	82	181	107	46	709	58	92	42	22	214
	E.	794	2,644	2,313	1,307	7,153	634	1,981	1,752	973	5,340
93A. Empyema	P.L.	11	14	6	1	33	1	6	4	1	12
	L.A.	1	—	2	—	3	—	2	2	2	6
	H.	31	52	48	23	177	18	47	22	15	102
	E.	9	24	31	18	82	5	18	24	5	52
93B. Other pleurisy ...	P.L.	27	32	12	9	81	9	12	3	3	27
	L.A.	2	2	—	2	6	5	9	2	1	17
	H.	7	12	6	5	50	4	4	4	5	17
	E.	53	170	146	89	465	39	133	153	81	406
94A. Pulmonary apoplexy and infarction.	L.A.	—	—	—	—	—	—	1	—	1	2
	H.	—	—	—	—	—	—	1	—	—	1
	E.	—	3	6	6	15	—	—	2	2	4
94B. Pulmonary œdema and congestion.	P.L.	15	18	15	14	62	19	16	9	10	54
	L.A.	6	19	14	8	47	7	11	7	6	31
	H.	1	2	2	1	8	—	1	4	2	7
	E.	48	207	198	139	598	93	201	212	158	664
94C. Hypostatic pneumonia.	P.L.	5	7	7	3	22	11	11	4	3	29
	L.A.	1	1	—	—	2	—	—	—	—	—
	H.	—	—	—	—	1	1	1	1	—	3
	E.	1	15	21	23	60	8	37	28	26	99
94D. Collapse of lung (3 months and over).	H.	1	—	—	—	1	1	—	1	—	2
	E.	—	—	2	—	2	—	1	—	—	1
95. Gangrene of the lung	P.L.	4	9	2	2	17	3	2	—	1	6
	L.A.	4	1	1	2	8	3	3	5	3	14
	H.	1	1	2	1	7	1	—	—	—	1
	E.	2	7	7	4	20	—	4	3	—	7
96. Asthma	P.L.	11	23	38	22	94	10	14	10	6	40
	L.A.	—	—	1	—	1	—	1	—	—	1
	H.	2	6	5	3	36	1	7	2	3	13
	E.	152	372	415	261	1,205	100	309	335	181	925
97. Pulmonary emphysema.	P.L.	36	47	21	4	108	8	25	10	2	45
	L.A.	3	2	1	—	6	—	2	1	—	3
	H.	2	4	1	2	12	3	1	—	—	4
	E.	23	73	75	69	241	25	28	40	24	117
98A. Fibroid disease of the lung.	P.L.	7	8	1	2	19	—	2	—	—	2
	L.A.	1	1	1	1	4	—	1	—	—	1
	H.	2	2	2	—	6	3	—	1	—	4
	E.	8	46	81	55	191	12	16	19	11	58
98B. Other diseases included under 98.	P.L.	1	3	3	3	10	3	2	—	1	6
	L.A.	2	2	—	—	4	1	1	—	1	3
	H.	5	4	5	1	16	1	5	—	2	8
	E.	17	59	45	32	154	10	37	28	11	86
99A. Diseases of the teeth and gums.	P.L.	5	7	1	2	15	2	4	2	—	8
	L.A.	2	—	1	—	3	4	2	—	—	6
	H.	3	6	7	4	24	3	11	2	2	18
	E.	9	34	43	22	108	13	31	36	16	96
99B. Thrush, Aphthous stomatitis.	P.L.	—	1	—	—	1	—	—	—	—	—
	H.	—	1	—	—	1	—	—	—	—	—
	E.	2	22	19	18	61	—	25	15	10	50

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males. London.	Males. County Boroughs.	Males. Other Urban Districts.	Males. Rural Districts.	Males. England and Wales.	Females. London.	Females. County Boroughs.	Females. Other Urban Districts.	Females. Rural Districts.	Females. England and Wales.
99C. Parotitis	P.L.	2	1	—	—	3	2	1	2	—	5
	L.A.	1	—	—	2	3	—	—	1	1	2
	H.	1	1	1	—	3	1	—	1	1	3
	E.	1	1	1	1	4	1	4	3	—	8
99D. Other diseases included in 99.	P.L.	—	1	2	—	3	—	—	—	—	—
	H.	—	—	1	—	1	—	—	1	1	2
	E.	—	2	3	3	8	—	1	2	2	5
100A. Tonsillitis... ...	P.L.	3	4	—	—	7	1	1	—	1	3
	L.A.	—	—	2	—	2	—	—	—	—	—
	H.	6	7	5	2	35	6	5	5	4	20
	E.	21	71	80	52	230	19	54	88	59	220
100B. Ludwig's angina...	P.L.	1	2	1	—	5	1	1	—	—	2
	L.A.	—	—	—	—	—	—	1	—	—	1
	H.	4	3	—	1	9	1	3	1	1	6
	E.	1	1	2	3	7	—	2	4	2	8
100C. Other diseases of the pharynx.	P.L.	3	2	1	—	7	2	—	1	1	4
	H.	7	7	4	1	20	5	3	2	—	10
	E.	9	17	21	13	61	6	15	25	17	63
101. Diseases of the œsophagus.	P.L.	1	6	1	—	8	—	—	1	—	1
	L.A.	—	—	1	—	1	—	—	—	—	—
	H.	2	—	—	4	7	2	4	2	—	8
	E.	3	9	10	6	28	—	9	3	7	19
102. Perforating ulcer of stomach.	P.L.	29	14	20	3	69	24	13	13	9	59
	L.A.	3	2	1	—	6	2	2	—	—	4
	H.	72	137	85	48	397	47	75	87	26	235
	E.	48	164	182	121	529	73	199	210	165	647
103A. Inflammation of the stomach.	P.L.	22	19	18	8	67	19	19	13	5	56
	L.A.	1	—	—	—	1	2	—	2	—	4
	H.	8	7	10	1	27	3	3	6	4	16
	E.	93	584	611	315	1,606	109	588	601	328	1,626
103B. Other diseases included under 103.	P.L.	1	4	5	3	13	4	2	3	1	10
	L.A.	—	—	—	—	—	—	1	1	—	2
	H.	2	8	10	3	28	5	4	7	4	20
	E.	27	101	102	69	305	36	97	97	76	306
104 & 105A. Infective enteritis.	P.L.	141	42	19	—	202	130	42	6	2	180
	L.A.	—	—	1	3	4	1	1	1	1	4
	H.	127	87	18	4	239	107	60	19	2	188
	E.	340	1,663	800	209	3,013	287	1,311	619	163	2,380
104 & 105B–G. Other diseases included under 104, 105 (except duodenal ulcer).	P.L.	225	183	72	24	505	216	133	59	21	429
	L.A.	15	42	32	19	110	15	38	50	39	142
	H.	222	203	84	20	564	216	155	67	18	456
	E.	522	2,632	1,938	880	5,981	446	2,208	1,676	762	5,092
104 & 105H. Duodenal ulcer.	P.L.	11	7	4	3	25	1	3	—	—	4
	L.A.	2	1	1	—	5	1	2	—	1	4
	H.	39	85	84	30	276	3	12	12	6	33
	E.	25	70	72	55	225	6	24	37	23	90
106 & 107. Intestinal parasites.	H.	—	—	—	—	—	—	—	1	—	1
	E.	1	5	5	3	14	—	3	6	7	16
108. Appendicitis ...	P.L.	19	15	10	5	49	18	7	7	1	33
	L.A.	3	2	2	1	8	2	2	4	2	10
	H.	99	307	332	180	1,047	79	232	240	155	706
	E.	21	108	103	94	337	27	94	123	69	313

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
109A. Hernia	P.L.	29	38	24	9	100	40	33	23	3	99
	L.A.	2	2	2	1	7	2	2	4	1	9
	H.	45	144	138	91	436	78	163	120	71	432
	E.	24	105	129	96	355	38	155	168	109	470
109B. Intestinal obstruction.	P.L.	25	33	19	8	85	27	22	11	6	66
	L.A.	3	6	5	5	19	7	6	6	1	20
	H.	74	188	177	101	573	49	143	120	50	362
	E.	51	178	221	161	614	68	230	292	215	805
110. Other diseases of the intestines.	P.L.	12	22	9	1	44	9	7	5	1	22
	L.A.	1	2	3	1	7	—	—	1	—	1
	H.	10	18	14	7	55	15	23	19	10	67
	E.	20	52	54	42	169	21	68	61	47	197
111. Acute yellow atrophy of the liver.	P.L.	—	—	—	—	—	1	2	—	—	3
	H.	1	1	2	1	5	—	—	—	1	1
	E.	1	4	7	4	17	2	6	10	8	26
112. Hydatid of liver ...	P.L.	—	—	—	—	—	1	—	1	—	2
	H.	1	1	3	—	6	—	1	3	—	4
	E.	—	—	2	1	3	—	—	1	2	3
113. Cirrhosis of the liver	P.L.	100	99	71	31	301	92	60	31	13	196
	L.A.	4	5	5	1	15	2	5	4	3	14
	H.	43	51	52	13	180	18	34	19	5	76
	E.	173	510	616	346	1,658	226	406	465	199	1,296
114. Biliary calculi ...	P.L.	2	4	1	1	8	6	10	4	1	21
	L.A.	—	1	—	1	2	—	3	—	2	5
	H.	5	18	19	12	57	17	55	55	28	155
	E.	7	51	56	40	155	26	132	155	88	401
115. Other diseases of the liver.	P.L.	14	14	12	7	47	9	5	8	2	24
	L.A.	—	1	—	2	3	2	—	4	1	7
	H.	8	23	12	7	70	14	26	16	5	61
	E.	21	95	101	72	291	39	150	146	95	430
116. Diseases of the spleen	P.L.	—	1	2	—	3	1	—	—	—	1
	H.	—	—	—	—	2	1	2	1	1	5
	E.	3	6	6	4	19	—	4	11	2	17
117. Peritonitis (cause unstated).	P.L.	3	6	1	2	12	9	5	2	1	17
	L.A.	—	2	1	1	4	—	2	1	—	3
	H.	10	25	11	7	59	17	39	25	28	109
	E.	12	35	52	50	150	16	48	46	49	159
118A. Abdominal abscess, sub-phrenic abscess.	P.L.	—	1	1	—	2	1	—	—	—	1
	L.A.	—	—	—	—	—	—	1	1	—	2
	H.	1	3	4	3	15	1	2	1	2	6
	E.	—	1	4	2	7	1	2	1	3	7
118B. Other diseases included under 118.	P.L.	1	2	—	—	3	2	2	1	—	5
	L.A.	1	2	—	1	4	2	1	—	—	3
	H.	7	14	13	6	42	7	11	10	8	36
	E.	5	15	10	12	44	6	12	17	17	52
119. Acute nephritis ...	P.L.	48	40	15	9	113	23	36	18	7	84
	L.A.	3	2	2	2	9	2	2	3	3	10
	H.	21	42	30	11	166	12	42	16	5	75
	E.	45	333	343	162	889	42	309	318	168	837
120. Bright's disease ...	P.L.	393	461	311	128	1,299	258	264	146	44	712
	L.A.	57	114	86	67	327	70	155	113	22	360
	H.	96	160	98	44	506	47	125	66	87	325
	E.	517	1,729	2,012	1,124	5,421	523	1,608	1,789	1,016	4,936

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
121. Chyluria	E.	—	—	—	—	—	—	—	—	1	1
122A. Abscess of kidney	P.L.	1	1	—	—	2	—	3	—	1	4
	L.A.	1	1	—	—	2	—	1	1	—	2
	H.	1	2	2	—	9	—	2	3	1	6
	E.	2	2	6	1	11	1	5	4	3	13
122B. Cystic disease ...	P.L.	—	1	—	—	1	1	—	—	—	1
	L.A.	—	1	1	2	4	2	—	—	1	3
	H.	—	—	1	1	4	1	2	3	1	7
	E.	3	—	5	1	9	8	5	1	5	19
122C. Suppression of urine.	P.L.	1	—	—	—	1	—	1	—	—	1
	H.	—	—	2	—	2	—	—	—	—	—
	E.	—	6	6	2	14	1	1	—	1	3
122D. Other diseases included under 122.	P.L.	7	7	3	—	17	6	8	4	1	19
	L.A.	2	4	3	—	9	—	2	5	—	7
	H.	9	15	15	9	59	12	27	18	8	65
	E.	12	29	33	20	94	14	33	36	24	107
123. Calculi of the urinary passages.	P.L.	2	1	2	1	6	1	—	—	—	1
	L.A.	3	—	—	1	4	1	—	1	—	2
	H.	12	22	20	19	77	5	10	9	7	31
	E.	6	24	48	20	98	5	13	22	11	51
124. Diseases of the bladder.	P.L.	75	72	56	22	225	9	24	9	5	47
	L.A.	3	4	1	1	9	—	4	3	—	7
	H.	19	32	33	26	116	5	5	3	3	16
	E.	57	206	314	250	827	13	55	78	71	217
125. Diseases of the urethra, urinary abscess, &c.	P.L.	41	60	22	13	136	1	—	—	—	1
	L.A.	1	1	1	—	3	—	—	—	—	—
	H.	18	70	52	23	170	—	—	1	—	1
	E.	5	45	36	23	110	—	1	—	1	2
126. Diseases of the prostate.	P.L.	65	60	49	20	194	—	—	—	—	—
	L.A.	1	—	1	—	4	—	—	—	—	—
	H.	47	124	108	76	359	—	—	—	—	—
	E.	67	261	342	320	990	—	—	—	—	—
127. Non-venereal diseases of male genital organs.	P.L.	3	6	3	—	13	—	—	—	—	—
	H.	2	3	4	—	11	—	—	—	—	—
	E.	4	6	4	2	16	—	—	—	—	—
128. Uterine hæmorrhage (non-puerperal).	P.L.	—	—	—	—	—	—	1	1	—	2
	H.	—	—	—	—	—	—	1	2	2	5
	E.	—	—	—	—	—	—	6	7	4	17
129. Uterine tumour (non-cancerous).	P.L.	—	—	—	—	—	2	12	6	—	20
	L.A.	—	—	—	—	—	1	1	1	—	3
	H.	—	—	—	—	—	18	49	39	14	120
	E.	—	—	—	—	—	25	51	70	39	185
130. Other diseases of the uterus.	P.L.	—	—	—	—	—	3	9	5	3	20
	L.A.	—	—	—	—	—	2	—	—	—	2
	H.	—	—	—	—	—	5	21	17	10	53
	E.	—	—	—	—	—	10	19	27	16	72
131. Ovarian cyst, tumour (non-cancerous).	P.L.	—	—	—	—	—	5	5	6	3	19
	L.A.	—	—	—	—	—	1	1	—	3	5
	H.	—	—	—	—	—	9	39	43	14	105
	E.	—	—	—	—	—	17	43	62	49	171
132A. Diseases of ovary (excluding ovarian tumour).	P.L.	—	—	—	—	—	1	1	—	—	2
	L.A.	—	—	—	—	—	—	—	1	—	1
	H.	—	—	—	—	—	3	4	2	1	10
	E.	—	—	—	—	—	—	3	1	1	5

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males. London.	Males. County Boroughs.	Males. Other Urban Districts.	Males. Rural Districts.	Males. England and Wales.	Females. London.	Females. County Boroughs.	Females. Other Urban Districts.	Females. Rural Districts.	Females. England and Wales.
132B. Other diseases included under 132.	P.L.	—	—	—	—	—	10	3	1	1	15
	H.	—	—	—	—	—	17	54	42	19	132
	E.	—	—	—	—	—	5	14	13	8	40
133. Non-puerperal diseases of the breast (non-cancerous).	P.L.	—	—	—	—	—	2	1	1	—	4
	H.	1	—	—	—	1	2	3	—	—	5
	E.	1	3	—	1	5	1	5	3	5	14
134A. Abortion	P.L.	—	—	—	—	—	1	3	1	—	5
	H.	—	—	—	—	—	2	6	7	1	16
	E.	—	—	—	—	—	11	27	47	20	105
134B. Hæmorrhage of pregnancy.	P.L.	—	—	—	—	—	2	1	—	—	3
	H.	—	—	—	—	—	4	9	1	—	14
	E.	—	—	—	—	—	3	28	28	15	74
134C. Uncontrollable vomiting.	P.L.	—	—	—	—	—	2	2	1	—	5
	H.	—	—	—	—	—	—	3	1	2	6
	E.	—	—	—	—	—	—	9	10	7	26
134D. Ectopic gestation...	P.L.	—	—	—	—	—	1	—	—	—	1
	H.	—	—	—	—	—	4	16	12	13	45
	E.	—	—	—	—	—	3	13	8	4	28
134E. Other accidents of pregnancy.	P.L.	—	—	—	—	—	—	4	1	—	5
	H.	—	—	—	—	—	1	5	4	2	12
	E.	—	—	—	—	—	1	10	5	4	20
135. Puerperal hæmorrhage.	P.L.	—	—	—	—	—	3	7	—	—	10
	H.	—	—	—	—	—	9	21	8	1	39
	E.	—	—	—	—	—	21	133	154	108	416
136. Other accidents of childbirth.	P.L.	—	—	—	—	—	3	6	7	1	17
	L.A.	—	—	—	—	—	—	—	—	1	1
	H.	—	—	—	—	—	10	33	18	7	68
	E.	—	—	—	—	—	19	99	133	72	323
137. Puerperal fever ...	P.L.	—	—	—	—	—	44	78	32	9	163
	L.A.	—	—	—	—	—	—	—	1	4	5
	H.	—	—	—	—	—	61	163	86	32	342
	E.	—	—	—	—	—	27	238	262	164	691
138. Puerperal albuminuria and convulsions.	P.L.	—	—	—	—	—	10	20	8	5	43
	L.A.	—	—	—	—	—	—	—	—	1	1
	H.	—	—	—	—	—	8	51	34	11	104
	E.	—	—	—	—	—	15	129	200	134	478
139A. Puerperal phlegmasia alba dolens and phlebitis.	P.L.	—	—	—	—	—	2	2	—	—	4
	H.	—	—	—	—	—	—	2	2	—	4
	E.	—	—	—	—	—	2	7	20	13	42
139B. Puerperal embolism and sudden death.	P.L.	—	—	—	—	—	3	3	1	1	8
	L.A.	—	—	—	—	—	—	—	—	1	1
	H.	—	—	—	—	—	3	2	1	—	6
	E.	—	—	—	—	—	7	73	90	57	227
140. Puerperal insanity...	P.L.	—	—	—	—	—	2	8	1	1	12
	L.A.	—	—	—	—	—	1	1	—	1	3
	H.	—	—	—	—	—	—	1	—	—	1
	E.	—	—	—	—	—	—	7	10	1	18
141. Puerperal diseases of the breast.	H.	—	—	—	—	—	—	2	2	—	4
	E.	—	—	—	—	—	—	4	4	4	12
134–141. All accidents of pregnancy and childbirth.	P.L.	—	—	—	—	—	73	134	52	17	276
	L.A.	—	—	—	—	—	1	1	1	8	11
	H.	—	—	—	—	—	102	314	176	69	661
	E.	—	—	—	—	—	109	777	971	603	2,460

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
142A. Senile gangrene ...	P.L.	43	103	94	67	307	43	59	56	27	185
	L.A.	3	3	6	5	17	6	3	4	4	17
	H.	5	8	11	10	34	3	2	3	3	11
	E.	22	111	135	156	424	27	124	150	120	421
142B–D. Other gangrene	P.L.	7	14	7	5	33	6	11	3	—	20
	L.A.	1	—	—	—	1	—	1	—	1	2
	H.	5	8	2	2	19	4	16	9	2	31
	E.	3	16	18	7	44	1	21	25	10	57
143. Carbuncle, Boil ...	P.L.	18	13	14	6	51	5	8	6	2	21
	L.A.	3	2	3	2	10	1	3	2	—	6
	H.	3	12	13	3	37	1	2	3	2	8
	E.	7	36	31	25	100	4	16	21	10	51
144. Phlegmon, Acute abscess.	P.L.	32	37	29	16	114	24	33	12	7	76
	L.A.	7	3	12	7	29	5	—	3	9	17
	H.	15	39	29	20	115	6	29	25	5	65
	E.	17	64	57	52	190	20	72	81	43	216
145A. Ulcer, Bedsore ...	P.L.	8	29	26	11	74	23	50	26	19	118
	L.A.	—	—	—	2	2	—	—	—	—	—
	H.	—	2	2	2	8	—	3	4	—	7
	E.	7	24	30	33	94	21	51	78	60	210
145B. Eczema	P.L.	5	6	5	4	20	1	4	3	2	10
	H.	2	4	3	5	14	1	4	1	1	7
	E.	5	40	41	24	111	2	23	25	9	59
145C & D. Other diseases of the integumentary system.	P.L.	8	6	2	3	19	5	7	5	—	17
	L.A.	—	6	—	1	7	—	—	—	—	—
	H.	8	1	8	3	25	8	9	5	2	24
	E.	11	48	44	43	146	9	49	52	29	139
146. Diseases of the bones	P.L.	11	15	13	4	43	11	9	6	1	27
	L.A.	—	—	1	1	2	—	2	1	—	3
	H.	28	44	52	27	167	9	21	20	17	67
	E.	6	25	44	30	106	9	31	39	22	101
147. Diseases of the joints	P.L.	8	11	5	1	25	—	5	6	1	12
	H.	7	8	7	2	29	2	6	5	2	15
	E.	1	3	20	5	29	3	9	15	13	40
148. Amputations ...	H.	—	—	—	—	—	—	—	1	—	1
149. Other diseases of the locomotor system.	P.L.	1	5	2	—	9	1	—	—	1	2
	H.	1	1	—	—	4	—	—	—	—	—
	E.	2	7	7	6	22	2	3	3	—	8
150. Congenital malformations.	P.L.	21	20	17	12	70	15	13	9	5	42
	L.A.	4	1	4	2	11	2	—	1	—	3
	H.	90	106	57	29	282	49	52	47	23	171
	E.	178	586	638	384	1,786	155	495	503	336	1,489
151A. Premature birth ...	P.L.	55	74	40	13	182	60	69	38	13	180
	L.A.	—	1	1	—	2	—	—	—	1	1
	H.	91	112	44	19	266	76	97	40	16	229
	E.	877	2,983	2,772	1,633	8,265	638	2,395	2,076	1,197	6,306
151B. Infantile atrophy, debility and marasmus.	P.L.	140	167	54	21	382	129	126	30	25	310
	L.A.	—	—	1	—	1	1	—	—	—	1
	H.	92	137	66	19	314	63	88	34	5	190
	E.	335	1,676	1,727	878	4,610	236	1,252	1,303	693	3,484
151C–E. Other diseases included under 151.	P.L.	22	3	2	—	27	4	2	—	2	8
	H.	4	4	3	2	13	6	3	3	—	12
	E.	39	179	207	114	539	25	98	116	70	309

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE, 1915—*continued.*

Cause of Death.	Place of Occurrence.	Males. London.	Males. County Boroughs.	Males. Other Urban Districts.	Males. Rural Districts.	Males. England and Wales.	Females. London.	Females. County Boroughs.	Females. Other Urban Districts.	Females. Rural Districts.	Females. England and Wales.
152. Other diseases peculiar to early infancy.	P.L.	9	9	9	3	30	7	7	1	4	19
	L.A.	—	—	—	—	—	—	1	—	—	1
	H.	35	33	10	6	84	26	24	8	3	61
	E.	193	531	447	281	1,452	123	343	358	186	1,010
153. Lack of care ...	P.L.	—	—	—	—	—	—	2	1	—	3
	E.	16	46	31	25	118	17	57	23	15	112
154A. Senile dementia ...	P.L.	52	212	71	39	374	77	203	81	27	388
	L.A.	1	8	11	10	30	1	11	19	13	44
	H.	—	1	1	—	2	1	1	—	1	3
	E.	10	34	47	51	142	32	69	102	75	278
154B. Senile decay ...	P.L.	384	922	880	712	2,898	522	1,156	894	568	3,140
	L.A.	192	79	115	92	478	341	144	193	135	813
	H.	8	13	12	3	36	4	8	11	4	27
	E.	493	2,514	3,295	3,496	9,799	922	4,142	5,144	4,306	14,514
155–186. Violence ...	P.L.	285	283	163	86	836	222	226	103	47	598
	L.A.	5	9	6	9	33	6	10	14	4	34
	H.	549	1,522	1,082	479	5,837	275	762	385	137	1,559
	E.	929	2,701	3,209	2,264	10,259	587	1,363	1,328	786	4,064
187–189. Ill-defined causes of death.	P.L.	20	58	23	13	114	15	37	11	2	65
	L.A.	6	1	1	2	10	—	3	2	2	7
	H.	3	26	8	1	44	2	12	11	5	30
	E.	19	493	535	394	1,472	25	460	444	352	1,281
All causes. Poor Law Institutions ...		10,147	14,698	8,214	4,093	37,258	8,195	10,406	5,650	2,588	26,839
Lunatic Asylums		1,631	2,288	1,949	1,333	7,279	1,745	2,136	1,970	1,249	7,100
Hospitals		5,315	9,376	6,164	2,816	29,762	4,230	7,066	4,685	2,092	18,073
Nursing Homes		85	129	160	82	496	80	184	200	96	560
Total in Institutions ...		17,178	26,491	16,487	8,324	74,795	14,250	19,792	12,505	6,025	52,572
Elsewhere than Institutions		19,961	74,501	73,779	46,883	217586	21,004	74,961	75,173	46,162	217300
Total		37,139	100992	90,266	55,207	292381	35,254	94,753	87,678	52,187	269872

Causes of Death (see page xxiii) at Different Periods of Life—1915.

All Areas—England and Wales.

Note.—The deaths in this Table relate to the Total Deaths registered.

	Causes of Death.	Sex.	England and Wales.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	292,381	51,013	15,944	13,162	11,444	13,197	37,352	67,358	82,911
		F	269,872	38,367	14,335	12,166	11,348	10,841	30,907	55,245	96,663
1	Enteric fever	M	822	3	2	14	92	195	358	149	9
		F	566	1	1	11	84	154	212	88	15
2	Small-pox	M	7	—	1	—	1	—	4	1	—
		F	6	—	—	1	—	1	—	3	1
3	Measles	M	8,583	1,849	3,346	2,608	640	101	36	3	—
		F	7,862	1,518	3,040	2,504	731	25	32	8	4
4	Scarlet fever	M	1,226	36	113	473	432	112	57	3	—
		F	1,180	32	103	463	454	63	54	10	1
5	Whooping cough ...	M	3,694	1,755	1,099	717	120	1	—	1	1
		F	4,449	1,875	1,384	1,013	167	2	3	1	4
6	Diphtheria and croup ...	M	2,874	123	324	1,148	1,181	51	29	16	2
		F	3,021	95	268	1,069	1,467	61	42	18	1
7	Influenza	M	5,228	247	106	101	120	254	866	1,612	1,922
		F	5,256	182	83	98	122	194	573	1,174	2,830
8	Erysipelas	M	590	90	6	4	14	24	99	188	165
		F	487	79	7	4	15	24	57	133	168
9	Pulmonary tuberculosis	M	23,630	172	214	332	767	3,494	10,758	7,012	881
		F	18,046	120	193	273	1,238	4,158	7,947	3,446	671
10	Tuberculous meningitis	M	2,788	505	527	705	721	190	109	28	3
		F	2,541	383	465	656	727	191	95	22	2
11	Other tuberculous diseases.	M	3,927	676	482	518	656	504	599	367	125
		F	3,363	483	407	415	571	464	567	322	134
12	Cancer, malignant disease	M	17,421	18	13	44	61	164	1,374	8,420	7,327
		F	22,426	7	9	32	51	112	2,655	10,568	8,992
13	Rheumatic fever ...	M	1,030	4	2	32	290	204	271	174	53
		F	1,121	3	2	21	318	245	268	210	54
14	Meningitis	M	3,588	777	428	479	609	661	399	177	58
		F	2,527	523	349	406	578	235	233	155	48
15	Organic heart disease ...	M	26,737	12	14	25	443	731	2,719	9,671	13,122
		F	29,639	11	8	53	657	857	3,215	9,466	15,372
16	Bronchitis	M	25,068	4,464	1,305	565	168	113	971	5,471	12,011
		F	25,906	3,274	1,156	501	156	98	677	4,365	15,679
17	Pneumonia (all forms)...	M	27,914	6,347	4,053	2,433	1,032	1,048	3,850	5,600	3,551
		F	20,960	4,647	3,453	2,156	1,034	625	2,014	3,133	3,898
18	Other respiratory diseases	M	4,692	319	211	342	203	128	612	1,451	1,426
		F	3,698	220	181	263	191	83	398	920	1,442
19	Diarrhœa, &c.	M	11,149	7,115	1,578	500	148	92	420	609	687
		F	9,002	5,218	1,451	465	155	84	280	499	850
20	Appendicitis and typhlitis	M	1,441	1	3	40	373	314	383	244	83
		F	1,062	1	1	35	285	220	266	180	74
21	Cirrhosis of liver ...	M	2,154	—	1	2	8	12	312	1,303	516
		F	1,582	3	—	1	2	4	292	941	339
21A	Alcoholism	M	293	—	—	—	—	2	107	154	30
		F	204	—	—	—	—	1	80	105	18
22	Nephritis and Bright's disease.	M	8,730	64	82	154	220	291	1,280	3,676	2,963
		F	7,339	36	88	106	183	283	1,178	2,923	2,542
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—
		F	1,201	—	—	—	1	240	951	9	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—
		F	2,207	—	—	—	—	356	1,816	35	—
25	Congenital debility, &c.	M	16,750	16,485	81	71	75	15	17	5	1
		F	12,735	12,530	51	39	59	32	18	6	—
26	Violence, apart from suicide.	M	14,936	760	326	798	1,432	2,518	4,454	3,140	1,508
		F	5,318	639	231	581	664	291	600	887	1,425
27	Suicide	M	2,029	—	—	—	4	136	710	879	300
		F	937	—	—	—	4	131	339	370	93
28	Other defined diseases ...	M	73,440	9,085	1,366	997	1,589	1,812	6,400	16,332	35,859
		F	73,848	6,403	1,164	924	1,389	1,579	5,896	14,736	41,757
29	Causes ill-defined or unknown.	M	1,640	106	261	60	45	30	158	672	308
		F	1,383	84	240	76	45	28	149	512	249

Causes of Death at Different Periods of Life—1915.

London and County Boroughs.

(*See note at head of page* 89.

Causes of Death.	Sex.	London. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Aggregate of County Boroughs. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	37,139	6442	2092	1748	1390	1238	4899	9716	9614	100,992	19693	6540	5155	4172	3510	12765	24836	24321
	F	35,254	5022	1952	1665	1380	1362	4066	7667	12140	94,753	14852	5937	4761	4142	3835	11518	20371	29337
1 Enteric fever	M	62	1	—	3	9	7	28	14	—	268	—	1	5	38	47	122	51	4
	F	42	—	—	—	6	13	16	7	—	199	—	—	5	32	55	75	28	4
2 Small-pox	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	4	—	—
	F	2	—	—	1	—	—	—	1	—	3	—	—	—	—	1	—	2	—
3 Measles	M	1,155	269	493	337	55	1	—	—	—	3,261	702	1318	1040	199	—	2	—	—
	F	1,131	222	476	322	99	5	3	2	2	3,039	610	1217	970	231	5	3	2	1
4 Scarlet fever	M	172	6	19	77	55	9	6	—	—	447	15	50	186	167	18	10	1	—
	F	155	4	12	59	54	10	14	2	—	449	13	44	190	169	24	8	1	—
5 Whooping cough ...	M	509	222	169	105	13	—	—	—	—	1,287	596	388	268	35	—	—	—	—
	F	649	260	191	172	25	—	—	—	1	1,452	571	486	337	57	1	—	—	—
6 Diphtheria and croup ...	M	338	24	44	149	111	4	4	2	—	1,002	50	137	407	387	6	10	3	2
	F	366	27	43	145	140	4	7	—	—	1,051	39	118	391	474	11	15	3	—
7 Influenza	M	535	18	6	8	8	21	89	186	199	1,410	49	26	29	38	57	266	495	450
	F	523	14	8	9	10	22	49	140	271	1,388	29	18	32	29	69	179	325	707
8 Erysipelas	M	86	13	2	1	1	2	15	25	27	215	33	1	2	3	6	37	77	56
	F	94	20	3	1	2	3	8	20	37	188	30	3	2	4	10	23	56	60
9 Pulmonary tuberculosis	M	4,153	35	39	67	111	478	1810	1415	198	9,222	74	81	132	306	1263	4233	2825	308
	F	2,722	22	26	58	162	561	1113	631	149	6,823	44	86	104	485	1525	3070	1317	192
10 Tuberculous meningitis	M	433	78	88	115	110	26	9	7	—	1,016	186	201	267	268	47	37	9	1
	F	398	65	77	128	95	21	11	—	1	907	140	188	236	252	57	23	11	—
11 Other tuberculous diseases.	M	474	89	59	61	92	46	58	47	22	1,559	315	206	245	276	179	190	115	33
	F	376	66	45	55	71	41	47	37	14	1,279	226	157	167	234	144	194	120	37
12 Cancer, malignant disease	M	2,324	1	1	5	16	15	190	1205	891	5,492	4	6	11	18	56	486	2841	2070
	F	3,009	1	2	4	5	14	383	1433	1167	7,237	1	1	9	15	48	990	3594	2579
13 Rheumatic fever ...	M	105	1	1	5	34	22	21	17	4	346	1	—	12	88	68	100	62	15
	F	128	—	—	2	39	32	36	18	1	429	1	—	11	121	85	100	89	22
14 Meningitis	M	376	121	46	59	73	23	27	24	3	1,090	295	171	184	193	78	59	67	43
	F	328	81	44	48	75	25	23	22	10	903	190	139	158	217	63	71	40	25
15 Organic heart disease ...	M	3,490	—	—	3	82	94	375	1378	1558	8,572	6	9	12	171	238	1063	3435	3638
	F	4,023	—	—	8	121	142	510	1277	1965	9,545	7	3	21	240	344	1230	3427	4273
16 Bronchitis	M	3,485	452	122	66	14	17	204	926	1684	9,524	1739	541	214	72	31	418	2416	4093
	F	3,573	324	98	47	10	11	109	652	2322	9,860	1357	475	200	63	32	281	2054	5398
17 Pneumonia (all forms)...	M	3,886	921	545	357	111	82	479	833	558	10,588	2381	1666	1036	445	300	1433	2252	1075
	F	3,247	723	522	320	128	77	280	540	657	8,000	1716	1417	903	420	233	819	1201	1291
18 Other respiratory diseases	M	565	26	16	36	17	10	82	199	179	1,521	115	82	113	68	40	202	479	422
	F	479	35	24	20	12	12	41	137	198	1,243	71	69	96	67	23	153	337	427
19 Diarrhœa, &c.	M	1,669	1168	212	62	16	4	55	81	71	5,015	3302	830	232	68	29	149	190	215
	F	1,429	958	218	59	11	9	37	53	84	3,989	2370	745	226	66	33	82	191	276
20 Appendicitis and typhlitis	M	142	1	—	4	32	24	37	34	10	432	—	—	11	143	72	105	82	19
	F	126	—	—	6	34	25	28	23	10	335	—	1	8	80	82	89	50	25
21 Cirrhosis of liver ...	M	320	—	1	—	2	4	49	184	80	665	—	—	1	4	3	100	420	137
	F	338	—	—	1	—	1	64	202	70	505	1	—	—	—	2	104	314	84
21A Alcoholism	M	29	—	—	—	—	—	12	15	2	111	—	—	—	—	—	36	66	9
	F	25	—	—	—	—	1	8	13	3	94	—	—	—	—	—	40	48	6
22 Nephritis and Bright's disease.	M	1,180	11	5	11	19	37	155	553	389	2,881	24	28	65	89	85	419	1365	806
	F	977	2	1	8	15	27	126	427	371	2,541	17	46	36	65	110	445	1086	736
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	132	—	—	—	—	29	103	—	—	479	—	—	—	—	91	386	2	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	153	—	—	—	—	20	127	6	—	747	—	—	—	—	118	620	9	—
25 Congenital debility, &c.	M	1,948	1910	7	9	16	1	4	1	—	6,043	5952	37	19	24	9	1	1	—
	F	1,459	1437	7	1	8	3	2	1	—	4,690	4621	15	16	25	7	4	2	—
26 Violence, apart from suicide.	M	1,542	147	47	96	196	110	296	408	242	3,949	341	110	274	505	353	878	1011	477
	F	938	132	36	77	87	33	128	161	284	2,066	289	86	244	292	89	199	357	510
27 Suicide	M	226	—	—	—	—	13	78	97	38	566	—	—	—	3	26	175	280	82
	F	152	—	—	—	—	19	67	55	11	295	—	—	—	—	37	101	125	32
28 Other defined diseases ...	M	7,886	925	152	105	195	187	815	2055	3452	23,928	3488	518	364	547	493	2179	6063	10276
	F	8,238	627	100	108	171	202	724	1796	4510	24,505	2488	496	358	481	525	2160	5411	12586
29 Causes ill-defined or unknown.	M	48	3	18	7	2	1	1	9	7	578	25	133	26	17	6	51	230	90
	F	42	2	19	6	—	—	2	11	2	512	21	127	41	23	11	54	169	66

Causes of Death at Different Periods of Life—1915.

Urban and Rural Districts—England and Wales.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65
All Causes	M	90,266	16649	5301	4377	3853	3143	10053	20593	26297	55,207	8229	2011	1882	2023	1881	5198	11329	226
	F	87,678	12348	4601	4049	3806	3585	9983	17555	31751	52,187	6145	1845	1691	2020	2059	5340	9652	234
1 Enteric fever	M	251	1	—	5	32	51	106	54	2	107	1	1	1	13	21	43	25	
	F	222	—	1	4	27	59	90	34	7	103	1	—	2	19	27	31	19	
2 Small-pox	M	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
3 Measles	M	3,047	648	1194	931	263	6	3	2	—	1,011	230	341	300	123	8	8	1	—
	F	2,756	532	1006	919	271	9	17	2	—	936	154	341	293	130	6	9	2	
4 Scarlet fever	M	358	10	33	155	136	12	11	1	—	161	5	11	55	74	7	8	1	—
	F	378	11	28	156	149	15	16	3	—	198	4	19	58	82	14	16	4	
5 Whooping cough ...	M	1,307	624	387	241	54	—	—	1	—	591	313	155	103	18	1	—	—	
	F	1,626	695	505	370	50	1	2	1	2	722	349	202	134	35	—	1	—	
6 Diphtheria and croup ...	M	992	38	106	378	440	14	10	6	—	525	11	37	214	243	12	5	3	—
	F	1,058	20	74	368	557	19	12	7	1	546	9	33	165	296	27	8	8	—
7 Influenza	M	1,604	85	32	35	41	69	285	501	556	1,558	95	42	29	33	64	171	407	7
	F	1,829	69	31	27	49	61	206	410	976	1,516	70	26	30	34	42	139	299	8
8 Erysipelas	M	173	32	2	1	5	8	20	57	48	92	12	1	—	5	3	14	24	
	F	147	21	—	—	8	8	17	39	54	58	8	1	1	1	3	9	18	
9 Pulmonary tuberculosis	M	6,427	47	71	101	235	985	2902	1849	237	3,202	16	23	32	115	562	1447	870	1
	F	5,382	35	59	81	405	1320	2347	940	195	3,119	19	22	30	186	752	1417	558	1
10 Tuberculous meningitis	M	902	168	181	240	230	39	36	8	—	383	73	57	83	113	36	16	3	
	F	838	127	148	197	252	69	39	5	1	398	51	52	95	128	44	22	6	—
11 Other tuberculous diseases.	M	1,192	186	157	156	209	147	188	113	36	649	86	60	56	79	104	138	92	
	F	1,103	126	134	138	176	189	197	99	44	605	65	71	55	90	90	129	66	
12 Cancer, malignant disease	M	5,530	10	5	18	16	39	408	2649	2385	3,866	3	1	10	11	21	191	1649	19
	F	7,463	3	5	13	19	30	868	3483	3042	4,717	2	1	6	12	20	414	2058	22
13 Rheumatic fever ...	M	338	2	1	10	110	65	79	53	18	202	—	—	5	58	34	52	37	
	F	396	2	—	7	105	85	105	69	23	168	—	2	1	53	43	27	34	
14 Meningitis	M	963	253	150	160	220	75	61	42	2	499	108	61	76	122	48	42	33	
	F	830	164	110	143	182	92	81	51	7	466	88	56	57	104	55	58	42	
15 Organic heart disease ...	M	8,123	4	3	4	137	267	754	2962	3992	6,281	2	2	6	53	102	372	1811	39
	F	9,521	2	4	16	217	258	1054	2965	5005	6,550	2	1	8	79	113	421	1797	41
16 Bronchitis	M	7,555	1533	440	196	56	35	192	1492	3611	4,342	740	202	89	26	11	67	587	26
	F	8,110	1072	406	168	51	43	217	1256	4897	4,363	521	177	86	32	12	70	403	30
17 Pneumonia (all forms)	M	8,382	2092	1358	756	318	214	967	1575	1102	4,118	953	484	284	157	117	469	841	8
	F	6,567	1521	1101	678	323	208	605	916	1215	3,146	687	413	255	163	107	310	476	7
18 Other respiratory diseases	M	1,521	110	76	125	76	25	175	468	466	980	68	37	68	42	22	98	286	3
	F	1,204	62	56	90	63	28	131	297	477	772	52	32	57	49	20	73	149	3
19 Diarrhœa, &c.	M	3,125	1962	407	144	43	23	115	217	214	1,247	683	129	62	21	8	51	107	1
	F	2,546	1408	362	134	50	21	109	171	291	1,038	482	126	46	28	21	52	84	1
20 Appendicitis and typhlitis	M	447	—	1	17	130	75	120	82	22	280	—	2	8	68	60	72	38	
	F	374	1	—	12	110	72	87	70	22	227	—	—	9	61	41	62	37	
21 Cirrhosis of liver ...	M	744	—	—	1	2	3	104	470	164	391	—	—	—	—	—	45	212	1
	F	519	1	—	—	2	1	103	304	108	220	1	—	—	—	—	21	121	
21A Alcoholism	M	85	—	—	—	—	1	28	47	9	55	—	—	—	—	1	21	23	
	F	60	—	—	—	—	—	23	34	3	25	—	—	—	—	—	9	10	
22 Nephritis and Bright's disease.	M	2,897	22	30	62	75	85	398	1190	1035	1,547	7	19	16	37	31	181	527	7
	F	2,469	11	31	44	67	100	398	939	879	1,352	6	10	18	36	46	209	471	5
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	381	—	—	—	—	72	304	5	—	209	—	—	—	1	48	158	2	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	819	—	—	—	—	133	672	14	—	488	—	—	—	—	85	397	6	—
25 Congenital debility, &c.	M	5,633	5559	19	28	19	1	4	2	1	3,126	3064	18	15	16	4	8	1	—
	F	4,200	4131	19	17	13	11	7	2	—	2,386	2341	10	5	13	11	5	1	—
26 Violence, apart from suicide.	M	3,844	168	103	258	461	414	1009	962	469	2,440	104	66	170	269	298	595	618	32
	F	1,531	163	67	164	181	110	184	254	408	783	55	42	96	104	59	89	115	22
27 Suicide	M	616	—	—	—	1	28	194	287	106	398	—	—	—	—	20	115	189	7
	F	299	—	—	—	2	48	108	110	31	191	—	—	—	2	27	63	80	1
28 Other defined diseases ...	M	23,641	3058	468	337	528	457	1836	5249	11708	16,746	1614	228	191	316	275	934	2772	1041
	F	24,581	2140	389	281	463	517	1925	4883	13983	16,524	1148	179	177	274	335	1087	2646	1067
29 Causes ill-defined or unknown.	M	567	37	76	18	15	5	48	254	114	410	41	34	9	11	11	35	172	9
	F	468	31	65	22	14	6	59	192	79	361	30	29	7	8	11	34	140	10

Causes of Death at Different Periods of Life—1915.

All Areas—North and Midland.

	Causes of Death.	Sex.	Aggregate of Northern Counties.									Aggregate of Midland Counties.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	103254	20495	7026	5478	4344	3670	12158	24881	25202	83,982	14798	4307	3661	3428	2824	9213	18488	27263
		F	96500	15363	6429	5071	4373	4001	11608	20618	29037	79,427	10969	3732	3348	3329	3171	8600	15337	30941
1	Enteric fever	M	361	1	2	8	38	65	168	74	5	144	—	—	1	24	35	54	28	2
		F	291	—	—	4	46	70	118	46	7	118	1	—	5	12	46	32	17	5
2	Small-pox	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—
		F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	1	—	2	—
3	Measles	M	3762	836	1535	1152	228	6	5	—	—	2,370	467	896	754	243	5	2	3	—
		F	3446	696	1397	1086	253	4	7	2	1	2,246	405	789	771	257	12	11	1	—
4	Scarlet fever	M	512	18	51	238	180	16	9	—	—	303	4	27	100	141	19	11	1	—
		F	546	12	49	233	209	27	14	2	—	297	8	23	107	128	16	12	3	—
5	Whooping cough ...	M	1350	624	421	259	46	—	—	—	—	1,002	489	283	200	29	—	—	—	1
		F	1679	682	546	395	54	—	1	—	1	1,166	485	367	263	48	—	1	1	1
6	Diphtheria and croup ...	M	1050	50	144	426	402	13	9	5	1	898	24	85	333	422	15	14	4	1
		F	1033	34	139	378	449	17	11	5	—	979	20	58	334	516	27	16	7	1
7	Influenza	M	1355	51	23	19	35	70	279	454	424	1,779	103	48	34	41	63	252	547	691
		F	1408	47	15	27	39	74	207	348	651	1,697	65	35	30	38	50	179	365	935
8	Erysipelas	M	211	33	3	1	3	6	34	82	49	176	30	—	2	6	7	25	52	54
		F	169	21	4	1	5	7	26	50	55	138	24	—	1	3	9	18	36	47
9	Pulmonary tuberculosis	M	8036	55	85	144	330	1157	3518	2464	283	6,451	50	50	75	198	964	3051	1833	230
		F	6386	38	88	113	544	1502	2789	1130	182	5,083	38	44	64	301	1216	2278	975	167
10	Tuberculous meningitis	M	1056	210	225	272	254	51	35	7	2	699	116	138	181	192	34	29	8	1
		F	950	142	196	237	278	66	27	4	—	685	105	118	175	187	56	33	10	1
11	Other tuberculous diseases.	M	1649	285	243	269	278	195	205	136	38	1,043	204	120	118	179	123	170	96	33
		F	1416	207	201	204	264	187	198	122	33	924	136	110	100	146	139	157	85	51
12	Cancer, malignant disease	M	5358	6	4	14	12	45	442	2786	2049	5,502	6	8	14	16	52	379	2602	2425
		F	7154	2	3	11	14	47	925	3633	2519	6,897	3	4	12	19	35	774	3092	2958
13	Rheumatic fever ...	M	388	2	—	13	105	74	102	74	18	285	—	—	9	85	50	80	46	15
		F	449	—	2	9	135	89	112	85	17	303	2	—	6	84	72	67	57	15
14	Meningitis	M	1041	326	182	187	163	52	38	52	41	803	205	100	149	182	66	53	43	5
		F	924	207	138	172	209	63	62	48	25	688	149	110	108	144	64	70	37	6
15	Organic heart disease ...	M	8787	3	10	7	154	261	956	3551	3845	7,746	5	1	7	123	224	663	2566	4157
		F	9804	5	3	19	217	311	1259	3558	4432	8,871	2	2	17	203	259	837	2617	4934
16	Bronchitis	M	9223	1831	574	235	70	43	396	2324	3750	7,515	1380	417	161	45	22	181	1381	3928
		F	9418	1360	509	216	70	37	304	1961	4961	7,705	984	343	140	50	35	165	1099	4889
17	Pneumonia (all forms)...	M	10723	2402	1685	1017	494	327	1419	2217	1162	7,409	1832	1116	645	273	202	860	1446	1035
		F	8189	1780	1462	931	448	261	818	1228	1261	5,610	1300	877	537	278	169	552	832	1065
18	Other respiratory diseases	M	1597	138	100	145	92	31	208	488	395	1,315	84	55	92	46	34	146	412	446
		F	1233	84	82	97	72	32	154	328	384	1,074	49	41	74	68	20	104	254	464
19	Diarrhœa, &c.	M	5070	3210	839	246	73	36	171	247	248	2,797	1817	368	126	42	11	77	143	213
		F	3963	2264	767	212	71	27	104	212	306	2,311	1322	328	130	43	30	86	127	245
20	Appendicitis and typhlitis	M	466	—	—	14	145	95	118	70	24	420	—	2	16	126	63	115	75	23
		F	380	1	1	7	103	75	108	64	21	308	—	—	9	84	68	73	49	25
21	Cirrhosis of liver ...	M	677	—	—	1	1	2	109	435	129	662	—	—	—	3	2	89	410	158
		F	425	1	—	—	1	—	84	265	74	494	1	—	—	1	3	75	302	112
21A	Alcoholism	M	117	—	—	—	—	1	38	61	17	81	—	—	—	—	1	30	45	5
		F	85	—	—	—	—	—	38	41	6	48	—	—	—	—	—	14	25	9
22	Nephritis and Bright's disease.	M	3155	32	49	77	94	104	512	1411	876	2,311	11	20	41	68	61	288	930	892
		F	2797	13	59	58	91	129	514	1175	758	1,890	14	16	22	49	69	282	722	716
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	455	—	—	—	—	81	370	4	—	350	—	—	—	—	65	282	3	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	916	—	—	—	—	154	759	3	—	606	—	—	—	—	89	501	16	—
25	Congenital debility, &c.	M	6394	6306	30	24	23	3	7	1	—	5,274	5197	23	23	19	6	5	—	1
		F	4879	4817	14	18	14	6	8	2	—	3,984	3918	17	9	21	12	4	3	—
26	Violence, apart from suicide.	M	4365	257	108	291	520	462	1074	1176	477	3,333	227	103	248	435	342	730	784	464
		F	1947	203	97	243	296	107	198	338	465	1,431	206	60	155	181	79	151	221	378
27	Suicide	M	633	—	—	—	2	22	208	309	92	542	—	—	—	—	22	162	255	103
		F	310	—	—	—	2	45	108	125	30	286	—	—	—	2	42	104	111	27
28	Other defined diseases ...	M	25171	3770	595	385	577	524	2040	6125	11155	22,618	2519	363	317	479	394	1688	4587	12271
		F	25235	2709	533	359	473	572	2215	5628	12746	22,773	1707	326	260	444	481	1679	4079	13797
29	Causes ill-defined or unknown.	M	747	49	118	34	25	9	58	332	122	500	28	84	15	11	7	55	191	109
		F	612	38	124	41	16	11	70	211	101	462	25	64	19	22	7	43	189	93

Causes of Death at Different Periods of Life—1915.

All Areas—South and Wales.

Causes of Death	Sex.	Aggregate of Southern Counties (including London).									Aggregate of Wales and Monmouth.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	76,955	11645	3543	3149	2894	2508	9210	18774	25232	19,413	4075	1068	874	772	770	2334	4331	518
	F	75,895	8943	3207	2888	2891	2760	8380	15838	30988	18,050	3092	967	859	755	909	2319	3452	569
1 Enteric fever	M	134	1	—	4	21	16	60	31	1	49	1	—	1	9	10	17	11	—
	F	125	—	—	2	18	28	57	19	1	32	—	1	—	8	10	5	6	
2 Small-pox	M	3	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1 862	403	729	575	147	2	6	—	—	480	143	186	127	22	2	—	—	—
	F	1,742	333	689	504	188	8	12	5	3	428	84	165	143	33	1	2	—	—
4 Scarlet fever	M	265	11	28	107	92	11	14	2	—	58	3	7	28	19	—	1	—	—
	F	260	9	20	87	97	19	24	4	—	77	3	11	36	20	1	4	1	
5 Whooping cough ...	M	997	469	303	187	36	1	—	1	—	345	173	92	71	9	—	—	—	—
	F	1,192	501	357	283	48	1	—	—	2	412	207	114	72	17	1	1	—	—
6 Diphtheria and croup ...	M	695	38	67	287	288	7	5	3	—	214	11	28	102	69	1	1	2	—
	F	790	35	57	265	406	12	12	3	—	219	6	14	92	96	5	3	3	—
7 Influenza	M	1,601	75	33	44	37	59	214	467	672	372	18	2	4	7	19	66	121	1
	F	1,825	60	2	37	34	53	152	392	1070	326	10	6	4	11	17	35	69	1
8 Erysipelas	M	149	22	2	1	4	4	21	40	55	30	5	1	—	1	2	6	9	
	F	160	29	3	2	6	7	9	43	61	20	5	—	—	1	1	4	4	
9 Pulmonary tuberculosis	M	7,132	53	60	97	190	925	3209	2292	306	1,385	14	19	16	49	242	614	370	
	F	5,260	32	47	79	311	1099	2299	1121	272	1,317	12	14	17	82	341	581	220	
10 Tuberculous meningitis	M	775	140	139	207	207	47	24	11	—	204	39	25	45	68	16	10	1	—
	F	729	110	129	210	202	47	24	6	1	177	26	22	34	60	22	11	2	—
11 Other tuberculous diseases.	M	933	151	94	106	170	114	142	109	47	249	36	25	25	29	44	57	26	
	F	805	112	78	94	128	100	158	91	44	218	28	18	17	33	38	54	24	
12 Cancer, malignant disease	M	5,367	4	1	15	26	30	359	2478	2454	985	2	—	1	7	4	95	478	3
	F	7,104	2	2	8	11	29	761	3232	3059	1,271	—	—	1	7	1	195	611	4
13 Rheumatic fever ...	M	220	1	1	8	75	41	42	36	16	98	1	1	2	25	24	28	13	
	F	279	—	—	4	79	63	61	53	19	90	1	—	2	20	21	28	15	
14 Meningitis	M	889	197	110	121	217	90	84	59	11	195	49	36	22	46	16	14	12	—
	F	737	136	74	97	182	84	86	62	16	178	31	27	29	43	24	15	8	
15 Organic heart disease ...	M	8,105	2	1	8	128	167	762	2801	4236	1,828	2	2	3	38	49	183	668	8
	F	9,043	2	1	12	185	213	890	2648	5092	1,921	2	2	5	52	74	229	643	9
16 Bronchitis	M	6,607	893	244	131	36	24	259	1387	3633	1,561	360	70	38	17	5	45	329	6
	F	7,222	673	224	107	24	21	169	1066	4938	1,561	257	80	38	12	5	39	239	8
17 Pneumonia (all forms)...	M	6,832	1604	949	613	200	127	802	1410	1127	2,010	509	303	158	64	57	267	428	2
	F	5,737	1225	861	512	247	145	502	908	1337	1,424	342	253	176	61	50	142	165	2
18 Other respiratory diseases	M	1,296	65	33	77	43	23	169	416	470	379	32	23	28	22	9	34	116	1
	F	1,103	67	37	60	39	22	104	266	508	288	20	21	32	12	9	36	72	
19 Diarrhœa, &c.	M	2,510	1654	288	92	27	10	103	159	177	679	434	83	36	6	7	19	46	
	F	2,159	1335	279	93	27	20	67	121	217	569	297	77	30	14	7	23	39	
20 Appendicitis and typhlitis	M	336	1	1	9	79	57	78	77	34	79	—	—	1	23	16	23	14	
	F	320	—	—	17	85	62	73	58	25	54	—	—	2	13	15	12	9	
21 Cirrhosis of liver ...	M	677	—	1	—	3	5	85	387	196	104	—	—	1	1	1	15	54	
	F	610	—	—	1	—	1	120	345	143	53	1	—	—	—	—	13	29	
21A Alcoholism	M	60	—	—	—	—	—	23	32	5	22	—	—	—	—	—	6	13	
	F	58	—	—	—	—	1	22	32	3	13	—	—	—	—	—	6	7	—
22 Nephritis and Bright's disease.	M	2,477	16	10	20	42	61	294	1061	973	562	5	3	16	16	12	59	233	2
	F	2,127	6	3	13	28	59	270	839	909	525	3	10	13	15	26	112	187	1
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	279	—	—	—	1	59	219	—	—	117	—	—	—	—	35	80	2	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	440	—	—	—	—	72	356	12	—	245	—	—	—	—	41	200	4	—
25 Congenital debility, &c	M	3,832	3754	21	18	26	5	5	3	—	1,250	1228	7	6	7	1	—	1	—
	F	2,884	2819	17	11	21	9	6	1	—	988	976	3	1	3	5	—	—	—
26 Violence, apart from suicide.	M	3,039	251	91	183	365	244	660	769	476	1,038	25	24	76	111	127	314	270	
	F	1,618	205	53	138	142	79	209	274	518	322	25	21	45	45	26	42	54	
27 Suicide	M	540	—	—	—	2	35	155	255	93	91	—	—	—	—	8	37	34	
	F	294	—	—	—	—	36	113	113	32	47	—	—	—	—	8	14	21	
28 Other defined diseases ...	M	19,397	1821	302	230	426	399	1625	4397	10197	5,015	975	106	65	104	95	411	1030	22
	F	20,785	1236	213	242	376	406	1580	4048	12684	5,055	751	92	63	96	120	422	981	25
29 Causes ill-defined or unknown.	M	225	19	34	9	6	4	10	90	53	131	10	25	2	3	3	12	52	
	F	206	16	36	9	6	5	25	75	34	103	5	16	7	1	5	11	37	

Causes of Death at Different Periods of Life—1915.

County Boroughs—North and Midland.

Causes of Death.	Sex.	Aggregate of County Boroughs (North).									Aggregate of County Boroughs (Midland).								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	58,271	11748	4143	3144	2437	2012	7458	14661	12668	29,742	5849	1761	1440	1218	1045	3702	7069	7658
	F	54,002	8739	3811	2865	2428	2223	6759	11916	15261	27,544	4473	1550	1378	1195	1109	3153	5642	9044
1 Enteric fever	M	176	—	1	4	17	29	85	37	3	57	—	—	—	13	14	21	9	—
	F	135	—	—	1	23	35	54	19	3	30	—	—	2	4	16	6	2	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—
3 Measles	M	1,921	420	811	597	91	—	2	—	—	982	192	382	333	75	—	—	—	—
	F	1,784	368	747	547	116	2	2	1	1	951	187	347	325	88	3	1	—	—
4 Scarlet fever	M	290	11	34	136	93	9	7	—	—	120	3	11	38	58	8	2	—	—
	F	308	6	31	126	123	16	5	1	—	112	6	11	50	37	6	2	—	—
5 Whooping cough ...	M	798	353	253	165	27	—	—	—	—	322	160	89	69	4	—	—	—	—
	F	893	344	305	214	30	—	—	—	—	366	139	119	92	16	—	—	—	—
6 Diphtheria and croup ...	M	541	32	91	220	186	4	6	1	1	328	14	35	125	147	1	4	1	1
	F	540	25	89	190	222	5	7	2	—	335	12	23	137	150	6	6	1	—
7 Influenza	M	680	25	13	10	19	32	146	246	189	486	17	10	8	13	17	90	175	156
	F	699	20	8	18	14	45	105	166	323	359	4	6	6	6	10	44	98	185
8 Erysipelas	M	130	22	1	1	2	4	21	52	27	68	6	—	1	—	1	14	22	24
	F	101	10	3	—	2	3	15	33	35	64	15	—	1	1	5	8	16	18
9 Pulmonary tuberculosis	M	5,252	36	49	82	201	709	2366	1625	184	2,787	24	18	31	78	386	1323	841	86
	F	3,889	22	57	70	315	880	1719	730	96	1,978	18	19	25	113	451	898	397	57
10 Tuberculous meningitis	M	611	105	130	163	161	26	21	4	1	250	47	50	66	60	10	13	4	—
	F	543	78	121	142	146	39	14	3	—	234	41	45	67	64	9	4	4	—
11 Other tuberculous diseases.	M	959	169	138	170	175	111	104	69	23	422	99	54	65	73	44	55	29	3
	F	778	115	105	115	160	89	105	71	18	354	80	39	41	59	41	51	28	15
12 Cancer, malignant disease	M	2,966	2	2	8	8	32	276	1611	1027	1,712	2	4	1	6	22	154	881	642
	F	3,859	1	1	4	5	32	550	1993	1273	2,186	—	—	3	6	12	294	103	839
13 Rheumatic fever ...	M	192	1	—	7	48	37	51	41	7	104	—	—	3	27	23	33	13	5
	F	251	—	—	5	78	46	62	51	9	115	—	—	5	28	27	26	22	7
14 Meningitis	M	615	185	111	101	91	29	26	33	39	293	83	38	64	48	19	17	2	1
	F	505	116	78	98	115	29	26	21	22	266	58	52	4[illegible]	64	10	23	12	2
15 Organic heart disease ...	M	4,721	2	7	5	94	139	614	2003	1857	2,519	2	—	4	61	82	284	949	1137
	F	5,235	5	2	14	122	190	722	2014	2166	2,890	2	1	6	87	120	345	943	1386
16 Bronchitis	M	5,494	1041	342	138	43	22	277	1520	2111	2,918	513	155	54	20	8	102	698	1368
	F	5,658	797	304	123	41	19	194	1304	2876	2,911	400	117	54	17	12	72	550	1689
17 Pneumonia (all forms)...	M	6,539	1424	1023	655	296	190	930	1411	610	2,893	689	458	265	120	86	367	592	316
	F	4,911	1025	910	567	275	152	507	748	727	2,148	496	355	236	105	54	236	321	345
18 Other respiratory diseases	M	831	74	59	74	47	22	111	248	196	444	33	15	23	13	14	62	158	126
	F	671	39	46	49	33	14	98	188	204	340	15	15	28	23	7	33	92	127
19 Diarrhœa, &c.	M	3,211	2078	567	155	42	21	100	117	131	1,404	969	214	61	20	6	30	46	58
	F	2,502	1449	519	145	43	20	51	119	156	1,146	725	186	63	19	8	22	46	77
20 Appendicitis and typhlitis	M	242	—	—	7	89	40	54	41	11	130	—	—	3	39	20	37	26	5
	F	188	—	1	4	47	44	55	27	10	98	—	—	3	22	25	26	12	10
21 Cirrhosis of liver ...	M	341	—	—	1	—	1	55	226	58	212	—	—	—	3	1	33	133	42
	F	250	1	—	—	—	—	52	163	34	165	—	—	—	—	2	26	106	31
22A Alcoholism	M	69	—	—	—	—	—	22	40	7	28	—	—	—	—	—	8	19	1
	F	63	—	—	—	—	—	29	30	4	15	—	—	—	—	—	3	10	2
22 Nephritis and Bright's disease.	M	1,722	16	20	47	57	55	287	815	425	775	5	7	14	25	24	100	365	235
	F	1,514	8	32	28	40	68	286	655	397	672	5	10	7	18	31	103	291	207
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	281	—	—	—	—	40	239	2	—	132	—	—	—	—	30	102	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	456	—	—	—	—	70	383	3	—	182	—	—	—	—	29	149	4	—
25 Congenital debility, &c.	M	3,444	3398	19	9	14	2	1	1	—	1,961	1933	10	8	6	4	—	—	—
	F	2,664	2631	4	13	11	1	3	1	—	1,504	1474	10	3	11	4	1	1	—
26 Violence, apart from suicide.	M	2,345	189	59	154	305	200	540	636	262	1,105	119	32	87	147	112	216	248	144
	F	1,222	150	57	147	181	56	118	220	293	596	113	21	72	90	19	54	94	133
Suicide	M	313	—	—	—	2	8	98	167	38	182	—	—	—	—	8	60	84	30
	F	165	—	—	—	—	27	56	67	15	90	—	—	—	—	9	25	45	11
Other defined diseases ...	M	13,473	2144	329	212	317	287	1227	3556	5401	7,081	936	141	114	159	133	653	1694	3251
	F	13,597	1513	306	214	276	293	1266	3178	6551	7,155	679	142	98	155	160	579	1456	3886
Causes ill-defined or unknown.	M	395	21	84	23	12	3	31	161	60	155	3	38	3	3	2	20	59	27
	F	310	16	85	31	10	8	36	106	48	147	4	32	9	12	2	14	57	17

Causes of Death at Different Periods of Life—1915.

County Boroughs—South and Wales.

	Causes of Death.	Sex.	Aggregate of County Boroughs (South).									Aggregate of County Boroughs (Wales and Monmouth).								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	9,201	1325	422	409	371	294	1088	2166	3126	3,778	771	214	162	146	159	517	940	86[illegible]
		F	9,886	1032	381	351	373	325	1137	2119	4168	3,321	608	195	167	146	178	469	694	86[illegible]
1	Enteric fever	M	23	—	—	1	6	1	10	4	1	12	—	—	—	2	3	6	1	—
		F	31	—	—	2	5	3	14	7	—	3	—	—	—	—	1	1	—	[illegible]
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	274	62	93	89	30	—	—	—	—	84	28	32	21	3	—	—	—	—
		F	212	43	77	68	23	—	—	1	—	92	12	46	30	4	—	—	—	—
4	Scarlet fever	M	26	1	3	8	11	1	1	1	—	11	—	2	4	5	—	—	—	—
		F	19	1	1	8	6	2	1	—	—	10	—	1	6	3	—	—	—	—
5	Whooping cough ...	M	111	53	31	23	4	—	—	—	—	56	30	15	11	—	—	—	—	—
		F	128	49	45	26	8	—	—	—	—	65	39	17	5	3	1	—	—	—
6	Diphtheria and croup ...	M	95	2	6	44	41	1	—	1	—	38	2	5	18	13	—	—	—	—
		F	130	2	5	39	82	—	2	—	—	46	—	1	25	20	—	—	—	—
7	Influenza	M	188	4	2	8	6	5	23	48	92	56	3	1	3	—	3	7	26	1[illegible]
		F	295	5	2	6	7	9	23	55	188	35	—	2	2	2	5	7	6	1[illegible]
8	Erysipelas	M	10	3	—	—	1	1	—	2	3	7	2	—	—	—	—	2	1	[illegible]
		F	21	5	—	1	1	2	—	7	5	2	—	—	—	—	—	—	—	[illegible]
9	Pulmonary tuberculosis	M	837	8	6	12	16	118	390	264	23	346	6	8	7	11	50	154	95	1[illegible]
		F	678	3	7	5	35	129	325	141	33	278	1	3	4	22	65	128	49	[illegible]
10	Tuberculous meningitis	M	96	21	16	25	27	5	2	—	—	59	13	5	13	20	6	1	1	—
		F	93	13	17	21	30	7	1	4	—	37	8	5	6	12	2	4	—	—
11	Other tuberculous diseases.	M	124	33	9	9	19	11	23	13	7	54	14	5	1	9	13	8	4	—
		F	106	21	8	10	9	11	29	15	3	41	10	5	1	6	3	9	6	1
12	Cancer, malignant disease	M	648	—	—	2	3	1	28	269	345	166	—	—	—	1	1	28	80	5[illegible]
		F	970	—	—	2	2	3	106	438	419	222	—	—	—	2	1	40	131	4[illegible]
13	Rheumatic fever ...	M	30	—	—	2	10	2	8	6	2	20	—	—	—	3	6	8	2	1
		F	43	—	—	1	10	10	6	11	5	20	1	—	—	5	2	6	5	1
14	Meningitis	M	139	16	18	11	43	25	14	9	3	43	11	4	8	11	5	2	2	—
		F	92	11	7	11	21	18	18	6	—	40	5	2	4	17	6	4	1	1
15	Organic heart disease ...	M	973	1	1	2	9	10	121	333	496	359	1	1	1	7	7	44	150	14[illegible]
		F	1,109	—	—	—	22	19	109	352	607	311	—	—	1	9	15	54	118	114
16	Bronchitis	M	753	104	29	15	6	1	21	119	458	359	81	15	7	3	—	18	79	156
		F	977	104	37	17	3	—	9	147	660	314	56	17	6	2	1	6	53	17[illegible]
17	Pneumonia (all forms)...	M	745	186	116	83	18	7	77	142	116	411	82	69	33	11	17	59	107	3[illegible]
		F	676	136	105	60	34	14	57	93	177	265	59	47	40	6	13	19	39	42
18	Other respiratory diseases	M	178	6	5	14	5	1	22	50	75	68	2	3	2	3	3	7	23	25
		F	177	9	4	13	10	1	15	40	85	55	8	4	6	1	1	7	17	11
19	Diarrhœa, &c.	M	245	140	32	8	4	2	18	20	21	155	115	17	8	2	—	1	7	5
		F	211	118	22	9	3	2	7	21	29	130	78	18	9	1	3	2	5	14
20	Appendicitis and typhlitis	M	42	—	—	—	11	9	9	10	3	18	—	—	1	4	3	5	5	—
		F	40	—	—	1	10	8	8	9	4	9	—	—	—	1	5	—	2	1
21	Cirrhosis of liver ...	M	83	—	—	—	—	—	10	45	28	29	—	—	—	1	1	2	16	9
		F	80	—	—	—	—	—	22	40	18	10	—	—	—	—	—	4	5	1
21A	Alcoholism	M	9	—	—	—	—	—	4	4	1	5	—	—	—	—	—	2	3	—
		F	12	—	—	—	—	—	7	5	—	4	—	—	—	—	—	1	3	—
22	Nephritis and Bright's disease.	M	285	1	1	—	4	4	24	144	107	99	2	—	4	3	2	8	41	39
		F	265	4	1	1	4	7	30	107	111	90	—	3	—	3	4	26	33	21
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	43	—	—	—	—	12	31	—	—	23	—	—	—	—	9	14	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	69	—	—	—	—	12	56	1	—	40	—	—	—	—	7	32	1	—
25	Congenital debility, &c.	M	431	418	7	2	2	2	—	—	—	207	203	1	—	2	1	—	—	—
		F	335	331	1	—	3	—	—	—	—	187	185	—	—	—	2	—	—	—
26	Violence, apart from suicide.	M	314	27	15	20	36	24	60	72	60	185	6	4	13	17	17	62	55	11
		F	180	18	4	13	12	11	19	33	70	68	8	4	12	9	3	8	10	14
27	Suicide	M	59	—	—	—	1	9	12	24	13	12	—	—	—	—	1	5	5	1
		F	30	—	—	—	—	1	17	8	4	10	—	—	—	—	—	3	5	2
28	Other defined diseases ...	M	2,467	238	28	31	56	53	211	580	1270	907	170	20	7	15	20	88	233	354
		F	2,846	158	32	36	32	43	222	574	1749	907	138	16	10	18	29	93	203	400
29	Causes ill-defined or unknown.	M	16	1	4	—	2	1	—	6	2	12	—	7	—	—	—	—	4	1
		F	18	1	6	1	1	1	3	4	1	7	—	4	—	—	—	1	2	—

Causes of Death at Different Periods of Life—1915.

Urban Districts—North and Midland.

Causes of Death.	Sex.	Aggregate of Urban Districts (North). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Aggregate of Urban Districts (Midland). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	32,810	6365	2217	1736	1404	1214	3601	7778	8495	31,105	5730	1774	1490	1329	1043	3438	6801	9500
	F	31,258	4850	1956	1642	1423	1310	3610	6645	9822	30,049	4128	1500	1364	1303	1219	3358	5753	11424
1 Enteric fever	M	142	—	—	3	14	28	70	27	—	58	—	—	1	9	14	21	11	2
	F	122	—	—	3	14	26	56	21	2	47	—	—	1	6	18	11	7	4
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
3 Measles	M	1,383	296	566	424	95	1	1	—	—	1,032	203	400	311	112	3	1	2	—
	F	1,246	255	493	404	92	—	2	—	—	967	173	324	346	112	6	6	—	—
4 Scarlet fever	M	165	6	13	79	59	6	2	—	—	115	1	12	41	51	6	4	—	—
	F	163	5	9	74	59	9	6	1	—	118	1	9	43	56	3	4	2	—
5 Whooping cough ...	M	408	194	129	71	14	—	—	—	—	464	217	136	91	20	—	—	—	—
	F	593	250	181	146	15	—	1	—	—	551	226	179	125	19	—	—	1	1
6 Diphtheria and croup ...	M	368	14	44	143	157	5	2	3	—	342	6	35	123	159	8	8	3	—
	F	360	6	39	130	174	6	3	2	—	416	5	20	138	232	10	8	2	1
7 Influenza	M	423	19	5	7	11	20	94	140	127	615	39	16	14	13	26	95	195	217
	F	486	15	4	6	19	22	76	132	212	670	30	16	12	14	22	74	150	352
8 Erysipelas	M	56	10	2	—	—	1	6	23	14	71	15	—	1	4	5	7	22	17
	F	53	8	—	—	2	3	9	14	17	50	7	—	—	2	2	5	12	22
9 Pulmonary tuberculosis	M	2,179	15	26	52	104	343	913	652	74	2,363	21	27	32	74	354	1119	647	89
	F	1,871	10	25	34	177	469	788	302	66	1,844	14	16	26	113	454	813	345	63
0 Tuberculous meningitis	M	347	85	82	86	66	14	11	3	—	301	44	65	85	83	10	11	3	—
	F	308	47	59	67	106	19	10	—	—	286	44	53	71	74	24	17	2	1
1 Other tuberculous diseases.	M	514	85	81	74	83	59	68	54	10	374	74	45	38	75	39	61	30	12
	F	468	60	67	68	74	82	68	37	12	347	40	47	41	51	51	67	34	16
2 Cancer, malignant disease	M	1,721	3	2	5	3	9	134	896	669	2,098	4	3	10	7	20	147	988	919
	F	2,416	1	1	3	7	13	283	1230	878	2,686	1	4	8	7	11	321	1203	1131
3 Rheumatic fever ...	M	139	1	—	6	38	29	35	22	8	102	—	—	2	37	16	24	18	5
	F	153	—	—	4	40	29	45	28	7	130	2	—	1	37	33	30	21	6
4 Meningitis	M	308	105	49	64	54	15	9	12	—	331	90	48	56	76	25	21	14	1
	F	312	70	44	57	70	27	25	17	2	261	57	37	44	48	35	24	14	2
5 Organic heart disease ...	M	2,867	1	2	1	51	95	264	1144	1309	2,698	2	—	1	41	100	236	921	1397
	F	3,316	—	—	5	76	86	423	1155	1571	3,175	—	1	6	84	98	334	930	1722
6 Bronchitis	M	2,834	589	177	70	19	17	93	654	1215	2,652	554	161	72	14	9	61	453	1328
	F	2,906	416	145	67	20	14	88	549	1607	2,871	360	156	59	18	20	65	384	1809
7 Pneumonia (all forms)...	M	3,172	742	526	282	140	110	380	622	370	2,819	730	462	265	99	66	304	499	394
	F	2,446	569	421	288	128	81	219	355	385	2,228	525	361	201	107	76	205	323	430
8 Other respiratory diseases	M	535	38	26	48	34	8	69	175	137	496	32	26	42	14	10	53	149	170
	F	384	27	24	29	23	13	39	107	122	419	15	15	26	22	4	43	97	197
9 Diarrhœa, &c.	M	1,433	873	212	66	25	15	60	102	80	948	633	112	38	11	2	25	59	68
	F	1,122	635	188	50	17	5	41	76	110	774	428	101	46	15	9	42	43	90
0 Appendicitis and typhlitis	M	160	—	—	5	45	37	47	19	7	172	—	1	10	50	23	45	34	9
	F	132	1	—	2	39	23	33	27	7	117	—	—	3	35	26	26	20	7
1 Cirrhosis of liver ...	M	247	—	—	—	1	1	44	158	43	277	—	—	—	—	1	34	186	56
	F	138	—	—	—	1	—	32	81	24	222	—	—	—	1	1	38	136	46
1A Alcoholism	M	32	—	—	—	—	1	13	13	5	33	—	—	—	—	—	13	18	2
	F	15	—	—	—	—	—	6	9	—	24	—	—	—	—	—	8	13	3
2 Nephritis and Bright's disease.	M	1,120	13	16	25	29	41	177	489	330	919	4	9	19	28	24	125	352	358
	F	994	4	20	20	37	46	172	412	283	692	5	5	11	20	24	104	251	272
3 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	117	—	—	—	—	26	89	2	—	143	—	—	—	—	23	118	2	—
4 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	336	—	—	—	—	65	271	—	—	247	—	—	—	—	31	206	10	—
5 Congenital debility, &c.	M	2,074	2053	6	10	4	1	—	—	—	2,033	2010	4	9	6	—	3	—	1
	F	1,582	1559	8	4	3	3	4	1	—	1,490	1470	5	5	5	3	1	1	—
6 Violence, apart from suicide.	M	1,429	49	35	95	156	179	381	385	149	1,250	60	46	88	162	113	304	303	174
	F	521	44	27	71	75	35	50	90	129	527	70	19	51	53	36	70	79	149
7 Suicide	M	231	—	—	—	—	7	85	96	43	200	—	—	—	—	9	59	99	33
	F	104	—	—	—	1	12	38	42	11	112	—	—	—	1	19	47	35	10
8 Other defined diseases ...	M	8,266	1156	197	111	193	171	623	1956	3859	8,163	984	131	135	179	158	636	1730	4210
	F	8,384	852	168	101	148	195	706	1874	4340	8,494	648	117	93	167	180	655	1570	5064
9 Causes ill-defined or unknown	M	257	18	21	9	9	1	20	133	46	179	7	35	6	5	2	21	65	38
	F	209	16	33	9	6	1	27	81	36	141	7	15	7	4	—	16	66	26

Causes of Death at Different Periods of Life—1915.

Urban Districts—South and Wales.

Causes of Death.	Sex.	Aggregate of Urban Districts (South).									Aggregate of Urban Districts (Wales and Monmouth.)								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	16,817	2282	668	645	694	554	1886	3887	6201	9,534	2272	642	506	426	332	1128	2127	210
	F	17,718	1708	556	548	696	617	1895	3541	8157	8,653	1662	589	495	384	439	1120	1616	234
1 Enteric fever	M	25	—	—	—	5	4	6	10	—	26	1	—	1	4	5	9	6	—
	F	33	—	—	—	2	9	19	2	1	20	—	1	—	5	6	4	4	—
2 Small-pox	M	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	302	51	103	107	39	1	1	—	—	330	98	125	89	17	1	—	—	—
	F	288	48	98	86	44	3	7	2	—	255	56	91	83	23	—	2	—	—
4 Scarlet fever	M	42	—	4	16	17	—	4	1	—	36	3	4	19	9	—	1	—	—
	F	54	2	4	14	26	3	5	—	—	43	3	6	25	8	—	1	—	—
5 Whooping cough ...	M	236	115	66	41	13	—	—	1	—	199	98	56	38	7	—	—	—	—
	F	246	114	78	46	6	1	—	—	1	236	105	67	53	10	—	1	—	—
6 Diphtheria and croup ...	M	168	9	11	62	86	—	—	—	—	114	9	16	50	38	1	—	—	—
	F	177	3	5	57	109	1	1	1	—	105	6	10	43	42	2	—	2	—
7 Influenza	M	405	19	10	14	13	16	55	106	172	161	8	1	—	4	7	41	60	4
	F	533	18	8	7	12	12	43	97	336	140	6	3	2	4	5	13	31	7
8 Erysipelas	M	32	5	—	—	—	1	4	7	15	14	2	—	—	1	1	3	5	
	F	31	2	—	—	3	2	1	10	13	13	4	—	—	1	1	2	3	
9 Pulmonary tuberculosis	M	1,285	6	9	11	38	195	595	380	51	600	5	9	6	19	93	275	170	2
	F	1,100	4	11	9	76	239	499	211	51	567	7	7	12	39	158	247	82	1
10 Tuberculous meningitis	M	157	24	21	49	45	10	6	2	—	97	15	13	20	36	5	8	—	—
	F	160	23	25	46	47	10	8	1	—	84	13	11	13	25	16	4	2	—
11 Other tuberculous diseases.	M	193	18	18	24	38	33	32	19	11	111	9	13	20	13	16	27	10	
	F	188	17	11	19	31	30	47	19	14	100	9	9	10	20	26	15	9	
12 Cancer, malignant disease	M	1,298	3	—	2	4	9	83	549	648	413	—	—	1	2	1	44	216	14
	F	1,815	1	—	1	3	6	168	791	845	546	—	—	1	2	—	96	259	18
13 Rheumatic fever ...	M	52	—	—	1	21	10	9	7	4	45	1	1	1	14	10	11	6	
	F	72	—	—	1	20	13	15	14	9	41	—	—	1	8	10	15	6	
14 Meningitis	M	224	34	31	30	64	29	24	11	1	100	24	22	10	26	6	7	5	—
	F	174	23	12	26	48	20	25	17	3	83	14	17	16	16	10	7	3	—
15 Organic heart disease ...	M	1,785	—	—	1	20	40	168	585	971	773	1	1	1	25	32	86	312	31
	F	2,171	—	1	3	28	35	180	578	1346	859	2	2	2	29	39	117	302	36
16 Bronchitis	M	1,309	203	65	34	11	6	20	198	772	760	187	37	20	12	3	18	187	29
	F	1,579	147	57	24	7	6	35	190	1113	754	149	48	18	6	3	29	133	36
17 Pneumonia (all forms)	M	1,300	318	192	119	42	17	147	238	227	1091	302	178	90	37	21	136	216	11
	F	1,092	223	153	80	51	24	102	162	297	801	204	166	109	37	27	79	76	10
18 Other respiratory diseases	M	291	17	6	16	14	7	34	86	111	199	23	18	19	14	—	19	58	4
	F	255	12	4	14	9	6	25	57	128	146	8	13	21	9	5	24	36	3
19 Diarrhœa, &c.	M	367	218	31	17	5	2	22	29	43	377	238	52	23	2	4	8	27	2
	F	338	181	25	19	10	3	15	28	57	312	164	48	19	8	4	11	24	3
20 Appendicitis and typhlitis	M	76	—	—	2	19	9	17	24	5	39	—	—	—	16	6	11	5	
	F	99	—	—	6	31	17	21	17	7	26	—	—	1	5	6	7	6	
21 Cirrhosis of liver ...	M	168	—	—	—	1	1	17	98	51	52	—	—	1	—	—	9	28	1
	F	129	—	—	—	—	—	26	70	33	30	1	—	—	—	—	7	17	
21A Alcoholism	M	8	—	—	—	—	—	—	8	—	12	—	—	—	—	—	2	8	
	F	14	—	—	—	—	—	6	8	—	7	—	—	—	—	—	3	4	—
22 Nephritis and Bright's disease.	M	587	3	3	6	10	14	63	226	262	271	2	2	12	8	6	33	123	8
	F	541	—	—	3	4	14	68	187	265	242	2	6	10	6	16	54	89	5
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	67	—	—	—	—	13	54	—	—	54	—	—	—	—	10	43	1	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	113	—	—	—	—	15	96	2	—	123	—	—	—	—	22	99	2	—
25 Congenital debility, &c.	M	822	805	5	4	5	—	1	2	—	704	691	4	5	4	—	—	—	—
	F	614	594	4	7	3	4	2	—	—	514	508	2	1	2	1	—	—	—
26 Violence, apart from suicide.	M	624	45	12	37	85	55	160	138	92	541	14	10	38	58	67	164	136	54
	F	312	38	7	25	24	26	38	52	102	171	11	14	17	29	13	26	33	28
27 Suicide	M	149	—	—	—	1	9	36	77	26	36	—	—	—	—	3	14	15	4
	F	62	—	—	—	—	11	17	24	10	21	—	—	—	—	6	6	9	—
28 Other defined diseases ...	M	4,836	381	73	50	96	85	380	1052	2719	2,376	537	67	41	60	43	197	511	920
	F	5,396	252	47	55	99	90	364	975	3514	2,307	388	57	32	49	52	200	464	1065
29 Causes ill-defined or unknown.	M	74	8	7	2	1	1	2	33	20	57	4	13	1	—	1	5	23	10
	F	65	6	6	—	3	4	8	26	12	53	2	11	6	1	1	8	19	5

Causes of Death at Different Periods of Life—1915.

Rural Districts—North and Midland.

Causes of Death.	Sex.	Aggregate of Rural Districts (North).									Aggregate of Rural Districts (Midland).								
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	12,173	2382	666	598	503	444	1099	2442	4039	23,135	3219	772	731	881	736	2073	4618	10105
	F	11,240	1774	662	564	522	468	1239	2057	3954	21,834	2368	682	606	831	843	2089	3942	10473
Enteric fever	M	43	1	1	1	7	8	13	10	2	29	—	—	—	2	7	12	8	—
	F	34	—	—	—	9	9	8	6	2	41	1	—	2	2	12	15	8	1
Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	458	120	158	131	42	5	2	—	—	356	72	114	110	56	2	1	1	—
	F	416	73	157	135	45	2	3	1	—	328	45	118	100	57	3	4	1	—
Scarlet fever	M	57	1	4	23	28	1	—	—	—	68	—	4	21	32	5	5	1	—
	F	75	1	9	33	27	2	3	—	—	67	1	3	14	35	7	6	1	—
Whooping cough ...	M	144	77	39	23	5	—	—	—	—	216	112	58	40	5	—	—	—	1
	F	193	88	60	35	9	—	—	—	1	249	120	69	46	13	—	1	—	—
Diphtheria and croup ...	M	141	4	9	63	59	4	1	1	—	228	4	15	85	116	6	2	—	—
	F	133	3	11	58	53	6	1	1	—	228	3	15	59	134	11	2	4	—
Influenza	M	252	7	5	2	5	18	39	68	108	678	47	22	12	15	20	67	177	318
	F	223	12	3	3	6	7	26	50	116	668	31	13	12	18	18	61	117	398
Erysipelas	M	25	1	—	—	1	1	7	7	8	37	9	—	—	2	1	4	8	13
	F	15	3	1	1	1	1	2	3	3	24	2	—	—	—	2	5	8	7
Pulmonary tuberculosis	M	605	4	10	10	25	105	239	187	25	1,301	5	5	12	46	224	609	345	55
	F	626	6	6	9	52	153	282	98	20	1,261	6	9	13	75	311	567	233	47
Tuberculous meningitis	M	98	20	13	23	27	11	3	—	1	148	25	23	30	49	14	5	1	1
	F	99	17	16	28	26	8	3	1	—	165	20	20	37	49	23	12	4	—
Other tuberculous diseases.	M	176	31	24	25	20	25	33	13	5	247	31	21	15	31	40	54	37	18
	F	170	32	29	21	30	16	25	14	3	223	16	24	18	36	47	39	23	20
Cancer, malignant disease	M	671	1	—	1	1	4	32	279	353	1,692	—	1	3	3	10	78	733	864
	F	879	—	1	4	2	2	92	410	368	2,025	2	—	1	6	12	159	857	988
Rheumatic fever ...	M	57	—	—	—	19	8	16	11	3	79	—	—	4	21	11	23	15	5
	F	45	—	2	—	17	14	5	6	1	58	—	—	—	19	12	11	14	2
Meningitis	M	118	36	22	22	18	8	3	7	2	179	32	14	29	58	22	15	6	3
	F	107	21	16	17	24	7	11	10	1	161	34	21	19	32	19	23	11	2
Organic heart disease ...	M	1,199	—	1	1	9	27	78	404	679	2,529	1	1	2	21	42	143	696	1623
	F	1,253	—	1	—	19	35	114	389	695	2,806	—	—	5	32	41	158	744	1826
Bronchitis	M	895	201	55	27	8	4	26	150	424	1,945	313	101	35	11	5	18	230	1232
	F	854	147	60	26	9	4	22	108	478	1,923	224	70	27	15	3	28	165	1391
Pneumonia (all forms)...	M	1,012	236	136	80	58	27	109	184	182	1,697	413	196	115	54	50	189	355	325
	F	832	186	131	76	45	28	92	125	149	1,234	279	161	100	66	39	111	188	290
Other respiratory diseases	M	231	26	15	23	11	1	28	65	62	375	19	14	27	19	10	31	105	150
	F	178	18	12	19	16	5	17	33	58	315	19	11	20	23	9	28	65	140
Diarrhœa, &c.	M	426	259	60	25	6	—	11	28	37	445	215	42	27	11	3	22	38	87
	F	339	180	60	17	11	2	12	17	40	391	169	41	21	9	13	22	38	78
Appendicitis and typhlitis	M	64	—	—	2	11	18	17	10	6	118	—	1	3	37	20	33	15	9
	F	60	—	—	1	17	8	20	10	4	93	—	—	3	27	17	21	17	8
Cirrhosis of liver ...	M	89	—	—	—	—	—	10	51	28	173	—	—	—	—	—	22	91	60
	F	37	—	—	—	—	—	—	21	16	107	1	—	—	—	—	11	60	35
Alcoholism	M	16	—	—	—	—	—	3	8	5	20	—	—	—	—	1	9	8	2
	F	7	—	—	—	—	—	3	2	2	9	—	—	—	—	—	3	2	4
Nephritis and Bright's disease.	M	313	3	13	5	8	8	48	107	121	617	2	4	8	15	13	63	213	299
	F	289	1	7	10	14	15	56	108	78	526	4	1	4	11	14	75	180	237
Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	57	—	—	—	—	15	42	—	—	75	—	—	—	—	12	62	1	—
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	124	—	—	—	—	19	105	—	—	177	—	—	—	—	29	146	2	—
Congenital debility, &c.	M	876	855	5	5	5	—	6	—	—	1,280	1254	9	6	7	2	2	—	—
	F	633	627	2	1	—	2	1	—	—	990	974	2	1	5	5	2	1	—
Violence, apart from suicide.	M	591	19	14	42	59	83	153	155	66	978	48	25	73	126	117	210	233	146
	F	204	9	13	25	40	16	30	28	43	308	23	20	32	38	24	27	48	96
Suicide	M	89	—	—	—	—	7	25	46	11	160	—	—	—	—	5	43	72	40
	F	41	—	—	—	1	6	14	16	4	84	—	—	—	1	14	32	31	6
Other defined diseases ...	M	3,432	470	69	62	67	66	190	613	1895	7,374	599	91	68	141	103	399	1163	4810
	F	3,254	344	59	44	49	84	243	576	1855	7,124	380	67	69	122	141	445	1053	4847
Causes ill-defined or unknown.	M	95	10	13	2	4	5	7	38	16	166	18	11	6	3	3	14	67	44
	F	63	6	6	1	—	2	7	24	17	174	14	17	3	6	5	13	66	50

Causes of Death at Different Periods of Life—1915.

Rural Districts—South and Wales.

	Causes of Death.	Sex.	Aggregate of Rural Districts (South).									Aggregate of Rural Districts (Wales and Monmouth).								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65
	All Causes	M	13,798	1596	361	347	439	422	1337	3005	6291	6,101	1032	212	206	200	279	689	1264	221
		F	13,037	1181	318	324	442	456	1282	2511	6523	6,076	822	183	197	225	292	730	1142	248
1	Enteric fever	M	24	—	—	—	1	4	16	3	—	11	—	—	—	3	2	2	4	-
		F	19	—	—	—	5	3	8	3	—	9	—	—	—	3	3	—	2	-
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	-
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	-
3	Measles	M	131	21	40	42	23	—	5	—	—	66	17	29	17	2	1	—	—	-
		F	111	20	38	28	22	—	2	—	1	81	16	28	30	6	1	—	—	-
4	Scarlet fever	M	25	4	2	6	9	1	3	—	—	11	—	1	5	5	—	—	—	-
		F	32	2	3	6	11	4	4	2	—	24	—	4	5	9	1	3	1	
5	Whooping cough ...	M	141	79	37	18	6	1	—	—	—	90	45	21	22	2	—	—	—	-
		F	169	78	43	39	9	—	—	—	—	111	63	30	14	4	—	—	—	-
6	Diphtheria and croup ...	M	94	3	6	32	50	2	1	—	—	62	—	7	34	18	—	1	2	-
		F	117	3	4	24	75	7	2	2	—	68	—	3	24	34	3	3	1	-
7	Influenza	M	473	34	15	14	10	17	47	127	209	155	7	—	1	3	9	18	35	8
		F	474	23	9	15	5	10	37	100	275	151	4	1	—	5	7	15	32	8
8	Erysipelas	M	21	1	—	—	2	—	2	6	10	9	1	1	—	—	1	1	3	
		F	14	2	—	—	—	—	—	6	6	5	1	—	—	—	—	2	1	
9	Pulmonary tuberculosis	M	857	4	6	7	25	134	414	233	34	439	3	2	3	19	99	185	105	2
		F	760	3	3	7	38	170	362	138	39	472	4	4	1	21	118	206	89	2
10	Tuberculous meningitis	M	89	17	14	18	25	6	7	2	—	48	11	7	12	12	5	1	—	-
		F	78	9	10	15	30	9	4	1	—	56	5	6	15	23	4	3	—	-
11	Other tuberculous diseases.	M	142	11	8	12	21	24	29	30	7	84	13	7	4	7	15	22	12	
		F	135	8	14	10	17	18	35	20	13	77	9	4	6	7	9	30	9	
12	Cancer, malignant disease	M	1,097	—	—	6	3	5	58	455	570	406	2	—	—	4	2	23	182	193
		F	1,310	—	—	1	1	6	104	570	628	503	—	—	—	3	—	59	221	22
13	Rheumatic fever ...	M	33	—	—	—	10	7	4	6	6	33	—	—	1	8	8	9	5	
		F	36	—	—	—	10	8	4	10	4	29	—	—	1	7	9	7	4	
14	Meningitis	M	150	26	15	21	37	13	19	15	4	52	14	10	4	9	5	5	5	-
		F	143	21	11	12	38	21	20	17	3	55	12	8	9	10	8	4	4	-
15	Organic heart disease ...	M	1,857	1	—	2	17	23	98	505	1211	696	—	—	1	6	10	53	206	42
		F	1,740	2	—	1	14	17	91	441	1174	751	—	—	2	14	20	58	223	43
16	Bronchitis	M	1,060	134	28	16	5	—	14	144	719	442	92	18	11	2	2	9	63	24
		F	1,093	98	32	19	4	4	16	77	843	493	52	15	14	4	1	4	53	35
17	Pneumonia (all forms)...	M	901	179	96	54	29	21	99	197	226	508	125	56	35	16	19	72	105	8
		F	722	143	81	52	34	30	63	113	206	358	79	40	27	18	10	44	50	9
18	Other respiratory diseases	M	262	16	6	11	7	5	31	81	105	112	7	2	7	5	6	8	35	4
		F	192	11	5	13	8	3	23	32	97	87	4	4	5	2	3	5	19	4
19	Diarrhœa, &c.	M	229	128	13	5	2	2	8	29	42	147	81	14	5	2	3	10	12	2
		F	181	78	14	6	3	6	8	19	47	127	55	11	2	5	—	10	10	3
20	Appendicitis and typhlitis	M	76	—	1	3	17	15	15	9	16	22	—	—	—	3	7	7	4	
		F	55	—	—	4	10	12	16	9	4	19	—	—	1	7	4	5	1	
21	Cirrhosis of liver ...	M	106	—	—	—	—	—	9	60	37	23	—	—	—	—	—	4	10	
		F	63	—	—	—	—	—	8	33	22	13	—	—	—	—	—	2	7	
21A	Alcoholism	M	14	—	—	—	—	—	7	5	2	5	—	—	—	—	—	2	2	
		F	7	—	—	—	—	—	1	6	—	2	—	—	—	—	—	2	—	—
22	Nephritis and Bright's disease.	M	425	1	1	3	9	6	52	138	215	192	1	1	—	5	4	18	69	94
		F	344	—	1	1	5	11	46	118	162	193	1	1	3	6	6	32	65	79
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	37	—	—	—	1	5	31	—	—	40	—	—	—	—	16	23	1	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	105	—	—	—	—	25	77	3	—	82	—	—	—	—	12	69	1	—
25	Congenital debility, &c.	M	631	621	2	3	3	2	—	—	—	339	334	2	1	1	—	—	1	—
		F	476	457	5	3	7	2	2	—	—	287	283	1	—	1	2	—	—	—
26	Violence, apart from suicide.	M	559	32	17	30	48	55	144	151	82	312	5	10	25	36	43	88	79	26
		F	188	17	6	23	19	9	24	28	62	83	6	3	16	7	10	8	11	22
27	Suicide	M	106	—	—	—	—	4	29	57	16	43	—	—	—	—	4	18	14	7
		F	50	—	—	—	—	5	12	26	7	16	—	—	—	—	2	5	7	2
28	Other defined diseases ...	M	4,208	277	49	44	79	74	219	710	2756	1,732	268	19	17	29	32	126	286	955
		F	4,305	199	34	43	74	71	270	703	2911	1,841	225	19	21	29	39	129	314	1065
29	Causes ill-defined or unknown.	M	87	7	5	—	1	1	7	42	24	62	6	5	1	3	2	7	25	13
		F	81	7	5	2	2	—	12	34	19	43	3	1	1	—	4	2	16	16

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915.

	Causes of Death.	Sex.	City of London.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	150	10	1	1	2	3	25	56	52
		F	143	8	1	—	5	4	15	33	77
1	Enteric fever	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	—	1	—	—	—	—	—
		F	3	—	1	—	2	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—
		F	3	1	—	—	2	—	—	—	—
7	Influenza	M	1	—	—	—	—	—	—	—	1
		F	2	1	—	—	—	—	—	1	—
8	Erysipelas	M	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	15	—	—	—	—	—	5	9	1
		F	6	—	—	—	—	—	2	1	3
10	Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
12	Cancer, malignant disease	M	8	—	—	—	—	—	—	6	2
		F	15	—	—	—	—	—	2	6	7
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—
14	Meningitis	M	1	1	—	—	—	—	—	—	—
		F	2	—	—	—	1	—	—	1	—
15	Organic heart disease ...	M	20	—	—	—	—	—	2	13	5
		F	29	—	—	—	—	—	3	8	18
16	Bronchitis	M	13	—	—	—	—	—	2	4	7
		F	19	—	—	—	—	—	2	2	15
17	Pneumonia (all forms)	M	14	—	1	—	—	1	3	2	7
		F	8	1	—	—	—	—	—	6	1
18	Other respiratory diseases	M	3	—	—	—	—	—	—	3	—
		F	1	—	—	—	—	—	1	—	—
19	Diarrhœa, &c.	M	4	2	—	—	—	—	2	—	—
		F	1	1	—	—	—	—	—	—	—
20	Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	1	—	—	—
21	Cirrhosis of liver ...	M	3	—	—	—	—	1	—	1	1
		F	1	—	—	—	—	—	1	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	10	—	—	—	—	—	1	8	1
		F	4	—	—	—	—	—	—	1	3
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—
25	Congenital debility, &c.	M	3	3	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	10	1	—	—	1	1	3	3	1
		F	7	—	—	—	—	1	—	1	5
27	Suicide	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	40	2	—	—	—	—	6	7	25
		F	34	1	—	—	—	1	2	6	24
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915—*cont.*

Causes of Death.	Sex.	Battersea.									Bermondsey.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	1,348	240	73	81	60	38	173	343	340	1,330	304	113	71	57	52	170	316	247
	F	1,336	195	106	78	53	52	136	267	449	1,172	224	127	76	51	39	127	225	303
1 Enteric fever	M	4	—	—	—	1	1	—	2	—	2	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	84	21	30	24	9	—	—	—	—	51	16	25	9	1	—	—	—	—
	F	80	20	28	24	8	—	—	—	—	60	9	30	20	1	—	—	—	—
4 Scarlet fever	M	3	—	1	1	1	—	—	—	—	6	—	—	2	4	—	—	—	—
	F	6	—	—	2	4	—	—	—	—	2	—	—	1	1	—	—	—	—
5 Whooping cough ...	M	31	14	5	12	—	—	—	—	—	41	16	13	11	1	—	—	—	—
	F	47	16	15	15	1	—	—	—	—	38	13	11	12	2	—	—	—	—
6 Diphtheria and croup ...	M	16	—	2	7	6	1	—	—	—	8	1	1	2	3	—	—	1	—
	F	13	—	1	3	8	1	—	—	—	14	1	2	4	7	—	—	—	—
7 Influenza	M	21	—	—	—	—	—	9	9	3	6	—	—	—	—	—	2	2	2
	F	18	—	1	—	1	1	1	6	8	5	—	—	—	1	—	—	1	3
8 Erysipelas	M	5	—	—	—	—	—	1	1	3	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	135	2	2	2	5	15	61	43	5	141	2	—	2	2	19	65	44	7
	F	110	1	3	4	4	24	50	22	2	98	1	3	2	8	20	38	22	4
10 Tuberculous meningitis	M	16	2	3	2	8	1	—	—	—	21	5	3	5	6	1	1	—	—
	F	13	2	2	4	3	1	1	—	—	18	2	7	4	3	1	1	—	—
11 Other tuberculous diseases.	M	10	—	—	2	3	2	1	2	—	16	1	4	1	5	2	2	1	—
	F	12	1	2	2	2	3	1	1	—	15	4	3	1	4	1	—	1	1
12 Cancer, malignant disease	M	99	—	—	—	2	—	7	60	30	74	—	—	—	1	1	3	40	29
	F	113	—	—	—	—	2	11	58	42	60	—	—	—	—	—	12	26	22
13 Rheumatic fever ...	M	7	—	—	—	3	—	3	1	—	2	—	—	—	—	1	1	—	—
	F	7	—	—	—	2	2	3	—	—	2	—	—	—	1	1	—	—	—
14 Meningitis	M	10	2	3	1	1	1	1	1	—	12	4	2	2	—	—	2	2	—
	F	10	3	2	2	1	1	1	—	—	14	4	2	3	2	1	1	1	—
15 Organic heart disease ...	M	124	—	—	—	3	3	9	49	60	106	—	—	—	2	7	18	40	39
	F	157	—	—	—	5	4	21	49	78	123	—	—	1	6	5	24	34	53
16 Bronchitis	M	100	15	3	5	—	—	2	25	50	184	30	11	5	—	—	15	55	68
	F	117	7	5	—	—	—	1	23	81	142	15	12	1	—	—	3	32	79
17 Pneumonia (all forms)	M	154	44	9	14	3	5	22	36	21	150	50	31	13	7	4	12	22	11
	F	118	31	29	11	5	—	6	15	21	121	35	36	14	2	3	9	13	9
18 Other respiratory diseases	M	18	—	—	2	1	—	2	5	8	10	1	—	4	1	1	—	1	2
	F	16	1	—	—	1	—	3	3	8	8	2	—	—	—	—	1	3	2
19 Diarrhœa, &c.	M	60	39	11	2	—	—	—	3	5	78	55	14	4	1	—	—	3	1
	F	37	23	7	2	—	—	1	1	3	74	50	16	2	1	—	—	3	2
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	7	—	—	—	3	1	2	1	—
	F	2	—	—	—	1	—	1	—	—	3	—	—	—	1	1	—	1	—
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	3	6	2	5	—	—	—	—	—	1	4	—
	F	5	—	—	1	—	—	—	3	1	15	—	—	—	—	—	3	11	1
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	34	—	—	—	—	—	7	14	13	30	—	—	—	—	—	4	18	8
	F	37	—	—	—	—	2	6	9	20	26	—	—	—	—	—	5	16	5
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	8	—	—	—	—	1	7	—	—
25 Congenital debility, &c.	M	69	68	—	—	1	—	—	—	—	78	76	1	1	—	—	—	—	—
	F	69	67	1	—	1	—	—	—	—	55	55	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	57	3	—	2	8	2	17	13	12	75	7	2	6	13	11	14	18	4
	F	21	5	2	2	1	—	2	2	7	31	5	—	6	5	—	1	6	8
27 Suicide	M	11	—	—	—	—	3	3	4	1	4	—	—	—	—	—	1	2	1
	F	7	—	—	—	—	1	2	3	1	8	—	—	—	—	—	4	2	2
28 Other defined diseases ...	M	263	30	2	4	5	3	25	68	126	220	40	5	4	7	4	24	61	75
	F	305	18	6	5	5	7	18	69	177	227	27	4	5	6	5	15	53	112
29 Causes ill-defined or unknown.	M	4	—	2	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—
	F	3	—	2	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1915—*cont.*

Causes of Death.	Sex.	Bethnal Green.									Camberwell.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M	1170	260	94	50	60	29	159	277	241	2016	376	110	103	84	83	247	496	517
	F	951	170	66	77	44	45	92	206	251	1937	262	89	96	90	80	233	363	724
1 Enteric fever	M	3	—	—	—	2	—	1	—	—	3	—	—	—	—	1	1	1	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	56	21	24	8	3	—	—	—	—	50	9	20	18	3	—	—	—	—
	F	46	7	18	17	4	—	—	—	—	47	6	17	15	8	1	—	—	—
4 Scarlet fever	M	5	1	—	4	—	—	—	—	—	3	—	—	3	—	—	—	—	—
	F	6	—	—	4	2	—	—	—	—	5	—	—	3	1	—	1	—	—
5 Whooping cough ...	M	21	11	5	5	—	—	—	—	—	17	6	7	4	—	—	—	—	—
	F	20	8	5	7	—	—	—	—	—	23	12	7	3	1	—	—	—	—
6 Diphtheria and croup ...	M	17	1	5	4	7	—	—	—	—	15	1	2	7	5	—	—	—	—
	F	22	1	3	14	4	—	—	—	—	15	—	1	9	5	—	—	—	—
7 Influenza	M	9	—	—	—	—	—	3	5	1	26	—	1	1	—	4	4	2	14
	F	4	—	—	—	—	1	—	1	2	29	—	—	—	1	1	4	7	16
8 Erysipelas	M	4	1	1	—	—	—	—	2	—	2	—	—	—	—	—	—	1	1
	F	5	1	—	—	—	—	1	—	3	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	121	1	1	1	1	13	58	37	9	229	2	1	5	12	37	95	66	11
	F	78	1	—	3	7	19	22	22	4	147	1	—	3	11	37	67	19	9
10 Tuberculous meningitis	M	20	5	6	2	6	—	—	1	—	17	1	2	2	8	4	—	—	—
	F	14	1	2	7	2	2	—	—	—	29	6	6	11	3	3	—	—	—
11 Other tuberculous diseases.	M	15	3	4	—	2	1	2	3	—	24	5	2	4	8	2	2	1	—
	F	15	1	1	3	3	4	2	1	—	30	6	3	4	7	2	5	2	1
12 Cancer, malignant disease	M	61	—	—	—	—	—	5	34	22	126	—	—	1	—	—	10	66	49
	F	46	—	—	—	—	—	7	28	11	170	—	1	2	—	3	20	73	71
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	5	1	—	1	1	1	1	—	—
	F	3	—	—	—	—	—	2	1	—	4	—	—	—	2	1	1	—	—
14 Meningitis	M	14	10	—	1	2	—	—	1	—	23	5	3	5	7	2	—	1	—
	F	9	2	3	1	2	1	—	—	—	20	4	1	2	6	1	—	2	4
15 Organic heart disease ...	M	74	—	—	—	6	5	13	25	25	208	—	—	—	3	5	21	80	99
	F	98	—	—	—	4	6	12	30	46	269	—	—	—	6	8	38	71	146
16 Bronchitis	M	152	18	4	—	2	—	16	50	62	177	29	8	4	—	3	10	39	84
	F	99	8	5	—	—	—	5	25	56	167	12	3	3	3	—	6	14	126
17 Pneumonia (all forms)	M	122	32	24	16	6	1	9	21	13	237	62	38	25	11	5	27	43	26
	F	101	27	13	11	7	—	9	19	15	210	54	31	27	15	3	10	29	41
18 Other respiratory diseases	M	12	—	—	—	—	—	4	4	4	38	1	1	3	1	—	4	16	12
	F	7	1	—	—	—	—	1	4	1	21	1	—	—	2	—	1	8	9
19 Diarrhœa, &c.	M	77	61	10	1	1	—	2	1	1	109	82	12	3	1	—	2	5	4
	F	73	51	13	3	—	—	2	2	2	66	41	12	4	1	—	1	2	5
20 Appendicitis and typhlitis	M	2	—	—	—	2	—	—	—	—	10	—	—	—	—	2	4	4	—
	F	2	—	—	—	1	1	—	—	—	8	—	—	—	2	2	2	2	—
21 Cirrhosis of liver ...	M	7	—	—	—	1	1	2	2	1	11	—	—	—	—	—	1	6	4
	F	6	—	—	—	—	—	1	5	—	14	—	—	—	—	—	6	4	4
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—
22 Nephritis and Bright's disease.	M	31	1	1	1	1	—	2	16	9	78	1	1	—	—	2	8	37	29
	F	28	—	—	—	2	1	8	12	5	60	—	—	—	2	—	8	28	22
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	8	—	—	—	—	2	6	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	8	—	—	—	—	—	8	—	—
25 Congenital debility, &c.	M	51	51	—	—	—	—	—	—	—	125	123	—	1	1	—	—	—	—
	F	36	34	—	—	2	—	—	—	—	85	83	1	—	—	1	—	—	—
26 Violence, apart from suicide.	M	51	7	4	4	7	2	9	12	6	88	5	1	9	8	5	15	25	20
	F	14	2	—	4	—	—	—	5	3	38	5	1	3	2	1	9	7	10
27 Suicide	M	10	—	—	—	—	1	6	2	1	10	—	—	—	—	—	2	5	3
	F	3	—	—	—	—	1	1	1	—	4	—	—	—	—	1	2	1	—
28 Other defined diseases ...	M	234	36	5	3	14	5	26	61	87	381	42	10	7	15	10	39	97	161
	F	211	25	3	3	4	6	17	50	103	449	31	4	7	11	12	36	89	259
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	2	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915—*cont.*

Causes of Death.	Sex.	Chelsea.									Deptford.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	589	72	23	21	13	14	64	140	242	1,037	211	78	64	39	38	110	257	240
	F	491	40	25	22	16	9	52	137	190	935	178	60	55	44	47	103	184	261
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	16	4	7	5	—	—	—	—	—	28	7	8	12	1	—	—	—	—
	F	23	5	12	5	1	—	—	—	—	26	5	11	10	—	—	—	—	—
4 Scarlet fever	M	2	—	1	1	—	—	—	—	—	4	—	—	1	3	—	—	—	—
	F	3	—	—	2	—	—	1	—	—	5	—	—	—	4	—	1	—	—
5 Whooping cough ...	M	3	2	1	—	—	—	—	—	—	30	11	15	4	—	—	—	—	—
	F	5	3	—	2	—	—	—	—	—	35	13	9	11	2	—	—	—	—
6 Diphtheria and croup ...	M	2	—	—	2	—	—	—	—	—	7	1	1	4	1	—	—	—	—
	F	4	—	—	3	1	—	—	—	—	3	—	1	2	—	—	—	—	—
7 Influenza	M	9	—	—	—	1	—	1	2	5	11	—	—	—	—	—	—	7	4
	F	10	—	—	—	—	—	—	7	3	11	—	—	—	—	—	1	3	7
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	5	1	—	—	—	—	2	—	2
	F	3	1	—	—	—	—	—	—	2	2	1	—	—	—	—	1	—	—
9 Pulmonary tuberculosis	M	58	—	1	2	2	7	27	13	6	107	—	—	2	4	14	39	47	1
	F	32	—	—	—	2	5	12	9	4	73	—	—	2	5	17	31	13	5
10 Tuberculous meningitis	M	3	1	—	2	—	—	—	—	—	16	3	7	5	1	—	—	—	—
	F	4	—	2	2	—	—	—	—	—	13	5	2	4	1	1	—	—	—
11 Other tuberculous diseases.	M	7	1	1	2	—	—	1	1	1	11	3	1	3	2	1	—	—	1
	F	3	—	—	—	1	—	1	1	—	14	6	2	—	4	—	2	—	—
12 Cancer, malignant disease	M	41	—	—	—	—	—	2	23	16	50	—	—	—	2	—	4	26	18
	F	59	—	—	—	—	—	5	32	22	75	—	—	—	1	—	9	37	28
13 Rheumatic fever ...	M	2	—	—	—	1	1	—	—	—	2	—	—	—	1	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	8	—	—	—	2	1	3	2	—
14 Meningitis	M	4	1	1	—	1	—	1	—	—	8	1	1	1	3	1	—	1	—
	F	3	—	—	2	—	—	—	1	—	10	4	—	2	3	—	1	—	—
15 Organic heart disease ...	M	83	—	—	—	3	1	7	18	54	83	—	—	—	4	3	6	36	34
	F	63	—	—	1	1	1	6	19	35	81	—	—	—	3	7	13	28	30
16 Bronchitis	M	83	6	3	1	—	—	2	13	58	99	16	3	4	—	—	6	26	44
	F	54	2	—	1	—	—	2	8	41	95	13	4	1	—	1	3	20	53
17 Pneumonia (all forms)	M	72	17	3	1	—	3	4	16	28	125	32	21	16	4	3	12	28	9
	F	44	8	7	—	6	—	3	9	11	90	22	16	10	5	5	4	13	15
18 Other respiratory diseases	M	10	—	—	—	—	—	1	7	2	15	2	—	2	—	—	1	6	4
	F	6	—	—	—	1	—	1	3	1	9	2	—	1	—	—	—	4	2
19 Diarrhœa, &c.	M	10	6	1	—	—	—	2	1	—	67	42	12	4	—	—	1	3	5
	F	10	9	1	—	—	—	—	—	—	52	34	8	3	1	—	2	3	1
20 Appendicitis and typhlitis	M	5	—	—	—	—	1	3	1	—	4	—	—	—	1	—	1	1	1
	F	2	—	—	—	—	—	1	1	—	4	—	—	—	2	2	—	—	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	2	—	5	—	—	—	—	—	1	4	—
	F	4	—	—	—	—	—	—	3	1	6	—	—	—	—	—	2	4	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
22 Nephritis and Bright's disease.	M	12	—	—	—	—	—	—	8	4	25	—	1	1	—	1	4	11	7
	F	13	—	—	—	—	1	1	6	5	15	—	—	—	—	1	6	3	5
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	4	—	—
25 Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	61	61	—	—	—	—	—	—	—
	F	6	6	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	27	5	1	3	4	—	2	6	6	50	3	3	3	6	8	11	8	8
	F	12	2	—	—	—	—	—	5	5	27	4	1	6	4	3	4	3	2
27 Suicide	M	2	—	—	—	—	—	1	1	—	7	—	—	—	—	—	2	3	2
	F	5	—	—	—	—	—	2	3	—	2	—	—	—	—	—	—	1	1
28 Other defined diseases ...	M	115	9	3	2	1	1	9	28	62	212	28	5	2	5	6	16	50	100
	F	118	4	3	4	3	1	13	30	60	228	28	5	3	6	8	17	49	112
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915—*cont.*

Causes of Death.	Sex.	Finsbury.									Fulham.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	884	150	73	37	36	23	133	223	209	1,180	252	78	62	52	33	144	309	250
	F	774	131	51	46	33	31	90	166	226	1,174	200	77	55	48	54	141	264	335
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	4	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—
3 Measles	M	19	2	14	3	—	—	—	—	—	62	13	31	18	—	—	—	—	—
	F	35	8	11	10	6	—	—	—	—	60	12	31	14	3	—	—	—	—
4 Scarlet fever	M	5	—	—	3	1	1	—	—	—	9	—	1	4	3	1	—	—	—
	F	5	—	—	2	2	—	1	—	—	9	1	1	1	3	—	3	—	—
5 Whooping cough ...	M	22	9	10	3	—	—	—	—	—	22	11	7	3	1	—	—	—	—
	F	24	6	12	6	—	—	—	—	—	30	16	6	6	2	—	—	—	—
6 Diphtheria and croup ...	M	4	—	—	3	1	—	—	—	—	15	1	2	3	9	—	—	—	—
	F	5	1	1	1	2	—	—	—	—	12	—	3	4	5	—	—	—	—
7 Influenza	M	7	—	—	—	—	—	3	1	3	17	—	—	—	—	—	1	6	10
	F	16	1	—	1	—	1	—	2	11	23	2	—	1	2	1	5	3	9
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	4	—	—	—	—	—	—	1	3	5	2	—	—	—	—	—	—	3
9 Pulmonary tuberculosis	M	107	1	—	3	2	4	54	41	2	103	—	1	2	2	12	45	37	4
	F	64	1	—	3	3	9	30	15	3	96	—	—	—	2	22	41	27	4
10 Tuberculous meningitis	M	14	4	2	3	4	—	1	—	—	8	1	2	3	1	—	1	—	—
	F	13	3	1	3	5	1	—	—	—	18	6	1	6	5	—	—	—	—
11 Other tuberculous diseases.	M	13	2	4	—	2	2	2	—	1	19	6	1	2	4	—	3	3	—
	F	14	3	2	—	2	2	2	2	1	9	—	1	—	1	2	3	1	1
12 Cancer, malignant disease	M	52	—	—	—	—	1	4	27	20	72	—	—	—	—	—	7	37	28
	F	45	—	—	—	—	—	2	25	18	101	—	—	—	—	1	14	50	36
13 Rheumatic fever ...	M	2	—	—	—	—	1	1	—	—	3	—	—	—	2	1	—	—	—
	F	3	—	—	—	1	—	2	—	—	3	—	—	—	2	1	—	—	—
14 Meningitis	M	7	—	4	—	2	—	1	—	—	11	3	—	3	2	—	3	—	—
	F	6	5	—	1	—	—	—	—	—	12	4	2	1	3	1	—	1	—
15 Organic heart disease ...	M	70	—	—	1	4	1	8	25	31	89	—	—	—	5	—	7	42	35
	F	71	—	—	—	3	4	9	25	30	128	—	—	—	5	6	18	48	51
16 Bronchitis	M	93	9	3	3	—	—	7	25	46	114	20	1	3	—	—	7	34	49
	F	110	8	3	1	—	1	5	27	65	98	11	3	2	—	1	3	18	60
17 Pneumonia (all forms)	M	96	24	19	6	3	2	12	24	6	147	33	21	11	6	4	14	45	13
	F	66	13	8	10	3	2	8	15	7	114	31	19	8	1	3	6	26	20
18 Other respiratory diseases	M	13	—	1	—	—	—	4	5	3	15	—	1	2	2	—	1	6	3
	F	4	1	—	1	—	1	—	1	—	13	—	1	1	1	1	1	3	5
19 Diarrhœa, &c.	M	51	35	9	3	1	—	2	1	—	51	43	—	3	—	1	1	2	1
	F	44	28	10	2	—	1	2	1	—	35	27	6	—	—	1	—	—	1
20 Appendicitis and typhlitis	M	4	—	—	—	2	—	—	1	1	5	—	—	—	1	—	3	1	—
	F	2	—	—	—	1	1	—	—	—	3	—	—	—	—	1	2	—	—
21 Cirrhosis of liver ...	M	11	—	—	—	—	1	1	6	3	10	—	—	—	—	—	2	7	1
	F	4	—	—	—	—	—	1	1	2	8	—	—	—	—	—	2	5	1
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	1	2	—
22 Nephritis and Bright's disease.	M	24	—	—	1	1	—	6	9	7	25	—	—	—	1	1	4	9	10
	F	13	—	—	—	—	1	2	5	5	37	—	—	—	2	3	8	14	10
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	5	—	—	—	—	—	5	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	5	—	—	—	—	1	4	—	—
25 Congenital debility, &c.	M	31	30	—	1	—	—	—	—	—	84	82	—	1	1	—	—	—	—
	F	23	23	—	—	—	—	—	—	—	61	61	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	43	9	—	3	5	3	10	10	3	53	8	2	4	5	7	8	14	5
	F	30	12	—	4	3	—	5	5	1	28	4	2	6	1	—	2	2	11
27 Suicide	M	2	—	—	—	—	1	—	1	—	10	—	—	—	—	1	3	4	2
	F	2	—	—	—	—	—	1	1	—	5	—	—	—	—	—	3	2	—
28 Other defined diseases ...	M	192	25	7	1	8	6	15	47	83	230	31	8	—	7	5	30	60	89
	F	159	18	2	1	2	6	12	38	80	251	23	1	4	10	9	20	61	123
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915—*cont.*

Causes of Death.	Sex.	Greenwich.									Hackney.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	844	128	45	41	38	43	108	216	225	1,665	286	78	70	56	63	241	423	448
	F	724	117	53	39	35	35	74	145	226	1,614	247	78	65	49	74	174	362	565
1 Enteric fever	M	3	—	—	1	2	—	—	—	—	3	—	—	—	—	—	3	—	—
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	2	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	20	3	10	7	—	—	—	—	—	33	3	16	11	3	—	—	—	—
	F	24	4	13	6	1	—	—	—	—	37	8	10	17	2	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	4	—	1	1	2	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	3	—	—	2	1	—	—	—	—
5 Whooping cough ...	M	17	6	6	5	—	—	—	—	—	15	8	4	3	—	—	—	—	—
	F	26	10	9	7	—	—	—	—	—	30	16	7	6	—	—	—	—	1
6 Diphtheria and croup ...	M	8	1	—	6	1	—	—	—	—	14	2	—	7	5	—	—	—	—
	F	6	1	—	2	3	—	—	—	—	16	1	5	6	4	—	—	—	—
7 Influenza	M	16	—	—	—	—	1	2	3	10	12	—	—	—	1	—	1	6	4
	F	13	—	—	1	1	3	1	4	3	18	1	—	1	—	3	2	2	9
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	4	1	1	—	—	—	1	—	1
	F	5	2	1	1	—	—	—	—	1	6	1	—	—	—	1	1	1	2
9 Pulmonary tuberculosis	M	86	1	2	1	5	13	39	23	2	191	4	3	2	5	30	95	49	3
	F	63	—	—	2	6	13	25	16	1	129	3	3	2	7	31	51	27	5
10 Tuberculous meningitis	M	9	2	1	1	5	—	—	—	—	22	3	4	7	5	2	1	—	—
	F	11	2	4	2	3	—	—	—	—	15	4	2	6	3	—	—	—	—
11 Other tuberculous diseases.	M	18	3	—	2	6	3	2	—	2	27	8	4	2	3	1	6	2	1
	F	8	—	1	2	—	3	1	—	1	20	6	5	4	1	1	—	3	—
12 Cancer, malignant disease	M	53	—	—	—	—	2	6	26	19	130	—	1	—	2	1	19	54	53
	F	43	—	—	—	—	—	8	19	16	155	—	—	—	1	2	23	83	46
13 Rheumatic fever ...	M	8	—	—	—	3	1	—	4	—	6	—	—	—	2	2	1	1	—
	F	1	—	—	—	—	—	1	—	—	8	—	—	—	1	1	4	2	—
14 Meningitis	M	4	—	—	2	1	1	—	—	—	21	6	2	4	6	2	1	—	—
	F	8	3	—	1	3	1	—	—	—	18	4	4	2	2	2	1	3	—
15 Organic heart disease ...	M	80	—	—	—	—	4	9	35	32	154	—	—	—	6	3	18	63	64
	F	67	—	—	1	2	3	5	27	29	191	—	—	—	4	6	24	67	90
16 Bronchitis	M	70	13	4	—	—	3	2	14	34	148	24	3	3	1	—	3	33	81
	F	75	11	5	—	—	—	1	16	42	152	14	5	—	—	—	4	25	104
17 Pneumonia (all forms)	M	80	19	13	2	3	1	14	19	9	171	35	23	19	5	5	26	35	23
	F	54	12	10	8	—	1	4	9	10	134	29	24	10	4	6	10	27	24
18 Other respiratory diseases	M	10	—	—	2	—	2	2	1	3	30	1	—	1	1	—	—	17	10
	F	11	—	1	—	—	—	1	3	6	23	2	—	2	1	1	3	6	8
19 Diarrhœa, &c.	M	30	18	3	1	2	—	2	3	1	75	57	9	2	—	—	3	2	2
	F	33	21	5	1	2	—	2	—	2	72	51	6	2	1	2	—	3	7
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	8	—	—	—	—	2	2	2	2
	F	3	—	—	—	1	2	—	—	—	9	—	—	—	3	1	1	1	3
21 Cirrhosis of liver ...	M	10	—	—	—	—	—	2	4	4	16	—	—	—	—	—	3	9	4
	F	4	—	—	—	—	—	—	3	1	13	—	—	—	—	—	2	7	4
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	20	1	1	—	1	—	2	8	7	58	1	—	—	—	—	3	29	25
	F	21	—	—	—	1	1	2	9	8	54	—	—	—	1	4	3	20	26
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	7	—	—	—	—	3	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	6	—	—	—	—	—	5	1	—
25 Congenital debility, &c.	M	35	34	—	1	—	—	—	—	—	86	86	—	—	—	—	—	—	—
	F	33	32	—	—	—	1	—	—	—	76	74	—	—	2	—	—	—	—
26 Violence, apart from suicide.	M	48	1	—	5	4	7	6	16	9	49	5	2	4	3	3	8	12	12
	F	23	1	—	3	6	3	2	4	4	39	7	1	1	1	—	5	5	19
27 Suicide	M	3	—	—	—	—	—	—	1	2	9	—	—	—	—	3	—	5	1
	F	3	—	—	—	—	1	1	1	—	7	—	—	—	—	1	3	3	—
28 Other defined diseases ...	M	212	26	5	4	3	5	20	58	91	376	42	5	4	6	8	47	104	160
	F	176	18	4	—	5	3	11	33	102	372	25	6	4	10	7	27	76	217
29 Causes ill-defined or unknown.	M	2	—	—	1	1	—	—	—	—	2	—	—	—	—	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915—*cont.*

Causes of Death.	Sex.	Hammersmith. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Hampstead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	1011	164	44	59	40	36	146	257	265	472	56	11	14	12	15	50	140	174
	F	938	117	45	34	37	34	119	218	334	532	49	12	9	17	19	66	123	237
1 Enteric fever	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	29	9	11	9	—	—	—	—	—	7	2	4	1	—	—	—	—	—
	F	19	5	9	4	1	—	—	—	—	15	4	6	2	2	—	—	1	—
4 Scarlet fever	M	8	—	1	3	3	—	1	—	—	2	—	1	1	—	—	—	—	—
	F	6	—	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	10	6	1	2	1	—	—	—	—	6	3	2	1	—	—	—	—	—
	F	17	6	7	4	—	—	—	—	—	2	—	—	1	1	—	—	—	—
6 Diphtheria and croup ...	M	9	—	—	5	3	—	1	—	—	4	—	1	1	2	—	—	—	—
	F	6	2	1	—	2	—	1	—	—	6	—	—	3	2	—	1	—	—
7 Influenza	M	16	1	—	—	—	—	3	6	6	13	1	—	—	—	—	3	4	5
	F	9	—	—	—	—	—	—	7	2	15	1	—	—	—	—	—	7	7
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	112	1	2	2	2	16	45	36	8	34	—	—	—	1	5	15	11	2
	F	90	—	—	3	4	13	31	36	3	23	—	—	—	2	2	10	7	2
10 Tuberculous meningitis	M	11	4	3	3	1	—	—	—	—	3	—	—	1	1	1	—	—	—
	F	11	1	1	3	4	2	—	—	—	4	—	—	2	2	—	—	—	—
11 Other tuberculous diseases.	M	6	—	—	2	2	—	—	2	—	7	—	—	3	1	2	1	—	—
	F	10	—	—	2	2	3	1	2	—	4	—	—	—	2	2	—	—	—
12 Cancer, malignant disease	M	69	—	—	—	—	—	11	28	30	42	—	—	—	—	1	1	23	17
	F	93	—	—	—	—	—	16	40	37	79	—	—	—	—	1	9	38	31
13 Rheumatic fever ...	M	2	—	—	—	2	—	—	—	—	3	—	—	—	1	—	—	2	—
	F	3	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—	1	—
14 Meningitis	M	11	3	2	1	4	—	1	—	—	2	1	—	—	—	—	—	1	—
	F	10	4	—	2	2	1	—	1	—	2	—	1	—	—	—	1	—	—
15 Organic heart disease ...	M	87	—	—	—	2	6	13	39	27	51	—	—	—	—	1	5	23	22
	F	115	—	—	—	3	3	12	36	61	71	—	—	—	1	2	5	20	43
16 Bronchitis	M	72	3	2	3	1	—	6	15	42	32	4	—	—	—	—	1	4	23
	F	70	7	2	1	—	1	—	10	49	38	3	1	—	—	—	—	4	30
17 Pneumonia (all forms)	M	119	27	14	18	5	1	14	25	15	38	3	2	3	1	1	1	11	16
	F	104	20	14	8	3	1	14	23	21	41	8	3	1	—	3	4	6	16
18 Other respiratory diseases	M	21	3	1	2	3	1	1	3	7	7	—	—	—	—	—	2	4	1
	F	7	1	—	—	1	—	1	2	2	6	—	—	—	—	—	—	3	3
19 Diarrhœa, &c.	M	32	21	4	2	—	—	1	3	1	12	8	—	1	—	—	1	1	1
	F	26	17	4	—	—	—	2	—	3	15	10	—	—	—	—	1	2	2
20 Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	2	—	—	—	1	—	—	1	—
	F	3	—	—	—	1	1	—	1	—	7	—	—	—	2	1	2	1	1
21 Cirrhosis of liver ...	M	13	—	—	—	—	—	4	7	2	5	—	—	—	—	—	1	3	1
	F	5	—	—	—	—	—	2	3	—	6	—	—	—	—	—	2	3	1
21A Alcoholism	M	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	42	—	—	—	—	3	5	18	16	22	—	—	—	—	1	2	10	9
	F	37	—	—	1	—	1	4	12	19	12	—	—	—	—	—	2	4	6
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	3	—	—	—	—	—	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	2	—	—	—	—	—	2	—	—
25 Congenital debility, &c.	M	58	58	—	—	—	—	—	—	—	26	23	—	1	—	—	2	—	—
	F	39	38	1	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	38	1	1	2	5	4	7	11	7	16	2	—	1	1	1	4	3	4
	F	26	1	1	—	3	—	5	5	11	17	2	1	—	—	4	4	—	6
27 Suicide	M	4	—	—	—	—	—	1	3	—	4	—	—	—	—	—	2	1	1
	F	1	—	—	—	—	—	1	—	—	6	—	—	—	—	—	6	—	—
28 Other defined diseases ...	M	235	27	2	5	5	4	31	57	104	132	9	1	—	3	2	8	37	72
	F	219	14	4	3	5	7	22	40	124	144	9	—	—	3	4	14	26	88
29 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	2	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915—*cont.*

Causes of Death.	Sex.	Holborn. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Islington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	412	34	14	13	14	11	66	131	129	2,876	469	177	156	127	91	386	715	755
	F	334	34	13	13	13	12	50	83	116	2,710	346	154	143	91	107	310	581	978
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	1	2	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	7	2	4	1	—	—	—	—	—	78	14	29	31	4	—	—	—	—
	F	12	4	3	4	1	—	—	—	—	76	14	33	20	8	1	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	21	—	2	9	8	2	—	—	—
	F	1	—	—	—	1	—	—	—	—	18	1	3	9	2	3	—	—	—
5 Whooping cough ...	M	5	3	2	—	—	—	—	—	—	52	14	25	8	5	—	—	—	—
	F	7	—	5	2	—	—	—	—	—	53	21	15	14	3	—	—	—	—
6 Diphtheria and croup	M	7	1	—	2	4	—	—	—	—	32	1	4	15	11	—	1	—	—
	F	4	—	—	1	2	—	1	—	—	26	1	2	14	8	—	1	—	—
7 Influenza	M	8	—	—	—	1	1	—	3	3	46	2	—	1	—	2	11	17	13
	F	5	—	—	—	—	—	1	—	4	31	—	1	—	—	3	2	11	14
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	6	1	—	—	—	1	2	1	1
	F	1	—	—	—	—	—	—	—	1	5	—	—	—	—	1	1	3	—
9 Pulmonary tuberculosis	M	59	—	2	—	—	3	22	28	4	313	1	1	7	5	28	150	106	15
	F	23	—	—	2	—	3	10	5	3	223	2	—	3	13	44	87	57	17
10 Tuberculous meningitis	M	7	3	2	—	2	—	—	—	—	36	3	9	10	8	4	—	2	—
	F	5	—	—	—	2	1	2	—	—	32	3	10	13	5	—	1	—	—
11 Other tuberculous diseases.	M	4	—	—	—	—	—	2	1	1	25	5	2	5	5	—	2	6	—
	F	2	—	1	—	—	—	1	—	—	33	3	4	4	8	2	5	5	2
12 Cancer, malignant disease	M	27	—	—	—	—	—	1	15	11	172	—	—	—	2	1	11	89	69
	F	30	—	—	—	—	1	4	12	13	216	—	—	—	—	1	21	109	85
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	11	—	—	—	2	5	2	2	—
	F	1	—	—	—	—	—	1	—	—	10	—	—	1	1	7	—	1	—
14 Meningitis	M	2	—	—	1	—	—	1	—	—	28	9	5	4	7	2	1	—	—
	F	4	1	—	1	—	—	—	1	1	21	4	3	4	3	2	4	—	1
15 Organic heart disease ...	M	35	—	—	—	—	2	1	17	15	247	—	—	—	9	9	27	92	110
	F	38	—	—	—	—	1	7	12	18	335	—	—	1	11	12	34	115	162
16 Bronchitis	M	40	—	—	—	—	—	2	11	27	264	26	12	4	2	—	16	74	130
	F	32	3	—	—	—	—	2	8	19	296	26	8	5	1	2	8	50	196
17 Pneumonia (all forms)	M	36	5	3	5	1	2	8	6	6	292	63	48	41	8	3	37	50	42
	F	27	2	2	3	1	1	6	7	5	232	41	47	24	7	5	21	36	51
18 Other respiratory diseases	M	6	—	—	2	—	—	2	2	—	43	2	3	1	1	1	8	12	15
	F	6	—	—	—	—	—	—	4	2	45	4	3	2	—	1	2	7	26
19 Diarrhœa, &c.	M	11	6	1	1	—	—	1	1	1	108	81	12	2	3	—	6	2	2
	F	8	5	2	—	—	—	—	1	—	95	53	16	7	—	—	7	2	10
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	14	—	—	1	5	1	2	5	—
	F	1	—	—	—	—	—	—	1	—	6	—	—	1	3	—	1	1	—
21 Cirrhosis of liver ...	M	13	—	—	—	—	—	3	6	4	16	—	—	—	—	—	2	9	5
	F	8	—	—	—	—	—	1	4	3	27	—	—	—	—	—	7	16	4
21A Alcoholism	M	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1
22 Nephritis and Bright's disease.	M	16	—	—	—	—	—	1	9	6	83	—	—	1	4	6	10	32	30
	F	8	—	—	—	—	—	1	3	4	71	1	—	2	1	—	7	31	30
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	10	—	—	—	—	2	8	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	9	—	—	—	—	—	8	1	—
25 Congenital debility, &c.	M	7	7	—	—	—	—	—	—	—	176	172	1	1	2	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	121	119	1	1	—	—	—	—	—
26 Violence, apart from suicide.	M	24	3	—	1	4	2	8	5	1	105	11	3	2	16	9	11	36	17
	F	15	1	—	—	4	—	1	5	4	70	17	4	8	5	3	9	7	17
27 Suicide	M	5	—	—	—	—	—	2	1	2	25	—	—	—	—	1	11	9	4
	F	4	—	—	—	—	—	4	—	—	9	—	—	—	—	2	2	5	—
82 Other defined diseases ...	M	88	4	—	—	2	—	9	26	47	675	64	16	13	19	15	76	170	302
	F	76	5	—	—	2	3	7	20	39	635	37	4	10	12	15	71	124	362
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	5	—	5	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915—*cont.*

Causes of Death.	Sex.	Kensington.									Lambeth.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	1,227	202	81	51	29	32	156	321	355	2,448	390	113	92	95	78	350	662	668
	F	1,435	169	81	61	43	52	146	318	565	2,353	305	80	95	75	85	288	483	942
1 Enteric fever	M	2	1	—	—	—	—	1	—	—	5	—	—	1	1	—	1	2	—
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	3	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	54	15	23	13	3	—	—	—	—	52	9	23	18	2	—	—	—	—
	F	58	10	26	16	3	2	—	1	—	49	10	16	17	6	—	—	—	—
4 Scarlet fever	M	5	—	2	2	1	—	—	—	—	11	—	—	3	4	1	3	—	—
	F	6	—	1	2	—	2	—	1	—	6	—	1	3	—	—	2	—	—
5 Whooping cough ...	M	8	4	2	2	—	—	—	—	—	21	11	6	4	—	—	—	—	—
	F	13	5	1	6	1	—	—	—	—	28	14	7	7	—	—	—	—	—
6 Diphtheria and croup ...	M	6	—	1	3	1	1	—	—	—	26	—	1	11	14	—	—	—	—
	F	10	—	2	1	6	1	—	—	—	19	1	1	9	8	—	—	—	—
7 Influenza	M	30	2	—	—	—	1	7	9	11	43	4	1	1	—	—	4	19	14
	F	31	1	—	1	—	—	3	9	17	46	1	—	—	2	1	3	11	28
8 Erysipelas	M	2	—	—	—	—	1	—	—	1	8	—	—	—	—	—	2	5	1
	F	1	1	—	—	—	—	—	—	—	6	—	—	—	1	—	1	1	3
9 Pulmonary tuberculosis	M	104	1	—	—	4	8	51	36	4	292	—	7	3	13	41	115	99	14
	F	90	1	2	2	2	21	33	21	8	174	2	1	1	8	37	72	41	12
10 Tuberculous meningitis	M	18	2	3	7	3	1	1	1	—	18	5	5	3	3	1	1	—	—
	F	9	—	3	4	2	—	—	—	—	17	3	3	6	3	2	—	—	—
11 Other tuberculous diseases.	M	23	10	5	3	—	3	—	1	1	27	5	6	2	5	2	1	4	2
	F	23	8	2	4	5	—	2	2	—	18	6	1	2	4	1	4	—	—
12 Cancer, malignant disease	M	65	—	—	—	—	—	5	32	28	150	—	—	—	—	—	15	84	51
	F	140	—	—	—	—	—	14	70	56	222	—	—	—	—	1	38	94	89
13 Rheumatic fever ...	M	2	—	—	1	—	—	—	1	—	7	—	—	—	4	1	2	—	—
	F	3	—	—	—	1	—	—	2	—	6	—	—	—	2	—	3	1	—
14 Meningitis	M	27	11	3	4	3	1	2	2	1	34	12	3	7	7	—	2	3	—
	F	21	8	4	1	5	1	2	—	—	19	2	3	4	6	4	—	—	—
15 Organic heart disease ...	M	143	—	—	—	—	3	13	51	76	229	—	—	—	2	8	37	90	92
	F	175	—	—	—	2	5	13	39	116	240	—	—	—	5	8	28	75	124
16 Bronchitis	M	112	18	7	2	—	—	7	27	51	211	33	8	3	1	—	14	48	104
	F	142	15	1	2	—	—	4	23	97	247	21	8	5	2	1	2	41	167
17 Pneumonia (all forms)	M	122	31	17	9	4	3	18	21	19	251	60	33	14	2	3	25	71	43
	F	137	28	22	19	10	2	5	20	31	198	41	24	19	8	3	20	37	46
18 Other respiratory diseases	M	25	—	1	—	—	—	4	8	12	39	4	1	2	1	—	10	11	10
	F	36	4	—	—	1	1	5	5	20	38	4	2	3	—	—	3	10	16
19 Diarrhœa, &c.	M	52	27	9	1	—	—	2	5	8	95	64	9	4	4	—	7	4	3
	F	49	25	10	2	1	1	—	4	6	82	60	7	4	1	—	2	2	6
20 Appendicitis and typhlitis	M	8	—	—	—	—	2	2	3	1	12	—	—	—	3	3	3	2	1
	F	4	—	—	—	—	1	1	2	—	11	—	—	1	1	1	3	5	—
21 Cirrhosis of liver ...	M	19	—	—	—	—	—	—	12	7	16	—	—	—	—	—	2	10	4
	F	18	—	—	—	—	—	2	6	10	19	—	—	—	—	—	3	11	5
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—
22 Nephritis and Bright's disease.	M	36	1	—	—	—	—	4	20	11	101	1	—	—	3	1	18	45	33
	F	44	—	—	—	—	1	6	23	14	73	—	—	—	—	2	11	24	36
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	14	—	—	—	—	2	12	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	11	—	—	—	—	2	9	—	—
25 Congenital debility, &c.	M	50	49	—	—	1	—	—	—	—	116	114	—	—	2	—	—	—	—
	F	43	41	—	—	—	1	—	1	—	98	96	—	—	1	—	1	—	—
26 Violence, apart from suicide.	M	34	5	3	3	6	1	6	5	5	100	7	1	9	14	7	21	25	16
	F	28	1	2	—	1	2	9	4	9	64	7	—	5	5	5	10	9	23
27 Suicide	M	7	—	—	—	—	—	2	3	2	12	—	—	—	—	1	2	9	—
	F	10	—	—	—	—	3	2	4	1	9	—	—	—	—	2	4	2	1
28 Other defined diseases ...	M	272	25	5	—	3	7	31	84	117	568	61	9	7	10	9	65	129	278
	F	336	21	4	1	3	8	38	81	180	632	37	6	9	9	13	55	117	386
29 Causes ill-defined or unknown.	M	1	—	—	1	—	—	—	—	—	3	—	—	—	—	—	—	1	2
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915—*cont.*

Causes of Death.	Sex.	Lewisham.									Paddington.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	984	142	30	39	31	43	110	254	335	1,083	180	66	50	36	36	120	285	310
	F	1,134	123	38	17	42	39	115	261	499	1,222	138	50	45	38	20	113	270	548
1 Enteric fever	M	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	23	5	7	11	—	—	—	—	—	55	9	26	19	1	—	—	—	—
	F	27	6	9	5	6	—	1	—	—	43	8	22	8	5	—	—	—	—
4 Scarlet fever	M	2	—	—	2	—	—	—	—	—	2	—	1	—	1	—	—	—	—
	F	4	—	—	—	4	—	—	—	—	8	—	—	4	3	—	1	—	—
5 Whooping cough ...	M	16	5	6	4	1	—	—	—	—	15	4	5	5	1	—	—	—	—
	F	13	5	6	1	1	—	—	—	—	16	9	2	4	1	—	—	—	—
6 Diphtheria and croup ...	M	7	1	1	2	3	—	—	—	—	10	1	1	6	1	—	—	1	—
	F	8	1	—	2	5	—	—	—	—	10	2	1	5	1	—	1	—	—
7 Influenza	M	15	—	—	—	—	—	1	10	4	25	1	—	—	—	2	5	10	7
	F	27	2	—	—	—	—	2	—	23	27	—	—	1	—	—	4	4	18
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
	F	3	—	—	—	—	—	—	3	—	6	2	1	—	—	—	—	1	2
9 Pulmonary tuberculosis	M	83	—	—	4	3	22	30	23	1	111	2	—	1	5	14	44	41	4
	F	74	—	—	—	5	18	31	16	4	68	—	1	2	5	9	30	13	8
10 Tuberculous meningitis	M	7	—	1	3	3	—	—	—	—	12	4	1	3	2	1	1	—	—
	F	5	2	1	1	—	—	1	—	—	5	—	—	3	2	—	—	—	—
11 Other tuberculous diseases.	M	9	1	1	1	—	1	2	1	2	17	3	3	2	4	1	1	2	1
	F	7	2	—	—	1	—	1	3	—	4	—	—	1	2	—	—	1	—
12 Cancer, malignant disease	M	88	—	—	—	1	—	6	37	44	76	—	—	—	—	—	6	36	34
	F	142	—	—	—	—	—	11	66	65	132	—	—	—	—	—	17	59	56
13 Rheumatic fever ...	M	4	—	—	—	1	1	—	1	1	1	—	—	—	1	—	—	—	—
	F	6	—	—	—	4	2	—	—	—	3	—	—	—	2	—	1	—	—
14 Meningitis	M	9	2	1	2	3	—	—	1	—	6	2	1	—	—	1	1	—	1
	F	7	1	1	—	2	1	1	—	1	6	—	1	—	1	—	1	1	2
15 Organic heart disease ...	M	111	—	—	—	2	4	9	40	56	109	—	—	—	3	—	9	48	49
	F	118	—	—	—	3	4	12	30	69	151	—	—	—	4	3	11	53	80
16 Bronchitis	M	79	13	—	2	—	—	1	19	44	93	13	3	—	1	2	2	23	49
	F	134	14	2	1	—	—	1	18	98	127	7	1	2	—	—	—	21	96
17 Pneumonia (all forms)	M	79	11	3	4	2	1	19	23	16	92	26	10	8	3	2	14	16	13
	F	82	16	12	2	2	3	9	21	17	118	28	12	9	3	4	9	18	35
18 Other respiratory diseases	M	14	—	—	—	—	—	—	5	9	13	1	—	—	1	—	2	3	6
	F	19	—	1	1	1	1	—	5	10	21	3	2	—	—	—	1	3	12
19 Diarrhœa, &c.	M	28	19	1	2	—	1	2	2	1	60	47	7	1	—	—	1	1	3
	F	25	15	3	—	—	—	3	2	2	45	34	4	1	—	—	1	3	2
20 Appendicitis and typhlitis	M	4	—	—	—	1	1	2	—	—	5	—	—	—	1	1	1	—	2
	F	5	—	—	—	2	—	2	—	1	6	—	—	—	2	1	1	2	—
21 Cirrhosis of liver ...	M	15	—	—	—	—	—	2	9	4	9	—	—	—	—	—	1	6	2
	F	12	—	—	—	—	—	1	9	2	11	—	—	—	—	—	3	5	3
21A Alcoholism	M	2	—	—	—	—	—	1	1	—	4	—	—	—	—	—	2	2	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
22 Nephritis and Bright's disease.	M	38	—	—	1	—	1	1	18	17	34	1	—	—	—	4	2	18	9
	F	41	—	—	—	—	—	2	20	19	23	—	—	1	—	—	2	12	8
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	7	—	—	3	—	—	—	—	—	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	2	2	—	2	—	—	—	—	—	2	—	—
25 Congenital debility, &c.	M	53	52	—	—	—	—	1	—	—	50	49	—	—	1	—	—	—	—
	F	40	39	1	—	—	—	—	—	—	29	29	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	45	8	2	—	4	3	14	10	4	42	2	5	1	3	2	9	16	4
	F	15	1	—	—	—	—	2	2	10	37	2	—	1	2	—	8	2	22
27 Suicide	M	6	—	—	—	—	1	2	1	2	6	—	—	—	—	—	2	3	1
	F	9	—	—	—	—	2	4	2	1	3	—	—	—	—	—	1	2	—
28 Other defined diseases ...	M	242	25	6	1	7	7	15	52	129	232	15	3	4	7	6	15	58	124
	F	296	19	2	4	6	5	22	62	176	315	13	3	3	5	3	15	69	204
29 Causes ill-defined or unknown.	M	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—

AUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1915—*cont.*

Causes of Death.	Sex.	Poplar. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	St. Marylebone. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	1,653	362	126	96	53	39	205	398	374	836	97	46	25	18	27	88	261	274
	F	1,426	272	119	95	62	55	152	276	395	856	83	30	21	23	29	93	197	380
Enteric fever	M	5	—	—	—	—	1	3	1	—	1	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	58	11	25	19	3	—	—	—	—	30	5	18	6	1	—	—	—	—
	F	59	9	28	18	4	—	—	—	—	23	5	11	3	2	—	—	—	2
Scarlet fever	M	4	—	1	3	—	—	—	—	—	3	—	1	2	—	—	—	—	—
	F	5	—	—	3	2	—	—	—	—	7	—	1	1	1	1	2	1	—
Whooping cough ...	M	39	21	15	3	—	—	—	—	—	9	3	5	1	—	—	—	—	—
	F	34	17	7	8	2	—	—	—	—	8	4	1	2	1	—	—	—	—
Diphtheria and croup ...	M	19	1	5	10	3	—	—	—	—	3	—	2	—	1	—	—	—	—
	F	15	2	3	7	3	—	—	—	—	5	2	1	—	2	—	—	—	—
Influenza	M	14	—	—	—	—	1	1	5	7	13	1	—	—	1	1	2	6	2
	F	12	—	—	—	—	1	2	6	3	13	—	—	—	—	—	1	6	6
Erysipelas	M	8	2	—	—	1	—	—	1	4	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	—	—	1	1	2	—	—	—	—	—	—	1	1
Pulmonary tuberculosis	M	151	2	1	5	3	12	81	43	4	90	—	—	—	3	8	23	46	10
	F	108	1	—	4	12	24	48	19	—	44	—	1	1	2	6	21	11	2
Tuberculous meningitis	M	19	3	4	7	3	2	—	—	—	10	2	2	4	1	1	—	—	—
	F	19	6	3	6	4	—	—	—	—	9	2	2	3	2	—	—	—	—
Other tuberculous diseases.	M	16	4	—	3	3	2	3	1	—	9	—	—	1	1	2	2	3	—
	F	15	4	1	5	2	2	—	1	—	7	—	—	1	1	1	—	3	1
Cancer, malignant disease	M	92	—	—	1	—	—	8	52	31	73	—	—	—	—	1	3	42	27
	F	78	1	—	—	1	—	8	39	29	79	—	—	—	—	1	12	26	40
Rheumatic fever ...	M	4	—	1	1	—	—	1	1	—	2	—	—	1	1	—	—	—	—
	F	8	—	—	—	3	3	1	1	—	3	—	—	—	1	1	1	—	—
Meningitis	M	13	5	2	4	1	—	—	1	—	7	4	—	—	—	—	1	2	—
	F	17	5	2	2	4	4	—	—	—	10	2	1	2	1	—	2	1	1
Organic heart disease ...	M	167	—	—	—	6	3	17	79	62	79	—	—	—	—	3	5	21	50
	F	153	—	—	1	8	8	19	61	56	112	—	—	1	2	3	7	29	70
Bronchitis	M	207	28	11	3	1	—	11	46	107	68	2	1	1	—	—	4	15	45
	F	163	20	7	4	1	—	6	27	98	99	2	2	—	—	—	2	19	74
Pneumonia (all forms)	M	154	42	28	16	—	4	15	36	13	81	12	10	3	1	3	11	17	24
	F	133	25	32	20	3	1	12	20	20	78	13	6	4	—	4	7	15	29
Other respiratory diseases	M	21	1	1	2	—	1	4	7	5	20	—	—	2	—	—	1	11	6
	F	20	3	5	2	—	2	1	5	2	15	—	—	1	—	—	3	5	6
Diarrhœa, &c.	M	114	79	20	6	1	—	1	4	3	38	21	6	1	—	1	1	5	3
	F	85	59	15	4	—	—	2	2	3	27	17	2	1	—	—	2	3	2
Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	3	1	—	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	6	—	—	—	1	2	1	1	1
Cirrhosis of liver ...	M	9	—	1	—	—	—	2	2	4	12	—	—	—	—	—	1	6	5
	F	15	—	—	—	—	—	4	8	3	6	—	—	—	—	—	2	3	1
Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis and Bright's disease.	M	38	—	—	2	3	1	6	14	12	25	1	—	—	—	3	6	10	5
	F	24	—	—	—	—	1	4	14	5	31	—	1	—	—	1	1	15	13
Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	1	—	—	—	—	—	1	—	—
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	2	—	—	—	—	—	2	—	—
Congenital debility, &c.	M	108	106	—	1	1	—	—	—	—	29	26	—	—	2	—	—	1	—
	F	82	81	1	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—
Violence, apart from suicide.	M	78	7	2	3	13	5	20	19	9	31	1	1	1	2	1	5	14	6
	F	49	9	5	3	7	—	4	7	14	28	4	—	—	1	3	2	9	9
Suicide	M	7	—	—	—	—	—	4	2	1	9	—	—	—	—	—	2	7	—
	F	4	—	—	—	—	—	3	—	1	3	—	—	—	—	1	1	1	—
Other defined diseases ...	M	303	50	8	6	11	7	27	82	112	190	17	—	2	4	3	20	53	91
	F	305	29	9	5	6	5	29	62	160	214	8	1	1	6	5	23	48	122
Causes ill-defined or unknown.	M	3	—	1	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—
	F	8	—	1	3	—	—	1	3	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915—

	Causes of Death.	Sex.	St. Pancras.									Shoreditch.							
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—
	All Causes	M	1,858	280	83	73	69	47	275	535	496	1,088	253	80	76	46	29	143	246
		F	1,711	226	84	71	70	57	203	419	581	992	201	67	67	46	54	118	212
1	Enteric fever	M	4	—	—	—	—	—	—	4	—	2	—	—	1	—	—	1	—
		F	4	—	—	—	—	1	2	1	—	1	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	34	10	10	9	5	—	—	—	—	40	10	15	12	3	—	—	—
		F	30	7	13	6	4	—	—	—	—	28	8	11	9	—	—	—	—
4	Scarlet fever	M	13	—	1	7	5	—	—	—	—	4	—	—	2	2	—	—	—
		F	9	—	1	3	4	1	—	—	—	7	—	1	3	3	—	—	—
5	Whooping cough ...	M	20	9	5	4	2	—	—	—	—	12	7	—	5	—	—	—	—
		F	31	14	10	6	1	—	—	—	—	24	11	5	4	4	—	—	—
6	Diphtheria and croup ...	M	9	—	1	5	3	—	—	—	—	10	1	—	5	3	1	—	—
		F	15	—	2	6	7	—	—	—	—	13	2	1	6	3	—	1	—
7	Influenza	M	18	—	—	1	—	—	2	6	9	12	1	1	—	2	—	1	3
		F	19	—	—	—	1	—	1	8	9	15	—	2	1	—	3	2	4
8	Erysipelas	M	9	2	—	—	—	—	2	2	3	4	—	—	1	—	—	—	1
		F	3	1	—	—	—	—	—	1	1	9	2	—	—	—	—	1	4
9	Pulmonary tuberculosis	M	272	4	1	3	5	16	121	107	15	155	3	2	4	2	10	63	62
		F	152	1	—	2	15	25	63	38	8	110	1	1	4	6	28	37	27
10	Tuberculous meningitis	M	27	5	7	6	7	1	—	1	—	11	—	5	3	3	—	—	—
		F	20	3	4	6	5	1	1	—	—	19	2	3	5	7	1	1	—
11	Other tuberculous diseases.	M	15	1	1	—	7	2	2	1	1	25	8	4	3	1	1	2	4
		F	18	2	—	4	4	3	1	2	2	13	2	2	3	1	3	1	—
12	Cancer, malignant disease	M	121	1	—	1	1	—	12	58	48	50	—	—	—	1	—	3	27
		F	139	—	—	—	—	—	14	70	55	52	—	—	—	—	—	5	29
13	Rheumatic fever ...	M	4	—	—	1	1	1	1	—	—	1	—	—	—	—	—	—	1
		F	5	—	—	—	—	1	3	1	—	4	—	—	—	2	1	1	—
14	Meningitis	M	18	5	3	2	5	1	2	—	—	24	11	4	3	4	1	—	1
		F	18	2	3	1	7	2	2	1	—	10	4	2	1	1	—	—	2
15	Organic heart disease ...	M	213	—	—	2	4	3	22	70	112	67	—	—	—	3	1	11	29
		F	239	—	—	—	7	3	24	87	118	94	—	—	—	4	5	18	34
16	Bronchitis	M	163	18	6	4	1	1	8	48	77	98	19	8	3	—	1	9	20
		F	163	15	1	3	—	—	11	29	104	88	13	2	2	—	—	5	17
17	Pneumonia (all forms)	M	189	36	25	15	5	3	24	43	38	130	40	26	17	3	1	13	16
		F	174	38	26	15	2	5	14	32	42	94	30	13	12	3	2	4	18
18	Other respiratory diseases	M	20	1	—	1	—	—	4	5	9	18	—	—	3	1	—	1	8
		F	20	1	—	1	—	1	2	4	11	8	1	2	1	—	—	—	4
19	Diarrhœa, &c.	M	58	37	7	3	—	—	4	6	1	67	52	10	1	—	—	—	2
		F	68	43	15	3	—	—	—	3	4	76	55	13	4	1	1	1	—
20	Appendicitis and typhlitis	M	5	—	—	—	1	2	2	—	—	3	—	—	—	2	1	—	—
		F	6	—	—	—	—	1	3	2	—	1	—	—	1	—	—	—	—
21	Cirrhosis of liver ...	M	15	—	—	—	—	—	1	9	5	7	—	—	—	—	1	2	2
		F	26	—	—	—	—	—	3	19	4	17	—	—	—	—	—	3	9
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	90	1	—	—	—	5	12	41	31	41	—	—	2	1	—	4	18
		F	40	—	—	—	1	1	4	19	15	36	1	—	1	1	2	5	17
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	4	3	—	—	6	—	—	—	—	1	5	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	1	6	—	—	6	—	—	—	—	1	5	—
25	Congenital debility, &c	M	87	86	1	—	—	—	—	—	—	62	62	—	—	—	—	—	—
		F	74	73	—	—	1	—	—	—	—	36	36	—	—	—	—	—	—
26	Violence, apart from suicide.	M	62	10	1	6	9	3	8	18	7	52	7	—	2	10	3	9	12
		F	49	4	3	4	5	1	5	15	12	41	9	2	5	6	1	2	10
27	Suicide	M	19	—	—	—	—	1	6	9	3	6	—	—	—	—	—	2	2
		F	11	—	—	—	—	—	4	7	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	371	54	14	3	7	8	42	106	137	186	32	5	9	5	8	22	38
		F	361	22	4	11	6	6	36	80	196	181	24	6	5	4	4	20	36
29	Causes ill-defined or unknown.	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	2	—	1	—	—	—	—	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1915—*cont.*

Causes of Death.	Sex.	Southwark.									Stepney.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M	1,979	389	98	103	62	60	275	564	428	2,491	475	164	129	98	126	357	658	484
	F	1,778	307	121	104	92	63	231	385	475	2,129	397	143	125	90	90	285	458	541
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	55	15	23	15	2	—	—	—	—	59	18	28	12	1	—	—	—	—
	F	76	17	33	23	2	1	—	—	—	56	9	28	18	1	—	—	—	—
4 Scarlet fever	M	9	1	—	5	3	—	—	—	—	17	2	4	6	4	—	1	—	—
	F	3	—	—	3	—	—	—	—	—	12	2	3	4	3	—	—	—	—
5 Whooping cough ...	M	21	11	3	7	—	—	—	—	—	17	6	8	3	—	—	—	—	—
	F	25	5	9	11	—	—	—	—	—	36	15	14	6	1	—	—	—	—
6 Diphtheria and croup	M	11	1	1	6	2	1	—	—	—	42	6	9	20	7	—	—	—	—
	F	27	2	2	8	15	—	—	—	—	31	3	4	15	9	—	—	—	—
7 Influenza	M	18	1	—	—	—	2	5	2	8	18	—	1	—	1	—	3	7	6
	F	13	1	1	—	—	—	1	6	4	13	—	—	1	—	1	1	4	6
8 Erysipelas	M	9	1	—	—	—	—	2	2	4	4	2	—	—	—	—	—	2	—
	F	4	1	—	—	—	—	—	1	2	5	2	1	—	—	—	—	1	1
9 Pulmonary tuberculosis	M	258	3	2	5	6	26	107	104	5	345	1	6	5	8	46	140	108	31
	F	138	2	3	2	10	27	51	37	6	186	—	6	4	7	33	77	48	11
10 Tuberculous meningitis	M	26	5	2	12	4	2	—	1	—	26	5	5	8	6	2	—	—	—
	F	32	5	5	6	12	4	—	—	—	21	2	5	10	3	—	1	—	—
11 Other tuberculous diseases.	M	33	4	6	7	9	3	4	—	—	44	10	5	7	7	4	6	2	3
	F	21	2	3	7	3	1	3	1	1	26	5	5	5	6	2	2	1	—
12 Cancer, malignant disease	M	102	—	—	1	—	1	7	53	40	122	—	—	—	2	6	15	73	26
	F	109	—	—	1	1	—	22	50	35	147	—	—	—	1	1	27	73	45
13 Rheumatic fever ...	M	5	—	—	—	2	1	2	—	—	6	—	—	—	2	2	—	1	1
	F	9	—	—	—	2	2	3	2	—	6	—	—	—	3	1	1	1	—
14 Meningitis	M	19	6	2	5	3	1	—	2	—	19	9	1	2	4	1	—	1	1
	F	20	4	3	6	5	—	2	—	—	18	3	2	4	6	—	1	2	—
15 Organic heart disease ...	M	133	—	—	—	1	1	13	64	54	211	—	—	—	6	6	31	99	69
	F	165	—	—	—	11	8	33	50	63	244	—	—	1	6	16	48	89	84
16 Bronchitis	M	246	29	5	6	3	2	18	81	102	221	18	7	3	—	2	15	87	89
	F	253	18	5	5	—	1	10	70	144	193	28	6	4	1	2	11	37	104
17 Pneumonia (all forms)	M	241	60	32	14	4	4	37	60	30	276	63	36	33	10	10	39	52	33
	F	185	57	38	17	11	3	20	19	20	206	45	34	30	10	5	25	33	24
18 Other respiratory diseases	M	39	2	2	1	—	2	3	18	11	35	2	4	1	1	1	6	7	13
	F	19	3	1	2	1	—	4	5	3	27	1	4	1	—	1	2	12	6
19 Diarrhœa, &c.	M	102	79	8	3	—	—	2	4	6	146	97	25	5	1	1	3	7	7
	F	73	52	9	4	—	—	1	3	4	130	97	17	6	2	2	—	3	3
20 Appendicitis and typhlitis	M	4	—	—	1	—	1	—	2	—	8	—	—	1	1	2	1	2	1
	F	7	—	—	—	4	2	1	—	—	5	—	—	2	2	—	—	—	1
21 Cirrhosis of liver ...	M	14	—	—	—	1	—	3	8	2	12	—	—	—	—	—	4	6	2
	F	18	—	—	—	—	—	3	12	3	15	—	—	—	—	1	2	9	3
21A Alcoholism	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1
22 Nephritis and Bright's disease.	M	67	1	—	1	2	2	9	36	16	62	—	—	—	2	2	13	32	13
	F	52	—	—	1	1	1	4	31	14	49	—	—	—	1	2	10	23	13
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	2	6	—	—	8	—	—	—	—	4	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	7	1	—	10	—	—	—	—	2	8	—	—
25 Congenital debility, &c.	M	113	113	—	—	—	—	—	—	—	147	142	3	1	—	1	—	—	—
	F	88	86	1	—	—	—	1	—	—	112	111	—	—	1	—	—	—	—
26 Violence, apart from suicide.	M	80	6	5	4	13	2	15	18	17	136	15	3	12	16	13	28	35	14
	F	60	10	5	4	1	2	12	13	13	75	9	2	6	13	1	16	10	18
27 Suicide	M	5	—	—	—	—	—	3	2	—	9	—	—	—	—	—	5	2	2
	F	3	—	—	—	—	—	1	2	—	12	—	—	—	—	1	5	5	1
28 Other defined diseases	M	365	51	7	8	7	9	44	106	133	495	79	13	9	19	26	46	131	172
	F	356	42	2	4	13	9	44	79	163	478	65	9	7	14	15	43	105	220
29 Causes ill-defined or unknown.	M	2	—	—	2	—	—	—	—	—	12	—	6	1	—	—	—	4	1
	F	3	—	1	—	—	—	—	2	—	5	—	3	1	—	—	—	1	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1915—*cont*

	Causes of Death.	Sex.	Stoke Newington.									Wandsworth.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	360	52	19	18	18	9	41	108	95	2,062	348	104	102	80	59	257	506	606
		F	427	42	14	12	14	13	48	101	183	2,126	249	96	81	83	81	241	468	827
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	1	2	—
		F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	13	4	3	5	1	—	—	—	—	99	21	45	26	6	1	—	—	—
		F	11	1	4	3	3	—	—	—	—	67	14	26	16	11	—	—	—	—
4	Scarlet fever	M	5	1	—	1	2	—	1	—	—	16	1	—	6	6	3	—	—	—
		F	2	—	—	—	1	1	—	—	—	5	—	—	2	—	2	1	—	—
5	Whooping cough ...	M	4	1	2	1	—	—	—	—	—	25	14	6	4	1	—	—	—	—
		F	3	1	—	2	—	—	—	—	—	42	15	13	13	1	—	—	—	—
6	Diphtheria and croup ...	M	5	—	1	1	2	—	1	—	—	22	3	—	10	8	—	1	—	—
		F	4	—	2	—	2	—	—	—	—	32	2	2	10	16	1	1	—	—
7	Influenza	M	8	2	—	1	—	1	—	—	4	44	1	2	2	—	3	6	13	17
		F	15	—	—	—	—	—	2	5	8	47	1	3	1	1	1	5	8	27
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	6	—	—	—	1	1	1	—	3
9	Pulmonary tuberculosis	M	33	1	—	—	1	5	13	10	3	188	2	1	6	5	24	83	61	6
		F	25	—	—	—	1	5	12	7	—	157	2	—	3	5	36	78	23	10
10	Tuberculous meningitis	M	7	—	2	1	4	—	—	—	—	29	5	6	7	9	1	1	—	—
		F	5	1	1	2	1	—	—	—	—	23	2	4	5	9	1	1	—	1
11	Other tuberculous diseases.	M	5	—	1	1	—	1	—	2	—	25	3	—	2	7	2	6	3	2
		F	4	1	2	—	—	—	—	—	1	15	2	4	—	2	1	4	2	—
12	Cancer, malignant disease	M	29	—	—	—	—	—	1	16	12	152	—	—	1	—	—	9	83	59
		F	45	—	—	—	—	—	6	20	19	250	—	—	1	—	—	30	118	101
13	Rheumatic fever ...	M	5	—	—	—	2	—	1	1	1	6	—	—	—	2	2	1	—	1
		F	2	—	—	—	—	—	1	1	—	11	—	—	—	2	5	1	2	1
14	Meningitis	M	2	2	—	—	—	—	—	—	—	20	4	2	3	5	3	3	—	—
		F	1	—	1	—	—	—	—	—	—	18	7	2	1	4	1	—	3	—
15	Organic heart disease ...	M	41	—	—	—	—	1	1	20	19	215	—	—	—	3	3	20	80	109
		F	49	—	—	—	3	—	7	13	26	211	—	—	1	5	5	27	61	112
16	Bronchitis	M	30	3	1	—	—	—	—	10	16	144	27	6	3	1	1	9	33	64
		F	41	3	—	—	—	—	—	7	31	179	12	5	3	1	—	3	35	120
17	Pneumonia (all forms)	M	34	9	4	3	1	—	6	7	4	191	44	23	22	6	4	22	35	35
		F	35	6	3	4	1	—	2	4	15	167	31	20	8	9	8	17	23	51
18	Other respiratory diseases	M	11	1	—	—	2	—	1	6	1	38	4	—	2	—	1	9	10	12
		F	3	—	—	—	—	—	—	2	1	42	—	1	1	2	1	3	12	22
19	Diarrhœa, &c.	M	5	1	—	2	—	—	1	1	—	75	51	9	1	1	—	2	5	6
		F	8	6	—	—	—	—	—	1	1	74	49	11	3	—	1	—	5	5
20	Appendicitis and typhlitis	M	3	—	—	—	—	—	2	1	—	8	—	—	1	2	—	3	2	—
		F	1	—	—	—	1	—	—	—	—	12	—	—	1	2	2	4	1	2
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	2	2	—	23	—	—	—	—	—	1	14	8
		F	6	—	—	—	—	—	—	5	1	14	—	—	—	—	—	2	11	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	9	—	1	—	—	—	1	5	2	67	1	—	—	—	2	10	28	26
		F	10	—	—	—	—	—	—	8	2	55	1	—	1	—	—	5	26	22
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	5	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	14	—	—	—	—	—	14	—	—
25	Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	108	103	1	—	3	—	1	—	—
		F	15	15	—	—	—	—	—	—	—	78	78	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	6	—	—	1	—	—	2	3	—	54	4	2	1	9	1	12	11	14
		F	14	1	1	1	1	—	4	3	3	28	1	1	3	5	—	1	6	11
27	Suicide	M	3	—	—	—	—	—	2	1	—	7	—	—	—	—	—	1	5	1
		F	1	—	—	—	—	—	—	—	1	8	—	—	—	—	1	3	4	—
28	Other defined diseases ...	M	77	7	4	1	3	1	6	22	33	497	59	1	5	6	7	55	118	246
		F	124	7	—	—	—	5	13	25	74	562	32	3	8	7	13	35	126	338
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1915—*cont.*

Causes of Death.	Sex.	Westminster.									Woolwich.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M	1,124	105	33	27	22	40	164	365	368	962	155	37	24	43	41	136	254	272
	F	1,025	79	33	25	29	38	129	254	438	875	113	39	38	47	44	119	208	267
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	4	—	—	—	1	1	1	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	20	6	6	8	—	—	—	—	—	22	5	8	6	3	—	—	—	—
	F	18	1	7	6	2	—	2	—	—	23	6	9	6	2	—	—	—	—
4 Scarlet fever	M	7	—	—	5	2	—	—	—	—	2	—	1	—	—	1	—	—	—
	F	5	—	—	—	4	—	1	—	—	4	—	—	1	3	—	—	—	—
5 Whooping cough ...	M	5	2	3	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—
	F	6	1	3	2	—	—	—	—	—	13	4	5	4	—	—	—	—	—
6 Diphtheria and croup ...	M	5	—	1	—	4	—	—	—	—	5	—	2	2	1	—	—	—	—
	F	7	—	—	4	3	—	—	—	—	15	1	2	6	5	1	—	—	—
7 Influenza	M	27	—	—	—	—	1	3	13	10	32	1	—	1	1	1	6	10	12
	F	26	1	—	—	—	—	2	4	19	10	1	—	—	—	1	3	3	2
8 Erysipelas	M	4	1	—	—	—	—	—	3	—	4	1	—	—	—	—	1	—	2
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2
9 Pulmonary tuberculosis	M	138	—	2	—	2	12	62	51	9	122	1	1	—	3	18	62	34	3
	F	66	1	1	3	3	12	28	14	4	75	1	1	1	7	21	25	18	1
10 Tuberculous meningitis	M	9	3	—	4	—	—	1	1	—	11	2	1	1	6	1	—	—	—
	F	5	1	1	3	—	—	—	—	—	9	1	2	1	4	—	1	—	—
11 Other tuberculous diseases.	M	13	1	4	—	1	4	1	1	1	11	2	—	1	4	2	2	—	—
	F	7	—	—	—	1	1	5	—	—	9	2	—	1	2	1	—	2	1
12 Cancer, malignant disease	M	77	—	—	—	1	—	6	39	31	51	—	—	—	1	—	3	19	28
	F	100	—	1	—	—	—	8	48	43	74	—	—	—	—	—	8	35	31
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—
	F	4	—	—	1	2	1	—	—	—	2	—	—	—	1	—	1	—	—
14 Meningitis	M	8	1	—	1	1	2	2	1	—	12	1	1	1	1	3	2	3	—
	F	2	—	—	—	1	—	1	—	—	12	1	1	2	4	1	2	1	—
15 Organic heart disease ...	M	139	—	—	—	2	4	11	44	78	122	—	—	—	3	4	12	46	57
	F	136	—	—	—	2	3	15	36	80	100	—	—	—	5	3	17	31	44
16 Bronchitis	M	88	2	2	—	—	1	4	21	58	84	16	—	1	—	1	5	26	35
	F	96	4	—	—	—	—	4	12	76	84	12	2	1	1	1	5	14	48
17 Pneumonia (all forms)	M	97	12	10	4	1	2	13	33	22	96	29	18	5	6	1	8	20	9
	F	92	11	12	5	3	1	11	17	32	84	20	9	11	4	3	11	10	16
18 Other respiratory diseases	M	13	—	—	1	1	—	1	6	4	8	—	—	—	—	—	4	2	2
	F	18	—	—	—	—	1	1	7	9	10	—	1	—	—	—	—	4	5
19 Diarrhœa, &c.	M	30	19	2	2	—	—	2	3	2	24	19	1	1	—	—	1	1	1
	F	29	17	2	—	—	—	4	1	5	17	8	4	1	—	—	1	1	2
20 Appendicitis and typhlitis	M	4	—	—	—	—	—	2	1	1	6	—	—	—	3	1	1	1	—
	F	4	—	—	—	—	—	2	1	1	2	—	—	—	1	1	—	—	—
21 Cirrhosis of liver ...	M	15	—	—	—	—	—	1	12	2	11	—	—	—	—	—	—	10	1
	F	16	—	—	—	—	—	2	9	5	19	—	—	—	—	—	4	14	1
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	42	—	—	—	—	1	7	19	15	20	—	—	1	—	1	3	13	2
	F	39	—	—	—	1	1	3	13	21	24	—	—	1	1	—	6	9	7
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	3	—	—	—	—	1	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	3	1	1	—	5	—	—	—	—	—	5	—	—
25 Congenital debility, &c.	M	37	37	—	—	—	—	—	—	—	58	57	—	—	1	—	—	—	—
	F	30	30	—	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	41	2	1	2	3	2	5	13	13	47	2	2	2	4	2	9	17	9
	F	32	1	1	—	3	3	4	5	15	20	5	1	2	2	—	—	4	6
27 Suicide	M	18	—	—	—	—	—	9	6	3	6	—	—	—	—	—	2	3	1
	F	8	—	—	—	—	2	4	2	—	5	—	—	—	—	—	3	1	1
28 Other defined diseases ...	M	285	19	2	—	4	11	33	97	119	198	16	1	1	5	4	13	48	110
	F	262	11	3	1	4	8	25	83	127	212	14	2	—	4	9	24	59	100
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	4	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915.

Causes of Death.	Sex.	Barnsley.									Barrow in Furness.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	499	144	55	33	15	13	45	96	98	644	148	44	28	25	21	88	156	134
	F	434	108	50	24	24	14	42	89	83	491	98	29	20	23	22	63	96	140
1 Enteric fever	M	2	—	—	—	—	1	—	1	—	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	28	4	10	13	1	—	—	—	—	26	9	14	3	—	—	—	—	—
	F	30	12	12	3	3	—	—	—	—	14	3	9	1	1	—	—	—	—
4 Scarlet fever	M	3	—	—	2	—	1	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
5 Whooping cough ...	M	10	4	5	1	—	—	—	—	—	9	7	2	—	—	—	—	—	—
	F	6	4	2	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—
6 Diphtheria and croup ...	M	2	—	1	—	—	—	1	—	—	12	—	1	5	6	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	7	—	1	4	2	—	—	—	—
7 Influenza	M	21	5	2	2	—	—	2	4	6	10	1	—	—	—	—	3	5	1
	F	14	2	1	2	1	1	1	2	4	7	—	—	—	—	1	2	1	3
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	M	22	—	—	—	2	4	8	7	1	29	—	—	—	—	2	17	9	1
	F	25	—	—	2	5	2	13	3	—	26	—	—	—	1	8	14	3	—
10 Tuberculous meningitis	M	7	2	1	—	4	—	—	—	—	3	—	2	—	1	—	—	—	—
	F	6	—	4	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—
11 Other tuberculous diseases.	M	6	3	1	1	1	—	—	—	—	5	1	—	1	3	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	5	—	—	—	3	—	1	1	—
12 Cancer, malignant disease	M	22	—	1	—	—	—	3	11	7	30	—	—	1	—	1	5	12	11
	F	27	—	—	—	—	—	4	10	13	33	—	—	—	—	—	3	22	8
13 Rheumatic fever ...	M	3	—	—	—	1	—	1	1	—	4	—	—	—	1	2	—	—	1
	F	5	—	—	—	2	—	—	3	—	1	—	—	—	1	—	—	—	—
14 Meningitis	M	2	—	—	2	—	—	—	—	—	8	4	1	2	1	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	10	1	—	3	4	—	2	—	—
15 Organic heart disease ...	M	40	—	—	—	1	—	5	15	19	37	—	—	—	1	1	7	20	8
	F	39	—	—	—	—	4	1	18	16	44	—	—	—	3	2	6	14	19
16 Bronchitis	M	36	10	4	1	—	1	—	11	9	63	13	3	1	1	—	4	19	22
	F	38	12	3	4	1	—	—	7	11	53	11	5	1	—	—	3	11	22
17 Pneumonia (all forms)	M	56	21	12	4	1	1	4	9	4	87	20	10	5	3	2	11	26	10
	F	31	10	4	4	1	—	3	6	3	39	15	6	4	1	2	3	6	2
18 Other respiratory diseases	M	6	1	—	2	—	1	—	2	—	10	3	—	—	1	—	—	5	1
	F	5	—	1	1	—	—	—	2	1	5	1	—	—	—	—	1	2	1
19 Diarrhœa, &c.	M	44	30	13	1	—	—	—	—	—	27	18	5	2	—	1	—	1	—
	F	40	20	18	—	1	—	—	1	—	25	18	2	1	—	1	1	2	—
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—
	F	3	—	—	—	1	1	—	1	—	2	—	—	—	—	2	—	—	—
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—
	F	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	1	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	30	—	—	—	1	—	3	12	14	19	1	—	1	—	2	4	9	2
	F	21	1	2	—	1	—	4	9	4	13	—	—	—	1	—	2	5	5
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	9	—	—	—	—	1	8	—	—
25 Congenital debility, &c.	M	44	43	—	—	1	—	—	—	—	50	49	1	—	—	—	—	—	—
	F	35	35	—	—	—	—	—	—	—	37	36	—	—	—	—	1	—	—
26 Violence, apart from suicide.	M	19	6	—	3	1	2	3	2	2	35	2	1	2	4	5	14	6	1
	F	19	3	—	3	5	2	1	2	3	8	—	—	2	2	—	—	2	2
27 Suicide	M	4	—	—	—	—	—	2	2	—	3	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—
28 Other defined diseases ...	M	88	15	5	1	1	2	10	18	36	155	16	2	4	3	3	19	34	74
	F	75	9	1	3	1	2	8	23	28	136	11	4	1	4	2	14	24	76
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	15	4	2	1	—	—	1	5	2
	F	—	—	—	—	—	—	—	—	—	7	1	1	1	—	—	—	2	2

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Bath.									Birkenhead.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	417	47	6	15	12	13	48	101	175	1,167	267	74	54	45	48	163	273	243
		F	591	38	6	15	13	16	57	121	325	1,029	203	69	41	41	34	130	221	290
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	2	1	—	1	—	—	—	—	—	3	—	2	1	—	—	—	—	—
		F	4	—	1	3	—	—	—	—	—	4	2	2	—	—	—	—	—	—
4	Scarlet fever	M	2	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	3	—	1	—	2	—	—	—	—
5	Whooping cough ...	M	5	3	2	—	—	—	—	—	—	17	7	7	3	—	—	—	—	—
		F	8	6	2	—	—	—	—	—	—	26	15	8	3	—	—	—	—	—
6	Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	13	2	1	8	2	—	—	—	—
		F	3	—	—	—	3	—	—	—	—	6	—	—	3	3	—	—	—	—
7	Influenza	M	12	—	—	—	1	—	1	3	7	8	1	—	—	2	—	—	1	4
		F	24	1	—	—	—	1	4	3	15	7	1	—	—	—	—	2	2	2
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	2	1
		F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	2	1
9	Pulmonary tuberculosis	M	34	—	—	—	—	6	16	11	1	107	—	—	2	4	11	47	36	7
		F	30	—	—	—	2	7	14	6	1	67	—	—	1	7	12	28	15	4
10	Tuberculous meningitis	M	2	2	—	—	—	—	—	—	—	17	3	6	5	2	—	1	—	—
		F	3	—	—	1	2	—	—	—	—	8	—	4	3	—	—	1	—	—
11	Other tuberculous diseases.	M	3	1	—	—	—	—	1	—	1	29	4	6	6	4	2	6	1	—
		F	3	—	—	1	—	2	—	—	—	14	1	—	4	5	1	2	1	—
12	Cancer, malignant disease	M	29	—	—	—	—	—	—	10	19	66	—	—	—	—	—	4	43	19
		F	59	—	—	—	—	—	1	33	25	62	—	—	—	—	—	7	31	24
13	Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	2	1	—	—	—	—	1	—	—
		F	2	—	—	—	—	1	—	1	—	4	—	—	1	—	—	1	2	—
14	Meningitis	M	4	1	—	1	1	—	1	—	—	10	1	1	3	2	1	1	1	—
		F	6	—	—	1	2	1	2	—	—	12	1	1	3	2	1	—	3	1
15	Organic heart disease ...	M	40	—	—	—	—	—	8	9	23	95	—	—	—	2	4	15	36	38
		F	92	—	—	—	1	1	8	24	58	111	—	—	—	4	6	11	39	51
16	Bronchitis	M	31	3	—	—	1	—	—	9	18	91	16	6	1	1	—	4	25	38
		F	65	3	—	—	—	—	—	5	57	89	13	3	—	—	—	1	18	54
17	Pneumonia (all forms)	M	32	7	2	5	—	1	3	4	10	148	32	20	8	5	10	23	29	21
		F	33	6	3	6	—	—	—	3	15	111	17	21	10	2	5	20	17	19
18	Other respiratory diseases	M	9	—	—	1	—	—	—	3	5	16	—	3	1	1	—	2	3	6
		F	15	—	—	—	—	—	1	2	12	18	2	—	—	1	1	1	6	7
19	Diarrhœa, &c.	M	7	3	—	1	—	—	—	1	2	107	80	16	3	—	—	3	1	4
		F	2	1	—	—	—	—	—	1	—	77	49	19	3	—	1	2	3	—
20	Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	6	—	—	1	2	2	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	—	5	2	10	—	—	—	—	—	4	4	2
		F	2	—	—	—	—	—	—	2	—	7	—	—	—	—	—	1	3	3
21A	Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
22	Nephritis and Bright's disease.	M	13	—	—	—	—	—	2	4	7	28	—	—	3	1	—	7	12	5
		F	16	—	—	—	—	—	1	6	9	19	—	1	—	1	—	5	7	5
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	9	—	—	—	—	1	7	1	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	12	—	—	—	—	1	11	—	—
25	Congenital debility, &c.	M	21	20	1	—	—	—	—	—	—	70	70	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	61	61	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	13	—	—	—	2	1	3	3	4	62	2	1	4	10	8	18	13	6
		F	10	—	—	1	1	—	1	4	3	22	1	2	3	5	1	1	5	4
27	Suicide	M	8	—	—	—	—	1	2	3	2	3	—	—	—	—	—	1	2	—
		F	3	—	—	—	—	—	2	1	—	3	—	—	—	—	—	1	1	1
28	Other defined diseases ...	M	135	5	1	3	5	4	9	36	72	251	48	5	4	6	10	22	64	92
		F	187	8	—	1	2	1	17	29	129	270	40	6	7	8	4	27	64	114
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	2	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Birmingham.									Blackburn.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	6,727	1404	424	278	247	217	947	1648	1562	1,024	189	66	38	42	33	110	308	238
		F	6,175	1106	360	309	260	230	711	1281	1918	1,046	168	58	32	46	33	115	283	311
1	Enteric fever	M	7	—	—	—	2	2	2	1	—	4	—	—	—	2	—	—	2	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	221	49	96	62	14	—	—	—	—	32	11	14	5	2	—	—	—	—
		F	205	51	69	67	17	1	—	—	—	19	5	10	4	—	—	—	—	—
4	Scarlet fever	M	34	1	3	7	21	2	—	—	—	3	—	—	2	1	—	—	—	—
		F	26	2	2	12	8	2	—	—	—	3	—	—	2	1	—	—	—	—
5	Whooping cough ...	M	45	21	12	11	1	—	—	—	—	25	12	9	3	1	—	—	—	—
		F	76	27	24	21	4	—	—	—	—	16	10	5	1	—	—	—	—	—
6	Diphtheria and croup ...	M	67	4	5	21	33	—	2	1	1	6	—	1	4	1	—	—	—	—
		F	67	2	6	28	28	2	1	—	—	3	—	2	—	1	—	—	—	—
7	Influenza	M	82	1	2	2	3	4	14	36	20	21	1	—	—	2	2	5	9	2
		F	62	1	—	—	2	1	1	16	41	15	—	—	—	—	3	1	5	6
8	Erysipelas	M	12	3	—	—	—	—	1	4	4	—	—	—	—	—	—	—	—	—
		F	13	3	—	—	—	1	4	2	3	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	733	4	4	4	12	81	381	227	20	62	—	—	—	3	12	27	18	2
		F	414	2	3	8	22	75	190	100	14	53	2	—	—	8	9	25	8	1
10	Tuberculous meningitis	M	44	13	8	12	6	4	—	1	—	4	1	—	1	1	—	1	—	—
		F	28	5	6	12	3	1	—	1	—	15	1	4	2	7	—	1	—	—
11	Other tuberculous diseases.	M	82	25	9	11	8	6	16	7	—	10	2	—	2	1	2	—	3	—
		F	84	24	10	11	10	7	13	8	1	19	3	—	2	8	2	3	1	—
12	Cancer, malignant disease	M	401	—	—	—	—	6	40	221	134	59	—	—	—	—	—	9	33	17
		F	494	—	—	1	2	4	66	245	176	105	—	—	—	—	2	11	57	35
13	Rheumatic fever ...	M	25	—	—	2	7	4	7	5	—	3	—	—	—	1	—	1	1	—
		F	20	—	—	1	8	6	4	1	—	5	—	—	—	1	2	1	1	—
14	Meningitis	M	70	20	12	17	10	3	5	3	—	7	2	1	1	2	1	—	—	—
		F	75	24	16	10	13	1	8	3	—	11	1	3	2	4	—	—	1	—
15	Organic heart disease ...	M	563	1	—	2	13	23	74	209	241	79	—	1	—	2	—	6	40	30
		F	635	1	—	1	19	33	88	196	297	122	—	—	—	—	6	16	50	50
16	Bronchitis	M	627	112	42	6	9	1	27	155	275	115	27	10	2	—	2	5	34	35
		F	655	79	24	8	4	4	23	137	376	136	28	8	4	—	1	3	29	63
17	Pneumonia (all forms)	M	665	149	119	57	24	14	95	134	73	107	18	11	10	9	5	12	26	16
		F	494	109	90	56	22	14	52	76	75	90	19	13	7	5	2	12	18	14
18	Other respiratory diseases	M	90	8	2	5	2	6	10	31	26	23	3	4	1	—	—	2	6	7
		F	72	3	1	6	4	2	4	21	31	12	—	1	—	1	—	2	4	4
19	Diarrhœa, &c.	M	369	279	53	9	1	2	7	6	12	37	24	6	1	—	—	2	1	3
		F	316	199	48	19	8	1	9	14	18	36	24	6	1	—	—	—	3	2
20	Appendicitis and typhlitis	M	33	—	—	—	12	5	9	6	1	7	—	—	—	5	—	1	1	—
		F	34	—	—	1	9	8	13	3	—	2	—	—	—	1	1	—	—	—
21	Cirrhosis of liver ...	M	46	—	—	—	2	—	6	31	7	9	—	—	—	—	—	1	8	—
		F	36	—	—	—	—	—	6	27	3	7	—	—	—	—	—	—	5	2
21A	Alcoholism	M	4	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	182	1	3	5	4	4	19	93	53	37	1	1	—	1	1	4	20	9
		F	147	1	4	3	5	7	20	61	46	37	—	—	1	1	1	2	16	16
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	38	—	—	—	—	10	28	—	—	3	—	—	—	—	—	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	34	—	—	—	—	4	29	1	—	6	—	—	—	—	2	4	—	—
25	Congenital debility, &c.	M	455	444	4	4	1	2	—	—	—	63	63	—	—	—	—	—	—	—
		F	374	364	2	1	4	2	—	1	—	47	47	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	232	44	8	19	28	10	42	51	30	27	2	—	1	6	1	3	8	6
		F	170	45	5	23	31	2	10	26	28	12	1	1	3	2	—	1	—	4
27	Suicide	M	33	—	—	—	—	1	10	16	6	8	—	—	—	—	—	1	7	—
		F	12	—	—	—	—	—	2	9	1	5	—	—	—	—	—	4	1	—
28	Other defined diseases ...	M	1,543	225	34	22	33	35	169	377	648	255	22	7	4	2	7	27	77	109
		F	1,535	162	39	18	32	40	134	310	800	256	27	5	3	5	2	23	78	113
29	Causes ill-defined or unknown.	M	62	—	8	—	1	2	10	30	11	21	—	1	1	—	—	3	14	2
		F	56	2	11	2	5	2	5	22	7	9	—	—	—	1	—	2	5	1

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Blackpool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Bolton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	520	83	10	12	14	12	63	165	161	1,366	259	84	52	69	46	167	365	324
	F	542	46	15	15	15	17	74	140	220	1,364	192	79	63	53	57	167	355	398
1 Enteric fever	M	4	—	—	—	1	1	1	—	1	9	—	—	—	1	2	4	2	—
	F	4	—	—	—	—	1	2	1	—	9	—	—	—	—	3	3	2	1
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	11	6	3	2	—	—	—	—	—	35	14	13	5	3	—	—	—	—
	F	14	4	5	4	1	—	—	—	—	29	2	14	13	—	—	—	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	3	—	—	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	19	8	7	4	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	27	10	11	5	1	—	—	—	—
6 Diphtheria and croup ...	M	2	1	—	—	1	—	—	—	—	20	—	3	1	13	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	25	1	2	7	15	—	—	—	—
7 Influenza	M	7	—	—	—	—	—	2	2	3	16	—	—	—	2	—	6	6	2
	F	11	—	—	1	—	1	1	4	4	16	1	1	1	—	—	6	1	6
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	2	1
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1
9 Pulmonary tuberculosis	M	36	—	—	—	—	3	18	14	1	100	1	1	5	2	14	51	24	2
	F	35	—	1	—	2	5	17	7	3	84	—	1	—	5	22	37	16	3
10 Tuberculous meningitis	M	2	—	2	—	—	—	—	—	—	10	2	2	1	4	1	—	—	—
	F	2	—	2	—	—	—	—	—	—	11	—	3	3	5	—	—	—	—
11 Other tuberculous diseases.	M	5	—	1	1	—	1	2	—	—	16	3	2	1	4	3	3	—	—
	F	7	1	1	1	1	2	1	—	—	15	2	1	4	4	1	2	1	—
12 Cancer, malignant disease	M	41	—	—	—	—	2	3	18	18	79	—	—	—	1	—	2	52	24
	F	45	—	—	—	—	1	8	20	16	105	—	—	—	—	1	15	58	31
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	7	—	—	—	3	2	1	—	1
	F	2	—	—	—	—	—	1	—	1	11	—	—	—	3	1	2	4	1
14 Meningitis	M	6	1	—	1	4	—	—	—	—	16	4	4	4	2	1	1	—	—
	F	3	1	—	—	1	—	1	—	—	16	5	4	3	1	—	2	1	—
15 Organic heart disease ...	M	57	—	—	—	1	1	4	25	26	108	—	—	—	4	5	10	44	45
	F	59	—	—	—	—	2	7	18	32	139	—	—	—	2	7	20	59	51
16 Bronchitis	M	51	9	1	2	—	1	1	11	26	179	30	8	1	1	—	6	63	70
	F	60	3	—	—	—	—	1	13	43	178	18	5	2	—	—	2	57	94
17 Pneumonia (all forms)	M	45	14	2	1	1	2	5	14	6	110	23	18	8	4	4	13	27	13
	F	28	5	2	5	2	—	2	7	5	107	14	20	7	3	6	10	28	19
18 Other respiratory diseases	M	9	1	—	—	—	—	4	4	—	18	3	2	2	2	—	2	6	1
	F	8	—	—	—	—	—	2	4	2	23	2	—	2	2	1	6	6	4
19 Diarrhœa, &c.	M	18	11	1	1	—	—	2	2	1	103	63	16	4	2	2	3	6	7
	F	16	10	1	—	2	—	—	—	3	66	37	10	5	1	—	2	5	6
20 Appendicitis and typhlitis	M	7	—	—	1	3	—	3	—	—	8	—	—	1	2	1	1	2	1
	F	5	—	—	—	2	1	2	—	—	3	—	—	—	—	1	1	1	—
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	3	—	5	—	—	—	—	—	—	5	—
	F	3	—	—	—	—	—	—	—	3	6	—	—	—	—	—	—	5	1
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	20	—	—	—	—	—	2	7	11	49	—	1	1	1	1	9	19	17
	F	21	—	—	—	1	—	4	9	7	45	1	—	2	—	3	8	16	15
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	3	—	—	—	—	—	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	19	—	—	—	—	2	17	—	—
25 Congenital debility, &c.	M	19	19	—	—	—	—	—	—	—	68	68	—	—	—	—	—	—	—
	F	12	12	—	—	—	—	—	—	—	62	61	1	—	—	—	—	—	—
26 Violence, apart from suicide.	M	12	—	—	1	1	—	4	4	2	54	1	—	6	8	1	17	14	7
	F	9	1	1	2	1	—	—	1	3	29	—	1	3	4	1	2	6	12
27 Suicide	M	5	—	—	—	—	—	—	5	—	7	—	—	—	—	—	2	5	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
28 Other defined diseases ...	M	144	20	—	1	—	1	10	48	64	320	39	7	5	10	7	33	86	133
	F	177	9	1	1	2	3	15	49	97	328	38	3	5	7	7	28	88	152
29 Causes ill-defined or unknown.	M	10	—	—	—	—	—	1	7	2	2	—	—	—	—	—	—	2	—
	F	10	—	—	1	—	—	1	7	1	2	—	1	—	—	—	1	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Bootle. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Bournemouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	710	171	64	35	26	28	98	160	128	535	62	8	16	9	19	71	122	228
	F	575	120	57	29	18	20	66	127	138	599	49	13	13	14	13	59	144	294
1 Enteric fever	M	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	2	1	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—
	F	8	3	3	2	—	—	—	—	—	2	—	—	1	1	—	—	—	—
4 Scarlet fever	M	5	—	—	2	2	—	1	—	—	1	—	—	—	1	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	2	—	—	—	—	2	—	—	—
5 Whooping cough ...	M	27	11	13	2	1	—	—	—	—	5	3	1	1	—	—	—	—	—
	F	30	15	12	3	—	—	—	—	—	7	2	3	1	1	—	—	—	—
6 Diphtheria and croup ...	M	4	—	2	2	—	—	—	—	—	3	—	—	2	1	—	—	—	—
	F	5	—	2	1	1	—	1	—	—	8	—	—	2	5	—	1	—	—
7 Influenza	M	—	—	—	—	—	—	—	—	—	15	—	—	1	—	—	2	4	8
	F	4	1	—	—	—	1	—	—	2	19	1	1	—	—	—	1	4	12
8 Erysipelas	M	4	—	—	—	—	—	1	3	—	1	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	60	1	1	1	6	10	26	13	2	55	—	—	—	—	8	31	14	2
	F	44	—	—	—	3	8	20	12	1	45	—	—	—	—	6	27	11	1
10 Tuberculous meningitis	M	12	4	5	1	1	—	1	—	—	3	2	—	1	—	—	—	—	—
	F	9	2	2	3	—	2	—	—	—	9	2	2	3	2	—	—	—	—
11 Other tuberculous diseases.	M	12	—	2	5	—	3	—	2	—	5	1	—	—	1	—	1	2	—
	F	5	—	1	1	1	2	—	—	—	6	2	—	—	—	—	2	2	—
12 Cancer, malignant disease	M	36	—	—	—	—	1	3	17	15	48	—	—	—	—	—	—	18	30
	F	35	—	—	—	—	—	3	21	11	87	—	—	—	—	—	8	30	49
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	1	—	4	—	—	1	—	—	—	1	2
	F	2	—	—	—	—	—	2	—	—	2	—	—	1	—	—	—	1	—
14 Meningitis	M	8	3	2	—	1	1	—	1	—	9	1	1	—	1	—	4	2	—
	F	7	1	4	—	—	—	—	2	—	7	—	1	2	1	1	—	2	—
15 Organic heart disease ...	M	50	—	1	—	1	3	15	15	15	61	—	—	—	—	1	4	17	39
	F	31	—	—	—	—	—	7	13	11	71	—	—	—	—	—	7	18	46
16 Bronchitis	M	56	11	3	1	—	—	3	17	21	35	2	—	—	—	—	—	5	28
	F	44	8	2	—	—	—	1	9	24	42	6	—	—	—	—	1	12	23
17 Pneumonia (all forms)	M	75	20	11	5	2	2	16	12	7	27	4	4	4	—	—	3	5	7
	F	53	16	10	6	2	1	4	6	8	32	4	6	2	1	1	4	4	10
18 Other respiratory diseases	M	11	—	1	2	—	—	1	6	1	10	—	1	—	—	—	2	4	3
	F	8	1	2	1	—	—	—	3	1	16	2	—	—	—	—	1	1	12
19 Diarrhœa, &c.	M	61	43	12	1	—	—	2	2	1	13	4	—	2	1	—	2	1	3
	F	40	24	12	2	—	—	—	—	2	12	4	—	—	—	—	—	3	5
20 Appendicitis and typhlitis	M	2	—	—	—	2	—	—	—	—	2	—	—	—	—	1	—	—	1
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	1
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—
	F	4	—	—	—	—	—	—	4	—	4	—	—	—	—	—	—	4	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	19	—	1	—	1	—	5	9	3	17	—	—	—	—	1	1	7	8
	F	27	—	1	—	2	2	5	12	5	18	—	—	—	—	—	—	12	6
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	2	7	—	—	1	—	—	—	—	1	—	—	—
25 Congenital debility, &c.	M	33	33	—	—	—	—	—	—	—	31	30	1	—	—	—	—	—	—
	F	25	25	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	31	1	1	1	3	5	8	9	3	16	1	—	—	—	2	5	3	5
	F	22	1	1	5	4	1	1	4	5	11	1	—	—	—	1	—	2	7
27 Suicide	M	2	—	—	—	—	—	—	2	—	7	—	—	—	—	1	—	3	3
	F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—
28 Other defined diseases ...	M	165	35	8	6	3	1	14	43	55	161	12	—	4	3	4	15	34	89
	F	139	20	4	2	3	1	11	35	63	173	6	—	—	3	1	6	36	121
29 Causes ill-defined or unknown.	M	25	7	—	3	3	—	1	6	5	1	—	—	—	—	1	—	—	—
	F	17	3	1	1	2	—	1	4	5	1	—	—	1	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death	Sex.	Bradford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Brighton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	2,338	362	117	92	73	79	295	673	647	981	126	36	35	25	28	123	237	371
	F	2,417	266	97	77	102	100	335	621	819	1,130	89	48	31	34	26	134	273	495
1 Enteric fever	M	8	—	—	—	—	1	3	3	1	1	—	—	—	—	—	1	—	—
	F	11	—	—	1	—	2	8	—	—	1	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	53	10	18	22	3	—	—	—	—	6	2	1	3	—	—	—	—	—
	F	47	11	17	17	2	—	—	—	—	8	2	2	2	1	—	—	1	—
4 Scarlet fever	M	13	1	1	4	5	1	1	—	—	2	—	—	—	1	—	1	—	—
	F	14	—	—	4	7	2	1	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	28	11	14	2	1	—	—	—	—	20	8	7	5	—	—	—	—	—
	F	24	9	9	5	1	—	—	—	—	19	6	5	3	5	—	—	—	—
6 Diphtheria and croup ...	M	26	1	4	12	9	—	—	—	—	2	1	—	—	1	—	—	—	—
	F	31	3	5	7	16	—	—	—	—	1	—	—	—	1	—	—	—	—
7 Influenza...	M	39	2	1	—	1	2	5	14	14	36	2	—	2	1	1	2	5	23
	F	43	1	—	1	3	1	9	7	21	51	—	—	1	2	—	4	9	35
8 Erysipelas	M	5	1	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—
	F	4	—	1	—	—	—	2	—	1	2	1	—	—	—	1	—	—	—
9 Pulmonary tuberculosis	M	200	2	1	1	4	28	85	70	9	106	2	1	3	2	13	48	36	1
	F	159	1	1	1	13	41	70	26	6	84	1	1	1	2	13	43	19	4
10 Tuberculous meningitis	M	16	2	6	4	4	—	—	—	—	11	2	—	4	4	1	—	—	—
	F	22	2	6	5	8	1	—	—	—	8	1	1	3	3	—	—	—	—
11 Other tuberculous diseases.	M	29	1	5	1	1	5	8	5	3	12	2	—	1	1	—	3	3	2
	F	28	3	—	4	4	5	7	4	1	7	—	—	—	3	—	4	—	—
12 Cancer, malignant disease	M	128	—	—	—	—	1	12	64	51	79	—	—	—	1	1	4	32	41
	F	215	—	—	—	—	3	28	105	79	127	—	—	1	1	—	10	61	54
13 Rheumatic fever ...	M	3	—	—	—	2	1	—	—	—	1	—	—	—	—	1	—	—	—
	F	11	—	—	—	6	1	2	2	—	4	—	—	—	3	—	1	—	—
14 Meningitis	M	20	3	4	3	2	2	3	3	—	16	2	4	1	4	1	3	1	—
	F	18	2	4	2	5	4	—	1	—	10	1	1	1	1	—	5	1	—
15 Organic heart disease ...	M	234	1	—	—	5	5	25	100	95	111	1	—	1	1	1	13	32	62
	F	303	1	—	1	3	5	38	125	130	107	—	—	—	2	1	9	33	62
16 Bronchitis	M	199	23	7	5	2	—	6	44	112	74	8	2	2	1	—	2	10	49
	F	204	19	4	2	—	—	9	49	121	113	4	8	1	—	—	—	19	81
17 Pneumonia (all forms)	M	238	46	28	20	7	9	53	51	24	94	22	19	7	2	—	9	16	19
	F	159	29	25	8	6	7	20	34	30	103	19	16	12	3	2	11	15	25
18 Other respiratory diseases	M	47	5	2	5	2	1	8	12	12	18	1	—	—	—	1	3	5	8
	F	31	1	1	1	1	—	2	14	11	29	2	1	1	2	—	2	8	13
19 Diarrhœa, &c.	M	75	44	10	6	2	—	1	9	3	19	12	1	—	—	—	1	2	3
	F	56	26	5	6	—	—	5	5	9	25	12	3	1	—	—	2	3	4
20 Appendicitis and typhlitis	M	15	—	—	—	1	5	3	6	—	6	—	—	—	1	—	4	1	—
	F	4	—	—	—	2	1	—	1	—	4	—	—	—	—	—	3	1	—
21 Cirrhosis of liver ...	M	19	—	—	—	—	—	2	13	4	14	—	—	—	—	—	1	5	8
	F	8	—	—	—	—	—	2	6	—	23	—	—	—	—	—	9	10	4
21A Alcoholism	M	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	1	2	1	3	—	—	—	—	—	1	2	—
22 Nephritis and Bright's disease.	M	60	1	—	1	1	3	8	28	18	22	—	—	—	—	—	2	14	6
	F	72	—	2	—	3	2	13	32	20	35	1	—	—	—	—	5	13	16
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	—	—	—	—	2	18	—	—	1	—	—	—	—	1	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	—	2	17	—	—	1	—	—	—	—	1	—	—	—
25 Congenital debility, &c.	M	115	115	—	—	—	—	—	—	—	32	31	—	1	—	—	—	—	—
	F	89	83	1	—	3	—	1	1	—	26	26	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	64	4	4	2	8	7	8	19	12	37	2	—	5	2	2	7	10	9
	F	53	4	1	6	4	2	8	10	18	25	2	—	1	3	2	2	5	10
27 Suicide	M	23	—	—	—	1	—	5	12	5	5	—	—	—	—	—	1	3	1
	F	15	—	—	—	—	2	4	5	4	6	—	—	—	—	—	2	3	1
28 Other defined diseases ...	M	652	88	9	4	12	8	55	199	277	255	28	—	—	2	6	18	62	139
	F	733	71	12	6	15	17	67	178	367	304	11	8	3	2	5	20	69	186
29 Causes ill-defined or unknown.	M	25	1	3	—	—	—	—	16	5	2	—	1	—	1	—	—	—	—
	F	20	—	3	—	—	—	3	14	—	3	—	2	—	—	—	—	1	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Bristol. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Burnley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	2,756	501	148	109	112	96	338	596	856	875	194	56	45	30	30	80	222	218
	F	2,790	355	117	112	103	125	341	559	1078	876	141	49	37	41	27	114	228	239
1 Enteric fever	M	7	—	—	—	2	3	2	—	—	3	—	—	1	—	—	2	—	—
	F	5	—	—	—	—	3	1	1	—	1	—	—	—	1	—	—	—	—
2 Small-pox	M	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
3 Measles	M	48	10	14	19	5	—	—	—	—	23	7	9	6	1	—	—	—	—
	F	59	5	25	25	4	—	—	—	—	21	4	11	6	—	—	—	—	—
4 Scarlet fever	M	9	—	—	5	4	—	—	—	—	2	—	—	—	1	1	—	—	—
	F	8	1	1	3	3	—	—	—	—	1	—	—	1	—	—	—	—	—
5 Whooping cough ...	M	71	34	20	16	1	—	—	—	—	4	3	1	—	—	—	—	—	—
	F	59	22	23	10	4	—	—	—	—	2	—	1	1	—	—	—	—	—
6 Diphtheria and croup ...	M	13	1	3	5	4	—	—	—	—	6	—	1	3	2	—	—	—	—
	F	22	1	—	11	8	—	2	—	—	10	—	2	5	3	—	—	—	—
7 Influenza	M	47	1	—	—	—	1	7	17	21	8	—	—	—	—	—	1	5	2
	F	43	—	—	—	—	1	5	13	24	6	—	—	—	—	1	2	1	2
8 Erysipelas	M	4	—	—	—	—	1	—	2	1	3	1	—	—	—	—	—	1	1
	F	6	2	—	—	—	—	—	4	—	2	—	—	—	—	—	—	—	2
9 Pulmonary tuberculosis	M	228	3	2	2	11	36	102	63	9	52	1	2	—	1	12	18	17	1
	F	228	4	—	2	10	65	98	43	6	46	—	1	—	3	8	20	13	1
10 Tuberculous meningitis	M	22	6	6	4	4	—	1	1	—	5	1	—	4	—	—	—	—	—
	F	22	2	3	9	5	2	1	—	—	3	—	—	1	2	—	—	—	—
11 Other tuberculous diseases.	M	32	4	3	5	8	3	6	2	1	18	5	1	1	4	3	1	2	1
	F	31	5	1	3	7	5	6	2	2	18	4	2	2	4	3	—	3	—
12 Cancer, malignant disease	M	167	—	2	—	2	1	17	76	69	32	—	—	—	—	—	2	15	15
	F	256	—	—	1	—	2	43	85	125	46	—	—	—	—	1	5	28	12
13 Rheumatic fever ...	M	11	—	—	—	1	4	4	2	—	3	—	—	—	—	—	3	—	—
	F	14	—	—	—	1	3	5	4	1	6	—	—	—	2	1	2	1	—
14 Meningitis	M	28	6	4	6	5	3	—	4	—	7	2	—	3	2	—	—	—	—
	F	27	6	3	3	8	1	3	3	—	8	1	—	2	4	—	—	1	—
15 Organic heart disease ...	M	275	—	—	—	6	6	25	80	158	78	—	—	—	—	2	8	35	33
	F	346	—	—	—	13	6	31	107	189	89	—	—	—	5	2	11	42	29
16 Bronchitis	M	231	38	10	4	—	—	9	48	122	118	27	8	1	1	1	2	34	44
	F	285	28	18	5	3	—	3	55	173	134	18	5	2	1	—	6	35	67
17 Pneumonia (all forms)...	M	260	57	50	17	17	11	37	39	32	86	15	10	6	4	4	11	21	15
	F	199	46	22	17	10	7	23	29	45	64	17	9	8	3	—	9	8	10
18 Other respiratory diseases	M	44	1	2	1	2	—	5	13	20	20	1	2	5	4	1	2	2	3
	F	42	1	2	4	1	2	3	12	17	13	1	1	—	3	—	3	3	2
19 Diarrhœa, &c.	M	112	74	12	3	1	—	5	3	14	67	42	13	6	—	—	3	1	2
	F	89	61	8	5	—	1	3	3	8	56	35	11	2	—	—	—	4	4
20 Appendicitis and typhlitis	M	5	—	—	—	1	—	1	1	2	5	—	—	—	2	—	1	1	1
	F	5	—	—	—	—	1	2	1	1	5	—	—	—	1	2	1	1	—
21 Cirrhosis of liver ...	M	14	—	—	—	—	—	2	8	4	1	—	—	—	—	—	—	1	—
	F	7	—	—	—	—	1	1	4	1	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	78	1	—	1	—	3	11	38	24	23	1	1	1	—	—	3	10	7
	F	92	1	—	—	4	5	21	37	24	39	—	2	—	1	4	10	17	5
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	9	—	—	4	—	—	—	—	—	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	4	10	—	—	8	—	—	—	—	—	8	—	—
25 Congenital debility, &c.	M	168	167	1	—	—	—	—	—	—	46	46	—	—	—	—	—	—	—
	F	125	121	3	—	1	—	—	—	—	28	28	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	107	7	3	9	19	14	18	21	16	28	6	1	2	3	1	3	9	3
	F	55	5	1	3	10	1	7	11	17	18	1	1	3	1	1	1	1	9
27 Suicide	M	13	—	—	—	—	1	3	7	2	5	—	—	—	—	—	1	3	1
	F	8	—	—	—	—	—	3	3	2	2	—	—	—	—	—	2	—	—
28 Other defined diseases ...	M	751	90	14	12	19	9	79	167	361	220	36	7	6	5	5	19	58	84
	F	729	44	7	11	11	14	59	140	443	242	32	3	4	7	4	29	67	96
29 Causes ill-defined or unknown.	M	3	1	2	—	—	—	—	—	—	12	—	—	—	—	—	—	7	5
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	3	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Burton upon Trent. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Bury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	347	39	15	11	11	13	38	119	101	464	63	24	16	14	11	72	147	117
	F	272	37	10	8	12	6	20	72	107	486	56	23	13	15	23	53	138	165
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	14	1	5	7	1	—	—	—	—	13	4	5	3	1	—	—	—	—
	F	11	3	4	3	1	—	—	—	—	14	3	7	3	1	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	3	—	1	1	1	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
5 Whooping cough ...	M	2	—	2	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—
6 Diphtheria and croup ...	M	3	—	—	1	2	—	—	—	—	2	—	—	2	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	2	—	1	1	—	—	—	—	—
7 Influenza	M	15	1	—	—	—	—	1	7	6	15	—	—	—	1	—	4	3	7
	F	3	—	—	1	—	—	—	—	2	26	—	—	1	1	1	4	11	8
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	41	—	—	—	—	5	15	17	4	40	—	—	1	—	8	16	13	2
	F	21	—	1	—	1	2	8	9	—	36	—	—	2	1	10	19	4	—
10 Tuberculous meningitis	M	3	1	—	1	—	—	1	—	—	3	—	3	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—
11 Other tuberculous diseases.	M	2	—	—	—	—	1	1	—	—	8	—	—	2	2	1	—	2	1
	F	5	2	—	—	2	1	—	—	—	5	1	—	—	1	1	—	2	—
12 Cancer, malignant disease	M	24	1	—	—	—	1	—	14	8	23	—	—	—	—	—	5	14	4
	F	23	—	—	—	—	—	—	13	10	35	—	—	—	—	—	1	24	10
13 Rheumatic fever ...	M	4	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—
14 Meningitis	M	1	—	—	1	—	—	—	—	—	4	3	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
15 Organic heart disease ...	M	39	—	—	—	—	—	3	20	16	46	—	—	—	—	—	9	23	14
	F	51	—	—	—	1	1	4	16	29	70	—	—	—	3	1	10	28	28
16 Bronchitis	M	29	3	1	—	—	1	—	6	18	44	2	2	—	—	—	1	19	20
	F	26	3	1	1	2	—	—	3	16	46	4	1	—	—	1	—	14	26
17 Pneumonia (all forms)	M	20	4	1	1	1	—	6	5	2	44	10	6	2	1	—	8	13	4
	F	11	3	1	—	1	—	—	1	5	43	9	10	—	1	1	6	6	10
18 Other respiratory diseases	M	6	—	—	—	—	—	1	3	2	6	—	1	—	—	—	1	3	1
	F	3	—	—	—	—	—	1	2	—	7	—	—	—	—	—	1	2	4
19 Diarrhœa, &c.	M	12	7	2	—	1	—	—	1	1	25	17	2	1	—	—	1	1	3
	F	6	3	—	—	1	—	—	2	—	12	8	—	2	—	—	1	—	1
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	1	2	1
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	14	—	—	—	—	1	3	6	4	14	—	—	—	—	—	4	6	4
	F	7	—	—	—	—	—	—	3	4	8	—	—	—	—	3	1	3	1
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	—	4	—	—
25 Congenital debility, &c.	M	15	15	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—
	F	16	16	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	12	1	1	—	—	—	4	6	—	26	1	—	1	4	2	6	9	3
	F	1	—	—	1	—	—	—	—	—	11	3	1	—	2	1	—	2	2
27 Suicide	M	4	—	—	—	—	—	—	4	—	4	—	—	—	—	—	2	2	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	81	5	3	—	2	4	2	26	39	111	8	4	1	2	—	14	32	50
	F	76	6	1	2	1	2	4	21	39	137	13	1	—	2	3	4	39	75
29 Causes ill-defined or unknown.	M	3	—	—	—	1	—	—	1	1	5	—	—	—	—	—	—	3	2
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Canterbury.									Carlisle.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	191	32	12	8	9	2	14	43	71	473	92	24	22	26	23	61	87	138
		F	222	22	5	7	7	6	15	40	120	496	80	33	19	27	30	57	101	149
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	8	3	4	—	1	—	—	—	—	14	4	5	4	1	—	—	—	—
		F	5	2	—	2	1	—	—	—	—	21	5	7	5	3	1	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	6	—	—	2	4	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	4	—	—	2	1	1	—	—	—
5	Whooping cough ...	M	2	1	1	—	—	—	—	—	—	11	7	3	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	13	5	7	1	—	—	—	—	—
6	Diphtheria and croup ...	M	5	—	—	2	2	—	—	1	—	6	—	—	2	4	—	—	—	—
		F	5	—	—	2	3	—	—	—	—	6	—	1	1	4	—	—	—	—
7	Influenza	M	4	—	—	—	—	—	—	1	3	10	—	—	—	—	—	2	3	5
		F	13	—	—	—	—	1	—	3	9	20	2	1	—	1	2	3	1	10
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	10	—	—	—	1	—	7	1	1	44	—	—	—	2	11	19	11	1
		F	5	—	1	—	—	1	2	1	—	40	—	—	—	1	14	16	4	5
10	Tuberculous meningitis	M	1	—	1	—	—	—	—	—	—	8	2	3	2	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	8	4	1	2	1	—	—	—	—
11	Other tuberculous diseases.	M	4	1	1	—	1	—	—	—	1	5	1	—	—	1	1	2	—	—
		F	1	—	—	—	—	—	—	1	—	6	1	1	—	3	1	—	—	—
12	Cancer, malignant disease	M	18	—	—	—	—	—	—	10	8	24	—	—	—	—	1	—	11	12
		F	20	—	—	—	—	—	1	4	15	41	—	—	—	—	—	4	21	16
13	Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—
		F	3	—	—	—	—	1	—	2	—	2	—	—	—	2	—	—	—	—
14	Meningitis	M	1	—	—	—	—	—	—	1	—	5	3	1	1	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	6	2	—	1	3	—	—	—	—
15	Organic heart disease ...	M	18	—	—	—	—	—	2	6	10	56	—	—	—	—	2	7	12	35
		F	30	—	—	—	—	—	1	5	24	58	—	—	—	—	3	3	23	29
16	Bronchitis	M	20	1	—	1	—	—	—	3	15	26	8	4	—	—	—	1	5	8
		F	25	2	1	1	—	—	—	3	18	31	5	1	—	1	1	4	3	16
17	Pneumonia (all forms)	M	11	4	3	2	—	—	—	1	1	37	9	5	6	3	2	5	5	2
		F	11	3	2	1	—	1	1	—	3	50	5	10	3	4	1	5	10	12
18	Other respiratory diseases	M	4	—	—	2	—	—	—	2	—	5	1	—	1	—	1	1	—	1
		F	4	—	—	—	—	—	—	2	2	7	—	—	—	—	1	2	4	—
19	Diarrhœa, &c.	M	4	3	1	—	—	—	—	—	—	19	15	—	—	—	—	3	1	—
		F	6	5	—	—	—	—	—	1	—	12	4	2	2	1	1	—	—	2
20	Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	3	—	—	—	1	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	1	1
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	4	—	—	—	—	—	—	1	3	17	—	—	—	—	1	2	7	7
		F	8	—	—	—	—	—	2	3	3	10	—	—	—	1	1	2	4	2
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	10	10	—	—	—	—	—	—	—	21	20	1	—	—	—	—	—	—
		F	6	6	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	4	—	—	—	—	—	—	2	2	18	—	—	3	3	1	4	6	1
		F	3	—	—	—	—	1	—	1	1	11	2	—	1	—	—	1	2	5
27	Suicide	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
28	Other defined diseases ...	M	54	9	1	—	3	1	3	12	25	127	22	2	—	6	3	11	20	63
		F	63	4	—	1	2	—	2	11	43	108	11	2	1	1	2	13	26	52
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	2
		F	2	—	1	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Chester.									Coventry.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	343	46	23	19	12	7	45	83	108	830	154	49	53	47	26	117	190	194
		F	323	47	13	14	6	6	41	72	124	767	104	48	43	41	36	82	169	244
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	1	—	—	—	1	—	—	—	—	4	—	—	1	—	3	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	10	1	4	5	—	—	—	—	—	40	8	15	14	3	—	—	—	—
		F	11	3	5	3	—	—	—	—	—	49	10	16	20	3	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	11	—	—	5	6	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—
5	Whooping cough ...	M	7	3	2	2	—	—	—	—	—	7	3	2	1	1	—	—	—	—
		F	3	—	1	2	—	—	—	—	—	8	3	4	1	—	—	—	—	—
6	Diphtheria and croup ...	M	4	—	1	2	1	—	—	—	—	23	1	2	12	8	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	15	—	2	6	7	—	—	—	—
7	Influenza	M	3	—	—	—	—	—	1	1	1	7	—	1	—	—	—	—	3	3
		F	7	—	—	1	—	—	—	2	4	12	—	—	—	—	2	1	4	5
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	1	3	2	1	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	28	—	—	1	2	4	16	5	—	103	—	1	3	3	8	55	29	4
		F	16	—	—	—	—	3	10	3	—	62	1	2	1	3	17	24	14	—
10	Tuberculous meningitis	M	8	—	3	—	4	1	—	—	—	9	1	1	4	2	—	1	—	—
		F	2	—	—	1	1	—	—	—	—	9	1	1	3	2	1	1	—	—
11	Other tuberculous diseases.	M	4	—	1	—	—	—	2	—	1	10	1	—	3	4	—	1	1	—
		F	5	1	2	1	—	—	—	—	1	8	1	1	1	2	1	2	—	—
12	Cancer, malignant disease	M	25	—	—	—	—	—	3	11	11	46	—	—	—	1	—	3	35	7
		F	30	—	—	—	—	1	3	18	8	52	—	—	—	—	—	10	28	14
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—
		F	2	—	—	—	2	—	—	—	—	2	—	—	1	—	—	—	1	—
14	Meningitis	M	3	1	2	—	—	—	—	—	—	9	1	1	1	3	—	1	2	—
		F	1	—	—	1	—	—	—	—	—	5	—	3	—	1	1	—	—	—
15	Organic heart disease ...	M	36	—	—	—	—	1	3	10	22	62	—	—	—	1	1	10	30	20
		F	40	—	—	—	—	—	8	18	14	83	—	—	—	2	2	9	36	34
16	Bronchitis	M	30	2	2	—	1	—	3	4	18	58	9	7	1	1	—	2	14	24
		F	28	6	—	1	1	—	1	4	15	65	7	2	4	1	—	2	9	40
17	Pneumonia (all forms)	M	29	6	3	5	—	—	8	5	2	70	20	9	2	2	1	8	17	11
		F	22	6	1	1	—	—	2	4	8	42	8	11	2	4	—	3	6	8
18	Other respiratory diseases	M	4	—	—	—	—	—	—	1	3	7	—	3	—	1	1	1	1	—
		F	5	1	—	—	—	—	—	3	1	10	—	—	1	—	—	1	4	4
19	Diarrhœa, &c.	M	16	12	3	—	1	—	—	—	—	26	16	2	2	1	1	—	2	2
		F	12	11	1	—	—	—	—	—	—	16	11	2	—	—	—	—	1	2
20	Appendicitis and typhlitis	M	2	—	—	—	—	1	—	—	1	5	—	—	—	2	2	1	—	—
		F	3	—	—	—	—	—	1	1	1	2	—	—	—	1	1	—	—	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	8	—	—	—	—	—	1	6	1
		F	4	—	—	—	—	—	2	1	1	8	—	—	—	—	—	1	5	2
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—
22	Nephritis and Bright's disease.	M	12	—	—	—	—	—	1	5	6	16	—	—	—	1	—	3	7	5
		F	3	—	—	—	—	—	—	—	3	19	—	—	—	1	—	6	9	3
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	1	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	5	—	—	—	—	—	5	—	—
25	Congenital debility, &c.	M	11	11	—	—	—	—	—	—	—	59	58	—	—	—	1	—	—	—
		F	5	4	—	1	—	—	—	—	—	43	42	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	10	1	—	1	—	—	3	3	2	26	6	—	2	3	1	6	5	3
		F	8	2	—	—	—	—	1	2	3	21	4	—	1	5	1	1	4	5
27	Suicide	M	2	—	—	—	—	—	—	2	—	6	—	—	—	—	1	3	2	—
		F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	2	—
28	Other defined diseases ...	M	98	9	2	3	3	—	5	35	41	211	30	4	3	3	7	19	33	112
		F	100	12	2	1	—	—	8	15	62	208	14	3	1	4	6	14	41	125
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	5	—	1	—	—	—	1	1	2
		F	1	1	—	—	—	—	—	—	—	7	1	—	—	2	—	—	2	2

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Croydon.									Darlington.*								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,211	184	56	57	58	40	154	259	403	512	93	41	40	29	18	50	99	142
		F	1,199	126	44	43	47	37	128	239	535	448	83	32	34	26	19	46	73	135
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	61	10	20	20	11	—	—	—	—	40	7	15	15	3	—	—	—	—
		F	49	7	18	20	4	—	—	—	—	43	8	14	14	6	1	—	—	—
4	Scarlet fever	M	4	—	—	2	2	—	—	—	—	5	—	—	3	2	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
5	Whooping cough ...	M	8	3	2	3	—	—	—	—	—	3	1	1	—	1	—	—	—	—
		F	4	—	2	2	—	—	—	—	—	7	1	1	4	1	—	—	—	—
6	Diphtheria and croup ...	M	8	—	1	5	2	—	—	—	—	7	—	2	1	4	—	—	—	—
		F	5	—	—	—	5	—	—	—	—	6	2	—	2	2	—	—	—	—
7	Influenza	M	30	—	—	—	—	1	5	14	10	15	—	1	1	—	1	2	6	4
		F	22	—	—	1	1	1	1	6	12	12	—	—	—	—	1	1	1	9
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	1	—	1	—
		F	3	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	112	—	1	1	1	11	58	35	5	36	—	—	—	2	9	17	7	1
		F	76	—	—	—	5	11	40	15	5	31	—	1	—	5	7	12	6	—
10	Tuberculous meningitis	M	16	2	4	4	4	1	1	—	—	5	1	2	2	—	—	—	—	—
		F	12	1	2	1	5	2	1	—	—	3	—	—	1	2	—	—	—	—
11	Other tuberculous diseases.	M	17	3	1	—	3	2	7	1	—	9	2	—	3	2	—	1	1	—
		F	12	1	1	3	2	1	3	1	—	8	1	1	1	1	4	—	—	—
12	Cancer, malignant disease	M	88	—	—	—	2	—	7	34	45	24	—	—	—	—	—	2	9	13
		F	113	—	—	—	1	1	13	48	50	32	—	—	—	—	—	5	13	14
13	Rheumatic fever ...	M	8	—	—	1	2	1	2	2	—	2	—	—	—	2	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	1	—	1	—
14	Meningitis	M	12	2	—	1	5	2	1	—	1	7	3	1	—	1	1	—	1	—
		F	8	1	2	—	2	1	1	1	—	2	2	—	—	—	—	—	—	—
15	Organic heart disease ...	M	118	—	—	—	3	1	13	37	64	38	—	—	—	1	—	3	12	22
		F	165	—	—	—	5	6	17	39	98	45	—	—	—	1	—	5	16	23
16	Bronchitis	M	91	9	3	1	1	—	3	11	63	38	4	3	4	1	—	1	7	18
		F	114	5	4	—	—	—	—	12	93	33	7	4	—	1	—	1	6	14
17	Pneumonia (all forms)	M	88	23	7	13	1	1	8	23	12	37	9	8	5	3	1	2	7	2
		F	97	19	10	4	8	—	9	12	35	28	8	5	4	—	1	1	3	6
18	Other respiratory diseases	M	18	1	2	—	—	—	—	4	11	5	—	—	—	1	—	—	1	3
		F	13	—	—	2	1	—	1	5	4	5	1	—	—	—	—	—	—	4
19	Diarrhœa, &c.	M	38	20	8	—	2	—	2	3	3	24	16	3	1	—	—	1	3	—
		F	34	24	1	3	—	—	—	2	4	16	9	4	2	—	—	—	—	1
20	Appendicitis and typhlitis	M	13	—	—	—	5	4	1	3	—	4	—	—	—	1	1	1	1	—
		F	7	—	—	—	2	2	1	2	—	3	—	—	—	—	1	2	—	—
21	Cirrhosis of liver ...	M	16	—	—	—	—	—	4	9	3	2	—	—	—	—	—	1	1	—
		F	10	—	—	—	—	—	2	5	3	2	—	—	—	—	—	1	—	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	37	—	—	—	—	1	5	12	19	13	—	1	2	—	—	2	4	4
		F	28	—	—	—	—	—	—	5	23	8	—	—	1	—	—	2	1	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	3	2	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	1	—	—	—	—	—	1	—	—
25	Congenital debility, &c.	M	74	71	2	1	—	—	—	—	—	25	25	—	—	—	—	—	—	—
		F	41	40	1	—	—	—	—	—	—	29	28	—	—	1	—	—	—	—
26	Violence, apart from suicide.	M	48	6	2	3	5	8	9	6	9	23	2	—	1	1	3	6	6	4
		F	27	1	—	1	—	3	3	5	14	8	1	—	2	2	—	1	2	—
27	Suicide	M	5	—	—	—	1	—	1	2	1	3	—	—	—	—	—	1	2	—
		F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	1	—	1	—
28	Other defined diseases ...	M	296	34	2	2	8	7	27	60	156	135	23	2	2	4	—	10	26	68
		F	342	25	3	6	4	5	27	79	193	112	15	2	1	3	1	12	19	59
29	Causes ill-defined or unknown.	M	3	—	1	—	—	—	—	2	—	9	—	2	—	—	—	—	4	3
		F	2	—	—	—	1	—	—	1	—	6	—	—	1	—	1	1	3	—

* Constituted a County Borough on 1st April, 1915. The figures shown above relate to the whole year.

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Derby. All Ages.	Derby. 0—	Derby. 1—	Derby. 2—	Derby. 5—	Derby. 15—	Derby. 25—	Derby. 45—	Derby. 65—	Dewsbury. All Ages.	Dewsbury. 0—	Dewsbury. 1—	Dewsbury. 2—	Dewsbury. 5—	Dewsbury. 15—	Dewsbury. 25—	Dewsbury. 45—	Dewsbury. 65—
All Causes	M	979	148	42	49	49	44	116	235	296	469	88	16	17	11	9	65	145	118
	F	859	111	50	38	31	40	96	185	308	445	43	26	18	20	10	64	111	153
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	36	9	15	8	4	—	—	—	—	6	2	3	1	—	—	—	—	—
	F	35	7	13	11	4	—	—	—	—	5	—	3	2	—	—	—	—	—
4 Scarlet fever	M	6	—	—	1	4	1	—	—	—	3	—	—	2	1	—	—	—	—
	F	6	—	2	3	1	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	9	3	1	5	—	—	—	—	—	10	3	5	2	—	—	—	—	—
	F	11	3	4	3	1	—	—	—	—	5	1	2	2	—	—	—	—	—
6 Diphtheria and croup ...	M	14	—	2	6	6	—	—	—	—	2	—	—	2	—	—	—	—	—
	F	7	—	—	3	4	—	—	—	—	6	—	—	2	4	—	—	—	—
7 Influenza	M	23	—	—	—	2	1	6	7	7	8	—	—	—	—	—	5	3	—
	F	10	—	1	1	—	—	—	2	6	13	—	—	—	—	—	2	4	7
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—
	F	6	1	—	—	—	1	1	—	3	1	—	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	M	89	1	—	3	—	21	40	22	2	26	1	—	—	—	—	11	11	3
	F	51	—	1	—	2	10	26	11	1	27	1	2	1	2	6	8	6	1
10 Tuberculous meningitis	M	11	1	3	3	3	—	1	—	—	1	1	—	—	—	—	—	—	—
	F	8	2	2	2	2	—	—	—	—	2	—	—	—	2	—	—	—	—
11 Other tuberculous diseases.	M	18	1	2	5	1	1	1	6	1	4	1	—	1	1	1	—	—	—
	F	14	1	3	2	2	1	1	2	2	4	—	2	—	—	1	1	—	—
12 Cancer, malignant disease	M	53	—	—	—	1	3	9	22	18	27	—	—	—	—	—	4	15	8
	F	60	—	—	—	—	1	10	30	19	39	—	—	—	—	—	7	18	14
13 Rheumatic fever ...	M	5	—	—	—	2	1	1	1	—	2	—	—	—	—	—	1	1	—
	F	4	—	—	—	1	1	—	—	2	3	—	—	—	2	1	—	—	—
14 Meningitis	M	12	1	2	4	3	—	—	1	1	2	1	—	1	—	—	—	—	—
	F	4	—	2	—	2	—	—	—	—	3	2	—	—	1	—	—	—	—
15 Organic heart disease ...	M	88	—	—	—	6	4	8	29	41	42	—	—	—	1	—	3	21	17
	F	83	—	—	—	1	5	14	29	34	58	—	—	—	2	1	7	22	26
16 Bronchitis	M	112	8	4	1	1	—	1	25	72	60	16	3	1	1	—	3	12	24
	F	99	10	4	2	—	1	2	19	61	50	7	5	1	—	—	—	6	31
17 Pneumonia (all forms)	M	76	14	4	4	4	3	15	22	10	53	14	2	2	1	1	10	17	6
	F	47	5	10	2	3	2	8	10	7	25	1	5	4	1	—	4	5	5
18 Other respiratory diseases	M	10	2	—	—	—	—	1	4	3	7	—	—	1	—	—	2	1	3
	F	12	1	1	—	1	—	—	4	5	6	—	—	—	—	—	3	2	1
19 Diarrhœa, &c.	M	23	15	3	1	—	—	1	1	2	16	9	3	2	—	—	—	1	1
	F	26	14	2	1	—	1	1	1	6	9	4	2	1	—	—	—	2	—
20 Appendicitis and typhlitis	M	5	—	—	—	1	—	3	1	—	3	—	—	—	—	1	2	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	2	5	2	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	—	3	5	5	2	—	—	—	—	—	2	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	32	1	—	—	1	1	2	19	8	24	—	—	2	1	1	7	11	2
	F	27	—	—	—	—	2	2	11	12	23	—	—	1	1	—	8	11	2
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	3	3	—	—	6	—	—	—	—	—	6	—	—
25 Congenital debility, &c.	M	57	56	1	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—
	F	43	39	1	—	2	—	1	—	—	16	16	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	35	2	1	2	4	5	5	6	10	25	2	—	—	3	2	6	6	6
	F	16	—	—	4	—	2	1	7	2	9	2	1	1	—	—	—	2	3
27 Suicide	M	8	—	—	—	—	—	5	—	3	7	—	—	—	—	—	1	3	3
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	241	34	3	6	6	3	15	60	114	112	12	—	—	2	3	7	43	45
	F	259	28	4	4	5	8	19	49	142	128	9	4	3	3	1	13	32	63
29 Causes ill-defined or unknown.	M	6	—	1	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Dudley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Eastbourne. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	467	110	25	31	16	16	48	106	115	309	42	10	9	17	7	40	85	99
	F	388	70	25	23	16	9	45	68	132	394	34	8	9	17	17	46	85	178
1 Enteric fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	7	—	2	5	—	—	—	—	—	3	—	—	1	2	—	—	—	—
	F	8	—	3	5	—	—	—	—	—	3	1	—	2	—	—	—	—	—
4 Scarlet fever	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	6	—	—	4	2	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	5	—	—	1	4	—	—	—	—
7 Influenza	M	14	—	—	2	1	1	5	3	2	9	—	2	2	—	—	1	2	2
	F	5	—	—	—	—	—	—	2	3	25	1	—	1	—	2	2	4	15
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
9 Pulmonary tuberculosis	M	32	—	—	1	1	5	17	8	—	28	—	—	1	1	3	14	8	1
	F	22	—	—	1	2	5	11	3	—	24	—	1	—	2	5	10	4	2
10 Tuberculous meningitis	M	4	1	—	—	2	—	1	—	—	1	—	—	—	1	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases.	M	11	1	3	1	4	—	2	—	—	1	—	—	—	1	—	—	—	—
	F	3	2	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—
12 Cancer, malignant disease	M	19	—	—	—	—	—	1	7	11	19	—	—	—	—	—	—	12	7
	F	22	—	—	—	—	—	3	14	5	32	—	—	—	—	—	6	17	9
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—
14 Meningitis	M	5	2	—	1	1	—	—	1	—	9	1	1	—	4	1	1	1	—
	F	2	—	—	1	1	—	—	—	—	4	2	—	1	1	—	—	—	—
15 Organic heart disease ...	M	22	1	—	—	—	1	1	11	8	39	—	—	—	—	1	3	16	19
	F	33	—	—	—	2	3	3	6	19	55	—	—	—	1	—	5	14	35
16 Bronchitis	M	71	14	2	3	—	—	2	16	34	20	2	2	—	1	—	1	2	12
	F	47	8	—	2	1	—	1	10	25	30	2	1	1	—	—	—	3	23
17 Pneumonia (all forms)	M	61	14	12	9	1	—	6	16	3	22	3	3	1	2	—	2	6	5
	F	41	9	11	7	4	—	5	—	5	19	3	1	1	3	1	3	3	4
18 Other respiratory diseases	M	7	1	1	1	—	—	—	2	2	3	—	—	—	—	—	2	—	1
	F	5	—	1	2	—	—	—	—	2	8	—	—	1	—	—	—	2	5
19 Diarrhœa, &c.	M	17	14	2	1	—	—	—	—	—	13	10	1	—	—	—	—	2	—
	F	20	15	3	—	1	—	—	—	1	7	2	3	—	—	—	—	1	1
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	—	1
	F	2	—	—	—	1	—	1	—	—	7	—	—	—	2	2	2	1	—
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	3	2
	F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	1	2
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	10	—	2	1	—	—	1	6	—	10	—	—	—	—	—	—	6	4
	F	9	—	1	—	1	—	2	5	—	6	—	—	—	1	—	3	1	1
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	5	—	—	—	—	2	3	—	—
25 Congenital debility, &c.	M	46	46	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—
	F	25	25	—	—	—	—	—	—	—	12	11	—	—	1	—	—	—	—
26 Violence, apart from suicide.	M	20	1	—	1	2	4	3	6	3	5	1	—	—	—	—	1	2	1
	F	4	—	1	2	—	—	—	1	—	10	3	—	—	—	1	3	—	3
27 Suicide	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
28 Other defined diseases ...	M	109	15	1	3	2	4	8	25	51	92	6	1	—	3	1	12	25	44
	F	125	10	3	2	1	—	13	26	70	126	6	1	—	—	2	5	34	78
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	East Ham.* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Exeter. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	838	150	33	29	39	36	132	211	208	424	47	17	14	14	17	46	97	172
	F	832	117	35	38	43	41	108	189	261	490	50	10	10	14	16	52	108	230
1 Enteric fever	M	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	10	—	5	2	3	—	—	—	—	9	3	3	2	1	—	—	—	—
	F	13	3	3	6	1	—	—	—	—	6	3	2	1	—	—	—	—	—
4 Scarlet fever	M	7	—	—	3	2	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	11	7	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	11	4	3	1	—	—	—	—	1	—	—	—	1	—	—	—	—
6 Diphtheria and croup ...	M	7	—	—	3	4	—	—	—	—	1	—	—	1	—	—	—	—	—
	F	9	—	—	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	19	—	—	—	—	—	5	9	5	10	—	—	—	—	1	2	1	6
	F	10	—	—	—	—	1	1	4	4	20	—	—	1	—	—	—	2	17
8 Erysipelas	M	4	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	79	1	2	—	1	11	37	23	4	35	—	—	1	—	5	18	9	2
	F	70	2	—	—	3	15	30	18	2	39	—	—	—	1	9	21	8	—
10 Tuberculous meningitis	M	5	—	2	1	1	1	—	—	—	4	—	1	—	—	2	1	—	—
	F	8	1	3	1	2	—	—	1	—	4	—	—	—	2	1	—	1	—
11 Other tuberculous diseases.	M	8	1	1	2	2	—	1	1	—	5	1	—	—	—	—	3	—	1
	F	18	3	4	5	3	1	2	—	—	9	2	—	—	—	3	4	—	—
12 Cancer, malignant disease	M	53	—	—	—	—	—	8	20	25	32	—	—	—	—	—	2	13	17
	F	83	—	—	—	—	1	15	42	25	56	—	—	—	—	—	5	30	21
13 Rheumatic fever ...	M	3	—	—	—	1	—	1	1	—	1	—	—	—	1	—	—	—	—
	F	5	—	—	—	3	1	—	1	—	3	—	—	—	1	—	—	—	2
14 Meningitis	M	10	2	1	1	1	5	—	—	—	7	—	2	—	3	2	—	—	—
	F	10	2	1	2	3	—	2	—	—	4	—	—	—	2	1	1	—	—
15 Organic heart disease ...	M	65	—	—	—	6	5	7	23	24	36	—	—	—	—	—	4	10	22
	F	82	—	—	—	—	6	7	28	41	43	—	—	—	2	—	2	15	24
16 Bronchitis	M	80	15	3	1	—	1	3	17	40	46	5	—	2	—	—	—	8	31
	F	88	13	1	1	—	—	2	13	58	57	7	—	—	1	—	—	8	41
17 Pneumonia (all forms)	M	87	21	7	7	3	1	13	22	13	38	8	8	2	2	1	3	7	7
	F	79	12	9	13	6	2	11	12	14	36	7	4	2	1	—	2	7	13
18 Other respiratory diseases	M	15	—	—	1	1	1	2	8	2	10	—	—	1	—	—	1	3	5
	F	8	2	1	1	—	—	1	1	2	9	—	—	1	1	—	2	3	2
19 Diarrhœa, &c.	M	25	14	5	1	—	—	—	2	3	7	3	1	—	—	—	1	2	—
	F	17	12	3	—	1	—	—	1	—	11	5	1	1	—	—	—	2	2
20 Appendicitis and typhlitis	M	7	—	—	—	2	2	2	1	—	1	—	—	—	—	1	—	—	—
	F	3	—	—	—	2	1	—	—	—	1	—	—	—	1	—	—	—	—
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	5	1	3	—	—	—	—	—	—	1	2
	F	6	—	—	—	—	—	—	5	1	2	—	—	—	—	—	—	2	—
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
22 Nephritis and Bright's disease.	M	23	—	—	2	—	—	3	13	5	24	—	—	—	—	—	—	13	11
	F	21	—	—	—	—	1	1	14	5	18	—	—	—	—	—	2	5	11
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	6	—	—	—	—	—	6	—	—
25 Congenital debility, &c.	M	61	60	—	—	1	—	—	—	—	20	20	—	—	—	—	—	—	—
	F	37	37	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	46	3	2	2	5	5	8	14	7	21	—	1	1	4	—	4	6	5
	F	12	2	1	1	—	—	1	2	5	5	—	—	1	—	—	—	—	4
27 Suicide	M	11	—	—	—	—	—	6	2	3	1	—	—	—	—	1	—	—	—
	F	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	190	25	1	2	6	3	27	50	76	112	7	1	4	3	4	7	23	63
	F	215	16	4	1	10	11	25	45	103	135	8	3	3	1	2	3	22	93
29 Causes ill-defined or unknown.	M	2	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
	F	1	—	1	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—

* Constituted a County Borough on 1st April, 1915. The figures shown above relate to the whole year.

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Gateshead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Gloucester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	1212	317	103	81	45	47	130	257	232	370	68	22	25	9	16	36	82	112
	F	1111	219	119	91	70	58	127	203	224	375	56	15	23	16	16	27	69	153
1 Enteric fever	M	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	68	10	31	24	3	—	—	—	—	15	2	11	2	—	—	—	—	—
	F	69	9	27	24	9	—	—	—	—	28	8	5	12	3	—	—	—	—
4 Scarlet fever	M	4	—	1	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	7	—	—	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	9	3	3	2	1	—	—	—	—	9	6	2	1	—	—	—	—	—
	F	21	5	7	6	3	—	—	—	—	7	3	—	4	—	—	—	—	—
6 Diphtheria and croup ...	M	8	—	2	4	2	—	—	—	—	6	1	—	4	1	—	—	—	—
	F	10	—	6	1	3	—	—	—	—	3	—	—	1	2	—	—	—	—
7 Influenza	M	17	2	—	—	—	—	6	4	5	3	—	—	—	—	—	1	1	1
	F	12	—	—	1	2	2	1	—	6	4	—	—	—	—	—	—	2	2
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	100	—	—	1	3	12	44	36	4	25	—	—	—	1	5	12	6	1
	F	86	—	2	2	9	23	30	16	4	26	1	—	—	2	8	8	6	1
10 Tuberculous meningitis	M	8	2	1	2	3	—	—	—	—	3	2	—	—	1	—	—	—	—
	F	20	3	5	2	6	3	1	—	—	2	—	—	—	1	1	—	—	—
11 Other tuberculous diseases.	M	29	4	5	10	3	2	3	2	—	2	—	—	—	1	1	—	—	—
	F	29	9	3	2	6	3	6	—	—	1	—	—	—	—	—	1	—	—
12 Cancer, malignant disease	M	54	—	—	—	—	1	2	35	16	20	—	—	—	—	—	1	7	12
	F	59	—	—	—	—	—	12	32	15	33	—	—	—	—	—	2	13	18
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—
	F	4	—	—	—	2	—	—	2	—	1	—	—	—	—	1	—	—	—
14 Meningitis	M	9	1	3	1	1	—	—	2	1	7	1	1	3	—	1	—	1	—
	F	8	4	1	1	2	—	—	—	—	2	1	—	—	1	—	—	—	—
15 Organic heart disease ...	M	88	—	—	—	2	7	14	37	28	43	—	—	—	1	1	5	18	18
	F	89	—	—	2	1	8	10	41	27	43	—	—	—	1	1	1	17	23
16 Bronchitis	M	107	40	5	6	2	1	3	25	25	30	5	1	—	—	—	—	5	19
	F	89	18	10	5	—	—	4	19	33	32	—	1	—	—	—	—	6	25
17 Pneumonia (all forms)	M	108	31	18	10	4	4	13	18	10	38	9	5	7	1	1	3	6	6
	F	98	18	14	19	5	4	13	11	14	29	11	5	2	—	1	—	1	9
18 Other respiratory diseases	M	11	—	1	1	—	—	3	4	2	8	—	—	1	—	2	1	3	1
	F	10	—	—	1	—	—	2	2	5	7	1	—	—	1	—	2	1	2
19 Diarrhœa, &c.	M	86	61	14	5	1	3	—	—	2	12	10	—	1	—	1	—	—	—
	F	81	40	25	9	2	—	1	3	1	13	10	1	1	—	—	—	—	1
20 Appendicitis and typhlitis	M	3	—	—	—	2	1	—	—	—	3	—	—	—	—	—	2	1	—
	F	2	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—
21 Cirrhosis of liver ...	M	12	—	—	—	—	—	3	6	3	1	—	—	—	—	—	—	1	—
	F	5	—	—	—	—	—	—	4	1	1	—	—	—	—	—	—	1	—
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	29	—	—	2	1	4	3	13	6	14	—	—	—	—	—	2	4	8
	F	21	1	1	—	2	—	4	9	4	8	—	—	—	—	2	—	1	5
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	2	—	—	—	—	—	2	—	—
25 Congenital debility, &c.	M	94	94	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—
	F	66	66	—	—	—	—	—	—	—	16	14	1	—	1	—	—	—	—
26 Violence, apart from suicide.	M	51	4	2	—	9	7	10	10	9	15	—	—	2	1	1	4	4	3
	F	25	—	3	3	6	5	6	1	1	9	1	—	—	1	1	2	2	2
27 Suicide	M	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	1
	F	4	—	—	—	—	—	2	2	—	2	—	—	—	—	—	—	1	1
28 Other defined diseases ...	M	298	64	13	11	7	4	19	59	121	90	11	1	4	1	3	5	24	41
	F	265	45	12	8	9	6	22	52	111	102	6	2	3	2	1	7	17	64
29 Causes ill-defined or unknown.	M	11	1	4	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—
	F	13	1	3	1	—	—	—	7	1	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Great Yarmouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Grimsby. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	445	73	16	14	18	17	52	88	167	640	111	36	43	31	21	89	167	142
	F	479	48	17	10	19	22	39	85	239	495	99	30	29	22	15	68	104	128
1 Enteric fever	M	3	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	1	—	—	—	—	—	39	5	11	20	3	—	—	—	—
	F	2	—	2	—	—	—	—	—	—	26	5	9	10	2	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	2	1	1	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—
6 Diphtheria and croup ...	M	9	—	—	5	2	1	1	—	—	4	—	1	1	2	—	—	—	—
	F	7	—	—	1	5	—	—	1	—	3	—	—	1	2	—	—	—	—
7 Influenza	M	10	—	1	2	1	—	1	1	4	11	1	—	—	—	1	1	1	7
	F	10	—	—	—	—	1	2	1	6	11	—	—	—	—	—	1	3	7
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	38	—	—	—	2	4	19	12	1	46	2	—	—	2	8	21	12	1
	F	36	—	1	—	3	13	14	4	1	31	—	—	—	5	5	19	2	—
10 Tuberculous meningitis	M	2	—	—	—	1	—	1	—	—	12	3	—	5	4	—	—	—	—
	F	5	1	1	2	1	—	—	—	—	5	—	2	1	1	1	—	—	—
11 Other tuberculous diseases.	M	12	5	1	—	2	2	2	—	—	10	3	1	1	1	1	3	—	—
	F	5	1	—	—	2	—	—	1	1	9	3	2	—	1	1	1	—	1
12 Cancer, malignant disease	M	24	—	—	—	—	—	1	8	15	39	—	—	—	—	—	1	19	19
	F	45	—	—	—	1	—	4	21	19	43	—	—	1	—	—	5	25	12
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	3	—	—	—	—	1	1	1	—	12	4	2	1	3	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	7	—	1	2	—	—	2	1	1
15 Organic heart disease ...	M	49	—	—	—	—	2	4	14	29	55	—	—	—	1	—	7	28	19
	F	59	—	—	—	1	1	3	17	37	44	—	—	—	1	—	7	21	15
16 Bronchitis	M	32	8	4	1	1	—	—	2	16	48	6	5	—	1	—	4	12	20
	F	36	5	4	—	—	—	—	1	26	32	7	1	2	—	—	2	6	14
17 Pneumonia (all forms)	M	24	8	5	1	—	1	4	3	2	52	8	5	8	1	3	9	16	2
	F	19	7	3	—	1	—	—	3	5	30	7	5	6	3	1	2	3	3
18 Other respiratory diseases	M	8	2	—	1	—	—	—	5	—	12	2	—	—	—	—	4	4	2
	F	18	—	1	1	2	2	1	—	11	6	—	1	1	2	—	—	—	2
19 Diarrhœa, &c.	M	18	14	2	—	—	—	—	2	—	31	24	4	1	1	—	1	—	—
	F	11	4	—	3	—	—	—	1	3	26	16	3	1	—	—	1	1	4
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	3	1	—
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2	—	2	1
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	1	3	—
	F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	2	—
21A Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	12	—	—	—	—	—	1	6	5	10	—	—	—	2	1	—	3	4
	F	9	—	—	—	1	—	2	3	3	22	—	—	—	—	1	3	8	10
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	4	—	—	—	—	—	4	—	—
25 Congenital debility, &c.	M	17	17	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—
	F	17	17	—	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	22	—	—	2	3	4	5	4	4	43	1	1	3	4	4	11	13	6
	F	14	1	1	1	—	—	—	5	6	10	3	—	1	1	—	2	2	1
27 Suicide	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	2	1
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	152	17	2	1	5	—	12	28	87	158	15	4	2	1	2	21	52	61
	F	170	8	4	1	2	2	10	24	119	136	26	2	1	3	4	15	28	57
29 Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	4	1	2	—	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	3	—	3	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Halifax. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Hastings. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	831	86	32	32	30	36	97	283	235	403	46	21	18	19	10	31	82	176
	F	881	74	32	22	38	32	100	233	350	505	33	10	10	7	19	37	101	288
1 Enteric fever	M	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	17	3	7	7	—	—	—	—	—	16	2	7	6	1	—	—	—	—
	F	17	3	8	5	1	—	—	—	—	12	3	4	3	2	—	—	—	—
4 Scarlet fever	M	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	3	2	1	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	4	3	1	—	—	—	—	—	—
6 Diphtheria and croup ...	M	5	—	1	2	2	—	—	—	—	4	—	—	1	2	1	—	—	—
	F	11	—	—	4	7	—	—	—	—	5	—	—	2	3	—	—	—	—
7 Influenza	M	12	—	—	—	1	2	—	3	6	14	1	—	1	—	—	1	1	10
	F	15	—	—	—	—	—	3	3	9	26	—	—	2	—	1	—	2	21
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	62	—	—	2	1	12	26	18	3	36	1	1	—	2	3	15	13	1
	F	54	2	2	—	4	16	20	10	—	26	—	—	—	—	7	12	4	3
10 Tuberculous meningitis	M	8	1	1	1	3	2	—	—	—	3	—	—	2	1	—	—	—	—
	F	3	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases.	M	20	1	3	6	2	4	—	4	—	5	1	—	—	2	1	—	—	1
	F	19	—	3	1	6	2	2	3	2	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	45	—	—	—	—	—	3	25	17	41	—	—	1	—	—	—	15	25
	F	78	—	—	—	—	—	11	43	24	71	—	—	—	—	—	6	27	38
13 Rheumatic fever ...	M	3	—	—	1	—	1	1	—	—	2	—	—	—	2	—	—	—	—
	F	5	—	—	1	1	2	1	—	—	1	—	—	—	—	1	—	—	—
14 Meningitis	M	3	1	2	—	—	—	—	—	—	6	—	1	1	1	2	—	1	—
	F	4	1	—	1	1	1	—	—	—	2	1	—	—	—	1	—	—	—
15 Organic heart disease ...	M	90	—	—	—	—	3	11	43	33	39	—	—	—	—	1	4	7	27
	F	115	—	—	—	3	3	13	55	41	53	—	—	—	—	1	3	17	32
16 Bronchitis	M	89	13	3	—	—	—	5	28	40	18	1	—	—	—	—	—	1	16
	F	91	5	5	—	—	—	1	21	59	33	2	—	1	—	—	1	2	27
17 Pneumonia (all forms)	M	95	12	11	10	5	4	15	25	13	39	7	10	2	3	—	3	1	13
	F	67	11	8	1	5	2	8	12	20	41	6	3	1	—	1	3	5	22
18 Other respiratory diseases	M	9	—	1	—	—	—	2	4	2	12	—	1	1	—	—	1	3	6
	F	8	1	—	—	2	—	1	2	2	9	—	1	—	—	—	1	1	6
19 Diarrhœa, &c.	M	19	7	1	1	1	—	3	3	3	2	1	—	—	—	—	—	—	1
	F	14	7	2	2	—	—	1	—	2	5	—	—	—	—	—	—	2	3
20 Appendicitis and typhlitis	M	7	—	—	—	3	—	2	2	—	2	—	—	—	—	—	—	2	—
	F	5	—	—	—	—	—	2	—	3	1	—	—	—	—	—	—	1	—
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	1	6	—	3	—	—	—	—	—	—	—	3
	F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	1	2
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	33	—	—	—	1	2	6	16	8	15	—	—	—	1	—	—	10	4
	F	24	—	—	—	1	—	3	13	7	21	1	—	—	—	—	1	13	6
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	1	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	2	—	—	—	—	—	1	1	—
25 Congenital debility, &c.	M	33	33	—	—	—	—	—	—	—	17	16	—	—	1	—	—	—	—
	F	26	25	—	1	—	—	—	—	—	16	16	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	23	—	—	—	4	4	5	6	4	13	1	—	—	2	1	1	4	4
	F	13	1	—	1	2	—	—	2	7	5	—	—	—	—	1	—	1	3
27 Suicide	M	10	—	—	—	—	—	2	7	1	2	—	—	—	—	—	—	1	1
	F	4	—	—	—	—	—	1	2	1	5	—	—	—	—	1	—	2	2
28 Other defined diseases ...	M	230	13	1	—	5	2	14	92	103	111	12	1	3	1	1	6	23	64
	F	288	16	3	4	1	4	24	64	172	161	1	1	1	2	4	7	22	123
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	3	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Huddersfield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Ipswich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	910	128	27	18	42	36	110	287	262	604	96	31	27	27	12	63	138	210
	F	921	87	33	20	40	38	124	251	328	554	57	20	21	34	22	49	92	259
1 Enteric fever	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	10	3	3	3	1	—	—	—	—	6	1	2	2	1	—	—	—	—
	F	14	1	4	7	2	—	—	—	—	5	2	2	—	1	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	8	—	1	4	2	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	10	—	—	4	5	1	—	—	—
5 Whooping cough ...	M	5	1	4	—	—	—	—	—	—	9	2	3	4	—	—	—	—	—
	F	4	3	—	1	—	—	—	—	—	5	2	1	2	—	—	—	—	—
6 Diphtheria and croup ...	M	8	—	1	1	5	1	—	—	—	13	—	1	4	8	—	—	—	—
	F	11	—	4	1	5	—	—	1	—	2	—	—	—	2	—	—	—	—
7 Influenza	M	15	—	—	—	—	2	3	4	6	14	1	—	—	—	—	6	2	5
	F	19	—	—	—	—	2	2	5	10	12	—	—	—	2	—	2	3	5
8 Erysipelas	M	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	1	1
	F	4	—	—	—	—	—	2	1	1	2	—	—	—	—	—	—	—	2
9 Pulmonary tuberculosis	M	53	—	1	—	—	8	25	19	—	49	—	—	—	4	5	23	14	3
	F	50	1	—	—	3	9	26	9	2	41	—	—	—	3	11	19	5	3
10 Tuberculous meningitis	M	3	—	—	1	1	1	—	—	—	2	—	1	—	1	—	—	—	—
	F	8	2	—	1	4	1	—	—	—	2	—	—	—	2	—	—	—	—
11 Other tuberculous diseases.	M	15	—	—	2	2	3	2	4	2	11	3	2	1	1	1	2	1	—
	F	12	1	2	—	2	2	2	3	—	4	—	—	1	2	—	—	—	1
12 Cancer, malignant disease	M	67	—	—	—	—	—	5	33	29	39	—	—	—	—	—	1	18	20
	F	82	—	—	—	—	—	10	40	32	62	—	—	—	—	—	6	22	34
13 Rheumatic fever ...	M	6	—	—	2	2	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	2	—	—	—	—	1	1	—	—
14 Meningitis	M	7	1	3	—	2	—	—	—	1	9	3	2	1	—	1	1	1	—
	F	4	1	1	—	2	—	—	—	—	5	1	2	1	1	—	—	—	—
15 Organic heart disease ...	M	84	—	—	—	3	2	8	40	31	61	—	—	—	—	1	4	24	32
	F	110	—	—	—	4	3	10	42	51	65	—	—	—	5	3	6	16	35
16 Bronchitis	M	110	17	3	—	—	1	3	34	52	48	16	2	2	—	—	—	3	25
	F	108	13	3	2	3	2	2	24	59	53	3	1	1	—	1	3	3	41
17 Pneumonia (all forms)	M	76	19	7	5	3	1	8	23	10	63	11	11	6	2	1	4	11	17
	F	66	10	6	5	4	2	14	11	14	36	10	5	3	1	—	2	4	11
18 Other respiratory diseases	M	12	—	—	1	3	—	1	3	4	11	1	—	2	1	—	2	2	3
	F	11	—	1	1	—	—	2	4	3	6	—	—	—	—	—	—	2	4
19 Diarrhœa, &c.	M	26	16	2	—	2	—	3	1	2	13	10	2	—	—	—	—	1	—
	F	29	14	4	—	2	—	1	—	8	11	7	2	1	—	—	—	—	1
20 Appendicitis and typhlitis	M	10	—	—	—	4	2	2	1	1	3	—	—	—	—	—	—	3	—
	F	5	—	—	—	—	2	2	1	—	2	—	—	—	1	—	—	—	1
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	1	1	2
21A Alcoholism	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	47	—	—	—	—	2	5	29	11	17	—	—	—	—	—	4	8	5
	F	56	—	1	—	—	3	9	28	15	10	—	—	—	—	—	2	8	—
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	6	—	—	—	—	3	2	1	—
25 Congenital debility, &c.	M	48	48	—	—	—	—	—	—	—	33	33	—	—	—	—	—	—	—
	F	27	25	—	—	1	1	—	—	—	23	23	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	32	—	—	1	8	4	10	4	5	24	2	—	1	1	1	6	7	6
	F	8	—	1	—	1	—	1	3	2	12	—	1	2	1	—	—	5	3
27 Suicide	M	4	—	—	—	—	—	3	1	—	5	—	—	—	—	1	1	2	1
	F	10	—	—	—	—	2	6	2	—	2	—	—	—	—	—	—	2	—
28 Other defined diseases ...	M	256	23	3	2	5	8	28	83	104	149	13	3	—	6	—	7	32	88
	F	265	15	6	1	7	5	25	75	131	163	9	5	4	7	2	5	17	114
29 Causes ill-defined or unknown.	M	5	—	—	—	—	—	2	1	2	13	—	1	—	—	—	1	7	4
	F	2	1	—	1	—	—	—	—	—	8	—	1	2	—	—	—	3	2

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Kingston upon Hull.									Leeds.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	2,334	506	137	123	98	70	273	574	553	3,982	723	257	216	139	151	491	1016	989
	F	2,158	362	123	83	107	97	269	444	673	3,620	532	180	172	121	166	473	829	1147
1 Enteric fever	M	10	—	—	—	—	4	4	2	—	14	—	1	—	3	1	6	3	—
	F	7	—	—	—	4	1	1	1	—	7	—	—	—	—	2	4	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	18	1	11	5	1	—	—	—	—	45	8	21	16	—	—	—	—	—
	F	24	8	9	5	2	—	—	—	—	33	6	10	15	2	—	—	—	—
4 Scarlet fever	M	3	—	1	2	—	—	—	—	—	11	—	—	3	8	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	18	—	2	9	7	—	—	—	—
5 Whooping cough ...	M	27	10	8	7	2	—	—	—	—	78	34	20	22	2	—	—	—	—
	F	30	9	12	9	—	—	—	—	—	80	30	22	26	2	—	—	—	—
6 Diphtheria and croup ...	M	26	3	1	14	8	—	—	—	—	27	3	6	13	5	—	—	—	—
	F	32	4	1	15	12	—	—	—	—	24	1	4	13	5	1	—	—	—
7 Influenza	M	25	—	2	—	—	2	3	14	4	61	1	—	—	—	6	6	25	23
	F	27	—	—	—	—	—	5	4	18	57	1	—	—	—	2	10	13	31
8 Erysipelas	M	7	2	—	—	—	—	1	2	2	8	1	—	—	—	—	—	5	2
	F	6	—	—	—	—	1	1	2	2	15	—	—	—	—	—	2	7	6
9 Pulmonary tuberculosis	M	200	1	—	2	8	22	102	59	6	388	1	9	7	18	54	157	125	17
	F	176	—	4	2	16	39	88	26	1	267	1	1	5	21	73	119	38	9
10 Tuberculous meningitis	M	23	4	4	8	7	—	—	—	—	58	7	12	23	8	4	3	1	—
	F	21	3	3	5	9	1	—	—	—	39	5	7	14	8	5	—	—	—
11 Other tuberculous diseases.	M	37	9	6	4	8	2	5	2	1	78	20	10	17	14	7	6	4	—
	F	36	5	6	2	8	2	10	3	—	54	7	13	8	10	6	4	3	3
12 Cancer, malignant disease	M	108	—	—	—	1	1	14	52	40	216	—	—	3	1	2	27	109	74
	F	174	1	—	2	—	1	17	99	54	313	—	—	—	—	2	60	155	96
13 Rheumatic fever ...	M	7	—	—	—	3	4	—	—	—	12	—	—	1	2	4	3	2	—
	F	5	—	—	—	—	3	2	—	—	15	—	—	—	2	4	3	5	1
14 Meningitis	M	27	10	6	8	1	1	1	—	—	73	11	11	6	2	2	1	7	33
	F	23	9	1	3	5	2	1	2	—	51	8	3	3	8	1	4	4	20
15 Organic heart disease ...	M	211	—	—	—	1	4	18	101	87	360	—	—	1	5	7	50	157	140
	F	211	—	—	—	7	7	17	71	109	391	—	—	2	6	14	55	161	153
16 Bronchitis	M	229	47	11	3	—	1	16	68	83	335	61	28	9	2	—	10	74	151
	F	216	30	8	5	—	1	8	40	124	356	44	19	2	—	1	6	64	220
17 Pneumonia (all forms)	M	266	70	43	42	16	4	24	38	29	453	84	62	43	14	13	66	120	51
	F	172	44	34	18	14	5	15	29	13	287	62	44	28	18	13	41	41	40
18 Other respiratory diseases	M	37	6	4	1	5	2	4	8	7	67	1	2	6	—	4	6	23	25
	F	43	4	2	3	3	2	3	10	16	42	—	3	1	2	1	3	10	22
19 Diarrhœa, &c.	M	145	100	21	6	3	1	2	5	7	228	145	33	8	3	2	10	10	17
	F	144	97	28	4	1	—	—	6	8	137	87	18	11	2	1	5	7	6
20 Appendicitis and typhlitis	M	6	—	—	—	1	1	3	1	—	15	—	—	1	3	4	5	1	1
	F	6	—	—	—	2	3	1	—	—	11	—	1	—	3	—	6	1	—
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	2	3	1	27	—	—	1	—	—	3	16	7
	F	7	—	—	—	—	—	2	5	—	17	1	—	—	—	—	4	8	4
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	47	—	1	1	4	2	7	18	14	124	2	3	5	6	2	18	56	32
	F	40	—	—	—	—	4	5	16	15	97	—	—	3	—	4	13	44	33
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	—	—	1	15	—	—	16	—	—	—	—	3	13	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	32	—	—	—	—	6	25	1	—	25	—	—	—	—	5	20	—	—
25 Congenital debility, &c.	M	144	142	1	1	—	—	—	—	—	196	190	2	3	1	—	—	—	—
	F	93	91	—	—	1	—	1	—	—	175	174	—	1	—	—	—	—	—
26 Violence, apart from suicide.	M	131	11	4	8	15	8	29	43	13	134	12	5	12	20	5	24	37	19
	F	54	5	5	2	8	3	10	13	8	88	6	5	10	9	4	8	18	28
27 Suicide	M	14	—	—	—	—	—	5	9	—	24	—	—	—	—	3	5	13	3
	F	4	—	—	—	—	—	—	4	—	17	—	—	—	—	3	4	7	3
28 Other defined diseases ...	M	570	90	8	9	14	10	33	149	257	942	141	28	14	22	31	85	227	394
	F	551	52	9	7	14	15	40	109	305	975	99	23	18	16	21	88	240	470
29 Causes ill-defined or unknown.	M	10	—	5	2	—	1	—	—	2	7	1	4	2	—	—	—	—	—
	F	2	—	1	—	—	—	—	1	—	13	—	5	3	—	—	1	2	2

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Leicester.									Lincoln.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,780	340	88	52	64	85	238	455	458	429	59	29	26	19	16	47	96	137
		F	1,593	258	62	59	68	72	228	332	514	399	56	30	23	16	11	39	64	160
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
		F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	36	7	13	11	5	—	—	—	—	26	4	9	10	3	—	—	—	—
		F	41	7	10	17	7	—	—	—	—	19	1	9	7	2	—	—	—	—
4	Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	9	6	2	1	—	—	—	—	—	5	2	2	1	—	—	—	—	—
		F	11	2	6	3	—	—	—	—	—	8	3	3	2	—	—	—	—	—
6	Diphtheria and croup ...	M	10	—	1	3	6	—	—	—	—	6	—	1	—	5	—	—	—	—
		F	17	1	1	8	7	—	—	—	—	4	—	1	—	3	—	—	—	—
7	Influenza	M	17	1	—	—	—	—	7	3	6	18	—	—	—	—	—	1	6	11
		F	10	—	—	—	—	—	5	4	1	16	—	—	—	—	—	1	4	11
8	Erysipelas	M	16	—	—	—	—	—	4	4	8	—	—	—	—	—	—	—	—	—
		F	10	1	—	—	—	2	—	4	3	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	200	3	1	1	4	37	93	58	3	36	—	—	—	1	10	15	9	1
		F	143	—	2	1	7	33	70	23	7	22	—	—	—	1	4	11	5	1
10	Tuberculous meningitis	M	21	4	3	—	8	2	2	2	—	3	—	1	—	2	—	—	—	—
		F	11	1	—	2	7	—	—	1	—	3	1	—	—	2	—	—	—	—
11	Other tuberculous diseases.	M	21	5	1	2	4	5	2	2	—	5	2	—	1	—	—	1	1	—
		F	15	—	—	1	2	3	5	2	2	12	4	3	—	—	3	2	—	—
12	Cancer, malignant disease	M	103	—	—	—	—	1	9	56	37	28	—	—	—	—	1	3	22	2
		F	126	—	—	—	1	—	18	59	48	29	—	—	—	—	—	6	10	13
13	Rheumatic fever ...	M	12	—	—	—	3	4	4	1	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	1	1	4	4	2	—	1	—	—	—	1	—	—	—	—
14	Meningitis	M	12	3	1	5	—	1	1	1	—	2	—	—	—	—	—	2	—	—
		F	11	3	1	3	3	—	—	1	—	5	1	—	1	2	1	—	—	—
15	Organic heart disease ...	M	134	—	—	—	4	7	13	48	62	51	—	—	—	—	—	3	21	27
		F	143	—	—	—	7	5	21	49	61	41	—	—	—	1	1	2	10	27
16	Bronchitis	M	177	33	15	—	—	—	2	45	82	37	4	3	3	—	—	—	3	24
		F	188	27	4	3	1	1	2	30	120	34	5	4	2	—	—	—	6	17
17	Pneumonia (all forms)	M	181	46	23	12	5	7	22	48	18	38	8	6	7	3	1	1	4	8
		F	113	19	15	9	1	1	24	19	25	25	5	4	4	1	1	3	1	6
18	Other respiratory diseases	M	26	2	—	1	—	—	6	11	6	11	4	1	—	1	—	—	3	2
		F	18	2	1	—	1	—	2	10	2	7	—	—	1	1	—	—	2	3
19	Diarrhœa, &c.	M	114	79	20	2	1	—	—	5	7	9	3	1	2	—	—	—	—	3
		F	86	59	15	1	2	—	—	1	8	9	5	1	1	—	—	—	1	1
20	Appendicitis and typhlitis	M	12	—	—	1	2	1	3	5	—	2	—	—	—	—	1	1	—	—
		F	7	—	—	—	2	1	1	2	1	2	—	—	—	—	1	1	—	—
21	Cirrhosis of liver ...	M	14	—	—	—	1	—	3	6	4	2	—	—	—	—	—	—	1	1
		F	14	—	—	—	—	—	1	10	3	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	42	—	—	—	1	3	4	19	15	8	—	—	—	—	—	3	5	—
		F	34	1	—	1	1	2	4	13	12	5	—	—	—	—	—	—	3	2
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	5	13	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	4	11	—	—	4	—	—	—	—	—	4	—	—
25	Congenital debility, &c.	M	101	99	—	1	—	1	—	—	—	20	19	—	—	1	—	—	—	—
		F	88	86	—	—	1	1	—	—	—	23	23	—	—	—	—	—	—	—
26	Violence, apart from suicide	M	63	3	1	5	10	5	14	14	11	13	1	1	2	2	1	4	1	1
		F	25	1	1	2	3	2	4	4	8	3	—	1	1	—	—	—	—	1
27	Suicide	M	20	—	—	—	—	1	6	12	1	4	—	—	—	—	—	1	2	1
		F	6	—	—	—	—	1	2	3	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	433	49	6	7	10	10	42	112	197	103	12	4	—	1	2	10	18	56
		F	420	48	6	7	12	6	38	90	213	123	8	4	3	2	—	7	21	78
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	2	—	1	5	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Liverpool.									Manchester.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	7,723	1632	618	417	309	277	1107	1898	1465	6,333	1214	423	298	249	233	952	1698	1266
		F	6,810	1243	531	386	311	293	852	1471	1723	5,903	927	394	297	251	240	805	1378	1611
1	Enteric fever	M	12	—	—	—	1	3	6	2	—	25	—	—	—	2	2	15	5	1
		F	7	—	—	—	2	1	3	1	—	12	—	—	—	3	1	6	2	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	137	27	55	42	12	—	1	—	—	230	46	115	62	7	—	—	—	—
		F	122	26	52	38	4	—	2	—	—	223	57	103	55	8	—	—	—	—
4	Scarlet fever	M	42	1	8	19	11	2	1	—	—	42	3	9	18	10	2	—	—	—
		F	30	—	—	16	12	2	—	—	—	40	—	5	16	13	5	1	—	—
5	Whooping cough ...	M	114	44	39	30	1	—	—	—	—	32	13	10	9	—	—	—	—	—
		F	147	55	51	37	4	—	—	—	—	38	16	9	11	2	—	—	—	—
6	Diphtheria and croup ...	M	68	3	15	31	16	1	1	1	—	46	6	13	18	9	—	—	—	—
		F	74	2	13	31	27	1	—	—	—	57	4	10	24	18	1	—	—	—
7	Influenza	M	63	3	1	1	2	1	14	24	17	61	4	1	1	1	—	17	25	12
		F	49	3	—	1	1	4	7	9	24	81	4	2	2	2	4	10	22	35
8	Erysipelas	M	26	6	1	—	—	1	3	9	6	19	1	—	—	—	—	6	7	5
		F	9	1	—	—	1	1	2	3	1	10	—	1	—	—	—	1	3	5
9	Pulmonary tuberculosis	M	803	2	11	12	42	108	365	240	23	830	10	7	14	14	100	376	271	38
		F	574	3	9	7	46	119	253	128	9	512	4	9	10	42	111	228	97	11
10	Tuberculous meningitis	M	77	20	11	20	21	2	1	1	1	60	7	10	21	18	2	2	—	—
		F	59	10	14	15	13	6	—	1	—	50	9	7	12	17	4	1	—	—
11	Other tuberculous diseases.	M	100	16	10	20	24	13	7	10	—	102	15	13	12	25	11	19	3	4
		F	93	12	10	16	18	11	13	10	3	85	14	9	12	17	6	16	6	5
12	Cancer, malignant disease	M	340	—	—	—	2	5	28	186	119	359	—	—	—	—	7	40	200	112
		F	411	—	—	—	—	6	65	205	135	425	—	—	1	1	4	54	224	141
13	Rheumatic fever ...	M	31	—	—	1	5	4	8	11	2	17	—	—	—	2	5	4	5	1
		F	32	—	—	1	14	5	4	8	—	27	—	—	—	9	5	7	4	2
14	Meningitis	M	100	41	16	12	14	4	4	8	1	50	11	9	11	12	2	4	1	—
		F	87	25	16	17	24	2	2	1	—	46	10	10	10	9	3	3	1	—
15	Organic heart disease ...	M	546	1	—	1	12	20	77	221	214	459	—	2	1	13	21	80	187	155
		F	562	1	1	1	17	25	90	195	232	561	2	—	5	14	24	99	207	210
16	Bronchitis	M	718	127	58	23	6	4	49	193	258	643	96	23	9	2	8	42	210	253
		F	792	119	51	14	6	3	31	212	356	662	64	21	9	6	2	31	173	356
17	Pneumonia (all forms)	M	961	206	157	93	48	28	157	200	72	631	145	107	63	27	9	93	136	51
		F	701	143	129	87	51	21	72	113	85	510	115	102	58	25	9	43	91	67
18	Other respiratory diseases	M	109	8	10	11	6	6	14	34	20	80	9	5	9	4	—	10	21	22
		F	78	4	8	10	2	2	11	28	13	75	5	7	3	2	2	11	22	23
19	Diarrhœa, &c.	M	512	299	129	35	5	2	13	13	16	331	229	49	14	1	3	6	16	13
		F	393	235	94	21	4	2	8	11	18	259	152	49	22	2	1	5	11	17
20	Appendicitis and typhlitis	M	16	—	—	—	8	2	3	3	—	36	—	—	—	15	6	9	4	2
		F	26	—	—	1	5	4	13	3	—	22	—	—	1	6	4	6	3	2
21	Cirrhosis of liver ...	M	36	—	—	—	—	—	7	26	3	54	—	—	—	—	—	5	40	9
		F	28	—	—	—	—	—	4	18	6	37	—	—	—	—	—	6	30	1
21A	Alcoholism	M	18	—	—	—	—	—	9	8	1	15	—	—	—	—	—	7	8	—
		F	20	—	—	—	—	—	8	9	3	16	—	—	—	—	—	6	10	—
22	Nephritis and Bright's disease.	M	230	2	1	2	3	6	45	122	49	182	4	1	6	10	4	33	88	36
		F	178	1	6	4	3	13	31	88	32	177	—	4	2	1	11	40	75	44
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	38	—	—	—	—	7	31	—	—	31	—	—	—	—	4	27	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	45	—	—	—	—	4	41	—	—	43	—	—	—	—	4	39	—	—
25	Congenital debility, &c.	M	460	457	3	—	—	—	—	—	—	390	380	3	2	3	—	1	1	—
		F	355	353	—	1	1	—	—	—	—	278	276	1	1	—	—	—	—	—
26	Violence, apart from suicide.	M	329	34	9	24	32	21	82	94	33	232	32	7	12	38	15	47	54	27
		F	185	30	5	30	25	9	15	40	31	167	35	11	16	24	3	15	32	31
27	Suicide	M	33	—	—	—	—	2	13	16	2	25	—	—	—	1	—	11	9	4
		F	9	—	—	—	—	3	2	3	1	19	—	—	—	—	2	5	12	—
28	Other defined diseases ...	M	1,774	334	54	33	37	42	197	452	625	1,365	202	31	16	35	36	121	403	521
		F	1,645	219	51	28	30	42	138	372	765	1,420	159	28	22	30	29	143	350	659
29	Causes ill-defined or unknown.	M	68	1	30	7	1	—	2	24	3	17	1	8	—	—	—	4	4	—
		F	61	1	21	10	1	—	6	13	9	20	1	6	5	—	1	2	3	2

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Middlesbrough.									Newcastle upon Tyne.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	1,385	304	164	129	61	41	177	289	220	2,596	581	184	148	97	79	323	620	564
	F	1,194	245	165	129	72	46	127	176	234	2,210	431	179	131	102	77	257	461	572
1 Enteric fever	M	4	—	—	—	—	—	4	—	—	7	—	—	—	1	3	3	—	—
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	3	1	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	105	14	45	41	5	—	—	—	—	112	32	39	37	3	—	1	—	—
	F	100	10	44	40	6	—	—	—	—	107	20	41	38	8	—	—	—	—
4 Scarlet fever	M	4	—	—	3	1	—	—	—	—	17	3	2	6	6	—	—	—	—
	F	7	—	1	1	5	—	—	—	—	24	1	2	9	12	—	—	—	—
5 Whooping cough ...	M	24	5	9	8	2	—	—	—	—	37	21	10	6	—	—	—	—	—
	F	29	9	10	8	2	—	—	—	—	42	19	13	9	1	—	—	—	—
6 Diphtheria and croup ...	M	20	3	3	9	5	—	—	—	—	16	1	4	9	2	—	—	—	—
	F	26	—	2	11	13	—	—	—	—	10	1	3	3	3	—	—	—	—
7 Influenza	M	11	1	—	—	—	1	3	6	—	14	—	—	—	—	2	2	6	4
	F	9	—	—	1	—	—	1	5	2	10	—	—	—	—	2	4	—	4
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	3	—	—	—	1	—	—	2	—
9 Pulmonary tuberculosis	M	83	2	3	2	7	7	33	27	2	248	3	2	3	12	36	114	67	11
	F	85	1	4	4	11	22	31	9	3	147	2	4	3	17	26	60	32	3
10 Tuberculous meningitis	M	12	4	2	3	3	—	—	—	—	28	1	6	7	12	1	1	—	—
	F	16	1	7	6	1	—	1	—	—	32	6	6	7	10	3	—	—	—
11 Other tuberculous diseases.	M	30	1	6	8	4	3	3	4	1	52	11	5	10	12	6	3	2	3
	F	17	1	5	4	3	2	—	2	—	43	10	6	8	6	6	5	2	—
12 Cancer, malignant disease	M	49	—	—	—	—	—	4	29	16	120	—	—	—	—	1	10	67	42
	F	53	—	—	—	—	1	7	29	16	151	—	—	—	1	1	30	76	43
13 Rheumatic fever ...	M	6	—	—	—	3	—	2	1	—	10	—	—	2	—	1	4	3	—
	F	3	—	—	—	2	—	1	—	—	8	—	—	—	3	—	3	2	—
14 Meningitis	M	32	6	7	11	6	—	1	1	—	22	9	1	3	7	—	2	—	—
	F	16	4	4	5	2	—	1	—	—	8	4	—	1	1	2	—	—	—
15 Organic heart disease ...	M	86	—	1	—	1	2	14	38	30	227	—	—	—	1	3	29	101	93
	F	69	—	—	—	—	4	9	26	30	199	—	—	—	5	7	22	83	82
16 Bronchitis	M	81	19	7	—	1	—	3	23	28	203	45	13	14	1	—	8	55	67
	F	90	24	8	3	1	—	3	17	34	203	29	14	6	2	1	10	42	99
17 Pneumonia (all forms)	M	288	53	44	28	10	14	56	65	18	244	67	50	23	10	8	22	49	15
	F	190	41	44	21	12	2	17	27	26	206	51	50	31	13	3	14	21	23
18 Other respiratory diseases	M	18	4	1	1	2	—	4	3	3	34	2	2	2	—	—	5	11	12
	F	17	—	5	2	—	1	1	3	5	22	—	2	—	—	—	8	5	7
19 Diarrhœa, &c.	M	87	48	26	4	1	—	3	4	1	105	63	20	6	1	—	5	6	4
	F	68	36	18	7	1	—	1	1	4	102	57	17	6	5	2	1	5	9
20 Appendicitis and typhlitis	M	3	—	—	—	1	—	—	2	—	9	—	—	—	3	1	2	1	2
	F	1	—	—	1	—	—	—	—	—	5	—	—	—	1	—	2	—	2
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	13	—	—	—	—	—	4	6	3
	F	2	—	—	—	—	—	2	—	—	13	—	—	—	—	—	2	10	1
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—
22 Nephritis and Bright's disease.	M	26	—	1	1	—	1	2	12	9	93	1	1	1	3	3	16	45	23
	F	27	—	—	3	4	3	5	8	4	59	—	—	—	1	1	9	32	16
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	12	—	—	—	—	3	9	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	18	—	—	—	—	4	14	—	—
25 Congenital debility, &c.	M	80	79	1	—	—	—	—	—	—	207	206	1	—	—	—	—	—	—
	F	85	83	—	1	1	—	—	—	—	151	150	1	—	—	—	—	—	—
26 Violence, apart from suicide.	M	52	4	—	3	4	7	17	9	8	117	2	3	8	11	7	32	37	17
	F	11	1	1	1	3	—	1	2	2	28	1	1	4	4	—	6	5	7
27 Suicide	M	8	—	—	—	—	—	3	4	1	16	—	—	—	—	—	6	6	4
	F	3	—	—	—	—	—	2	1	—	8	—	—	—	—	3	4	1	—
28 Other defined diseases ...	M	265	60	6	7	5	6	25	54	102	633	112	23	11	11	7	51	157	261
	F	247	34	8	8	5	9	30	46	107	580	80	16	6	8	9	50	137	274
29 Causes ill-defined or unknown.	M	6	1	2	—	—	—	—	3	—	7	—	2	—	1	—	3	—	1
	F	6	—	4	2	—	—	—	—	—	11	—	3	—	—	1	2	3	2

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Newport (Mon.). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Northampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	626	118	17	20	33	32	85	172	149	764	132	54	78	40	25	67	148	220
	F	533	98	35	22	17	26	87	97	151	768	105	59	64	50	43	71	127	249
1 Enteric fever	M	3	—	—	—	—	1	2	—	—	3	—	—	—	1	—	—	2	—
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	1	1	—	—	—	—	—	71	8	22	35	6	—	—	—	—
	F	12	1	6	4	1	—	—	—	—	71	13	28	25	4	1	—	—	—
4 Scarlet fever	M	3	—	—	2	1	—	—	—	—	4	—	—	2	2	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	4	—	1	—	2	—	1	—	—
5 Whooping cough ...	M	3	1	2	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	13	3	3	6	1	—	—	—	—
6 Diphtheria and croup ...	M	8	—	—	3	5	—	—	—	—	21	—	—	10	11	—	—	—	—
	F	4	—	—	3	1	—	—	—	—	22	—	—	9	12	—	1	—	—
7 Influenza	M	11	1	—	1	—	—	2	3	4	16	—	1	—	1	1	1	5	7
	F	10	—	1	1	—	1	2	1	4	12	—	1	1	—	—	3	3	4
8 Erysipelas	M	1	—	—	—	—	—	1	—	—	6	1	—	—	—	—	1	1	3
	F	—	—	—	—	—	—	—	—	—	5	1	—	1	—	1	—	1	1
9 Pulmonary tuberculosis	M	61	3	2	—	1	11	26	16	2	68	—	—	1	2	8	31	22	4
	F	30	—	—	—	1	9	16	4	—	49	—	—	—	2	19	23	5	—
10 Tuberculous meningitis	M	10	4	—	2	3	1	—	—	—	9	2	1	3	3	—	—	—	—
	F	7	1	1	—	4	—	1	—	—	7	—	3	—	4	—	—	—	—
11 Other tuberculous diseases.	M	4	—	—	—	2	2	—	—	—	4	—	1	—	—	3	—	—	—
	F	2	1	—	—	—	—	1	—	—	8	—	—	1	2	3	1	1	—
12 Cancer, malignant disease	M	21	—	—	—	—	—	5	11	5	45	1	—	—	—	2	2	23	17
	F	39	—	—	—	—	—	10	18	11	75	—	—	—	1	—	6	33	35
13 Rheumatic fever ...	M	5	—	—	—	—	1	3	1	—	1	—	—	—	—	—	1	—	—
	F	2	—	—	—	1	—	—	1	—	6	—	—	1	3	—	—	1	1
14 Meningitis	M	12	2	—	1	5	3	—	1	—	15	5	2	4	1	—	1	2	—
	F	4	1	1	—	1	1	—	—	—	12	1	—	4	3	3	1	—	—
15 Organic heart disease ...	M	79	—	1	—	1	4	7	32	34	86	—	—	—	3	3	8	26	46
	F	64	—	—	—	4	3	13	20	24	79	—	—	—	4	6	11	26	32
16 Bronchitis	M	56	14	1	—	—	—	1	14	26	80	26	8	4	1	—	2	2	37
	F	54	15	3	—	1	—	—	9	26	79	14	4	2	—	1	—	12	46
17 Pneumonia (all forms)	M	57	13	6	6	3	1	8	16	4	63	17	12	9	1	3	4	11	6
	F	37	10	6	5	1	1	3	5	6	49	11	10	8	4	1	5	4	6
18 Other respiratory diseases	M	13	2	—	—	2	—	2	3	4	18	—	—	1	1	1	1	3	11
	F	11	3	2	2	—	1	1	2	—	6	—	—	—	1	—	2	—	3
19 Diarrhœa, &c.	M	24	17	4	1	—	—	—	1	1	26	19	1	1	1	—	1	3	—
	F	28	14	10	2	—	—	—	—	2	16	10	1	1	—	—	—	2	2
20 Appendicitis and typhlitis	M	5	—	—	—	1	1	—	3	—	2	—	—	—	1	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
21 Cirrhosis of liver ...	M	6	—	—	—	—	1	1	4	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	3	1
21A Alcoholism	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	17	—	—	—	3	—	2	5	7	16	1	—	—	1	1	3	7	3
	F	17	—	—	—	—	2	4	3	8	10	1	—	—	1	—	3	2	4
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	4	—	—	—	—	1	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	3	5	—	—	4	—	—	—	—	1	3	—	—
25 Congenital debility, &c.	M	29	29	—	—	—	—	—	—	—	34	33	1	—	—	—	—	—	—
	F	22	22	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	27	1	—	—	4	2	8	9	3	5	—	1	—	—	2	—	—	2
	F	10	1	1	3	—	—	—	4	1	9	—	1	3	1	1	1	—	2
27 Suicide	M	2	—	—	—	—	1	1	—	—	9	—	—	—	—	—	1	6	2
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	2	—
28 Other defined diseases ...	M	163	31	—	3	2	3	16	49	59	155	16	2	7	4	1	10	33	82
	F	157	26	2	1	2	3	26	29	68	182	17	7	2	4	3	6	32	111
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—
	F	2	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Norwich.									Nottingham.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	898	160	34	34	24	31	83	210	322	2,068	428	106	74	66	66	254	522	552
	F	900	133	26	29	38	36	88	168	382	1,934	298	91	72	55	67	235	467	649
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	10	3	4	3	—	—	—	—	—	29	8	10	10	1	—	—	—	—
	F	7	1	4	2	—	—	—	—	—	27	4	12	9	2	—	—	—	—
4 Scarlet fever	M	2	—	—	1	—	—	1	—	—	7	1	2	2	1	1	—	—	—
	F	4	—	—	2	1	—	1	—	—	8	—	—	5	3	—	—	—	—
5 Whooping cough ...	M	9	4	4	1	—	—	—	—	—	37	22	11	4	—	—	—	—	—
	F	11	5	2	3	1	—	—	—	—	32	13	10	8	1	—	—	—	—
6 Diphtheria and croup ...	M	12	—	—	3	9	—	—	—	—	8	1	—	1	6	—	—	—	—
	F	18	—	1	5	11	1	—	—	—	6	1	—	1	3	—	1	—	—
7 Influenza	M	37	7	1	—	—	—	5	16	8	23	1	1	—	1	1	6	9	4
	F	19	2	1	—	—	—	5	1	10	18	1	—	—	1	—	5	6	5
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	2	1	1
9 Pulmonary tuberculosis	M	73	—	—	—	1	13	33	23	3	174	3	1	1	5	19	76	63	6
	F	64	—	—	—	4	20	27	9	4	159	1	5	1	9	35	72	33	3
10 Tuberculous meningitis	M	13	1	3	3	4	1	1	—	—	18	2	2	10	3	1	—	—	—
	F	11	—	2	4	5	—	—	—	—	21	4	5	6	5	—	—	1	—
11 Other tuberculous diseases.	M	17	5	1	3	1	3	3	—	1	31	9	3	5	5	5	2	2	—
	F	12	7	1	—	—	1	1	1	1	16	2	—	2	6	2	2	1	1
12 Cancer, malignant disease	M	58	—	—	—	—	—	3	24	31	131	—	1	—	—	1	15	66	48
	F	80	—	—	—	—	—	4	44	32	136	—	—	—	—	1	19	61	55
13 Rheumatic fever ...	M	2	—	—	—	—	1	1	—	—	6	—	—	—	1	1	2	1	1
	F	1	—	—	—	—	—	—	1	—	5	—	—	—	1	—	3	1	—
14 Meningitis	M	11	4	—	4	1	2	—	—	—	11	3	—	3	2	1	1	1	—
	F	6	—	1	1	3	—	1	—	—	16	5	4	3	2	—	1	1	—
15 Organic heart disease ...	M	99	—	—	1	—	1	9	39	49	186	—	—	—	3	3	23	75	82
	F	115	1	—	—	1	7	10	32	64	227	—	—	1	3	10	25	84	104
16 Bronchitis	M	80	18	5	4	—	—	1	15	37	194	25	3	1	2	—	3	51	109
	F	89	9	3	—	1	—	3	13	60	216	23	3	5	—	—	6	49	130
17 Pneumonia (all forms)	M	61	23	8	3	3	1	3	12	8	241	66	34	20	8	5	26	49	33
	F	45	14	6	6	1	—	3	7	8	167	45	26	11	5	6	23	32	19
18 Other respiratory diseases	M	9	—	—	—	—	1	2	3	3	27	3	2	2	2	1	7	5	5
	F	13	—	—	—	1	1	1	3	7	18	—	1	1	1	—	6	4	5
19 Diarrhœa, &c.	M	27	22	2	—	—	—	—	2	1	106	72	20	3	1	1	4	2	3
	F	32	22	4	—	—	—	1	1	4	82	47	17	8	1	—	1	2	6
20 Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	7	—	—	—	4	1	1	1	—
	F	3	—	—	2	—	—	—	1	—	3	—	—	—	—	2	—	1	—
21 Cirrhosis of liver ...	M	14	—	—	—	—	—	1	10	3	21	—	—	—	—	—	5	12	4
	F	7	—	—	—	—	—	2	3	2	11	—	—	—	—	—	3	7	1
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	20	—	—	—	1	—	2	10	7	63	—	—	—	4	5	10	26	18
	F	8	1	—	—	—	—	1	2	4	48	—	1	—	—	2	3	25	17
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	7	—	—	—	—	—	7	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	1	8	—	—	9	—	—	—	—	—	8	1	—
25 Congenital debility, &c.	M	50	50	—	—	—	—	—	—	—	138	136	1	—	1	—	—	—	—
	F	50	50	—	—	—	—	—	—	—	90	90	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	16	4	—	—	1	3	1	4	3	68	6	—	9	7	9	17	12	8
	F	14	4	1	1	1	1	1	1	4	36	5	—	5	5	—	5	4	12
27 Suicide	M	2	—	—	—	—	—	1	1	—	17	—	—	—	—	—	6	10	1
	F	7	—	—	—	—	3	2	2	—	12	—	—	—	—	1	2	8	1
28 Other defined diseases ...	M	271	19	6	8	2	4	15	49	168	511	70	10	2	8	10	46	135	230
	F	270	17	—	3	8	1	15	44	182	553	57	5	5	7	7	40	143	289
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	10	—	5	1	—	—	3	1	—
	F	1	—	—	—	—	—	—	1	—	5	—	2	1	—	—	1	1	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Oldham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Oxford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	1,245	204	65	49	49	44	159	409	266	343	34	11	4	8	8	38	102	138
	F	1,297	164	53	57	50	53	172	371	377	357	30	14	7	9	11	28	76	182
1 Enteric fever	M	3	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	26	8	11	6	1	—	—	—	—	4	1	2	1	—	—	—	—	—
	F	20	5	8	6	1	—	—	—	—	2	1	1	—	—	—	—	—	—
4 Scarlet fever	M	5	1	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	2	4	4	—	1	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	10	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	2	2	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	12	1	3	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	1	1	2	4	—	—	—	—	3	—	—	2	1	—	—	—	—
7 Influenza	M	20	—	—	—	—	1	8	7	4	6	1	—	—	1	—	—	2	2
	F	17	—	—	1	—	—	1	6	9	6	—	—	—	—	—	—	2	4
8 Erysipelas	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
	F	4	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	127	1	1	2	3	13	48	56	3	29	—	1	—	3	2	14	9	—
	F	79	1	—	2	4	14	31	25	2	23	—	—	1	2	5	7	7	1
10 Tuberculous meningitis	M	14	2	1	2	9	—	—	—	—	3	—	—	1	1	—	1	—	—
	F	8	1	5	1	1	—	—	—	—	2	—	—	—	1	—	1	—	—
11 Other tuberculous diseases.	M	22	5	2	1	4	4	2	4	—	4	—	1	—	—	1	1	1	—
	F	14	—	1	2	2	4	2	3	—	3	1	—	—	—	—	1	1	—
12 Cancer, malignant disease	M	86	—	—	1	—	—	3	55	27	38	—	—	—	—	1	2	12	23
	F	108	—	—	1	2	1	13	53	38	44	—	—	—	—	—	1	22	21
13 Rheumatic fever ...	M	6	—	—	—	2	1	1	1	1	1	—	—	—	—	—	1	—	—
	F	10	—	—	—	3	1	4	1	1	3	—	—	—	1	—	2	—	—
14 Meningitis	M	11	2	1	—	—	2	2	2	2	1	—	—	—	1	—	—	—	—
	F	14	2	2	4	2	2	2	—	—	2	1	—	—	1	—	—	—	—
15 Organic heart disease ...	M	126	—	1	1	6	5	7	54	52	41	—	—	—	—	—	1	17	23
	F	160	—	—	1	5	9	25	69	51	51	—	—	—	1	—	2	11	37
16 Bronchitis	M	125	18	6	5	—	—	5	40	51	31	3	1	1	—	—	—	4	22
	F	152	22	5	4	2	—	7	47	65	33	3	1	—	—	—	—	—	29
17 Pneumonia (all forms)	M	119	15	14	10	7	5	17	42	9	27	3	4	—	—	—	3	12	5
	F	99	15	12	7	6	6	11	21	21	26	9	6	3	1	—	2	5	—
18 Other respiratory diseases	M	17	5	2	—	1	—	1	5	3	6	1	—	1	—	—	1	—	3
	F	12	—	1	3	—	1	1	4	2	4	—	—	—	—	—	—	2	2
19 Diarrhœa, &c.	M	41	32	5	2	—	—	—	—	2	5	3	1	—	—	—	—	1	—
	F	40	26	5	2	—	1	1	3	2	3	1	1	—	—	—	—	—	1
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	5	—	—	—	1	—	1	3	—	1	—	—	—	—	—	—	—	1
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	3	5	1	2	—	—	—	—	—	—	2	—
	F	6	—	—	—	—	—	1	5	—	1	—	—	—	—	—	—	—	1
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	49	—	1	—	—	3	7	31	7	9	—	—	—	—	—	—	6	3
	F	63	—	—	2	1	3	15	26	16	12	—	—	—	—	—	1	5	6
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	3	8	—	—	1	—	—	—	—	1	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	—	10	1	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	M	54	53	—	1	—	—	—	—	—	13	13	—	—	—	—	—	—	—
	F	37	37	—	—	—	—	—	—	—	9	8	1	—	—	—	—	—	—
26 Violence, apart from suicide.	M	42	7	1	4	3	4	11	8	4	10	—	—	—	1	3	1	5	—
	F	39	12	1	7	7	1	1	5	5	6	—	1	—	1	1	2	1	—
27 Suicide	M	8	—	—	—	—	—	5	3	—	2	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	—	2
28 Other defined diseases ...	M	286	43	11	7	6	4	35	86	94	108	9	1	—	1	1	10	29	57
	F	334	36	5	6	5	5	33	85	159	116	5	3	1	—	4	8	19	76
29 Causes ill-defined or unknown.	M	24	4	2	—	1	1	3	7	6	—	—	—	—	—	—	—	—	—
	F	26	3	3	—	—	1	3	11	5	1	—	—	—	—	—	—	—	1

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Plymouth.									Portsmouth.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,577	278	99	91	58	53	172	343	483	1,681	262	92	86	82	55	191	421	492
		F	1,696	227	75	76	68	77	193	375	605	1,608	179	100	94	92	49	234	326	534
1	Enteric fever	M	6	—	—	—	2	1	2	1	—	9	—	—	1	4	—	2	2	—
		F	9	—	—	1	1	1	4	2	—	10	—	—	—	2	1	5	2	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	81	25	26	29	1	—	—	—	—	62	15	21	16	10	—	—	—	—
		F	46	7	24	13	2	—	—	—	—	62	12	21	19	10	—	—	—	—
4	Scarlet fever	M	8	—	2	2	3	—	—	1	—	5	—	1	1	2	1	—	—	—
		F	2	—	—	1	1	—	—	—	—	12	1	1	6	3	—	1	—	—
5	Whooping cough ...	M	16	8	4	4	—	—	—	—	—	20	9	6	4	1	—	—	—	—
		F	13	8	3	2	—	—	—	—	—	17	4	7	6	—	—	—	—	—
6	Diphtheria and croup ...	M	16	1	1	10	4	—	—	—	—	24	—	2	11	11	—	—	—	—
		F	27	—	1	10	16	—	—	—	—	46	1	3	15	26	—	1	—	—
7	Influenza	M	14	—	—	—	1	1	3	3	6	20	1	—	1	3	1	2	6	6
		F	24	1	—	—	2	1	4	3	13	38	—	—	—	2	2	4	9	21
8	Erysipelas	M	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	3	—	—	—	—	—	—	1	2	4	1	—	1	—	—	—	2	—
9	Pulmonary tuberculosis	M	117	1	2	—	2	22	54	33	3	143	1	1	1	2	23	68	46	1
		F	126	—	1	1	12	29	54	24	5	120	1	2	3	9	25	49	25	6
10	Tuberculous meningitis	M	16	2	2	2	10	—	—	—	—	28	5	6	10	6	1	—	—	—
		F	21	1	4	5	6	2	—	3	—	24	4	6	7	7	—	—	—	—
11	Other tuberculous diseases.	M	26	10	—	2	3	4	4	2	1	27	10	4	4	5	2	1	1	—
		F	29	10	—	3	2	3	6	3	2	23	5	5	1	—	1	7	4	—
12	Cancer, malignant disease	M	87	—	—	—	—	—	4	28	55	114	—	—	1	—	—	2	56	55
		F	130	—	—	—	—	—	15	66	49	134	—	—	1	—	1	25	58	49
13	Rheumatic fever ...	M	6	—	—	—	2	—	3	1	—	3	—	—	—	1	—	1	1	—
		F	8	—	—	—	2	3	—	1	2	6	—	—	—	1	—	2	2	1
14	Meningitis	M	26	5	3	—	7	8	2	1	—	28	2	4	4	8	7	1	—	2
		F	15	1	—	2	4	6	2	—	—	16	2	1	3	3	4	2	1	—
15	Organic heart disease ...	M	170	—	1	—	1	3	27	57	81	179	—	—	—	2	2	20	75	80
		F	157	—	—	—	4	4	15	69	65	192	—	—	—	4	4	22	71	91
16	Bronchitis	M	156	25	5	4	1	—	7	33	81	153	28	6	4	1	—	8	21	85
		F	189	36	9	6	1	—	6	33	98	152	18	9	4	—	—	1	27	93
17	Pneumonia (all forms)	M	145	43	24	26	2	1	11	27	11	141	44	26	14	4	2	12	24	15
		F	117	27	19	13	6	6	9	19	18	109	26	27	12	8	—	8	12	16
18	Other respiratory diseases	M	38	2	1	5	1	—	3	11	15	18	—	—	3	2	—	3	4	6
		F	35	3	2	4	3	1	5	6	11	18	2	—	3	1	—	2	4	6
19	Diarrhœa, &c.	M	56	31	9	3	—	1	3	4	5	41	29	3	—	1	1	5	2	—
		F	45	29	3	2	1	1	2	3	4	32	14	8	1	2	—	2	2	3
20	Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	5	—	—	—	2	1	—	1	1
		F	3	—	—	—	—	1	—	2	—	5	—	—	—	1	2	1	—	1
21	Cirrhosis of liver ...	M	8	—	—	—	—	—	1	5	2	14	—	—	—	—	—	3	10	1
		F	14	—	—	—	—	—	4	8	2	10	—	—	—	—	—	5	3	2
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	3	2	—
		F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	3	1	—
22	Nephritis and Bright's disease.	M	51	1	1	—	1	2	5	30	11	54	—	—	—	2	—	6	28	18
		F	30	2	—	—	—	1	4	12	11	53	—	1	1	3	4	8	20	16
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	4	7	—	—	11	—	—	—	—	1	10	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	3	10	—	—	15	—	—	—	—	1	14	—	—
25	Congenital debility, &c.	M	64	62	2	—	—	—	—	—	—	74	72	1	—	1	—	—	—	—
		F	54	54	—	—	—	—	—	—	—	65	64	—	—	1	—	—	—	—
26	Violence, apart from suicide.	M	47	4	5	4	7	2	9	9	7	61	8	4	5	7	3	11	16	7
		F	31	4	1	5	—	1	3	6	11	36	7	1	2	6	—	6	6	8
27	Suicide	M	8	—	—	—	—	—	1	6	1	14	—	—	—	—	4	3	4	3
		F	4	—	—	—	—	—	3	1	—	5	—	—	—	—	—	5	—	—
28	Other defined diseases ...	M	409	56	10	—	8	8	33	90	204	438	38	7	6	7	7	40	122	211
		F	536	43	6	8	5	10	40	112	312	388	17	7	9	3	3	51	77	221
29	Causes ill-defined or unknown.	M	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	1	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Preston. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Reading. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	983	227	70	60	46	26	86	244	224	562	67	25	23	23	24	68	146	186
	F	1,096	168	56	61	48	46	135	235	347	634	81	21	12	20	24	74	152	250
1 Enteric fever	M	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	2	1	1
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	30	5	14	9	2	—	—	—	—	4	—	—	3	1	—	—	—	—
	F	33	7	14	8	4	—	—	—	—	5	2	1	1	1	—	—	—	—
4 Scarlet fever	M	7	—	—	4	3	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	18	—	1	13	4	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	11	5	1	5	—	—	—	—	—	16	4	5	4	3	—	—	—	—
	F	21	7	6	7	1	—	—	—	—	22	7	9	6	—	—	—	—	—
6 Diphtheria and croup ...	M	20	1	—	10	9	—	—	—	—	3	—	1	2	—	—	—	—	—
	F	17	—	3	4	10	—	—	—	—	4	—	1	1	2	—	—	—	—
7 Influenza	M	22	1	1	1	—	1	4	8	6	7	—	—	—	—	—	—	2	5
	F	19	—	—	—	1	1	2	6	9	18	—	—	—	—	—	1	6	11
8 Erysipelas	M	1	1	—	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1
	F	4	—	—	—	—	—	2	—	2	1	—	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	M	63	—	—	—	3	6	26	23	5	60	2	—	2	3	14	25	11	3
	F	77	1	1	—	4	15	32	23	1	39	—	—	—	1	6	18	11	3
10 Tuberculous meningitis	M	14	6	4	3	—	—	—	1	—	3	1	2	—	—	—	—	—	—
	F	9	2	1	1	4	1	—	—	—	4	1	1	—	2	—	—	—	—
11 Other tuberculous diseases.	M	21	6	2	6	2	1	1	2	1	4	—	2	—	—	—	2	—	—
	F	10	4	1	—	1	2	1	1	—	6	1	—	—	—	—	1	3	1
12 Cancer, malignant disease	M	45	—	—	—	—	—	1	29	15	22	—	—	—	—	—	1	13	8
	F	84	—	—	—	—	—	6	44	34	61	—	—	—	—	1	5	33	22
13 Rheumatic fever ...	M	4	—	—	—	—	1	2	1	—	1	—	—	—	1	—	—	—	—
	F	4	—	—	—	—	3	1	—	—	6	—	—	—	—	2	1	3	—
14 Meningitis	M	7	3	1	—	—	2	—	1	—	8	1	1	1	2	1	1	1	—
	F	6	—	—	2	—	1	3	—	—	10	2	—	—	5	1	2	—	—
15 Organic heart disease ...	M	71	—	—	—	1	1	8	21	40	73	—	—	1	1	—	6	36	29
	F	95	—	—	—	1	3	19	20	52	76	—	—	—	1	2	10	23	40
16 Bronchitis	M	96	15	3	—	1	—	4	30	43	44	3	4	—	—	—	—	6	31
	F	130	18	3	1	—	—	7	30	71	67	9	1	1	—	—	—	13	43
17 Pneumonia (all forms)	M	104	33	21	13	2	2	5	21	7	49	10	3	5	1	1	8	15	6
	F	124	29	15	14	5	10	7	20	24	29	8	5	1	1	2	1	4	7
18 Other respiratory diseases	M	14	—	3	1	—	—	3	5	2	13	2	—	—	1	—	1	5	4
	F	11	—	—	1	1	—	2	2	5	8	—	—	1	—	—	—	3	4
19 Diarrhœa, &c.	M	62	42	11	1	—	—	—	4	4	18	6	5	—	—	—	2	3	2
	F	51	32	7	—	1	—	1	3	7	11	5	1	—	—	—	1	1	3
20 Appendicitis and typhlitis	M	5	—	—	—	3	1	—	1	—	1	—	—	—	—	1	—	—	—
	F	4	—	—	—	—	1	1	2	—	2	—	—	—	2	—	—	—	—
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	2	5	1	2	—	—	—	—	—	—	2	—
	F	5	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
22 Nephritis and Bright's disease.	M	25	1	1	1	—	2	3	10	7	14	—	—	—	—	—	3	6	5
	F	25	—	—	—	2	—	5	11	7	12	—	—	—	—	2	2	5	3
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	3	—	—	—	—	1	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	8	—	—	3	—	—	—	—	1	2	—	—
25 Congenital debility, &c.	M	61	61	—	—	—	—	—	—	—	24	23	—	—	—	1	—	—	—
	F	39	39	—	—	—	—	—	—	—	30	29	—	—	1	—	—	—	—
26 Violence, apart from suicide.	M	34	2	2	3	12	3	4	5	3	11	1	1	1	2	—	2	2	2
	F	22	2	—	3	5	—	2	4	6	6	—	1	—	1	—	1	1	2
27 Suicide	M	3	—	—	—	—	—	2	1	—	6	—	—	—	—	2	2	2	—
	F	3	—	—	—	—	—	—	3	—	2	—	—	—	—	—	1	1	—
28 Other defined diseases ...	M	232	45	5	3	8	6	18	60	87	169	13	1	4	7	4	13	39	88
	F	253	26	4	7	3	8	25	55	125	204	17	1	1	3	5	23	43	111
29 Causes ill-defined or unknown.	M	19	—	1	—	—	—	1	14	3	2	—	—	—	—	—	—	1	1
	F	14	1	—	—	1	—	3	5	4	4	—	—	—	—	1	2	1	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Rochdale. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Rotherham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	714	113	31	17	36	27	105	194	191	625	147	53	26	38	24	77	134	126
	F	735	78	15	17	33	36	97	218	241	485	89	55	39	28	26	59	76	113
1 Enteric fever	M	2	—	—	—	—	—	1	1	—	4	—	—	—	—	2	2	—	—
	F	3	—	—	—	—	2	—	1	—	3	—	—	—	—	1	1	—	1
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	24	8	10	4	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	26	4	10	9	3	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	2	—	1	—	—	1	—	—	—
5 Whooping cough ...	M	3	—	2	1	—	—	—	—	—	12	4	4	2	2	—	—	—	—
	F	3	1	2	—	—	—	—	—	—	18	7	7	3	1	—	—	—	—
6 Diphtheria and croup ...	M	16	—	2	4	10	—	—	—	—	8	—	2	3	3	—	—	—	—
	F	14	—	—	3	10	1	—	—	—	9	—	1	4	3	1	—	—	—
7 Influenza	M	7	—	—	—	1	—	1	2	3	5	—	—	—	—	—	—	3	2
	F	9	—	—	—	—	1	2	2	4	1	—	—	—	—	—	—	—	1
8 Erysipelas	M	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	73	—	—	—	3	9	37	20	4	37	1	—	1	3	9	16	7	—
	F	43	—	—	1	2	13	16	11	—	33	—	—	3	3	9	14	4	—
10 Tuberculous meningitis	M	6	—	1	2	1	2	—	—	—	10	1	4	3	2	—	—	—	—
	F	10	—	3	4	3	—	—	—	—	6	1	3	—	2	—	—	—	—
11 Other tuberculous diseases.	M	11	3	3	—	2	1	1	1	—	12	1	3	2	4	—	1	1	—
	F	9	2	—	1	2	—	2	2	—	3	—	—	1	—	1	—	1	—
12 Cancer, malignant disease	M	48	—	—	—	—	—	5	27	16	29	—	—	—	—	—	4	12	13
	F	58	—	—	—	—	—	9	29	20	39	—	—	—	—	—	10	16	13
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	5	—	—	—	3	—	2	—	—
	F	4	—	—	—	—	1	2	—	1	3	—	—	—	—	1	1	—	1
14 Meningitis	M	8	—	—	—	3	4	1	—	—	6	2	2	1	1	—	—	—	—
	F	5	1	1	2	1	—	—	—	—	4	—	1	2	1	—	—	—	—
15 Organic heart disease ...	M	72	—	—	—	2	3	8	29	30	46	—	—	—	2	—	5	23	16
	F	102	—	—	—	1	—	15	51	35	31	—	—	—	2	1	1	16	11
16 Bronchitis	M	57	9	1	—	—	—	3	11	33	44	8	5	—	1	—	1	9	20
	F	84	8	2	—	—	—	1	20	53	36	7	5	3	1	—	1	5	14
17 Pneumonia (all forms)	M	63	9	11	6	4	1	7	17	8	59	6	6	3	8	2	12	18	4
	F	40	11	1	2	2	1	3	9	11	41	9	6	8	—	1	8	5	4
18 Other respiratory diseases	M	8	—	—	—	2	—	1	4	1	7	1	—	1	—	—	—	4	1
	F	9	1	—	—	—	—	1	4	3	6	—	2	2	—	—	1	—	1
19 Diarrhœa, &c.	M	30	23	2	1	—	1	2	1	—	49	30	11	—	—	1	4	1	2
	F	23	11	3	—	2	2	—	3	2	25	12	11	1	1	—	—	—	—
20 Appendicitis and typhlitis	M	4	—	—	—	2	2	—	—	—	2	—	—	—	1	—	1	—	—
	F	7	—	—	—	3	—	3	1	—	2	—	—	—	1	1	—	—	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	2	—	4	—	—	—	—	—	—	3	1
	F	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	1	1	1
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
22 Nephritis and Bright's disease.	M	30	—	1	—	—	1	11	12	5	12	—	—	—	—	2	3	4	3
	F	22	—	—	—	—	—	5	13	4	20	—	3	—	2	—	2	5	8
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	5	—	—	—	—	2	3	—	—
25 Congenital debility, &c.	M	46	45	1	—	—	—	—	—	—	58	57	—	1	—	—	—	—	—
	F	31	30	—	1	—	—	—	—	—	30	30	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	16	—	—	1	2	2	3	6	2	40	3	1	—	2	6	12	14	2
	F	21	—	—	—	2	3	—	10	6	9	3	—	1	1	—	1	1	2
27 Suicide	M	7	—	—	—	—	—	3	4	—	1	—	—	—	—	—	—	1	—
	F	3	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	195	24	6	2	2	1	19	54	87	146	24	5	4	3	2	14	32	62
	F	219	12	3	2	4	7	30	60	101	116	15	2	2	6	5	10	21	55
29 Causes ill-defined or unknown.	M	4	—	1	—	1	—	—	1	1	1	—	—	1	—	—	—	—	—
	F	2	1	—	—	—	—	—	—	1	6	—	3	—	1	—	1	—	1

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	St. Helens.									Salford.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	942	218	98	81	64	40	98	191	152	2,170	413	178	136	85	78	307	559	414
		F	816	163	97	84	64	44	95	130	139	2,036	324	190	119	92	93	229	464	525
1	Enteric fever	M	2	—	—	—	1	—	—	1	—	8	—	—	—	1	1	5	1	—
		F	4	—	—	—	1	3	—	—	—	9	—	—	—	3	3	2	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	70	10	40	17	3	—	—	—	—	136	38	57	38	3	—	—	—	—
		F	56	13	22	17	4	—	—	—	—	134	30	66	33	5	—	—	—	—
4	Scarlet fever	M	7	—	—	7	—	—	—	—	—	15	—	1	10	1	1	2	—	—
		F	5	—	—	1	4	—	—	—	—	17	—	4	6	7	—	—	—	—
5	Whooping cough ...	M	17	7	5	5	—	—	—	—	—	26	13	9	4	—	—	—	—	—
		F	25	8	11	4	2	—	—	—	—	24	8	8	7	1	—	—	—	—
6	Diphtheria and croup	M	15	1	1	6	6	—	1	—	—	13	—	4	6	3	—	—	—	—
		F	18	1	6	7	4	—	—	—	—	15	1	2	6	5	—	1	—	—
7	Influenza	M	17	—	—	—	1	1	5	6	4	14	—	—	—	1	3	1	3	6
		F	5	1	—	—	—	—	2	2	—	27	1	—	—	—	2	2	10	12
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	2	—
		F	2	2	—	—	—	—	—	—	—	3	2	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	56	1	—	3	4	9	21	18	—	212	1	—	4	5	34	102	64	2
		F	45	—	—	2	11	5	20	7	—	169	1	8	8	7	39	74	28	4
10	Tuberculous meningitis	M	10	—	3	—	5	1	1	—	—	28	7	6	9	5	1	—	—	—
		F	8	3	1	3	1	—	—	—	—	15	3	4	3	4	1	—	—	—
11	Other tuberculous diseases.	M	21	3	3	4	4	4	2	1	—	37	10	7	5	3	5	3	1	3
		F	14	1	—	6	3	1	1	2	—	28	8	5	1	5	2	1	6	—
12	Cancer, malignant disease	M	26	—	—	1	—	1	2	12	10	117	—	—	—	1	—	12	64	40
		F	36	—	—	—	—	1	5	21	9	134	—	—	—	—	2	19	75	38
13	Rheumatic fever ...	M	5	—	—	—	2	—	2	1	—	7	—	—	—	1	—	5	1	—
		F	6	—	—	—	2	3	1	—	—	8	—	—	—	2	1	2	3	—
14	Meningitis	M	20	6	5	5	4	—	—	—	—	19	7	4	4	3	—	—	1	—
		F	13	1	2	4	3	2	1	—	—	13	2	2	2	5	—	2	—	—
15	Organic heart disease ...	M	82	—	—	—	5	4	10	31	32	199	—	—	1	5	6	36	83	68
		F	60	—	—	—	1	2	14	21	22	197	—	1	—	6	12	27	79	72
16	Bronchitis	M	97	20	7	4	—	—	4	29	33	240	20	5	4	2	1	24	93	91
		F	82	17	8	7	1	—	2	22	25	249	19	7	3	3	—	7	74	136
17	Pneumonia (all forms)	M	109	32	15	17	6	3	18	16	2	239	51	45	28	14	2	31	50	18
		F	91	23	18	19	10	7	8	4	2	175	42	40	24	10	8	10	25	16
18	Other respiratory diseases	M	11	3	—	—	1	—	2	3	2	32	2	2	5	2	—	8	8	5
		F	10	3	2	1	1	—	2	1	—	27	1	1	2	—	—	7	6	10
19	Diarrhœa, &c.	M	45	31	9	2	1	1	—	—	1	128	86	31	2	1	—	1	4	3
		F	41	24	10	3	1	1	—	1	1	110	67	28	6	3	—	—	2	4
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	6	—	—	—	1	2	1	1	1
		F	1	—	—	—	1	—	—	—	—	6	—	—	—	2	2	—	2	—
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	13	—	—	—	—	—	3	8	2
		F	6	—	—	—	—	—	1	4	1	8	—	—	—	—	—	2	6	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	35	—	—	—	2	1	4	15	13	45	1	—	1	2	—	9	26	6
		F	23	—	1	3	—	1	5	7	6	45	1	—	—	3	1	10	21	9
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	7	—	—	—	—	3	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	6	5	—	—	15	—	—	—	—	2	13	—	—
25	Congenital debility, &c.	M	58	57	—	—	1	—	—	—	—	113	110	1	—	1	1	—	—	—
		F	44	44	—	—	—	—	—	—	—	84	81	—	2	1	—	—	—	—
26	Violence, apart from suicide.	M	46	1	1	1	9	8	9	12	5	85	8	—	9	16	13	16	20	3
		F	14	—	1	2	3	—	5	2	1	53	8	1	7	7	5	3	11	11
27	Suicide	M	4	—	—	—	—	—	1	3	—	8	—	—	—	—	—	3	3	2
		F	1	—	—	—	—	1	—	—	—	9	—	—	—	—	1	5	3	—
28	Other defined diseases ...	M	175	46	8	6	7	7	15	37	49	412	58	3	6	13	8	44	119	161
		F	183	22	11	3	11	9	20	35	72	440	48	12	8	13	9	34	108	208
29	Causes ill-defined or unknown.	M	11	—	1	3	2	—	1	4	—	12	—	3	—	1	—	1	4	3
		F	8	—	4	2	—	1	—	1	—	14	1	1	1	—	—	3	3	5

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Sheffield.									Smethwick.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	4,440	964	406	317	212	136	552	1057	796	514	116	42	34	15	24	70	108	105
		F	3,736	656	356	274	182	133	466	729	940	488	89	33	23	30	21	58	114	120
1	Enteric fever	M	11	—	—	1	—	—	7	3	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	1	2	5	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	340	63	145	116	16	—	—	—	—	38	6	15	13	4	—	—	—	—
		F	300	52	121	100	25	—	—	1	1	32	6	12	8	6	—	—	—	—
4	Scarlet fever	M	21	—	2	12	5	1	1	—	—	3	—	—	1	1	1	—	—	—
		F	33	3	3	11	12	2	2	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	41	23	9	7	2	—	—	—	—	4	2	—	2	—	—	—	—	—
		F	61	21	24	14	2	—	—	—	—	9	3	2	3	1	—	—	—	—
6	Diphtheria and croup ...	M	57	3	7	16	28	—	2	—	1	2	—	—	1	1	—	—	—	—
		F	46	3	8	11	19	—	4	1	—	7	—	—	3	3	—	1	—	—
7	Influenza	M	39	2	3	1	1	1	13	11	7	7	—	—	—	—	1	1	3	2
		F	35	1	2	3	—	4	6	7	12	4	—	—	—	—	—	2	2	—
8	Erysipelas	M	11	2	—	1	—	1	3	3	1	1	—	—	—	—	—	—	—	1
		F	8	2	1	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	421	3	4	6	11	44	180	157	16	47	1	—	—	1	8	28	9	—
		F	230	—	2	5	13	44	103	51	12	34	2	—	—	4	8	13	7	—
10	Tuberculous meningitis	M	54	7	9	17	16	5	—	—	—	2	1	—	1	—	—	—	—	—
		F	45	4	9	15	10	4	3	—	—	3	1	1	—	1	—	—	—	—
11	Other tuberculous diseases.	M	47	13	11	5	7	3	6	2	—	5	—	1	1	—	1	2	—	—
		F	51	7	10	9	7	8	5	4	1	4	—	1	—	1	1	1	—	—
12	Cancer, malignant disease	M	185	—	—	—	—	2	19	105	59	28	—	1	—	—	—	5	11	11
		F	248	—	1	—	—	1	39	139	68	43	—	—	—	—	—	3	26	14
13	Rheumatic fever ...	M	13	—	—	—	3	3	6	1	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	5	1	2	2	—	2	—	—	—	1	1	—	—	—
14	Meningitis	M	35	9	10	7	6	—	2	1	—	4	4	—	—	—	—	—	—	—
		F	23	6	3	7	5	1	1	—	—	7	1	—	3	1	—	1	1	—
15	Organic heart disease ...	M	306	—	1	—	5	7	39	150	104	44	—	—	—	1	3	4	22	14
		F	344	1	—	2	11	10	51	121	148	64	—	1	—	3	4	7	22	27
16	Bronchitis	M	410	77	39	13	3	1	17	116	144	24	2	2	—	—	—	1	1	18
		F	314	51	17	9	—	3	13	58	163	40	3	3	—	1	—	2	7	24
17	Pneumonia (all forms)	M	557	115	93	56	29	20	85	108	51	59	9	12	7	5	2	7	11	6
		F	390	65	77	58	28	13	36	44	69	50	16	6	4	2	1	6	8	7
18	Other respiratory diseases	M	61	9	3	7	3	1	9	19	10	14	2	1	1	—	—	1	6	3
		F	43	4	2	5	7	1	4	11	9	8	—	1	2	—	—	—	2	3
19	Diarrhœa, &c.	M	286	202	39	15	2	1	11	7	9	30	19	7	3	—	—	—	1	—
		F	203	116	47	7	2	3	7	14	7	19	15	3	—	—	—	—	—	1
20	Appendicitis and typhlitis	M	19	—	—	2	8	1	5	2	1	4	—	—	—	—	3	—	—	1
		F	12	—	—	—	3	3	3	2	1	1	—	—	—	—	—	1	—	—
21	Cirrhosis of liver ...	M	28	—	—	—	—	—	4	17	7	8	—	—	—	—	—	1	3	4
		F	25	—	—	—	—	—	8	14	3	4	—	—	—	—	—	1	2	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	132	1	2	6	8	6	23	60	26	12	—	—	—	—	—	3	4	5
		F	105	1	2	2	1	2	25	48	24	11	—	—	—	—	—	1	5	5
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	29	—	—	—	—	3	25	1	—	3	—	—	—	—	2	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	6	20	1	—	1	—	—	—	—	1	—	—	—
25	Congenital debility, &c.	M	251	247	—	—	3	1	—	—	—	47	47	—	—	—	—	—	—	—
		F	199	198	—	1	—	—	—	—	—	25	23	—	—	2	—	—	—	—
26	Violence, apart from suicide.	M	188	23	6	17	27	13	35	53	14	15	3	1	1	1	1	2	3	3
		F	93	19	5	8	18	4	9	6	24	7	3	—	—	2	—	—	—	2
27	Suicide	M	15	—	—	—	—	1	3	8	3	5	—	—	—	—	—	2	3	—
		F	4	—	—	—	—	—	4	—	—	2	—	—	—	—	—	1	—	1
28	Other defined diseases ...	M	906	165	21	12	29	24	82	232	341	111	20	2	3	1	4	13	31	37
		F	845	102	21	7	13	18	89	198	397	107	16	3	—	1	3	17	32	35
29	Causes ill-defined or unknown.	M	5	—	2	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—
		F	3	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Southampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Southend on Sea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	910	132	40	37	45	26	130	230	270	504	75	17	8	18	17	84	130	155
	F	818	104	41	31	40	25	108	155	314	511	46	10	10	14	23	78	122	208
1 Enteric fever	M	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—
	F	6	—	—	1	2	—	2	1	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	20	—	11	8	1	—	—	—	—	4	2	1	1	—	—	—	—	—
	F	10	4	4	1	1	—	—	—	—	8	1	3	1	2	—	1	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—
5 Whooping cough ...	M	11	6	3	2	—	—	—	—	—	7	4	2	1	—	—	—	—	—
	F	28	10	12	5	1	—	—	—	—	4	2	2	—	—	—	—	—	—
6 Diphtheria and croup ...	M	20	—	1	4	15	—	—	—	—	2	—	—	—	2	—	—	—	—
	F	21	1	—	6	14	—	—	—	—	6	—	—	3	2	1	—	—	—
7 Influenza	M	17	—	—	1	—	—	4	6	6	17	—	1	—	1	—	4	6	5
	F	15	1	1	—	—	—	2	4	7	19	—	1	—	—	—	2	7	9
8 Erysipelas	M	2	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	101	1	—	3	2	10	36	47	2	56	—	—	—	—	10	26	16	4
	F	64	1	1	—	1	10	35	13	3	51	—	—	—	—	14	24	11	2
10 Tuberculous meningitis	M	8	5	—	2	1	—	—	—	—	2	—	2	—	—	—	—	—	—
	F	8	3	1	1	1	2	—	—	—	4	—	1	2	1	—	—	—	—
11 Other tuberculous diseases.	M	15	3	1	2	2	2	1	4	—	9	2	3	1	2	—	1	—	—
	F	8	—	2	2	2	—	1	1	—	5	1	—	1	—	1	1	1	—
12 Cancer, malignant disease	M	71	—	—	—	—	—	8	28	35	40	—	—	—	—	—	6	18	16
	F	80	—	—	—	—	—	11	31	38	63	—	—	—	—	—	5	34	24
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	2	—	—	—	—	—	2	—	—
	F	5	—	—	—	2	2	1	—	—	1	—	—	—	—	—	—	1	—
14 Meningitis	M	13	1	1	2	7	1	—	1	—	3	1	1	—	1	—	—	—	—
	F	9	1	2	1	—	2	2	1	—	5	2	—	1	1	—	1	—	—
15 Organic heart disease ...	M	89	—	—	—	1	—	17	31	40	42	—	—	—	1	1	6	18	16
	F	68	—	—	—	2	—	10	24	32	45	—	—	—	—	1	6	13	25
16 Bronchitis	M	65	17	7	1	—	1	—	10	29	44	8	1	—	—	—	3	11	21
	F	90	10	4	2	1	—	—	10	63	49	6	—	—	—	—	—	4	39
17 Pneumonia (all forms)	M	59	11	7	2	1	—	15	13	10	29	9	4	—	—	2	5	5	4
	F	49	8	9	5	3	—	6	9	9	15	2	1	—	1	—	3	5	3
18 Other respiratory diseases	M	25	—	—	1	1	—	6	6	11	7	—	—	—	—	—	3	3	1
	F	13	—	—	—	2	—	—	3	8	10	—	—	—	—	—	4	2	4
19 Diarrhœa, &c.	M	27	18	3	2	—	—	2	—	2	10	8	1	—	—	—	—	1	—
	F	21	17	2	1	—	1	—	—	—	6	3	—	—	—	—	—	3	—
20 Appendicitis and typhlitis	M	3	—	—	—	—	—	1	2	—	3	—	—	1	—	1	1	—	—
	F	7	—	—	1	2	1	1	—	2	3	—	—	—	2	—	—	—	1
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	—	4	3	9	—	—	—	—	—	1	5	3
	F	8	—	—	—	—	—	2	4	2	7	—	—	—	—	—	1	6	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	24	—	—	—	—	—	—	13	11	30	—	—	—	1	—	4	15	10
	F	20	—	—	—	—	—	2	12	6	25	—	—	—	—	—	4	8	13
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	2	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	1	8	—	—	5	—	—	—	—	1	4	—	—
25 Congenital debility, &c.	M	50	49	—	—	—	1	—	—	—	24	24	—	—	—	—	—	—	—
	F	36	36	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	38	3	2	1	5	5	8	9	5	16	—	—	3	2	1	7	1	2
	F	11	—	1	2	1	1	—	2	4	13	—	1	—	1	1	5	1	4
27 Suicide	M	3	—	—	—	—	—	2	—	1	3	—	—	—	—	—	1	2	—
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	—	1
28 Other defined diseases ...	M	235	18	3	5	6	6	28	54	115	137	17	1	1	7	2	13	25	71
	F	227	12	2	3	5	5	21	40	139	141	12	1	—	4	2	14	26	82
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	4	—	—	—	—	—	—	2	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Southport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	South Shields. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	466	52	8	14	19	11	46	127	189	1,162	287	86	72	56	47	145	245	224
	F	601	36	11	15	15	15	61	149	299	975	181	92	71	47	54	112	178	240
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	—	1	2	—	—	—	—	26	7	13	5	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	25	2	14	8	1	—	—	—	—
4 Scarlet fever	M	4	—	1	1	2	—	—	—	—	12	—	1	8	3	—	—	—	—
	F	4	—	—	2	1	—	—	1	—	6	—	—	6	—	—	—	—	—
5 Whooping cough ...	M	3	2	—	1	—	—	—	—	—	19	10	1	8	—	—	—	—	—
	F	3	2	—	1	—	—	—	—	—	26	8	9	7	2	—	—	—	—
6 Diphtheria and croup ...	M	4	—	—	—	4	—	—	—	—	6	—	1	3	2	—	—	—	—
	F	4	—	1	1	2	—	—	—	—	3	1	2	—	—	—	—	—	—
7 Influenza	M	9	—	—	—	—	—	2	2	5	11	—	1	1	1	—	4	4	—
	F	16	—	—	—	—	—	1	5	10	10	—	1	—	—	1	4	2	2
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	26	—	—	1	—	5	14	5	1	90	—	—	2	10	15	37	25	1
	F	30	—	—	—	2	4	12	9	3	91	1	—	3	7	32	37	11	—
10 Tuberculous meningitis	M	6	4	—	—	1	—	1	—	—	16	1	3	4	7	—	1	—	—
	F	5	2	2	—	1	—	—	—	—	15	—	2	4	7	2	—	—	—
11 Other tuberculous diseases.	M	6	1	—	1	2	1	1	—	—	27	2	6	10	6	2	1	—	—
	F	5	2	—	1	1	—	1	—	—	18	1	3	6	5	1	2	—	—
12 Cancer, malignant disease	M	42	1	—	—	1	—	3	21	16	50	—	—	—	—	—	7	20	23
	F	62	—	—	—	—	1	3	30	28	70	—	—	—	—	—	11	32	27
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	4	—	—	—	2	1	1	—	—
14 Meningitis	M	4	3	1	—	—	—	—	—	—	10	1	3	—	3	2	—	1	—
	F	8	—	—	2	2	2	—	2	—	8	1	3	3	1	—	—	—	—
15 Organic heart disease ...	M	54	—	—	—	—	1	4	16	33	85	—	—	—	1	4	11	36	33
	F	81	—	—	—	—	—	3	25	53	78	—	—	—	3	2	10	38	25
16 Bronchitis	M	24	—	—	—	1	—	2	5	16	124	55	10	3	1	—	7	15	33
	F	52	2	3	1	—	—	2	7	37	133	31	11	5	5	1	3	25	52
17 Pneumonia (all forms)	M	44	7	2	6	2	1	4	15	7	133	32	29	12	2	3	22	20	13
	F	37	3	2	4	1	1	4	7	15	103	31	24	16	5	1	7	7	12
18 Other respiratory diseases	M	8	—	—	—	—	—	—	2	6	20	3	—	3	2	1	3	6	2
	F	11	1	—	—	—	—	2	1	7	11	1	—	2	—	1	1	3	3
19 Diarrhœa, &c	M	17	10	—	1	—	1	1	2	2	63	35	10	7	5	—	2	4	—
	F	13	1	2	1	2	—	1	3	3	42	18	13	4	1	1	1	2	2
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	5	—	—	—	2	1	1	1	—
	F	4	—	—	—	—	1	2	1	—	1	—	—	—	1	—	—	—	—
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	1	3	2	5	—	—	—	—	—	1	3	1
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	17	—	—	—	—	—	1	12	4	28	—	—	3	—	1	3	16	5
	F	17	—	—	—	—	—	1	9	7	31	1	1	1	1	2	8	14	3
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	7	—	—	—	—	2	5	—	—
25 Congenital debility, &c.	M	19	18	—	—	1	—	—	—	—	84	80	2	1	1	—	—	—	—
	F	12	11	—	1	—	—	—	—	—	56	56	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	16	—	1	1	1	—	3	8	2	76	4	1	—	3	12	24	27	5
	F	7	—	—	—	—	1	2	1	3	12	1	—	1	—	1	1	2	6
27 Suicide	M	4	—	—	—	—	—	2	1	1	4	—	—	—	—	1	—	3	—
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—
28 Other defined diseases ...	M	142	6	2	1	2	2	7	29	93	245	56	4	2	5	5	18	51	104
	F	214	12	—	1	1	5	20	43	132	211	28	7	4	6	6	18	38	104
29 Causes ill-defined or unknown.	M	6	—	1	—	—	—	—	4	1	14	—	1	—	—	—	—	10	3
	F	3	—	1	—	—	—	—	1	1	7	—	2	1	—	—	—	2	2

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Stockport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Stoke upon Trent. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	974	158	50	50	27	23	136	294	236	2,193	543	140	121	107	78	232	557	415
	F	1,032	151	53	45	43	36	149	242	313	1,976	420	162	129	101	75	237	410	442
1 Enteric fever	M	4	—	—	—	—	—	1	3	—	10	—	—	—	3	1	4	2	—
	F	4	—	—	—	—	—	2	2	—	2	—	—	—	1	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	37	5	15	13	4	—	—	—	—	52	15	21	15	1	—	—	—	—
	F	30	6	8	13	3	—	—	—	—	42	6	17	17	2	—	—	—	—
4 Scarlet fever	M	3	—	—	1	2	—	—	—	—	9	1	3	2	3	—	—	—	—
	F	9	—	1	3	4	1	—	—	—	20	2	1	12	4	1	—	—	—
5 Whooping cough ...	M	8	3	3	1	1	—	—	—	—	28	14	8	6	—	—	—	—	—
	F	11	4	4	3	—	—	—	—	—	37	16	11	10	—	—	—	—	—
6 Diphtheria and croup ...	M	6	—	1	1	4	—	—	—	—	50	3	7	22	18	—	—	—	—
	F	9	—	2	4	3	—	—	—	—	56	2	6	24	23	1	—	—	—
7 Influenza	M	9	—	—	1	—	—	1	2	5	29	1	2	—	1	1	5	14	5
	F	14	—	—	—	—	1	1	5	7	24	—	1	1	1	—	4	8	9
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	5	1	—	—	—	—	1	3	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	81	1	—	2	3	4	52	16	3	166	3	—	3	6	25	65	59	5
	F	74	—	—	—	4	18	42	10	—	123	—	—	3	7	30	55	25	3
10 Tuberculous meningitis	M	7	—	2	4	—	1	—	—	—	12	2	5	1	2	—	2	—	—
	F	13	3	1	6	2	1	—	—	—	22	8	5	4	5	—	—	—	—
11 Other tuberculous diseases.	M	9	—	2	1	1	—	3	1	1	38	12	5	4	9	4	1	3	—
	F	13	1	2	—	4	—	4	1	1	28	5	8	4	4	2	1	3	1
12 Cancer, malignant disease	M	71	—	—	—	—	1	5	43	22	96	—	—	—	1	2	4	62	27
	F	94	—	—	—	—	—	14	52	28	107	—	—	—	1	2	24	55	25
13 Rheumatic fever ...	M	2	—	—	—	2	—	—	—	—	6	—	—	—	1	2	2	1	—
	F	5	—	—	—	2	—	2	1	—	6	—	—	—	1	4	1	—	—
14 Meningitis	M	3	1	—	—	—	1	—	1	—	23	7	1	4	9	1	—	1	—
	F	6	1	1	1	1	1	—	1	—	27	4	10	4	7	1	—	1	—
15 Organic heart disease ...	M	105	—	—	—	1	5	13	52	34	149	—	—	—	1	9	24	68	47
	F	110	—	—	—	3	6	14	40	47	168	—	—	—	6	1	29	73	59
16 Bronchitis	M	99	15	1	1	—	—	8	29	45	315	53	14	8	1	—	16	116	107
	F	99	9	3	—	—	1	6	24	56	215	48	13	6	2	1	9	60	76
17 Pneumonia (all forms)	M	105	17	11	13	2	2	13	35	12	209	54	39	26	13	5	22	38	12
	F	100	10	19	6	5	—	16	20	24	179	39	46	21	8	5	18	21	21
18 Other respiratory diseases	M	6	—	—	2	—	—	1	3	—	36	3	1	1	1	1	3	18	8
	F	14	1	—	—	1	—	2	2	8	13	1	1	2	1	—	1	3	4
19 Diarrhœa, &c.	M	50	30	9	2	1	—	4	1	3	115	75	18	11	3	—	2	4	2
	F	38	26	4	1	1	—	1	2	3	90	59	16	4	2	2	1	4	2
20 Appendicitis and typhlitis	M	3	—	—	—	—	1	—	2	—	12	—	—	1	4	2	4	1	—
	F	4	—	—	—	2	1	1	—	—	10	—	—	—	1	4	2	2	1
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	1	2	2	9	—	—	—	—	—	3	5	1
	F	4	—	—	—	—	—	2	1	1	10	—	—	—	—	—	2	4	4
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—
22 Nephritis and Bright's disease.	M	34	—	1	1	1	1	5	9	16	50	1	—	—	5	3	9	19	13
	F	37	—	1	—	—	—	4	14	18	63	1	1	1	3	3	11	31	12
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	11	—	—	—	—	3	8	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	24	—	—	—	—	1	22	1	—
25 Congenital debility, &c.	M	55	55	—	—	—	—	—	—	—	197	195	—	1	1	—	—	—	—
	F	65	65	—	—	—	—	—	—	—	160	159	1	—	—	—	—	—	—
26 Violence, apart from suicide.	M	24	2	—	4	2	—	5	9	2	89	10	3	7	17	14	14	21	3
	F	18	—	1	5	1	—	—	6	5	46	5	3	8	10	—	4	7	9
27 Suicide	M	11	—	—	—	—	—	—	9	2	13	—	—	—	—	1	5	5	2
	F	4	—	—	—	—	—	2	2	—	11	—	—	—	—	2	3	6	—
28 Other defined diseases ...	M	233	29	4	2	3	7	24	76	88	461	93	9	9	7	7	43	112	181
	F	246	25	4	3	7	5	29	59	114	464	65	17	8	10	12	40	97	215
29 Causes ill-defined or unknown.	M	4	—	1	1	—	—	—	1	1	13	—	4	—	—	—	3	4	2
	F	2	—	2	—	—	—	—	—	—	15	—	5	—	2	—	2	5	1

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Sunderland.									Tynemouth.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	1,516	373	147	95	82	46	161	295	317	557	132	45	37	21	16	61	117	128
	F	1,431	304	144	91	71	50	174	230	367	483	78	48	34	23	24	69	85	122
1 Enteric fever	M	1	—	—	1	—	—	—	—	—	5	—	—	1	—	—	3	1	—
	F	2	—	—	—	—	—	1	1	—	11	—	—	—	3	3	5	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	62	10	23	27	2	—	—	—	—	9	5	3	1	—	—	—	—	—
	F	58	14	28	13	3	—	—	—	—	10	3	1	5	1	—	—	—	—
4 Scarlet fever	M	2	—	1	1	—	—	—	—	—	4	—	—	2	2	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	2	—	1	1	—	—	—	—	—
5 Whooping cough ...	M	27	12	8	4	3	—	—	—	—	17	8	6	3	—	—	—	—	—
	F	25	10	9	6	—	—	—	—	—	12	4	6	2	—	—	—	—	—
6 Diphtheria and croup ...	M	8	3	1	4	—	—	—	—	—	4	—	1	2	1	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—
7 Influenza	M	14	—	—	—	1	—	4	7	2	2	—	—	—	—	—	—	—	2
	F	14	—	—	1	1	1	1	6	4	3	—	—	—	—	—	1	1	1
8 Erysipelas	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	1	—	—	—	—	1	—	2	2	—	—	—	—	—	—	1	1
9 Pulmonary tuberculosis	M	107	1	1	2	7	17	50	27	2	45	1	—	—	1	4	28	10	1
	F	96	—	3	2	15	22	46	7	1	44	—	—	1	2	10	22	8	1
10 Tuberculous meningitis	M	16	3	2	2	5	1	3	—	—	5	—	1	3	1	—	—	—	—
	F	14	1	1	4	6	1	1	—	—	6	3	—	1	2	—	—	—	—
11 Other tuberculous diseases.	M	38	8	6	7	8	3	4	2	—	5	1	—	1	1	1	—	1	—
	F	32	3	7	9	6	1	4	2	—	13	—	4	2	4	1	2	—	—
12 Cancer, malignant disease	M	56	—	—	1	1	1	1	30	22	31	—	—	—	—	—	3	16	12
	F	63	—	—	—	—	—	14	29	20	29	—	—	—	—	1	5	13	10
13 Rheumatic fever ...	M	2	—	—	—	—	1	—	—	1	1	—	—	—	—	1	—	—	—
	F	11	—	—	—	3	1	4	2	1	1	—	—	—	—	—	—	1	—
14 Meningitis	M	13	3	2	1	5	—	1	1	—	8	8	—	—	—	—	—	—	—
	F	17	6	3	3	2	3	—	—	—	9	1	2	2	3	—	—	—	1
15 Organic heart disease ...	M	111	—	—	—	2	3	15	46	45	40	—	—	—	—	—	1	19	20
	F	97	—	—	—	2	2	18	32	43	42	—	—	—	1	1	6	17	17
16 Bronchitis	M	211	68	23	8	7	—	7	40	58	57	18	8	7	—	—	—	7	17
	F	206	50	20	12	1	—	3	32	88	50	10	8	4	—	—	4	9	15
17 Pneumonia (all forms)...	M	176	37	45	20	10	5	20	23	16	52	10	12	12	3	1	2	6	6
	F	151	46	38	20	4	6	14	12	11	34	2	14	9	—	1	1	4	3
18 Other respiratory diseases	M	18	—	4	—	—	2	3	5	4	11	1	—	1	1	1	1	1	5
	F	8	1	—	—	1	—	2	2	2	8	—	3	2	—	—	1	1	1
19 Diarrhœa, &c.	M	87	51	19	6	5	—	2	1	3	19	8	3	—	—	1	2	—	5
	F	86	45	17	3	3	—	1	11	6	20	13	2	1	—	—	—	—	4
20 Appendicitis and typhlitis	M	7	—	—	—	5	1	1	—	—	2	—	—	—	1	—	—	1	—
	F	4	—	—	—	2	1	1	—	—	1	—	—	—	—	1	—	—	—
21 Cirrhosis of liver ...	M	10	—	—	—	—	1	1	6	2	3	—	—	—	—	—	—	3	—
	F	6	—	—	—	—	—	1	5	—	2	—	—	—	—	—	—	2	—
21A Alcoholism	M	4	—	—	—	—	—	2	2	—	3	—	—	—	—	—	1	1	1
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	30	—	1	2	—	—	6	11	10	13	—		1	1	—	3	6	2
	F	30	1	1	1	3	—	5	7	12	11	—	—	—	1	2	2	4	2
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	2	—	—	—	—	1	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	1	11	—	—	5	—	—	—	—	2	3	—	—
25 Congenital debility, &c.	M	114	112	1	—	1	—	—	—	—	40	40	—	—	—	—	—	—	—
	F	96	94	—	1	1	—	—	—	—	26	26	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	69	6	1	4	10	6	12	21	9	23	1	2	1	1	4	5	6	3
	F	35	1	1	4	8	1	5	6	9	7	1	—	—	3	—	—	1	2
27 Suicide	M	8	—	—	—	—	—	2	6	—	7	—	—	—	—	1	1	4	1
	F	7	—	—	—	—	—	1	5	1	1	—	—	—	—	—	1	—	—
28 Other defined diseases ...	M	321	58	7	4	10	5	27	67	143	145	31	9	2	7	2	11	33	50
	F	336	31	10	10	9	9	31	70	166	126	15	5	3	2	1	13	23	64
29 Causes ill-defined or unknown.	M	3	—	2	1	—	—	—	—	—	6	—	—	—	1	—	—	2	3
	F	9	—	5	1	—	—	1	1	1	4	—	1	—	1	—	2	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Wakefield.* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Wallasey. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	423	73	21	29	13	19	45	115	108	547	80	14	17	33	18	83	145	157
	F	394	52	26	18	16	17	63	70	132	575	66	14	14	23	23	69	136	230
1 Enteric fever	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	2	—
	F	4	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	2	1	—	—	—	—	—	4	1	1	1	1	—	—	—	—
	F	6	2	1	2	1	—	—	—	—	3	3	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	6	2	3	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—
	F	8	1	2	4	1	—	—	—	—	10	7	1	2	—	—	—	—	—
6 Diphtheria and croup ...	M	4	—	—	3	1	—	—	—	—	9	—	1	3	5	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	7	—	—	3	3	—	1	—	—
7 Influenza	M	10	—	—	1	—	1	1	3	4	4	1	—	—	—	—	—	2	1
	F	4	—	—	1	—	—	—	—	3	9	—	—	—	—	—	—	2	7
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	26	—	—	—	—	10	7	9	—	52	—	—	1	2	6	27	14	2
	F	32	—	—	2	4	10	12	4	—	31	—	—	—	—	9	13	9	—
10 Tuberculous meningitis	M	6	—	—	2	2	—	1	1	—	7	3	2	1	1	—	—	—	—
	F	2	—	1	—	—	—	1	—	—	9	1	2	4	—	1	1	—	—
11 Other tuberculous diseases.	M	8	2	3	1	—	1	1	—	—	7	2	1	—	3	1	—	—	—
	F	2	2	—	—	—	—	—	—	—	10	1	1	1	4	—	1	1	1
12 Cancer, malignant disease	M	36	—	—	—	—	1	3	20	12	48	—	—	—	—	—	5	26	17
	F	40	—	—	—	—	—	10	12	18	63	—	—	—	—	—	9	31	23
13 Rheumatic fever ...	M	4	—	—	—	1	2	—	1	—	1	—	—	—	—	—	1	—	—
	F	5	—	—	1	—	1	2	1	—	3	—	—	1	1	—	—	1	—
14 Meningitis	M	—	—	—	—	—	—	—	—	—	13	8	1	2	2	—	—	—	—
	F	3	—	1	—	2	—	—	—	—	2	1	—	—	1	—	—	—	—
15 Organic heart disease ...	M	38	—	—	—	—	—	4	9	25	55	—	—	—	1	—	7	21	26
	F	45	—	—	—	—	1	7	17	20	78	—	—	—	1	1	5	23	48
16 Bronchitis	M	48	10	5	2	1	—	2	10	18	34	5	—	—	—	—	2	11	16
	F	49	9	5	1	—	—	—	5	29	45	2	—	—	1	—	—	10	32
17 Pneumonia (all forms)	M	49	18	5	7	—	—	6	12	1	78	17	3	2	6	6	18	18	8
	F	37	8	11	2	1	—	6	3	6	42	7	3	1	1	2	5	11	12
18 Other respiratory diseases	M	12	—	1	—	1	—	1	7	2	11	—	1	—	—	—	—	5	5
	F	7	—	—	1	—	—	2	—	4	6	1	—	—	1	—	2	1	1
19 Diarrhœa, &c.	M	10	8	—	2	—	—	—	—	—	11	7	1	—	—	—	3	—	—
	F	9	5	2	2	—	—	—	—	—	17	6	1	1	—	2	—	2	5
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	2	—	—	1	—	—	—	1	—
	F	6	—	—	—	2	3	—	1	—	6	—	—	1	2	1	—	1	1
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	3	1
	F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	2	4	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
22 Nephritis and Bright's disease.	M	11	—	—	1	1	1	—	5	3	18	—	—	—	2	—	3	6	7
	F	3	—	—	—	—	—	2	1	—	4	—	—	—	—	1	1	2	—
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	3	—	—	—	—	—	3	—	—
25 Congenital debility, &c.	M	22	21	1	—	—	—	—	—	—	23	22	—	—	1	—	—	—	—
	F	16	16	—	—	—	—	—	—	—	24	23	—	—	1	—	—	—	—
26 Violence, apart from suicide.	M	19	1	—	2	4	1	4	4	3	18	—	2	2	2	—	3	5	4
	F	11	—	1	—	3	—	1	3	3	16	—	2	—	2	2	5	1	4
27 Suicide	M	3	—	—	—	—	—	1	1	1	2	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1
28 Other defined diseases ...	M	105	11	1	6	2	2	12	32	39	137	13	1	1	6	5	12	29	70
	F	96	9	1	2	1	—	13	22	48	176	14	3	—	4	4	19	37	95
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—

* Constituted a County Borough on 1st April, 1915. The figures shown above relate to the whole year.

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Walsall.									Warrington.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	837	213	73	51	45	32	99	150	174	648	128	41	43	44	36	97	160	99
		F	754	167	65	56	37	27	84	136	182	556	84	43	47	43	30	72	100	137
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—
		F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	65	15	30	13	7	—	—	—	—	11	3	3	4	1	—	—	—	—
		F	61	12	25	14	9	1	—	—	—	14	3	4	6	1	—	—	—	—
4	Scarlet fever	M	3	—	—	1	2	—	—	—	—	11	1	1	2	7	—	—	—	—
		F	3	1	—	2	—	—	—	—	—	18	1	3	6	8	—	—	—	—
5	Whooping cough ...	M	8	5	1	2	—	—	—	—	—	9	2	5	2	—	—	—	—	—
		F	6	—	1	5	—	—	—	—	—	17	7	6	3	1	—	—	—	—
6	Diphtheria and croup	M	10	—	2	4	3	—	1	—	—	13	—	3	6	4	—	—	—	—
		F	13	—	1	6	5	1	—	—	—	9	—	—	4	5	—	—	—	—
7	Influenza	M	1	—	—	—	1	—	—	—	—	8	—	—	—	1	—	2	3	2
		F	3	—	—	—	—	1	—	2	—	8	—	—	—	—	3	—	—	5
8	Erysipelas	M	2	—	—	—	—	—	1	—	1	4	1	—	—	1	—	1	—	1
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
9	Pulmonary tuberculosis	M	87	—	1	2	4	8	45	24	3	79	—	3	2	4	14	33	19	4
		F	59	1	—	2	2	11	26	15	2	50	—	—	—	5	11	22	10	2
10	Tuberculous meningitis	M	6	1	2	—	2	1	—	—	—	6	2	2	—	2	—	—	—	—
		F	12	4	2	4	1	1	—	—	—	11	1	2	3	3	2	—	—	—
11	Other tuberculous diseases.	M	14	3	5	2	2	2	—	—	—	17	3	1	3	1	4	3	2	—
		F	9	—	—	1	3	1	4	—	—	9	1	—	2	3	2	—	1	—
12	Cancer, malignant disease	M	33	—	—	—	—	1	5	18	9	39	—	—	1	—	1	4	24	9
		F	36	—	—	—	—	—	3	19	14	23	—	—	—	—	1	4	10	8
13	Rheumatic fever ...	M	4	—	—	—	1	2	—	—	1	4	—	—	—	2	1	—	1	—
		F	5	—	—	—	—	3	1	1	—	4	—	—	—	2	—	1	1	—
14	Meningitis	M	6	3	—	2	1	—	—	—	—	12	4	3	4	—	—	1	—	—
		F	6	1	1	1	1	—	1	1	—	6	2	1	2	1	—	—	—	—
15	Organic heart disease ...	M	43	—	—	—	—	4	3	18	18	30	—	—	—	—	3	5	13	9
		F	56	—	—	1	2	—	11	24	18	38	—	—	—	2	1	6	16	13
16	Bronchitis	M	72	21	3	2	—	—	5	9	32	41	6	2	3	1	—	4	13	12
		F	61	16	4	1	—	—	2	9	29	53	7	5	1	—	—	2	14	24
17	Pneumonia (all forms)	M	96	21	14	13	5	7	16	17	3	92	15	12	11	5	1	11	22	15
		F	67	14	7	11	6	2	7	8	12	82	14	12	12	5	2	5	15	17
18	Other respiratory diseases	M	11	—	—	—	1	—	1	6	3	5	—	—	—	2	1	1	—	1
		F	12	3	1	1	—	—	—	4	3	7	—	—	1	—	—	1	1	4
19	Diarrhœa, &c.	M	57	43	5	2	1	—	2	1	3	25	20	3	—	—	—	—	1	1
		F	55	34	16	2	—	—	—	2	1	19	8	6	2	1	—	—	1	1
20	Appendicitis and typhlitis	M	3	—	—	—	1	—	1	1	—	4	—	—	—	—	2	1	1	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	16	—	1	2	1	—	1	8	3	23	—	—	—	2	—	3	14	4
		F	13	—	—	1	—	—	1	7	4	13	—	—	1	—	—	5	4	3
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	3	—	—	—	—	—	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	2	2	—	—	5	—	—	—	—	1	4	—	—
25	Congenital debility, &c.	M	62	62	—	—	—	—	—	—	—	39	39	—	—	—	—	—	—	—
		F	52	51	—	1	—	—	—	—	—	26	26	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	20	—	1	2	5	3	4	5	—	24	—	—	1	5	3	7	7	1
		F	20	5	1	1	4	—	1	2	6	11	—	1	1	2	1	—	—	6
27	Suicide	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—
		F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	1	1	—	—
28	Other defined diseases	M	209	39	7	4	8	4	13	38	96	134	32	2	4	5	5	15	31	40
		F	191	25	5	2	4	3	20	40	92	115	13	2	3	3	3	15	24	52
29	Causes ill-defined or unknown.	M	2	—	1	—	—	—	—	—	1	9	—	1	—	—	—	3	5	—
		F	2	—	1	—	—	—	—	1	—	8	1	1	—	1	1	1	1	2

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	West Bromwich.									West Ham.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	659	165	62	57	33	13	59	136	134	2,529	512	192	147	129	102	326	603	518
	F	549	102	63	45	34	17	46	95	147	2,218	428	154	141	105	100	235	440	615
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	11	—	—	—	1	4	4	2	—
	F	1	—	—	1	—	—	—	—	—	4	—	—	—	1	2	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	64	19	22	22	1	—	—	—	—	71	10	37	20	4	—	—	—	—
	F	59	13	24	16	6	—	—	—	—	79	15	31	26	7	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	6	—	—	1	5	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	6	—	2	3	1	—	—	—	—
5 Whooping cough ...	M	6	4	2	—	—	—	—	—	—	28	11	8	9	—	—	—	—	—
	F	5	2	3	—	—	—	—	—	—	30	11	13	5	1	—	—	—	—
6 Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	36	3	9	14	10	—	—	—	—
	F	5	1	2	—	2	—	—	—	—	32	4	3	16	9	—	—	—	—
7 Influenza	M	9	—	—	—	—	—	3	4	2	40	1	—	2	—	4	7	12	14
	F	4	—	1	—	—	—	1	1	1	22	—	—	—	—	1	1	8	12
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	2	1	2
	F	1	1	—	—	—	—	—	—	—	5	3	—	—	—	—	—	1	1
9 Pulmonary tuberculosis	M	38	—	1	2	1	6	16	10	2	240	2	3	7	12	39	108	67	2
	F	28	—	1	2	2	4	15	4	—	154	3	2	2	13	32	71	30	1
10 Tuberculous meningitis	M	6	—	1	3	2	—	—	—	—	31	4	8	13	6	—	—	—	—
	F	5	1	2	1	—	—	1	—	—	35	7	4	12	11	1	—	—	—
11 Other tuberculous diseases.	M	12	3	—	3	5	1	—	—	—	42	8	7	10	11	2	3	1	—
	F	3	1	1	—	—	—	—	1	—	35	9	2	5	7	5	4	2	1
12 Cancer, malignant disease	M	30	—	—	—	—	—	3	16	11	134	—	—	1	—	2	12	77	42
	F	28	—	—	—	—	—	1	16	11	143	—	—	—	—	1	21	71	50
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	—	1	9	—	—	1	3	2	2	—	1
	F	1	—	—	—	—	—	—	—	1	16	—	—	1	6	1	3	3	2
14 Meningitis	M	4	1	1	—	1	—	—	1	—	21	10	2	3	4	—	—	2	—
	F	7	—	1	1	4	1	—	—	—	18	5	4	1	6	—	2	—	—
15 Organic heart disease ...	M	42	—	—	—	2	—	3	15	22	177	—	—	—	11	5	26	66	69
	F	52	—	—	—	2	4	3	14	29	210	—	—	3	9	14	32	65	87
16 Bronchitis	M	79	15	4	4	—	—	1	24	31	280	42	7	2	2	5	19	83	120
	F	59	11	7	1	1	—	2	15	22	293	41	7	4	—	2	7	66	166
17 Pneumonia (all forms)...	M	79	19	11	12	4	2	14	11	6	270	66	49	25	11	9	31	61	18
	F	55	10	7	11	6	1	2	7	11	245	59	39	33	11	5	25	43	30
18 Other respiratory diseases	M	9	1	1	1	—	—	1	5	—	35	—	1	1	—	—	7	14	12
	F	7	—	—	4	1	—	—	—	2	28	—	1	1	4	—	4	11	7
19 Diarrhœa, &c.	M	41	29	6	1	2	—	—	2	1	172	104	37	12	6	—	5	6	2
	F	26	14	7	3	—	—	—	2	—	137	83	27	9	3	3	3	3	6
20 Appendicitis and typhlitis	M	4	—	—	—	3	1	—	—	—	7	—	—	—	2	—	3	1	1
	F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	2	—	—	2
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	1	1	21	—	—	—	—	1	4	14	2
	F	2	—	—	—	—	—	—	2	—	14	—	—	—	—	1	1	12	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	11	—	1	—	—	—	2	5	3	59	—	—	1	2	2	8	28	18
	F	10	—	1	1	—	—	2	5	1	50	—	2	—	—	5	9	20	14
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	9	—	—	—	—	2	7	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	9	—	—	—	—	2	7	—	—
25 Congenital debility, &c.	M	57	55	1	1	—	—	—	—	—	171	168	1	1	1	—	—	—	—
	F	34	33	—	—	—	1	—	—	—	122	121	—	1	—	—	—	—	—
26 Violence, apart from suicide.	M	31	3	3	3	4	1	5	8	4	142	21	4	12	19	17	29	28	12
	F	10	1	—	2	4	1	—	1	1	57	27	1	5	6	3	2	4	9
27 Suicide	M	4	—	—	—	—	1	1	2	—	11	—	—	—	—	—	5	2	4
	F	2	—	—	—	—	1	1	—	—	5	—	—	—	—	1	3	1	—
28 Other defined diseases ...	M	118	16	5	3	5	1	9	29	50	495	62	11	10	19	10	48	136	199
	F	127	14	3	1	6	3	9	25	66	446	40	11	12	9	17	32	98	227
29 Causes ill-defined or unknown.	M	5	—	3	—	—	—	—	2	—	11	—	8	2	—	—	—	1	—
	F	10	—	3	1	—	—	2	2	2	10	—	5	2	1	—	—	2	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	West Hartlepool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Wigan. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	600	137	62	40	32	17	61	134	117	865	228	97	70	49	33	93	183	112
	F	545	115	54	46	21	23	57	115	114	792	164	85	48	39	40	101	160	155
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	3	—	—
	F	1	—	—	—	—	1	—	—	—	5	—	—	—	1	1	2	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	50	17	16	13	4	—	—	—	—	38	8	14	14	2	—	—	—	—
	F	29	7	8	11	3	—	—	—	—	37	8	19	9	1	—	—	—	—
4 Scarlet fever	M	1	—	1	—	—	—	—	—	—	16	—	3	6	7	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	11	1	2	1	7	—	—	—	—
5 Whooping cough ...	M	7	6	—	1	—	—	—	—	—	69	32	18	13	6	—	—	—	—
	F	15	4	7	4	—	—	—	—	—	40	22	10	8	—	—	—	—	—
6 Diphtheria and croup ...	M	4	—	—	1	3	—	—	—	—	2	—	—	1	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	5	—	1	1	3	—	—	—	—
7 Influenza	M	5	—	—	—	—	1	—	2	2	8	—	—	—	—	—	3	4	1
	F	6	—	—	—	—	1	1	3	1	5	—	—	—	—	—	2	3	—
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	6	1	—	—	—	1	—	3	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	32	—	1	2	3	3	17	6	—	56	—	1	—	—	13	27	14	1
	F	39	—	—	—	1	10	17	9	2	41	—	—	—	4	12	18	7	—
10 Tuberculous meningitis	M	12	2	5	1	3	—	1	—	—	8	2	1	1	2	1	1	—	—
	F	7	1	3	2	—	—	—	1	—	5	2	1	1	1	—	—	—	—
11 Other tuberculous diseases.	M	18	4	5	4	2	3	—	—	—	20	4	5	4	2	3	1	—	1
	F	12	5	3	—	—	1	3	—	—	2	—	—	—	—	1	1	—	—
12 Cancer, malignant disease	M	31	1	—	—	—	—	4	17	9	21	—	1	—	—	1	2	13	4
	F	29	—	—	—	—	—	1	20	8	26	—	—	—	—	—	5	12	9
13 Rheumatic fever ...	M	3	—	—	—	—	2	—	1	—	4	—	—	—	2	—	—	2	—
	F	1	—	—	—	—	1	—	—	—	5	—	—	—	—	2	1	2	—
14 Meningitis	M	4	2	1	—	1	—	—	—	—	7	3	1	1	1	—	1	—	—
	F	9	2	1	1	4	—	—	1	—	8	3	1	2	1	1	—	—	—
15 Organic heart disease ...	M	42	—	—	—	3	2	4	16	17	41	—	—	—	2	1	7	22	9
	F	37	—	—	—	—	—	7	16	14	50	—	—	—	2	5	11	17	15
16 Bronchitis	M	59	18	7	3	—	—	1	11	19	69	12	4	1	2	—	5	25	20
	F	49	12	10	6	2	—	2	5	12	97	11	5	3	2	1	4	34	37
17 Pneumonia (all forms)	M	78	14	16	7	5	3	6	20	7	137	35	26	16	8	3	11	26	12
	F	61	12	11	8	3	2	6	8	11	113	21	23	14	8	4	18	15	10
18 Other respiratory diseases	M	8	—	1	—	—	—	2	2	3	9	2	1	2	1	—	—	2	1
	F	9	—	—	1	—	—	1	5	2	8	1	—	2	2	—	—	1	2
19 Diarrhœa, &c.	M	27	14	2	5	1	1	—	1	3	54	35	12	1	3	—	1	1	1
	F	16	10	3	1	1	—	—	1	—	24	11	10	—	—	—	1	—	2
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	3	—	—	—	3	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—	2	—
	F	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	3	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	16	—	—	1	1	—	3	9	2	10	—	—	1	1	—	1	4	3
	F	10	—	2	—	1	—	1	3	3	15	—	1	1	—	1	1	8	3
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	9	—	—	—	—	—	9	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	9	—	—	12	—	—	—	—	3	9	—	—
25 Congenital debility, &c.	M	38	38	—	—	—	—	—	—	—	71	71	—	—	—	—	—	—	—
	F	39	38	—	1	—	—	—	—	—	58	58	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	29	1	1	2	5	2	7	8	3	35	—	1	3	2	5	14	8	2
	F	12	1	1	5	1	1	1	—	2	14	—	—	2	3	2	2	2	3
27 Suicide	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	1	1	2
	F	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	1	1
28 Other defined diseases ...	M	124	20	6	—	1	—	14	32	51	159	23	5	5	3	3	14	52	54
	F	141	23	4	6	2	5	6	38	57	177	26	5	4	2	5	14	48	73
29 Causes ill-defined or unknown.	M	5	—	—	—	—	—	—	5	—	11	—	4	1	—	1	1	4	—
	F	3	—	1	—	—	—	—	1	1	17	—	7	—	2	1	1	6	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

Causes of Death.	Sex.	Wolverhampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Worcester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	863	168	57	74	35	24	93	194	218	358	50	15	11	9	10	36	78	149
	F	764	148	45	60	32	34	92	150	203	347	33	9	6	9	10	48	68	164
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	71	9	20	33	9	—	—	—	—	4	—	—	4	—	—	—	—	—
	F	60	12	19	24	5	—	—	—	—	2	1	1	—	—	—	—	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
5 Whooping cough ...	M	7	3	2	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	4	1	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
6 Diphtheria and croup	M	9	—	1	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	3	3	—	—	—	—	3	—	—	1	2	—	—	—	—
7 Influenza	M	17	—	—	—	—	1	2	7	7	4	—	—	—	—	—	1	1	2
	F	15	—	—	2	—	2	1	—	10	5	—	—	—	—	—	1	—	4
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	75	1	1	1	1	6	37	27	1	35	—	—	—	—	6	14	12	3
	F	41	—	1	—	2	7	22	7	2	26	1	—	1	2	3	15	1	3
10 Tuberculous meningitis	M	6	2	1	1	2	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	5	1	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases.	M	17	6	3	4	—	1	2	1	—	5	—	1	—	2	—	2	—	—
	F	18	8	1	3	2	2	1	1	—	4	—	1	—	1	—	—	1	1
12 Cancer, malignant disease	M	40	—	—	—	1	—	1	20	18	23	—	—	—	—	—	2	9	12
	F	71	—	—	—	—	—	16	30	25	32	—	—	—	—	—	3	14	15
13 Rheumatic fever ...	M	2	—	—	—	—	—	2	—	—	2	—	—	—	—	1	1	—	—
	F	6	—	—	—	—	1	1	4	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	8	2	3	2	—	—	1	—	—	6	—	2	1	1	—	1	1	—
	F	4	—	1	3	—	—	—	—	—	2	—	1	—	—	1	—	—	—
15 Organic heart disease ...	M	57	—	—	1	1	1	8	18	28	46	—	—	—	—	1	5	12	28
	F	55	—	—	—	2	4	5	20	24	60	—	—	—	—	2	8	11	39
16 Bronchitis	M	104	25	8	5	1	—	—	27	38	35	4	—	1	—	—	1	4	25
	F	100	27	5	4	—	1	1	14	48	37	4	2	—	—	—	—	3	28
17 Pneumonia (all forms)	M	86	23	6	9	6	6	11	17	8	38	10	8	3	—	—	2	5	10
	F	58	18	8	5	3	4	5	9	6	27	8	2	2	—	—	4	7	4
18 Other respiratory diseases	M	14	—	—	2	—	—	1	3	8	3	—	—	—	—	—	1	2	—
	F	7	1	1	—	1	—	—	2	2	—	—	—	—	—	—	—	—	—
19 Diarrhœa, &c.	M	28	13	6	4	—	1	2	—	2	6	3	2	1	—	—	—	—	—
	F	28	18	4	2	—	—	2	1	1	6	3	2	1	—	—	—	—	—
20 Appendicitis and typhlitis	M	4	—	—	—	2	—	—	2	—	1	—	—	—	—	—	1	—	—
	F	4	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	1	4	2	4	—	—	—	—	—	1	2	1
	F	3	—	—	—	—	—	1	2	—	3	—	—	—	—	—	1	1	1
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	18	—	—	2	1	—	1	4	10	13	—	—	—	—	—	1	6	6
	F	9	—	—	—	1	1	2	4	1	3	—	—	—	—	—	2	1	—
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	3	—	—	—	—	—	3	—	—
25 Congenital debility, &c.	M	57	57	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—
	F	40	40	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	23	—	—	—	4	3	6	8	2	12	1	1	—	4	—	—	1	5
	F	15	—	—	5	3	1	2	2	2	11	1	—	—	—	1	3	2	4
27 Suicide	M	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—
	F	4	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1
28 Other defined diseases ...	M	202	27	6	4	1	5	15	52	92	92	7	1	1	1	2	2	21	57
	F	191	22	3	6	7	7	21	45	80	106	4	—	—	3	2	7	26	64
29 Causes ill-defined or unknown.	M	5	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	1	8	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	York.									Cardiff.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	684	124	28	26	30	23	84	157	212	1,505	278	75	57	55	66	212	386	376
		F	637	95	33	18	21	21	78	127	244	1,324	218	63	53	75	78	179	295	363
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	3	1	—
		F	4	—	—	—	1	2	—	—	1	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	10	7	1	2	—	—	—	—	—	24	9	9	6	—	—	—	—	—
		F	13	4	6	3	—	—	—	—	—	15	1	10	3	1	—	—	—	—
4	Scarlet fever	M	2	—	—	1	1	—	—	—	—	5	—	1	1	3	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	7	—	1	3	3	—	—	—	—
5	Whooping cough ...	M	9	5	3	1	—	—	—	—	—	14	9	2	3	—	—	—	—	—
		F	9	3	5	1	—	—	—	—	—	20	11	7	—	1	1	—	—	—
6	Diphtheria and croup ...	M	4	—	1	—	3	—	—	—	—	18	2	1	10	5	—	—	—	—
		F	4	—	—	—	4	—	—	—	—	28	—	1	10	17	—	—	—	—
7	Influenza	M	16	—	—	—	—	2	5	4	5	16	2	1	2	—	1	3	5	2
		F	17	1	—	—	1	1	2	3	9	12	—	—	1	1	1	4	2	3
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	60	1	—	—	6	7	26	18	2	137	1	2	2	—	21	68	39	4
		F	45	—	1	1	2	10	24	6	1	126	—	2	2	11	28	55	26	2
10	Tuberculous meningitis	M	8	—	2	3	1	—	2	—	—	33	5	4	8	11	3	1	1	—
		F	12	—	4	3	1	—	3	1	—	18	5	2	5	2	1	3	—	—
11	Other tuberculous diseases.	M	10	1	1	1	5	1	1	—	—	29	9	3	1	6	7	2	1	—
		F	5	—	—	1	1	1	—	2	—	23	5	3	1	3	1	6	4	—
12	Cancer, malignant disease	M	31	—	—	—	—	1	3	16	11	69	—	—	—	1	1	10	34	23
		F	57	—	—	—	1	—	3	26	27	93	—	—	—	2	1	17	54	19
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	3	—	1
		F	2	—	—	—	—	1	1	—	—	7	1	—	—	—	—	3	2	1
14	Meningitis	M	7	1	1	2	—	2	—	—	1	15	4	3	4	3	1	—	—	—
		F	5	2	1	—	1	—	1	—	—	21	—	—	2	13	4	2	—	—
15	Organic heart disease ...	M	71	—	—	—	1	1	6	29	34	167	1	—	1	5	1	18	70	71
		F	75	—	—	—	1	—	8	30	36	129	—	—	—	2	7	15	54	51
16	Bronchitis	M	38	4	1	—	—	—	2	11	20	152	26	5	1	—	—	13	33	74
		F	47	7	2	—	—	—	2	10	26	122	12	6	1	—	—	1	21	81
17	Pneumonia (all forms)	M	71	17	12	12	2	2	7	6	13	140	29	25	7	4	7	25	37	6
		F	44	11	12	4	3	—	4	4	6	89	15	15	13	3	6	8	12	17
18	Other respiratory diseases	M	9	—	—	—	—	—	1	4	4	31	—	1	2	1	2	2	9	14
		F	5	—	1	—	—	—	1	2	1	18	3	—	1	1	—	1	6	6
19	Diarrhœa, &c.	M	29	22	2	—	—	—	1	2	2	61	49	5	2	2	—	—	1	2
		F	25	14	—	1	—	1	3	2	4	60	39	6	2	—	1	2	2	8
20	Appendicitis and typhlitis	M	4	—	—	—	2	—	—	2	—	4	—	—	1	—	1	1	1	—
		F	3	—	—	—	1	2	—	—	—	5	—	—	—	1	2	—	2	—
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	1	4	2	14	—	—	—	1	—	1	7	5
		F	5	—	—	—	—	—	1	2	2	6	—	—	—	—	—	1	5	—
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
22	Nephritis and Bright's disease.	M	18	—	—	—	1	2	3	7	5	47	—	—	2	—	1	3	20	21
		F	15	—	—	—	—	—	4	3	8	37	—	1	—	2	—	9	17	8
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	8	—	—	—	—	4	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	13	—	—	—	—	—	12	1	—
25	Congenital debility, &c.	M	37	37	—	—	—	—	—	—	—	80	79	—	—	1	—	—	—	—
		F	32	32	—	—	—	—	—	—	—	81	79	—	—	—	2	—	—	—
26	Violence, apart from suicide.	M	26	1	1	3	3	2	7	7	2	74	2	3	2	8	9	23	24	3
		F	10	1	—	—	1	1	—	2	5	35	4	2	3	4	2	8	3	9
27	Suicide	M	3	—	—	—	—	—	—	1	2	3	—	—	—	—	—	2	1	—
		F	4	—	—	—	—	1	1	2	—	5	—	—	—	—	—	2	2	1
28	Other defined diseases	M	210	28	2	1	5	3	17	45	109	356	70	8	2	4	10	32	101	149
		F	192	20	1	3	3	—	15	32	118	343	43	7	6	8	16	25	81	157
29	Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	4	—	2	—	—	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1915—*cont.*

	Causes of Death.	Sex.	Merthyr Tydfil. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Swansea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	811	187	80	55	33	31	100	181	144	836	188	42	30	25	30	120	201	200
		F	642	151	63	53	24	34	84	116	117	822	141	34	39	30	40	119	186	233
1	Enteric fever	M	3	—	—	—	2	1	—	—	—	2	—	—	—	—	1	1	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	51	16	20	12	3	—	—	—	—	7	3	2	2	—	—	—	—	—
		F	57	8	27	20	2	—	—	—	—	8	2	3	3	—	—	—	—	—
4	Scarlet fever	M	2	—	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	32	15	9	8	—	—	—	—	—	7	5	2	—	—	—	—	—	—
		F	36	22	9	3	2	—	—	—	—	6	3	1	2	—	—	—	—	—
6	Diphtheria and croup ...	M	3	—	1	2	—	—	—	—	—	9	—	3	3	3	—	—	—	—
		F	4	—	—	3	1	—	—	—	—	10	—	—	9	1	—	—	—	—
7	Influenza	M	14	—	—	—	—	—	—	12	2	15	—	—	—	—	2	2	6	5
		F	5	—	1	—	1	1	1	—	1	8	—	—	—	—	2	—	3	3
8	Erysipelas	M	1	1	—	—	—	—	—	—	—	4	—	—	—	—	—	1	1	2
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	60	2	1	1	4	10	27	14	1	88	—	3	4	6	8	33	26	8
		F	44	—	1	2	2	13	22	4	—	78	1	—	—	8	15	35	15	4
10	Tuberculous meningitis	M	7	1	1	1	3	1	—	—	—	9	3	—	2	3	1	—	—	—
		F	6	1	1	1	3	—	—	—	—	6	1	1	—	3	1	—	—	—
11	Other tuberculous diseases.	M	10	1	2	—	—	3	3	1	—	11	4	—	—	1	1	3	2	—
		F	7	2	1	—	2	1	1	—	—	9	2	1	—	1	1	1	2	1
12	Cancer, malignant disease	M	29	—	—	—	—	—	8	14	7	47	—	—	—	—	—	5	21	21
		F	38	—	—	—	—	—	5	28	5	52	—	—	—	—	—	8	31	13
13	Rheumatic fever ...	M	6	—	—	—	3	—	2	1	—	4	—	—	—	—	4	—	—	—
		F	8	—	—	—	2	2	3	1	—	3	—	—	—	2	—	—	1	—
14	Meningitis	M	9	2	—	3	2	1	1	—	—	7	3	1	—	1	—	1	1	—
		F	4	—	1	—	1	1	1	—	—	11	4	—	2	2	—	1	1	1
15	Organic heart disease ...	M	50	—	—	—	—	2	4	25	19	63	—	—	—	1	—	15	23	24
		F	43	—	—	—	—	1	11	16	15	75	—	—	1	3	4	15	28	24
16	Bronchitis	M	69	22	5	3	2	—	—	9	28	82	19	4	3	1	—	4	23	28
		F	49	13	3	2	—	1	2	8	20	89	16	5	3	1	—	3	15	46
17	Pneumonia (all forms)	M	145	24	25	15	3	7	19	39	13	69	16	13	5	1	2	7	15	10
		F	71	21	13	12	—	2	4	9	10	68	13	13	10	2	4	4	13	9
18	Other respiratory diseases	M	10	—	—	—	—	1	1	4	4	14	—	2	—	—	—	2	7	3
		F	9	—	—	2	—	—	2	4	1	17	2	2	1	—	—	3	5	4
19	Diarrhœa, &c.	M	32	21	4	4	—	—	—	3	—	38	28	4	1	—	—	1	2	2
		F	20	13	—	2	—	2	—	2	1	22	12	2	3	1	—	—	1	3
20	Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	7	—	—	—	2	1	4	—	—
		F	3	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	1
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	—	2	2	5	—	—	—	—	—	—	3	2
		F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	—	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	11	2	—	1	—	—	1	3	4	24	—	—	1	—	1	2	13	7
		F	16	—	2	—	—	1	4	7	2	20	—	—	—	1	1	9	6	3
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	2	2	—	—	4	—	—	—	—	1	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	14	—	—	—	—	3	11	—	—
25	Congenital debility, &c.	M	48	47	1	—	—	—	—	—	—	50	48	—	—	1	1	—	—	—
		F	41	41	—	—	—	—	—	—	—	43	43	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	41	—	1	4	2	4	16	11	3	43	3	—	7	3	2	15	11	2
		F	11	1	—	2	4	—	—	3	1	12	2	1	4	1	1	—	—	3
27	Suicide	M	4	—	—	—	—	—	2	2	—	3	—	—	—	—	—	—	2	1
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	2	1
28	Other defined diseases ...	M	161	33	5	—	7	1	16	38	61	227	56	7	2	2	6	24	45	85
		F	150	29	2	2	4	3	18	32	60	257	40	5	1	4	7	24	61	115
29	Causes ill-defined or unknown.	M	6	—	5	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	4	—	2	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in the Administrative County of Bedford—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	957	176	66	52	56	35	99	212	261	598	66	20	21	24	17	46	115	289
		F	948	100	56	67	53	36	112	152	372	594	53	16	14	28	19	46	104	314
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	53	5	15	23	9	—	—	1	—	12	2	5	3	2	—	—	—	—
		F	56	3	18	25	7	—	3	—	—	18	3	4	6	5	—	—	—	—
4	Scarlet fever	M	5	—	1	1	2	—	1	—	—	5	—	—	—	5	—	—	—	—
		F	3	—	—	1	2	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	5	4	1	—	—	—	—	—	—	7	1	4	2	—	—	—	—	—
		F	7	2	—	5	—	—	—	—	—	3	2	1	—	—	—	—	—	—
6	Diphtheria and croup ...	M	31	—	5	7	18	1	—	—	—	12	—	—	8	4	—	—	—	—
		F	37	—	1	11	23	—	2	—	—	9	—	1	3	5	—	—	—	—
7	Influenza	M	25	1	—	—	—	1	2	10	11	14	2	—	—	—	—	4	2	6
		F	21	1	1	—	2	—	3	4	10	13	—	1	1	—	1	—	2	8
8	Erysipelas	M	1	1	—	—	—	—	—	—	—	4	1	—	—	—	—	1	1	1
		F	5	—	—	—	—	—	1	2	2	1	—	—	—	—	—	1	—	—
9	Pulmonary tuberculosis	M	63	1	—	—	3	14	34	10	1	27	—	—	—	1	5	12	9	—
		F	48	—	—	2	1	8	24	12	1	37	—	—	—	1	4	20	8	4
10	Tuberculous meningitis	M	9	2	1	1	3	1	1	—	—	1	—	1	—	—	—	—	—	—
		F	8	1	1	2	2	1	1	—	—	8	—	1	—	5	1	—	1	—
11	Other tuberculous diseases.	M	15	4	1	—	3	1	3	3	—	5	—	—	—	—	1	1	2	1
		F	12	—	1	—	1	2	3	2	3	7	—	—	1	3	2	—	1	—
12	Cancer, malignant disease	M	48	—	—	—	—	—	1	30	17	55	—	—	—	—	—	4	18	33
		F	71	—	—	1	—	—	6	32	32	53	—	—	—	—	—	1	19	33
13	Rheumatic fever ...	M	3	—	—	—	—	2	1	—	—	4	—	—	—	1	1	—	2	—
		F	2	—	—	—	1	—	—	—	1	1	—	—	—	—	1	—	—	—
14	Meningitis	M	7	3	—	1	3	—	—	—	—	2	2	—	—	—	—	—	—	—
		F	6	—	—	3	1	2	—	—	—	2	2	—	—	—	—	—	—	—
15	Organic heart disease ...	M	87	—	—	—	3	3	10	31	40	62	—	—	—	—	2	4	17	39
		F	102	—	—	—	2	2	12	32	54	60	—	—	—	1	—	3	18	38
16	Bronchitis	M	98	26	13	3	2	2	—	18	34	54	8	2	—	1	—	—	5	38
		F	96	12	8	3	1	2	2	9	59	63	6	2	1	—	—	—	7	47
17	Pneumonia (all forms)	M	94	14	21	5	2	2	7	29	14	51	8	6	4	2	3	4	8	16
		F	65	9	13	4	2	6	12	9	10	31	7	4	—	3	2	1	6	8
18	Other respiratory diseases	M	20	1	1	1	—	—	6	3	8	11	—	—	1	1	—	—	5	4
		F	14	—	—	—	—	—	—	6	8	8	—	—	—	2	—	—	—	6
19	Diarrhœa, &c.	M	23	20	1	1	—	—	—	1	—	11	6	—	—	—	—	1	1	3
		F	30	16	5	2	1	—	2	2	2	5	2	1	—	—	—	—	2	—
20	Appendicitis and typhlitis	M	6	—	—	—	1	—	3	1	1	1	—	—	—	1	—	—	—	—
		F	4	—	—	—	1	—	3	—	—	4	—	—	1	—	1	1	1	—
21	Cirrhosis of liver ...	M	6	—	—	—	—	—	1	4	1	6	—	—	—	—	—	—	3	3
		F	8	—	—	—	—	—	1	3	4	3	—	—	—	—	—	—	1	2
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
22	Nephritis and Bright's disease.	M	30	—	1	1	—	1	3	10	14	17	1	—	—	—	2	3	6	5
		F	16	—	—	—	2	—	3	3	8	15	—	—	—	1	—	3	6	5
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	2	6	—	—	4	—	—	—	—	1	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	3	4	—	—	5	—	—	—	—	1	4	—	—
25	Congenital debility, &c.	M	59	58	—	1	—	—	—	—	—	24	24	—	—	—	—	—	—	—
		F	37	36	—	—	—	1	—	—	—	22	22	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	29	1	1	2	4	3	8	5	5	19	3	—	1	2	2	2	4	5
		F	16	1	—	3	1	3	3	2	3	8	—	—	—	—	1	2	1	4
27	Suicide	M	9	—	—	—	—	—	3	6	—	2	—	—	—	—	—	—	2	—
		F	4	—	—	—	—	1	2	1	—	1	—	—	—	—	—	1	—	—
28	Other defined diseases ...	M	224	35	3	5	2	4	13	47	115	183	8	1	2	4	1	9	23	135
		F	258	19	8	3	3	3	17	31	174	206	9	1	1	1	3	5	31	155
29	Causes ill-defined or unknown.	M	5	—	1	—	—	—	2	2	—	7	—	1	—	—	—	—	6	—
		F	6	—	—	2	—	—	2	1	1	4	—	—	—	—	—	1	—	3

Causes of Death at Different Periods of Life in the Administrative County of Berks—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	414	54	6	15	12	13	35	91	188	876	121	24	24	31	21	83	206	366
		F	415	38	15	11	16	8	37	74	216	903	84	24	17	27	30	82	182	457
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	2	—	—	1	1	—	—	—	—	11	1	4	1	4	—	1	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	1	—	—	—	—	—	1	—	—	3	—	—	—	2	—	1	—	—
		F	2	—	—	1	1	—	—	—	—	10	—	1	2	4	1	1	1	—
5	Whooping cough ...	M	6	2	1	2	1	—	—	—	—	15	10	1	2	2	—	—	—	—
		F	9	4	1	3	1	—	—	—	—	16	8	3	3	2	—	—	—	—
6	Diphtheria and croup ...	M	3	—	—	3	—	—	—	—	—	4	2	—	—	2	—	—	—	—
		F	6	—	—	3	3	—	—	—	—	6	—	—	1	5	—	—	—	—
7	Influenza	M	6	—	—	1	—	—	1	1	3	24	4	1	1	—	—	1	8	9
		F	8	—	—	—	—	—	1	3	4	32	3	1	2	—	—	3	5	18
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	31	—	—	—	—	3	12	12	4	44	—	—	1	2	4	25	11	1
		F	13	—	1	—	—	2	6	2	2	38	—	—	1	—	6	25	5	1
10	Tuberculous meningitis	M	1	1	—	—	—	—	—	—	—	4	1	1	1	—	—	—	1	—
		F	2	1	—	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—
11	Other tuberculous diseases.	M	4	—	—	—	2	1	1	—	—	12	1	1	1	1	1	1	5	1
		F	1	—	—	—	1	—	—	—	—	8	—	—	1	2	1	3	1	—
12	Cancer, malignant disease	M	41	—	—	—	—	—	2	15	24	66	—	—	1	—	—	4	35	26
		F	38	—	—	—	—	—	1	18	19	118	—	—	—	—	—	5	61	52
13	Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	—	1
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—
14	Meningitis	M	2	1	—	—	—	—	—	1	—	13	3	1	—	4	3	2	—	—
		F	3	—	1	—	2	—	—	—	—	8	—	1	1	4	2	—	—	—
15	Organic heart disease ...	M	39	—	—	—	—	2	4	7	26	105	1	—	—	1	2	8	36	57
		F	60	—	—	—	1	2	5	13	39	121	—	—	—	—	1	7	27	86
16	Bronchitis	M	51	9	4	3	—	—	—	7	28	60	9	1	2	1	—	1	10	36
		F	53	4	3	1	1	1	1	6	36	75	4	1	1	—	—	—	6	63
17	Pneumonia (all forms)	M	28	9	1	3	1	—	2	8	4	67	13	10	5	1	—	5	16	17
		F	27	6	5	1	—	1	6	3	5	56	9	9	1	5	6	4	6	16
18	Other respiratory diseases	M	3	—	—	—	—	—	1	—	2	16	—	—	1	—	—	1	5	9
		F	9	—	—	—	1	—	1	3	4	10	1	—	—	—	—	3	1	5
19	Diarrhœa, &c.	M	6	2	—	1	1	—	2	—	—	10	8	—	1	—	—	—	—	1
		F	9	3	2	—	—	—	—	—	4	10	6	—	—	—	—	—	2	2
20	Appendicitis and typhlitis	M	3	—	—	—	—	1	—	2	—	8	—	—	—	4	2	1	—	1
		F	4	—	—	—	3	1	—	—	—	3	—	—	1	—	1	—	—	1
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	—	3	2	10	—	—	—	—	—	1	5	4
		F	2	—	—	—	—	—	1	1	—	5	—	—	—	—	—	—	2	3
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	14	—	—	—	1	—	—	5	8	26	—	—	1	—	2	4	8	11
		F	4	—	—	—	—	—	—	1	3	24	—	—	—	—	2	2	10	10
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	8	—	—	—	—	2	6	—	—
25	Congenital debility, &c.	M	26	26	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	34	32	1	—	1	—	—	—	—
26	Violence, apart from suicide.	M	8	—	—	1	3	1	1	1	1	23	—	2	4	3	—	7	4	3
		F	11	2	—	—	—	1	1	3	4	13	3	1	1	1	1	4	1	1
27	Suicide	M	2	—	—	—	—	—	—	1	1	7	—	—	—	—	—	1	4	2
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	3	1
28	Other defined diseases ...	M	130	4	—	—	2	4	8	28	84	285	22	1	2	4	5	16	51	184
		F	130	5	1	1	2	—	6	19	96	288	15	6	2	—	6	16	48	195
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	13	1	1	—	—	1	1	7	2
		F	—	—	—	—	—	—	—	—	—	9	2	—	—	1	—	—	3	3

Causes of Death at Different Periods of Life in the Administrative County of Buckingham—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	564	89	30	21	19	13	70	117	205	965	123	32	28	37	35	90	211	409
	F	581	62	24	18	22	20	65	116	254	955	88	19	30	33	29	87	171	498
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	1	2	1	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	7	2	3	—	2	—	—	—	—	11	1	2	4	4	—	—	—	—
	F	12	1	4	4	3	—	—	—	—	7	1	2	2	2	—	—	—	—
4 Scarlet fever	M	4	—	1	1	2	—	—	—	—	6	—	—	4	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	10	4	2	3	1	—	—	—	—	11	7	4	—	—	—	—	—	—
	F	13	6	1	4	1	—	—	—	1	13	6	5	1	1	—	—	—	—
6 Diphtheria and croup ...	M	5	—	1	1	3	—	—	—	—	9	—	—	6	3	—	—	—	—
	F	5	—	—	—	5	—	—	—	—	3	—	—	—	3	—	—	—	—
7 Influenza	M	28	2	3	1	—	1	2	9	10	39	3	—	—	1	4	2	11	18
	F	20	—	—	1	1	—	5	3	10	43	3	1	—	5	1	3	10	20
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	M	45	—	—	—	—	8	24	13	—	52	—	—	—	3	11	27	9	2
	F	41	1	1	—	2	8	22	5	2	37	1	—	1	2	8	17	7	1
10 Tuberculous meningitis	M	6	—	3	1	—	1	1	—	—	7	2	1	1	2	—	1	—	—
	F	4	—	—	2	2	—	—	—	—	7	1	—	1	1	1	3	—	—
11 Other tuberculous diseases.	M	1	—	—	—	—	—	—	1	—	9	—	—	—	3	1	2	2	1
	F	5	—	1	—	—	1	1	1	1	8	1	—	—	2	3	1	—	1
12 Cancer, malignant disease	M	34	—	—	—	—	—	3	13	18	65	—	—	—	—	—	—	31	34
	F	44	—	—	—	—	—	7	23	14	85	—	—	—	—	1	10	30	44
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	5	—	—	—	1	—	1	2	1
	F	3	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	1	—
14 Meningitis	M	6	3	1	1	—	—	1	—	—	7	2	—	1	1	3	—	—	—
	F	5	2	—	—	2	1	—	—	—	11	1	2	2	1	—	2	2	1
15 Organic heart disease ...	M	39	—	—	—	2	—	3	12	22	124	—	—	—	2	2	6	40	74
	F	65	—	—	—	1	2	5	17	40	139	—	—	1	2	1	9	34	92
16 Bronchitis	M	51	13	1	2	—	—	1	3	31	87	22	2	4	—	1	1	9	48
	F	61	5	3	—	—	—	1	6	46	98	7	2	1	—	—	2	5	81
17 Pneumonia (all forms)	M	52	11	6	4	2	1	11	9	8	75	14	15	4	1	—	7	18	16
	F	43	13	10	4	2	1	3	3	7	51	7	4	7	4	—	6	8	15
18 Other respiratory diseases	M	6	—	—	3	—	—	—	2	1	13	—	—	—	—	1	2	6	4
	F	9	1	—	—	—	—	1	3	4	12	—	—	1	1	—	1	4	5
19 Diarrhœa, &c.	M	16	11	3	—	—	—	—	2	—	14	2	2	—	—	—	1	5	4
	F	9	5	1	—	—	—	1	2	—	16	4	1	3	—	1	—	3	4
20 Appendicitis and typhlitis	M	3	—	—	—	1	1	1	—	—	9	—	1	—	3	1	2	1	1
	F	2	—	—	—	1	—	1	—	—	4	—	—	—	2	1	—	1	—
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	2	1	3	14	—	—	—	—	—	1	4	9
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
22 Nephritis and Bright's disease.	M	18	—	—	—	—	—	—	6	12	33	—	—	—	1	—	2	13	17
	F	14	—	—	—	—	—	2	7	5	30	—	—	—	—	—	3	12	15
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	2	1	—	6	—	—	—	—	1	5	—	—
25 Congenital debility, &c.	M	29	28	—	—	1	—	—	—	—	44	43	1	—	—	—	—	—	—
	F	17	17	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	27	—	2	2	4	—	7	10	2	31	4	2	—	3	4	6	8	4
	F	2	—	—	—	—	—	—	1	1	12	—	—	—	2	2	—	2	6
27 Suicide	M	4	—	—	—	—	—	1	1	2	9	—	—	—	—	—	4	3	2
	F	2	—	—	—	—	2	—	—	—	4	—	—	—	—	—	3	1	—
28 Other defined diseases ...	M	159	15	3	2	1	1	10	33	94	276	22	2	3	8	5	21	43	172
	F	197	11	3	3	2	2	11	42	123	307	15	2	9	3	7	17	45	209
29 Causes ill-defined or unknown.	M	6	—	1	—	—	—	1	2	2	14	1	—	1	—	1	3	6	2
	F	—	—	—	—	—	—	—	—	—	7	—	—	1	—	—	—	3	3

Causes of Death at Different Periods of Life in the Administrative County of Cambridge—1915.

Causes of Death.	Sex.	Urban District.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	425	52	26	18	25	14	44	96	150	632	74	19	13	21	14	48	113	330
	F	460	36	18	18	24	14	52	92	206	536	49	16	8	15	15	40	107	286
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	29	5	11	9	4	—	—	—	—	12	3	2	5	2	—	—	—	—
	F	30	1	11	12	6	—	—	—	—	17	4	6	5	1	1	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	2	—	1	1	—	—	—	—	—	6	4	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	7	5	—	2	—	—	—	—	—
6 Diphtheria and croup	M	9	—	2	1	6	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	6	—	—	2	4	—	—	—	—	2	—	—	—	2	—	—	—	—
7 Influenza	M	5	—	—	—	—	—	1	2	2	19	1	1	—	—	1	—	6	10
	F	20	1	—	—	—	—	2	4	13	18	—	—	—	—	1	1	3	13
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	M	29	—	1	—	—	4	16	6	2	42	—	—	—	6	5	24	6	1
	F	26	—	—	2	2	6	8	7	1	16	—	—	—	1	6	7	1	1
10 Tuberculous meningitis	M	4	—	2	—	2	—	—	—	—	2	2	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	4	1	—	—	3	—	—	—	—
11 Other tuberculous diseases.	M	7	3	—	—	1	1	1	1	—	5	—	1	—	2	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
12 Cancer, malignant disease	M	34	—	—	—	—	—	4	16	14	73	—	—	—	—	1	3	28	41
	F	53	—	—	—	—	—	7	23	23	55	—	—	—	—	—	5	26	24
13 Rheumatic fever ...	M	5	—	—	—	4	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	4	—	—	—	—	1	—	—	—	1	—	—	—	—
14 Meningitis	M	2	1	—	—	1	—	—	—	—	3	1	—	2	—	—	—	—	—
	F	2	1	—	—	—	—	—	1	—	2	—	1	—	1	—	—	—	—
15 Organic heart disease	M	32	—	—	—	—	—	3	10	19	64	—	—	—	1	—	2	15	46
	F	46	—	—	—	—	1	6	17	22	73	—	—	—	—	2	5	28	38
16 Bronchitis	M	41	8	4	—	—	—	—	5	24	62	6	4	1	—	—	2	7	42
	F	60	4	1	—	1	—	3	6	45	56	4	2	—	1	—	1	7	41
17 Pneumonia (all forms)	M	39	4	4	4	2	3	7	7	8	46	14	4	2	1	1	3	10	11
	F	26	2	4	—	3	2	6	3	6	26	10	2	1	1	2	2	2	6
18 Other respiratory diseases	M	4	—	—	—	—	1	—	1	2	8	—	—	—	—	—	—	2	6
	F	10	—	—	—	—	—	2	1	7	10	1	—	—	—	—	2	—	7
19 Diarrhœa, &c.	M	6	4	—	—	—	—	—	—	2	7	1	1	1	—	—	—	—	4
	F	3	2	—	1	—	—	—	—	—	3	—	—	—	—	—	—	—	3
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	3	—	3	—	—	—	—	—	—	1	2
	F	5	—	—	—	1	—	—	4	—	2	—	—	—	—	—	—	1	1
21A Alcoholism	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	15	—	—	1	—	—	2	4	8	10	—	—	—	—	1	2	3	4
	F	10	—	—	—	—	1	—	2	7	11	—	—	—	—	—	—	3	8
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—
25 Congenital debility, &c.	M	19	19	—	—	—	—	—	—	—	25	24	—	—	—	1	—	—	—
	F	18	18	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	8	1	—	2	1	1	—	3	—	19	—	2	—	4	1	3	3	6
	F	5	—	1	—	1	1	—	1	1	10	—	1	—	2	2	—	1	4
27 Suicide	M	4	—	—	—	—	1	—	3	—	2	—	—	—	—	—	—	1	1
	F	4	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	124	6	1	—	4	3	9	33	68	217	18	3	1	3	1	9	29	153
	F	121	7	1	1	—	1	10	21	80	192	6	3	—	1	1	11	30	140
29 Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
	F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	3	—

Causes of Death at Different Periods of Life in the Administrative County of Chester—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	3,045	501	159	144	111	80	355	805	890	1,130	134	36	36	45	50	115	255	459
	F	3,090	439	157	122	108	132	332	709	1091	1,084	131	36	33	36	45	125	195	483
1 Enteric fever	M	8	—	—	1	—	1	4	2	—	3	—	—	—	—	1	—	1	1
	F	5	—	—	—	—	1	2	2	—	2	—	—	—	1	—	—	—	1
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
3 Measles	M	96	23	34	32	7	—	—	—	—	12	3	5	3	1	—	—	—	—
	F	72	16	27	22	7	—	—	—	—	12	—	4	3	4	—	—	1	—
4 Scarlet fever	M	10	—	1	5	2	2	—	—	—	7	—	1	3	3	—	—	—	—
	F	12	—	—	5	5	1	1	—	—	5	—	2	2	1	—	—	—	—
5 Whooping cough ...	M	23	13	5	4	1	—	—	—	—	8	4	3	1	—	—	—	—	—
	F	41	19	13	8	1	—	—	—	—	12	7	4	1	—	—	—	—	—
6 Diphtheria and croup ...	M	17	—	2	6	9	—	—	—	—	14	—	—	5	6	3	—	—	—
	F	23	—	3	10	9	1	—	—	—	11	1	2	2	5	—	—	1	—
7 Influenza	M	54	—	—	1	1	1	15	16	20	18	—	1	—	—	1	1	6	9
	F	63	—	—	2	3	3	4	19	32	30	2	—	1	—	1	3	4	19
8 Erysipelas	M	4	2	—	—	—	—	—	1	1	2	—	—	—	—	—	1	—	1
	F	3	—	—	—	—	—	1	—	2	1	—	—	—	—	—	1	—	—
9 Pulmonary tuberculosis	M	203	3	6	3	12	22	91	62	4	61	—	1	1	1	14	21	22	1
	F	183	1	2	5	13	35	90	29	8	48	1	—	1	3	9	22	7	5
10 Tuberculous meningitis	M	41	9	11	11	8	2	—	—	—	11	2	—	3	1	3	1	—	1
	F	36	9	3	10	11	3	—	—	—	11	4	2	3	—	2	—	—	—
11 Other tuberculous diseases.	M	44	7	5	8	7	6	5	3	3	11	2	1	1	2	1	2	2	—
	F	43	6	4	8	5	11	6	2	1	15	2	2	—	4	2	3	1	1
12 Cancer, malignant disease	M	188	—	—	—	—	1	18	89	80	82	—	—	—	—	2	1	34	45
	F	292	—	—	1	—	1	26	148	116	118	—	—	—	—	—	14	53	51
13 Rheumatic fever ...	M	10	—	—	1	4	1	4	—	—	5	—	—	—	2	1	—	2	—
	F	13	—	—	—	6	1	2	4	—	5	—	—	—	2	1	1	—	1
14 Meningitis	M	32	12	7	6	2	1	1	3	—	13	2	3	—	3	1	2	2	—
	F	25	7	6	3	4	1	2	1	1	10	3	2	2	1	—	—	2	—
15 Organic heart disease ...	M	313	—	1	—	6	11	17	125	153	132	—	—	—	—	4	6	36	86
	F	334	—	—	1	6	19	30	106	172	131	—	—	—	—	1	11	31	88
16 Bronchitis	M	266	45	7	6	—	1	14	84	109	65	12	2	1	—	1	4	9	36
	F	359	38	15	7	1	—	10	73	215	81	13	3	—	1	1	2	11	50
17 Pneumonia (all forms)	M	255	59	37	25	6	5	38	51	34	87	11	10	1	4	2	12	23	24
	F	232	56	48	23	7	5	20	28	45	67	11	8	6	1	—	8	10	23
18 Other respiratory diseases	M	46	2	3	3	4	—	3	21	10	21	3	2	2	1	—	3	4	6
	F	44	3	2	1	1	—	4	18	15	21	2	1	1	—	—	2	7	8
19 Diarrhœa &c.	M	112	62	10	7	—	—	9	14	10	22	7	1	1	—	—	3	2	8
	F	96	57	11	3	2	1	6	8	8	20	14	—	—	1	—	—	3	2
20 Appendicitis and typhlitis	M	20	—	—	—	6	3	8	3	—	8	—	—	—	—	3	3	1	1
	F	15	—	—	1	6	2	5	1	—	12	—	—	—	5	2	4	—	1
21 Cirrhosis of liver ...	M	34	—	—	—	—	—	7	23	4	11	—	—	—	—	—	1	6	4
	F	14	—	—	—	—	—	5	7	2	3	—	—	—	—	—	—	2	1
21A Alcoholism	M	8	—	—	—	—	—	3	3	2	4	—	—	—	—	—	—	3	1
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	—	2	1	2
22 Nephritis and Bright's disease.	M	104	2	1	3	—	2	14	53	29	35	1	—	—	—	1	7	14	12
	F	88	—	1	1	3	6	7	46	24	23	—	—	—	—	3	2	12	6
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	3	6	1	—	5	—	—	—	—	1	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	—	—	—	4	18	—	—	17	—	—	—	—	2	15	—	—
25 Congenital debility, &c.	M	162	160	—	2	—	—	—	—	—	65	63	—	—	1	—	1	—	—
	F	149	146	—	1	2	—	—	—	—	49	47	1	—	—	1	—	—	—
26 Violence, apart from suicide.	M	137	9	3	10	12	8	29	44	22	53	—	1	6	9	4	15	9	9
	F	39	8	4	2	4	4	1	8	8	28	—	—	5	3	7	2	2	9
27 Suicide	M	26	—	—	—	—	—	11	8	7	4	—	—	—	—	—	3	1	—
	F	14	—	—	—	—	2	2	7	3	4	—	—	—	—	2	2	—	—
28 Other defined diseases ...	M	825	93	23	10	24	13	64	197	401	370	24	5	8	10	7	27	76	213
	F	851	73	17	5	12	28	79	199	438	338	24	5	6	4	10	27	47	215
29 Causes ill-defined or unknown.	M	7	—	3	—	—	—	—	3	1	6	—	—	—	1	1	1	2	1
	F	10	—	1	3	—	—	4	2	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Cornwall—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,019	153	38	36	53	40	108	216	375	1,358	147	30	34	44	61	157	293	592
		F	1,187	112	34	38	52	42	120	205	584	1,387	127	36	32	39	48	127	275	703
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
		F	4	—	—	—	1	1	2	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	24	6	5	9	3	—	1	—	—	23	5	7	8	1	—	2	—	—
		F	18	5	5	6	2	—	—	—	—	22	5	12	3	2	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	2	—	—	—	—	1	1	—	—
5	Whooping cough ...	M	18	11	4	3	—	—	—	—	—	15	11	—	3	1	—	—	—	—
		F	13	6	3	3	1	—	—	—	—	18	7	4	7	—	—	—	—	—
6	Diphtheria and croup ...	M	24	—	—	8	16	—	—	—	—	12	—	1	4	7	—	—	—	—
		F	17	—	—	2	14	1	—	—	—	15	1	—	4	10	—	—	—	—
7	Influenza	M	13	—	—	—	1	—	3	2	7	38	2	—	—	1	3	2	12	18
		F	29	1	1	1	—	1	4	8	13	46	1	—	—	—	1	1	10	33
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
		F	4	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	94	—	1	—	1	14	42	29	7	141	1	—	1	3	21	65	46	4
		F	81	1	—	—	6	16	40	13	5	79	1	1	—	4	19	31	17	6
10	Tuberculous meningitis	M	5	—	2	1	1	1	—	—	—	10	1	2	2	4	—	1	—	—
		F	11	1	—	3	6	1	—	—	—	6	1	—	1	3	—	—	1	—
11	Other tuberculous diseases.	M	10	—	—	1	2	3	2	1	1	13	1	—	—	1	2	3	4	2
		F	18	—	1	1	4	7	3	1	1	22	—	3	2	3	3	8	—	3
12	Cancer, malignant disease	M	73	—	—	—	—	—	4	31	38	94	—	—	1	1	1	4	33	54
		F	115	—	—	—	1	—	15	32	67	131	—	—	—	—	—	8	56	67
13	Rheumatic fever ...	M	3	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	1
		F	2	—	—	—	2	—	—	—	—	6	—	—	—	1	—	2	2	1
14	Meningitis	M	9	1	—	1	2	3	1	1	—	11	4	—	1	2	—	1	2	1
		F	6	—	—	1	—	2	2	1	—	14	2	—	1	3	4	3	1	—
15	Organic heart disease ...	M	101	—	—	—	2	5	6	33	55	144	—	—	—	3	4	2	31	104
		F	153	—	—	—	3	3	8	41	98	168	—	—	—	2	—	7	47	112
16	Bronchitis	M	91	24	6	1	1	1	1	17	40	91	14	2	4	—	—	—	12	59
		F	100	9	7	3	—	1	3	9	68	122	9	7	2	—	3	1	10	90
17	Pneumonia (all forms)	M	54	20	12	2	4	—	3	3	10	71	10	6	3	3	3	9	11	26
		F	60	15	11	7	—	1	4	6	16	67	16	5	1	3	3	6	10	23
18	Other respiratory diseases	M	27	1	1	3	2	2	6	5	7	40	—	—	—	1	2	5	19	13
		F	14	1	1	2	—	—	2	2	6	20	—	—	4	—	—	2	3	11
19	Diarrhœa, &c.	M	17	13	—	1	—	—	1	—	2	12	5	1	—	—	1	—	1	4
		F	21	12	1	1	—	—	—	2	5	17	8	—	—	—	—	—	2	7
20	Appendicitis and typhlitis	M	6	—	—	—	3	—	1	2	—	11	—	—	—	5	3	2	—	1
		F	5	—	—	—	2	—	1	2	—	7	—	—	—	1	1	2	2	1
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	2	3	2	7	—	—	—	—	—	—	5	2
		F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	28	1	—	1	—	1	2	16	7	33	—	—	—	1	—	3	14	15
		F	35	—	—	1	—	2	2	17	13	47	—	—	—	—	—	9	25	13
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	1	5	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	9	—	—	15	—	—	—	—	3	11	1	—
25	Congenital debility, &c.	M	52	51	—	—	—	—	—	1	—	64	64	—	—	—	—	—	—	—
		F	44	43	—	1	—	—	—	—	—	48	48	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	43	3	2	4	7	6	14	4	3	77	2	—	2	3	8	31	27	4
		F	17	—	—	2	3	2	2	—	8	10	1	—	2	1	1	1	2	2
27	Suicide	M	7	—	—	—	—	—	1	5	1	7	—	—	—	—	—	1	4	2
		F	1	—	—	—	—	—	—	1	—	7	—	—	—	—	—	1	4	2
28	Other defined diseases ...	M	305	21	5	1	7	4	16	59	192	430	26	11	5	7	13	23	68	277
		F	393	16	4	3	6	3	18	62	281	482	27	4	4	6	9	27	74	331
29	Causes ill-defined or unknown.	M	6	1	—	—	—	—	—	4	1	8	—	—	—	—	—	—	4	4
		F	6	1	—	—	—	—	—	4	1	12	—	—	1	—	—	3	8	—

Causes of Death at Different Periods of Life in the Administrative County of Cumberland—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1140	246	93	67	56	35	111	230	302	698	102	30	24	23	21	49	155	294
		F	1005	167	82	61	48	47	112	176	312	688	82	20	19	23	33	71	137	303
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	69	13	37	14	5	—	—	—	—	13	1	4	4	3	1	—	—	—
		F	65	10	26	26	3	—	—	—	—	15	4	5	4	2	—	—	—	—
4	Scarlet fever	M	6	—	3	2	1	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	4	—	1	—	3	—	—	—	—	3	—	—	1	1	—	1	—	—
5	Whooping cough ...	M	13	5	5	3	—	—	—	—	—	13	8	2	2	1	—	—	—	—
		F	16	11	3	2	—	—	—	—	—	11	10	1	—	—	—	—	—	—
6	Diphtheria and croup ...	M	8	2	1	4	1	—	—	—	—	8	1	1	2	4	—	—	—	—
		F	10	1	—	6	3	—	—	—	—	4	—	—	1	3	—	—	—	—
7	Influenza	M	16	2	1	—	—	3	4	4	2	19	3	—	—	—	—	3	4	9
		F	11	1	—	—	1	—	1	2	6	17	3	1	1	—	—	5	5	2
8	Erysipelas	M	3	—	—	—	—	—	—	3	—	3	—	—	—	—	—	2	1	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1
9	Pulmonary tuberculosis	M	52	2	1	2	6	6	23	11	1	26	—	1	—	—	1	10	12	2
		F	61	2	1	2	1	16	25	12	2	42	—	—	—	7	15	12	6	2
10	Tuberculous meningitis	M	15	1	2	5	5	—	1	1	—	9	—	2	1	5	1	—	—	—
		F	11	—	4	2	4	1	—	—	—	5	—	—	1	3	1	—	—	—
11	Other tuberculous diseases.	M	15	3	2	2	1	3	3	1	—	7	1	—	—	1	—	4	—	1
		F	27	3	5	2	6	6	2	3	—	6	2	—	1	—	1	1	1	—
12	Cancer, malignant disease	M	62	—	—	—	1	2	5	29	25	54	—	—	—	—	1	1	18	34
		F	63	1	—	—	1	—	10	34	17	61	—	—	—	—	—	3	28	30
13	Rheumatic fever ...	M	5	—	—	—	1	3	1	—	—	3	—	—	—	2	—	1	—	—
		F	5	—	—	—	3	1	—	—	1	—	—	—	—	—	—	—	—	—
14	Meningitis	M	13	6	—	4	3	—	—	—	—	4	1	—	3	—	—	—	—	—
		F	10	1	3	1	4	—	1	—	—	5	1	1	—	—	1	1	1	—
15	Organic heart disease ...	M	97	—	—	—	2	1	12	38	44	82	—	1	—	—	—	1	23	57
		F	90	—	—	—	4	2	10	23	51	107	—	—	—	—	2	7	32	66
16	Bronchitis	M	94	19	8	10	1	2	—	9	45	51	9	5	1	—	—	—	11	25
		F	93	22	8	3	—	1	1	12	46	48	3	4	1	—	—	1	6	33
17	Pneumonia (all forms)...	M	111	42	17	10	8	—	8	16	10	43	9	7	1	—	3	3	10	10
		F	62	18	11	7	2	4	5	7	8	37	7	5	2	1	2	6	6	8
18	Other respiratory diseases	M	41	3	1	2	2	1	10	12	10	17	3	—	2	—	—	1	5	6
		F	16	1	1	1	—	—	1	7	5	14	2	—	1	2	—	1	3	5
19	Diarrhœa, &c.	M	39	22	6	1	1	—	6	1	2	19	9	2	1	—	—	—	2	5
		F	25	13	3	1	—	—	2	3	3	11	2	1	1	1	—	2	1	3
20	Appendicitis and typhlitis	M	6	—	—	—	2	—	2	2	—	5	—	—	—	1	1	—	2	1
		F	7	—	—	—	1	—	4	1	1	3	—	—	—	—	1	1	1	—
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	1	6	—	1	—	—	—	—	—	—	—	1
		F	7	—	—	—	—	—	2	5	—	4	—	—	—	—	—	—	1	3
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	37	1	1	—	1	3	4	14	13	14	—	—	—	—	—	3	5	6
		F	20	—	—	—	—	1	8	5	6	20	—	—	1	1	2	3	7	6
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	2	3	—	—	4	—	—	—	—	—	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	3	10	—	—	3	—	—	—	—	1	2	—	—
25	Congenital debility, &c.	M	75	75	—	—	—	—	—	—	—	38	36	1	—	—	—	1	—	—
		F	51	51	—	—	—	—	—	—	—	38	37	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	59	3	2	4	4	6	17	17	6	41	—	1	4	3	7	7	10	9
		F	19	2	2	1	4	1	1	1	7	9	—	—	3	—	1	3	1	1
27	Suicide	M	2	—	—	—	—	—	—	2	—	8	—	—	—	—	2	—	6	—
		F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	282	45	6	4	11	5	13	56	142	212	21	3	2	2	4	10	43	127
		F	297	29	10	7	8	9	22	56	156	216	11	2	—	2	6	18	37	140
29	Causes ill-defined or unknown.	M	12	2	—	—	—	—	—	8	2	6	—	—	—	—	—	2	3	1
		F	13	1	4	—	—	—	1	5	2	3	—	—	—	—	—	—	—	3

Causes of Death at Different Periods of Life in the Administrative County of Derby—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	2,059	466	136	98	82	65	182	481	549	1,780	352	92	83	77	58	183	400	535
		F	1,885	317	117	91	87	82	222	359	610	1,638	219	85	67	89	71	185	330	592
1	Enteric fever	M	7	—	—	1	—	1	2	3	—	3	—	—	—	—	—	3	—	—
		F	2	—	—	—	—	2	—	—	—	5	—	—	—	—	1	4	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	80	18	36	21	5	—	—	—	—	54	13	19	18	4	—	—	—	—
		F	81	14	32	28	6	—	1	—	—	46	5	25	11	5	—	—	—	—
4	Scarlet fever	M	4	—	—	3	1	—	—	—	—	6	—	1	4	1	—	—	—	—
		F	4	—	2	1	—	1	—	—	—	10	—	1	—	7	1	1	—	—
5	Whooping cough ...	M	23	15	5	3	—	—	—	—	—	6	4	2	—	—	—	—	—	—
		F	21	8	9	2	2	—	—	—	—	11	4	4	2	1	—	—	—	—
6	Diphtheria and croup ...	M	22	—	4	6	11	—	1	—	—	24	—	1	10	12	—	1	—	—
		F	35	—	1	14	19	—	1	—	—	37	—	5	11	20	1	—	—	—
7	Influenza	M	30	—	—	2	1	1	6	12	8	33	3	—	—	1	—	6	15	8
		F	22	2	1	—	—	1	2	5	11	29	—	1	—	1	1	6	4	16
8	Erysipelas	M	6	—	—	—	—	—	—	5	1	5	2	—	—	—	—	1	1	1
		F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	3	—	—
9	Pulmonary tuberculosis	M	117	2	2	1	6	15	49	36	6	97	—	2	1	6	14	46	26	2
		F	118	1	1	3	9	31	51	21	1	95	1	—	—	5	22	47	19	1
10	Tuberculous meningitis	M	12	1	3	3	3	1	—	1	—	19	4	3	4	5	1	—	1	1
		F	12	3	2	1	4	1	—	1	—	17	3	1	6	5	2	—	—	—
11	Other tuberculous diseases.	M	24	7	3	—	4	6	2	1	1	18	4	—	4	2	4	3	1	—
		F	18	2	1	2	4	2	5	2	—	13	1	1	—	2	3	2	—	2
12	Cancer, malignant disease	M	116	—	1	—	1	2	11	54	47	95	—	—	—	—	—	4	56	35
		F	128	—	—	—	1	1	21	63	42	127	1	—	—	2	1	16	57	50
13	Rheumatic fever ...	M	6	—	—	—	2	—	1	2	1	10	—	—	1	4	3	—	2	—
		F	14	—	—	—	4	3	4	3	—	9	—	—	—	2	—	3	3	1
14	Meningitis	M	21	8	4	4	2	2	1	—	—	17	4	1	—	8	3	1	—	—
		F	14	5	1	4	2	2	—	—	—	17	6	2	2	1	3	1	1	1
15	Organic heart disease ...	M	152	—	—	—	3	4	12	59	74	164	—	—	—	—	4	24	65	71
		F	173	—	—	—	3	5	21	64	80	189	—	—	—	2	3	20	79	85
16	Bronchitis	M	194	45	17	3	—	—	1	33	95	139	22	12	3	1	1	3	25	72
		F	192	27	10	2	2	2	4	32	113	129	13	11	4	3	1	9	17	71
17	Pneumonia (all forms)	M	197	57	33	25	6	7	16	35	18	145	41	25	7	7	4	15	26	20
		F	153	43	36	15	7	1	13	23	15	109	20	14	11	1	7	13	18	25
18	Other respiratory diseases	M	25	1	3	1	—	—	4	10	6	35	4	1	6	4	2	—	9	9
		F	18	1	—	2	3	—	4	5	3	25	—	1	3	4	—	4	4	9
19	Diarrhœa, &c.	M	56	42	5	—	1	—	—	1	7	59	35	7	5	1	—	2	6	3
		F	36	18	5	3	—	1	2	—	7	57	31	8	2	3	2	2	4	5
20	Appendicitis and typhlitis	M	15	—	—	2	3	3	3	3	1	10	—	—	—	3	1	4	2	—
		F	9	—	—	—	4	4	1	—	—	7	—	—	—	3	1	1	1	1
21	Cirrhosis of liver ...	M	12	—	—	—	—	—	2	7	3	15	—	—	—	—	—	3	10	2
		F	12	—	—	—	—	—	5	5	2	8	—	—	—	—	—	—	3	5
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	80	2	—	1	6	—	9	37	25	48	—	1	2	1	1	8	16	19
		F	43	1	1	1	2	1	11	11	15	50	—	1	—	3	2	10	17	17
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	4	11	—	—	6	—	—	—	—	1	4	1	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	—	3	19	—	—	7	—	—	—	—	1	6	—	—
25	Congenital debility, &c.	M	165	163	1	—	1	—	—	—	—	136	134	1	—	1	—	—	—	—
		F	128	128	—	—	—	—	—	—	—	78	77	—	—	1	—	—	—	—
26	Violence, apart from suicide.	M	90	2	5	6	10	10	28	22	7	97	5	5	7	9	13	23	25	10
		F	27	3	1	4	5	2	4	4	4	30	2	3	6	7	2	2	5	3
27	Suicide	M	11	—	—	—	—	—	2	9	—	12	—	—	—	—	1	3	4	4
		F	7	—	—	—	—	3	1	2	1	3	—	—	—	—	1	1	1	—
28	Other defined diseases ...	M	566	102	11	15	13	13	30	137	245	518	76	11	10	7	6	31	102	275
		F	565	60	14	9	9	12	40	109	312	496	54	6	7	9	14	29	81	296
29	Causes ill-defined or unknown.	M	27	1	3	1	3	—	1	14	4	14	1	—	1	—	—	1	8	3
		F	15	1	—	—	1	—	1	9	3	25	1	1	—	2	1	1	15	4

Causes of Death at Different Periods of Life in the Administrative County of Devon—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,408	160	40	57	46	43	138	302	622	1,562	171	35	33	41	47	136	348	751
		F	1,694	127	44	41	51	57	159	347	868	1,542	143	25	35	63	49	152	282	793
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	2	1	—
		F	2	—	—	—	—	—	2	—	—	3	—	—	—	1	1	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	35	6	11	15	2	1	—	—	—	14	3	7	4	—	—	—	—	—
		F	20	4	6	7	2	—	1	—	—	16	7	4	3	2	—	—	—	—
4	Scarlet fever	M	2	—	—	—	2	—	—	—	—	4	—	—	2	1	1	—	—	—
		F	4	—	—	1	1	1	1	—	—	6	2	—	—	4	—	—	—	—
5	Whooping cough ...	M	20	15	3	2	—	—	—	—	—	14	9	3	2	—	—	—	—	—
		F	28	14	7	6	—	1	—	—	—	17	10	4	2	1	—	—	—	—
6	Diphtheria and croup ...	M	10	—	—	6	4	—	—	—	—	11	—	1	4	6	—	—	—	—
		F	13	—	—	3	9	—	—	1	—	25	1	—	7	15	1	—	1	—
7	Influenza	M	33	1	—	1	1	1	2	11	16	45	3	1	—	1	1	3	18	18
		F	68	3	—	1	1	3	4	12	44	43	—	1	—	—	—	5	10	27
8	Erysipelas	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	102	1	—	1	1	16	46	29	8	96	—	—	—	1	17	51	25	2
		F	97	—	—	1	8	21	39	25	3	105	1	—	2	4	18	54	21	5
10	Tuberculous meningitis	M	7	1	—	1	3	1	1	—	—	13	3	1	2	3	1	2	1	—
		F	5	—	1	—	—	2	2	—	—	10	—	1	3	2	4	—	—	—
11	Other tuberculous diseases.	M	17	2	2	—	3	4	6	—	—	13	—	—	1	1	4	4	2	1
		F	17	2	1	—	2	2	7	2	1	19	2	—	1	1	—	4	8	3
12	Cancer, malignant disease	M	114	—	—	1	1	2	8	44	58	110	—	—	—	—	—	9	48	53
		F	173	1	—	—	—	2	13	71	86	130	—	—	—	—	1	16	60	53
13	Rheumatic fever ...	M	8	—	—	1	6	1	—	—	—	5	—	—	—	1	1	—	2	1
		F	9	—	—	—	3	2	—	3	1	9	—	—	—	3	4	—	2	—
14	Meningitis	M	15	2	1	3	4	3	2	—	—	20	2	2	4	6	1	1	3	1
		F	13	1	2	3	2	—	3	1	1	14	1	—	1	4	2	1	3	2
15	Organic heart disease ...	M	147	—	—	—	1	1	12	48	85	245	—	—	—	4	—	8	84	149
		F	215	—	—	—	3	5	14	51	142	207	—	—	—	2	2	9	52	142
16	Bronchitis	M	103	16	1	3	—	—	1	10	72	142	12	3	1	—	—	1	17	108
		F	143	21	3	3	—	—	3	16	97	142	12	4	3	1	—	3	8	111
17	Pneumonia (all forms)	M	92	18	9	9	3	1	9	16	27	94	25	7	3	3	4	13	17	22
		F	89	16	14	2	2	1	6	16	32	63	16	5	6	4	1	4	7	20
18	Other respiratory diseases	M	27	2	1	—	1	—	3	7	13	26	2	2	2	1	1	2	6	10
		F	25	1	1	1	1	—	4	9	8	19	—	—	—	3	—	1	5	10
19	Diarrhœa, &c.	M	25	13	2	1	—	—	2	3	4	10	7	1	—	—	—	1	—	1
		F	20	9	3	1	1	—	1	1	4	16	8	1	—	—	1	1	2	3
20	Appendicitis and typhlitis	M	4	—	—	1	1	—	1	1	—	7	—	—	—	1	2	2	—	2
		F	12	—	—	1	2	3	4	2	—	7	—	—	—	5	1	1	—	—
21	Cirrhosis of liver ...	M	17	—	—	—	—	1	2	10	4	9	—	—	—	—	—	2	3	4
		F	13	—	—	—	—	—	2	6	5	4	—	—	—	—	—	1	2	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	50	—	1	—	—	2	5	13	29	57	—	—	—	2	2	3	18	32
		F	47	—	—	—	—	—	5	17	25	46	—	—	—	1	2	4	13	26
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	2	1	—	—	4	—	—	—	—	—	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	10	—	—	13	—	—	—	—	3	10	—	—
25	Congenital debility, &c.	M	50	49	—	—	1	—	—	—	—	62	60	—	1	—	1	—	—	—
		F	36	35	—	1	—	—	—	—	—	64	61	1	—	1	1	—	—	—
26	Violence, apart from suicide.	M	38	—	2	4	3	4	5	9	11	49	5	1	3	5	3	8	14	10
		F	35	1	2	4	3	3	4	7	11	15	1	1	2	2	—	—	3	6
27	Suicide	M	14	—	—	—	—	—	4	8	2	12	—	—	—	—	—	3	6	3
		F	6	—	—	—	—	—	2	3	1	6	—	—	—	—	—	1	3	2
28	Other defined diseases ...	M	473	33	7	8	9	5	29	90	292	489	40	5	4	4	7	19	80	330
		F	581	18	4	6	11	7	30	100	405	528	20	3	5	7	7	29	76	381
29	Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	2	1	10	—	1	—	—	—	2	3	4
		F	8	1	—	—	—	2	1	3	1	9	1	—	—	—	—	3	5	—

Causes of Death at Different Periods of Life in the Administrative County of Dorset—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	777	106	43	26	20	21	91	176	294	747	74	25	11	24	31	72	169	341
	F	811	83	20	21	27	25	90	162	383	755	54	19	21	23	20	69	145	404
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	3	2	1	3	—	—	—	—	7	1	2	2	2	—	—	—	—
	F	12	4	4	3	1	—	—	—	—	6	—	1	—	4	—	1	—	—
4 Scarlet fever	M	3	—	1	1	—	—	1	—	—	1	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—
5 Whooping cough ...	M	8	4	3	1	—	—	—	—	—	11	4	5	2	—	—	—	—	—
	F	10	7	2	1	—	—	—	—	—	15	7	4	3	1	—	—	—	—
6 Diphtheria and croup ...	M	6	1	1	3	1	—	—	—	—	4	—	—	1	2	1	—	—	—
	F	10	1	1	2	5	—	1	—	—	5	—	1	1	2	1	—	—	—
7 Influenza	M	29	2	1	1	1	2	5	8	9	33	—	2	—	—	3	4	9	15
	F	38	1	2	1	—	1	2	8	23	33	—	—	2	—	—	1	8	22
8 Erysipelas	M	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	46	—	—	—	1	2	24	14	5	37	—	—	—	—	9	19	9	—
	F	51	—	—	—	4	9	26	11	1	34	—	—	—	2	4	17	8	3
10 Tuberculous meningitis	M	1	1	—	—	—	—	—	—	—	4	—	—	—	1	3	—	—	—
	F	4	—	—	3	—	—	1	—	—	2	—	1	—	—	1	—	—	—
11 Other tuberculous diseases.	M	5	—	—	1	1	2	—	1	—	7	—	1	1	—	1	2	2	—
	F	7	—	—	—	1	2	2	2	—	11	1	1	1	—	3	1	2	2
12 Cancer, malignant disease	M	48	—	—	—	—	—	2	21	25	47	—	—	—	—	—	5	23	19
	F	74	—	—	—	—	—	3	30	41	60	—	—	1	—	—	5	26	28
13 Rheumatic fever ...	M	3	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—	—	1
14 Meningitis	M	12	2	1	—	2	—	4	3	—	14	4	1	—	3	2	2	2	—
	F	8	—	1	3	1	1	1	1	—	11	1	1	1	1	1	3	3	—
15 Organic heart disease ...	M	72	—	—	—	1	1	9	22	39	115	—	—	—	3	2	7	31	72
	F	101	—	—	—	1	—	6	28	66	101	—	—	—	—	3	5	28	65
16 Bronchitis	M	64	11	9	1	—	—	—	13	30	51	5	—	1	1	—	—	9	35
	F	64	6	2	1	1	1	3	8	42	75	5	3	1	—	—	3	6	57
17 Pneumonia (all forms)	M	60	10	15	9	2	2	6	11	5	46	8	7	1	3	2	4	8	13
	F	48	11	6	2	1	2	6	8	12	35	10	2	4	1	—	2	5	11
18 Other respiratory diseases	M	21	2	—	—	—	—	2	9	8	10	1	1	1	—	—	—	1	6
	F	14	—	—	—	—	1	—	3	10	6	—	—	—	1	—	1	—	4
19 Diarrhœa, &c.	M	19	11	2	1	—	—	3	1	1	12	8	—	1	—	—	—	2	1
	F	14	7	—	1	—	—	2	2	2	10	3	1	—	—	1	1	—	4
20 Appendicitis and typhlitis	M	4	—	—	—	—	2	1	1	—	3	—	—	—	1	—	1	1	—
	F	4	—	—	—	1	2	—	—	1	1	—	—	—	—	—	1	—	—
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	2	3	4	5	—	—	—	—	—	—	2	3
	F	4	—	—	—	—	—	1	2	1	4	—	—	—	—	—	2	2	—
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	26	—	—	—	—	1	5	11	9	24	—	—	—	—	—	7	6	11
	F	19	—	—	—	—	2	2	8	7	14	—	—	—	—	1	4	4	5
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	6	—	—	—	—	3	2	1	—
25 Congenital debility, &c.	M	45	43	—	—	1	—	1	—	—	32	32	—	—	—	—	—	—	—
	F	31	30	—	—	—	1	—	—	—	18	16	—	—	2	—	—	—	—
26 Violence, apart from suicide.	M	32	1	1	5	3	3	7	5	7	28	1	1	1	2	1	7	13	2
	F	14	3	—	1	1	1	2	1	5	8	—	1	3	1	—	1	—	2
27 Suicide	M	3	—	—	—	—	—	1	2	—	6	—	—	—	—	1	1	3	1
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
28 Other defined diseases ...	M	240	15	5	2	3	3	18	47	147	242	10	5	—	5	6	12	43	161
	F	267	13	2	3	5	1	24	47	172	290	10	2	3	7	2	16	51	199
29 Causes ill-defined or unknown.	M	6	—	2	—	—	1	—	—	3	7	—	—	—	—	—	—	5	2
	F	1	—	—	—	—	—	—	1	—	4	1	1	—	—	—	—	1	1

Causes of Death at Different Periods of Life in the Administrative County of Durham—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.*									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	4,578	1077	427	333	241	167	438	887	1008	3,393	919	292	250	177	142	304	559	750
		F	3,882	789	380	311	232	183	419	671	897	2,935	677	302	257	200	147	287	457	608
1	Enteric fever	M	15	—	—	—	1	6	6	2	—	14	—	1	—	5	3	2	3	—
		F	10	—	—	—	1	3	4	1	1	12	—	—	—	3	4	3	2	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	320	74	129	96	21	—	—	—	—	233	64	81	68	19	1	—	—	—
		F	247	52	92	84	19	—	—	—	—	229	41	89	77	21	1	—	—	—
4	Scarlet fever	M	23	—	3	8	12	—	—	—	—	18	1	1	10	6	—	—	—	—
		F	32	1	3	14	11	2	1	—	—	35	—	3	18	12	1	1	—	—
5	Whooping cough ...	M	45	20	13	11	1	—	—	—	—	48	25	14	8	1	—	—	—	—
		F	73	31	22	17	3	—	—	—	—	54	22	14	13	4	—	—	—	1
6	Diphtheria and croup ...	M	72	3	4	32	30	3	—	—	—	67	1	4	33	28	1	—	—	—
		F	58	1	5	29	22	—	—	1	—	65	—	6	31	27	1	—	—	—
7	Influenza	M	41	1	—	—	—	1	10	16	13	40	1	1	—	—	3	13	12	10
		F	29	—	—	1	1	2	7	8	10	31	4	—	—	3	1	3	5	15
8	Erysipelas	M	4	1	—	—	—	—	—	1	2	6	—	—	—	—	1	2	2	1
		F	8	2	—	—	—	—	4	2	—	3	—	1	1	—	1	—	—	—
9	Pulmonary tuberculosis	M	294	—	4	12	20	53	116	78	11	169	2	3	5	9	41	67	39	3
		F	241	2	3	9	40	72	86	27	2	182	1	3	5	20	45	81	27	—
10	Tuberculous meningitis	M	49	9	15	10	12	2	1	—	—	26	7	5	4	7	3	—	—	—
		F	45	10	4	6	20	4	1	—	—	31	5	6	10	8	1	—	1	—
11	Other tuberculous diseases.	M	79	11	12	20	19	5	5	6	1	62	14	10	8	10	7	11	1	1
		F	69	6	25	14	8	10	5	—	1	67	12	15	14	10	7	6	3	—
12	Cancer, malignant disease	M	184	1	1	—	—	—	11	99	72	127	—	—	—	1	—	10	56	60
		F	241	—	—	—	1	—	30	148	62	142	—	1	1	—	1	15	77	47
13	Rheumatic fever ...	M	12	—	—	—	4	2	4	1	1	21	—	—	—	8	4	5	3	1
		F	21	—	—	1	7	3	6	3	1	14	—	—	—	4	6	2	2	—
14	Meningitis	M	53	16	9	12	12	3	1	—	—	47	15	9	8	10	2	1	2	—
		F	40	13	3	10	8	2	4	—	—	35	5	7	4	10	2	4	2	1
15	Organic heart disease ...	M	277	—	—	—	5	15	37	103	117	236	—	—	—	3	7	25	85	116
		F	311	—	—	1	10	8	51	115	126	214	—	—	—	7	14	27	90	76
16	Bronchitis	M	376	99	20	14	5	3	14	73	148	248	71	20	14	2	—	8	39	94
		F	296	68	31	8	2	2	7	35	143	223	63	31	9	5	—	5	26	84
17	Pneumonia (all forms)	M	531	120	109	54	25	15	66	90	52	335	92	61	39	20	9	28	53	33
		F	398	87	99	65	20	17	31	47	32	276	78	56	34	25	12	19	28	24
18	Other respiratory diseases	M	59	4	5	8	4	1	4	20	13	64	15	6	11	5	1	5	12	9
		F	40	2	4	3	4	1	4	11	11	53	9	6	9	4	—	4	8	13
19	Diarrhœa, &c.	M	244	143	46	14	5	2	6	13	15	190	114	29	13	5	—	5	13	11
		F	195	113	36	14	4	1	2	6	19	138	83	30	7	3	—	4	6	5
20	Appendicitis and typhlitis	M	11	—	—	1	3	5	2	—	—	15	—	—	1	—	7	4	1	2
		F	10	—	—	—	2	4	2	2	—	7	—	—	1	4	—	1	1	—
21	Cirrhosis of liver ...	M	35	—	—	—	—	1	6	21	7	21	—	—	—	—	—	4	12	5
		F	14	—	—	—	—	—	4	10	—	11	—	—	—	—	—	—	10	1
21A	Alcoholism	M	4	—	—	—	—	—	2	2	—	5	—	—	—	—	—	1	1	3
		F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	121	1	6	8	3	3	15	49	36	73	1	7	1	4	3	13	26	18
		F	107	—	7	6	9	5	20	37	23	67	1	1	3	6	6	16	25	9
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	4	8	1	—	21	—	—	—	—	8	13	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	45	—	—	—	—	10	35	—	—	33	—	—	—	—	6	27	—	—
25	Congenital debility, &c.	M	357	352	3	2	—	—	—	—	—	305	304	—	—	—	—	1	—	—
		F	246	245	1	—	—	—	—	—	—	201	200	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	212	4	8	12	22	34	55	59	18	175	4	5	11	15	26	51	50	13
		F	66	5	3	8	13	6	8	8	15	41	1	2	8	9	3	4	3	11
27	Suicide	M	27	—	—	—	—	—	8	13	6	19	—	—	—	—	1	6	7	5
		F	11	—	—	—	—	3	2	4	2	6	—	—	—	—	1	1	3	1
28	Other defined diseases ...	M	1,083	215	36	16	33	13	67	217	486	795	183	28	14	19	20	41	132	358
		F	976	150	32	19	26	24	90	191	444	729	146	29	12	15	25	50	134	318
29	Causes ill-defined or unknown.	M	50	3	4	3	4	—	2	24	10	34	5	7	2	—	2	1	10	7
		F	37	1	10	2	1	—	6	12	5	15	6	1	—	—	1	1	4	2

* Excluding Darlington (constituted a County Borough 1st April, 1915) for the whole year.

Causes of Death at Different Periods of Life in the Administrative County of Ely, Isle of—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65
	All Causes	M	297	48	16	11	12	10	22	50	128	234	37	4	8	8	6	24	44	10
		F	277	34	7	10	9	14	30	46	127	243	25	10	8	9	7	20	41	12
1	Enteric fever	M	2	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	2	—	—	1	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	5	—	3	1	1	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—
4	Scarlet fever	M	3	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	1	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	4	—	3	1	—	—	—	—	—
6	Diphtheria and croup ...	M	6	—	—	1	4	—	—	1	—	1	—	—	1	—	—	—	—	—
		F	6	—	—	1	4	1	—	—	—	3	—	—	2	1	—	—	—	—
7	Influenza	M	7	—	—	—	—	—	1	1	5	6	1	—	—	—	1	1	1	[illegible]
		F	4	—	—	1	—	1	—	1	1	4	1	—	—	—	—	—	—	[illegible]
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	13	1	1	1	—	2	5	3	—	13	—	—	—	—	2	3	7	[illegible]
		F	17	—	—	—	1	5	7	3	1	10	—	1	—	1	2	3	3	—
10	Tuberculous meningitis	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	2	—	—	1	—	—	1	—	—	2	—	—	—	—	1	1	—	—
		F	3	—	—	—	—	1	—	2	—	4	—	—	—	1	—	1	1	[illegible]
12	Cancer, malignant disease	M	26	—	—	—	—	—	1	5	20	22	—	—	—	—	—	—	8	14
		F	28	—	—	—	—	—	4	13	11	26	—	—	—	—	—	—	13	13
13	Rheumatic fever ...	M	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	4	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	2	1	—	—	—	1	—	—	—	3	—	—	—	—	2	—	1	—
15	Organic heart disease ...	M	19	—	—	—	—	1	—	7	11	19	—	—	—	—	—	2	8	9
		F	19	—	—	—	—	—	2	4	13	25	—	—	—	—	—	2	2	21
16	Bronchitis	M	18	6	—	—	—	—	1	3	8	17	9	1	—	—	—	—	2	5
		F	32	2	1	3	—	—	1	2	23	28	5	2	1	—	—	1	2	17
17	Pneumonia (all forms)	M	25	6	8	1	—	—	1	3	6	14	4	—	4	—	—	3	1	2
		F	19	7	1	2	1	—	3	—	5	14	3	3	—	1	—	—	1	6
18	Other respiratory diseases	M	7	—	—	1	1	—	1	1	3	5	—	—	—	—	—	1	1	3
		F	4	—	—	1	—	—	—	2	1	1	—	—	—	—	—	1	—	—
19	Diarrhœa, &c.	M	4	1	1	—	—	—	1	1	—	5	1	—	1	—	—	1	—	2
		F	3	—	2	—	—	—	—	—	1	2	2	—	—	—	—	—	—	—
20	Appendicitis and typhlitis	M	1	—	1	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
		F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	11	—	—	1	—	—	1	4	5	10	—	—	—	—	—	—	4	6
		F	9	—	—	—	—	—	—	—	9	10	—	—	—	—	—	1	3	6
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	4	—	—
25	Congenital debility, &c.	M	17	17	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—
		F	9	9	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	10	—	—	—	2	—	3	3	2	17	—	—	—	4	1	5	4	3
		F	4	1	—	—	—	1	1	—	1	5	—	—	—	3	—	—	—	2
27	Suicide	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
28	Other defined diseases ...	M	105	16	1	1	1	4	4	15	63	75	4	3	—	2	1	5	7	53
		F	103	14	1	1	—	1	9	18	59	83	4	—	2	2	2	5	14	54
29	Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	—	3	3	—	—	1	—	—	—	—	2
		F	1	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Essex—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.*									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	3,914	673	203	186	467	146	502	863	1174	1,950	226	61	52	84	64	188	382	893
	F	3,758	465	191	159	152	163	440	733	1455	1,802	166	68	44	63	59	154	347	901
1 Enteric fever	M	9	—	—	—	1	1	6	—	1	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	—	—	1	3	—	—	—	—	2	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	92	19	33	28	11	1	—	—	—	20	2	5	6	7	—	—	—	—
	F	80	23	21	26	9	1	—	—	—	24	—	12	7	4	1	—	—	—
4 Scarlet fever	M	12	—	2	2	6	2	—	—	—	3	—	—	—	2	—	1	—	—
	F	15	—	—	5	8	—	1	1	—	5	—	1	1	1	1	1	—	—
5 Whooping cough ...	M	61	28	25	7	1	—	—	—	—	19	9	4	4	2	—	—	—	—
	F	84	37	32	14	1	—	—	—	—	22	10	8	4	—	—	—	—	—
6 Diphtheria and croup ...	M	41	—	5	21	15	—	—	—	—	21	—	3	4	13	1	—	—	—
	F	55	—	4	22	27	—	1	1	—	17	—	—	6	8	1	—	2	—
7 Influenza	M	88	3	4	4	1	3	13	29	31	70	7	3	1	1	1	8	15	34
	F	93	4	1	1	1	7	10	29	40	75	4	4	3	—	—	6	13	45
8 Erysipelas	M	9	1	—	—	—	1	1	2	4	3	—	—	—	—	—	—	2	1
	F	11	1	—	—	—	—	1	5	4	3	—	—	—	—	—	—	1	2
9 Pulmonary tuberculosis	M	352	2	4	7	11	61	162	93	12	103	1	—	1	3	18	44	29	7
	F	246	4	5	2	8	63	104	47	13	101	—	—	—	9	26	38	24	4
10 Tuberculous meningitis	M	60	9	11	18	17	1	3	1	—	10	3	—	1	4	1	1	—	—
	F	42	9	8	12	10	1	2	—	—	10	—	2	2	4	1	1	—	—
11 Other tuberculous diseases.	M	50	8	5	7	10	6	12	—	2	20	2	1	—	4	3	3	6	1
	F	55	8	10	10	5	6	8	7	1	19	1	2	2	4	3	2	3	2
12 Cancer, malignant disease	M	278	2	—	2	2	3	29	116	124	178	—	—	—	1	2	5	74	96
	F	348	—	1	1	1	3	30	163	149	158	—	—	1	—	—	16	69	72
13 Rheumatic fever ...	M	9	—	—	—	5	2	—	2	—	2	—	—	—	—	1	—	—	1
	F	15	1	—	—	4	5	2	2	1	2	—	—	—	1	—	1	—	—
14 Meningitis	M	39	12	6	9	6	—	2	3	1	20	2	1	5	8	2	—	—	2
	F	44	10	9	8	5	5	2	5	—	15	2	4	2	3	2	1	1	—
15 Organic heart disease ...	M	352	—	—	—	6	17	40	118	171	186	—	—	—	2	4	10	49	121
	F	456	—	—	1	14	13	52	123	253	215	—	—	—	3	3	9	63	137
16 Bronchitis	M	323	54	16	13	2	1	7	70	160	182	21	9	3	—	—	2	23	124
	F	323	30	23	5	4	3	7	40	211	180	16	6	—	1	—	3	19	135
17 Pneumonia (all forms)	M	338	89	45	29	12	7	44	66	46	140	26	20	13	9	4	19	26	23
	F	284	59	45	26	11	13	38	42	50	121	26	14	10	8	1	13	18	31
18 Other respiratory dseases	M	63	5	3	4	—	—	9	21	21	26	1	—	1	—	—	4	6	14
	F	54	2	—	—	4	1	7	6	34	23	3	—	—	—	1	—	8	11
19 Diarrhœa, &c.	M	119	74	16	3	3	1	2	11	9	39	18	3	2	1	—	3	3	9
	F	89	46	11	4	2	3	11	3	9	38	20	3	1	2	1	2	2	7
20 Appendicitis and typhlitis	M	29	—	—	—	13	4	4	8	—	13	—	—	—	6	—	4	3	—
	F	11	—	—	1	4	3	—	2	1	3	—	—	—	1	—	1	—	1
21 Cirrhosis of liver ...	M	29	—	—	—	—	—	3	19	7	12	—	—	—	—	—	1	7	4
	F	29	—	—	—	—	—	6	19	4	9	—	—	—	—	—	1	6	2
21A Alcoholism	M	4	—	—	—	—	—	1	3	—	1	—	—	—	—	—	1	—	—
	F	6	—	—	—	—	—	2	3	1	2	—	—	—	—	—	—	1	1
22 Nephritis and Bright's disease.	M	114	—	—	4	4	3	17	39	47	31	—	—	—	1	—	6	13	11
	F	89	1	1	2	3	3	13	33	33	40	1	—	—	—	2	10	8	19
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	—	—	—	16	—	—	4	—	—	—	—	—	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	28	—	—	—	—	5	21	2	—	14	—	—	—	—	3	11	—	—
25 Congenital debility, &c.	M	254	250	3	—	—	—	1	—	—	89	89	—	—	—	—	—	—	—
	F	150	148	—	1	—	—	1	—	—	52	51	—	—	—	—	1	—	—
26 Violence, apart from suicide.	M	144	9	4	10	17	9	36	29	30	98	3	1	5	11	17	29	20	12
	F	72	10	4	7	4	6	9	9	23	18	1	3	2	2	—	5	—	5
27 Suicide	M	21	—	—	—	—	—	9	11	1	8	—	—	—	—	—	4	2	2
	F	9	—	—	—	—	—	6	3	—	6	—	—	—	—	—	2	4	—
28 Other defined diseases ...	M	1,011	108	18	17	24	23	100	215	506	648	42	10	5	9	10	42	102	428
	F	1,039	72	14	9	27	20	86	184	627	609	30	7	3	12	11	26	94	426
29 Causes ill-defined or unknown.	M	13	—	3	1	—	—	1	7	1	8	—	1	1	—	—	1	2	3
	F	12	—	2	2	—	—	4	4	—	14	1	2	—	—	—	—	10	1

* Excluding East Ham (constituted a County Borough, 1st April, 1915) for the whole year.

Causes of Death at Different Periods of Life in the Administrative County of Gloucester—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	715	81	19	22	24	19	70	172	308	1,691	200	46	54	72	44	150	370	755
	F	837	77	18	22	39	22	70	162	427	1,581	154	37	38	68	85	135	302	762
1 Enteric fever	M	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	3	2	2	2	—	—	—	—	11	2	5	—	3	—	—	1	—
	F	9	2	2	4	1	—	—	—	—	9	1	1	3	4	—	—	—	—
4 Scarlet fever	M	4	—	—	—	4	—	—	—	—	3	—	—	3	—	—	—	—	—
	F	6	—	1	2	3	—	—	—	—	6	—	—	1	5	—	—	—	—
5 Whooping cough ...	M	12	5	4	3	—	—	—	—	—	24	10	7	7	—	—	—	—	—
	F	14	7	4	3	—	—	—	—	—	26	14	6	3	2	—	1	—	—
6 Diphtheria and croup ...	M	4	—	—	2	2	—	—	—	—	27	1	1	5	18	2	—	—	—
	F	11	—	—	1	9	1	—	—	—	28	—	1	4	21	2	—	—	—
7 Influenza	M	29	3	—	1	1	—	3	11	10	57	4	4	2	—	2	8	16	21
	F	33	—	1	1	—	—	1	8	22	43	—	3	—	—	3	3	11	23
8 Erysipelas	M	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	M	50	—	—	—	1	6	25	17	1	100	1	—	—	6	17	52	22	2
	F	46	1	—	—	6	9	21	8	1	96	—	1	—	4	30	37	20	4
10 Tuberculous meningitis	M	4	1	—	—	2	—	1	—	—	12	2	1	2	5	1	1	—	—
	F	10	—	—	3	4	—	2	1	—	14	3	1	4	3	2	1	—	—
11 Other tuberculous diseases.	M	3	1	1	—	—	—	—	1	—	13	1	—	1	2	2	4	2	1
	F	8	1	—	1	2	1	2	1	—	11	—	1	1	2	3	1	2	1
12 Cancer, malignant disease	M	56	—	—	—	—	1	4	26	25	109	—	—	—	—	—	7	47	55
	F	74	—	—	—	—	—	6	28	40	155	—	—	—	1	4	11	60	79
13 Rheumatic fever ...	M	3	—	—	—	1	—	2	—	—	6	—	—	—	3	—	1	2	—
	F	5	—	—	—	1	—	3	1	—	3	—	—	—	1	1	1	—	—
14 Meningitis	M	4	—	—	—	—	1	1	2	—	13	4	1	2	5	1	—	—	—
	F	12	3	—	1	3	3	1	1	—	11	3	—	1	1	2	4	—	—
15 Organic heart disease ...	M	89	—	—	—	1	4	2	27	55	226	—	—	—	2	2	6	54	162
	F	101	—	—	—	—	—	2	27	72	245	—	—	—	1	6	17	57	164
16 Bronchitis	M	62	6	2	2	—	—	1	14	37	155	18	7	2	—	1	1	23	103
	F	78	7	2	1	—	—	4	11	53	133	10	5	1	1	—	2	16	98
17 Pneumonia (all forms)...	M	42	8	5	4	1	1	4	8	11	116	28	12	11	3	2	10	31	19
	F	44	6	4	2	2	3	3	8	16	79	20	8	6	2	6	8	15	14
18 Other respiratory diseases	M	13	—	1	1	—	—	2	2	7	28	—	—	2	3	1	3	12	7
	F	5	—	—	1	1	—	—	—	3	26	1	3	1	3	2	—	8	8
19 Diarrhœa, &c.	M	13	8	2	1	—	—	—	1	1	36	18	5	2	1	1	—	2	7
	F	25	14	—	1	—	1	—	5	4	20	5	2	—	—	1	1	7	4
20 Appendicitis and typhlitis	M	3	—	—	—	1	1	1	—	—	7	—	—	—	2	—	1	2	2
	F	5	—	—	—	—	—	2	3	—	11	—	—	1	3	—	3	3	1
21 Cirrhosis of liver ...	M	17	—	—	—	—	—	2	11	4	13	—	—	—	—	—	3	8	2
	F	5	—	—	—	—	—	1	3	1	6	—	—	—	—	—	1	5	—
21A Alcoholism	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	2	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	25	—	1	1	2	—	5	4	12	61	—	—	—	1	—	6	23	31
	F	19	—	—	—	—	—	—	10	9	36	1	—	2	2	1	3	13	14
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	5	—	—	—	—	1	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	2	1	—	11	—	—	—	—	1	10	—	—
25 Congenital debility, &c.	M	35	35	—	—	—	—	—	—	—	84	81	—	2	1	—	—	—	—
	F	27	27	—	—	—	—	—	—	—	69	67	—	—	1	1	—	—	—
26 Violence, apart from suicide.	M	17	—	—	2	1	1	2	4	7	68	1	1	9	8	6	12	23	8
	F	10	1	—	1	1	2	1	1	3	23	2	2	3	1	1	—	6	8
27 Suicide	M	4	—	—	—	—	—	—	3	1	9	—	—	—	—	—	3	2	4
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
28 Other defined diseases ...	M	209	11	1	3	4	4	14	36	136	499	29	2	4	9	6	27	94	328
	F	279	8	3	—	6	2	17	40	203	504	26	3	7	10	15	26	75	342
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	7	—	—	—	—	—	2	3	2
	F	5	—	1	—	—	—	—	4	—	5	1	—	—	—	—	—	2	2

Causes of Death at Different Periods of Life in the Administrative County of Hereford—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	315	46	6	11	10	5	31	66	140	608	53	14	14	19	10	38	148	312
		F	285	26	6	13	12	13	30	51	134	527	42	7	13	18	25	57	101	264
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	1	—	1	1	—	—	—	—	3	1	1	1	—	—	—	—	—
		F	6	2	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	4	—	—	2	2	—	—	—	—	4	—	1	2	1	—	—	—	—
5	Whooping cough ...	M	3	1	1	1	—	—	—	—	—	3	2	1	—	—	—	—	—	—
		F	2	1	—	1	—	—	—	—	—	6	3	—	2	1	—	—	—	—
6	Diphtheria and croup ...	M	2	—	—	1	—	—	—	1	—	1	—	—	1	—	—	—	—	—
		F	4	—	1	1	2	—	—	—	—	3	—	—	—	3	—	—	—	—
7	Influenza	M	6	1	—	—	—	—	1	2	2	20	3	1	1	—	—	—	5	10
		F	4	—	—	—	—	—	—	—	4	16	—	—	1	1	1	1	4	8
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	24	—	1	1	1	3	11	4	3	27	—	—	1	—	4	8	11	3
		F	21	—	—	—	2	6	7	4	2	42	—	—	—	2	11	22	5	2
10	Tuberculous meningitis	M	3	—	2	1	—	—	—	—	—	3	—	—	—	2	1	—	—	—
		F	1	—	—	—	1	—	—	—	—	4	—	—	—	1	2	1	—	—
11	Other tuberculous diseases.	M	2	—	—	—	—	—	1	1	—	5	—	1	—	—	—	3	—	1
		F	3	1	—	—	—	1	—	1	—	2	—	—	—	—	—	1	1	—
12	Cancer, malignant disease	M	24	—	—	—	—	—	2	12	10	42	—	—	—	—	—	1	17	24
		F	38	—	—	—	1	—	3	16	18	54	—	—	—	—	—	6	22	26
13	Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	3	—	—	—	—	—	3	—	—
		F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	1	1	2	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—
		F	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
15	Organic heart disease ...	M	44	—	—	—	—	—	—	9	35	98	—	—	—	1	—	5	24	68
		F	49	—	—	—	—	—	4	11	34	101	—	—	—	1	—	5	22	73
16	Bronchitis	M	22	8	—	—	1	—	1	1	11	44	5	3	1	1	—	—	8	26
		F	13	3	1	—	—	—	1	1	7	37	3	1	—	—	—	1	1	31
17	Pneumonia (all forms)...	M	24	9	2	3	1	—	3	3	3	37	5	2	5	2	1	1	13	8
		F	21	4	4	3	—	—	2	2	6	28	5	4	3	—	2	3	6	5
18	Other respiratory diseases	M	4	—	—	—	1	—	—	1	2	9	—	—	—	—	—	1	4	4
		F	4	—	—	—	—	—	—	—	4	7	1	—	1	—	—	—	1	4
19	Diarrhœa, &c.	M	3	3	—	—	—	—	—	—	—	4	1	1	—	—	—	—	1	1
		F	5	3	—	1	—	—	—	—	1	8	5	—	—	—	—	—	1	2
20	Appendicitis and typhlitis	M	3	—	—	—	1	—	2	—	—	4	—	—	1	1	—	1	1	—
		F	2	—	—	—	1	—	—	—	1	4	—	—	—	2	—	—	—	2
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	—	3	1
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	14	—	—	—	—	—	—	10	4	22	—	—	—	—	—	3	8	11
		F	4	—	—	—	—	1	—	2	1	14	—	—	—	—	—	3	6	5
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	4	—	—	—	—	2	2	—	—
25	Congenital debility, &c.	M	15	14	—	1	—	—	—	—	—	26	24	—	—	1	—	1	—	—
		F	4	4	—	—	—	—	—	—	—	20	19	—	—	1	—	—	—	—
26	Violence, apart from suicide.	M	4	—	—	—	—	1	—	2	1	24	—	1	1	3	2	4	9	4
		F	6	1	—	—	2	—	—	1	2	7	—	—	2	—	—	1	2	2
27	Suicide	M	2	—	—	—	—	—	1	1	—	6	—	—	—	—	—	—	2	4
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	2	1	—
28	Other defined diseases ...	M	105	9	—	2	3	1	8	17	65	208	11	3	1	5	2	6	37	143
		F	85	6	—	1	—	4	8	12	54	151	6	1	2	3	5	7	24	103
29	Causes ill-defined or unknown.	M	4	—	—	—	—	—	1	—	3	10	1	—	1	1	—	—	4	3
		F	1	—	—	1	—	—	—	—	—	5	—	—	—	1	—	—	3	1

Causes of Death at Different Periods of Life in the Administrative County of Hertford—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,365	176	59	57	51	37	144	328	513	706	88	27	29	27	30	59	143	303
		F	1,293	122	33	33	41	46	159	252	607	658	67	22	17	25	22	61	124	320
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	—	—	1	—	2	—	—	—	—	—	1	—	1
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	24	4	12	3	4	1	—	—	—	11	2	5	3	1	—	—	—	—
		F	21	7	4	5	5	—	—	—	—	13	2	4	4	3	—	—	—	—
4	Scarlet fever	M	2	—	—	1	1	—	—	—	—	3	—	—	1	2	—	—	—	—
		F	3	1	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	11	5	2	4	—	—	—	—	—	8	4	2	2	—	—	—	—	—
		F	10	5	4	1	—	—	—	—	—	10	7	2	1	—	—	—	—	—
6	Diphtheria and croup ...	M	11	—	—	5	6	—	—	—	—	9	1	2	3	3	—	—	—	—
		F	13	1	—	3	9	—	—	—	—	7	—	1	—	4	2	—	—	—
7	Influenza	M	24	3	1	—	1	—	4	7	8	20	2	3	1	—	1	2	3	8
		F	44	4	2	2	1	1	2	7	25	28	2	—	2	—	—	2	6	16
8	Erysipelas	M	4	1	—	—	—	—	—	1	2	3	—	—	—	1	—	1	—	1
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—
9	Pulmonary tuberculosis	M	108	—	—	1	4	9	49	37	8	51	—	—	—	—	10	27	12	2
		F	83	—	—	—	5	20	37	19	2	45	1	2	1	2	10	21	7	1
10	Tuberculous meningitis	M	15	3	5	4	2	—	1	—	—	7	—	—	2	4	1	—	—	—
		F	6	—	2	2	2	—	—	—	—	5	—	3	1	—	—	—	1	—
11	Other tuberculous diseases.	M	19	7	1	2	1	1	5	2	—	13	1	4	2	1	1	2	1	1
		F	13	—	3	2	2	2	2	2	—	3	—	—	—	—	1	1	—	1
12	Cancer, malignant disease	M	116	—	1	—	—	3	8	47	57	53	—	—	—	—	1	3	25	24
		F	117	—	—	—	—	—	20	50	47	67	1	—	—	—	—	4	29	33
13	Rheumatic fever ...	M	4	—	—	—	2	1	—	1	—	3	—	—	—	1	—	1	1	—
		F	5	—	—	—	2	1	—	1	1	2	—	—	—	1	—	—	1	—
14	Meningitis	M	17	5	5	2	3	—	2	—	—	7	2	—	—	4	—	—	1	—
		F	9	1	1	—	1	4	2	—	—	5	—	—	2	2	—	1	—	—
15	Organic heart disease ...	M	163	—	—	—	4	8	15	51	85	71	—	—	—	—	2	2	18	49
		F	158	—	—	—	3	2	20	36	97	91	—	—	—	1	—	3	25	62
16	Bronchitis	M	118	18	4	4	1	—	4	16	71	63	10	2	1	—	1	1	8	40
		F	146	11	4	2	—	1	1	11	116	62	10	1	—	—	—	1	4	46
17	Pneumonia (all forms)	M	103	21	17	11	5	3	7	16	23	44	16	3	4	2	2	1	12	4
		F	75	10	7	9	1	1	9	18	20	24	10	5	1	1	—	2	2	3
18	Other respiratory diseases	M	12	—	—	—	1	—	3	3	5	12	1	2	1	—	—	—	5	3
		F	16	1	—	1	—	—	2	3	9	5	—	—	1	1	—	—	—	3
19	Diarrhœa, &c.	M	25	14	1	1	—	—	2	3	4	10	5	1	1	—	—	—	1	2
		F	22	9	1	—	—	—	3	2	7	13	4	1	1	—	—	1	2	4
20	Appendicitis and typhlitis	M	7	—	—	—	3	1	3	—	—	5	—	—	—	—	2	2	—	1
		F	10	—	—	—	3	1	3	2	1	5	—	—	—	1	3	1	—	—
21	Cirrhosis of liver ...	M	25	—	—	—	—	—	—	18	7	7	—	—	—	—	—	1	3	3
		F	8	—	—	—	—	—	—	7	1	3	—	—	—	—	—	—	1	2
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	47	—	—	—	—	2	4	18	23	16	—	—	—	—	1	—	2	13
		F	36	—	—	—	—	1	6	13	16	12	—	—	—	—	—	1	7	4
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	2	1	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	2	10	—	—	4	—	—	—	—	1	3	—	—
25	Congenital debility, &c.	M	63	63	—	—	—	—	—	—	—	35	32	2	—	1	—	—	—	—
		F	49	49	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	54	1	2	8	4	4	14	13	8	29	3	—	2	3	3	5	8	5
		F	25	3	—	2	—	1	6	2	11	9	1	—	1	—	1	1	3	2
27	Suicide	M	8	—	—	—	—	—	1	5	2	5	—	—	—	—	—	1	3	1
		F	9	—	—	—	—	3	4	2	—	1	—	—	—	—	—	1	—	—
28	Other defined diseases ...	M	377	31	5	11	8	4	20	89	209	219	9	1	6	4	5	10	39	145
		F	388	20	5	3	5	4	31	70	250	215	10	3	2	7	3	15	36	139
29	Causes ill-defined or unknown.	M	7	—	3	—	1	—	1	1	1	2	—	—	—	—	—	—	1	1
		F	7	—	—	—	—	—	—	5	2	5	1	—	—	1	—	—	—	3

Causes of Death at Different Periods of Life in the Administrative County of Huntingdon—1915.

Causes of Death	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	166	20	5	2	7	9	14	30	79	227	26	2	4	5	3	25	55	107
	F	170	18	3	4	6	7	17	29	86	266	20	5	4	14	11	27	42	143
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	5	1	—	2	1	—	1	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	2	—	1	—	1	—	—	—	—
7 Influenza	M	11	1	1	—	—	—	1	1	7	9	—	1	—	—	—	—	2	6
	F	8	—	—	—	—	3	1	—	4	8	1	—	—	—	1	—	1	5
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	13	—	—	—	2	2	5	3	1	14	—	—	—	—	2	7	5	—
	F	8	—	—	—	—	1	5	1	1	22	1	—	—	1	3	11	5	1
10 Tuberculous meningitis	M	2	1	—	—	—	—	1	—	—	2	—	1	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	3	—	—	—	1	2	—	—	—
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—
	F	2	—	—	—	—	—	2	—	—	6	—	—	—	—	1	2	3	—
12 Cancer, malignant disease	M	14	—	—	—	—	—	2	5	7	26	—	—	—	—	—	1	15	10
	F	16	—	—	—	—	—	2	5	9	30	—	—	—	—	—	4	8	18
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
14 Meningitis	M	2	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—
	F	4	1	1	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—
15 Organic heart disease ...	M	16	—	—	—	—	—	2	3	11	25	—	—	—	—	—	2	8	15
	F	18	—	—	—	1	1	2	7	7	39	—	—	—	—	—	1	10	28
16 Bronchitis	M	17	3	—	1	—	—	1	1	11	18	1	—	1	1	—	—	3	12
	F	21	1	—	1	—	—	1	4	14	14	—	—	—	—	—	—	2	12
17 Pneumonia (all forms)...	M	11	3	3	—	—	—	—	2	3	6	1	—	—	1	—	1	1	2
	F	10	2	1	—	2	—	—	2	3	13	3	2	1	—	—	—	1	6
18 Other respiratory diseases	M	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	1	2
19 Diarrhœa, &c.	M	2	2	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	1
	F	7	5	—	—	—	—	—	—	2	4	3	1	—	—	—	—	—	—
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	6	—	—	—	—	—	1	4	1
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	1	2	1
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	1	—	1	2
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	M	8	8	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—
	F	4	3	—	—	—	1	—	—	—	7	7	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	6	—	—	—	1	—	2	2	1	8	—	—	1	1	1	5	—	—
	F	1	—	—	—	—	—	—	—	1	7	—	—	—	1	1	—	1	4
27 Suicide	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	2	1	—
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—
28 Other defined diseases ...	M	53	2	—	1	3	4	—	8	35	78	3	—	—	1	—	3	13	58
	F	60	6	1	1	1	—	1	7	43	85	3	—	1	6	2	2	9	62
29 Causes ill-defined or unknown.	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	5	—	1	—	1	—	1	—	2

Causes of Death at Different Periods of Life in the Administrative County of Kent—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	5 061	731	234	202	232	188	588	1110	1776	2,226	270	62	54	82	78	225	472	983
		F	5,098	571	174	171	212	200	563	1066	2141	1,935	212	46	49	91	64	197	375	901
1	Enteric fever	M	9	—	—	—	2	2	4	1	—	6	—	—	—	—	—	6	—	—
		F	12	—	—	—	—	4	8	—	—	6	—	—	—	1	1	3	1	—
2	Small-pox	M	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	95	12	35	35	13	—	—	—	—	14	3	5	3	3	—	—	—	—
		F	87	15	36	24	10	—	1	1	—	12	1	4	3	3	—	1	—	—
4	Scarlet fever	M	14	—	1	6	5	—	2	—	—	3	1	—	2	—	—	—	—	—
		F	18	1	1	3	8	1	4	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	70	31	18	15	6	—	—	—	—	19	7	9	2	1	—	—	—	—
		F	77	33	28	13	2	—	—	—	1	17	12	4	1	—	—	—	—	—
6	Diphtheria and croup ...	M	52	4	5	12	31	—	—	—	—	24	1	3	6	13	1	—	—	—
		F	60	1	2	21	36	—	—	—	—	21	—	—	6	13	1	1	—	—
7	Influenza	M	97	5	3	4	3	6	14	27	35	76	5	2	1	2	2	8	15	41
		F	136	6	2	—	2	3	11	25	87	72	5	1	1	1	1	7	14	42
8	Erysipelas	M	13	2	—	—	—	—	1	2	8	2	—	—	—	1	—	—	1	—
		F	10	—	—	—	—	1	—	3	6	4	1	—	—	—	—	—	2	1
9	Pulmonary tuberculosis	M	396	2	6	4	18	65	182	110	9	151	2	1	2	4	32	64	39	7
		F	329	—	5	2	19	85	141	68	9	138	1	1	2	14	32	51	28	9
10	Tuberculous meningitis	M	62	12	8	21	15	5	1	—	—	21	6	5	5	4	—	1	—	—
		F	58	8	10	12	22	2	3	1	—	17	3	2	3	9	—	—	—	—
11	Other tuberculous diseases.	M	71	5	6	13	15	12	8	5	7	27	2	1	3	5	7	6	3	—
		F	60	9	3	7	10	10	10	6	5	21	2	4	1	7	2	2	2	1
12	Cancer, malignant disease	M	389	2	—	—	3	4	21	160	199	175	—	—	—	1	1	11	80	82
		F	517	—	—	—	2	3	53	233	226	184	—	—	—	1	1	17	75	90
13	Rheumatic fever ...	M	10	—	—	—	2	2	3	2	1	7	—	—	—	1	1	2	1	2
		F	17	—	—	1	1	5	2	3	5	3	—	—	—	1	—	—	2	—
14	Meningitis	M	74	13	17	8	22	8	4	2	—	17	1	3	6	2	3	2	—	—
		F	45	4	2	8	13	8	6	4	—	16	2	2	2	6	—	2	2	—
15	Organic heart disease ...	M	490	—	—	—	5	18	45	160	262	278	—	—	—	2	3	16	76	181
		F	592	—	—	2	8	11	58	161	352	222	1	—	—	3	5	11	65	137
16	Bronchitis	M	431	68	21	13	6	2	9	56	256	179	32	3	4	—	—	1	23	116
		F	477	50	19	6	3	1	9	72	317	143	22	2	3	2	—	2	8	104
17	Pneumonia (all forms)	M	383	111	66	27	8	7	44	67	53	152	35	17	5	3	5	15	38	34
		F	317	80	39	31	18	8	28	49	64	125	21	13	14	6	5	15	21	30
18	Other respiratory diseases	M	84	3	1	5	5	2	8	26	34	46	5	1	3	2	—	5	15	15
		F	58	2	1	5	3	1	9	11	26	25	1	—	2	1	1	2	5	13
19	Diarrhœa, &c.	M	111	66	12	6	—	—	4	9	14	47	26	4	1	—	—	1	7	8
		F	129	73	10	6	3	2	7	11	17	37	20	5	1	1	—	1	2	7
20	Appendicitis and typhlitis	M	21	—	—	—	7	2	2	8	2	5	—	—	—	1	1	—	1	2
		F	23	—	—	1	6	4	5	3	4	7	—	—	—	2	1	2	1	1
21	Cirrhosis of liver ...	M	50	—	—	—	—	—	7	32	11	14	—	—	—	—	—	1	7	6
		F	50	—	—	—	—	—	10	26	14	18	—	—	—	—	—	2	9	7
21A	Alcoholism	M	3	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	1
		F	7	—	—	—	—	—	2	5	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	150	1	—	—	2	3	15	53	76	75	—	—	1	3	2	6	22	41
		F	144	—	—	1	1	5	19	48	70	44	—	—	1	1	1	7	11	23
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	19	—	—	—	—	4	15	—	—	6	—	—	—	—	2	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	2	29	1	—	18	—	—	—	—	3	14	1	—
25	Congenital debility, &c.	M	253	247	2	1	3	—	—	—	—	93	92	1	—	—	—	—	—	—
		F	208	200	2	4	—	1	1	—	—	78	78	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	248	20	4	10	30	20	77	59	28	98	5	2	4	9	10	30	25	13
		F	100	11	2	5	10	9	14	16	33	33	3	—	—	7	2	2	5	14
27	Suicide	M	44	—	—	—	—	4	11	22	7	16	—	—	—	—	—	3	9	4
		F	13	—	—	—	—	—	3	8	2	4	—	—	—	—	—	2	2	—
28	Other defined diseases ...	M	1,407	126	24	20	29	26	124	291	767	662	45	4	6	25	10	45	100	427
		F	1,479	76	10	19	33	30	112	301	898	643	38	7	8	10	6	47	110	417
29	Causes ill-defined or unknown.	M	32	1	4	2	1	—	2	15	7	18	2	1	—	—	—	2	10	3
		F	24	2	2	—	2	—	3	10	5	20	1	1	1	1	—	2	9	5

Causes of Death at Different Periods of Life in the Administrative County of Lancaster—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	11,398	2149	690	559	463	452	1319	2977	2789	1,608	255	63	58	65	47	165	391	564
		F	11,120	1576	632	498	482	450	1338	2595	3549	1,524	171	62	49	64	50	213	323	592
1	Enteric fever	M	58	—	—	—	6	11	26	15	—	9	—	—	—	—	—	5	3	1
		F	61	—	—	2	8	12	28	10	1	4	—	—	—	—	2	1	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	408	93	171	123	19	1	1	—	—	46	14	17	12	3	—	—	—	—
		F	371	71	159	114	26	—	1	—	—	22	5	9	4	3	—	1	—	—
4	Scarlet fever	M	72	4	4	34	25	3	2	—	—	10	—	1	4	5	—	—	—	—
		F	53	1	3	23	20	2	3	1	—	10	—	2	4	3	1	—	—	—
5	Whooping cough ...	M	125	53	42	25	5	—	—	—	—	24	15	5	3	1	—	—	—	—
		F	193	80	59	49	5	—	—	—	—	21	7	8	4	2	—	—	—	—
6	Diphtheria and croup ...	M	115	6	17	36	52	2	1	1	—	13	—	2	5	6	—	—	—	—
		F	106	2	18	34	51	1	—	—	—	10	1	—	6	2	1	—	—	—
7	Influenza	M	151	7	2	5	4	6	31	57	39	35	—	1	—	—	5	8	9	12
		F	205	7	2	2	7	10	35	57	85	28	—	—	1	1	—	3	10	13
8	Erysipelas	M	26	4	2	—	—	—	4	8	8	5	1	—	—	—	—	1	2	1
		F	18	4	—	—	1	1	1	6	5	2	—	—	—	1	—	—	1	—
9	Pulmonary tuberculosis	M	806	3	8	14	32	112	326	282	29	90	—	1	1	3	8	38	34	5
		F	715	2	9	7	55	178	310	128	26	80	—	—	—	5	17	40	15	3
10	Tuberculous meningitis	M	105	26	23	24	20	6	4	2	—	8	1	1	2	3	1	—	—	—
		F	94	12	16	26	33	3	4	—	—	17	4	1	5	5	1	1	—	—
11	Other tuberculous diseases.	M	165	28	22	23	23	20	25	24	—	18	2	3	3	3	1	4	2	—
		F	129	20	12	15	18	26	20	13	5	14	5	1	—	1	—	5	2	—
12	Cancer, malignant disease	M	597	1	—	1	2	4	43	346	200	97	—	—	—	—	1	4	49	43
		F	824	—	—	1	2	5	108	416	292	148	—	—	—	1	—	17	63	67
13	Rheumatic fever ...	M	67	—	—	4	21	9	17	10	6	5	—	—	—	2	1	—	1	1
		F	65	—	—	1	16	14	18	14	2	4	—	1	—	2	—	1	—	—
14	Meningitis	M	104	33	14	25	16	7	5	4	—	17	5	3	2	2	2	—	2	1
		F	120	23	20	17	29	11	12	8	—	16	2	1	3	5	—	3	2	—
15	Organic heart disease ...	M	978	1	—	—	20	33	94	413	417	169	—	—	—	2	4	18	53	92
		F	1,177	—	—	1	30	30	167	416	533	167	—	—	—	3	2	18	66	78
16	Bronchitis	M	1,127	229	74	15	8	8	42	284	467	138	21	3	2	2	—	4	32	74
		F	1,167	135	51	18	11	6	50	258	638	137	11	3	5	1	1	2	20	94
17	Pneumonia (all forms)...	M	1,088	254	160	108	44	46	138	214	124	138	30	18	10	7	2	13	29	29
		F	899	213	130	87	45	32	74	155	163	124	23	16	6	6	3	20	20	30
18	Other respiratory diseases	M	177	14	9	16	13	3	22	54	46	31	3	3	1	2	—	3	11	8
		F	137	8	3	12	7	4	16	40	47	24	2	2	2	2	1	3	6	6
19	Diarrhœa, &c.	M	522	330	66	19	10	7	26	35	29	38	30	2	—	—	—	1	4	1
		F	426	235	75	17	5	1	17	33	43	34	9	6	3	2	1	1	2	10
20	Appendicitis and typhlitis	M	61	—	—	2	19	16	16	6	2	13	—	—	—	4	1	4	3	1
		F	46	—	—	1	16	5	10	11	3	13	—	—	—	3	2	6	1	1
21	Cirrhosis of liver ...	M	74	—	—	—	—	—	16	47	11	16	—	—	—	—	—	—	10	6
		F	53	—	—	—	—	—	9	34	10	3	—	—	—	—	—	—	2	1
21A	Alcoholism	M	12	—	—	—	—	1	4	5	2	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	423	5	2	6	12	17	80	192	109	53	—	—	—	1	1	9	20	22
		F	392	2	5	9	17	17	65	175	102	46	—	1	1	3	1	10	16	14
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	34	—	—	—	—	4	30	—	—	9	—	—	—	—	1	8	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	107	—	—	—	—	17	90	—	—	20	—	—	—	—	—	20	—	—
25	Congenital debility, &c.	M	679	674	1	2	1	1	—	—	—	88	88	—	—	—	—	—	—	—
		F	489	481	2	2	1	1	1	1	—	75	73	—	—	—	1	1	—	—
26	Violence, apart from suicide.	M	462	19	7	35	54	58	111	133	45	74	5	1	7	8	12	18	16	7
		F	179	17	7	25	29	10	10	38	43	31	1	4	1	6	1	4	9	5
27	Suicide	M	69	—	—	—	—	3	27	29	10	14	—	—	—	—	—	3	9	2
		F	32	—	—	—	1	1	15	14	1	7	—	—	—	—	—	2	5	—
28	Other defined diseases ...	M	2,810	357	59	40	53	77	246	756	1222	450	40	2	6	9	7	31	97	258
		F	2,940	258	53	32	45	59	234	724	1535	445	28	7	4	7	14	43	75	267
29	Causes ill-defined or unknown.	M	117	8	7	2	4	1	12	60	23	9	—	—	—	2	1	1	5	—
		F	82	5	8	3	4	—	9	38	15	13	—	—	—	—	—	3	7	3

Causes of Death at Different Periods of Life in the Administrative County of Leicester—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	705	128	41	33	21	32	65	157	228	1,001	149	26	35	39	38	111	216	387
	F	706	111	33	38	26	34	79	151	234	991	142	31	20	33	45	98	178	444
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	20	2	11	6	1	—	—	—	—	14	1	4	7	2	—	—	—	—
	F	27	7	8	9	3	—	—	—	—	10	—	5	4	1	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—
	F	4	—	—	3	1	—	—	—	—	1	—	—	1	—	—	—	—	—
5 Whooping cough ...	M	11	5	3	2	1	—	—	—	—	5	—	3	1	1	—	—	—	—
	F	11	4	4	3	—	—	—	—	—	10	4	5	—	1	—	—	—	—
6 Diphtheria and croup ...	M	5	—	—	3	1	—	1	—	—	7	—	—	1	5	1	—	—	—
	F	7	—	—	3	4	—	—	—	—	6	—	—	1	5	—	—	—	—
7 Influenza	M	10	2	—	—	—	1	1	3	3	35	1	—	—	3	2	5	11	13
	F	5	—	—	—	—	1	1	2	1	27	3	1	—	1	—	2	8	12
8 Erysipelas	M	3	—	—	1	—	—	—	1	1	1	1	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	47	—	1	2	—	10	22	10	2	82	—	—	1	4	9	39	26	3
	F	47	1	—	1	1	15	21	8	—	60	—	—	1	5	19	24	8	3
10 Tuberculous meningitis	M	2	—	—	2	—	—	—	—	—	8	1	1	3	1	2	—	—	—
	F	6	3	1	—	2	—	—	—	—	10	2	2	2	2	2	—	—	—
11 Other tuberculous diseases.	M	9	2	1	1	2	2	1	—	—	10	2	—	—	3	—	2	3	—
	F	8	1	1	1	3	1	1	—	—	13	3	2	1	—	2	4	1	—
12 Cancer, malignant disease	M	55	—	—	—	—	1	5	26	23	83	—	—	1	—	2	7	40	33
	F	63	1	—	—	1	—	9	22	30	86	—	—	—	—	1	4	35	46
13 Rheumatic fever ...	M	4	—	—	—	2	—	—	1	1	4	—	—	—	—	2	1	1	—
	F	2	—	—	—	—	1	1	—	—	5	—	—	—	2	2	—	1	—
14 Meningitis	M	5	—	—	2	2	1	—	—	—	6	—	1	1	3	1	—	—	—
	F	2	1	—	1	—	—	—	—	—	8	5	—	1	2	—	—	—	—
15 Organic heart disease ...	M	68	—	—	—	1	3	—	28	36	87	—	—	—	—	2	7	31	47
	F	86	—	—	—	3	6	11	30	36	126	—	—	—	3	5	9	35	74
16 Bronchitis	M	53	10	5	4	—	—	2	6	26	63	15	3	1	1	—	—	7	36
	F	55	11	3	—	—	—	—	9	32	81	16	1	1	1	—	1	13	48
17 Pneumonia (all forms)	M	66	14	7	2	4	3	9	16	11	67	17	6	4	2	5	6	14	13
	F	46	14	8	5	2	4	4	6	3	50	22	6	1	1	1	4	7	8
18 Other respiratory diseases	M	11	1	1	1	—	—	4	2	2	17	—	1	5	2	1	2	3	3
	F	9	1	—	2	—	—	—	2	4	18	1	1	—	1	—	4	3	8
19 Diarrhœa, &c.	M	26	18	3	1	—	—	—	2	2	31	16	1	1	2	—	1	2	8
	F	26	14	4	1	1	—	—	3	3	17	8	4	2	1	1	1	—	—
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	—	1	9	—	—	2	3	1	3	—	—
	F	3	—	—	—	—	2	1	—	—	7	—	—	—	—	2	1	2	2
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	2	4	1	9	—	—	—	—	—	1	6	
	F	4	—	—	—	—	—	—	3	1	10	—	—	—	—	—	1	5	4
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
22 Nephritis and Bright's disease.	M	20	—	—	—	—	1	3	10	6	27	—	1	1	1	1	2	7	14
	F	15	—	—	—	1	—	1	10	3	20	—	—	—	—	1	1	7	11
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	11	—	—	—	—	2	9	—	—
25 Congenital debility, &c.	M	48	47	—	—	1	—	—	—	—	62	60	2	—	—	—	—	—	—
	F	34	33	—	1	—	—	—	—	—	58	58	—	—	—	—	—	—	—
26 Violence apart from suicide	M	28	1	—	3	4	2	5	8	5	30	—	1	2	2	3	9	11	2
	F	12	1	—	2	1	—	2	—	6	7	1	—	1	—	—	—	2	3
27 Suicide	M	7	—	—	—	—	1	3	3	—	5	—	—	—	—	—	2	3	—
	F	4	—	—	—	—	—	1	3	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	195	26	6	3	2	6	6	37	107	328	34	2	3	4	5	22	48	210
	F	215	18	4	6	3	4	17	49	114	336	17	4	4	7	7	26	49	222
29 Causes ill-defined or unknown.	M	4	—	3	—	—	—	—	—	1	6	1	—	—	—	—	1	1	3
	F	3	1	—	—	—	—	1	1	—	6	—	—	—	—	—	3	1	2

Causes of Death at Different Periods of Life in the Administrative County of Lincoln (Parts of Holland)—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	317	40	16	10	15	8	29	53	146	325	50	16	11	16	9	20	62	141
	F	300	35	15	9	9	15	28	66	123	312	48	10	11	16	9	33	49	136
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	8	—	3	3	2	—	—	—	—	3	—	1	1	1	—	—	—	—
	F	6	1	2	3	—	—	—	—	—	5	2	1	2	—	—	—	—	—
4 Scarlet fever	M	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	2	—	—	1	—	—	1	—	—
5 Whooping cough ...	M	7	2	3	2	—	—	—	—	—	3	3	—	—	—	—	—	—	—
	F	7	1	2	3	1	—	—	—	—	4	3	1	—	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	4	—	—	1	3	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	3	—	—	1	2	—	—	—	—
7 Influenza	M	10	—	—	—	—	—	3	4	3	9	1	1	—	—	—	—	2	5
	F	16	—	1	—	—	—	1	4	10	11	—	—	—	1	—	1	1	8
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	14	—	—	—	—	1	8	5	—	16	—	—	1	—	4	3	8	—
	F	26	—	—	—	3	9	11	3	—	20	—	—	1	2	2	11	3	1
10 Tuberculous meningitis	M	3	1	—	—	2	—	—	—	—	2	—	1	—	1	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	4	—	—	3	1	—	—	—	—
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—
	F	2	—	—	—	—	2	—	—	—	6	1	1	—	—	1	1	1	1
12 Cancer, malignant disease	M	23	—	—	—	—	—	1	9	13	23	—	—	1	—	—	1	10	11
	F	31	—	—	—	—	—	1	18	12	25	—	—	—	—	—	—	11	14
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	2	—	1	—	1	—	—	—	—	2	—	—	—	1	—	—	1	—
	F	2	—	—	1	1	—	—	—	—	3	—	1	—	2	—	—	—	—
15 Organic heart disease ...	M	26	—	—	—	—	1	1	9	15	34	—	—	—	—	1	3	15	15
	F	28	—	—	—	—	1	3	10	14	30	—	—	—	1	—	3	8	18
16 Bronchitis	M	28	5	1	2	—	—	2	1	17	26	3	2	—	—	—	—	4	17
	F	21	9	—	—	—	—	—	1	11	30	6	1	—	1	—	—	1	21
17 Pneumonia (all forms)...	M	26	3	4	—	3	2	3	7	4	24	7	2	2	—	—	4	3	6
	F	13	2	5	—	—	—	1	3	2	17	7	2	2	—	1	1	2	2
18 Other respiratory diseases	M	3	—	—	—	—	—	1	—	2	3	—	—	1	—	—	—	2	—
	F	4	—	1	—	—	—	—	2	1	4	—	—	—	—	—	1	1	2
19 Diarrhœa, &c.	M	7	3	—	—	—	—	1	—	3	3	1	1	—	—	—	—	—	1
	F	7	2	1	1	—	—	1	1	1	6	2	1	—	—	—	—	—	3
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	9	—	—	—	—	—	3	3	3	11	—	—	—	—	1	2	3	5
	F	11	—	—	—	1	1	1	4	4	12	—	—	—	—	—	3	3	6
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	1	2	—	—
25 Congenital debility, &c.	M	16	16	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—
	F	9	8	1	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	7	—	—	—	1	1	1	—	4	14	—	—	3	4	1	2	2	2
	F	4	1	—	—	—	1	—	—	2	3	—	1	1	—	1	—	—	—
27 Suicide	M	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	117	9	3	2	3	2	3	14	81	111	11	5	1	3	1	3	10	77
	F	102	11	—	—	—	1	6	19	65	95	7	1	—	4	2	6	17	58
29 Causes ill-defined or unknown.	M	3	1	1	—	—	—	1	—	—	5	1	2	—	—	—	—	1	1
	F	1	—	1	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1

Causes of Death at Different Periods of Life in the Administrative County of Lincoln (Parts of Kesteven)—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	365	64	13	15	11	8	33	75	146	495	72	14	11	17	11	42	94	234
	F	334	48	11	14	9	14	40	54	144	482	53	5	15	19	22	52	89	227
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	1	4	3	1	—	—	—	—	5	1	—	2	2	—	—	—	—
	F	11	2	5	3	—	—	1	—	—	7	2	—	2	3	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	2	—	1	1	—	—	—	—	—	3	1	1	1	—	—	—	—	—
	F	4	1	2	1	—	—	—	—	—	7	5	2	—	—	—	—	—	—
6 Diphtheria and croup ...	M	6	—	—	2	3	—	—	1	—	5	—	2	1	2	—	—	—	—
	F	9	1	—	5	2	—	1	—	—	7	—	—	4	2	—	1	—	—
7 Influenza	M	9	—	—	1	—	—	1	2	5	16	1	—	—	—	1	1	6	7
	F	14	—	—	—	1	—	—	3	10	19	1	—	1	—	1	2	4	10
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	21	—	—	—	—	6	8	6	1	26	—	—	—	—	5	14	5	2
	F	16	—	—	—	2	6	6	2	—	28	—	—	2	3	5	10	6	2
10 Tuberculous meningitis	M	2	1	—	—	1	—	—	—	—	4	—	—	1	3	—	—	—	—
	F	4	—	1	1	—	—	2	—	—	4	—	1	1	2	—	—	—	—
11 Other tuberculous diseases.	M	7	1	—	—	2	—	2	1	1	11	1	1	2	2	1	1	1	2
	F	4	—	—	—	1	—	2	—	1	5	—	—	—	—	3	1	—	1
12 Cancer, malignant disease	M	25	—	—	—	—	—	—	10	15	24	—	—	—	—	—	—	11	13
	F	36	—	—	—	—	—	6	12	18	44	—	—	—	—	—	4	22	18
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—
14 Meningitis	M	4	1	1	1	1	—	—	—	—	3	—	—	1	—	—	2	—	—
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	1	1	1	1	—
15 Organic heart disease ...	M	32	—	—	—	—	—	3	10	19	50	—	—	—	—	1	2	12	35
	F	21	—	—	—	1	—	—	5	15	54	—	—	1	2	—	2	10	39
16 Bronchitis	M	27	6	1	—	—	—	—	4	16	59	14	3	—	—	—	1	7	34
	F	32	4	2	—	—	—	1	5	20	47	8	—	—	—	—	—	1	38
17 Pneumonia (all forms)...	M	25	5	5	2	—	—	1	6	6	32	5	2	1	1	1	2	11	9
	F	20	3	1	4	—	—	2	5	5	18	5	1	1	—	—	2	4	5
18 Other respiratory diseases	M	11	1	—	—	—	—	—	5	5	16	3	—	1	—	—	1	2	9
	F	4	—	—	—	—	—	—	1	3	12	1	—	1	1	—	—	3	6
19 Diarrhœa, &c.	M	9	6	1	—	—	—	1	—	1	11	4	1	1	1	—	1	2	1
	F	7	6	—	—	—	1	—	—	—	8	2	1	—	—	1	1	—	3
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	—	1
	F	2	—	—	—	—	—	—	1	1	3	—	—	—	1	2	—	—	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	2	—	3	—	—	—	—	—	—	1	2
	F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
22 Nephritis and Bright's disease.	M	13	—	—	—	1	—	2	5	5	12	—	—	—	1	—	—	2	9
	F	6	—	—	—	1	—	2	2	1	10	—	—	—	—	—	2	3	5
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	3	—	—	—	—	—	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	15	—	—	—	—	5	10	—	—
25 Congenital debility, &c.	M	24	24	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—
	F	18	18	—	—	—	—	—	—	—	22	21	—	—	—	—	—	1	—
26 Violence, apart from suicide.	M	10	—	—	2	—	1	1	3	3	13	1	1	—	1	1	2	4	3
	F	3	—	—	—	1	1	—	1	—	3	—	—	1	—	—	1	1	—
27 Suicide	M	2	—	—	—	—	—	—	2	—	5	—	—	—	—	—	—	4	1
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—
28 Other defined diseases ...	M	116	18	—	2	2	1	11	14	68	167	17	2	—	3	1	13	25	106
	F	108	13	—	—	—	4	9	13	69	150	7	—	1	3	3	9	28	99
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	6	1	—	—	—	—	1	3	1

Causes of Death at Different Periods of Life in the Administrative County of Lincoln (Parts of Lindsey)—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	708	140	35	29	26	24	68	164	222	1072	177	34	33	36	43	86	175	488
	F	742	103	33	27	40	35	83	126	295	990	113	26	34	32	44	95	161	485
1 Enteric fever	M	3	—	—	—	—	—	1	2	—	4	—	—	—	1	2	1	—	—
	F	5	—	—	1	—	1	2	1	—	1	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	20	4	8	5	2	—	1	—	—	16	2	8	4	2	—	—	—	—
	F	26	5	7	8	5	1	—	—	—	16	3	4	3	5	—	1	—	—
4 Scarlet fever	M	3	—	—	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
5 Whooping cough ...	M	2	1	1	—	—	—	—	—	—	9	7	1	1	—	—	—	—	—
	F	8	3	3	2	—	—	—	—	—	14	6	5	3	—	—	—	—	—
6 Diphtheria and croup ...	M	7	—	1	2	3	—	1	—	—	14	—	—	6	6	1	1	—	—
	F	13	—	—	3	9	—	1	—	—	10	—	—	4	5	—	1	—	—
7 Influenza	M	16	2	—	—	1	1	—	5	7	58	3	1	—	—	2	2	8	42
	F	30	—	1	—	—	—	4	6	19	57	3	—	—	3	1	6	7	37
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	2
9 Pulmonary tuberculosis	M	55	—	—	2	4	11	18	16	4	53	—	—	—	—	15	22	13	3
	F	41	—	—	—	3	16	17	5	—	60	—	—	2	4	15	28	10	1
10 Tuberculous meningitis	M	6	1	1	2	1	1	—	—	—	3	—	1	1	1	—	—	—	—
	F	12	1	1	2	3	2	2	—	1	4	1	—	1	1	—	1	—	—
11 Other tuberculous diseases.	M	11	2	—	—	5	—	4	—	—	11	—	1	—	—	4	3	2	1
	F	15	3	1	—	2	2	5	2	—	16	1	1	2	3	4	1	1	3
12 Cancer, malignant disease	M	27	—	—	—	—	1	4	14	8	62	—	—	—	—	—	2	23	37
	F	71	—	—	—	—	—	6	28	37	89	—	—	—	—	—	7	41	41
13 Rheumatic fever ...	M	3	—	—	—	1	1	1	—	—	5	—	—	—	1	—	3	1	—
	F	2	—	—	—	1	—	—	—	1	2	—	—	—	—	1	—	1	—
14 Meningitis	M	8	2	2	2	1	1	—	—	—	14	2	1	4	3	1	1	2	—
	F	5	—	1	—	3	—	1	—	—	6	—	1	1	2	2	—	—	—
15 Organic heart disease ...	M	65	—	—	—	1	1	5	26	32	92	—	1	—	—	3	6	26	56
	F	56	—	—	—	3	1	4	15	33	87	—	—	1	—	2	4	17	63
16 Bronchitis	M	46	9	2	—	—	—	—	11	24	92	17	5	3	1	—	1	8	57
	F	69	7	5	1	—	—	—	12	44	71	10	4	4	—	—	1	5	47
17 Pneumonia (all forms)	M	54	13	11	3	—	1	7	8	11	61	15	6	4	2	2	8	11	13
	F	47	8	7	5	2	3	1	5	16	51	6	6	8	1	1	6	9	14
18 Other respiratory diseases	M	17	—	2	1	—	—	1	6	7	18	—	2	1	1	1	4	3	6
	F	12	1	1	—	—	—	3	4	3	16	1	—	1	1	1	2	4	6
19 Diarrhœa, &c.	M	34	26	2	2	1	—	—	1	2	18	10	—	1	—	—	—	1	6
	F	15	7	1	1	1	—	2	1	2	11	7	—	1	—	1	1	—	1
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	—	1	5	—	—	—	1	2	1	1	—
	F	5	—	—	—	3	1	—	1	—	3	—	—	—	2	—	1	—	—
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	1	6	—	5	—	—	—	—	—	1	2	2
	F	5	—	—	—	—	—	—	4	1	3	—	—	—	—	—	2	—	1
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	25	—	—	—	1	1	3	15	5	27	—	—	—	—	—	1	10	16
	F	18	—	—	1	—	—	6	7	4	25	—	—	—	—	—	5	11	9
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	7	—	—	—	—	2	5	—	—
25 Congenital debility, &c.	M	50	49	—	1	—	—	—	—	—	75	73	1	—	1	—	—	—	—
	F	42	41	1	—	—	—	—	—	—	49	49	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	26	2	—	2	3	1	7	7	4	42	5	—	5	10	4	3	10	5
	F	14	5	1	2	—	—	—	2	4	12	2	2	1	1	—	—	—	6
27 Suicide	M	5	—	—	—	—	—	2	2	1	4	—	—	—	—	—	—	1	3
	F	3	—	—	—	—	—	2	1	—	3	—	—	—	—	1	1	1	—
28 Other defined diseases ...	M	210	29	3	4	1	4	12	44	113	376	41	6	3	5	6	25	51	239
	F	214	22	2	1	5	7	19	31	127	366	21	3	2	4	11	20	52	253
29 Causes ill-defined or unknown.	M	6	—	2	1	—	—	—	—	3	5	2	—	—	—	—	—	2	1
	F	5	—	1	—	—	—	1	1	2	7	2	—	—	—	1	1	2	1

Causes of Death at Different Periods of Life in the Administrative County of Middlesex—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	6,997	1280	383	354	331	226	850	1653	1920	312	42	13	10	24	13	35	68	107
		F	6,910	946	376	335	293	269	827	1353	2511	290	34	20	11	17	12	27	56	113
1	Enteric fever	M	18	—	—	—	2	6	7	3	—	1	—	—	—	—	—	—	1	—
		F	12	—	—	—	3	2	4	2	1	1	—	—	1	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	256	46	102	76	31	1	—	—	—	9	1	3	3	2	—	—	—	—
		F	262	47	92	94	27	1	1	—	—	8	—	6	1	1	—	—	—	—
4	Scarlet fever	M	39	—	2	13	21	2	1	—	—	1	—	—	—	1	—	—	—	—
		F	32	—	2	7	18	1	3	1	—	3	—	—	1	2	—	—	—	—
5	Whooping cough ...	M	128	63	32	26	7	—	—	—	—	6	3	2	1	—	—	—	—	—
		F	129	42	50	31	5	—	—	1	—	2	1	1	—	—	—	—	—	—
6	Diphtheria and croup ...	M	74	3	12	27	30	1	1	—	—	7	—	—	1	6	—	—	—	—
		F	88	2	3	39	37	3	2	1	1	4	—	—	1	2	1	—	—	—
7	Influenza	M	106	5	3	4	3	5	16	36	34	6	—	—	—	—	1	1	2	2
		F	127	3	1	1	2	2	17	27	74	3	—	—	—	—	1	1	—	1
8	Erysipelas	M	18	6	—	—	2	1	3	2	4	1	—	—	—	—	—	—	1	—
		F	12	2	—	—	1	1	1	1	6	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	631	4	8	4	18	79	309	190	19	22	—	—	—	—	4	8	10	—
		F	467	2	5	9	29	95	212	97	18	16	—	1	1	1	2	6	5	—
10	Tuberculous meningitis	M	75	12	18	23	20	2	—	—	—	—	—	—	—	—	—	—	—	—
		F	91	14	20	26	19	10	2	—	—	3	—	2	—	1	—	—	—	—
11	Other tuberculous diseases.	M	84	13	11	11	20	9	10	4	6	7	1	—	—	2	2	2	—	—
		F	68	4	11	12	12	9	11	3	6	6	1	3	1	—	1	—	—	—
12	Cancer, malignant disease	M	525	1	1	6	1	2	30	269	215	20	—	—	—	—	1	2	8	9
		F	700	—	—	2	—	2	87	309	300	27	—	—	—	—	1	1	14	11
13	Rheumatic fever ...	M	18	—	—	—	8	2	5	3	—	—	—	—	—	—	—	—	—	—
		F	34	—	—	—	10	7	10	5	2	1	—	—	—	1	—	—	—	—
14	Meningitis	M	90	22	11	7	28	12	7	3	—	4	1	1	—	1	—	—	1	—
		F	58	13	9	9	13	4	7	1	2	4	1	1	—	1	—	—	1	—
15	Organic heart disease ...	M	639	1	—	1	8	17	57	242	313	24	—	—	—	1	2	1	6	14
		F	707	—	1	—	23	22	80	208	373	21	—	—	—	—	1	—	6	14
16	Bronchitis	M	512	105	18	13	5	1	18	76	276	24	6	1	—	2	—	2	3	10
		F	630	67	33	5	2	6	16	90	411	19	4	1	—	1	—	—	3	10
17	Pneumonia (all forms)	M	652	180	92	67	26	11	67	117	92	23	5	4	1	—	—	4	4	5
		F	582	133	86	49	23	16	50	85	140	26	6	3	3	4	1	3	2	4
18	Other respiratory diseases	M	135	14	13	10	3	4	11	42	38	4	1	—	—	—	1	2	—	—
		F	120	4	4	7	3	2	9	30	61	5	—	—	—	—	—	1	1	3
19	Diarrhœa, &c.	M	244	173	22	12	4	1	5	16	11	10	4	1	—	—	—	2	—	3
		F	191	127	23	6	2	2	10	8	13	8	2	1	1	—	1	—	2	1
20	Appendicitis and typhlitis	M	44	—	—	5	8	4	18	8	1	5	—	—	—	1	1	2	1	—
		F	36	—	—	1	10	7	8	8	2	2	—	—	1	1	—	—	—	—
21	Cirrhosis of liver ...	M	70	—	—	—	—	—	9	47	14	2	—	—	—	—	—	—	2	—
		F	65	—	—	—	—	—	15	32	18	4	—	—	—	—	—	1	3	—
21A	Alcoholism	M	7	—	—	—	—	—	3	4	—	1	—	—	—	—	—	1	—	—
		F	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	212	—	1	2	4	7	37	87	74	5	—	—	—	1	—	1	2	1
		F	160	—	1	—	2	7	28	52	70	8	—	—	—	—	1	—	1	6
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	4	27	1	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	39	—	—	—	—	4	34	1	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	425	420	—	4	1	—	—	—	—	12	12	—	—	—	—	—	—	—
		F	353	345	2	3	3	—	—	—	—	13	13	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	275	19	10	22	41	17	50	72	44	16	—	—	2	4	—	—	6	4
		F	127	17	8	12	13	6	20	24	27	4	—	—	—	—	—	1	1	2
27	Suicide	M	53	—	—	—	—	1	18	26	8	1	—	—	—	—	—	1	—	—
		F	23	—	—	—	—	1	12	8	2	1	—	—	—	—	—	1	—	—
28	Other defined diseases ...	M	1,660	193	24	21	39	41	168	404	770	101	8	1	2	3	1	6	21	59
		F	1,754	124	24	21	35	55	159	354	982	96	6	1	—	2	2	7	17	61
29	Causes ill-defined or unknown.	M	7	—	3	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—
		F	7	—	1	1	1	—	—	2	2	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Monmouth—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	2,356	646	197	158	114	83	251	468	439	306	46	14	9	12	8	28	66	123
		F	2,037	486	191	167	98	105	235	337	418	284	25	7	7	14	16	35	50	130
1	Enteric fever	M	5	—	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—
		F	8	—	1	—	2	2	2	1	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	137	41	50	38	7	1	—	—	—	4	2	1	1	—	—	—	—	—
		F	110	24	39	33	13	—	1	—	—	4	—	1	2	1	—	—	—	—
4	Scarlet fever	M	9	2	1	3	3	—	—	—	—	2	—	—	2	—	—	—	—	—
		F	18	1	1	12	3	—	1	—	—	3	—	—	1	1	—	—	1	—
5	Whooping cough ...	M	47	21	16	9	1	—	—	—	—	4	1	2	1	—	—	—	—	—
		F	72	31	21	17	3	—	—	—	—	2	—	2	—	—	—	—	—	—
6	Diphtheria and croup ...	M	29	1	7	16	4	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	29	2	4	12	11	—	—	—	—	3	—	—	—	2	—	—	1	—
7	Influenza	M	36	—	—	—	3	1	12	14	6	5	—	—	—	1	1	—	1	2
		F	19	3	—	—	1	—	2	5	8	3	—	—	—	—	1	1	—	1
8	Erysipelas	M	5	2	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	1
		F	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	113	2	3	4	5	19	47	30	3	12	1	—	—	—	1	7	3	—
		F	114	3	2	7	10	33	42	15	2	23	—	—	—	1	4	15	1	2
10	Tuberculous meningitis	M	21	5	1	4	10	—	1	—	—	2	—	—	—	1	—	1	—	—
		F	11	2	4	1	2	2	—	—	—	3	—	—	—	3	—	—	—	—
11	Other tuberculous diseases.	M	28	3	2	8	5	3	5	2	—	2	—	—	—	—	—	—	1	1
		F	19	2	4	4	4	2	1	—	2	2	1	—	—	—	—	1	—	—
12	Cancer, malignant disease	M	75	—	—	—	—	—	9	45	21	14	—	—	—	—	—	1	7	6
		F	88	—	—	—	—	—	17	44	27	18	—	—	—	—	—	5	7	6
13	Rheumatic fever ...	M	13	—	1	—	2	5	3	2	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	2	3	2	2	—	3	—	—	—	1	2	—	—	—
14	Meningitis	M	20	7	5	4	2	—	—	2	—	3	—	1	—	1	—	1	—	—
		F	25	8	7	2	7	1	—	—	—	3	—	—	1	1	1	—	—	—
15	Organic heart disease ...	M	146	—	—	—	12	7	16	58	53	35	—	—	1	1	—	2	10	21
		F	174	2	—	—	8	14	24	62	64	34	—	—	—	2	—	2	7	23
16	Bronchitis	M	198	55	12	7	3	—	9	52	60	22	2	2	—	—	—	1	3	14
		F	203	59	13	6	2	2	8	41	72	32	1	—	1	—	—	—	5	25
17	Pneumonia (all forms)...	M	290	82	51	22	11	10	34	51	29	28	6	4	1	2	1	2	4	8
		F	230	58	54	39	6	7	28	22	16	16	3	3	1	—	—	1	3	5
18	Other respiratory diseases	M	53	9	4	5	4	—	3	17	11	5	—	—	1	—	—	—	—	4
		F	41	3	5	8	4	1	6	9	5	6	—	—	—	—	1	1	1	3
19	Diarrhœa, &c.	M	112	65	18	5	—	1	1	11	11	9	3	2	—	—	—	2	—	2
		F	78	43	8	6	1	2	4	4	10	6	1	—	—	—	—	1	1	3
20	Appendicitis and typhlitis	M	9	—	—	—	4	1	2	2	—	2	—	—	—	—	—	1	1	—
		F	4	—	—	—	—	2	1	1	—	2	—	—	—	—	1	—	1	—
21	Cirrhosis of liver ...	M	12	—	—	—	—	—	3	7	2	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	49	—	1	5	2	—	7	20	14	13	—	—	—	1	—	—	9	3
		F	50	—	1	4	1	4	14	17	9	5	—	—	—	—	—	—	3	2
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	3	9	—	—	1	—	—	—	—	1	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	25	—	—	—	—	5	18	2	—	3	—	—	—	—	1	2	—	—
25	Congenital debility, &c.	M	224	222	1	1	—	—	—	—	—	19	19	—	—	—	—	—	—	—
		F	154	154	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	152	4	5	10	19	17	46	38	13	16	—	—	—	3	2	2	5	4
		F	40	1	5	5	8	5	8	6	2	4	—	—	—	1	—	—	2	1
27	Suicide	M	10	—	—	—	—	2	5	2	1	1	—	—	—	—	—	—	1	—
		F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	1	—	1	—
28	Other defined diseases ...	M	546	123	16	16	16	14	44	105	212	102	12	2	1	2	3	8	18	56
		F	484	88	18	9	10	17	43	100	199	90	4	1	1	1	3	6	15	59
29	Causes ill-defined or unknown.	M	14	2	3	—	—	—	2	5	2	4	—	—	1	—	—	—	2	1
		F	11	1	4	2	—	—	3	1	—	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in the Administrative County of Norfolk—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	443	70	16	9	14	12	45	90	187	1,915	289	51	33	56	53	128	340	9
	F	451	54	16	9	11	18	36	88	219	1,895	195	40	37	52	66	190	277	10
1 Enteric fever	M	2	—	—	—	—	—	1	1	—	4	—	—	—	—	1	1	2	—
	F	1	—	—	—	—	1	—	—	—	5	—	—	—	1	1	3	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	2	1	1	—	—	—	—	—	8	1	2	2	2	—	1	—	—
	F	2	—	1	—	1	—	—	—	—	3	1	—	1	1	—	—	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	7	—	—	2	2	3	—	—	—
	F	1	—	—	1	—	—	—	—	—	6	—	—	1	1	2	2	—	—
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	22	18	2	2	—	—	—	—	—
	F	7	3	3	—	1	—	—	—	—	20	9	6	4	1	—	—	—	—
6 Diphtheria and croup ...	M	2	—	—	—	2	—	—	—	—	7	—	—	3	3	1	—	—	—
	F	1	—	1	—	—	—	—	—	—	10	—	—	2	7	1	—	—	—
7 Influenza	M	9	1	—	—	—	—	—	1	7	55	3	2	—	—	2	4	11	3
	F	17	—	1	—	—	—	1	4	11	71	2	1	2	3	3	6	8	4
8 Erysipelas	M	2	1	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	
	F	1	—	—	—	—	—	—	1	—	3	1	—	—	—	1	—	1	—
9 Pulmonary tuberculosis	M	31	—	—	—	2	4	17	7	1	89	—	1	—	1	15	36	31	
	F	30	—	—	—	2	10	12	3	3	123	—	—	—	7	28	61	22	
10 Tuberculous meningitis	M	4	—	1	1	1	—	1	—	—	10	2	1	1	5	1	—	—	—
	F	6	1	—	3	1	—	1	—	—	11	2	1	3	1	3	1	—	—
11 Other tuberculous diseases.	M	6	—	1	—	1	—	1	3	—	18	1	1	1	1	2	5	3	
	F	3	1	—	—	—	1	1	—	—	16	3	—	2	3	1	2	3	
12 Cancer, malignant disease	M	32	—	—	—	—	—	1	19	12	145	—	—	—	—	1	5	55	8
	F	50	—	—	—	—	—	4	20	26	187	—	—	—	—	—	16	79	9
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	1	—	2	—	—
	F	2	—	—	1	—	—	1	—	—	6	—	—	—	3	—	1	1	
14 Meningitis	M	6	1	1	3	—	1	—	—	—	14	1	3	2	4	2	2	—	—
	F	6	2	1	2	—	1	—	—	—	15	3	1	4	3	—	4	—	—
15 Organic heart disease ...	M	47	—	—	—	—	2	3	12	30	246	—	—	—	1	—	9	56	18
	F	50	—	—	—	—	1	2	17	30	242	—	—	—	—	4	11	44	18
16 Bronchitis	M	43	13	4	—	—	—	1	2	23	164	27	16	2	—	—	—	12	10
	F	44	3	2	—	—	—	—	9	30	184	19	7	2	2	—	2	9	14
17 Pneumonia (all forms)	M	33	12	5	2	—	—	3	4	7	135	38	14	9	4	5	13	18	3
	F	27	12	5	1	1	—	—	5	3	85	22	16	7	6	3	6	4	2
18 Other respiratory diseases	M	7	1	—	—	—	—	—	1	5	29	4	1	—	1	1	1	5	1
	F	6	—	—	—	1	—	1	1	3	27	2	1	2	3	—	4	6	
19 Diarrhœa, &c.	M	7	3	1	—	—	—	—	1	2	29	14	—	3	—	1	1	5	
	F	4	2	1	—	—	—	—	—	1	18	6	1	—	—	—	1	2	
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	3	—	—	—	3	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	7	—	—	—	2	—	3	2	—
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	15	—	—	—	—	—	1	3	1
	F	1	—	—	—	—	—	1	—	—	8	1	—	—	—	—	—	5	
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	14	—	—	—	2	1	—	4	7	41	—	—	—	—	—	2	16	2
	F	10	—	—	—	—	—	—	3	7	36	—	—	—	—	1	2	14	1
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	4	—	—	—	—	3	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	11	—	—	—	—	—	10	1	—
25 Congenital debility, &c.	M	19	19	—	—	—	—	—	—	—	118	116	—	1	—	1	—	—	—
	F	18	18	—	—	—	—	—	—	—	90	90	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	20	—	—	1	3	—	8	6	2	63	5	—	1	10	6	14	15	12
	F	8	1	—	1	1	—	1	1	3	23	2	1	3	1	2	2	4	8
27 Suicide	M	—	—	—	—	—	—	—	—	—	22	—	—	—	—	—	4	17	1
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2	1	1	1
28 Other defined diseases ...	M	146	16	2	—	—	4	8	26	90	648	55	8	4	17	11	26	85	442
	F	145	11	1	—	3	2	7	20	101	662	32	4	4	7	9	49	65	492
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	17	4	—	—	—	—	—	6	7
	F	4	—	—	—	—	—	—	3	1	17	—	1	—	—	2	2	6	6

Causes of Death at Different Periods of Life in the Administrative County of Northampton—1915.

Causes of Death.	Sex	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	669	106	30	43	29	25	86	137	213	846	117	22	32	33	23	74	150	395
	F	608	73	26	31	44	39	56	121	218	888	82	16	31	41	24	74	176	444
1 Enteric fever	M	3	—	—	—	—	1	1	—	1	2	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	16	3	3	9	1	—	—	—	—	11	1	3	5	2	—	—	—	—
	F	7	2	1	3	1	—	—	—	—	9	2	3	3	1	—	—	—	—
4 Scarlet fever	M	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	17	5	8	4	—	—	—	—	—	7	3	2	2	—	—	—	—	—
	F	27	12	8	7	—	—	—	—	—	11	4	1	6	—	—	—	—	—
6 Diphtheria and croup ...	M	21	—	1	9	9	1	1	—	—	23	—	1	8	14	—	—	—	—
	F	20	—	1	5	14	—	—	—	—	21	—	—	7	13	1	—	—	—
7 Influenza	M	13	1	—	—	—	—	4	5	3	15	1	—	—	—	—	2	4	8
	F	14	—	—	—	—	1	1	4	8	21	—	—	—	1	—	2	8	10
8 Erysipelas	M	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	71	—	1	—	—	13	43	12	2	40	—	1	—	2	6	23	6	2
	F	51	2	1	—	2	27	14	5	—	47	—	—	2	4	11	18	10	2
10 Tuberculous meningitis	M	8	1	—	5	1	—	1	—	—	4	1	—	1	1	1	—	—	—
	F	7	—	1	2	4	—	—	—	—	1	—	1	—	—	—	—	—	—
11 Other tuberculous diseases.	M	8	—	1	—	3	—	2	2	—	10	2	—	—	—	3	2	3	—
	F	6	—	—	2	1	1	1	1	—	12	—	1	1	2	4	4	—	—
12 Cancer, malignant disease	M	43	—	—	—	—	—	2	19	22	65	—	—	—	—	—	2	28	35
	F	57	—	—	1	—	—	8	25	23	71	—	—	—	1	—	3	29	38
13 Rheumatic fever ...	M	5	—	—	—	1	2	2	—	—	4	—	—	—	—	1	1	2	—
	F	3	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—	1	—
14 Meningitis	M	8	3	—	—	1	3	1	—	—	7	—	—	2	2	2	1	—	—
	F	5	1	—	1	—	1	1	1	—	6	—	1	—	2	—	2	1	—
15 Organic heart disease ...	M	55	—	—	—	2	1	5	16	31	88	—	—	—	1	1	6	19	61
	F	82	—	—	1	5	2	7	28	39	121	—	—	1	4	2	6	40	68
16 Bronchitis	M	64	11	4	3	—	—	—	9	37	61	9	2	2	—	—	1	4	43
	F	42	4	3	3	1	—	—	3	28	97	12	1	4	—	1	—	8	71
17 Pneumonia (all forms)	M	40	11	6	4	—	1	2	10	6	59	11	4	4	2	2	11	14	11
	F	34	8	8	2	1	—	3	3	9	49	8	6	—	3	—	7	8	17
18 Other respiratory diseases	M	10	1	—	—	1	—	1	2	5	12	—	2	—	1	—	1	4	4
	F	9	—	1	1	—	—	1	—	6	14	—	—	1	2	—	1	2	8
19 Diarrhœa, &c.	M	14	10	2	—	—	—	1	1	—	13	6	2	1	—	—	1	2	1
	F	10	5	—	—	—	—	—	1	4	10	5	1	1	—	2	—	—	1
20 Appendicitis and typhlitis	M	5	—	—	—	1	1	—	2	1	2	—	—	—	1	1	—	—	—
	F	2	—	—	—	2	—	—	—	—	2	—	—	—	—	—	—	2	—
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	1	2	2	5	—	—	—	—	—	—	1	4
	F	3	—	—	—	—	—	—	3	—	7	—	—	—	—	—	—	5	2
21A Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	21	—	—	2	1	1	5	4	8	28	—	—	2	—	—	4	9	13
	F	9	—	—	—	—	—	3	3	3	18	—	—	—	1	—	3	8	6
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	4	—	—	—	—	1	3	—	—
25 Congenital debility, &c.	M	42	42	—	—	—	—	—	—	—	64	63	—	1	—	—	—	—	—
	F	26	26	—	—	—	—	—	—	—	36	35	—	—	1	—	—	—	—
26 Violence, apart from suicide.	M	20	1	1	2	3	—	2	8	3	28	2	1	1	4	3	4	7	6
	F	7	1	—	1	1	—	—	2	2	9	1	1	1	1	—	2	1	2
27 Suicide	M	6	—	—	—	—	—	1	2	3	7	—	—	—	—	1	2	3	1
	F	3	—	—	—	—	1	2	—	—	6	—	—	—	—	1	4	1	—
28 Other defined diseases ...	M	160	16	2	4	3	1	9	40	85	283	18	3	3	3	2	12	40	202
	F	164	12	2	1	8	4	8	34	95	301	14	—	4	4	—	15	46	218
29 Causes ill-defined or unknown.	M	9	—	1	—	—	—	2	3	3	5	—	1	—	—	—	—	2	2
	F	9	—	—	—	—	—	—	8	1	7	1	—	—	—	—	—	5	1

Causes of Death at Different Periods of Life in the Administrative County of Northumberland—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	2,318	545	208	144	96	107	240	454	524	680	115	18	26	30	19	69	147	256
		F	2,124	427	194	168	110	89	237	350	549	676	83	14	21	25	28	86	123	296
1	Enteric fever	M	9	—	—	—	2	1	6	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	2	1	1	—	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	137	26	59	44	8	—	—	—	—	16	7	2	3	2	1	1	—	—
		F	145	38	52	46	9	—	—	—	—	10	3	2	3	1	—	1	—	—
4	Scarlet fever	M	16	—	—	11	4	1	—	—	—	5	—	—	—	5	—	—	—	—
		F	17	—	2	9	6	—	—	—	—	4	—	—	1	2	—	1	—	—
5	Whooping cough ...	M	43	20	15	7	1	—	—	—	—	11	5	4	2	—	—	—	—	—
		F	82	26	32	20	4	—	—	—	—	10	6	2	1	1	—	—	—	—
6	Diphtheria and croup ...	M	18	—	2	7	8	—	—	1	—	9	1	—	3	5	—	—	—	—
		F	26	—	5	9	10	1	1	—	—	7	—	1	4	2	—	—	—	—
7	Influenza	M	17	3	—	1	1	2	3	5	2	21	1	1	—	2	1	2	5	9
		F	21	—	—	—	1	1	3	5	11	18	1	1	—	1	—	2	3	10
8	Erysipelas	M	2	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
		F	2	—	—	—	—	—	1	—	1	2	1	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	164	2	2	7	8	35	70	36	4	43	—	1	—	2	8	16	15	1
		F	139	—	—	2	16	44	59	16	2	54	—	—	—	2	14	27	10	1
10	Tuberculous meningitis	M	26	6	6	7	5	1	1	—	—	8	2	1	2	1	—	2	—	—
		F	24	2	8	5	6	1	2	—	—	5	—	—	1	3	—	1	—	—
11	Other tuberculous diseases.	M	51	11	12	5	8	7	5	2	1	11	2	1	2	1	1	1	2	1
		F	49	8	8	8	11	4	5	5	—	7	1	—	1	—	2	3	—	—
12	Cancer, malignant disease	M	103	—	—	2	—	1	13	48	39	42	—	—	1	—	—	1	17	23
		F	136	—	—	—	—	—	18	72	46	60	—	—	1	—	—	6	30	23
13	Rheumatic fever ...	M	8	—	—	—	3	3	2	—	—	2	—	—	—	1	—	1	—	—
		F	3	—	—	—	1	1	1	—	—	2	—	—	—	—	2	—	—	—
14	Meningitis	M	24	8	2	6	6	1	—	1	—	6	2	—	1	1	1	—	—	1
		F	31	8	3	9	7	2	1	1	—	7	—	—	2	2	1	1	1	—
15	Organic heart disease ...	M	195	—	—	—	2	6	18	83	86	79	—	—	—	—	—	5	26	48
		F	163	—	—	1	3	3	21	59	76	99	—	—	—	—	1	2	28	68
16	Bronchitis	M	149	41	14	7	—	1	5	23	58	28	8	1	—	1	—	1	4	13
		F	125	27	9	6	—	—	2	25	56	31	3	2	—	—	—	—	5	21
17	Pneumonia (all forms)...	M	191	55	50	13	7	6	16	27	17	35	6	1	4	3	1	4	4	12
		F	140	29	31	25	9	2	18	12	14	40	6	4	2	2	2	4	8	12
18	Other respiratory diseases	M	40	4	2	3	1	1	5	14	10	18	1	1	1	—	—	7	5	3
		F	23	2	6	3	1	1	2	2	6	12	—	—	2	1	1	3	—	5
19	Diarrhœa, &c.	M	129	84	16	7	3	2	2	8	7	13	7	1	2	—	—	—	2	1
		F	96	48	18	5	1	—	3	7	14	12	5	1	2	—	—	1	—	3
20	Appendicitis and typhlitis	M	12	—	—	—	2	4	5	—	1	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	1	—	2	2	1	5	—	—	—	—	1	2	1	1
21	Cirrhosis of liver ...	M	13	—	—	—	—	—	4	8	1	6	—	—	—	—	—	1	3	2
		F	7	—	—	—	—	—	4	2	1	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	2	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	4	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	68	—	2	2	3	4	5	28	24	21	—	—	1	—	—	3	6	11
		F	70	1	2	1	1	4	11	25	25	22	—	—	—	—	—	6	7	9
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	1	8	—	—	4	—	—	—	—	—	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	3	24	—	—	8	—	—	—	—	2	6	—	—
25	Congenital debility, &c.	M	177	176	1	—	—	—	—	—	—	51	48	1	—	1	—	1	—	—
		F	162	159	2	1	—	—	—	—	—	39	39	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	121	1	3	4	12	19	36	36	10	25	—	—	2	4	4	6	5	4
		F	55	2	1	11	10	5	6	6	14	8	2	—	—	1	—	3	—	2
27	Suicide	M	23	—	—	—	—	—	8	13	2	9	—	—	—	—	—	3	4	2
		F	4	—	—	—	—	2	1	1	—	4	—	—	—	—	—	2	—	2
28	Other defined diseases ...	M	550	103	17	10	11	12	35	104	258	205	24	3	2	—	2	13	38	123
		F	537	76	11	6	11	13	41	102	277	193	16	—	1	7	1	9	24	135
29	Causes ill-defined or unknown.	M	30	4	5	1	1	—	—	15	4	11	1	—	—	1	—	1	6	2
		F	21	1	4	1	—	—	2	8	5	11	—	1	—	—	—	1	6	3

Causes of Death at Different Periods of Life in the Administrative County of Nottingham—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,709	457	156	98	72	61	155	312	398	960	142	37	39	42	33	96	185	386
		F	1,546	303	107	102	83	57	165	288	441	858	108	36	36	29	42	106	142	359
1	Enteric fever	M	3	—	—	—	—	1	1	1	—	3	—	—	—	—	1	1	1	—
		F	4	—	—	—	—	1	3	—	—	1	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	81	11	35	28	7	—	—	—	—	32	6	10	11	5	—	—	—	—
		F	78	15	29	29	5	—	—	—	—	29	3	8	15	3	—	—	—	—
4	Scarlet fever	M	6	1	3	1	1	—	—	—	—	3	—	1	—	2	—	—	—	—
		F	6	—	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	32	14	9	7	2	—	—	—	—	8	5	1	2	—	—	—	—	—
		F	37	15	10	9	3	—	—	—	—	6	2	1	3	—	—	—	—	—
6	Diphtheria and croup ...	M	20	1	3	4	10	1	1	—	—	9	—	—	7	2	—	—	—	—
		F	22	—	1	6	14	1	—	—	—	6	—	1	—	5	—	—	—	—
7	Influenza	M	22	3	—	—	1	—	7	4	7	22	1	—	2	2	—	1	3	13
		F	21	4	—	1	—	1	—	3	12	33	2	1	—	—	—	3	8	19
8	Erysipelas	M	3	—	—	—	—	—	1	1	1	2	1	—	—	—	—	—	—	1
		F	4	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	100	1	1	1	6	22	40	25	4	61	—	—	—	1	8	30	17	5
		F	75	—	1	3	3	16	35	14	3	47	—	1	—	5	16	19	5	1
10	Tuberculous meningitis	M	15	4	2	5	3	—	1	—	—	7	1	2	1	1	2	—	—	—
		F	15	2	1	3	6	2	1	—	—	6	1	—	2	1	2	—	—	—
11	Other tuberculous diseases.	M	19	5	1	6	4	1	1	1	—	12	5	—	—	2	3	—	1	1
		F	21	7	3	—	1	4	4	2	—	8	—	—	2	2	1	2	—	1
12	Cancer, malignant disease	M	85	—	—	1	1	2	9	44	28	71	—	—	—	—	—	8	32	31
		F	114	—	2	—	1	1	14	55	41	67	—	—	—	—	1	9	25	32
13	Rheumatic fever ...	M	6	—	—	—	1	1	1	2	1	4	—	—	—	2	—	2	—	—
		F	4	—	—	—	—	2	2	—	—	2	—	—	—	1	—	—	1	—
14	Meningitis	M	12	4	2	2	2	—	2	—	—	7	—	1	2	2	1	—	1	—
		F	16	7	2	3	1	1	—	2	—	4	—	1	1	1	1	—	—	—
15	Organic heart disease ...	M	137	—	—	—	4	6	11	56	60	93	—	—	1	4	2	5	24	57
		F	145	—	—	—	7	7	23	47	61	91	—	—	—	1	3	8	27	52
16	Bronchitis	M	143	36	19	4	—	1	2	24	57	85	12	5	2	—	—	1	7	58
		F	139	25	10	6	1	1	2	17	77	79	7	6	4	1	—	2	8	51
17	Pneumonia (all forms)...	M	211	80	50	19	3	2	15	25	17	66	18	10	5	2	1	9	10	11
		F	137	33	30	15	11	5	7	19	17	60	15	7	3	4	3	6	9	13
18	Other respiratory diseases	M	21	2	1	6	—	1	1	2	8	20	1	1	1	2	1	—	7	7
		F	18	1	—	4	3	—	3	2	5	15	1	2	1	1	1	1	4	4
19	Diarrhœa, &c.	M	75	45	14	4	1	—	2	3	6	17	8	1	1	1	—	2	1	3
		F	50	26	8	5	2	—	2	3	4	18	11	1	—	—	—	2	—	4
20	Appendicitis and typhlitis	M	9	—	—	1	4	2	1	1	—	8	—	—	—	1	2	3	2	—
		F	6	—	—	—	3	2	1	—	—	3	—	—	—	—	—	3	—	—
21	Cirrhosis of liver ...	M	15	—	—	—	—	—	2	9	4	5	—	—	—	—	—	1	2	2
		F	16	—	—	—	—	1	1	14	—	6	—	—	—	—	—	1	1	4
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	37	—	3	—	3	—	3	12	16	15	—	—	—	—	—	1	6	8
		F	29	1	1	3	1	1	2	16	4	25	—	—	1	1	2	3	7	11
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	6	—	—	4	—	—	—	—	—	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	1	14	—	—	13	—	—	—	—	2	11	—	—
25	Congenital debility, &c.	M	159	159	—	—	—	—	—	—	—	50	50	—	—	—	—	—	—	—
		F	115	113	1	—	1	—	—	—	—	53	51	—	—	—	1	1	—	—
26	Violence, apart from suicide.	M	81	5	4	1	10	13	24	18	6	45	3	1	2	7	6	10	12	4
		F	29	1	1	4	6	3	2	6	6	14	1	—	—	3	1	1	2	6
27	Suicide	M	8	—	—	—	—	1	3	4	—	7	—	—	—	—	—	1	2	4
		F	6	—	—	—	—	1	2	3	—	4	—	—	—	—	1	2	1	—
28	Other defined diseases ...	M	395	85	7	8	9	7	25	75	179	297	29	3	2	6	6	20	51	180
		F	411	51	6	7	11	6	41	80	209	258	14	6	4	—	7	26	43	158
29	Causes ill-defined or unknown.	M	14	1	2	—	—	—	2	5	4	11	2	1	—	—	—	1	6	1
		F	6	—	1	—	—	—	—	4	1	6	—	1	—	—	—	2	—	3

Causes of Death at Different Periods of Life in the Administrative County of Oxford—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	268	35	9	4	10	9	30	56	115	702	73	11	12	12	26	60	145	363
	F	262	23	6	5	8	10	24	56	130	598	44	11	10	10	22	56	118	327
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	2	2	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	3	2	—	—	—	—	1	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	5	2	3	—	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	3	—	—	—	—	1	—	1	1	23	1	—	1	—	—	2	3	16
	F	12	1	—	—	—	—	1	1	9	14	2	—	—	1	—	—	4	7
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	17	—	—	—	—	2	12	3	—	44	1	—	—	1	7	19	16	—
	F	18	—	—	—	1	4	6	6	1	37	1	—	1	1	9	16	7	2
10 Tuberculous meningitis	M	3	—	1	—	1	1	—	—	—	2	—	—	1	1	—	—	—	—
	F	3	—	—	1	1	—	1	—	—	4	1	—	2	—	—	1	—	—
11 Other tuberculous diseases.	M	5	—	—	—	3	1	—	1	—	9	—	—	—	1	1	5	1	1
	F	1	—	—	—	—	1	—	—	—	3	—	—	—	1	—	2	—	—
12 Cancer, malignant disease	M	33	—	—	—	—	—	2	11	20	60	—	—	—	—	—	2	30	28
	F	26	—	—	—	—	—	4	9	13	73	—	—	—	—	—	5	26	42
13 Rheumatic fever ...	M	2	—	—	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	1	—	—	1	—	—	—	—	—	6	1	1	1	2	1	—	—	—
	F	2	—	1	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—
15 Organic heart disease ...	M	27	—	—	—	—	1	3	4	19	95	—	—	—	—	2	2	29	62
	F	34	—	—	—	—	1	1	10	22	94	—	—	—	2	2	2	27	61
16 Bronchitis	M	31	5	2	2	—	—	—	4	18	56	7	2	—	—	—	—	9	38
	F	28	1	4	1	—	—	—	5	17	57	5	—	2	—	—	—	4	46
17 Pneumonia (all forms)...	M	13	1	2	1	1	—	3	2	3	36	9	3	—	—	—	8	8	8
	F	12	4	1	—	1	—	1	3	2	24	4	4	2	2	—	1	6	5
18 Other respiratory diseases	M	3	—	—	—	—	1	—	1	1	6	—	—	—	—	—	1	1	4
	F	6	—	—	1	1	—	—	—	4	8	—	1	—	—	—	1	2	4
19 Diarrhœa, &c.	M	10	7	1	—	—	—	—	—	2	8	3	1	—	—	—	—	1	3
	F	2	—	—	—	—	—	—	—	2	12	2	2	—	—	—	4	1	3
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	3	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	—	1
21 Cirrhosis of liver ...	M	7	—	—	—	—	1	1	4	1	3	—	—	—	—	—	—	3	—
	F	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	1	1	1
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	5	—	—	—	—	—	1	3	1	24	1	—	—	1	1	—	8	13
	F	4	1	—	—	—	—	—	—	3	15	—	—	—	—	—	2	4	9
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	5	—	—	—	—	1	4	—	—
25 Congenital debility, &c.	M	14	14	—	—	—	—	—	—	—	28	27	—	—	1	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	8	1	—	—	2	—	2	1	2	18	1	1	3	—	3	2	3	5
	F	6	—	—	—	—	1	2	1	2	10	1	—	1	—	3	1	1	3
27 Suicide	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	—	1
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—
28 Other defined diseases ...	M	78	4	1	—	1	1	5	19	47	262	19	2	3	3	8	13	32	182
	F	86	4	—	2	1	2	4	19	54	202	6	1	2	2	5	15	30	141
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	1	1	—	6	1	—	—	—	—	2	1	2
	F	2	—	—	—	1	—	—	—	1	4	—	—	—	—	—	—	2	2

Causes of Death at Different Periods of Life in the Administrative County of Peterborough, Soke of—1915.

Causes of Death.	Sex.	Urban District.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	268	36	9	8	10	8	29	72	96	78	13	3	1	2	2	4	17	36
	F	258	26	7	5	9	9	22	48	132	76	6	4	2	2	3	7	16	36
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	3	—	1	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—
7 Influenza	M	7	—	2	—	—	—	2	1	2	1	—	—	—	—	—	—	1	—
	F	5	—	—	—	—	—	1	2	2	2	—	—	—	—	—	—	1	1
8 Erysipelas	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	19	—	—	1	—	4	9	3	2	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	3	3	3	2	1	7	—	—	—	1	1	5	—	—
10 Tuberculous meningitis	M	3	—	—	—	3	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—
11 Other tuberculous diseases.	M	3	—	—	—	—	—	3	—	—	2	—	1	—	—	—	1	—	—
	F	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	31	—	—	—	—	1	1	14	15	7	—	—	—	—	—	—	2	5
	F	26	—	—	—	—	—	3	11	12	12	—	—	—	—	—	—	7	5
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease ...	M	18	—	—	—	—	—	—	9	9	6	—	—	—	—	—	1	3	2
	F	22	—	—	—	—	1	1	8	12	7	—	—	—	—	—	—	—	7
16 Bronchitis	M	33	7	1	—	—	1	1	8	15	14	6	—	—	—	—	—	1	7
	F	41	5	2	2	—	—	1	3	28	9	1	—	—	—	—	—	—	8
17 Pneumonia (all forms)...	M	21	5	4	3	—	—	2	4	3	8	2	—	—	1	—	2	1	2
	F	17	2	2	—	1	1	3	3	5	4	1	1	—	1	—	—	1	—
18 Other respiratory diseases	M	5	1	—	—	—	—	—	2	2	3	—	1	1	—	—	—	1	—
	F	2	—	—	—	1	—	—	1	—	2	1	—	—	—	—	—	—	1
19 Diarrhœa, &c.	M	4	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	4	2	1	—	—	—	—	—	1	2	—	—	—	—	—	—	1	1
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	6	—	—	—	—	—	—	2	4	1	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	M	13	13	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
	F	12	12	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	8	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	—	—	6	2	—	1	—	—	—	—	1	—
27 Suicide	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	84	7	1	1	4	1	5	22	43	32	2	—	—	1	2	—	7	20
	F	86	4	1	—	1	1	5	13	61	22	1	—	1	—	1	2	4	13
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Rutland—1915.

	Causes of Death.	Sex.	Urban District.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	33	3	1	—	2	2	1	9	15	142	18	5	6	3	8	3	24	75
		F	23	1	2	—	—	3	3	2	12	105	11	2	4	3	1	6	24	54
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—
6	Diphtheria and croup ...	M	1	—	—	—	—	1	—	—	—	2	—	—	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	4	—	—	2	2	—	—	—	—
7	Influenza	M	3	—	—	—	—	—	1	1	1	4	—	—	1	1	—	—	2	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	3
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	1	—	—	—	—	1	—	—	—	6	—	—	—	—	3	1	2	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
10	Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Cancer, malignant disease	M	5	—	—	—	—	—	—	2	3	10	—	—	—	—	—	—	4	6
		F	1	—	—	—	—	—	—	1	—	13	—	—	—	—	—	—	8	5
13	Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
15	Organic heart disease ...	M	5	—	—	—	—	—	—	1	4	17	—	—	—	—	—	—	2	15
		F	4	—	—	—	—	—	1	—	3	14	—	—	—	—	—	—	6	8
16	Bronchitis	M	1	1	—	—	—	—	—	—	—	10	—	—	—	—	—	—	—	10
		F	4	—	—	—	—	—	—	—	4	9	2	—	—	—	—	—	—	7
17	Pneumonia (all forms)...	M	2	—	1	—	1	—	—	—	—	9	1	2	1	—	1	—	3	1
		F	2	—	1	—	—	1	—	—	—	6	2	—	—	—	—	—	—	4
18	Other respiratory diseases	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	2	2
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
19	Diarrhœa, &c	M	—	—	—	—	—	—	—	—	—	5	3	2	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
21	Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
25	Congenital debility, &c.	M	2	2	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	7	6	—	1	—	—	—	—	—
26	Violence, apart from suicide	M	—	—	—	—	—	—	—	—	—	10	1	1	1	—	2	1	3	1
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1
27	Suicide	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	8	—	—	—	—	—	—	2	6	50	3	—	—	1	1	1	5	39
		F	9	1	1	—	—	—	1	1	5	38	—	1	—	—	1	2	9	25
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Salop—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	875	128	26	19	37	28	109	190	338	917	121	29	30	23	28	84	189	413
	F	855	92	22	18	23	36	94	161	409	893	87	28	26	40	35	93	144	440
1 Enteric fever	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	19	3	11	2	3	—	—	—	—	7	2	3	2	—	—	—	—	—
	F	11	2	3	5	1	—	—	—	—	12	1	5	4	1	1	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
	F	1	—	1	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—
5 Whooping cough ...	M	13	6	4	2	1	—	—	—	—	10	7	2	1	—	—	—	—	—
	F	15	7	5	2	1	—	—	—	—	13	6	3	3	1	—	—	—	—
6 Diphtheria and croup ...	M	8	—	—	2	5	—	1	—	—	8	—	1	6	1	—	—	—	—
	F	6	—	—	—	5	1	—	—	—	8	—	1	1	4	—	—	2	—
7 Influenza	M	30	4	—	—	—	—	6	7	13	27	1	—	—	2	1	5	9	9
	F	30	1	1	—	1	—	2	9	16	18	2	—	—	—	1	3	1	11
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	2
9 Pulmonary tuberculosis	M	76	2	—	—	2	10	34	24	4	46	—	1	—	—	8	22	13	2
	F	48	—	—	—	2	9	25	9	3	54	—	1	—	2	11	27	10	3
10 Tuberculous meningitis	M	5	—	—	2	2	1	—	—	—	3	1	1	—	—	1	—	—	—
	F	5	—	2	1	—	1	1	—	—	8	—	2	3	3	—	—	—	—
11 Other tuberculous diseases.	M	9	3	—	—	2	1	2	1	—	7	1	—	2	1	—	2	1	—
	F	7	1	1	—	—	2	1	2	—	15	2	—	1	2	3	3	3	1
12 Cancer, malignant disease	M	59	—	—	—	—	1	4	29	25	77	—	—	—	—	—	3	26	48
	F	64	—	—	—	—	—	10	28	26	91	—	—	—	1	—	2	37	51
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	1	1	—
14 Meningitis	M	5	—	1	—	3	—	—	1	—	4	1	1	—	2	—	—	—	—
	F	8	1	1	1	3	2	—	—	—	5	1	1	—	2	—	—	1	—
15 Organic heart disease ...	M	82	—	—	—	1	3	6	27	45	123	—	—	1	2	4	4	29	83
	F	100	—	—	—	—	4	8	24	64	125	—	—	—	1	3	6	22	93
16 Bronchitis	M	50	11	1	—	—	—	—	6	32	67	9	4	2	1	—	—	8	43
	F	90	13	1	1	1	2	2	10	60	60	13	2	—	1	—	—	4	40
17 Pneumonia (all forms)...	M	62	15	5	2	1	3	8	11	17	82	14	9	4	1	3	11	24	16
	F	53	11	5	2	1	2	8	13	11	53	8	4	7	3	2	8	9	12
18 Other respiratory diseases	M	21	1	—	1	4	—	1	4	10	17	—	—	2	1	1	2	3	8
	F	11	—	—	—	1	—	1	1	8	7	1	—	—	—	—	1	—	5
19 Diarrhœa, &c.	M	25	17	1	1	—	—	1	3	2	17	9	1	—	—	1	4	1	1
	F	17	8	1	2	—	—	2	1	3	22	6	4	2	—	—	3	1	6
20 Appendicitis and typhlitis	M	5	—	—	1	3	—	1	—	—	7	—	—	—	3	2	2	—	—
	F	5	—	—	—	1	2	1	1	—	4	—	—	—	1	—	1	2	—
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	—	6	1	8	—	—	—	—	—	3	3	2
	F	5	—	—	—	—	—	2	1	2	6	—	—	—	—	—	—	4	2
21A Alcoholism	M	6	—	—	—	—	—	2	4	—	1	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	38	—	—	1	—	1	3	12	21	34	—	—	3	—	—	2	11	18
	F	26	—	—	—	1	—	3	8	14	18	—	—	—	—	1	5	6	6
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	6	—	—	—	—	2	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	7	—	—	—	—	3	4	—	—
25 Congenital debility, &c.	M	38	38	—	—	—	—	—	—	—	52	50	1	1	—	—	—	—	—
	F	36	35	—	—	—	—	—	1	—	32	31	1	—	—	—	—	—	—
26 Violence, apart from suicide.	M	43	2	1	2	6	4	13	8	7	39	3	—	4	2	3	8	11	8
	F	14	1	—	3	1	3	2	1	3	18	—	1	2	4	3	—	2	6
27 Suicide	M	4	—	—	—	—	—	2	2	—	4	—	—	—	—	—	1	3	—
	F	4	—	—	—	—	1	2	1	—	8	—	—	—	—	1	4	1	2
28 Other defined diseases ...	M	260	26	2	3	3	4	24	42	156	260	22	4	2	6	2	13	40	171
	F	270	10	1	1	4	6	14	42	192	281	15	2	3	10	3	19	34	195
29 Causes ill-defined or unknown.	M	7	—	—	—	—	—	—	3	4	14	1	1	—	1	—	1	7	3
	F	14	2	—	—	—	—	2	6	4	13	1	1	—	1	1	1	3	5

Causes of Death at Different Periods of Life in the Administrative County of Somerset—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,080	143	40	24	40	40	122	277	394	1,645	181	38	44	54	42	152	398	736
		F	1,204	86	28	23	31	58	113	244	621	1,573	103	30	34	39	64	144	290	869
1	Enteric fever	M	2	—	—	—	1	—	—	1	—	3	—	—	—	—	1	1	1	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	10	4	4	1	1	—	—	—	—	9	1	3	3	2	—	—	—	—
		F	14	1	7	5	1	—	—	—	—	4	1	2	1	—	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	3	—	1	1	1	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	2	—	1	—	—	—	—	1	—
5	Whooping cough ...	M	14	7	6	—	1	—	—	—	—	17	9	5	2	1	—	—	—	—
		F	15	9	5	1	—	—	—	—	—	11	4	2	4	1	—	—	—	—
6	Diphtheria and croup ...	M	6	—	—	3	3	—	—	—	—	9	—	—	3	6	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	10	—	—	1	8	1	—	—	—
7	Influenza	M	31	—	—	—	—	1	5	13	12	52	3	3	1	—	1	7	11	26
		F	31	—	1	—	2	1	6	5	16	46	2	1	4	—	1	—	10	28
8	Erysipelas	M	2	—	—	—	—	—	—	—	2	5	—	—	—	1	—	—	1	3
		F	4	—	—	—	1	—	—	3	—	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	75	—	—	1	4	16	32	21	1	94	—	1	—	3	14	43	31	2
		F	94	—	—	2	7	30	41	11	3	95	—	—	1	5	25	45	14	5
10	Tuberculous meningitis	M	7	—	1	4	2	—	—	—	—	5	1	—	1	3	—	—	—	—
		F	7	1	—	1	3	1	1	—	—	8	—	1	2	2	1	2	—	—
11	Other tuberculous diseases.	M	7	1	—	—	2	1	2	1	—	12	1	—	—	5	1	4	1	—
		F	8	—	—	—	1	1	4	—	2	11	—	2	2	—	1	3	2	1
12	Cancer, malignant disease	M	82	—	—	—	—	—	10	34	38	146	—	—	1	—	1	7	64	73
		F	112	—	—	—	—	—	11	44	57	168	—	—	—	—	1	14	57	96
13	Rheumatic fever ...	M	8	—	—	—	3	2	2	1	—	2	—	—	—	1	—	1	—	—
		F	8	—	—	—	3	1	2	2	—	3	—	—	—	1	—	1	—	1
14	Meningitis	M	11	2	2	—	5	2	—	—	—	18	3	2	3	6	1	2	1	—
		F	4	1	—	—	—	1	1	1	—	19	5	1	1	5	3	2	2	—
15	Organic heart disease ...	M	134	—	—	1	1	2	12	51	67	252	—	—	—	—	3	13	77	159
		F	164	—	—	—	2	1	8	49	104	220	—	—	1	1	2	11	48	157
16	Bronchitis	M	92	15	9	1	1	—	2	13	51	111	20	3	—	3	—	2	17	66
		F	107	7	4	3	—	—	3	14	76	125	6	2	3	1	—	—	14	99
17	Pneumonia (all forms)...	M	77	15	7	8	2	2	9	18	16	116	30	9	13	3	2	14	20	25
		F	64	5	5	4	2	2	6	12	28	75	13	11	7	3	2	6	11	22
18	Other respiratory diseases	M	15	1	—	1	1	1	2	6	3	33	3	1	1	—	—	3	9	16
		F	24	1	—	—	1	2	—	4	16	33	3	2	1	1	1	4	5	16
19	Diarrhœa, &c.	M	21	14	2	—	1	—	2	2	—	34	17	1	—	—	—	1	6	9
		F	22	11	—	2	1	—	—	3	5	20	6	—	—	—	2	2	4	6
20	Appendicitis and typhlitis	M	8	—	—	—	—	1	3	3	1	4	—	—	2	—	2	—	—	—
		F	3	—	—	—	1	1	—	1	—	6	—	—	—	2	3	1	—	—
21	Cirrhosis of liver ...	M	13	—	—	—	—	—	1	7	5	18	—	—	—	—	—	1	14	3
		F	4	—	—	—	—	—	1	3	—	6	—	—	—	—	—	—	5	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	48	—	—	—	—	2	4	24	18	58	—	1	—	1	—	5	22	29
		F	47	—	—	—	—	2	4	16	25	48	—	—	—	—	2	2	16	28
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	5	—	—	—	—	2	3	—	—
24	Parturition, apart from puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	2	4	—	—	12	—	—	—	—	4	8	—	—
25	Congenital debility, &c.	M	60	57	1	1	—	—	—	1	—	67	63	—	1	2	1	—	—	—
		F	36	33	1	1	1	—	—	—	—	46	44	2	—	—	—	—	—	—
26	Violence, apart from suicide.	M	36	2	2	2	4	2	11	6	7	63	4	2	3	7	6	18	15	8
		F	17	2	—	2	2	—	1	1	9	26	1	—	2	2	3	4	2	12
27	Suicide	M	17	—	—	—	—	1	3	10	3	19	—	—	—	—	1	6	11	1
		F	6	—	—	—	—	2	2	1	1	11	—	—	—	—	2	2	7	—
28	Other defined diseases ...	M	299	25	6	1	7	7	22	62	169	489	26	6	9	8	8	22	96	314
		F	394	15	5	—	3	8	14	71	278	554	18	2	4	7	8	32	87	396
29	Causes ill-defined or unknown.	M	4	—	—	—	—	—	—	3	1	5	—	—	—	1	—	1	1	2
		F	6	—	—	—	—	2	1	2	1	6	—	1	—	—	—	2	2	1

Causes of Death at Different Periods of Life in the Administrative County of Southampton—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,339	200	55	62	67	50	159	311	435	1,545	183	39	44	55	49	143	323	709
		F	1,237	142	58	69	60	36	150	219	503	1,372	146	51	49	39	53	147	237	650
1	Enteric fever	M	4	—	—	—	2	—	—	2	—	4	—	—	—	—	1	2	1	—
		F	2	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	31	5	13	7	6	—	—	—	—	23	4	4	8	6	—	1	—	—
		F	33	4	8	13	7	—	1	—	—	20	3	7	7	3	—	—	—	—
4	Scarlet fever	M	6	—	—	3	3	—	—	—	—	3	—	—	—	2	—	1	—	—
		F	7	—	1	3	3	—	—	—	—	3	—	—	1	—	1	1	—	—
5	Whooping cough ...	M	21	9	9	2	1	—	—	—	—	11	5	4	2	—	—	—	—	—
		F	27	13	6	8	—	—	—	—	—	31	9	12	8	2	—	—	—	—
6	Diphtheria and croup ...	M	13	1	—	5	7	—	—	—	—	14	—	—	7	7	—	—	—	—
		F	18	1	—	7	10	—	—	—	—	12	1	—	2	9	—	—	—	—
7	Influenza	M	37	3	2	3	1	2	5	7	14	48	6	—	3	2	2	1	13	21
		F	26	2	1	—	3	—	4	2	14	44	5	2	2	—	2	3	7	23
8	Erysipelas	M	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	—	2
		F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	2	1
9	Pulmonary tuberculosis	M	87	—	—	1	3	11	39	33	—	86	—	1	—	6	15	44	15	5
		F	72	3	—	1	5	8	40	14	1	72	—	—	—	1	20	41	8	2
10	Tuberculous meningitis	M	12	2	1	5	2	1	1	—	—	15	2	2	3	5	2	1	—	—
		F	14	1	3	6	4	—	—	—	—	9	1	1	2	2	2	1	—	—
11	Other tuberculous diseases.	M	19	4	3	2	2	3	5	—	—	13	—	1	3	1	3	3	2	—
		F	26	5	1	1	2	2	8	5	2	11	1	1	1	2	2	2	2	—
12	Cancer, malignant disease	M	94	—	—	—	—	1	6	44	43	129	—	—	1	—	—	7	41	80
		F	116	—	—	—	—	1	15	49	51	152	—	—	—	—	1	15	60	76
13	Rheumatic fever ...	M	5	—	—	—	—	2	1	—	2	3	—	—	—	2	—	1	—	—
		F	2	—	—	—	—	1	1	—	—	3	—	—	—	1	1	—	1	—
14	Meningitis	M	25	1	2	6	9	4	2	1	—	22	4	2	2	5	3	2	3	1
		F	21	4	—	1	6	3	4	2	1	13	2	3	1	2	1	3	1	—
15	Organic heart disease ...	M	131	—	—	—	2	1	19	51	58	208	—	—	—	—	2	10	60	136
		F	157	—	—	—	1	2	15	40	99	197	1	—	—	1	3	14	46	132
16	Bronchitis	M	98	18	4	3	1	1	1	15	55	114	11	3	—	—	—	1	21	78
		F	108	8	6	—	1	1	1	13	78	116	14	4	2	—	—	3	3	90
17	Pneumonia (all forms)...	M	115	33	12	14	4	2	17	16	17	99	14	9	5	3	2	16	24	26
		F	96	18	20	11	7	1	9	11	19	82	16	11	7	3	5	11	12	17
18	Other respiratory diseases	M	14	1	—	2	3	1	1	4	2	21	—	—	—	2	—	1	10	8
		F	16	—	—	2	—	1	1	5	7	21	2	1	3	—	—	2	3	10
19	Diarrhœa, &c.	M	40	24	1	3	2	1	3	2	4	34	12	5	1	2	1	2	5	6
		F	29	11	3	6	1	1	1	2	4	19	8	3	1	—	—	1	1	5
20	Appendicitis and typhlitis	M	5	—	—	—	2	—	2	1	—	10	—	—	—	1	2	3	2	2
		F	5	—	—	1	2	—	2	—	—	8	—	—	1	—	1	2	3	1
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	1	6	—	13	—	—	—	—	—	1	5	7
		F	7	—	—	—	—	—	2	2	3	7	—	—	—	—	—	1	5	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	2	1	1
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—
22	Nephritis and Bright's disease.	M	71	—	—	2	2	—	13	27	27	64	1	—	—	—	—	10	24	29
		F	44	—	—	—	—	1	6	18	19	38	—	—	—	—	—	4	12	22
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	3	3	—	—	3	—	—	—	—	1	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	1	7	1	—	14	—	—	—	—	4	10	—	—
25	Congenital debility, &c.	M	66	66	—	—	—	—	—	—	—	79	78	—	—	1	—	—	—	—
		F	47	46	1	—	—	—	—	—	—	67	63	—	3	1	—	—	—	—
26	Violence, apart from suicide.	M	38	1	1	1	7	5	5	10	8	60	6	2	4	4	10	10	11	13
		F	21	5	2	3	1	1	—	4	5	19	2	1	3	1	2	5	2	3
27	Suicide	M	8	—	—	—	—	1	2	3	2	6	—	—	—	—	—	4	2	—
		F	4	—	—	—	—	1	2	—	1	4	—	—	—	—	1	—	2	1
28	Other defined diseases ...	M	381	29	7	3	8	14	36	84	200	448	38	5	5	6	6	18	78	292
		F	316	21	5	6	7	5	26	49	197	391	18	4	5	11	6	21	65	261
29	Causes ill-defined or unknown.	M	8	3	—	—	—	—	—	3	2	11	2	1	—	—	—	1	5	2
		F	6	—	1	—	—	—	1	2	2	9	—	1	—	—	—	2	1	5

Causes of Death at Different Periods of Life in the Administrative County of Stafford—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	3,921	866	299	224	169	150	444	793	976	1,429	217	91	66	75	38	133	282	527
		F	3,443	647	227	202	175	146	397	646	1003	1,370	192	62	41	60	52	142	238	583
1	Enteric fever	M	4	—	—	—	1	2	1	—	—	1	—	—	—	—	—	1	—	—
		F	6	—	—	—	1	3	2	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	158	42	59	44	13	—	—	—	—	47	12	18	6	11	—	—	—	—
		F	132	23	49	43	16	1	—	—	—	29	4	12	8	5	—	—	—	—
4	Scarlet fever	M	14	—	1	8	3	1	1	—	—	5	—	—	1	4	—	—	—	—
		F	25	—	3	10	11	1	—	—	—	2	—	—	1	1	—	—	—	—
5	Whooping cough ...	M	86	42	23	15	6	—	—	—	—	25	8	10	6	1	—	—	—	—
		F	104	45	28	28	3	—	—	—	—	19	6	6	6	1	—	—	—	—
6	Diphtheria and croup ...	M	29	1	—	12	15	1	—	—	—	20	2	2	8	8	—	—	—	—
		F	36	—	5	10	21	—	—	—	—	19	1	2	5	10	1	—	—	—
7	Influenza	M	67	2	—	—	2	8	15	22	18	35	2	2	—	1	1	5	13	11
		F	33	4	1	1	2	—	9	9	7	29	—	—	—	1	—	6	3	19
8	Erysipelas	M	13	2	—	—	1	2	1	5	2	1	1	—	—	—	—	—	—	—
		F	5	1	—	—	—	—	2	—	2	2	—	—	—	—	—	—	1	1
9	Pulmonary tuberculosis	M	256	3	3	5	7	39	116	74	9	64	1	—	2	3	6	36	13	3
		F	190	—	2	2	11	49	87	36	3	77	—	—	1	4	18	40	12	2
10	Tuberculous meningitis	M	30	2	9	6	12	1	—	—	—	14	1	6	3	2	1	1	—	—
		F	24	6	7	4	4	3	—	—	—	12	2	1	—	5	3	1	—	—
11	Other tuberculous diseases	M	56	12	15	8	6	5	4	5	1	17	3	3	1	1	3	4	2	—
		F	48	9	11	5	11	4	6	2	—	13	—	4	1	3	3	1	—	1
12	Cancer, malignant disease	M	211	1	—	—	1	3	15	109	82	101	—	—	—	2	1	6	46	46
		F	240	—	—	3	1	4	36	124	72	134	—	—	—	—	1	14	58	61
13	Rheumatic fever ...	M	17	—	—	2	3	2	7	2	1	6	—	—	1	1	1	1	—	2
		F	18	1	—	—	5	8	1	3	—	5	—	—	—	1	4	—	—	—
14	Meningitis	M	37	10	8	12	5	—	1	1	—	9	3	—	4	2	—	—	—	—
		F	32	5	8	7	6	2	2	2	—	8	1	1	1	3	—	2	—	—
15	Organic heart disease ...	M	241	1	—	—	3	19	29	75	114	145	—	—	—	2	2	8	35	98
		F	287	—	—	3	10	16	35	97	126	191	—	—	—	4	1	14	55	117
16	Bronchitis	M	393	79	29	11	1	1	11	92	169	120	20	3	4	—	—	—	23	70
		F	341	59	21	10	4	1	12	62	172	102	22	5	—	—	—	—	8	67
17	Pneumonia (all forms)...	M	436	105	79	47	19	11	59	75	41	144	30	25	11	2	4	22	31	19
		F	288	85	39	35	24	11	19	38	37	99	30	17	9	4	1	3	17	18
18	Other respiratory diseases	M	49	1	1	5	3	—	7	20	12	20	1	1	1	—	—	1	3	13
		F	36	1	4	3	2	1	6	9	10	12	2	1	1	1	1	—	2	4
19	Diarrhœa, &c.	M	153	96	28	10	1	—	5	5	8	36	17	5	4	2	—	1	2	5
		F	142	80	26	15	2	—	4	6	9	37	21	1	3	—	1	—	7	4
20	Appendicitis and typhlitis	M	17	—	—	—	6	6	4	1	—	6	—	—	—	3	2	1	—	—
		F	3	—	—	—	—	1	1	—	1	2	—	—	—	1	1	—	—	—
21	Cirrhosis of liver ...	M	21	—	—	—	—	—	3	16	2	5	—	—	—	—	—	—	4	1
		F	18	—	—	—	—	—	2	12	4	8	—	—	—	—	—	3	5	—
21A	Alcoholism	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—
		F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	1
22	Nephritis and Bright's disease.	M	80	1	1	4	3	4	12	27	28	26	—	—	—	4	—	5	11	6
		F	85	—	1	2	4	5	16	37	20	28	1	—	—	2	—	7	9	9
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	25	—	—	—	—	5	19	1	—	8	—	—	—	—	3	5	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	42	—	—	—	—	4	37	1	—	8	—	—	—	—	—	7	1	—
25	Congenital debility, &c.	M	330	326	—	2	1	—	1	—	—	79	77	1	—	1	—	—	—	—
		F	234	233	—	—	1	—	—	—	—	77	74	1	—	—	2	—	—	—
26	Violence, apart from suicide.	M	200	8	11	12	27	24	55	48	15	61	1	1	9	11	11	8	16	4
		F	66	13	2	6	10	2	9	9	15	25	3	—	2	5	4	2	4	5
27	Suicide	M	21	—	—	—	—	1	5	10	5	17	—	—	—	—	—	6	5	6
		F	16	—	—	—	—	2	6	4	4	7	—	—	—	—	1	2	2	2
28	Other defined diseases ...	M	968	130	23	20	30	20	88	191	466	408	35	10	4	13	6	25	75	240
		F	942	80	14	14	25	23	83	186	517	406	24	4	3	9	7	34	54	271
29	Causes ill-defined or unknown.	M	32	2	9	1	—	—	3	14	3	15	3	4	1	1	—	1	2	3
		F	22	2	6	1	1	—	3	6	3	9	1	7	—	—	—	—	—	1

Causes of Death at Different Periods of Life in the Administrative County of Suffolk, East—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	577	111	27	28	21	20	59	117	194	962	124	30	13	32	34	99	180	450
	F	578	69	22	31	23	26	51	104	252	797	89	18	20	26	34	65	156	389
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	10	3	3	4	—	—	—	—	—	7	4	2	1	—	—	—	—	—
	F	15	1	5	6	2	1	—	—	—	4	—	2	1	—	—	1	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	6	—	—	2	1	1	1	1	—
	F	—	—	—	—	—	—	—	—	—	7	—	—	1	5	—	—	1	—
5 Whooping cough ...	M	1	—	1	—	—	—	—	—	—	5	2	2	—	1	—	—	—	—
	F	3	1	1	—	1	—	—	—	—	5	4	—	—	1	—	—	—	—
6 Diphtheria and croup ...	M	10	1	1	5	2	—	1	—	—	3	—	—	1	2	—	—	—	—
	F	8	1	—	4	2	1	—	—	—	4	1	—	1	2	—	—	—	—
7 Influenza	M	12	—	—	—	—	—	—	5	7	33	3	1	1	2	—	2	9	15
	F	15	1	—	—	—	—	2	3	9	30	2	—	2	—	2	1	2	21
8 Erysipelas	M	3	1	—	—	—	—	—	1	1	4	1	—	—	—	1	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	38	1	—	1	1	9	13	11	2	59	—	—	—	2	12	30	12	3
	F	32	1	—	1	5	4	14	6	1	56	—	—	—	3	16	22	14	1
10 Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	10	1	2	2	5	—	—	—	—
	F	6	1	2	2	1	—	—	—	—	4	—	—	2	1	1	—	—	—
11 Other tuberculous diseases.	M	6	2	—	—	2	—	2	—	—	9	1	3	—	—	—	3	1	1
	F	11	1	2	1	1	1	3	1	1	9	1	1	1	1	3	2	—	—
12 Cancer, malignant disease	M	46	—	—	1	—	—	—	20	25	69	—	1	—	—	1	2	29	36
	F	41	—	—	—	1	—	2	17	21	87	—	—	—	—	—	2	41	44
13 Rheumatic fever ...	M	4	—	—	—	2	1	1	—	—	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—
14 Meningitis	M	11	3	1	2	4	1	—	—	—	8	—	—	1	2	—	5	—	—
	F	3	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease ...	M	36	—	—	—	—	1	1	8	26	104	—	—	—	—	3	8	26	67
	F	72	—	—	—	—	3	10	13	46	105	—	—	—	—	2	1	28	74
16 Bronchitis	M	44	12	1	3	—	1	1	5	21	86	14	6	—	—	—	1	4	61
	F	54	9	1	4	—	1	2	5	32	72	7	4	1	—	—	1	3	56
17 Pneumonia (all forms)...	M	51	14	16	8	1	—	3	6	3	60	26	6	2	2	2	3	8	11
	F	46	14	9	5	2	1	2	2	11	43	8	5	4	5	2	4	9	6
18 Other respiratory diseases	M	9	1	—	—	—	—	—	3	5	18	2	—	1	—	—	—	6	9
	F	10	1	—	1	1	—	—	3	4	20	2	—	1	—	1	2	3	11
19 Diarrhœa, &c.	M	5	5	—	—	—	—	—	—	—	8	6	1	—	—	—	—	—	1
	F	11	3	—	1	1	1	—	1	4	7	3	1	1	—	—	—	—	2
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	4	—	—	—	1	2	—	1	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	7	—	—	—	—	—	1	3	3
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	1	3
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	17	1	1	—	—	—	4	6	5	39	—	—	—	2	1	3	14	19
	F	24	—	—	—	1	2	1	7	13	19	—	—	—	—	1	3	5	10
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	5	2	—	9	—	—	—	—	1	8	—	—
25 Congenital debility, &c.	M	42	42	—	—	—	—	—	—	—	44	44	—	—	—	—	—	—	—
	F	24	24	—	—	—	—	—	—	—	46	45	—	—	1	—	—	—	—
26 Violence, apart from suicide.	M	38	2	—	—	4	5	15	10	2	49	2	2	1	3	5	22	7	7
	F	13	1	—	3	1	2	1	2	3	12	1	1	1	1	—	1	2	5
27 Suicide	M	10	—	—	—	—	—	3	2	5	9	—	—	—	—	—	2	4	3
	F	3	—	—	—	—	2	—	—	1	3	—	—	—	—	—	2	1	—
28 Other defined diseases ...	M	169	22	2	2	4	1	13	34	91	313	18	4	1	9	6	15	47	213
	F	167	8	1	3	3	4	6	36	106	243	15	4	3	5	4	13	43	156
29 Causes ill-defined or unknown.	M	7	1	1	1	—	1	—	3	—	4	—	—	—	—	—	—	3	1
	F	7	1	1	—	—	—	1	4	—	2	—	—	1	—	—	—	1	—

Causes of Death at Different Periods of Life in the Administrative County of Suffolk, West—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	355	43	17	20	19	10	39	83	124	504	55	15	8	7	17	42	106	254
		F	365	37	8	16	16	11	29	71	177	542	53	18	7	12	25	46	80	301
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	16	3	3	7	3	—	—	—	—	3	2	—	—	—	1	—	—	—
		F	6	—	2	4	—	—	—	—	—	5	—	3	—	2	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	1	—	2	—	—	—
5	Whooping cough ...	M	11	3	4	4	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	7	5	2	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—
6	Diphtheria and croup ...	M	3	—	—	1	2	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	14	—	—	2	11	1	—	—	—	3	—	—	1	1	1	—	—	—
7	Influenza	M	7	1	1	—	—	1	—	3	1	16	1	1	—	—	—	1	9	4
		F	7	—	—	—	1	—	1	—	5	23	1	—	—	—	—	3	1	18
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	29	—	—	—	1	5	14	8	1	37	—	—	1	—	8	15	10	3
		F	24	—	—	—	1	7	9	6	1	31	—	—	—	2	10	15	4	—
10	Tuberculous meningitis	M	4	—	1	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	4	1	1	—	1	—	1	—	—
11	Other tuberculous diseases.	M	4	—	—	—	2	1	—	—	1	6	1	—	—	—	2	—	2	1
		F	4	—	—	1	—	1	1	—	1	4	—	—	—	1	—	2	—	1
12	Cancer, malignant disease	M	27	—	—	—	1	—	1	15	10	28	—	—	—	—	—	1	10	17
		F	43	—	—	—	—	—	5	18	20	47	—	—	—	—	2	6	19	20
13	Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
14	Meningitis	M	6	3	—	1	1	—	1	—	—	2	—	1	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—
15	Organic heart disease ...	M	28	—	—	—	—	—	2	11	15	61	—	—	—	—	—	2	21	38
		F	36	—	—	—	—	—	3	11	22	63	—	—	—	—	1	3	6	53
16	Bronchitis	M	44	9	2	—	1	—	1	6	25	46	5	6	1	—	—	—	2	32
		F	39	2	1	5	1	—	1	5	24	55	3	2	—	—	—	—	2	48
17	Pneumonia (all forms)...	M	21	2	3	5	1	1	1	3	5	39	8	2	2	2	—	5	10	10
		F	27	6	3	2	—	—	1	3	12	31	4	7	2	2	1	—	7	8
18	Other respiratory diseases	M	7	—	—	1	—	1	—	1	4	11	—	1	—	—	—	2	5	3
		F	5	—	—	—	—	—	—	2	3	6	—	—	—	—	—	1	1	4
19	Diarrhœa, &c.	M	7	2	1	—	—	—	—	3	1	6	1	—	—	—	—	—	—	5
		F	3	1	—	1	—	—	—	—	1	8	2	—	—	1	—	—	1	4
20	Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	1	—	—	1
		F	1	—	—	—	—	—	1	—	—	5	—	—	—	2	2	1	—	—
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	—	3	—	7	—	—	—	—	—	2	4	1
		F	3	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	6	—	—	—	—	—	—	2	4	11	—	—	—	—	—	2	4	5
		F	3	—	—	—	—	—	1	1	1	13	—	—	—	—	1	—	6	6
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	16	15	—	—	—	—	1	—	—	28	26	—	1	—	—	1	—	—
		F	16	16	—	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	10	—	—	—	1	—	4	3	2	15	—	2	2	3	—	2	1	5
		F	4	—	—	—	—	—	1	—	3	8	—	2	1	—	—	—	1	4
27	Suicide	M	4	—	—	—	—	1	2	—	1	6	—	—	—	—	—	1	5	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	2	—	3	—
28	Other defined diseases ...	M	94	5	2	—	4	—	8	22	53	174	9	2	1	1	3	7	23	128
		F	116	7	—	—	2	1	3	19	84	177	6	2	—	—	3	9	25	132
29	Causes ill-defined or unknown.	M	5	—	—	—	—	—	2	2	1	1	—	—	—	—	—	—	—	1
		F	2	—	—	—	—	—	—	2	—	6	2	—	—	—	—	—	1	3

Causes of Death at Different Periods of Life in the Administrative County of Surrey—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	3,005	402	126	111	122	93	371	745	1035	1,070	148	36	34	35	23	99	228	467
		F	3,057	302	92	91	135	104	346	645	1342	980	98	31	35	29	34	124	193	436
1	Enteric fever	M	6	—	—	—	—	1	2	3	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	59	7	23	23	6	—	—	—	—	17	2	5	7	3	—	—	—	—
		F	52	10	14	12	12	3	1	—	—	17	3	5	7	2	—	—	—	—
4	Scarlet fever	M	13	—	2	6	5	—	—	—	—	2	—	—	—	1	—	1	—	—
		F	13	1	1	3	7	1	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	33	18	8	5	2	—	—	—	—	12	10	1	1	—	—	—	—	—
		F	30	12	14	3	1	—	—	—	—	9	2	3	4	—	—	—	—	—
6	Diphtheria and croup ...	M	24	2	4	10	8	—	—	—	—	9	—	1	5	3	—	—	—	—
		F	26	—	1	8	17	—	—	—	—	10	—	2	2	2	2	1	1	—
7	Influenza	M	67	1	—	3	3	—	13	16	31	41	2	2	1	3	2	5	7	19
		F	95	4	1	3	2	—	7	15	63	38	—	—	—	—	1	6	7	24
8	Erysipelas	M	4	1	—	—	—	1	2	—	—	5	1	—	—	—	—	1	2	1
		F	4	1	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	254	2	2	1	7	36	127	73	6	54	—	1	1	3	2	25	19	3
		F	191	—	3	3	11	38	87	38	11	59	—	—	—	1	14	30	11	3
10	Tuberculous meningitis	M	38	6	8	12	8	2	1	1	—	5	3	—	2	—	—	—	—	—
		F	34	4	7	14	7	2	—	—	—	6	—	2	2	2	—	—	—	—
11	Other tuberculous diseases.	M	27	3	4	3	7	4	1	4	1	10	1	1	2	2	1	—	3	—
		F	27	—	3	6	7	4	6	1	—	10	2	—	—	2	1	3	2	—
12	Cancer, malignant disease	M	254	1	—	1	—	1	21	102	128	87	—	—	—	—	—	3	40	44
		F	364	—	—	1	—	—	28	180	155	106	—	—	—	—	—	14	48	44
13	Rheumatic fever ...	M	9	—	—	—	6	1	1	1	—	2	—	—	—	—	2	—	—	—
		F	12	—	—	—	5	—	4	3	—	3	—	—	—	—	1	1	1	—
14	Meningitis	M	27	4	4	3	6	3	5	2	—	7	1	1	1	2	—	1	—	1
		F	39	9	2	4	15	1	3	4	1	17	3	2	2	2	1	4	2	1
15	Organic heart disease ...	M	321	—	—	—	4	6	26	109	176	128	—	—	—	—	5	9	31	83
		F	340	—	1	—	5	4	32	94	204	110	—	—	—	2	1	8	31	68
16	Bronchitis	M	182	24	4	2	2	1	4	35	110	83	10	7	2	—	—	5	8	51
		F	250	21	3	3	—	—	6	26	191	88	9	3	1	—	—	1	4	70
17	Pneumonia (all forms)...	M	243	48	42	20	10	2	30	52	39	80	15	10	6	4	1	7	20	17
		F	212	37	26	11	12	5	26	30	65	70	16	9	3	4	2	7	9	20
18	Other respiratory diseases	M	58	6	1	—	1	1	7	16	26	25	1	—	—	1	1	7	6	9
		F	48	5	—	2	2	—	6	11	22	14	1	—	—	—	—	1	4	8
19	Diarrhœa, &c.	M	73	45	6	1	—	1	3	7	10	23	19	1	—	—	—	1	1	1
		F	50	35	3	2	1	—	1	1	7	18	10	2	2	—	—	1	2	1
20	Appendicitis and typhlitis	M	18	—	—	1	4	2	4	5	2	11	—	—	1	1	—	3	3	3
		F	27	—	—	3	8	4	5	6	1	7	—	—	1	—	1	5	—	—
21	Cirrhosis of liver ...	M	27	—	—	—	—	—	1	14	12	10	—	—	—	—	—	1	7	2
		F	26	—	—	—	—	—	6	14	6	6	—	—	—	—	—	1	4	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	92	1	1	2	5	2	9	36	36	25	—	—	—	1	—	3	7	14
		F	102	—	—	—	2	—	9	39	52	26	—	1	—	1	2	5	9	8
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	1	13	—	—	4	—	—	—	—	—	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	5	13	—	—	2	—	—	—	—	—	2	—	—
25	Congenital debility, &c.	M	156	153	2	1	—	—	—	—	—	51	51	—	—	—	—	—	—	—
		F	107	107	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	117	16	—	7	20	9	26	26	13	43	4	2	—	7	6	10	9	5
		F	57	7	1	5	1	7	9	14	13	21	3	1	4	2	—	1	2	8
27	Suicide	M	31	—	—	—	1	1	6	16	7	12	—	—	—	—	—	1	10	1
		F	23	—	—	—	—	8	6	7	2	2	—	—	—	—	—	2	—	—
28	Other defined diseases ...	M	864	62	14	10	17	19	82	223	437	325	27	3	5	4	3	15	55	213
		F	887	48	11	8	18	21	73	160	548	298	13	1	6	9	8	27	55	179
29	Causes ill-defined or unknown.	M	7	2	1	—	—	—	—	3	1	2	1	1	—	—	—	—	—	—
		F	6	1	1	—	1	—	2	1	—	2	2	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Sussex, East—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	787	103	24	33	33	12	75	198	309	735	96	17	14	12	25	73	135	363
	F	944	81	25	21	29	23	107	195	463	757	61	12	12	22	26	88	170	366
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	2	—	1	1	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	—	2	2	1	—	—	—	—	3	—	—	2	1	—	—	—	—
	F	13	2	3	3	3	—	2	—	—	2	—	1	—	—	—	—	—	1
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	1	—	1	—	1	—	—
5 Whooping cough ...	M	16	8	4	2	2	—	—	—	—	4	2	2	—	—	—	—	—	—
	F	11	2	6	2	1	—	—	—	—	8	3	3	2	—	—	—	—	—
6 Diphtheria and croup ...	M	13	—	—	2	11	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	6	—	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	38	4	4	—	1	1	4	8	16	38	4	1	1	—	1	6	12	13
	F	37	—	—	—	—	—	4	5	28	36	3	—	1	1	—	6	7	18
8 Erysipelas	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	63	—	—	2	1	7	27	21	5	43	—	—	—	—	7	25	8	3
	F	59	—	2	—	6	9	25	13	4	40	—	—	—	1	11	21	6	1
10 Tuberculous meningitis	M	11	1	1	4	3	—	1	1	—	4	—	1	1	1	—	1	—	—
	F	10	1	3	2	3	1	—	—	—	8	1	—	2	5	—	—	—	—
11 Other tuberculous diseases.	M	11	1	1	1	1	1	2	4	—	7	1	—	1	1	2	—	2	—
	F	7	—	1	1	—	1	3	1	—	5	—	1	—	—	2	2	—	—
12 Cancer, malignant disease	M	59	—	—	—	—	—	4	27	28	71	—	—	—	1	2	—	28	40
	F	95	—	—	—	—	—	12	48	35	88	—	—	—	—	2	5	45	36
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	4	—	—	—	2	1	—	—	1
	F	5	—	—	—	1	1	1	1	1	2	—	—	—	1	—	—	—	1
14 Meningitis	M	14	4	1	4	4	—	—	—	1	4	1	1	—	1	—	1	—	—
	F	9	2	—	3	2	2	—	—	—	9	4	1	—	1	2	1	—	—
15 Organic heart disease ...	M	87	—	—	—	—	2	8	25	52	109	—	—	—	—	1	9	14	85
	F	110	—	—	—	1	2	6	28	73	124	—	—	—	1	—	5	35	83
16 Bronchitis	M	53	5	1	3	—	—	1	3	40	53	4	1	—	—	—	—	6	42
	F	76	4	2	1	—	—	2	11	56	58	3	—	—	—	—	2	7	46
17 Pneumonia (all forms)...	M	70	15	6	8	3	—	3	16	19	51	14	6	3	1	—	2	10	15
	F	73	15	5	4	6	—	4	10	29	46	7	3	3	1	—	3	12	17
18 Other respiratory diseases	M	12	1	1	2	—	—	2	3	3	9	1	—	—	—	—	1	2	5
	F	14	1	—	—	—	1	—	2	10	11	—	—	—	2	—	2	1	6
19 Diarrhœa, &c.	M	21	13	1	1	—	—	1	3	2	13	6	—	—	—	—	1	1	5
	F	18	9	1	—	—	—	3	2	3	3	1	—	—	—	1	—	—	1
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	4	—	1	—	—	1	—	—	2
	F	5	—	—	—	1	—	2	1	1	4	—	—	1	—	1	1	1	—
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	—	9	2	6	—	—	—	—	—	—	5	1
	F	8	—	—	—	—	—	1	5	2	3	—	—	—	—	—	—	—	3
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	36	—	—	1	—	1	4	16	14	20	—	—	1	—	—	5	2	12
	F	34	—	—	—	—	—	8	9	17	19	—	—	—	—	1	3	8	7
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	7	—	—	—	—	1	6	—	—
25 Congenital debility, &c.	M	35	35	—	—	—	—	—	—	—	54	54	—	—	—	—	—	—	—
	F	27	27	—	—	—	—	—	—	—	32	29	1	—	1	—	1	—	—
26 Violence, apart from suicide.	M	14	—	—	—	2	—	3	4	5	24	—	1	1	—	4	5	6	7
	F	14	5	—	1	—	—	4	—	4	12	2	—	2	—	—	—	4	4
27 Suicide	M	5	—	—	—	—	—	2	2	1	7	—	—	—	—	—	4	3	—
	F	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	1	2	—
28 Other defined diseases ...	M	207	16	2	1	3	—	12	52	121	202	7	2	4	4	6	12	35	132
	F	295	12	1	2	2	3	19	57	199	229	8	1	1	6	5	28	41	139
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2

Causes of Death at Different Periods of Life in the Administrative County of Sussex, West—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	600	69	11	19	19	12	69	133	268	679	67	16	21	23	15	70	147	320
	F	719	46	15	18	27	20	83	118	392	585	46	15	8	29	24	49	127	287
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	1	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	8	2	3	2	1	—	—	—	—	4	—	1	2	1	—	—	—	—
	F	10	2	1	4	2	—	—	1	—	4	—	—	1	3	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
5 Whooping cough ...	M	2	—	—	1	—	—	—	1	—	7	3	3	1	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	6	4	1	1	—	—	—	—	—
6 Diphtheria and croup ...	M	6	1	—	4	1	—	—	—	—	3	—	—	2	1	—	—	—	—
	F	6	—	—	3	3	—	—	—	—	5	—	—	—	4	1	—	—	—
7 Influenza	M	19	—	—	1	1	2	1	3	11	17	—	—	2	—	1	3	4	7
	F	26	1	—	1	1	3	—	6	14	26	—	1	—	—	—	2	8	15
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	2
	F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	M	51	1	—	—	1	8	23	16	2	42	—	1	2	3	4	18	9	5
	F	51	—	—	—	5	11	23	4	8	34	—	1	—	4	6	14	8	1
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	3	—	1	—	1	—	1	—	—
	F	7	4	1	2	—	—	—	—	—	6	1	2	—	3	—	—	—	—
11 Other tuberculous diseases.	M	7	2	1	—	1	—	2	—	1	9	1	1	—	3	1	2	—	1
	F	7	1	1	1	—	—	1	—	3	7	—	—	1	—	1	1	1	3
12 Cancer, malignant disease	M	48	—	—	—	—	1	1	19	27	59	—	—	1	—	—	2	18	38
	F	82	—	—	—	—	—	7	29	46	53	—	—	—	—	—	2	23	28
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	2	—
	F	4	—	—	—	1	1	1	—	1	2	—	—	—	1	1	—	—	—
14 Meningitis	M	7	—	1	2	4	—	—	—	—	4	1	—	—	2	—	1	—	—
	F	9	1	2	1	3	—	2	—	—	6	1	—	—	3	1	—	1	—
15 Organic heart disease ...	M	81	—	—	—	1	—	8	19	53	92	—	—	1	1	—	5	29	56
	F	95	—	—	—	1	1	10	21	62	78	—	—	—	—	—	4	20	54
16 Bronchitis	M	38	2	1	2	—	—	1	8	24	53	5	—	—	—	—	3	6	39
	F	77	7	2	1	1	1	2	7	56	43	4	—	—	—	—	—	5	34
17 Pneumonia (all forms)...	M	61	12	4	5	2	—	12	12	14	39	5	4	2	3	2	3	12	8
	F	32	3	7	—	—	—	2	5	15	36	5	6	1	2	2	4	9	7
18 Other respiratory diseases	M	6	—	—	—	—	—	—	2	4	13	1	—	1	—	—	3	3	5
	F	12	—	—	1	—	—	1	3	7	12	1	1	2	—	—	1	3	4
19 Diarrhœa, &c.	M	12	8	—	—	—	—	—	1	3	14	7	—	1	—	—	—	3	3
	F	6	4	—	—	1	—	—	—	1	9	1	2	—	—	—	—	1	5
20 Appendicitis and typhlitis	M	3	—	—	—	1	—	2	—	—	5	—	—	—	1	1	1	2	—
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	2	—	—	—
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	—	3	5	8	—	—	—	—	—	1	4	3
	F	5	—	—	—	—	—	2	2	1	2	—	—	—	—	—	—	—	2
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	17	—	—	—	—	—	3	4	10	13	—	—	—	—	—	2	5	6
	F	26	—	—	—	1	—	7	3	15	17	—	—	—	1	—	3	3	10
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	3	—	—	—	—	—	3	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—
25 Congenital debility, &c.	M	27	26	—	1	—	—	—	—	—	31	29	1	1	—	—	—	—	—
	F	16	15	—	—	1	—	—	—	—	16	13	—	—	1	1	1	—	—
26 Violence, apart from suicide.	M	16	—	—	—	—	1	5	6	4	33	1	1	3	2	1	5	10	10
	F	6	—	—	—	1	—	—	2	3	10	1	—	1	1	—	2	2	3
27 Suicide	M	3	—	—	—	—	—	2	1	—	8	—	—	—	—	—	3	4	1
	F	2	—	—	—	—	—	—	1	1	5	—	—	—	—	2	1	2	—
28 Other defined diseases ...	M	175	14	1	1	4	—	9	37	109	214	14	3	2	4	5	16	35	135
	F	231	7	—	4	6	3	19	33	159	193	14	1	1	5	5	7	39	121
29 Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Warwick—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	939	170	54	43	46	26	110	188	302	1,134	194	32	54	53	39	122	213	427
		F	1,019	114	52	37	37	43	108	210	418	1,071	126	40	37	39	37	108	209	475
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2	—	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	40	10	13	11	5	—	—	1	—	28	7	9	11	1	—	—	—	—
		F	31	4	13	9	4	1	—	—	—	36	7	11	10	7	—	—	1	—
4	Scarlet fever	M	3	—	1	—	2	—	—	—	—	7	—	—	2	5	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	5	—	—	2	3	—	—	—	—
5	Whooping cough ...	M	9	5	1	3	—	—	—	—	—	10	3	4	3	—	—	—	—	—
		F	14	6	2	6	—	—	—	—	—	10	6	2	2	—	—	—	—	—
6	Diphtheria and croup ...	M	9	—	—	4	5	—	—	—	—	5	—	1	1	3	—	—	—	—
		F	4	—	2	1	—	1	—	—	—	5	1	1	2	1	—	—	—	—
7	Influenza	M	17	3	1	—	2	—	2	3	6	22	1	—	1	—	—	4	5	11
		F	33	2	4	1	2	3	5	7	9	18	1	—	—	—	—	2	3	12
8	Erysipelas	M	1	1	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	74	—	2	2	4	8	41	14	3	71	1	—	4	4	14	35	12	1
		F	60	—	—	—	6	18	26	8	2	57	1	2	—	1	15	24	13	1
10	Tuberculous meningitis	M	10	1	3	3	2	—	—	1	—	11	1	1	2	5	1	1	—	—
		F	7	2	3	2	—	—	—	—	—	11	1	1	4	3	—	1	1	—
11	Other tuberculous diseases.	M	10	—	2	2	2	1	2	1	—	14	2	3	2	1	2	2	2	—
		F	11	—	—	1	1	4	3	—	2	15	1	5	—	2	2	3	1	1
12	Cancer, malignant disease	M	58	—	—	—	—	—	3	21	34	70	—	—	—	—	—	6	28	36
		F	99	—	1	—	—	—	6	46	46	101	—	—	—	1	—	8	45	47
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	7	—	—	2	3	—	1	—	1
		F	3	—	—	—	—	—	1	2	—	2	—	—	—	1	1	—	—	—
14	Meningitis	M	19	4	3	3	5	1	—	3	—	14	4	1	—	5	2	1	—	1
		F	12	1	1	2	3	4	1	—	—	12	4	—	1	1	3	3	—	—
15	Organic heart disease ...	M	104	—	—	—	—	6	14	30	54	108	—	—	—	1	1	5	33	68
		F	142	—	—	—	6	2	12	34	88	120	—	—	—	1	—	4	37	78
16	Bronchitis	M	66	14	6	1	1	1	2	11	30	77	12	1	2	1	—	1	11	49
		F	91	6	7	2	—	—	1	9	66	81	7	2	—	1	1	—	7	63
17	Pneumonia (all forms)...	M	82	27	15	5	4	2	7	12	10	100	26	7	8	3	3	10	25	18
		F	56	11	9	6	3	3	7	9	8	54	7	5	5	3	3	6	10	15
18	Other respiratory diseases	M	20	—	—	4	—	1	1	9	5	15	—	—	1	1	—	2	4	7
		F	14	1	1	1	—	—	2	7	2	15	1	—	1	1	2	—	5	5
19	Diarrhœa, &c.	M	18	12	3	—	—	—	2	—	1	37	22	5	1	1	—	1	1	6
		F	26	13	6	—	1	—	2	1	3	26	10	5	3	1	1	—	2	4
20	Appendicitis and typhlitis	M	5	—	—	—	1	—	1	2	1	2	—	—	—	1	—	—	—	1
		F	2	—	—	1	1	—	—	—	—	5	—	—	—	1	1	1	2	—
21	Cirrhosis of liver ...	M	8	—	—	—	—	—	1	6	1	9	—	—	—	—	—	1	6	2
		F	11	—	—	—	—	—	1	8	2	6	—	—	—	—	—	—	5	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	26	—	—	—	1	1	3	11	10	30	—	—	—	1	3	2	12	12
		F	28	—	—	1	—	—	1	10	16	34	—	—	1	—	—	2	11	20
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	1	5	—	—	5	—	—	—	—	—	5	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	2	10	—	—	9	—	—	—	—	—	9	—	—
25	Congenital debility, &c.	M	57	55	—	—	1	—	—	—	1	71	71	—	—	—	—	—	—	—
		F	43	43	—	—	—	—	—	—	—	57	57	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	30	—	1	3	4	4	6	8	4	74	4	—	8	11	8	23	13	7
		F	17	4	—	—	3	—	3	3	4	19	2	—	2	3	—	5	3	4
27	Suicide	M	6	—	—	—	—	—	1	3	2	4	—	—	—	—	1	1	2	—
		F	4	—	—	—	—	1	1	1	1	6	—	—	—	1	2	1	1	1
28	Other defined diseases ...	M	264	38	3	2	6	1	23	51	140	341	39	—	6	6	3	23	59	205
		F	288	21	3	3	6	3	20	63	169	353	20	4	4	7	6	34	59	219
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	1	—	—	1
		F	2	—	—	—	—	—	1	1	—	7	—	2	—	—	—	—	1	4

Causes of Death at Different Periods of Life in the Administrative County of Westmorland—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	158	17	3	4	4	3	16	41	70	271	30	6	4	1	10	16	63	141
	F	178	15	9	4	4	13	14	34	85	266	18	5	—	5	10	30	48	150
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	3	—	2	1	—	—	—	—	—	3	—	1	—	1	1	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	2	2	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—
	F	7	5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	—	1	—	1	—	1	—	—	—	1	—	—	—	—
7 Influenza	M	8	—	—	—	—	—	—	4	4	6	—	—	—	—	—	2	2	2
	F	10	2	1	—	—	1	—	3	3	10	—	—	—	—	—	2	2	6
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	7	—	—	—	1	—	2	3	1	7	—	—	—	—	2	4	1	—
	F	11	—	—	—	2	3	4	—	2	9	—	—	—	—	3	5	1	—
10 Tuberculous meningitis	M	1	1	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases.	M	3	—	—	—	1	—	—	1	1	4	—	—	—	—	1	2	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
12 Cancer, malignant disease	M	11	—	—	—	—	—	2	5	4	23	—	—	—	—	—	—	8	15
	F	13	—	—	—	—	—	2	5	6	25	—	—	—	—	—	1	7	17
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—	—	1	—
	F	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease ...	M	18	—	—	—	—	—	1	4	13	43	—	—	—	—	1	1	16	25
	F	23	—	—	—	—	2	1	5	15	42	—	1	—	—	—	3	11	27
16 Bronchitis	M	7	1	—	1	—	—	—	1	4	18	1	2	—	—	—	—	2	13
	F	16	—	2	—	—	—	—	3	11	13	1	—	—	—	—	—	1	11
17 Pneumonia (all forms)...	M	15	4	1	1	—	—	3	3	3	13	3	1	—	—	—	—	4	5
	F	7	1	—	—	—	—	1	4	1	18	3	3	—	1	—	4	3	4
18 Other respiratory diseases	M	4	—	1	—	—	—	1	1	1	6	—	—	1	—	—	—	3	2
	F	3	—	—	1	—	—	1	—	1	5	—	—	—	—	—	—	1	4
19 Diarrhœa, &c.	M	1	1	—	—	—	—	—	—	—	4	3	—	—	—	—	—	—	1
	F	3	—	1	—	1	—	—	1	—	1	—	—	—	—	—	—	1	—
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	1	—	—
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	6	—	—	—	—	—	—	2	4
	F	3	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	1
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	7	2	—	—	—	—	1	4	—	8	—	—	—	—	1	1	2	4
	F	5	—	—	—	—	—	—	2	3	10	—	—	—	—	—	2	3	5
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	M	4	4	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	5	—	—	—	1	—	1	2	1	7	—	—	1	—	1	3	—	2
	F	6	—	—	—	—	—	—	1	5	6	1	—	—	—	1	—	—	4
27 Suicide	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
28 Other defined diseases ...	M	58	2	1	1	—	3	3	12	36	95	5	—	—	1	4	1	16	68
	F	55	4	1	—	—	2	5	7	36	101	3	—	—	—	4	9	16	69
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	2	1

Causes of Death at Different Periods of Life in the Administrative County of Wight, Isle of—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Rural District								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	429	51	12	15	18	18	37	89	189	211	17	3	5	2	2	24	50	108
	F	449	39	14	10	14	10	50	84	228	186	13	3	4	4	9	17	27	109
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	2	1	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	9	—	5	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	11	3	4	4	—	—	—	—	—	3	2	—	1	—	—	—	—	—
	F	12	6	2	4	—	—	—	—	—	3	1	1	1	—	—	—	—	—
6 Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	17	2	—	—	1	—	1	2	11	15	2	1	2	—	1	1	3	5
	F	29	—	—	—	—	—	—	5	24	17	1	—	—	1	1	—	4	10
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	27	—	—	—	1	10	12	4	—	16	—	—	—	—	1	9	5	1
	F	31	—	—	—	—	4	16	7	4	11	—	—	—	—	2	7	2	—
10 Tuberculous meningitis	M	2	—	—	—	2	—	—	—	—	2	—	—	—	2	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases.	M	4	—	—	—	1	1	1	—	1	3	—	—	—	—	—	1	1	1
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
12 Cancer, malignant disease	M	40	—	—	—	—	—	2	20	18	18	—	—	—	—	—	—	9	9
	F	45	—	—	—	—	—	5	19	21	19	—	—	—	—	—	2	7	10
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	3	—	—	—	2	1	—	—	—
15 Organic heart disease ...	M	47	—	—	—	—	1	4	12	30	28	—	—	—	—	—	3	5	20
	F	60	—	—	—	1	—	5	12	42	33	—	—	—	—	—	1	3	29
16 Bronchitis	M	31	4	—	1	—	—	—	4	22	23	1	1	—	—	—	—	4	17
	F	31	1	2	—	—	—	—	2	26	13	—	2	—	—	—	—	2	9
17 Pneumonia (all forms)	M	29	6	3	2	2	1	2	6	7	15	2	1	1	—	—	—	2	9
	F	20	8	2	1	1	—	1	3	4	12	3	—	—	1	1	—	2	5
18 Other respiratory diseases	M	7	—	—	1	1	—	—	3	2	2	—	—	—	—	—	—	1	1
	F	7	—	—	1	—	—	—	3	3	3	1	—	—	—	—	1	—	1
19 Diarrhœa, &c.	M	11	5	3	2	1	—	—	—	—	2	—	—	—	—	—	1	—	1
	F	9	5	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	2
	F	6	—	—	—	3	1	1	1	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	—	5	2	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	23	—	1	—	—	1	1	4	16	5	—	—	—	—	—	1	—	4
	F	12	—	—	—	—	—	4	4	4	2	—	—	—	—	—	—	1	1
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	M	16	16	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—
	F	16	14	—	—	—	1	1	—	—	3	3	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	12	2	—	1	4	1	2	2	—	5	1	—	—	—	—	1	—	3
	F	8	—	—	—	1	—	—	1	6	3	—	—	1	—	—	1	—	1
27 Suicide	M	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	127	11	—	1	2	1	10	25	77	59	1	—	—	—	—	6	18	34
	F	127	5	—	—	1	1	7	23	90	58	4	—	2	—	4	3	3	42
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	1	1
	F	4	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	1

Causes of Death at Different Periods of Life in the Administrative County of Wilts—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	898	110	39	45	32	24	93	239	316	1,144	121	36	29	36	28	103	236	555
	F	903	81	37	34	42	34	77	182	416	1,062	94	26	28	37	35	86	208	548
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	19	4	4	9	2	—	—	—	—	5	—	2	2	—	—	1	—	—
	F	19	1	8	7	3	—	—	—	—	8	—	2	3	3	—	—	—	—
4 Scarlet fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	1	—	—	1	—	—	—	—	—
5 Whooping cough ...	M	17	7	6	4	—	—	—	—	—	13	7	4	—	1	1	—	—	—
	F	12	7	3	2	—	—	—	—	—	18	11	2	3	2	—	—	—	—
6 Diphtheria and croup ...	M	9	—	1	5	3	—	—	—	—	3	—	—	—	3	—	—	—	—
	F	9	—	—	3	6	—	—	—	—	8	—	1	—	7	—	—	—	—
7 Influenza	M	18	1	—	—	—	1	1	8	7	46	3	2	2	1	—	6	15	17
	F	10	—	—	—	1	—	—	3	6	41	3	2	3	2	3	3	10	15
8 Erysipelas	M	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	5	—	—	—	—	—	—	1	4	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	59	—	—	1	—	7	29	18	4	53	1	1	—	—	8	26	16	1
	F	31	—	—	—	5	6	15	5	—	55	—	—	1	2	13	26	10	3
10 Tuberculous meningitis	M	10	—	—	1	8	—	1	—	—	3	—	1	1	1	—	—	—	—
	F	7	2	—	2	2	1	—	—	—	4	1	—	—	1	1	1	—	—
11 Other tuberculous diseases.	M	11	—	1	3	1	1	2	3	—	16	3	2	—	1	1	3	5	1
	F	9	—	—	2	3	1	2	1	—	9	—	2	—	—	2	5	—	—
12 Cancer, malignant disease	M	56	—	—	—	—	—	2	32	22	95	—	—	1	—	—	6	36	52
	F	84	—	—	—	—	—	5	38	41	101	—	—	—	—	—	1	52	48
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	5	—	—	—	3	1	—	1	—
	F	6	—	—	—	—	1	3	1	1	3	—	—	—	1	—	—	2	—
14 Meningitis	M	25	4	2	3	5	5	5	1	—	20	2	2	4	4	—	4	4	—
	F	16	1	2	2	4	1	3	3	—	13	—	—	2	5	3	1	2	—
15 Organic heart disease ...	M	135	—	—	—	3	1	15	48	68	153	—	—	1	3	1	8	31	109
	F	124	—	—	1	1	4	13	40	65	159	—	—	—	2	—	9	39	109
16 Bronchitis	M	75	7	5	1	—	1	—	17	44	100	11	4	2	—	—	—	11	72
	F	93	9	4	2	—	—	2	6	70	93	10	4	3	—	1	1	4	70
17 Pneumonia (all forms)	M	88	21	15	12	1	—	10	13	16	71	8	10	7	2	—	11	19	14
	F	54	9	13	6	2	3	4	9	8	55	11	7	5	1	3	1	9	18
18 Other respiratory diseases	M	17	—	1	2	—	—	2	5	7	21	2	1	2	—	1	3	4	8
	F	14	1	1	—	1	—	1	1	9	18	1	1	1	—	1	3	2	9
19 Diarrhœa, &c.	M	11	4	2	—	—	—	1	1	3	18	13	—	—	—	—	—	3	2
	F	11	2	—	—	2	—	—	3	4	22	7	—	2	2	1	1	3	6
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	6	—	—	—	2	1	2	—	1
	F	4	—	—	—	2	1	1	—	—	3	—	—	—	—	—	1	2	—
21 Cirrhosis of liver ...	M	7	—	—	—	1	—	1	3	2	6	—	—	—	—	—	1	3	2
	F	6	—	—	—	—	—	—	6	—	6	—	—	—	—	—	1	3	2
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	3	—
	F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	32	—	—	—	—	1	2	17	12	25	—	—	—	1	—	3	10	11
	F	27	—	—	1	—	2	2	7	15	19	—	—	—	1	—	3	6	9
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	6	—	—	—	1	—	5	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	3	5	—	—	6	—	—	—	—	2	4	—	—
25 Congenital debility, &c.	M	36	36	—	—	—	—	—	—	—	46	46	—	—	—	—	—	—	—
	F	33	31	—	—	1	1	—	—	—	36	36	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	22	—	—	2	2	3	4	6	5	56	3	3	5	6	6	12	17	4
	F	12	2	—	2	1	2	1	3	1	18	—	1	2	1	—	3	5	6
27 Suicide	M	13	—	—	—	—	2	4	6	1	5	—	—	—	—	2	2	—	1
	F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1
28 Other defined diseases ...	M	228	25	2	2	5	2	14	54	124	363	21	4	2	8	5	15	51	257
	F	296	16	4	3	5	8	16	53	191	351	14	3	2	6	5	17	54	250
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	2	1	10	1	—	—	—	—	—	6	3
	F	3	—	2	—	—	—	—	1	—	6	—	1	—	—	—	—	4	1

Causes of Death at Different Periods of Life in the Administrative County of Worcester—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,179	226	76	75	43	41	108	237	373	950	121	26	31	37	40	83	191	421
		F	1,155	189	64	50	52	37	119	216	428	876	102	30	21	38	27	79	160	419
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	67	14	26	23	4	—	—	—	—	21	2	5	11	2	1	—	—	—
		F	53	10	13	21	9	—	—	—	—	10	1	3	4	2	—	—	—	—
4	Scarlet fever	M	5	—	1	2	1	1	—	—	—	2	—	1	—	1	—	—	—	—
		F	4	—	—	2	2	—	—	—	—	4	—	—	1	1	1	1	—	—
5	Whooping cough ...	M	14	7	3	3	1	—	—	—	—	13	5	3	4	—	—	—	—	1
		F	25	13	9	3	—	—	—	—	—	14	8	3	1	2	—	—	—	—
6	Diphtheria and croup ...	M	13	—	—	7	5	1	—	—	—	8	—	1	1	6	—	—	—	—
		F	11	—	—	3	8	—	—	—	—	6	—	—	1	5	—	—	—	—
7	Influenza	M	21	1	—	1	—	3	3	8	5	14	1	1	1	1	—	1	3	6
		F	22	2	—	2	—	1	2	5	10	12	1	—	—	—	—	1	4	6
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	3	1	—	—	—	1	—	—	1	1	—	—	—	—	—	1	—	—
9	Pulmonary tuberculosis	M	69	4	2	3	1	6	35	17	1	59	—	—	—	3	12	26	15	3
		F	53	1	—	1	3	9	29	8	2	38	—	—	—	2	11	18	4	3
10	Tuberculous meningitis	M	12	4	2	6	—	—	—	—	—	4	1	—	2	1	—	—	—	—
		F	8	1	—	—	6	—	1	—	—	6	1	—	—	4	1	—	—	—
11	Other tuberculous diseases.	M	14	4	2	—	2	3	2	1	—	8	2	—	—	2	2	2	—	—
		F	16	1	1	3	3	2	4	2	—	8	—	1	—	2	3	—	2	—
12	Cancer, malignant disease	M	67	—	—	—	—	—	4	33	30	59	—	—	1	—	—	3	32	23
		F	107	—	—	—	—	—	14	44	49	61	—	—	—	—	—	5	27	29
13	Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	5	—	—	—	1	1	2	1	—
		F	6	—	—	—	1	2	2	1	—	2	—	—	—	2	—	—	—	—
14	Meningitis	M	13	4	1	1	4	1	1	1	—	6	2	—	1	1	2	—	—	—
		F	7	—	1	1	1	—	4	—	—	14	4	3	1	1	2	1	2	—
15	Organic heart disease ...	M	95	—	—	—	2	2	9	30	52	117	1	—	—	1	2	11	31	71
		F	116	—	—	1	2	5	7	35	66	138	—	—	1	2	—	11	38	86
16	Bronchitis	M	130	34	8	1	—	—	3	24	60	74	15	—	—	1	1	—	7	50
		F	129	33	8	2	—	1	2	17	66	70	8	2	1	1	—	1	9	48
17	Pneumonia (all forms)...	M	99	21	13	9	4	5	14	15	18	78	24	7	3	2	4	7	14	17
		F	81	24	17	5	4	2	7	11	11	68	13	11	6	6	—	6	7	19
18	Other respiratory diseases	M	10	1	—	2	—	1	—	3	3	14	1	1	1	2	—	1	4	4
		F	18	—	3	1	1	—	1	6	6	13	—	1	3	1	—	1	2	5
19	Diarrhœa, &c.	M	43	28	4	2	—	—	1	4	4	8	2	—	2	1	—	—	1	2
		F	30	14	4	1	2	—	—	3	6	14	6	1	—	1	—	2	—	4
20	Appendicitis and typhlitis	M	7	—	—	1	3	—	—	2	1	4	—	—	—	1	—	2	—	1
		F	2	—	—	—	1	—	—	1	—	2	—	—	—	—	—	1	1	—
21	Cirrhosis of liver ...	M	9	—	—	—	—	—	1	8	—	8	—	—	—	—	—	—	7	1
		F	5	—	—	—	—	—	2	2	1	6	—	—	—	—	—	—	6	—
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	34	—	1	1	—	1	5	15	11	33	—	2	—	—	—	5	7	19
		F	21	1	—	1	1	1	4	8	5	23	1	—	—	1	—	3	9	9
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	2	8	2	—	9	—	—	—	—	—	9	—	—
25	Congenital debility, &c.	M	74	74	—	—	—	—	—	—	—	47	47	—	—	—	—	—	—	—
		F	57	56	—	—	—	1	—	—	—	45	44	—	—	—	1	—	—	—
26	Violence, apart from suicide.	M	57	5	4	6	9	12	7	7	7	51	1	2	3	6	11	6	8	14
		F	28	4	1	—	1	—	3	6	13	9	3	1	1	1	—	—	2	1
27	Suicide	M	6	—	—	—	—	2	1	3	—	8	—	—	—	—	—	4	3	1
		F	6	—	—	—	—	—	2	4	—	6	—	—	—	—	1	2	3	—
28	Other defined diseases ...	M	308	25	7	6	5	3	20	63	179	302	17	3	1	5	2	12	55	207
		F	322	28	7	3	7	8	23	57	189	290	12	4	—	4	7	16	39	208
29	Causes ill-defined or unknown.	M	7	—	2	1	—	—	1	1	2	6	—	—	—	—	1	1	3	1
		F	6	—	—	—	—	—	—	3	3	6	—	—	1	—	—	—	4	1

Causes of Death at Different Periods of Life in the Administrative County of York, East Riding—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes.	M	467	47	12	10	9	11	57	94	227	636	99	21	13	19	20	43	134	287
	F	481	40	11	12	19	10	72	95	222	591	58	11	23	21	24	59	116	279
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	1	1	—	1	—	—	—	—	8	1	1	3	3	—	—	—	—
	F	7	2	1	2	2	—	—	—	—	1	—	—	—	1	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	4	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	6	3	3	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—
	F	3	1	2	—	—	—	—	—	—	8	3	2	3	—	—	—	—	—
6 Diphtheria and croup ...	M	5	—	—	1	3	—	1	—	—	6	—	—	3	2	—	1	—	—
	F	3	—	—	—	3	—	—	—	—	9	—	1	2	5	1	—	—	—
7 Influenza	M	14	1	—	—	—	—	5	2	6	26	1	1	—	—	2	1	6	15
	F	13	—	—	—	—	1	3	4	5	16	—	—	—	—	3	1	4	8
8 Erysipelas	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	M	26	—	—	1	—	4	16	5	—	24	—	—	—	3	3	11	7	—
	F	33	—	—	—	4	3	19	6	1	35	1	—	1	2	10	11	4	6
10 Tuberculous meningitis	M	1	—	1	—	—	—	—	—	—	5	—	—	1	3	1	—	—	—
	F	2	—	—	1	1	—	—	—	—	6	1	1	3	1	—	—	—	—
11 Other tuberculous diseases.	M	6	1	—	—	1	1	1	—	2	7	2	—	—	1	2	2	—	—
	F	9	—	—	1	1	2	5	—	—	7	—	—	1	1	2	2	1	—
12 Cancer, malignant disease	M	30	—	—	2	—	—	1	11	16	55	1	—	—	—	—	3	19	32
	F	59	—	—	—	—	—	5	26	28	68	—	—	—	—	—	13	27	28
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	1	—	—	2	—
	F	2	—	—	—	—	—	1	—	1	5	—	—	—	3	2	—	—	—
14 Meningitis	M	2	—	1	1	—	—	—	—	—	2	—	1	—	—	1	—	—	—
	F	3	—	—	—	—	1	1	1	—	3	1	—	—	1	—	1	—	—
15 Organic heart disease ...	M	55	—	—	—	—	1	3	14	37	76	—	—	—	—	—	4	26	46
	F	59	—	—	—	—	—	5	19	35	70	—	—	—	1	2	4	11	52
16 Bronchitis	M	35	2	2	—	—	—	1	5	25	33	5	1	1	—	1	—	4	21
	F	35	5	—	1	—	—	2	8	19	51	5	1	2	—	—	1	6	36
17 Pneumonia (all forms)...	M	25	4	1	1	—	—	7	5	7	28	9	2	1	1	1	1	6	7
	F	19	3	5	2	1	—	3	1	4	31	5	2	5	1	1	4	8	5
18 Other respiratory diseases	M	4	—	—	—	—	—	1	2	1	12	—	—	—	—	—	1	4	7
	F	6	—	—	—	1	—	1	1	3	4	1	—	—	—	—	1	1	1
19 Diarrhœa, &c.	M	8	2	—	1	—	—	1	3	1	9	5	1	—	—	—	—	—	3
	F	2	—	—	—	—	—	—	1	1	11	5	—	—	1	—	1	1	3
20 Appendicitis and typhlitis	M	2	—	—	1	—	—	—	—	1	8	—	—	—	1	2	2	2	1
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	—	3	4	3	—	—	—	—	—	—	3	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	19	—	—	—	—	1	3	3	12	12	—	2	—	1	—	—	4	5
	F	17	1	—	—	—	—	—	4	12	12	—	—	—	—	—	1	7	4
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	5	—	—	—	—	1	4	—	—
25 Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	44	44	—	—	—	—	—	—	—
	F	18	18	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	22	—	1	—	3	—	3	9	6	23	1	2	—	—	3	6	7	4
	F	11	—	2	2	—	—	2	1	4	13	—	1	2	2	—	4	4	—
27 Suicide	M	6	—	—	—	—	—	3	—	3	9	—	—	—	—	2	3	3	1
	F	3	—	—	—	—	—	2	1	—	3	—	—	—	—	—	1	2	—
28 Other defined diseases ...	M	163	13	2	1	1	3	10	28	105	228	25	6	4	1	2	8	38	144
	F	159	9	1	1	1	2	16	21	108	201	11	1	4	1	1	9	39	135
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	3	—	6	1	3	—	—	—	—	2	—
	F	3	1	—	—	—	—	—	1	1	3	—	2	—	—	—	—	—	1

Causes of Death at Different Periods of Life in the Administrative County of York North Riding—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,394	236	115	86	54	55	160	273	415	1,002	121	27	24	20	32	85	227	466
		F	1,287	215	85	76	59	46	140	234	432	889	77	23	16	36	33	90	168	446
1	Enteric fever	M	3	—	—	—	—	—	2	1	—	3	—	—	—	—	1	2	—	—
		F	1	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	54	8	19	24	3	—	—	—	—	17	3	7	4	1	2	—	—	—
		F	52	10	20	17	4	—	1	—	—	12	3	3	4	1	—	1	—	—
4	Scarlet fever	M	8	—	1	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	5	—	—	1	4	—	—	—	—
5	Whooping cough ...	M	47	22	15	6	4	—	—	—	—	10	4	4	2	—	—	—	—	—
		F	38	18	10	9	1	—	—	—	—	16	7	8	1	—	—	—	—	—
6	Diphtheria and croup ...	M	20	—	3	10	7	—	—	—	—	8	—	—	4	4	—	—	—	—
		F	17	—	1	6	9	—	1	—	—	9	—	—	3	5	1	—	—	—
7	Influenza	M	20	1	—	—	—	2	2	5	10	44	—	—	1	1	2	4	14	22
		F	20	1	1	—	—	—	2	6	10	31	1	1	—	1	—	2	5	21
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	—	1
9	Pulmonary tuberculosis	M	81	—	1	1	2	16	39	17	5	53	1	—	—	1	5	19	22	5
		F	67	—	1	2	12	11	28	11	2	45	1	—	—	4	9	22	8	1
10	Tuberculous meningitis	M	21	8	6	4	3	—	—	—	—	5	2	—	1	1	1	—	—	—
		F	16	3	5	1	6	—	1	—	—	3	—	—	1	2	—	—	—	—
11	Other tuberculous diseases.	M	23	4	3	1	5	2	3	4	1	9	1	—	—	—	4	3	—	1
		F	20	3	1	3	4	3	2	3	1	10	—	2	—	3	1	1	1	2
12	Cancer, malignant disease	M	85	1	—	—	—	—	7	34	43	76	—	—	—	—	—	4	33	39
		F	107	—	—	1	—	1	14	47	44	70	—	—	—	—	—	7	28	35
13	Rheumatic fever ...	M	5	—	—	—	2	1	1	1	—	4	—	—	—	—	—	2	2	—
		F	5	—	—	—	—	2	2	1	—	1	—	—	—	1	—	—	—	—
14	Meningitis	M	13	3	3	4	2	1	—	—	—	4	1	1	1	—	1	—	—	—
		F	11	2	2	3	3	1	—	—	—	8	1	1	1	2	2	—	1	—
15	Organic heart disease ...	M	148	—	—	—	1	2	10	55	80	131	—	—	—	1	2	6	35	87
		F	142	—	—	—	—	5	16	44	77	130	—	—	—	—	1	6	27	96
16	Bronchitis	M	101	17	15	1	1	—	3	20	44	60	11	3	—	1	—	1	9	35
		F	110	18	9	7	3	—	3	19	51	61	6	2	—	—	1	1	5	46
17	Pneumonia (all forms)...	M	127	18	29	8	2	9	20	25	16	72	9	5	2	3	2	13	13	25
		F	89	19	14	18	7	3	8	8	12	46	10	5	1	1	—	5	9	15
18	Other respiratory diseases	M	18	1	1	2	2	1	2	6	3	23	—	1	1	1	—	—	7	13
		F	11	1	2	—	—	1	1	4	2	11	—	—	—	1	2	1	2	5
19	Diarrhœa, &c.	M	48	24	9	4	1	1	1	2	6	10	3	1	2	—	—	—	1	3
		F	36	22	5	1	1	—	4	1	2	6	1	—	—	1	1	—	1	2
20	Appendicitis and typhlitis	M	6	—	—	1	2	1	1	1	—	1	—	—	—	—	—	1	—	—
		F	3	—	—	—	1	1	1	—	—	7	—	—	—	2	—	1	3	1
21	Cirrhosis of liver ...	M	13	—	—	—	—	—	1	8	4	7	—	—	—	—	—	1	4	2
		F	3	—	—	—	—	—	—	1	2	7	—	—	—	—	—	—	3	4
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	37	—	—	—	—	4	7	10	16	31	—	1	—	—	—	4	8	18
		F	38	—	—	—	2	1	5	15	15	25	—	—	—	1	2	1	9	12
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	2	4	—	—	3	—	—	—	—	1	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	2	12	—	—	9	—	—	—	—	2	7	—	—
25	Congenital debility, &c.	M	88	86	1	—	1	—	—	—	—	58	55	1	1	1	—	—	—	—
		F	74	72	1	—	—	—	1	—	—	32	32	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	69	1	1	5	5	9	27	13	8	32	—	—	1	—	4	7	16	4
		F	15	—	2	3	1	1	1	3	4	12	1	—	1	2	1	1	4	2
27	Suicide	M	11	—	—	—	—	1	3	2	5	4	—	—	—	—	1	—	3	—
		F	3	—	—	—	—	—	—	1	2	4	—	—	—	—	—	3	1	—
28	Other defined diseases ...	M	342	42	8	8	9	5	30	68	172	333	30	3	4	5	7	17	58	209
		F	379	46	11	2	5	12	33	62	208	320	14	1	3	4	9	26	60	203
29	Causes ill-defined or unknown.	M	6	—	—	2	—	—	1	1	2	5	1	—	—	—	—	—	2	2
		F	5	—	—	—	—	—	—	5	—	2	—	—	—	—	—	1	1	—

Causes of Death at Different Periods of Life in the Administrative County of York, West Riding—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts.*									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	8,312	1547	510	389	370	304	905	2017	2270	2,755	607	173	163	123	103	253	511	822
	F	8,091	1182	406	390	361	340	946	1781	2685	2,587	477	189	146	112	98	278	490	797
1 Enteric fever	M	47	—	—	2	5	8	25	7	—	12	1	—	1	1	3	4	2	—
	F	38	—	—	—	2	8	20	8	—	10	—	—	—	3	2	2	3	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	295	58	116	90	31	—	—	—	—	112	27	40	34	10	—	1	—	—
	F	284	56	114	92	22	—	—	—	—	112	17	44	40	11	—	—	—	—
4 Scarlet fever	M	29	2	1	13	13	—	—	—	—	14	—	1	5	7	1	—	—	—
	F	38	3	—	19	12	3	1	—	—	13	1	2	6	4	—	—	—	—
5 Whooping cough ...	M	104	56	31	15	2	—	—	—	—	21	9	5	5	2	—	—	—	—
	F	140	59	39	40	1	—	1	—	—	61	26	21	12	2	—	—	—	—
6 Diphtheria and croup ...	M	112	3	15	47	46	—	—	1	—	16	1	2	8	4	—	—	1	—
	F	114	2	7	35	67	2	1	—	—	17	1	1	9	3	2	1	—	—
7 Influenza	M	102	4	2	—	5	5	24	31	31	43	1	—	1	2	4	5	10	20
	F	114	4	—	1	6	4	21	28	50	42	1	—	—	—	2	5	12	22
8 Erysipelas	M	15	2	—	—	—	1	1	8	3	5	—	—	—	1	—	—	—	4
	F	19	2	—	—	1	2	1	4	9	2	2	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	546	5	4	12	23	95	230	158	19	132	1	3	3	6	23	53	35	8
	F	421	3	9	7	34	107	167	73	21	131	2	3	2	9	31	62	20	2
10 Tuberculous meningitis	M	88	25	18	25	13	3	4	—	—	24	6	3	8	6	1	—	—	—
	F	79	11	19	16	24	7	2	—	—	21	3	6	4	4	3	1	—	—
11 Other tuberculous diseases.	M	128	20	25	15	18	15	21	13	1	47	7	9	11	2	8	4	5	1
	F	122	14	12	17	21	20	23	11	4	43	10	9	4	10	1	4	5	—
12 Cancer, malignant disease	M	461	—	1	—	—	1	34	235	190	115	—	—	—	—	—	8	45	62
	F	681	—	1	—	3	6	70	334	267	187	—	—	2	1	1	16	97	70
13 Rheumatic fever ...	M	31	1	—	1	3	10	6	10	—	14	—	—	—	3	2	7	1	1
	F	39	—	—	2	7	7	15	6	2	14	—	1	—	5	3	1	4	—
14 Meningitis	M	67	27	13	6	13	2	2	4	—	22	9	5	6	2	—	—	—	—
	F	70	16	6	14	15	8	4	6	1	23	8	4	5	3	1	1	1	—
15 Organic heart disease ...	M	786	—	1	1	15	26	72	309	362	251	—	—	1	3	9	12	104	122
	F	1017	—	—	1	23	17	122	368	486	293	—	—	—	8	12	36	93	144
16 Bronchitis	M	679	136	37	16	4	2	14	155	315	254	63	18	8	2	2	8	40	113
	F	705	103	20	17	3	5	13	116	428	209	42	14	9	2	1	10	28	103
17 Pneumonia (all forms)...	M	829	186	122	62	48	29	84	191	107	261	67	31	22	20	7	35	42	37
	F	600	143	83	61	37	18	59	93	106	193	43	32	20	7	8	22	33	28
18 Other respiratory diseases	M	146	10	4	14	8	1	21	45	43	39	1	2	4	2	—	8	14	8
	F	104	10	6	8	9	6	9	24	32	34	2	3	4	6	1	2	5	11
19 Diarrhœa, &c.	M	330	205	59	13	5	3	9	26	10	121	81	23	6	1	—	2	4	4
	F	243	147	39	9	3	2	7	16	20	106	61	22	4	2	—	3	2	12
20 Appendicitis and typhlitis	M	40	—	—	—	11	8	12	7	2	12	—	—	1	5	4	2	—	—
	F	43	1	—	—	11	10	9	10	2	11	—	—	—	2	2	4	3	—
21 Cirrhosis of liver ...	M	63	—	—	—	1	—	9	41	12	18	—	—	—	—	—	3	11	4
	F	36	—	—	—	—	—	8	21	7	8	—	—	—	—	—	—	3	5
21A Alcoholism	M	5	—	—	—	—	—	2	2	1	1	—	—	—	—	—	1	—	—
	F	4	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	304	2	4	6	10	7	48	136	91	66	1	3	3	2	2	8	22	25
	F	257	—	5	3	5	12	56	103	73	64	—	5	5	3	1	15	22	13
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	38	—	—	—	—	10	28	—	—	9	—	—	—	—	3	6	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	102	—	—	—	—	25	77	—	—	28	—	—	—	—	5	23	—	—
25 Congenital debility, &c.	M	512	506	—	4	2	—	—	—	—	213	203	2	4	2	—	2	—	—
	F	390	384	2	—	—	2	2	—	—	164	164	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	342	12	10	25	43	45	102	72	33	161	9	4	10	20	22	40	42	14
	F	131	10	6	19	14	8	21	24	29	56	3	6	5	17	2	9	5	9
27 Suicide	M	67	—	—	—	—	3	25	29	10	21	—	—	—	—	1	7	12	1
	F	35	—	—	—	—	4	15	14	2	11	—	—	—	1	2	2	5	1
28 Other defined diseases ...	M	2,153	286	45	21	51	40	155	518	1037	744	118	19	22	20	13	42	115	395
	F	2,190	207	32	29	40	46	186	512	1138	711	91	14	14	9	14	52	144	373
29 Causes ill-defined or unknown	M	31	1	2	1	—	—	5	19	3	16	2	3	—	—	1	1	6	3
	F	37	7	6	—	1	1	5	9	8	13	—	2	1	—	1	1	4	4

* Excluding Wakefield (constituted a County Borough 1st April, 1915) for the whole year.

Causes of Death at Different Periods of Life in the Administrative County of Anglesey—1915.

Causes of Death.	Sex	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	144	25	6	6	6	5	14	29	53	225	36	6	2	6	2	20	41	112
	F	169	19	8	4	9	5	16	36	72	264	30	2	4	5	12	22	47	142
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	1	—	—	1	—	—	—	—	—	6	4	1	1	—	—	—	—	—
	F	5	3	1	—	1	—	—	—	—	4	2	1	—	1	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
7 Influenza	M	4	—	1	—	—	—	—	3	—	4	—	—	—	—	—	2	—	2
	F	1	—	—	—	—	—	—	1	—	14	—	—	—	—	—	1	—	13
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	9	—	—	—	—	2	3	4	—	10	—	—	—	—	—	6	3	1
	F	10	—	—	—	1	3	3	3	—	21	—	—	—	1	4	10	4	2
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	3	—	1	—	2	—	—	—	—
	F	4	2	—	1	—	—	1	—	—	2	—	—	—	—	1	1	—	—
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	5	1	1	—	1	—	2	—	—
	F	5	—	—	—	3	—	1	1	—	1	—	—	—	—	—	1	—	—
12 Cancer, malignant disease	M	13	—	—	—	—	—	1	5	7	19	—	—	—	—	—	1	7	11
	F	12	—	—	—	—	—	3	3	6	34	—	—	—	—	—	3	13	18
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
14 Meningitis	M	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	4	1	—	—	—	2	—	1	—
15 Organic heart disease ...	M	15	—	—	—	—	—	2	3	10	25	—	—	—	—	—	1	4	20
	F	22	—	—	—	2	1	2	5	12	34	—	—	—	—	1	—	9	24
16 Bronchitis	M	7	2	1	2	—	1	—	—	1	16	5	—	1	—	—	—	3	7
	F	12	2	—	—	—	—	—	1	9	17	3	—	1	—	—	—	2	11
17 Pneumonia (all forms)...	M	9	1	2	2	2	—	—	2	—	8	3	—	—	—	—	—	3	2
	F	11	—	4	1	—	—	—	—	6	10	4	—	1	—	—	—	2	3
18 Other respiratory diseases	M	3	1	—	—	—	—	—	1	1	3	1	—	—	—	1	—	—	1
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	3	—
19 Diarrhœa, &c.	M	2	2	—	—	—	—	—	—	—	4	3	—	—	—	—	—	1	—
	F	3	1	1	—	—	—	—	1	—	5	2	—	—	—	—	1	1	1
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	7	—	—	—	—	—	1	5	1	10	1	—	—	1	—	—	2	6
	F	4	—	—	—	—	1	—	3	—	6	—	—	—	—	—	1	1	4
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	2	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	1	2	—	—
25 Congenital debility, &c.	M	11	10	—	1	—	—	—	—	—	5	5	—	—	—	—	—	—	—
	F	7	7	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—
26. Violence, apart from suicide.	M	5	—	—	—	1	1	3	—	—	14	—	—	—	—	—	5	6	3
	F	3	—	—	—	—	—	—	2	1	2	—	—	—	1	1	—	—	—
27. Suicide	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
28. Other defined diseases...	M	51	9	—	—	1	1	3	5	32	86	13	1	—	2	1	1	10	58
	F	58	4	2	—	2	—	2	10	38	80	4	—	1	1	—	2	10	62
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	—	1	3

Causes of Death at Different Periods of Life in the Administrative County of Brecknock—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	156	32	6	7	5	3	20	29	54	308	56	13	13	14	8	39	71	94
		F	148	21	9	3	6	7	16	26	60	297	44	11	11	11	16	42	50	112
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	1	—	—	—	—	—	—	—	8	5	1	2	—	—	—	—	—
		F	3	—	1	1	1	—	—	—	—	6	1	3	2	—	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	6	3	1	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—
6	Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	4	—	1	2	—	—	—	1	—
		F	3	—	—	1	1	1	—	—	—	3	—	1	—	1	—	1	—	—
7	Influenza	M	2	—	—	—	—	—	—	1	1	5	—	—	—	—	—	1	3	1
		F	3	—	—	—	—	—	—	1	2	4	—	—	—	—	1	1	—	2
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	3	2	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
9	Pulmonary tuberculosis	M	12	—	1	—	—	1	7	—	3	15	—	—	—	—	3	10	2	—
		F	9	—	1	—	—	2	6	—	—	15	—	—	—	—	7	6	1	1
10	Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	4	—	1	2	1	—	—	—	—
11	Other tuberculous diseases.	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	3	—	1	—	—	—	2	—	—
12	Cancer, malignant disease	M	2	—	—	—	—	—	—	1	1	23	—	—	—	—	—	1	9	13
		F	7	—	—	—	—	—	—	1	6	19	—	—	—	—	—	1	8	10
13	Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—
14	Meningitis	M	2	—	1	—	—	1	—	—	—	3	2	—	—	—	—	—	1	—
		F	3	—	—	1	1	1	—	—	—	4	—	2	1	—	—	1	—	—
15	Organic heart disease ...	M	14	—	—	—	—	—	3	3	8	34	—	—	—	—	—	1	11	22
		F	15	—	—	—	—	—	1	3	11	46	—	—	—	1	3	6	12	24
16	Bronchitis	M	15	1	—	—	—	—	—	5	9	19	9	1	—	—	—	2	—	7
		F	18	2	—	—	—	—	—	3	13	26	4	—	2	—	—	—	2	18
17	Pneumonia (all forms)...	M	21	9	2	2	—	—	—	3	5	31	8	5	2	1	1	3	9	2
		F	15	4	4	—	1	—	1	3	2	23	7	—	2	3	—	1	4	6
18	Other respiratory diseases	M	3	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	2	—
		F	1	—	—	—	—	—	1	—	—	4	—	1	—	1	—	—	1	1
19	Diarrhœa, &c.	M	3	1	—	—	—	—	—	1	1	3	1	—	—	—	—	1	—	1
		F	2	—	1	—	—	—	—	—	1	6	—	—	—	—	—	3	1	2
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	2	—	3
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	3	—	—	—	—	—	—	2	1	6	—	—	—	1	—	2	2	1
		F	3	—	—	—	—	—	2	1	—	8	—	—	—	—	—	4	2	2
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—
25	Congenital debility, &c.	M	7	7	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—
		F	7	7	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	7	—	—	1	—	—	4	1	1	30	1	1	3	5	2	7	8	3
		F	4	—	1	—	1	—	—	—	2	6	—	—	2	—	3	—	1	—
27	Suicide	M	2	—	—	—	—	—	1	1	—	4	—	—	—	—	—	3	1	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	45	10	—	—	2	—	3	8	22	83	14	2	1	3	1	5	17	40
		F	43	5	1	—	—	—	1	13	23	87	14	1	—	2	—	8	16	46
29	Causes ill-defined or unknown.	M	2	—	1	—	—	—	—	1	—	6	—	2	—	—	—	1	2	1
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—

Causes of Death at Different Periods of Life in the Administrative County of Cardigan—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	134	12	1	4	3	5	20	34	55	368	37	4	6	7	14	45	72	183
		F	164	22	5	3	6	8	16	28	76	408	29	3	8	9	21	51	66	221
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—
		F	4	3	—	—	1	—	—	—	—	5	4	1	—	—	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	3	—	—	3	—	—	—	—	—
7	Influenza	M	2	—	—	—	—	1	—	—	1	10	1	—	—	—	—	—	4	5
		F	8	—	—	—	—	—	—	1	7	11	2	—	—	—	—	1	4	4
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	18	—	—	—	—	—	13	5	—	40	—	—	—	1	9	18	8	4
		F	12	—	—	1	—	3	6	2	—	45	—	—	—	2	11	21	5	6
10	Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	3	—	—	1	1	1	—	—	—
		F	3	—	—	—	1	2	—	—	—	2	—	—	—	1	—	1	—	—
11	Other tuberculous diseases.	M	1	—	—	—	—	1	—	—	—	5	1	—	—	—	—	4	—	—
		F	2	—	—	—	1	1	—	—	—	5	—	—	—	—	1	3	1	—
12	Cancer, malignant disease	M	6	—	—	—	—	—	—	5	1	34	—	—	—	—	—	—	14	20
		F	10	—	—	—	—	—	1	3	6	37	—	—	—	—	—	3	8	26
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
15	Organic heart disease ...	M	20	—	—	—	—	—	4	3	13	53	—	—	—	—	—	2	15	36
		F	29	—	—	—	1	1	3	7	17	66	—	—	1	1	2	6	15	41
16	Bronchitis	M	4	—	—	—	—	—	—	2	2	26	2	—	—	—	—	—	1	23
		F	16	—	3	—	—	—	—	4	9	39	1	—	—	—	1	—	2	35
17	Pneumonia (all forms)	M	12	3	1	2	1	—	1	2	2	19	2	2	1	1	1	3	3	6
		F	11	4	2	1	—	1	1	—	2	19	1	2	—	—	—	2	3	11
18	Other respiratory diseases	M	3	—	—	—	—	—	—	2	1	10	—	—	—	1	—	2	2	5
		F	2	—	—	—	—	—	—	—	2	5	—	—	1	—	—	—	1	3
19	Diarrhœa, &c.	M	3	2	—	—	—	—	—	—	1	5	2	—	—	—	—	1	1	1
		F	3	1	—	—	—	—	—	1	1	6	1	—	—	—	—	1	1	3
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	9	—	—	—	—	—	—	2	7	19	—	—	—	1	—	2	5	11
		F	3	—	—	—	—	—	1	1	1	12	—	—	—	—	—	3	2	7
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	2	—	—	—
25	Congenital debility, &c.	M	4	4	—	—	—	—	—	—	—	13	12	—	—	—	—	—	1	—
		F	6	6	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	5	—	—	—	1	1	—	2	1	6	—	—	1	1	—	2	1	1
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
27	Suicide	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	1	1
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
28	Other defined diseases ...	M	44	2	—	2	1	1	2	10	26	107	13	1	—	1	1	10	13	68
		F	48	7	—	1	—	—	2	7	31	123	11	—	3	2	2	6	19	80
29	Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	6	1	—	—	—	—	1	2	2
		F	4	1	—	—	1	—	1	1	—	8	—	—	—	—	1	1	3	3

Causes of Death at Different Periods of Life in the Administrative County of Carmarthen—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	521	104	21	22	28	19	66	130	131	678	138	21	26	22	34	86	113	238
		F	490	78	23	22	16	30	56	112	153	764	102	17	25	18	35	92	165	310
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	11	4	2	3	2	—	—	—	—	2	—	—	2	—	—	—	—	—
		F	10	2	4	4	—	—	—	—	—	3	—	1	2	—	—	—	—	—
4	Scarlet fever	M	7	—	—	6	1	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	6	1	1	4	—	—	—	—	—	5	—	1	1	—	—	3	—	—
5	Whooping cough ...	M	4	3	1	—	—	—	—	—	—	12	7	—	5	—	—	—	—	—
		F	9	7	—	2	—	—	—	—	—	12	8	4	—	—	—	—	—	—
6	Diphtheria and croup ...	M	3	1	1	—	1	—	—	—	—	6	—	1	3	1	—	—	1	—
		F	1	—	—	1	—	—	—	—	—	6	—	1	4	1	—	—	—	—
7	Influenza	M	4	—	—	—	—	1	—	1	2	16	1	—	—	—	1	2	1	11
		F	1	—	—	—	—	—	—	1	—	11	1	—	—	—	—	—	3	7
8	Erysipelas	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	47	1	—	—	2	9	23	12	—	58	—	—	—	4	14	25	12	3
		F	42	—	1	1	1	14	19	6	—	58	—	—	—	4	17	22	11	4
10	Tuberculous meningitis	M	3	—	—	—	3	—	—	—	—	10	1	1	4	3	1	—	—	—
		F	9	1	2	—	3	2	1	—	—	6	1	1	2	2	—	—	—	—
11	Other tuberculous diseases.	M	6	—	3	—	1	—	1	1	—	13	—	1	—	2	5	3	2	—
		F	11	—	—	—	2	5	4	—	—	12	2	—	—	2	2	4	1	1
12	Cancer, malignant disease	M	22	—	—	—	—	—	2	10	10	34	1	—	—	—	—	2	14	17
		F	35	—	—	—	—	—	4	20	11	61	—	—	—	—	—	9	27	25
13	Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	4	—	—	—	1	2	1	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	1	1	—
14	Meningitis	M	3	1	—	—	1	—	—	1	—	7	2	1	2	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	7	3	—	2	1	—	1	—	—
15	Organic heart disease ...	M	55	—	—	—	—	2	4	27	22	79	—	—	—	—	2	9	21	47
		F	56	—	—	—	1	—	5	26	24	108	—	—	—	—	2	4	37	65
16	Bronchitis	M	21	1	2	—	2	—	—	5	11	45	8	2	2	1	—	—	4	28
		F	32	4	1	—	—	—	2	6	19	59	8	—	2	—	—	—	8	41
17	Pneumonia (all forms)...	M	53	8	4	4	2	—	12	15	8	54	15	9	1	2	1	9	10	7
		F	37	5	9	4	2	—	1	6	10	44	9	2	3	3	3	5	8	11
18	Other respiratory diseases	M	7	—	—	2	1	—	1	3	—	10	2	—	1	—	—	—	3	4
		F	5	—	—	2	—	1	—	—	2	11	—	1	1	—	—	—	2	7
19	Diarrhœa, &c.	M	18	7	3	2	1	—	1	1	3	28	18	3	—	—	1	2	3	1
		F	25	13	4	—	—	—	—	4	4	15	4	1	1	1	—	1	1	6
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	2	—	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—	—
21	Cirrhosis of liver ...	M	2	—	—		—	—	—	1	1	2	—	—	—	—	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	23	—	—	1	1	1	1	12	7	30	—	—	—	—	—	4	8	18
		F	24	—	—	2	1	1	—	18	2	23	—	—	1	—	—	2	10	10
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	6	—	—	—	—	2	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	11	—	—	—	—	1	10	—	—
25	Congenital debility, &c.	M	40	38	—	1	1	—	—	—	—	41	39	2	—	—	—	—	—	—
		F	16	16	—	—	—	—	—	—	—	28	26	—	—	—	2	—	—	—
26	Violence, apart from suicide.	M	30	—	1	2	5	5	7	8	2	32	1	1	3	1	3	16	4	3
		F	9	2	—	—	1	1	1	2	2	14	1	—	2	—	1	3	2	5
27	Suicide	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	1	1
		F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	2	—
28	Other defined diseases ...	M	152	40	3	1	4	—	11	30	63	179	41	—	2	4	2	10	24	96
		F	147	27	1	2	4	4	13	18	78	247	36	5	4	3	4	23	47	125
29	Causes ill-defined or unknown.	M	6	—	1	—	—	1	—	2	2	10	2	—	—	1	2	—	4	1
		F	2	—	—	—	—	—	—	2	—	7	2	—	—	—	—	—	3	2

Causes of Death at Different Periods of Life in the Administrative County of Carnarvon—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	486	66	22	11	21	12	60	124	170	519	52	9	10	16	23	43	129	227
		F	537	43	9	9	20	24	78	137	217	541	47	17	9	12	27	52	111	266
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	12	2	3	5	2	—	—	—	—	2	—	—	2	—	—	—	—	—
		F	7	1	2	3	1	—	—	—	—	4	—	4	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
5	Whooping cough ...	M	9	6	3	—	—	—	—	—	—	9	7	2	—	—	—	—	—	—
		F	4	3	—	1	—	—	—	—	—	8	6	1	1	—	—	—	—	—
6	Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	5	—	—	1	4	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	6	—	—	1	3	2	—	—	—
7	Influenza	M	5	—	—	—	—	—	—	3	2	14	1	—	—	—	—	—	2	11
		F	13	—	—	—	—	—	2	1	10	15	—	—	—	—	—	1	4	10
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—
		F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	48	1	—	—	3	9	22	13	—	57	—	—	—	2	6	20	23	6
		F	41	—	—	—	2	8	17	10	4	57	1	1	—	2	15	17	17	4
10	Tuberculous meningitis	M	6	3	1	1	—	1	—	—	—	7	2	1	1	2	1	—	—	—
		F	9	2	—	—	3	3	1	—	—	4	—	2	—	1	1	—	—	—
11	Other tuberculous diseases.	M	11	1	—	1	2	1	5	1	—	6	1	—	—	2	—	—	2	1
		F	5	—	1	—	2	1	1	—	—	10	2	—	—	1	1	3	2	1
12	Cancer, malignant disease	M	41	—	—	—	1	—	6	17	17	46	—	—	—	—	1	—	21	24
		F	55	—	—	—	—	—	7	35	13	50	—	—	—	2	—	2	18	28
13	Rheumatic fever ...	M	2	—	—	—	—	—	1	1	—	6	—	—	—	1	1	2	1	1
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—
14	Meningitis	M	2	—	—	—	1	—	1	—	—	4	1	—	—	1	1	—	1	—
		F	6	—	1	1	—	—	3	1	—	5	2	2	—	—	1	—	—	—
15	Organic heart disease ...	M	55	—	—	—	1	—	2	21	31	61	—	—	—	—	2	1	16	42
		F	45	—	—	—	—	1	6	22	16	59	—	—	—	1	—	3	17	38
16	Bronchitis	M	29	7	2	—	2	—	1	5	12	24	4	—	1	—	1	1	4	13
		F	38	1	1	1	2	—	—	5	28	44	—	1	—	—	—	2	4	37
17	Pneumonia (all forms)...	M	44	8	5	1	3	—	4	12	11	30	6	3	1	1	2	6	7	4
		F	37	6	4	2	1	—	3	5	16	18	2	2	3	—	—	5	4	2
18	Other respiratory diseases	M	5	—	1	—	—	—	1	2	1	15	—	—	1	—	3	—	6	5
		F	12	1	—	—	—	—	1	2	8	10	1	—	—	—	—	1	—	8
19	Diarrhœa, &c.	M	16	8	2	—	—	—	2	1	3	16	6	1	1	—	—	1	1	6
		F	6	1	—	—	1	1	1	—	2	7	3	1	—	—	—	1	1	1
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	—	—	1	5	—	—	—	—	3	2	—	—
		F	3	—	—	—	1	—	1	1	—	2	—	—	—	—	1	1	—	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	21	—	—	1	—	—	2	10	8	24	—	—	—	—	1	2	9	12
		F	32	1	—	—	—	3	2	11	15	28	—	—	1	—	—	2	10	15
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	4	1	—	2	—	—	—	—	1	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	1	5	—	—	2	—	—	—	—	—	2	—	—
25	Congenital debility, &c.	M	14	14	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—
		F	16	15	—	—	1	—	—	—	—	20	20	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	15	—	—	1	3	—	2	7	2	18	—	1	—	1	—	6	7	3
		F	14	1	—	—	2	—	1	5	5	5	—	—	—	—	2	1	—	2
27	Suicide	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—
		F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	139	16	5	1	2	1	8	25	81	153	15	—	2	2	1	11	23	99
		F	168	11	—	1	1	4	20	32	99	177	10	2	3	—	2	10	32	118
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	4	—	1	—	—	—	—	3	—
		F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	1	2

Causes of Death at Different Periods of Life in the Administrative County of Denbigh—1915.

Causes of Death.	Sex	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	384	67	18	13	11	4	46	100	125	783	133	27	38	26	40	68	178	273
	F	400	40	20	13	11	11	40	92	173	738	116	37	26	31	33	89	141	265
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	1	4	1	—	—	—	—	—	21	4	8	7	1	1	—	—	—
	F	9	1	5	3	—	—	—	—	—	30	6	12	11	1	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—
5 Whooping cough ...	M	6	4	2	—	—	—	—	—	—	8	3	—	3	2	—	—	—	—
	F	6	2	1	2	—	—	1	—	—	13	9	4	—	—	—	—	—	—
6 Diphtheria and croup ...	M	3	—	1	—	2	—	—	—	—	7	—	—	6	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	7	—	—	3	4	—	—	—	—
7 Influenza	M	20	2	—	—	—	—	8	3	7	27	3	—	—	—	1	3	5	15
	F	24	—	1	—	—	—	2	7	14	38	—	—	—	2	1	7	7	21
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	14	—	—	—	—	1	7	2	4	47	—	1	—	1	20	11	13	1
	F	21	—	—	—	1	3	11	4	2	46	1	—	—	2	9	20	11	3
10 Tuberculous meningitis	M	6	1	1	2	2	—	—	—	—	5	2	2	1	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	4	1	—	—	3	—	—	—	—
11 Other tuberculous diseases.	M	8	—	—	1	—	2	3	2	—	12	1	1	2	1	2	3	2	—
	F	6	—	—	2	1	2	1	—	—	9	3	—	3	—	—	2	1	—
12 Cancer, malignant disease	M	26	—	—	—	—	—	4	17	5	57	1	—	—	1	1	3	26	25
	F	34	—	—	—	—	—	3	12	19	60	—	—	—	—	—	6	30	24
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	1	—	3	—	—	1	1	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
14 Meningitis	M	3	2	—	—	1	—	—	—	—	6	4	1	—	1	—	—	—	—
	F	3	—	—	—	1	2	—	—	—	7	2	—	1	1	1	—	2	—
15 Organic heart disease ...	M	33	—	—	—	—	—	3	12	18	87	—	—	—	1	—	5	26	55
	F	54	—	—	—	—	1	4	15	34	96	—	—	—	1	5	9	26	55
16 Bronchitis	M	25	5	1	—	1	—	—	8	10	82	13	3	1	1	—	1	17	46
	F	36	4	3	—	—	—	1	6	22	51	5	3	—	—	—	—	4	39
17 Pneumonia (all forms)...	M	39	10	3	2	—	—	5	13	6	75	18	6	9	4	4	9	17	8
	F	35	8	6	3	—	—	2	4	12	56	15	12	5	3	2	5	4	10
18 Other respiratory diseases	M	11	1	1	1	—	—	3	2	3	18	2	1	2	1	—	3	3	6
	F	9	—	—	—	—	—	1	5	3	13	2	—	1	—	1	—	3	6
19 Diarrhœa, &c.	M	7	3	—	1	—	—	—	2	1	24	10	3	2	1	1	—	2	5
	F	3	1	1	—	1	—	—	—	—	20	11	1	—	2	—	—	2	4
20 Appendicitis and typhlitis	M	4	—	—	—	1	1	2	—	—	2	—	—	—	1	—	—	1	—
	F	1	—	—	—	1	—	—	—	—	5	—	—	—	2	1	2	—	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	1	1
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	17	—	—	1	—	—	—	9	7	18	—	—	—	1	—	—	8	9
	F	8	—	—	—	—	—	2	3	3	33	—	1	—	3	2	3	13	11
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	2	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	15	—	—	—	—	2	13	—	—
25 Congenital debility, &c.	M	19	19	—	—	—	—	—	—	—	39	39	—	—	—	—	—	—	—
	F	14	14	—	—	—	—	—	—	—	33	32	1	—	—	—	—	—	—
26 Violence, apart from suicide.	M	15	2	1	3	2	—	3	3	1	32	—	—	2	3	6	12	6	3
	F	7	1	—	—	—	1	2	2	1	8	1	—	—	2	1	3	—	1
27 Suicide	M	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	2	2	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	113	17	4	—	2	—	6	22	62	198	33	1	2	2	1	16	46	97
	F	116	9	1	1	5	1	5	31	63	180	28	3	1	3	5	13	36	91
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	5	—	—	—	1	—	—	2	2
	F	2	—	1	1	—	—	—	—	—	3	—	—	—	—	1	—	2	—

Causes of Death at Different Periods of Life in the Administrative County of Flint—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	306	48	14	23	17	12	33	78	81	470	65	18	19	10	14	56	114	174
		F	286	33	17	14	10	10	31	52	119	405	51	12	18	18	16	42	81	167
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	8	3	1	4	—	—	—	—	—	4	2	1	1	—	—	—	—	—
		F	8	2	4	1	1	—	—	—	—	3	—	1	2	—	—	—	—	—
4	Scarlet fever	M	2	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	3	—	—	3	—	—	—	—	—	3	—	—	—	1	1	—	—	1
5	Whooping cough ...	M	4	1	1	2	—	—	—	—	—	3	—	3	—	—	—	—	—	—
		F	3	1	1	1	—	—	—	—	—	10	6	2	1	1	—	—	—	—
6	Diphtheria and croup ...	M	13	1	—	6	6	—	—	—	—	8	—	2	5	1	—	—	—	—
		F	7	—	—	1	4	1	—	1	—	6	—	—	4	2	—	—	—	—
7	Influenza	M	4	—	—	—	—	1	1	1	1	13	1	—	—	—	1	2	2	7
		F	5	—	1	—	—	—	1	—	3	11	1	1	—	—	—	—	4	5
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	19	—	—	—	—	2	11	4	2	28	—	—	1	1	3	15	8	—
		F	11	—	—	—	—	5	5	—	1	18	—	—	—	2	3	9	3	1
10	Tuberculous meningitis	M	12	1	1	6	1	1	2	—	—	4	2	1	1	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	3	—	—	2	—	—	1	—	—
11	Other tuberculous diseases.	M	4	—	—	1	—	1	1	1	—	4	—	1	1	—	—	2	—	—
		F	2	—	—	—	—	—	2	—	—	3	—	—	2	1	—	—	—	—
12	Cancer, malignant disease	M	20	—	—	—	—	—	2	11	7	34	—	—	—	—	—	6	13	15
		F	19	—	—	—	—	—	3	6	10	50	—	—	—	1	—	4	26	19
13	Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—
14	Meningitis	M	3	—	1	—	1	—	—	1	—	3	—	1	—	2	—	—	—	—
		F	2	—	1	—	—	—	1	—	—	2	—	1	—	—	1	—	—	—
15	Organic heart disease ...	M	26	—	—	—	—	2	2	12	10	61	—	—	—	—	—	4	17	40
		F	30	—	—	1	1	—	1	11	16	49	—	—	—	1	3	1	17	27
16	Bronchitis	M	28	11	—	—	—	—	—	5	12	22	7	1	—	—	—	—	4	10
		F	24	4	—	1	—	—	1	8	10	24	3	2	1	1	—	—	1	16
17	Pneumonia (all forms)	M	22	2	4	2	—	1	3	5	5	50	9	4	3	—	1	11	15	7
		F	24	3	6	2	1	1	3	2	6	35	6	2	2	3	1	6	5	10
18	Other respiratory diseases	M	6	1	—	—	1	—	—	1	3	10	1	—	—	1	—	—	6	2
		F	2	—	—	—	—	—	—	2	—	2	1	—	—	—	—	1	—	—
19	Diarrhœa, &c.	M	6	4	1	—	—	—	—	—	1	6	4	—	1	—	—	—	—	1
		F	6	2	—	1	—	—	1	—	2	10	5	1	1	1	—	—	—	2
20	Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	—	—	4	4	—	—	—	—	—	1	3	—
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	3	—
21A.	Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	21	—	—	1	2	—	2	10	6	10	—	—	—	—	—	—	5	5
		F	6	—	1	1	—	1	—	1	2	12	—	—	—	1	—	1	5	5
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	3	—	—	—	—	—	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	6	—	—	—	—	1	5	—	—
25	Congenital debility, &c.	M	15	14	1	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—
		F	14	14	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	7	—	1	—	1	—	1	2	2	20	1	1	2	4	3	1	8	—
		F	7	—	1	1	2	—	1	—	2	4	—	1	—	—	—	—	—	3
27	Suicide	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
28	Other defined diseases ...	M	66	10	—	1	3	3	5	19	25	143	12	3	3	1	5	9	28	82
		F	98	7	2	—	—	2	7	17	63	119	9	—	2	3	6	9	17	73
29	Causes ill-defined or unknown.	M	9	—	2	—	—	—	1	5	1	8	1	—	—	—	—	1	2	4
		F	5	—	—	—	—	—	—	1	4	8	1	1	1	—	—	—	—	5

Causes of Death at Different Periods of Life in the Administrative County of Glamorgan—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	4,313	1174	335	240	199	160	536	958	711	1,486	361	75	71	66	94	178	279	362
		F	3,703	833	288	238	179	211	551	647	756	1,387	285	66	73	80	74	200	241	368
1	Enteric fever	M	17	—	—	—	3	2	7	5	—	2	—	—	—	—	1	1	—	—
		F	7	—	—	—	3	2	2	—	—	4	—	—	—	2	1	—	—	1
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	147	41	65	36	5	—	—	—	—	18	2	13	2	1	—	—	—	—
		F	99	25	34	34	5	—	1	—	—	24	9	4	8	3	—	—	—	—
4	Scarlet fever	M	15	1	2	9	2	—	1	—	—	3	—	1	—	2	—	—	—	—
		F	14	1	4	6	3	—	—	—	—	7	—	2	2	3	—	—	—	—
5	Whooping cough ...	M	114	55	32	22	5	—	—	—	—	35	17	10	8	—	—	—	—	—
		F	119	48	41	26	4	—	—	—	—	46	20	14	11	1	—	—	—	—
6	Diphtheria and croup ...	M	54	5	5	24	20	—	—	—	—	25	—	2	15	8	—	—	—	—
		F	59	4	6	26	22	—	—	1	—	29	—	1	8	18	1	1	—	—
7	Influenza	M	65	5	—	—	1	2	17	26	14	30	—	—	1	2	3	6	8	10
		F	41	2	—	1	2	5	5	8	18	20	—	—	—	2	3	3	5	7
8	Erysipelas	M	5	—	—	—	1	1	1	2	—	2	1	1	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	240	1	5	2	7	35	108	75	7	97	2	1	2	8	25	40	14	5
		F	262	4	3	3	19	76	119	35	3	114	2	3	1	5	29	55	16	3
10	Tuberculous meningitis	M	46	5	8	7	18	3	5	—	—	9	4	—	2	2	1	—	—	—
		F	34	3	4	8	11	6	1	1	—	18	2	2	6	6	2	—	—	—
11	Other tuberculous diseases.	M	41	5	8	5	4	7	9	2	1	21	8	2	1	1	5	1	2	1
		F	38	7	4	4	4	8	5	6	—	21	1	3	1	3	2	9	2	—
12	Cancer, malignant disease	M	151	—	—	1	1	1	15	85	48	76	—	—	—	3	—	7	40	26
		F	227	—	—	1	2	—	53	111	60	93	—	—	—	—	—	19	49	25
13	Rheumatic fever ...	M	22	1	—	1	10	3	4	2	1	9	—	—	—	3	2	1	3	—
		F	22	—	—	1	4	7	9	1	—	8	—	—	—	4	3	1	—	—
14	Meningitis	M	59	11	13	6	19	4	5	1	—	16	3	5	1	3	4	—	—	—
		F	41	5	8	10	7	6	3	2	—	16	2	2	4	5	2	1	—	—
15	Organic heart disease ...	M	333	1	1	1	11	18	43	149	109	129	—	—	—	2	5	14	46	62
		F	341	—	2	1	16	18	63	119	122	121	—	—	—	6	4	19	44	48
16	Bronchitis	M	374	94	17	10	4	2	8	97	142	103	34	4	5	—	—	3	16	46
		F	303	59	24	9	2	1	16	52	140	124	19	8	6	1	—	1	18	71
17	Pneumonia (all forms)...	M	550	168	98	47	17	10	75	104	31	159	47	16	16	4	8	24	26	18
		F	355	104	70	53	22	15	34	30	27	96	27	14	6	4	4	17	10	14
18	Other respiratory diseases	M	94	11	9	10	6	—	9	27	22	26	1	1	2	1	1	2	8	10
		F	60	4	8	10	5	3	10	12	8	21	—	2	2	1	1	1	4	10
19	Diarrhœa, &c.	M	190	138	26	13	1	2	3	6	1	40	26	4	—	1	1	3	3	2
		F	172	101	30	10	5	1	4	11	10	41	26	6	—	—	—	1	1	7
20	Appendicitis and typhlitis	M	19	—	—	—	10	3	5	1	—	5	—	—	—	1	3	—	1	—
		F	15	—	—	1	2	4	4	3	1	6	—	—	1	2	1	1	—	1
21	Cirrhosis of liver ...	M	17	—	—	1	—	—	4	9	3	5	—	—	—	—	—	—	3	2
		F	9	—	—	—	—	—	2	5	2	3	—	—	—	—	—	1	1	1
21A	Alcoholism	M	4	—	—	—	—	—	1	3	—	2	—	—	—	—	—	1	1	—
		F	4	—	—	—	—	—	2	2	—	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	98	2	1	3	2	5	17	46	22	35	—	1	—	—	2	6	11	15
		F	94	—	4	3	4	6	31	28	18	37	1	—	1	1	2	11	15	6
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	30	—	—	—	—	7	23	—	—	8	—	—	—	—	6	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	72	—	—	—	—	13	59	—	—	28	—	—	—	—	3	24	1	—
25	Congenital debility, &c.	M	338	331	2	2	3	—	—	—	—	127	125	—	1	1	—	—	—	—
		F	256	251	2	1	1	1	—	—	—	91	91	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	285	8	2	20	22	41	93	71	28	111	1	5	11	14	23	29	25	3
		F	77	6	7	9	15	6	11	13	10	25	2	1	10	3	—	—	4	5
27	Suicide	M	13	—	—	—	—	1	2	8	2	11	—	—	—	—	2	6	3	—
		F	10	—	—	—	—	2	6	2	—	7	—	—	—	—	—	3	3	1
28	Other defined diseases ...	M	1008	290	35	20	27	20	103	235	278	378	90	7	4	8	8	32	68	161
		F	923	209	31	18	21	23	87	198	336	376	83	4	6	10	10	29	66	168
29	Causes ill-defined or unknown.	M	14	1	6	—	—	—	1	4	2	7	—	2	—	1	—	2	1	1
		F	18	—	6	3	—	1	1	6	1	2	—	—	—	—	—	—	2	—

Causes of Death at Different Periods of Life in the Administrative County of Merioneth—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	182	18	3	1	2	7	21	53	77	186	23	1	1	6	11	28	36	80
	F	179	23	2	6	7	4	20	38	79	204	22	1	3	5	8	22	40	103
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	2	—	—	1	—	—	—	—	2	2	—	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	2	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	7	—	—	—	—	—	1	5	1	3	—	—	—	—	—	—	2	1
	F	7	1	—	—	—	—	1	2	3	9	—	—	—	—	1	—	1	7
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	30	—	—	—	—	6	9	12	3	21	—	—	—	—	7	8	5	1
	F	6	—	—	—	1	—	4	1	—	16	—	—	—	1	3	9	3	—
10 Tuberculous meningitis	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	2	1	—	1	—	2	1	—	1	—	—	—	—	—
11 Other tuberculous diseases.	M	3	—	—	—	—	—	1	—	2	4	1	—	—	—	1	1	—	1
	F	3	—	—	—	1	2	—	—	—	4	—	—	—	—	2	1	—	1
12 Cancer, malignant disease	M	20	—	—	—	—	—	—	8	12	18	—	—	—	—	—	1	6	11
	F	20	—	—	—	—	—	2	7	11	23	—	—	—	—	—	—	11	12
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	2	1	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
15 Organic heart disease ...	M	14	—	—	—	—	—	—	2	12	28	—	—	—	1	—	3	7	17
	F	25	—	—	—	—	—	3	8	14	25	—	—	—	—	—	1	6	18
16 Bronchitis	M	9	—	—	—	—	—	—	2	7	7	1	—	—	—	—	—	2	4
	F	18	2	—	—	—	—	—	2	14	8	2	—	—	1	—	—	1	4
17 Pneumonia (all forms)...	M	14	4	1	—	—	—	—	4	5	10	1	1	—	—	—	2	2	4
	F	6	1	—	1	—	1	1	1	1	14	4	1	1	1	—	—	1	6
18 Other respiratory diseases	M	2	—	—	—	—	—	1	—	1	3	—	—	—	—	—	—	1	2
	F	4	—	—	—	—	—	1	2	1	2	—	—	—	—	—	1	—	1
19 Diarrhœa, &c.	M	3	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	4	—	1	2	—	—	1	—	—	3	—	—	—	1	—	—	—	2
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	2	—
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	10	—	—	—	—	—	1	3	6	11	—	—	—	—	—	1	3	7
	F	11	1	—	—	—	—	1	2	7	9	—	—	—	—	—	1	3	5
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—
25 Congenital debility, &c.	M	9	9	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—
	F	5	5	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	6	—	—	—	—	1	3	1	1	7	—	—	—	1	1	4	—	1
	F	2	—	—	—	—	—	—	—	2	2	—	—	1	—	1	—	—	—
27 Suicide	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	46	2	—	—	1	—	4	13	26	54	11	—	1	2	2	4	5	29
	F	51	10	—	—	2	—	2	12	25	74	5	—	—	1	1	6	14	47
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Montgomery—1915.

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	164	19	2	6	5	5	20	39	68	278	30	10	4	1	9	28	58	138
	F	147	11	4	2	5	6	17	30	72	246	23	1	5	4	6	23	52	132
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	4	2	—	1	1	—	—	—	—	3	—	2	1	—	—	—	—	—
	F	5	1	1	2	1	—	—	—	—	1	—	—	1	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
7 Influenza	M	3	—	—	—	—	—	2	1	—	14	—	—	—	—	1	1	4	8
	F	7	—	1	—	1	—	—	1	4	5	—	—	—	—	—	—	2	3
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	11	—	—	—	—	2	6	3	—	19	—	—	—	—	5	9	5	—
	F	10	—	—	—	1	5	4	—	—	17	—	—	—	—	3	7	6	1
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
11 Other tuberculous diseases.	M	1	—	—	1	—	—	—	—	—	5	—	—	—	—	1	1	3	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer; malignant disease	M	12	—	—	—	—	—	—	6	6	17	—	—	—	—	—	1	8	8
	F	12	—	—	—	—	—	—	4	8	17	—	—	—	—	—	2	5	10
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
14 Meningitis	M	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease ...	M	13	—	—	—	—	1	3	2	7	32	—	—	—	—	—	4	11	17
	F	20	—	—	—	—	—	2	9	9	39	—	—	—	—	—	3	16	20
16 Bronchitis	M	11	1	—	—	—	—	—	2	8	32	3	3	1	—	1	—	2	22
	F	11	2	—	—	—	—	—	1	8	17	2	—	—	—	—	—	—	15
17 Pneumonia (all forms)...	M	13	2	2	1	1	—	1	2	4	22	7	3	—	—	—	1	6	5
	F	6	—	1	—	—	1	1	1	2	12	1	—	2	1	—	2	2	4
18 Other respiratory diseases	M	3	—	—	—	—	—	—	2	1	4	—	—	—	—	—	—	3	1
	F	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	1	4
19 Diarrhœa, &c.	M	5	1	—	1	—	—	1	1	1	1	—	—	—	—	—	—	—	1
	F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	1
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	3	—	—	—	—	—	1	—	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	6	—	—	—	1	—	1	2	2	4	—	—	—	—	—	—	1	3
	F	2	—	—	—	—	—	1	1	—	11	—	—	—	—	1	1	—	9
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	M	9	9	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	3	—	—	—	2	—	—	—	1	5	—	1	2	—	—	1	1	—
	F	1	—	—	—	—	—	1	—	—	4	1	—	1	—	—	—	—	2
27 Suicide	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	—	1
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—
28 Other defined diseases ...	M	57	2	—	—	—	1	4	14	36	91	5	—	—	—	1	5	10	70
	F	57	2	1	—	1	—	6	7	40	94	8	1	—	—	1	4	18	62
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	5	—	—	—	—	—	2	3	—
	F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in the Administrative County of Pembroke—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	344	57	14	14	14	13	36	80	116	373	39	12	5	13	15	49	77	163
		F	336	46	11	13	14	15	39	65	133	442	37	8	7	12	25	48	76	229
1	Enteric fever	M	1	1	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—
		F	2	—	—	—	—	1	—	1	—	3	—	—	—	1	2	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	2	1	—	1	—	—	—	—	—	3	—	3	—	—	—	—	—	—
		F	4	—	1	2	1	—	—	—	—	4	—	1	2	1	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	4	3	—	1	—	—	—	—	—	4	2	1	1	—	—	—	—	—
		F	4	2	1	1	—	—	—	—	—	3	3	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	7	1	2	1	3	—	—	—	—	3	—	—	—	2	—	1	—	—
		F	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—
7	Influenza	M	7	1	—	—	—	—	—	2	4	10	—	—	—	—	1	1	1	7
		F	9	—	—	1	—	—	—	3	5	6	—	—	—	—	—	—	—	6
8	Erysipelas	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	32	—	—	—	2	5	15	9	1	27	—	—	—	2	4	13	7	1
		F	26	—	—	—	3	6	10	4	3	36	—	—	—	1	12	10	11	2
10	Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	2	—	1	1	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	6	—	—	2	4	—	—	—	—
11	Other tuberculous diseases.	M	5	—	—	3	—	—	1	1	—	5	—	1	—	—	1	3	—	—
		F	5	—	—	—	1	3	—	1	—	7	—	—	—	—	1	4	2	—
12	Cancer, malignant disease	M	22	—	—	—	—	—	5	6	11	28	—	—	—	—	—	—	12	16
		F	20	—	—	—	—	—	3	9	8	30	—	—	—	—	—	4	14	12
13	Rheumatic fever ...	M	2	—	—	—	1	1	—	—	—	5	—	—	—	1	1	2	—	1
		F	3	—	—	—	1	—	—	1	1	3	—	—	1	—	—	—	2	—
14	Meningitis	M	4	2	—	—	1	1	—	—	—	2	—	—	—	—	—	2	—	—
		F	1	—	—	1	—	—	—	—	—	3	1	1	—	—	—	1	—	—
15	Organic heart disease ...	M	46	—	—	—	1	2	4	19	20	54	—	—	—	1	1	7	15	30
		F	44	—	—	—	—	3	3	13	25	59	—	—	1	1	—	3	11	43
16	Bronchitis	M	34	9	2	1	—	—	—	4	18	27	2	1	—	—	—	—	6	18
		F	38	10	3	1	—	—	—	4	20	43	3	1	1	1	—	1	5	31
17	Pneumonia (all forms)...	M	18	5	2	4	—	—	1	3	3	17	3	3	1	1	—	2	—	7
		F	29	9	5	3	3	—	4	2	3	14	—	2	—	—	—	—	4	8
18	Other respiratory diseases	M	8	—	3	1	2	—	—	—	2	5	—	—	—	1	1	—	1	2
		F	6	—	—	1	—	—	3	1	1	3	—	—	—	—	—	—	2	1
19	Diarrhœa, &c.	M	11	7	1	—	—	1	—	2	—	11	8	1	1	—	—	—	1	—
		F	6	1	1	—	—	—	—	1	3	6	2	—	—	—	—	1	1	2
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	3	1	—	—	—	—	1	1	—	3	—	—	—	—	—	1	—	2
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	7	—	—	—	—	—	1	2	4	11	—	—	—	—	1	1	6	3
		F	4	—	—	—	—	—	—	3	1	9	—	—	—	1	1	3	1	3
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	2	1	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	7	—	—	—	—	1	6	—	—
25	Congenital debility, &c.	M	13	13	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	18	17	—	—	1	—	—	—	—
26	Violence, apart from suicide.	M	10	—	—	1	2	1	2	3	1	14	—	—	—	3	2	2	5	2
		F	7	—	—	2	—	—	1	3	1	5	—	1	—	—	1	1	2	—
27	Suicide	M	5	—	—	—	—	—	2	2	1	2	—	—	—	—	—	—	—	2
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
28	Other defined diseases ...	M	98	14	4	—	1	2	4	23	50	117	7	1	1	1	3	13	19	72
		F	99	9	—	—	3	1	10	14	62	163	11	2	—	1	5	9	18	117
29	Causes ill-defined or unknown.	M	4	—	—	1	—	—	—	3	—	5	1	—	—	—	—	—	3	1
		F	5	—	—	—	—	—	1	4	—	5	—	—	—	—	2	—	2	1

Causes of Death at Different Periods of Life in the Administrative County of Radnor—1915.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	44	4	3	1	1	4	5	5	21	121	16	2	2	1	7	11	30	52
		F	57	7	2	1	3	3	5	16	20	96	11	1	1	6	3	12	22	40
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
7	Influenza...	M	2	—	—	—	—	1	—	—	1	4	—	—	—	—	—	—	2	2
		F	2	—	—	—	—	—	—	—	2	4	—	—	—	1	—	—	2	1
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	7	—	—	—	—	2	4	1	—	8	—	—	—	—	2	3	2	1
		F	3	—	—	—	—	—	1	2	—	6	—	—	—	—	1	5	—	—
10	Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—
		F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
12	Cancer, malignant disease	M	3	—	—	—	—	—	—	—	3	6	—	—	—	—	—	—	5	1
		F	7	—	—	—	—	—	—	4	3	11	—	—	—	—	—	1	5	5
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—
14	Meningitis	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
15	Organic heart disease ...	M	3	—	—	—	—	—	—	1	2	18	—	—	—	—	—	—	7	11
		F	4	—	—	—	—	—	—	2	2	15	—	—	—	—	—	1	6	8
16	Bronchitis	M	5	1	—	—	—	—	—	—	4	12	2	1	—	—	—	1	1	7
		F	5	—	—	—	—	—	1	—	4	9	1	—	—	—	—	—	1	7
17	Pneumonia (all forms)	M	6	—	3	1	—	—	—	—	2	5	—	—	—	—	—	—	3	2
		F	5	2	1	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—
18	Other respiratory diseases	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—
		F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1
19	Diarrhœa, &c.	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
21	Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
25	Congenital debility, &c.	M	1	1	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	1	—	—	—	—	—	—	—	1	7	1	—	1	—	1	1	3	—
		F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1
27	Suicide	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	11	2	—	—	—	—	—	2	7	41	2	1	—	1	3	2	5	27
		F	15	—	—	—	—	—	2	5	8	31	2	—	—	2	—	4	6	17
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH IN

BEDFORDSHIRE. (*See Note at*

	Causes of Death.	Ampthill U.D.		Bedford M.B.		Biggleswade U.D.		Dunstable M.B.		Kempston U.D.		Leighton Buzzard U.D.		Luton M.B.				
		M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	ALL CAUSES	11	23	305	302	37	50	56	62	53	51	73	80	422	380			
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—			1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	Measles	1	1	31	34	4	1	—	—	7	4	2	4	8	12			3
4	Scarlet fever	—	—	2	2	—	—	1	—	1	—	—	1	1	—			4
5	Whooping cough ...	—	—	1	—	—	—	1	1	—	—	—	—	3	6			5
6	Diphtheria and croup ...	—	—	6	9	—	1	—	—	4	7	4	7	17	13			6
7	Influenza...	—	1	10	8	1	1	3	1	2	2	3	2	6	6			7
8	Erysipelas	—	—	1	1	—	—	—	—	—	—	—	—	—	4			8
9	Pulmonary tuberculosis	—	1	19	12	1	3	6	1	1	3	3	4	33	24			9
10	Tuberculous meningitis	—	—	1	4	—	1	1	—	1	1	—	—	6	2			10
11	Other tuberculous diseases	—	1	5	5	—	1	1	—	1	2	1	—	7	3			11
12	Cancer, malignant disease	1	4	17	15	4	5	3	9	1	4	3	2	19	32			12
13	Rheumatic fever ...	—	—	1	1	—	—	—	—	1	—	—	1	1	—			13
14	Meningitis	—	—	3	2	—	1	—	—	1	—	—	—	3	3			14
15	Organic heart disease ...	2	1	18	35	3	3	3	6	5	2	9	13	47	42			15
16	Bronchitis	1	3	29	24	4	13	7	7	3	2	10	3	44	44			16
17	Pneumonia (all forms)...	2	1	30	22	2	4	5	4	1	2	6	6	48	26			17
18	Other respiratory diseases	1	1	5	7	—	—	1	—	2	—	3	2	8	4			18
19	Diarrhœa,&c.(under 2 yrs.)	—	—	3	2	—	1	—	—	—	—	—	1	18	17			19
20	Appendicitis and typhlitis	—	—	2	2	—	—	—	—	—	1	2	—	2	1			20
21	Cirrhosis of liver ...	—	—	4	—	—	—	—	1	—	—	—	1	2	6			21
21A	Alcoholism	—	—	1	1	—	—	—	—	—	—	—	—	—	—			21A
22	Nephritis and Bright's dis.	1	1	17	8	—	1	1	—	2	—	1	2	8	4			22
23	Puerperal fever	—	—	—	4	—	1	—	—	—	—	—	—	—	3			23
24	Parturition, apart from 23	—	—	—	1	—	1	—	—	—	2	—	—	—	3			24
25	Congenital debility, &c.	—	—	7	7	2	3	5	3	5	—	3	4	37	20			25
26	Violence, apart from 27	—	—	9	10	2	—	2	1	4	—	5	1	7	4			26
27	Suicide	—	2	2	1	—	—	1	—	—	—	—	—	6	1			27
28	Other defined diseases ...	2	6	81	83	14	9	13	28	11	18	17	26	88	97			28
29	Causes ill-defined or unknown.	—	—	—	2	—	—	2	—	—	1	—	—	3	3			29

BEDFORDSHIRE—*cont.*

	Causes of Death.	Ampthill R.D.		Bedford R.D.		Biggleswade R.D.		Eaton Bray R.D.		Eaton Socon R.D.		Luton R.D.						
		M	F	M	F	M	F	M	F	M	F	M	F					
	ALL CAUSES	170	164	156	170	161	148	29	30	24	19	58	63					
1	Enteric fever	—	1	—	—	1	—	—	—	—	—	—	—					1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—					2
3	Measles	2	3	7	7	2	3	—	2	—	1	1	2					3
4	Scarlet fever	3	—	—	1	1	—	—	—	—	—	1	—					4
5	Whooping cough ..	5	1	—	—	2	1	—	—	—	—	—	1					5
6	Diphtheria and croup ...	—	1	7	2	—	1	2	3	—	—	3	2					6
7	Influenza	4	7	2	1	2	1	2	1	3	2	1	1					7
8	Erysipelas	1	—	1	1	1	—	1	—	—	—	—	—					8
9	Pulmonary tuberculosis	7	10	3	7	12	14	—	1	1	2	4	3					9
10	Tuberculous meningitis	—	1	—	2	1	2	—	—	—	—	—	3					10
11	Other tuberculous diseases	—	2	1	3	4	2	—	—	—	—	—	—					11
12	Cancer, malignant disease	13	18	12	12	22	13	2	2	3	2	3	6					12
13	Rheumatic fever ...	1	—	3	—	—	1	—	—	—	—	—	—					13
14	Meningitis	—	1	—	—	1	—	—	1	—	—	1	—					14
15	Organic heart disease ...	15	19	19	15	12	12	2	8	9	—	5	6					15
16	Bronchitis	18	18	9	17	11	15	5	2	—	3	11	8					16
17	Pneumonia (all forms)...	14	6	13	9	15	8	4	1	2	1	3	6					17
18	Other respiratory diseases	2	1	7	2	—	2	1	1	—	2	1	—					18
19	Diarrhœa,&c.(under 2 yrs.)	1	—	2	—	3	1	—	1	—	—	—	1					19
20	Appendicitis and typhlitis	—	1	—	3	1	—	—	—	—	—	—	—					20
21	Cirrhosis of liver ...	—	—	3	—	3	3	—	—	—	—	—	—					21
21A	Alcoholism	—	—	—	1	1	—	—	—	—	—	—	—					21A
22	Nephritis and Bright's dis.	5	2	5	6	6	6	—	—	—	—	1	1					22
23	Puerperal fever	—	1	—	—	—	2	—	—	—	—	—	1					23
24	Parturition, apart from 23	—	2	—	2	—	1	—	—	—	—	—	—					24
25	Congenital debility, &c.	8	7	5	7	8	2	—	1	—	—	3	5					25
26	Violence, apart from 27	5	4	7	1	6	—	—	2	1	—	—	1					26
27	Suicide	—	—	1	—	1	1	—	—	—	—	—	—					27
28	Other defined diseases ...	60	58	48	70	45	55	10	3	5	6	20	16					28
29	Causes ill-defined or unknown.	6	—	1	1	—	2	—	1	—	—	—	—					29

ADMINISTRATIVE AREAS, 1915.

(head of page 89.)

BERKSHIRE.

	Abingdon M.B.		Maidenhead M.B.		Newbury M.B.		New Windsor M.B.		Wallingford M.B.		Wantage U.D.		Wokingham M.B.						Abingdon R.D.		Bradfield R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	
	55	43	112	116	72	95	98	83	19	19	21	25	37	34					48	57	98	88	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	2
3	1	—	—	—	—	—	1	1	—	—	—	—	—	—					1	—	1	—	3
4	—	—	—	1	—	1	—	—	—	—	—	—	1	—					—	—	—	—	4
5	3	1	1	5	1	2	1	1	—	—	—	—	—	—					1	1	—	—	5
6	1	2	—	—	—	3	—	1	—	—	—	—	2	—					1	—	—	1	6
7	1	1	1	3	1	—	1	3	1	—	—	1	1	—					—	2	3	5	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	8
9	6	3	6	4	6	1	8	3	1	—	3	1	1	1					3	4	7	6	9
10	—	—	—	—	1	1	—	—	—	—	—	1	—	—					—	—	—	—	10
11	1	—	1	—	1	1	1	—	—	—	—	—	—	—					—	1	1	1	11
12	6	10	12	9	7	4	8	4	2	4	—	2	6	5					7	9	7	14	12
13	—	—	—	—	—	—	1	—	—	—	—	—	—	1					—	—	—	—	13
14	—	—	1	1	1	2	—	—	—	—	—	—	—	—					1	—	—	1	14
15	4	2	9	10	7	18	7	15	3	6	4	2	5	7					1	6	18	9	15
16	7	3	17	17	9	14	8	7	1	2	2	3	7	7					6	4	5	7	16
17	3	—	10	13	—	1	10	10	1	—	2	—	2	3					4	3	6	6	17
18	—	—	—	2	1	5	1	—	—	—	1	1	—	1					—	—	3	—	18
19	1	1	—	2	1	—	—	—	—	—	—	2	—	—					1	1	1	—	19
20	—	—	2	3	—	—	—	1	—	—	—	—	1	—					1	—	1	—	20
21	1	—	3	1	—	1	1	—	—	—	—	—	—	—					—	—	—	—	21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—					—	—	—	—	21A
22	2	—	3	3	1	—	6	—	—	1	2	—	—	—					—	2	3	4	22
23	—	—	—	2	—	1	—	—	—	—	—	—	—	—					—	—	—	—	23
24	—	2	—	—	—	—	—	3	—	—	—	—	—	—					—	1	—	—	24
25	5	—	4	8	8	—	4	1	2	—	—	3	3	1					4	—	2	5	25
26	2	2	3	2	2	1	1	2	—	1	—	1	—	2					1	2	2	—	26
27	—	—	1	—	—	—	1	—	—	—	—	—	—	—					—	—	—	—	27
28	11	16	38	30	25	39	37	30	8	5	7	8	8	6					16	21	37	28	28
29	—	—	—	—	—	—	1	—	—	—	—	—	—	—					—	—	1	1	29

BERKSHIRE—*cont.*

	Cookham R.D.		Easthampstead R.D.		Faringdon (pt.) R.D.*		Hungerford R.D.		Newbury R.D.		Wallingford R.D.		Wantage R.D.		Windsor R.D.		Wokingham R.D.						
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F					
	82	74	112	101	67	81	68	61	72	76	42	42	89	88	93	113	105	122					
1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—					1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3	1	—	2	—	1	—	—	—	—	—	1	—	—	—	2	—	2	—					3
4	—	1	1	1	1	4	—	—	—	1	—	—	1	1	—	2	—	—					4
5	—	—	3	4	—	2	4	3	3	1	1	—	—	—	2	3	1	2					5
6	1	—	1	1	—	—	—	1	—	1	—	—	1	—	—	—	—	2					6
7	1	3	5	7	4	—	6	4	—	1	1	1	—	—	2	6	2	3					7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—					8
9	6	4	8	2	—	5	3	2	—	3	2	1	6	4	4	4	5	3					9
10	—	—	1	—	—	—	—	1	—	—	—	—	—	—	2	—	1	1					10
11	2	1	3	—	1	—	—	—	1	1	—	—	1	—	1	3	2	1					11
12	7	10	8	10	3	8	4	5	7	12	—	3	5	13	9	12	9	22					12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1					13
14	3	2	2	1	—	—	1	1	—	—	1	1	—	—	2	1	3	1					14
15	8	6	8	12	12	10	3	12	17	10	4	8	13	17	4	10	17	21					15
16	6	3	4	10	7	9	4	7	3	6	2	4	8	7	6	7	9	11					16
17	11	6	7	5	3	5	8	5	3	8	6	2	4	4	11	6	4	6					17
18	1	—	3	1	—	1	2	2	2	—	1	2	1	2	2	1	1	1					18
19	—	—	1	1	2	1	—	—	—	—	1	—	1	—	—	1	1	2					19
20	1	1	—	—	1	—	—	—	1	—	—	—	1	—	2	2	—	—					20
21	2	1	3	—	1	2	1	—	—	2	—	—	1	—	1	—	1	—					21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—					21A
22	3	2	5	3	3	—	—	—	4	2	—	2	1	3	3	3	4	3					22
23	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—					23
24	—	2	—	—	—	2	—	1	—	—	—	—	—	1	—	1	—	—					24
25	8	2	2	4	2	3	4	3	3	1	1	4	5	5	4	4	10	3					25
26	3	2	2	—	5	2	1	—	—	1	1	2	—	2	3	1	5	1					26
27	1	1	—	4	1	—	—	—	2	—	—	—	1	—	2	—	—	—					27
28	16	26	42	34	19	25	26	12	25	25	19	12	33	28	27	45	27	36					28
29	1	—	1	1	1	2	1	1	1	—	—	—	5	1	1	1	1	2					29

* The remainder of Faringdon R.D. is in Gloucestershire; *see* page 426.

BUCKINGHAMSHIRE.

	Causes of Death.	Aylesbury U.D.		Beaconsfield U.D.		Bletchley U.D.		Buckingham M.B.		Chepping Wycombe M.B.		Chesham U.D.		Eton U.D.		Linslade U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	79	92	8	14	37	37	29	28	141	141	53	61	16	18	13	14	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	2	—	—	—	1	—	—	3	3	—	—	1	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	3	—	—	2	—	1	1	—	2	—	—	—	—	—	—	5
6	Diphtheria and croup ...	1	1	—	—	—	—	—	2	3	2	—	—	—	—	—	—	6
7	Influenza	9	7	—	—	2	1	2	—	5	3	3	3	—	—	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	9	12	1	1	2	1	2	2	11	13	3	6	1	1	1	1	9
10	Tuberculous meningitis	1	2	—	1	—	—	—	—	3	—	1	1	—	—	—	—	10
11	Other tuberculous diseases	—	—	—	1	—	—	—	—	—	—	1	2	—	—	—	—	11
12	Cancer, malignant disease	4	3	—	2	2	1	—	3	12	10	4	9	—	2	—	2	12
13	Rheumatic fever ...	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	13
14	Meningitis	1	—	—	—	—	—	—	—	3	3	1	—	—	—	—	—	14
15	Organic heart disease ...	7	11	—	3	6	7	1	1	7	7	1	8	1	—	4	3	15
16	Bronchitis	3	6	—	—	2	5	3	3	14	22	8	3	4	2	1	1	16
17	Pneumonia (all forms) ...	9	8	2	—	2	3	5	6	9	10	4	2	3	2	2	—	17
18	Other respiratory diseases	1	2	—	—	—	—	—	—	3	—	1	—	—	1	—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	3	2	—	—	1	—	—	1	6	3	2	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	1	—	—	—	1	2	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	21
21A	Alcoholism	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	2	—	—	2	—	1	1	4	6	3	1	—	1	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	24
25	Congenital debility, &c.	2	2	—	—	2	2	—	—	12	2	3	3	—	2	—	—	25
26	Violence, apart from 27	3	—	1	—	4	1	—	—	6	—	1	—	1	—	1	—	26
27	Suicide	1	1	1	—	1	—	—	—	—	—	1	—	—	—	—	1	27
28	Other defined diseases ...	20	27	3	6	8	13	12	8	33	48	14	23	5	7	3	6	28
29	Causes ill-defined or unknown.	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	29

BUCKINGHAMSHIRE—*cont.*

	Causes of Death.	Marlow U.D.		Newport Pagnell U.D.		Slough U.D.			Amersham R.D.		Aylesbury R.D.		Buckingham R.D.		Eton R.D.		
		M	F	M	F	M	F		M	F	M	F	M	F	M	F	
	ALL CAUSES	38	31	44	32	106	113		150	118	99	119	50	58	193	157	
1	Enteric fever	—	—	—	—	—	—		—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—		—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	1	3	5		4	3	1	—	1	—	1	—	3
4	Scarlet fever	—	—	—	—	—	—		—	—	—	—	1	1	1	—	4
5	Whooping cough ...	2	3	1	1	4	3		2	3	1	1	—	—	5	3	5
6	Diphtheria and croup ...	—	—	—	—	1	—		—	—	1	—	1	—	3	2	6
7	Influenza	—	1	1	—	5	5		5	10	7	6	2	—	7	7	7
8	Erysipelas	—	—	—	—	—	—		—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	1	3	1	10	2		5	7	7	4	—	2	13	8	9
10	Tuberculous meningitis	—	—	—	—	1	—		1	—	1	1	—	—	3	1	10
11	Other tuberculous diseases	—	1	—	—	—	1		2	—	1	—	—	—	1	4	11
12	Cancer, malignant disease	4	2	4	2	4	8		15	10	4	13	2	1	15	11	12
13	Rheumatic fever ...	1	—	—	—	—	1		1	—	—	—	—	—	1	1	13
14	Meningitis	—	—	—	—	1	2		—	2	—	—	—	2	1	3	14
15	Organic heart disease ...	1	6	4	10	7	9		23	19	8	17	4	6	27	22	15
16	Bronchitis	3	3	7	3	6	13		15	7	10	12	6	10	20	16	16
17	Pneumonia (all forms) ...	—	—	1	1	15	11		7	7	5	7	6	4	23	9	17
18	Other respiratory diseases	—	—	—	—	1	6		—	—	3	2	—	1	2	—	18
19	Diarrhœa,&c.(under 2 yrs.)	—	—	—	—	2	—		2	—	—	1	—	—	—	1	19
20	Appendicitis and typhlitis	1	—	—	—	—	—		—	—	—	—	—	—	—	2	20
21	Cirrhosis of liver ...	1	—	—	—	1	1		1	—	1	1	—	—	3	1	21
21A	Alcoholism	—	—	—	1	—	—		—	—	—	—	—	—	—	1	21A
22	Nephritis and Bright's dis.	—	—	—	1	6	2		—	9	4	1	4	2	6	1	22
23	Puerperal fever	—	—	—	—	—	—		—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1		—	—	—	—	—	1	—	2	24
25	Congenital debility, &c.	2	—	3	—	5	6		8	8	7	3	1	2	6	11	25
26	Violence, apart from 27	1	—	6	—	3	1		9	2	2	1	2	—	7	4	26
27	Suicide	—	—	—	—	—	—		1	—	—	1	1	—	1	1	27
28	Other defined diseases ...	20	14	14	12	29	36		44	31	35	48	19	25	45	44	28
29	Causes ill-defined or unknown.	—	—	—	—	2	—		5	—	1	—	—	1	2	2	29

ADMINISTRATIVE AREAS, 1915—*continued.*

BUCKINGHAMSHIRE—*cont.* CAMBRIDGESHIRE.

	Hambleden R.D.		Long Crendon R.D.		Newport Pagnell R.D.		Stratford and Wolverton R.D.		Wing R.D.		Winslow R.D.		Wycombe R.D.						Cambridge M.B.				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F			
	8	8	31	32	130	111	52	72	49	51	50	57	153	172					425	460			
1	—	1	—	—	—	3	1	1	—	—	—	—	—	—					—	—			1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—			2
3	—	—	—	—	—	1	—	—	3	1	—	—	1	2					29	30			3
4	—	—	2	—	—	—	1	—	—	—	—	—	1	—					—	1			4
5	—	1	—	—	1	1	1	1	—	—	—	—	1	3					2	—			5
6	—	—	—	—	1	—	—	1	—	—	2	—	1	—					9	6			6
7	—	—	—	—	5	6	2	1	1	3	2	—	8	10					5	20			7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1					—	—			8
9	1	2	3	—	6	6	4	3	3	3	1	—	9	2					29	26			9
10	—	—	—	1	1	1	—	1	—	—	—	—	1	2					4	3			10
11	—	—	—	—	1	1	—	—	1	—	1	—	2	3					7	—			11
12	1	—	1	4	11	12	1	9	—	5	5	3	10	17					34	53			12
13	—	—	—	—	1	—	1	—	—	—	—	—	1	—					5	4			13
14	—	—	—	1	3	1	1	1	—	—	—	—	2	1					2	2			14
15	1	3	4	3	15	15	8	8	10	12	8	7	16	27					32	46			15
16	1	—	2	4	6	14	4	4	6	7	5	6	12	18					41	60			16
17	—	—	1	3	15	5	3	6	2	3	1	—	12	7					39	26			17
18	—	—	2	—	2	1	—	1	1	2	—	2	3	3					4	10			18
19	—	—	1	—	—	—	—	1	—	—	—	—	1	2					4	2			19
20	—	—	1	—	3	1	1	1	1	—	—	—	3	—					1	1			20
21	—	—	—	—	2	—	2	—	1	—	—	—	4	—					4	5			21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—					1	1			21A
22	—	—	1	1	7	6	3	4	1	1	1	2	6	3					15	10			22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	2					—	2			23
24	—	—	—	—	—	—	—	—	—	2	—	1	—	—					—	1			24
25	1	—	1	2	4	2	7	2	2	—	3	6	4	5					19	18			25
26	1	—	—	—	2	—	1	1	3	1	—	—	4	3					8	5			26
27	—	—	—	—	3	—	1	1	—	—	1	—	1	1					4	4			27
28	1	—	12	13	39	34	10	25	14	11	18	27	49	60					126	122			28
29	1	—	—	—	2	1	—	—	—	—	2	3	1	—					1	2			29

CAMBRIDGESHIRE—*cont.* CHESHIRE.

	Caxton and Arrington R.D.		Chesterton R.D.		Linton R.D.		Melbourn R.D.		Newmarket R.D.		Swavesey R.D.						Alderley Edge U.D.		Alsager U.D.		Altrincham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	
	73	58	189	166	87	83	91	77	171	134	21	18					13	15	17	28	115	110	
1	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3	—	3	6	8	2	1	—	—	4	5	—	—					—	—	—	—	5	1	3
4	—	—	1	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	4
5	—	—	1	—	—	—	2	2	3	5	—	—					—	—	—	—	—	1	5
6	—	1	—	1	—	—	—	—	1	—	—	—					—	—	—	—	1	—	6
7	6	8	7	6	2	2	1	1	3	—	—	1					—	—	—	2	1	3	7
8	—	—	2	—	—	—	—	—	—	—	—	1					—	—	—	—	—	—	8
9	2	2	17	4	7	3	5	1	11	6	—	—					2	—	1	2	14	4	9
10	—	1	—	1	—	1	—	—	2	1	—	—					—	—	—	1	3	—	10
11	—	—	3	—	1	1	—	—	—	—	1	—					—	—	1	2	4	1	11
12	10	7	24	17	9	10	14	7	13	13	3	1					1	4	2	—	4	11	12
13	—	—	—	—	—	—	—	—	—	1	—	—					—	—	—	—	1	1	13
14	—	—	1	2	—	—	—	—	2	—	—	—					—	—	—	—	1	1	14
15	8	11	13	23	11	5	15	18	15	15	2	1					—	3	2	4	13	15	15
16	8	3	20	19	7	4	8	15	14	12	5	3					—	1	2	1	10	10	16
17	2	—	13	10	8	8	6	3	15	5	2	—					3	1	2	1	8	8	17
18	1	—	3	1	1	5	1	—	2	3	—	1					1	1	—	1	1	1	18
19	—	—	1	—	—	—	—	—	1	—	—	—					—	—	—	—	—	2	19
20	—	1	—	—	—	—	—	—	—	—	—	—					—	—	—	—	2	1	20
21	1	—	1	—	—	—	—	—	1	2	—	—					1	—	—	—	3	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—					—	—	—	—	1	—	21A
22	—	2	5	5	1	2	1	1	2	1	1	—					2	1	2	1	—	1	22
23	—	1	—	—	—	—	—	—	—	1	—	1					—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	2	—	—					—	—	—	—	—	1	24
25	5	1	6	9	3	3	4	1	7	4	—	—					—	—	1	1	4	3	25
26	2	3	5	1	3	2	1	1	8	2	—	1					—	—	1	—	7	1	26
27	—	—	—	—	—	—	1	—	1	1	—	—					—	—	—	—	2	—	27
28	27	14	60	58	32	36	32	26	65	54	6	7					3	4	3	12	29	44	28
29	1	—	—	—	—	—	—	1	—	1	1	1					—	—	—	—	1	—	29

CHESHIRE—*cont.*

Causes of Death.	Ashton upon Mersey U.D.		Bollington U.D.		Bowdon U.D.		Bredbury and Romiley U.D.		Bromborough U.D.		Bugslawton U.D.		Cheadle and Gatley U.D.		Compstall U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	52	45	40	47	14	16	64	61	7	8	4	12	56	53	7	7	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	—	3	1	—	—	1	—	—	—	—	—	—	1	—	—	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough ...	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	5
6 Diphtheria and croup ..	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	—	2	2	2	1	—	2	1	1	—	—	—	3	1	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	1	2	—	2	1	—	3	—	—	—	—	—	1	—	2	—	9
10 Tuberculous meningitis	1	2	1	—	—	—	3	2	—	—	—	—	2	—	—	—	10
11 Other tuberculous diseases	—	2	—	1	—	—	1	—	—	—	—	—	—	1	—	—	11
12 Cancer, malignant disease	4	5	1	5	—	3	5	6	—	—	1	1	4	8	3	—	12
13 Rheumatic fever ...	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	13
14 Meningitis	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	14
15 Organic heart disease ...	6	3	7	3	1	3	8	6	1	3	1	—	4	6	1	1	15
16 Bronchitis	3	3	2	9	1	4	2	6	—	1	—	2	10	6	—	1	16
17 Pneumonia (all forms) ...	2	—	4	4	1	1	5	4	—	1	1	1	5	2	—	—	17
18 Other respiratory diseases	—	—	—	1	1	—	1	1	—	—	—	—	—	1	—	—	18
19 Diarrhœa,&c.(under 2 yrs.)	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	2	19
20 Appendicitis and typhlitis	1	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	20
21 Cirrhosis of liver ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	5	1	2	—	1	1	3	5	—	—	—	—	3	4	—	—	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	—	6	2	1	1	—	3	1	1	2	—	2	1	5	—	—	25
26 Violence, apart from 27	6	1	—	1	1	—	3	2	—	—	—	—	3	—	—	—	26
27 Suicide	—	1	—	1	—	—	2	—	—	—	—	—	—	1	—	—	27
28 Other defined diseases ...	20	14	13	14	4	4	21	24	3	1	1	5	18	15	1	3	28
29 Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

CHESHIRE—*cont.*

Causes of Death.	Congleton M.B.		Crewe M.B.		Dukinfield M.B.		Ellesmere Port and Whitby U.D.		Hale U.D.		Handforth U.D.		Hazel Grove and Bramhall U.D.		Higher Bebington U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	77	99	352	316	180	170	67	59	38	50	4	8	48	69	17	10	
1 Enteric fever	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	9	6	22	12	3	2	—	2	—	—	—	—	—	1	—	—	3
4 Scarlet fever	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—	4
5 Whooping cough ...	—	—	3	6	—	—	2	1	1	—	—	—	—	—	—	3	5
6 Diphtheria and croup ...	—	—	1	4	3	2	1	—	—	—	—	—	—	—	—	—	6
7 Influenza	1	3	6	4	3	2	—	1	1	2	—	—	—	3	—	—	7
8 Erysipelas	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	4	3	30	16	10	14	5	4	4	1	—	1	5	4	2	—	9
10 Tuberculous meningitis	—	1	1	7	1	3	2	1	—	1	—	1	3	1	—	—	10
11 Other tuberculous diseases	3	—	4	4	1	2	—	—	—	—	—	—	3	—	—	—	11
12 Cancer, malignant disease	5	7	21	32	8	14	2	4	6	7	—	—	2	7	—	—	12
13 Rheumatic fever ...	—	—	1	2	—	1	—	1	—	—	—	—	—	—	—	—	13
14 Meningitis	—	—	3	1	—	1	—	—	1	—	—	—	1	1	—	—	14
15 Organic heart disease ...	11	10	28	26	25	26	2	4	2	10	1	—	3	6	3	2	15
16 Bronchitis	11	12	32	32	8	17	9	9	6	5	—	—	3	11	2	—	16
17 Pneumonia (all forms) ...	9	11	26	29	21	15	10	1	2	3	1	2	3	8	—	1	17
18 Other respiratory diseases	1	1	7	6	2	2	1	—	—	1	—	1	—	—	—	—	18
19 Diarrhœa,&c.(under 2 yrs.)	—	—	13	13	12	6	2	3	—	1	—	—	—	1	—	—	19
20 Appendicitis and typhlitis	—	1	2	1	—	1	1	—	2	—	—	—	—	—	—	—	20
21 Cirrhosis of liver ...	—	1	3	3	2	—	1	1	—	1	—	—	1	1	—	—	21
21A Alcoholism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	5	1	8	6	9	4	1	1	1	1	—	—	4	2	—	—	22
23 Puerperal fever	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	2	7	23	18	14	12	5	6	—	1	—	—	1	3	2	—	25
26 Violence, apart from 27	—	—	16	4	8	—	8	1	1	1	—	—	4	—	2	—	26
27 Suicide	—	—	2	2	1	—	—	1	2	—	—	—	1	—	—	—	27
28 Other defined diseases ..	16	33	96	79	47	43	14	16	9	15	2	3	14	20	6	4	28
29 Causes ill-defined or unknown.	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

CHESHIRE—*cont.*

	Hollingworth U.D.		Hoole U.D.		Hoylake and West Kirby U.D.		Hyde M.B.		Knutsford U.D.		Lower Bebington U.D.		Lymm U.D.		Macclesfield M.B.		Marple U.D.		Middlewich U.D.		Mottram in Longdendale U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	14	20	39	42	78	86	304	320	42	17	69	74	41	22	275	301	43	42	32	25	25	25	
1	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	—	19	21	—	—	1	1	—	—	5	7	—	—	1	1	—	—	3
4	—	—	—	—	—	—	2	4	—	—	—	1	—	—	—	—	—	1	—	—	—	—	4
5	—	—	1	2	—	1	1	2	2	—	4	6	—	—	5	6	—	—	1	—	—	—	5
6	—	1	—	—	—	—	2	2	—	—	—	2	2	—	2	1	—	—	—	—	—	—	6
7	—	2	—	2	3	5	5	7	—	—	—	2	3	—	7	3	2	—	—	—	—	—	7
8	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	2	2	4	1	6	17	25	3	—	4	7	6	4	12	27	2	1	1	1	3	1	9
10	1	—	1	—	1	—	2	3	—	1	2	1	1	—	3	4	1	—	1	—	—	—	10
11	—	—	—	1	2	4	3	1	2	—	3	4	—	—	5	2	1	2	1	1	—	—	11
12	—	—	1	4	8	8	19	41	4	1	1	4	1	1	17	18	3	6	1	2	1	3	12
13	—	—	—	—	1	—	3	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	13
14	—	—	3	1	—	—	5	4	—	1	—	1	—	—	2	2	—	—	—	—	—	—	14
15	—	2	4	3	11	11	31	38	4	1	6	7	4	3	37	38	6	7	4	—	5	5	15
16	1	2	1	2	2	6	34	44	5	1	3	5	3	1	12	41	5	4	1	3	3	3	16
17	—	—	2	3	5	7	35	20	—	3	11	4	2	2	19	29	3	3	3	2	3	1	17
18	1	—	1	2	1	3	5	3	3	—	2	—	1	—	3	2	—	—	—	2	—	1	18
19	—	—	2	1	1	1	4	3	1	—	2	2	—	—	6	2	2	—	—	—	—	—	19
20	—	—	—	—	—	—	1	—	—	—	—	—	1	—	2	1	—	1	—	1	—	—	20
21	—	—	—	—	—	2	2	1	1	—	—	—	1	—	5	1	—	—	1	—	—	—	21
21A	—	—	—	—	1	—	1	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	21A
22	1	4	—	1	2	2	6	5	1	—	1	2	3	—	12	18	2	3	—	1	1	2	22
23	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	2	—	2	—	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
25	2	1	4	3	1	1	17	10	2	—	6	3	1	—	19	13	1	2	3	1	—	2	25
26	1	—	1	—	6	1	13	4	2	1	2	1	2	1	7	5	—	2	4	—	3	—	26
27	—	—	—	—	2	1	4	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	27
28	5	6	15	11	28	24	70	72	10	8	20	19	10	9	90	78	14	10	10	10	6	7	28
29	—	—	—	—	—	1	2	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	29

CHESHIRE—*cont.*

	Nantwich U.D.		Neston and Parkgate U.D.		Northwich U.D.		Runcorn U.D.		Sale U.D.		Sandbach U.D.		Stalybridge M.B.		Tarporley U.D.		Wilmslow U.D.		Winsford U.D.		Yeardsley cum Whaley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	52	68	40	36	137	131	134	141	103	111	53	42	244	245	15	18	47	60	79	70	7	11	
1	—	—	—	—	—	—	1	—	1	—	—	—	1	3	—	—	—	—	1	1	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	5	4	1	—	7	7	1	—	8	3	—	—	—	—	2	2	—	—	3
4	—	—	—	—	—	—	1	2	1	—	—	—	1	2	1	—	—	—	—	—	—	—	4
5	—	2	1	3	—	5	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	5
6	—	1	—	—	1	1	1	1	1	2	—	—	1	3	—	—	—	—	—	1	—	1	6
7	—	—	2	—	2	5	2	2	1	—	2	5	1	1	—	—	3	1	—	2	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	6	5	4	4	7	6	6	8	10	9	2	—	19	17	2	1	3	—	5	2	1	—	9
10	1	1	1	—	4	1	2	1	—	1	—	—	3	3	—	—	—	—	—	—	—	—	10
11	1	2	—	1	3	—	—	3	2	2	1	—	2	4	—	1	—	—	1	1	—	1	11
12	3	9	2	2	8	7	8	11	5	18	2	4	20	22	1	—	5	11	8	3	1	3	12
13	—	—	—	—	—	1	1	2	—	—	—	2	1	1	—	—	—	—	—	—	—	—	13
14	2	1	1	1	—	2	1	2	2	1	2	—	4	3	—	—	1	2	—	—	—	—	14
15	8	8	4	6	18	18	6	7	7	11	5	2	19	22	—	1	4	5	10	7	1	1	15
16	5	7	4	—	15	14	13	15	8	7	7	7	28	44	1	5	5	9	7	9	2	—	16
17	6	7	2	4	11	7	8	14	10	7	7	3	15	12	3	2	2	4	5	3	—	2	17
18	1	—	—	—	1	3	5	1	2	4	2	2	3	2	—	2	—	—	—	—	—	—	18
19	1	—	3	—	5	4	4	3	2	1	1	—	11	15	—	—	—	—	—	4	—	—	19
20	—	1	—	—	1	1	1	—	1	—	—	—	3	2	—	—	1	1	—	—	1	—	20
21	1	—	—	—	3	—	1	—	1	1	—	—	4	1	—	—	—	—	1	1	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	—	—	4	3	1	—	5	1	2	1	11	8	1	1	1	2	3	3	—	1	22
23	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	1	—	2	—	1	—	1	—	1	—	—	—	1	—	—	—	—	24
25	4	2	2	2	5	6	12	10	4	5	2	3	10	10	—	—	3	2	4	5	—	—	25
26	1	1	—	—	3	1	12	2	4	3	2	—	9	1	1	—	1	1	3	3	—	1	26
27	—	—	—	—	—	2	1	—	1	1	1	—	5	2	—	—	—	—	—	—	—	—	27
28	11	19	14	13	41	38	46	51	26	28	14	11	64	63	5	4	17	21	28	23	1	1	28
29	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	29

CHESHIRE—*cont.*

	Causes of Death.	Bucklow R.D.		Chester R.D.		Congleton R.D		Disley R.D.		Macclesfield R.D.		Malpas R.D.		Nantwich R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	131	130	71	64	81	74	11	22	94	114	27	26	184	131	
1	Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	—	—	1	—	—	—	—	1	1	—	4	3	4	3
4	Scarlet fever	2	1	1	—	1	1	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	2	1	2	—	—	1	—	—	1	1	—	—	1	1	5
6	Diphtheria and croup ...	2	—	—	—	1	—	—	—	1	1	1	1	2	2	6
7	Influenza	1	3	1	—	1	3	—	1	3	4	2	—	3	5	7
8	Erysipelas	—	1	—	—	1	—	1	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	7	4	5	6	3	5	1	1	4	3	2	1	8	5	9
10	Tuberculous meningitis	3	2	—	—	1	2	—	—	2	1	—	—	2	2	10
11	Other tuberculous diseases	1	1	—	2	—	2	—	1	1	1	—	—	3	2	11
12	Cancer, malignant disease	7	10	4	6	4	8	1	2	7	11	2	3	17	19	12
13	Rheumatic fever ...	1	1	—	—	1	1	—	—	—	1	—	—	—	—	13
14	Meningitis	4	2	1	—	—	—	—	—	1	1	—	—	2	1	14
15	Organic heart disease ...	16	13	11	7	9	8	1	2	10	19	1	3	23	19	15
16	Bronchitis	9	13	3	6	3	4	—	4	4	13	1	1	11	7	16
17	Pneumonia (all forms) ...	8	10	9	4	5	4	1	2	6	8	3	—	16	4	17
18	Other respiratory diseases	3	5	2	3	1	2	—	1	—	1	2	—	1	2	18
19	Diarrhœa,&c.(under 2 yrs.)	1	5	—	—	1	1	—	—	—	4	—	—	3	—	19
20	Appendicitis and typhlitis	2	4	—	1	1	1	—	—	—	3	—	1	—	1	20
21	Cirrhosis of liver ...	—	—	1	1	—	—	—	—	—	—	—	—	1	—	21
21A	Alcoholism	2	1	—	—	—	1	—	—	—	1	—	—	1	—	21A
22	Nephritis and Bright's dis.	6	1	3	2	2	1	1	2	2	5	—	1	3	1	22
23	Puerperal fever	—	1	—	—	—	—	—	—	—	2	—	—	—	1	23
24	Parturition, apart from 23	—	2	—	1	—	—	—	—	—	4	—	—	—	2	24
25	Congenital debility, &c.	6	9	4	2	4	7	2	—	5	3	3	2	12	2	25
26	Violence, apart from 27	5	7	—	—	6	—	—	—	8	2	—	1	5	2	26
27	Suicide	—	—	—	—	—	—	1	—	—	1	—	—	—	1	27
28	Other defined diseases ...	41	33	24	22	34	22	2	6	38	23	9	8	67	48	28
29	Causes ill-defined or unknown.	—	—	—	—	1	—	—	—	—	—	1	—	—	—	29

CHESHIRE—*cont.* CORNWALL.

	Causes of Death.	Northwich R.D.		Runcorn R.D.		Tarvin R.D.		Tintwistle R.D.		Wirral R.D.		Bodmin M.B.		Callington U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	143	142	165	149	90	95	15	18	118	119	37	35	13	15	
1	Enteric fever	—	—	1	—	—	—	—	1	1	1	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	3	—	1	2	—	—	—	—	2	—	1	1	—	—	3
4	Scarlet fever	1	3	2	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	1	2	1	—	3	—	—	—	3	2	1	—	—	5
6	Diphtheria and croup ...	2	4	—	—	2	—	1	—	2	3	—	2	1	—	6
7	Influenza	2	6	4	2	1	3	—	1	—	2	—	1	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	5	13	7	7	9	1	—	7	2	2	3	1	1	9
10	Tuberculous meningitis	—	1	1	1	1	—	—	—	1	2	—	—	—	1	10
11	Other tuberculous diseases	2	—	2	3	—	1	—	—	2	2	1	1	—	1	11
12	Cancer, malignant disease	9	12	14	17	8	11	1	5	8	14	2	3	2	—	12
13	Rheumatic fever ...	2	—	1	1	—	—	—	—	—	1	—	—	—	—	13
14	Meningitis	—	1	1	3	1	1	—	—	3	1	1	—	—	—	14
15	Organic heart disease ...	17	16	13	13	19	19	1	1	11	11	5	7	1	1	15
16	Bronchitis	8	14	10	6	10	1	1	2	5	10	2	—	3	2	16
17	Pneumonia (all forms) ...	9	13	13	12	6	2	1	—	10	8	3	3	—	—	17
18	Other respiratory diseases	2	1	3	1	2	3	2	—	3	2	1	2	—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	1	1	1	2	—	—	—	—	1	1	—	1	—	—	19
20	Appendicitis and typhlitis	1	—	3	—	—	—	—	1	1	—	1	1	—	—	20
21	Cirrhosis of liver ...	4	—	3	—	1	2	—	—	1	—	1	—	—	—	21
21A	Alcoholism	1	1	—	1	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	1	9	4	—	1	1	—	5	4	2	—	—	—	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	3	—	2	—	1	—	1	—	1	—	—	—	—	24
25	Congenital debility, &c.	9	9	6	6	2	3	1	1	11	5	1	—	—	1	25
26	Violence, apart from 27	10	2	7	9	5	2	1	—	6	3	—	—	—	—	26
27	Suicide	—	1	1	1	1	—	—	—	1	—	2	—	—	—	27
28	Other defined diseases ...	52	47	54	54	24	33	4	5	35	43	10	9	5	8	28
29	Causes ill-defined or unknown.	2	—	—	—	—	—	—	—	2	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

CORNWALL—*cont.*

	Camborne U.D.		Falmouth M.B.		Fowey M.B.		Hayle U.D.		Helston M.B.		Launceston M.B.		Liskeard M.B.		Looe U.D.		Lostwithiel M.B.		Ludgvan U.D.		Madron U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	105	128	84	111	11	13	2	6	31	35	33	35	29	39	13	8	10	14	13	15	29	16	
1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	4	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	5
6	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	6
7	—	1	1	5	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	24	10	10	5	1	2	—	—	1	—	3	3	2	2	1	—	—	—	1	2	3	1	9
10	1	1	1	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	10
11	2	1	1	1	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	1	11
12	8	16	4	11	1	2	—	1	3	2	8	3	1	3	1	1	1	5	1	1	1	—	12
13	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	1	1	1	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	14
15	10	21	12	9	1	1	—	1	4	4	2	7	1	11	4	—	2	1	2	1	3	4	15
16	3	8	5	14	—	1	—	—	1	5	2	5	4	1	—	1	1	1	—	3	4	2	16
17	10	11	5	5	—	—	1	—	—	4	—	2	—	2	—	—	1	—	1	—	—	—	17
18	2	—	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	2	1	1	—	18
19	—	—	2	2	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	4	3	4	—	—	1	—	3	1	—	1	—	1	—	1	—	—	—	—	—	1	22
23	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	8	4	4	8	—	—	—	—	3	4	3	—	1	1	—	—	—	—	1	1	3	—	25
26	2	4	4	1	4	1	—	—	—	—	—	—	1	—	1	—	1	1	1	—	1	—	26
27	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	27
28	25	40	24	39	1	3	—	3	10	14	13	11	15	16	5	3	2	6	4	4	9	6	28
29	1	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	29

CORNWALL—*cont.*

	Newquay U.D.		Padstow U.D.		Paul U.D.		Penryn M.B.		Penzance M.B.		Phillack U.D.		Redruth U.D.		St. Austell U.D.		St. Ives M.B.		St. Just U.D.		Saltash M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	17	36	11	8	42	46	27	29	110	129	17	34	103	93	22	27	40	62	48	51	32	34	
1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	4	1	1	—	6	3	—	1	—	1	—	2	—	—	—	1	1	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	4
5	—	—	—	—	2	1	1	—	1	5	1	2	1	1	—	—	—	—	1	—	—	—	5
6	—	—	—	—	—	2	—	—	4	1	—	—	9	5	—	—	—	1	2	2	1	3	6
7	1	3	—	1	1	—	1	1	1	6	—	—	1	—	1	1	—	1	—	4	—	1	7
8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	8
9	2	2	—	—	2	7	1	—	6	9	5	3	14	9	1	2	1	2	3	3	5	3	9
10	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	1	10
11	—	1	1	—	—	—	—	—	—	3	—	2	1	2	—	1	—	—	1	—	1	—	11
12	1	5	1	—	2	2	1	2	5	13	2	4	8	5	3	1	3	7	1	4	3	3	12
13	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	13
14	—	1	—	—	—	—	1	—	3	2	—	—	1	—	—	—	—	—	—	—	—	—	14
15	2	3	1	3	6	3	4	4	9	16	3	7	4	3	4	3	2	12	8	9	3	2	15
16	1	—	4	—	3	5	5	7	7	8	—	—	13	11	3	3	5	3	4	2	2	3	16
17	1	1	—	2	5	3	1	—	6	2	—	2	3	4	3	5	5	4	1	4	2	1	17
18	—	2	1	—	—	—	—	2	3	3	—	—	6	—	1	—	—	—	3	1	2	1	18
19	—	—	—	—	1	—	—	—	2	5	—	—	2	—	—	—	—	—	1	—	—	1	19
20	—	—	—	—	—	—	—	—	4	1	—	—	—	1	—	—	—	1	1	1	—	—	20
21	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	1	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	—	—	1	2	—	2	7	4	—	—	1	4	—	—	2	2	—	—	—	1	22
23	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	—	—	24
25	2	1	—	—	1	1	3	1	2	3	2	2	4	4	—	—	1	2	6	2	2	4	25
26	2	—	—	—	1	1	1	1	3	3	—	—	5	2	—	—	2	—	2	—	2	1	26
27	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	27
28	4	11	3	2	13	16	6	8	38	37	4	11	28	35	5	7	17	25	12	17	6	7	28
29	—	3	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	29

CORNWALL—*cont.*

	Causes of Death.	Stratton and Bude U.D.		Torpoint U.D.		Truro M.B.		Wadebridge U.D.				Bodmin R.D.		Calstock R.D.		Camelford R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES	19	19	27	35	78	95	16	19			82	62	37	45	58	39	
1	Enteric fever	—	—	—	—	—	—	—	—			1	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	Measles	—	—	1	—	2	3	1	—			2	1	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	5	—	—	—			3	2	1	1	—	—	5
6	Diphtheria and croup ...	—	—	1	—	3	—	—	—			1	1	1	—	—	—	6
7	Influenza	2	—	—	—	2	2	—	2			2	4	—	1	3	—	7
8	Erysipelas	—	—	—	—	—	1	—	—			—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	—	1	2	2	9	2	1			4	4	8	4	3	4	9
10	Tuberculous meningitis	—	—	—	1	—	1	—	—			—	—	—	2	1	—	10
11	Other tuberculous diseases	—	—	1	—	—	2	—	—			1	2	—	2	—	—	11
12	Cancer, malignant disease	—	1	2	2	7	14	1	4			3	4	1	1	3	4	12
13	Rheumatic fever ...	—	—	—	—	—	1	—	—			—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	—			—	—	—	—	2	—	14
15	Organic heart disease ...	1	5	1	6	6	6	—	3			7	9	4	4	10	6	15
16	Bronchitis	1	1	3	1	11	11	4	2			4	7	5	2	—	3	16
17	Pneumonia (all forms) ...	—	2	2	1	4	2	—	—			1	2	2	1	5	4	17
18	Other respiratory diseases	1	—	—	—	—	—	—	—			—	1	6	—	—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	1	—	1	2	1	1	—	—			—	1	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—			1	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	1	—	—	—			1	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—			—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	1	—	2	6	1	—			—	2	—	2	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	2	—	—			—	—	—	—	—	2	24
25	Congenital debility, &c.	1	—	1	2	2	3	1	—			—	—	2	2	3	2	25
26	Violence, apart from 27	4	—	1	2	5	—	—	—			14	—	2	—	4	1	26
27	Suicide	—	—	—	—	—	—	—	—			—	—	—	—	—	—	27
28	Other defined diseases ...	8	10	11	15	25	31	6	7			36	22	5	22	24	13	28
29	Causes ill-defined or unknown.	—	—	—	1	—	—	—	—			1	—	—	—	—	—	29

CORNWALL—*cont.*

	Causes of Death.	East Kerrier R.D.		Helston R.D.		Holsworthy (pt.) R.D.*		Launceston R.D.		Liskeard R.D.		Redruth R.D.		St. Austell R.D.		St. Columb Major R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	52	63	137	137	—	2	57	57	107	114	158	154	203	245	88	82	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	4	1	—	—	—	—	2	—	—	1	10	12	3	—	3
4	Scarlet fever	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	4
5	Whooping cough ...	—	—	1	1	—	—	—	—	—	1	2	3	5	4	1	2	5
6	Diphtheria and croup ...	1	—	1	1	—	—	1	2	1	1	2	4	1	2	—	—	6
7	Influenza	3	2	4	6	—	—	3	1	2	5	7	5	2	5	2	2	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	4	4	12	5	—	—	6	2	3	9	37	12	14	13	8	2	9
10	Tuberculous meningitis	—	—	1	—	—	—	—	—	1	—	1	1	1	1	1	—	10
11	Other tuberculous diseases	—	—	2	5	—	—	2	1	3	1	2	3	1	2	1	—	11
12	Cancer, malignant disease	7	5	11	15	—	—	4	5	10	9	6	12	15	23	7	7	12
13	Rheumatic fever ...	—	1	—	—	—	—	—	1	1	—	—	—	—	2	—	—	13
14	Meningitis	—	4	—	—	—	—	—	1	1	—	3	—	2	3	1	1	14
15	Organic heart disease ...	4	9	7	13	—	1	7	10	19	15	13	11	26	27	7	8	15
16	Bronchitis	2	4	10	10	—	—	5	9	4	7	8	17	25	24	1	12	16
17	Pneumonia (all forms) ...	2	7	9	6	—	—	4	4	7	6	4	4	14	10	5	7	17
18	Other respiratory diseases	—	1	2	1	—	—	1	—	3	2	4	1	10	6	2	1	18
19	Diarrhœa,&c.(under 2 yrs.)	—	1	2	—	—	—	—	—	—	—	—	1	2	1	1	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	4	—	1	4	4	1	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	21
21A	Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	1	5	4	—	—	1	—	5	5	1	6	3	8	6	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	2	—	3	—	1	—	2	—	1	24
25	Congenital debility, &c.	2	2	10	9	—	—	4	—	5	4	15	5	5	7	3	4	25
26	Violence, apart from 27	3	—	5	1	—	—	2	—	6	1	7	2	5	2	5	1	26
27	Suicide	—	—	—	2	—	—	—	—	2	—	—	—	2	3	1	—	27
28	Other defined diseases ...	20	19	50	53	—	1	17	19	29	42	39	65	58	81	28	31	28
29	Causes ill-defined or unknown.	1	2	—	1	—	—	—	—	2	2	—	—	1	2	1	—	29

* The remainder of Holsworthy R.D. is in Devonshire; *see* page 417.

ADMINISTRATIVE AREAS, 1915—*continued.*

CORNWALL—*cont.* CUMBERLAND.

	St. Germans R.D.		Scilly, Isles of R.D.		Stratton R.D.		Truro R.D.		West Penwith R.D.						Arlecdon and Frizington U.D.		Aspatria U.D.		Cleator Moor U.D.		Cockermouth U.D.		
	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	M	F	
	80	94	16	17	31	24	182	182	70	70					52	46	37	32	78	70	41	41	
1	—	—	—	—	—	—	—	—	1	—					—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	2
3	2	3	—	—	—	—	—	3	—	—					—	2	—	4	6	7	3	1	3
4	—	—	—	—	—	—	—	—	—	—					2	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	2	2	2					—	—	—	4	—	—	—	—	5
6	2	3	—	—	—	—	1	1	—	—					—	3	—	—	—	—	—	1	6
7	—	3	1	3	2	1	6	8	1	—					2	—	—	—	1	—	—	1	7
8	—	—	—	—	—	—	—	—	—	—					—	1	1	—	—	—	—	—	8
9	9	6	2	—	1	2	21	8	9	4					1	5	—	—	2	2	3	5	9
10	2	1	—	1	—	—	1	—	1	—					—	—	1	—	—	—	1	—	10
11	1	2	—	—	—	—	—	3	—	1					2	1	—	1	—	1	1	1	11
12	6	8	1	2	2	8	13	19	5	9					2	5	1	2	2	6	3	2	12
13	—	—	—	—	—	—	—	1	—	1					—	—	—	1	1	—	—	—	13
14	1	3	—	—	—	—	1	2	—	—					1	—	—	—	4	1	—	—	14
15	3	15	6	3	9	4	12	20	10	13					8	4	5	7	3	7	7	6	15
16	6	9	—	2	1	—	17	9	3	7					3	1	2	2	8	4	1	2	16
17	6	3	—	—	—	1	5	9	7	3					3	3	—	1	6	3	2	4	17
18	1	1	—	—	—	1	9	3	2	2					5	1	1	—	9	2	1	—	18
19	1	1	—	—	—	—	—	3	—	—					2	2	—	—	3	1	1	1	19
20	—	1	—	—	—	—	1	1	—	—					1	3	—	—	—	—	—	1	20
21	—	—	—	—	—	—	3	—	1	—					—	—	—	—	1	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	21A
22	1	2	—	2	1	—	7	10	—	3					3	—	—	—	2	2	1	—	22
23	—	—	—	—	—	—	—	—	—	1					—	—	—	1	—	—	—	—	23
24	—	1	—	—	—	—	—	2	—	—					—	1	—	—	—	4	—	—	24
25	4	1	—	—	1	1	6	8	4	3					7	3	7	—	6	6	3	1	25
26	2	—	1	—	4	—	13	1	4	1					4	1	9	—	5	—	1	—	26
27	—	1	—	1	—	—	2	—	—	—					1	—	—	—	—	—	—	—	27
28	33	27	5	3	10	6	62	67	20	20					5	10	9	9	18	21	11	15	28
29	—	3	—	—	—	—	2	2	—	—					—	—	1	—	1	2	2	—	29

CUMBERLAND—*cont.*

	Egremont U.D.		Harrington U.D.		Holme Cultram U.D.		Keswick U.D.		Maryport U.D.		Millom U.D.		Penrith U.D.		Whitehaven M.B.		Wigton U.D.		Workington M.B.				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	60	55	36	31	27	29	30	29	91	82	77	57	74	58	236	204	32	30	269	241			
1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	—	1	—	—	—	1	—	—	5	4	4	2	2	1	32	25	—	—	17	17			3
4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4	3			4
5	—	1	—	—	—	—	—	—	—	1	—	1	2	2	2	1	—	1	9	5			5
6	1	1	—	—	—	—	—	—	—	2	—	1	—	—	3	—	—	—	4	2			6
7	3	3	—	—	—	—	—	1	1	—	—	1	1	—	1	4	—	—	7	1			7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—			8
9	1	4	4	1	1	2	—	—	1	2	2	3	4	4	12	13	2	2	19	18			9
10	—	—	3	1	—	—	—	1	—	—	1	1	—	1	4	4	—	—	5	3			10
11	1	1	—	2	—	—	1	1	—	2	2	1	—	1	3	6	2	1	3	8			11
12	7	2	2	2	2	4	1	5	4	4	3	6	9	2	7	9	4	2	15	12			12
13	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	2	1	—	1	1			13
14	1	—	—	—	—	—	—	—	—	—	2	—	1	—	2	3	—	—	2	6			14
15	2	2	7	4	2	1	3	4	8	9	9	10	6	10	20	12	3	3	14	11			15
16	5	3	1	1	2	4	—	2	10	8	8	9	2	3	28	30	4	7	20	17			16
17	6	4	6	1	3	—	3	2	14	5	10	3	7	5	23	10	1	1	27	20			17
18	3	1	1	—	—	—	3	2	3	3	4	1	2	—	3	1	—	—	6	5			18
19	1	1	—	—	—	—	—	—	1	—	1	1	—	—	13	5	—	—	6	5			19
20	—	—	—	—	—	1	1	1	—	—	1	—	1	—	2	—	—	—	—	1			20
21	—	—	—	—	—	2	—	—	—	1	—	—	3	—	1	2	—	—	2	1			21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21A
22	2	—	—	—	1	—	2	—	4	2	—	2	2	—	11	7	1	1	8	6			22
23	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	2	—	—			23
24	—	2	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	—	—	2			24
25	6	1	3	3	1	1	1	—	5	4	5	1	5	5	14	10	3	1	9	15			25
26	1	1	1	2	1	1	1	—	12	2	3	—	3	1	5	6	—	1	13	4			26
27	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1			27
28	20	26	7	14	12	10	12	10	22	26	22	13	22	21	45	50	11	8	77	73			28
29	—	1	—	—	1	1	1	—	1	2	—	—	2	1	2	2	—	—	1	4			29

CUMBERLAND—*cont.*

	Causes of Death.	Alston with Garrigill R.D.		Bootle R.D.		Brampton R.D.		Carlisle R.D.		Cockermouth R.D.		Longtown R.D.		Penrith R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	21	36	40	37	72	52	74	92	186	160	52	53	81	82	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	2	—	1	—	6	8	—	—	—	2	3
4	Scarlet fever	—	—	—	—	—	—	—	—	2	3	—	—	—	—	4
5	Whooping cough ...	—	—	—	1	—	—	1	1	5	4	—	1	3	1	5
6	Diphtheria and croup ...	1	1	—	1	1	1	1	—	3	—	—	—	—	—	6
7	Influenza	—	2	—	—	—	1	4	5	5	4	4	2	2	1	7
8	Erysipelas	1	—	—	—	—	—	—	2	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	2	1	5	4	4	3	3	7	7	1	4	3	7	9
10	Tuberculous meningitis	—	—	1	1	2	1	2	—	2	1	—	—	1	1	10
11	Other tuberculous diseases	1	1	—	—	1	—	—	1	1	1	—	—	—	—	11
12	Cancer, malignant disease	4	4	5	3	7	4	7	11	7	11	4	6	4	9	12
13	Rheumatic fever... ...	—	—	—	—	1	—	—	—	—	—	—	—	1	—	13
14	Meningitis	—	—	1	—	—	—	—	—	2	2	—	—	—	—	14
15	Organic heart disease ...	2	8	6	5	9	10	9	9	18	21	9	12	9	13	15
16	Bronchitis	—	1	—	5	11	3	2	8	17	10	5	1	4	4	16
17	Pneumonia (all forms) ...	—	—	5	—	2	2	5	3	16	14	2	—	4	6	17
18	Other respiratory diseases	4	—	—	1	1	2	4	—	2	4	1	—	—	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	1	1	1	—	6	2	1	—	—	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	1	—	2	1	1	1	1	—	20
21	Cirrhosis of liver ...	—	—	—	1	—	—	—	1	1	—	—	—	—	2	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	2	1	—	—	1	—	2	2	4	—	3	6	6	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	1	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	—	2	1	2	3	2	6	11	12	5	6	7	1	25
26	Violence, apart from 27	—	—	2	1	2	1	5	—	11	2	5	2	5	—	26
27	Suicide	—	—	—	—	1	—	1	—	1	—	2	—	1	—	27
28	Other defined diseases ...	3	14	16	12	23	17	24	39	57	47	12	14	30	26	28
29	Causes ill-defined or unknown.	1	—	—	—	2	—	1	—	2	2	—	—	—	—	29

CUMBERLAND—*cont.* DERBYSHIRE.

	Causes of Death	Whitehaven R.D.		Wigton R.D.						Alfreton U.D.		Alvaston and Boulton U.D.		Ashbourne U.D.		Bakewell U.D.		
		M	F	M	F					M	F	M	F	M	F	M	F	
	ALL CAUSES	90	91	82	85					118	111	7	11	22	31	19	15	
1	Enteric fever	—	—	—	—					2	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—					—	—	—	—	—	—	—	—	2
3	Measles	1	2	3	3					1	2	—	—	—	1	1	—	3
4	Scarlet fever	—	—	—	—					—	—	—	—	—	—	—	—	4
5	Whooping cough ...	3	—	1	3					—	—	—	—	—	2	—	—	5
6	Diphtheria and croup ...	2	—	—	1					3	3	—	—	—	—	1	—	6
7	Influenza	4	2	—	—					2	—	—	—	1	1	1	—	7
8	Erysipelas	2	—	—	—					—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	3	1	7					8	4	2	1	—	2	2	—	9
10	Tuberculous meningitis	—	—	1	1					1	2	—	—	—	—	—	1	10
11	Other tuberculous diseases	2	2	2	1					1	—	—	1	—	1	—	—	11
12	Cancer, malignant disease	6	5	10	8					6	12	—	1	2	3	3	—	12
13	Rheumatic fever... ...	1	—	—	—					2	3	—	—	—	—	—	—	13
14	Meningitis	1	2	—	1					—	2	1	—	—	—	—	—	14
15	Organic heart disease ...	7	14	13	15					11	8	—	1	2	3	1	3	15
16	Bronchitis	10	13	2	3					5	8	—	—	—	1	1	4	16
17	Pneumonia (all forms) ...	7	6	2	6					15	9	1	4	2	2	—	2	17
18	Other respiratory diseases	2	4	3	1					4	2	—	—	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	2	—					2	1	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—					—	2	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—					—	—	—	—	—	—	1	—	21
21A	Alcoholism	—	—	—	—					—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	1	3	1					3	4	1	—	2	3	1	—	22
23	Puerperal fever	—	1	—	1					—	4	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1					—	3	—	—	—	—	—	—	24
25	Congenital debility, &c.	5	6	3	3					7	2	1	1	5	2	1	2	25
26	Violence, apart from 27	8	3	3	—					6	1	—	—	—	1	—	—	26
27	Suicide	1	—	1	—					—	1	—	—	—	—	—	—	27
28	Other defined diseases ...	23	26	32	29					38	38	1	2	8	8	6	3	28
29	Causes ill-defined or unknown.	—	1	—	—					1	—	—	—	—	1	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

DERBYSHIRE—*cont.*

	Baslow and Bubnell U.D.		Belper U.D.		Bolsover U.D.		Bonsall U.D.		Brampton and Walton U.D.		Buxton U.D.		Chesterfield M.B.		Clay Cross U.D.		Dronfield U.D.		Fairfield U.D.		Glossop M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	13	4	89	86	70	76	6	7	15	19	66	62	310	268	76	63	38	27	34	31	147	146	
1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	3	7	—	—	1	—	1	1	25	23	8	7	—	—	1	1	—	1	3
4	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	4
5	—	—	—	—	6	2	—	—	—	—	2	3	2	4	—	—	—	—	1	2	1	—	5
6	1	—	1	8	1	2	—	—	1	—	—	—	—	3	—	—	1	1	—	—	3	—	6
7	1	—	—	—	—	—	—	—	—	1	1	2	—	1	—	—	1	1	1	—	1	4	7
8	1	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	1	—	6	5	4	1	—	—	1	2	2	5	19	22	—	1	2	2	6	2	5	8	9
10	—	—	—	—	2	—	—	—	—	—	—	—	2	3	—	—	1	—	—	1	—	—	10
11	—	—	—	—	1	2	—	—	—	3	1	1	2	1	4	—	2	—	—	—	2	1	11
12	2	2	2	5	4	3	—	1	1	—	5	9	21	18	3	1	1	—	1	—	12	13	12
13	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	13
14	—	—	1	1	1	2	—	—	—	—	1	—	3	1	3	—	1	—	—	2	—	—	14
15	—	—	6	10	5	4	2	2	1	5	4	4	20	25	3	10	2	2	1	—	17	17	15
16	—	—	8	7	6	10	—	1	3	3	2	9	39	27	9	8	4	2	1	2	21	18	16
17	1	—	9	6	7	5	1	—	1	1	5	2	27	18	8	3	6	2	2	3	9	10	17
18	—	—	—	1	—	1	—	—	—	—	—	1	4	2	2	2	1	—	1	1	1	1	18
19	—	—	1	—	—	2	—	—	—	—	1	—	6	1	4	2	—	—	—	1	7	2	19
20	—	—	2	1	—	1	1	—	—	—	1	—	2	1	—	—	—	—	1	—	2	—	20
21	—	—	—	1	—	—	—	—	—	—	—	1	1	3	—	1	—	—	2	—	4	2	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	7	2	2	2	—	—	—	—	6	2	8	6	2	1	2	—	—	—	6	6	22
23	—	—	—	2	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	1	—	—	—	2	—	3	—	1	—	—	—	1	—	1	24
25	1	1	8	8	8	8	—	—	—	1	4	4	25	17	7	6	—	2	3	2	5	3	25
26	1	—	2	1	5	—	—	—	1	—	3	—	8	7	3	—	2	—	3	—	7	3	26
27	—	—	3	—	1	—	—	—	—	—	1	—	—	—	1	—	—	2	1	1	1	—	27
28	4	1	31	27	13	20	1	2	5	3	23	16	90	74	18	19	10	13	8	10	41	52	28
29	—	—	—	—	1	—	—	—	—	—	—	—	6	4	1	1	1	—	1	2	1	2	29

DERBYSHIRE—*cont.*

	Heage U.D.		Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.		Matlock U.D.		Matlock Bath and Scarthin Nick U.D.		New Mills U.D.		North Darley U.D.		Ripley U.D.		South Darley U.D.		Swadlincote District U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	19	22	132	103	231	229	104	100	41	44	6	9	73	51	21	9	82	62	4	5	131	115	
1	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	4	2	12	14	1	1	—	3	—	1	7	4	—	—	—	—	—	—	—	—	3
4	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5	—	1	1	—	2	1	—	2	1	—	—	—	1	—	1	—	—	—	—	—	5	3	5
6	—	—	1	1	3	2	2	1	1	3	—	—	—	—	—	—	1	2	—	—	1	5	6
7	—	—	2	2	5	4	1	1	—	—	—	—	1	—	1	—	1	—	—	1	4	3	7
8	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	1	2	8	7	13	16	7	5	4	3	—	1	5	3	1	2	3	3	—	—	7	4	9
10	—	—	—	2	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	3	1	10
11	—	—	1	1	5	3	2	1	—	—	—	—	—	—	—	—	—	1	—	—	3	2	11
12	—	4	9	7	9	9	7	6	3	2	—	1	2	5	1	2	8	8	—	—	7	6	12
13	—	—	—	—	—	5	1	2	—	—	—	—	—	—	1	—	—	—	—	—	1	1	13
14	—	—	—	1	5	2	1	—	—	1	—	—	1	—	—	—	1	—	—	—	—	2	14
15	6	3	5	9	11	15	7	10	7	5	3	1	10	3	1	—	7	8	1	—	4	6	15
16	—	—	11	8	34	36	6	8	—	2	1	2	3	5	3	2	9	6	—	—	11	9	16
17	1	2	14	8	24	27	9	9	1	6	1	1	9	3	1	1	4	3	—	2	13	7	17
18	—	—	1	—	4	3	2	1	—	—	—	—	1	1	—	—	—	—	—	—	1	1	18
19	—	—	5	2	6	6	2	—	—	—	—	—	3	—	—	—	1	—	—	—	3	3	19
20	—	—	1	—	1	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	1	20
21	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	2	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	2	3	6	4	3	2	2	1	—	—	8	—	1	—	4	1	—	—	8	2	22
23	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	24
25	1	4	9	10	20	14	6	6	4	2	—	—	6	2	2	—	11	8	—	—	21	9	25
26	—	—	7	1	13	7	6	3	5	—	—	—	—	—	2	—	5	—	—	—	6	3	26
27	—	—	1	—	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	10	6	44	35	49	53	37	32	11	15	1	2	14	24	5	2	24	22	3	2	28	43	28
29	—	—	3	2	1	—	1	2	1	—	—	—	1	—	1	—	1	—	—	—	3	—	29

DERBYSHIRE—*cont.*

	Causes of Death.	Whittington and Newbold U.D.		Wirksworth U.D.				Ashbourne R.D.		Bakewell R.D.		Belper R.D.		Blackwell R.D.		Chapel en le Frith R.D.		
		M	F	M	F			M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	152	140	33	39			62	68	155	158	147	147	264	221	89	92	
1	Enteric fever	—	—	—	—			—	—	1	1	1	—	1	—	—	1	1
2	Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2
3	Measles	14	13	—	—			—	—	2	5	—	—	19	14	—	—	3
4	Scarlet fever	—	—	—	—			—	—	—	—	2	1	—	3	—	—	4
5	Whooping cough ...	—	1	—	—			—	—	1	—	—	—	2	4	1	1	5
6	Diphtheria and croup ...	1	3	—	1			—	—	3	2	3	6	6	4	1	1	6
7	Influenza	2	1	4	—			1	6	6	4	2	3	3	—	—	1	7
8	Erysipelas	—	—	—	—			—	—	1	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	9	15	1	2			4	2	7	11	7	10	16	11	8	5	9
10	Tuberculous meningitis	1	1	—	—			1	—	1	3	—	1	9	4	—	2	10
11	Other tuberculous diseases	—	—	—	—			1	—	—	2	2	3	3	1	1	—	11
12	Cancer, malignant disease	7	8	—	2			4	5	10	17	6	17	9	15	6	7	12
13	Rheumatic fever... ...	—	—	—	—			1	—	—	2	2	—	—	1	—	—	13
14	Meningitis	2	—	—	—			—	1	1	2	—	—	2	4	1	—	14
15	Organic heart disease ...	8	12	7	7			11	6	18	36	14	11	14	13	7	13	15
16	Bronchitis	16	12	1	2			3	2	7	10	13	2	16	16	7	7	16
17	Pneumonia (all forms) ...	24	15	2	2			7	1	12	5	15	13	27	23	9	8	17
18	Other respiratory diseases	3	1	—	—			—	1	7	3	—	2	5	2	4	3	18
19	Diarrhœa, &c. (under 2 yrs.)	6	3	—	—			—	—	1	—	2	1	16	19	—	—	19
20	Appendicitis and typhlitis	1	—	—	—			—	1	1	—	2	—	3	1	—	—	20
21	Cirrhosis of liver ...	—	1	—	—			—	1	2	—	2	—	1	2	1	1	21
21A	Alcoholism	—	—	—	—			—	—	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	5	4	1	—			4	2	3	6	4	7	—	5	4	3	22
23	Puerperal fever	—	1	—	2			—	—	—	—	—	—	—	3	—	—	23
24	Parturition, apart from 23	—	1	—	—			—	—	—	1	—	—	—	1	—	1	24
25	Congenital debility, &c.	9	12	1	2			5	1	5	2	7	7	30	13	3	2	25
26	Violence, apart from 27	4	—	1	—			1	1	8	5	9	2	18	5	6	2	26
27	Suicide	—	—	—	—			—	—	—	1	4	1	1	—	—	—	27
28	Other defined diseases ...	37	36	15	18			17	37	56	39	49	60	63	55	28	31	28
29	Causes ill-defined or unknown.	3	—	—	1			2	1	2	1	1	—	—	2	1	3	29

DERBYSHIRE—*cont.*

	Causes of Death.	Chesterfield R.D.		Clowne R.D.		Glossop Dale R.D.		Hartshorn and Seals R.D.		Hayfield R.D.		Norton R.D.		Repton R.D.		Shardlow R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	539	426	110	98	19	27	52	42	24	23	21	22	89	103	178	193	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	24	19	6	4	—	1	—	1	—	—	—	—	2	1	1	1	3
4	Scarlet fever	2	3	1	—	—	—	—	—	—	—	—	—	—	2	1	1	4
5	Whooping cough ...	1	3	—	—	—	—	—	1	—	—	—	—	1	1	—	1	5
6	Diphtheria and croup ...	3	9	4	9	—	—	1	—	—	—	—	2	1	2	2	1	6
7	Influenza	11	6	2	1	—	1	1	1	—	—	—	—	4	4	3	1	7
8	Erysipelas	1	1	—	1	—	—	—	—	—	—	—	—	—	—	3	1	8
9	Pulmonary tuberculosis	26	23	5	11	—	1	3	1	1	1	1	1	7	8	11	10	9
10	Tuberculous meningitis	4	4	—	2	—	—	—	—	—	—	1	—	1	1	2	—	10
11	Other tuberculous diseases	8	1	—	1	—	—	—	2	—	—	—	—	2	—	1	2	11
12	Cancer, malignant disease	23	29	4	7	1	2	3	4	3	2	—	—	5	6	19	15	12
13	Rheumatic fever... ...	3	—	2	—	—	2	—	1	—	—	—	—	—	—	1	3	13
14	Meningitis	6	6	1	—	—	—	2	—	1	—	—	1	—	1	3	2	14
15	Organic heart disease ...	50	50	3	8	1	5	8	4	4	2	3	3	8	11	17	27	15
16	Bronchitis	38	39	9	10	3	—	3	5	3	2	4	2	7	7	25	25	16
17	Pneumonia (all forms) ...	49	24	5	7	2	—	5	4	—	3	2	1	3	5	7	15	17
18	Other respiratory diseases	11	7	2	—	1	—	—	1	—	—	—	—	1	1	3	5	18
19	Diarrhœa, &c. (under 2 yrs.)	15	12	5	4	—	—	—	1	—	—	1	—	1	—	1	2	19
20	Appendicitis and typhlitis	2	1	1	1	—	—	—	—	—	2	—	1	—	—	1	—	20
21	Cirrhosis of liver ...	5	4	—	—	1	—	—	—	—	—	—	—	3	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	22	10	—	—	—	—	1	—	—	1	—	1	5	7	4	6	22
23	Puerperal fever	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	44	33	14	5	—	—	5	3	1	1	1	—	4	2	16	8	25
26	Violence, apart from 27	34	6	3	1	1	—	2	—	1	—	2	—	3	2	6	5	26
27	Suicide	5	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	27
28	Other defined diseases ...	149	122	41	22	9	15	16	13	10	8	5	9	30	39	50	57	28
29	Causes ill-defined or unknown.	3	9	2	2	—	—	1	—	—	1	—	1	1	2	1	3	29

ADMINISTRATIVE AREAS, 1915—*continued.*

DERBYSHIRE—*cont.* DEVONSHIRE.

	Sudbury R.D.		Codnor Park and Shipley C. P.'s*		Ashburton U.D.		Axminster U.D.†		Bampton U.D.		Barnstaple M.B.		Bideford M.B.		Brixham U.D.		Buckfastleigh U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	16	13	15	5	16	22	11	5	18	12	100	127	41	74	69	70	20	9	
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	—	—	—	—	—	4	—	1	1	11	4	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	1	4	1	4	6	—	—	5
6	—	1	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	6
7	—	1	—	—	—	3	2	—	—	—	2	4	—	1	—	2	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	8
9	—	—	1	—	4	2	—	—	1	—	9	10	1	6	7	6	1	1	9
10	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	10
11	—	—	—	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	11
12	2	—	—	1	—	1	1	1	1	2	6	9	2	4	7	5	2	3	12
13	—	—	1	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	13
14	—	—	—	—	1	—	—	—	1	—	—	—	1	1	1	—	—	—	14
15	3	—	3	—	—	1	2	1	3	2	9	12	6	12	4	4	2	—	15
16	—	1	1	1	1	1	—	—	2	1	6	14	6	6	5	4	1	1	16
17	—	—	2	—	—	—	—	—	1	—	6	9	3	9	6	5	1	—	17
18	1	—	—	—	—	—	—	—	—	—	3	2	—	—	1	—	—	1	18
19	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	1	—	—	20
21	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	—	1	—	2	—	—	—	—	4	5	1	2	1	6	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	1	1	—	—	1	—	—	—	3	—	2	3	1	5	2	2	1	—	25
26	2	1	1	—	—	—	—	—	—	—	3	2	—	3	2	1	2	—	26
27	—	—	—	—	1	—	—	—	—	—	—	2	—	1	—	—	—	—	27
28	6	6	6	1	7	12	4	3	6	7	39	46	13	14	16	22	10	2	28
29	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	1	—	—	29

DEVONSHIRE—*cont.*

	Budleigh Salterton U.D.		Crediton U.D.		Dartmouth M.B.		Dawlish U.D.		Exmouth U.D.		Great Torrington M.B.		Holsworthy U.D.		Honiton M.B.		Ilfracombe U.D.		Ivybridge U.D.		Kingsbridge U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	14	14	35	31	42	41	23	53	64	102	15	21	12	13	22	20	57	68	8	15	32	22	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	2	1	—	1	1	1	2	—	—	—	—	—	—	—	—	1	—	—	—	3
4	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	1	4	—	—	—	—	—	—	1	1	1	—	—	—	1	—	5
6	—	—	—	—	2	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	6
7	—	1	1	3	—	—	—	2	1	3	—	—	—	—	1	2	1	9	—	—	2	1	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	4	—	2	1	4	1	—	3	2	3	—	2	2	—	—	—	3	6	—	—	1	1	9
10	—	—	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	10
11	—	—	1	1	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—	—	1	—	11
12	1	4	3	2	3	4	2	5	8	12	2	2	—	2	6	4	7	9	2	—	3	4	12
13	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	13
14	1	—	—	—	—	—	—	—	1	2	—	—	1	—	—	—	1	1	—	—	—	—	14
15	2	3	4	4	5	4	2	3	5	16	—	4	2	3	1	2	9	11	—	1	3	—	15
16	—	1	3	4	5	4	1	3	5	7	—	2	1	1	2	1	2	3	1	2	2	2	16
17	2	1	1	1	1	2	—	3	6	8	2	1	—	1	2	—	4	6	—	2	—	2	17
18	—	—	—	—	1	—	1	—	1	1	—	—	—	—	2	—	—	—	—	—	—	—	18
19	—	—	—	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	20
21	—	—	—	—	3	2	—	—	2	—	—	—	—	1	—	—	2	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	2	1	—	1	—	1	3	2	2	—	1	—	—	—	5	1	—	2	1	—	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
25	—	—	2	—	1	1	1	1	1	2	1	—	—	—	2	—	1	2	1	—	2	—	25
26	—	—	—	2	1	1	—	—	1	1	1	—	—	—	—	1	2	2	1	—	2	1	26
27	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	27
28	4	3	14	9	12	17	14	22	23	38	4	9	5	3	5	9	18	16	2	8	12	10	28
29	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	29

* Administered by Basford R.D.C. (Nottinghamshire).

† Created on 1st April, 1915.

DEVONSHIRE—*cont.*

	Causes of Death.	Lynton U.D.		Newton Abbot U.D.		Northam U.D.		Okehampton M.B.		Ottery St. Mary U.D.		Paignton U.D.		Salcombe U.D.		Seaton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	14	11	106	107	42	35	21	34	15	26	80	101	11	19	5	17	
1	Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	2	1	1	—	—	1	—	1	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	4
5	Whooping cough ...	—	—	1	—	—	2	—	2	—	1	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	6
7	Influenza	—	—	3	8	1	1	1	2	—	—	2	2	—	—	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	—	6	10	3	—	1	3	—	—	8	7	—	4	1	2	9
10	Tuberculous meningitis	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	—	1	3	1	—	—	—	1	—	—	3	1	—	—	1	1	11
12	Cancer, malignant disease	1	—	4	11	4	4	1	3	1	7	8	13	2	1	—	4	12
13	Rheumatic fever... ...	—	1	1	—	1	1	—	—	—	—	3	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	14
15	Organic heart disease ...	1	1	8	11	5	6	—	3	1	3	13	10	1	4	—	3	15
16	Bronchitis	1	—	9	13	3	4	3	3	—	3	3	10	1	—	—	—	16
17	Pneumonia (all forms) ...	2	—	10	5	3	2	4	—	1	—	3	5	1	—	—	1	17
18	Other respiratory diseases	—	1	2	2	2	—	1	—	1	2	—	1	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	3	—	2	—	—	1	—	—	1	1	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	1	—	—	—	—	1	—	—	1	4	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
22	Nephritis and Bright's dis.	—	—	2	3	2	1	—	—	—	—	2	2	1	—	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
25	Congenital debility, &c.	1	—	3	2	1	2	1	2	—	—	2	4	—	—	—	—	25
26	Violence, apart from 27	1	—	2	5	4	2	1	1	—	1	—	1	—	—	—	—	26
27	Suicide	—	—	1	—	—	1	1	—	—	—	—	—	1	—	—	—	27
28	Other defined diseases ...	6	4	43	33	10	9	6	9	9	7	30	38	3	10	1	6	28
29	Causes ill-defined or unknown.	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	29

DEVONSHIRE—*cont.*

	Causes of Death.	Sidmouth U.D.		South Molton M.B.		Tavistock U.D.		Teignmouth U.D.		Tiverton M.B.		Torquay M.B.		Totnes M.B.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	ALL CAUSES	23	37	31	18	38	45	67	89	73	74	258	322	25	40		
1	Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—		1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	Measles	—	—	—	—	—	—	6	5	—	—	5	1	—	—		3
4	Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—		4
5	Whooping cough ...	—	1	—	—	2	4	1	3	3	2	1	—	—	—		5
6	Diphtheria and croup ...	1	1	—	—	—	—	—	—	—	—	3	7	—	—		6
7	Influenza	1	—	4	2	1	—	—	1	2	6	7	15	—	—		7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9	Pulmonary tuberculosis	2	—	3	—	3	1	3	8	3	2	27	16	—	2		9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	2	1	—	—		10
11	Other tuberculous diseases	1	1	—	—	—	—	—	—	2	2	2	3	—	—		11
12	Cancer, malignant disease	2	4	3	2	4	4	6	9	2	3	20	33	—	2		12
13	Rheumatic fever... ...	—	—	—	—	—	1	—	—	—	—	1	1	—	—		13
14	Meningitis	—	2	—	—	1	2	1	1	—	—	2	3	—	1		14
15	Organic heart disease ...	—	3	4	5	1	5	7	12	12	10	30	49	5	7		15
16	Bronchitis	1	5	2	—	4	5	8	8	6	7	17	25	2	3		16
17	Pneumonia (all forms) ...	2	1	2	—	2	2	5	5	6	5	16	11	—	2		17
18	Other respiratory diseases	1	—	1	—	—	1	—	—	2	3	8	11	—	—		18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	—	1	2	—	—	—	3	3	—	—		19
20	Appendicitis and typhlitis	—	—	—	1	—	—	—	—	—	1	1	5	—	1		20
21	Cirrhosis of liver ...	—	1	—	—	—	—	—	—	—	1	3	1	2	—		21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	Nephritis and Bright's dis.	—	1	2	—	1	1	5	2	4	1	10	8	1	5		22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—		23
24	Parturition, apart from 23	—	2	—	—	—	—	—	—	—	1	—	3	—	—		24
25	Congenital debility, &c.	2	2	1	—	3	—	4	3	2	1	7	2	1	2		25
26	Violence, apart from 27	—	—	1	1	1	—	1	2	5	1	7	7	—	—		26
27	Suicide	—	—	1	—	1	—	1	—	3	—	2	1	—	—		27
28	Other defined diseases ...	10	12	7	7	14	18	17	30	21	26	84	115	14	15		28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	1	—	—	—	—		29

ADMINISTRATIVE AREAS, 1915—*continued.*

DEVONSHIRE—*cont.*

	Axminster R.D.		Barnstaple R.D.		Bideford R.D.		Broadwood Widger R.D.		Crediton R.D.		Culmstock R.D.		Holsworthy (pt.) R.D.*		Honiton R.D.		Kingsbridge R.D.		Newton Abbot R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	76	99	122	107	46	43	17	10	91	82	32	24	50	53	70	51	69	81	125	127	
1	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	1	3
4	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	1	4
5	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	5	5
6	—	—	2	—	—	—	1	—	—	1	—	—	—	1	1	2	—	1	1	3	6
7	1	—	5	—	4	1	—	—	2	6	2	1	2	3	4	2	2	4	3	5	7
8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	9	10	5	1	4	1	—	8	3	2	—	—	6	5	3	3	1	5	7	9
10	2	1	1	—	—	1	—	—	—	—	—	—	1	2	1	—	1	1	2	1	10
11	1	1	—	—	—	—	—	—	3	—	1	—	—	1	—	—	1	2	1	2	11
12	6	6	7	17	1	5	1	1	7	6	2	4	4	10	7	3	6	6	11	9	12
13	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	1	1	1	13
14	2	—	—	—	—	1	—	—	—	—	—	—	2	1	1	1	—	1	4	2	14
15	6	15	11	14	11	4	4	2	17	21	6	2	12	7	11	4	14	12	21	14	15
16	11	5	7	12	2	6	2	—	3	5	1	3	1	2	5	1	6	6	14	13	16
17	4	6	5	7	1	—	3	—	5	2	2	—	5	—	3	—	1	1	6	6	17
18	—	3	3	—	—	2	1	—	1	1	—	1	2	—	1	—	1	—	1	—	18
19	—	—	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	19
20	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	1	1	2	—	—	20
21	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	3	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	1	8	8	2	3	—	1	3	2	4	—	—	—	—	2	—	1	5	1	22
23	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	—	—	—	—	1	—	—	—	2	—	1	—	1	—	2	24
25	1	3	4	1	3	2	1	1	5	6	2	1	3	1	—	2	2	6	5	12	25
26	2	—	1	4	4	1	—	—	1	1	1	2	3	—	3	—	2	—	4	—	26
27	—	1	2	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	27
28	30	43	49	37	14	13	2	5	33	23	9	8	12	15	27	29	26	31	33	42	28
29	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	1	1	—	29

DEVONSHIRE—*cont.* DORSETSHIRE.

	Okehampton R.D.		Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Torrington R.D.		Totnes R.D.		Blandford Forum M.B.		Bridport M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	95	97	145	182	199	184	67	64	108	97	104	92	58	64	88	85	37	31	50	64	
1	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	1	1	5	5	1	—	—	—	1	1	2	—	—	2	4	2	—	—	—	3
4	1	—	1	2	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	4
5	—	1	1	—	2	1	—	—	—	1	1	1	—	2	3	2	—	—	3	3	5
6	1	2	3	9	2	2	—	—	—	1	—	—	—	2	—	1	—	—	—	1	6
7	1	3	—	1	5	5	2	1	7	4	2	6	1	1	2	—	—	2	1	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	8	7	10	13	12	15	3	7	6	7	12	6	3	5	5	7	3	—	6	9	9
10	1	1	2	1	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	10
11	2	2	2	2	2	3	—	1	—	2	—	—	—	1	—	2	—	—	1	—	11
12	7	3	12	13	10	19	5	3	3	8	4	11	8	3	9	3	1	4	3	2	12
13	—	2	—	1	—	1	—	—	1	—	1	1	—	—	—	1	—	—	—	—	13
14	—	—	2	—	2	1	—	1	2	2	1	3	—	—	4	1	—	—	1	—	14
15	13	12	18	22	24	22	13	8	22	6	20	11	11	15	11	16	3	4	7	10	15
16	9	8	15	28	25	21	11	7	10	7	10	7	4	3	6	8	2	4	6	8	16
17	4	7	10	8	18	6	5	5	9	4	3	3	4	5	6	3	4	2	2	4	17
18	1	3	6	2	3	1	1	1	2	2	1	—	1	1	1	2	—	1	—	—	18
19	—	—	1	2	1	1	1	—	2	1	—	—	—	2	—	—	1	—	1	—	19
20	—	—	—	2	1	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	20
21	—	—	—	1	—	2	1	—	1	—	—	—	—	—	—	1	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
22	5	1	3	6	10	7	3	—	4	4	4	5	2	2	1	2	1	—	—	3	22
23	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	24
25	3	2	7	5	4	11	3	1	3	2	6	4	6	1	4	3	2	1	2	2	25
26	4	—	8	2	3	—	3	—	4	2	3	1	2	—	1	2	2	—	2	—	26
27	—	—	1	—	2	3	—	—	2	2	2	—	—	—	1	—	—	—	1	—	27
28	30	39	40	55	64	55	16	28	29	36	30	28	15	21	32	27	15	13	14	21	28
29	3	1	1	—	1	4	—	1	1	1	—	—	1	—	—	—	—	—	—	—	29

* The remainder of Holsworthy R.D. is in Cornwall ; *see* page 410.

DORSETSHIRE—*cont.*

	Causes of Death.	Dorchester M.B.		Lyme Regis M.B.		Poole M.B.		Portland U.D.		Shaftesbury M.B.		Sherborne U.D.		Swanage U.D.		Wareham M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	59	80	17	23	266	254	60	57	15	19	47	39	25	32	22	19	
1	Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	1	—	—	—	—	—	1	—	—	1	6	—	—	2	—	3
4	Scarlet fever	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	1	1	—	—	2	3	—	1	—	—	1	2	—	—	—	—	5
6	Diphtheria and croup ...	—	2	2	2	4	3	—	—	—	—	—	1	—	—	—	—	6
7	Influenza	6	4	—	—	5	8	3	4	2	—	6	5	1	1	—	1	7
8	Erysipelas	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	4	6	—	2	20	20	2	2	—	—	4	—	—	1	2	3	9
10	Tuberculous meningitis	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	10
11	Other tuberculous diseases	1	2	—	1	2	3	—	—	—	—	1	—	—	—	—	—	11
12	Cancer, malignant disease	5	6	1	1	12	25	5	4	4	5	2	3	2	3	1	2	12
13	Rheumatic fever... ...	1	1	—	—	1	1	—	1	—	—	—	—	1	—	—	—	13
14	Meningitis	—	2	—	1	4	1	—	—	1	—	1	—	—	—	—	—	14
15	Organic heart disease ...	6	6	1	—	18	27	5	11	1	3	3	6	3	7	2	2	15
16	Bronchitis	4	12	2	1	26	16	5	5	—	1	2	1	1	4	3	2	16
17	Pneumonia (all forms) ...	1	3	—	—	26	18	3	4	—	—	3	—	—	3	3	1	17
18	Other respiratory diseases	3	1	1	1	9	6	1	—	—	—	2	—	2	—	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	—	—	6	2	—	2	—	—	—	—	—	1	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	2	3	—	—	—	1	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	1	1	1	1	2	—	2	—	—	—	—	—	1	—	—	—	21
21A	Alcoholism	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	—	1	6	5	6	1	—	2	1	3	1	—	1	—	22
23	Puerperal fever	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	24
25	Congenital debility, &c.	3	2	2	1	19	12	9	4	—	1	1	1	—	1	1	—	25
26	Violence, apart from 27	2	1	1	—	10	8	4	—	1	—	1	1	—	—	—	—	26
27	Suicide	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	18	26	5	11	85	87	14	17	6	6	17	8	13	11	7	7	28
29	Causes ill-defined or unknown.	—	—	1	—	3	—	—	—	—	—	1	—	—	—	—	—	29

DORSETSHIRE—*cont.*

	Causes of Death.	Weymouth and Melcombe Regis M.B.		Wimborne Minster U.D.				Beaminster R.D.		Blandford R.D.		Bridport R.D.		Cerne R.D.		Dorchester R.D.		
		M	F	M	F			M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	157	165	22	28			60	68	65	54	57	67	41	36	52	43	
1	Enteric fever	1	1	—	—			—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	4	—	—			1	1	4	—	—	—	—	—	1	2	3
4	Scarlet fever	—	—	—	1			—	—	—	—	—	1	—	—	1	—	4
5	Whooping cough ...	1	—	—	—			—	5	2	1	—	2	—	—	—	1	5
6	Diphtheria and croup ...	—	1	—	—			—	1	—	—	—	1	—	—	—	—	6
7	Influenza	5	10	—	2			2	3	3	2	1	1	3	2	1	2	7
8	Erysipelas	3	—	1	—			—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	8	2	—			4	1	1	1	5	2	3	1	2	1	9
10	Tuberculous meningitis	—	3	—	—			—	—	1	—	—	1	—	—	—	—	10
11	Other tuberculous diseases	—	1	—	—			—	1	—	—	—	2	—	—	1	3	11
12	Cancer, malignant disease	9	16	3	3			2	3	1	7	3	6	2	1	8	2	12
13	Rheumatic fever... ...	—	—	—	—			—	—	—	1	—	—	—	—	—	—	13
14	Meningitis	4	3	1	1			1	—	—	2	1	—	3	1	1	—	14
15	Organic heart disease ...	22	21	1	4			4	7	14	8	12	14	5	2	9	8	15
16	Bronchitis	10	9	3	1			7	12	2	6	2	7	4	4	1	2	16
17	Pneumonia (all forms) ...	17	12	1	1			1	1	2	1	2	1	2	—	6	3	17
18	Other respiratory diseases	3	3	—	1			—	—	—	—	1	1	—	1	2	1	18
19	Diarrhœa, &c. (under 2 yrs.)	5	1	—	—			—	—	1	1	—	—	—	1	—	—	19
20	Appendicitis and typhlitis	1	—	1	—			—	—	—	1	—	—	1	—	—	—	20
21	Cirrhosis of liver ...	2	2	—	—			1	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	1	—	—	—			—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	9	1	—	2			3	1	2	—	1	2	1	1	—	1	22
23	Puerperal fever	—	—	—	—			—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	2	—	—			—	1	—	—	—	1	—	—	—	—	24
25	Congenital debility, &c.	5	5	1	1			5	4	3	2	1	—	1	—	5	—	25
26	Violence, apart from 27	9	4	—	—			3	—	1	1	4	—	1	—	3	1	26
27	Suicide	—	1	—	—			—	—	1	1	1	—	—	—	—	—	27
28	Other defined diseases ...	44	56	8	11			26	26	26	18	22	25	15	21	10	16	28
29	Causes ill-defined or unknown.	1	1	—	—			—	1	1	1	1	—	—	1	1	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

DORSETSHIRE—*cont.* DURHAM.

	Poole R.D.		Shaftesbury R.D.		Sherborne R.D.		Sturminster R.D.		Wareham and Purbeck R.D.		Weymouth R.D.		Wimborne and Cranborne R.D.					Annfield Plain U.D.		Barnard Castle U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F				M	F	M	F	
	48	39	76	70	41	49	69	67	82	72	62	78	94	112				138	133	38	50	
1	—	—	—	—	—	—	—	—	—	—	—	—	1	—				2	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	2
3	—	1	—	—	—	2	—	—	1	—	—	—	—	—				11	14	1	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	1				—	1	—	—	4
5	1	—	2	—	2	—	1	1	1	1	1	2	1	2				—	—	1	—	5
6	1	—	1	—	1	1	1	—	—	—	—	1	—	1				1	—	2	2	6
7	2	1	4	5	3	2	2	1	7	5	4	6	1	3				1	—	2	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—				—	1	—	—	8
9	3	5	6	2	1	1	5	2	3	3	2	5	2	10				10	14	—	3	9
10	1	—	—	—	—	1	—	—	—	—	1	—	1	—				2	2	1	—	10
11	3	1	1	—	—	—	1	1	—	—	1	1	—	2				2	4	2	—	11
12	3	5	5	5	3	9	6	3	3	5	4	5	7	9				7	6	3	6	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—				1	2	—	—	13
14	—	—	3	2	2	2	1	2	1	—	—	1	1	1				1	—	—	—	14
15	6	1	8	12	9	4	6	11	21	17	10	8	11	9				11	9	5	7	15
16	5	5	8	7	3	2	3	5	8	8	4	5	4	12				14	10	3	7	16
17	3	2	6	1	1	4	7	7	6	3	1	8	9	4				11	15	2	7	17
18	1	—	3	—	—	1	—	—	1	1	1	—	1	1				1	—	—	—	18
19	—	—	1	—	—	—	1	1	2	—	1	1	2	—				6	3	1	—	19
20	—	—	1	—	—	—	—	—	—	—	—	—	1	—				—	1	—	—	20
21	1	—	—	1	—	3	—	—	1	—	—	—	2	—				4	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—				—	—	—	—	21A
22	3	2	1	3	—	—	—	1	2	2	5	1	6	—				5	7	—	5	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	2				—	—	—	—	23
24	—	1	—	—	—	2	—	—	—	1	—	—	—	—				—	2	—	—	24
25	3	1	2	—	1	1	—	3	1	2	3	1	7	4				19	9	2	1	25
26	1	—	—	1	1	—	6	3	5	—	3	—	—	2				3	2	1	—	26
27	1	—	—	—	—	—	2	—	—	—	—	—	1	—				2	1	2	—	27
28	10	14	24	31	14	14	27	26	17	24	21	33	34	48				23	29	7	9	28
29	—	—	—	—	—	—	—	—	2	—	—	—	2	1				1	1	2	—	29

DURHAM—*cont.*

	Benfieldside U.D.		Bishop Auckland U.D.		Blaydon U.D.		Brandon and Byshottles U.D.		Chester le Street U.D.		Consett U.D.		Crook U.D.		Durham M.B.		Felling U.D.		Hartlepool M.B.		Hebburn U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	77	59	138	110	268	219	190	136	113	116	126	87	116	81	200	143	240	229	199	173	209	173	
1	1	—	1	—	2	—	1	1	—	2	—	—	—	1	1	—	1	1	2	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	1	10	4	16	19	34	27	20	12	2	1	14	5	16	5	7	9	5	8	12	9	3
4	2	2	—	1	1	1	1	1	—	—	2	2	2	6	—	1	1	4	—	2	2	1	4
5	—	1	1	6	3	—	5	1	4	2	2	1	1	4	1	6	—	—	4	3	—	1	5
6	7	5	—	—	8	4	1	4	2	2	13	7	5	2	2	—	1	—	—	3	2	—	6
7	1	—	2	2	1	2	2	2	—	—	—	—	1	—	3	—	5	1	1	—	1	2	7
8	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	2	1	1	8
9	5	3	10	4	7	10	10	4	4	7	6	4	5	4	10	10	29	19	15	14	17	14	9
10	3	2	—	2	1	2	1	1	1	—	3	—	—	1	1	1	4	2	—	1	1	3	10
11	1	—	3	1	8	3	—	—	2	2	2	1	2	1	1	1	2	3	2	4	6	4	11
12	1	7	6	10	3	7	7	8	4	7	5	2	3	7	6	11	11	16	13	13	6	9	12
13	1	—	—	—	2	1	—	1	—	—	1	3	—	—	1	—	—	2	—	2	1	1	13
14	1	—	1	1	5	6	2	—	1	—	—	—	—	—	1	—	9	2	1	3	1	—	14
15	12	8	4	12	10	14	17	10	6	5	8	8	9	5	15	12	10	12	17	18	11	18	15
16	1	2	12	8	17	11	6	9	11	8	10	6	12	2	30	14	18	19	19	14	13	8	16
17	10	11	16	9	42	33	27	14	9	9	17	8	9	6	15	12	23	26	20	11	36	18	17
18	1	1	1	—	6	4	2	3	—	3	1	1	1	—	2	1	3	2	—	—	3	3	18
19	4	—	5	10	7	9	2	—	1	6	2	2	11	2	10	4	18	16	4	2	9	16	19
20	—	—	—	—	2	2	1	1	—	1	1	—	—	—	1	—	—	—	—	1	—	—	20
21	—	—	4	1	1	1	—	—	1	—	—	—	1	1	4	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	2	—	6	1	10	5	3	3	2	2	9	7	4	4	2	3	9	6	10	8	6	4	22
23	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	2	—	2	—	—	—	—	23
24	—	1	—	1	—	5	—	—	—	2	—	4	—	2	—	—	—	2	—	2	—	—	24
25	7	3	5	3	29	21	18	14	5	6	8	4	11	1	4	9	20	11	10	6	19	12	25
26	3	1	5	—	12	3	14	1	3	2	7	1	2	2	6	4	6	8	17	5	14	2	26
27	—	1	—	—	—	—	2	—	1	1	—	—	4	—	2	1	1	—	—	1	2	1	27
28	12	10	44	33	69	49	34	30	33	35	26	25	17	24	61	46	59	64	57	48	42	44	28
29	—	—	2	1	5	6	—	—	2	2	1	—	1	1	4	—	3	2	2	2	4	1	29

DURHAM—*cont.*

	Causes of Death.	Hetton U.D.		Houghton le Spring U.D.		Jarrow M.B.		Leadgate U.D.		Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		Southwick on Wear U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	144	145	106	72	428	334	45	41	92	89	167	133	126	113	143	116	
1	Enteric fever	1	—	—	1	—	1	—	—	1	1	—	—	1	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	7	3	5	4	39	27	1	1	16	9	7	10	7	10	5	2	3
4	Scarlet fever	—	1	1	—	2	—	—	2	—	—	1	—	—	—	—	—	4
5	Whooping cough ...	3	8	—	—	6	8	—	—	—	2	1	3	1	2	—	—	5
6	Diphtheria and croup ...	1	1	1	1	1	6	1	—	2	2	2	2	1	1	3	—	6
7	Influenza	1	2	—	—	3	1	2	—	—	—	1	1	3	4	—	2	7
8	Erysipelas	—	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	8
9	Pulmonary tuberculosis	7	11	3	6	39	31	3	2	3	5	9	12	8	4	11	3	9
10	Tuberculous meningitis	3	3	—	—	4	2	2	—	1	4	4	1	2	2	2	1	10
11	Other tuberculous diseases	8	4	3	1	9	5	—	—	—	1	—	2	2	2	3	2	11
12	Cancer, malignant disease	4	9	3	5	15	14	—	4	6	6	7	6	7	7	4	5	12
13	Rheumatic fever... ...	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	4	2	2	—	6	7	2	—	—	—	—	1	—	—	3	4	14
15	Organic heart disease ...	10	10	5	7	22	23	8	4	5	5	6	19	4	6	5	6	15
16	Bronchitis	17	7	12	5	33	30	5	1	5	2	15	10	15	19	4	8	16
17	Pneumonia (all forms) ...	12	11	17	10	61	49	3	3	6	8	33	19	4	4	20	16	17
18	Other respiratory diseases	2	1	2	2	9	5	—	—	1	—	—	1	—	—	3	—	18
19	Diarrhœa, &c. (under 2 yrs.)	6	5	3	4	12	23	3	4	2	—	19	4	1	—	12	4	19
20	Appendicitis and typhlitis	—	—	—	—	2	1	—	1	1	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	1	2	2	—	—	—	—	3	—	—	—	1	—	—	21
21A	Alcoholism	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	1	21A
22	Nephritis and Bright's dis.	1	3	6	3	5	6	2	—	2	3	1	—	—	—	2	6	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	2	24
25	Congenital debility, &c.	14	15	4	1	17	14	4	3	8	8	25	14	12	8	16	9	25
26	Violence, apart from 27	11	1	11	—	22	4	3	1	3	2	3	1	8	1	4	1	26
27	Suicide	—	—	—	1	3	—	1	—	1	—	—	—	1	—	1	—	27
28	Other defined diseases ...	31	42	26	16	107	73	5	15	29	27	32	24	48	39	44	42	28
29	Causes ill-defined or unknown.	1	1	—	—	7	3	—	—	—	—	1	2	1	1	1	2	29

DURHAM—*cont.*

	Causes of Death.	Spennymoor U.D.		Stanhope U.D.		Stanley U.D.		Stockton on Tees M.B.		Tanfield U.D.		Tow Law U.D.		Whickham U.D.		Willington U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	172	138	13	17	204	187	569	493	86	64	43	21	118	144	70	66	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	10	5	—	—	20	17	39	23	—	3	—	—	7	14	7	4	3
4	Scarlet fever	—	—	—	—	4	1	2	4	1	1	—	1	1	—	—	—	4
5	Whooping cough ...	1	3	—	—	2	6	6	5	—	—	—	—	3	7	—	4	5
6	Diphtheria and croup ...	3	1	—	—	4	2	8	9	—	2	—	1	1	1	—	—	6
7	Influenza	1	—	—	—	—	3	5	4	1	—	—	—	2	1	2	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	13	9	1	—	8	7	40	31	4	5	1	—	11	5	5	—	9
10	Tuberculous meningitis	—	—	—	—	2	5	9	4	2	1	—	—	—	5	—	—	10
11	Other tuberculous diseases	2	2	—	—	4	7	10	13	1	2	1	—	3	3	—	1	11
12	Cancer, malignant disease	7	8	2	3	8	11	27	34	3	6	3	1	9	9	4	4	12
13	Rheumatic fever... ...	1	1	—	—	—	1	1	3	1	—	—	—	—	1	1	—	13
14	Meningitis	4	3	—	—	2	5	2	5	3	—	—	—	—	—	2	1	14
15	Organic heart disease ...	9	11	2	2	8	11	38	51	9	9	5	—	4	7	2	2	15
16	Bronchitis	16	15	—	1	16	17	52	43	6	—	4	2	3	13	7	5	16
17	Pneumonia (all forms) ...	16	15	—	—	33	20	68	38	5	9	2	3	13	10	1	4	17
18	Other respiratory diseases	—	1	—	—	4	2	5	6	6	—	—	—	1	2	5	2	18
19	Diarrhœa, &c. (under 2 yrs.)	13	4	—	—	8	8	26	17	1	—	—	1	2	2	1	3	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	3	1	—	—	—	1	—	—	—	—	20
21	Cirrhosis of liver ...	1	—	—	—	2	1	10	2	1	—	—	—	—	—	2	1	21
21A	Alcoholism	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	6	9	—	—	5	6	9	11	3	1	1	—	6	4	4	—	22
23	Puerperal fever	—	1	—	—	—	—	—	4	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	3	—	—	—	5	—	5	—	1	—	—	—	3	—	1	24
25	Congenital debility, &c.	10	8	—	4	17	7	38	34	12	4	7	2	12	11	4	4	25
26	Violence, apart from 27	9	2	1	1	8	3	20	13	6	1	2	—	5	4	3	—	26
27	Suicide	—	—	—	—	2	—	1	2	—	—	—	1	1	1	—	—	27
28	Other defined diseases ...	48	34	5	6	46	41	147	127	20	18	16	8	33	36	17	28	28
29	Causes ill-defined or unknown.	2	3	2	—	—	1	3	3	1	1	—	—	1	4	3	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

DURHAM—*cont.*

	Auckland R.D.		Barnard Castle R.D.		Chester le Street R.D.		Darlington R.D.		Durham R.D.		Easington R.D.		Hartlepool R.D.		Houghton le Spring R.D.		Lanchester R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	497	459	96	101	575	503	82	61	265	209	624	539	21	23	242	186	227	200	
1	6	1	—	—	1	—	—	1	1	2	2	2	—	—	1	3	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	30	38	1	—	46	50	2	—	23	25	48	43	4	1	18	16	17	19	3
4	5	12	—	1	5	5	—	—	—	4	5	3	—	—	—	—	1	4	4
5	3	8	—	3	13	19	1	1	3	2	5	9	—	—	9	2	4	3	5
6	8	4	—	—	17	13	1	2	3	4	5	10	—	—	7	5	6	10	6
7	3	5	4	7	4	6	4	3	3	—	4	2	—	—	6	2	2	1	7
8	2	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	8
9	24	25	1	4	38	37	3	3	10	10	27	24	—	2	7	13	10	14	9
10	3	5	1	—	3	10	—	—	1	2	4	5	—	—	2	—	2	2	10
11	7	9	1	2	13	10	2	2	3	4	19	20	1	—	4	3	3	3	11
12	16	16	6	8	22	25	5	5	12	11	18	23	1	1	13	8	9	11	12
13	4	2	—	—	6	3	—	1	—	2	2	1	—	—	1	1	4	—	13
14	6	2	2	1	8	6	—	2	1	—	10	11	—	—	2	1	4	4	14
15	38	36	8	16	34	27	5	10	24	15	34	22	3	2	16	11	23	17	15
16	41	42	3	14	33	28	7	4	23	16	41	43	2	3	27	21	11	14	16
17	48	37	6	—	50	50	8	4	20	25	73	54	2	2	25	19	31	24	17
18	18	9	3	2	9	10	—	—	3	5	10	9	—	—	1	2	3	3	18
19	18	20	—	—	20	19	—	1	15	7	44	30	—	—	9	5	5	11	19
20	1	2	1	—	2	—	1	—	2	1	3	2	—	1	1	—	—	—	20
21	4	2	4	1	—	2	—	—	1	—	3	3	—	—	5	1	2	—	21
21A	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	21A
22	10	8	1	4	12	8	4	1	4	8	18	16	—	1	2	6	7	2	22
23	—	5	—	3	—	3	—	—	—	—	—	3	—	—	—	3	—	1	23
24	—	3	—	—	—	4	—	—	—	3	—	5	—	1	—	4	—	2	24
25	34	31	11	4	60	43	6	1	24	14	60	38	1	—	25	16	18	13	25
26	18	3	5	1	23	4	3	—	16	4	41	11	1	—	14	3	9	1	26
27	5	—	—	—	3	2	1	—	3	—	2	2	—	—	1	1	—	—	27
28	141	133	36	28	150	116	25	18	68	44	136	146	5	9	41	37	52	39	28
29	3	1	2	2	3	3	4	2	2	1	6	2	1	—	4	2	3	1	29

DURHAM—*cont.* ELY, ISLE OF.

	Sedgefield R.D.		South Shields R.D.		Stockton R.D.		Sunderland R.D.		Weardale R.D.						Chatteris U.D		Ely U.D.		March U.D.		Whittlesey U.D.		
	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	M	F	
	250	221	128	94	67	70	264	202	55	67					37	34	73	63	65	59	24	32	
1	—	—	—	—	—	2	3	1	—	—					—	—	1	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	2
3	19	15	1	—	2	4	21	18	1	—					—	—	1	—	—	—	—	—	3
4	—	3	—	—	—	—	1	2	1	1					—	—	1	—	2	1	—	1	4
5	1	2	2	2	—	—	6	3	1	—					—	—	1	—	—	—	—	—	5
6	8	6	1	1	5	4	6	6	—	—					1	2	4	3	—	—	1	1	6
7	4	2	2	—	1	2	2	1	1	—					—	—	2	1	2	1	2	—	7
8	—	—	—	—	—	—	—	1	—	—					—	—	—	—	—	—	—	—	8
9	14	14	10	8	7	7	17	18	1	3					—	—	3	—	3	2	2	2	9
10	5	2	1	2	—	1	4	2	—	—					—	—	1	—	—	—	—	—	10
11	2	6	1	2	1	1	4	5	1	—					1	1	—	1	—	—	—	1	11
12	3	8	9	9	2	3	7	9	4	5					4	4	7	6	7	8	1	1	12
13	1	—	1	2	—	—	1	1	1	1					—	—	1	1	—	—	—	—	13
14	5	2	6	2	2	2	1	1	—	1					—	—	2	—	1	—	—	—	14
15	12	19	12	8	5	8	15	14	7	9					6	2	2	5	5	5	1	1	15
16	18	11	7	9	4	—	26	16	5	2					2	2	5	8	6	11	2	5	16
17	32	28	9	8	8	3	18	18	5	4					2	4	9	8	6	1	—	3	17
18	7	5	4	4	1	1	3	2	2	1					—	—	1	—	4	1	—	2	18
19	8	8	9	1	1	3	14	8	—	—					1	—	—	—	—	—	—	—	19
20	2	—	—	—	1	—	1	1	—	—					—	—	1	1	—	1	—	—	20
21	2	2	—	—	—	—	—	—	—	—					—	1	—	—	—	1	1	1	21
21A	—	—	1	—	—	—	1	—	—	—					—	—	—	—	—	1	—	—	21A
22	3	4	3	2	2	1	4	4	3	2					2	—	1	2	2	1	—	1	22
23	—	1	—	—	—	1	—	1	—	—					—	—	—	1	—	—	—	—	23
24	—	5	—	1	—	2	—	1	—	2					—	—	—	—	—	1	—	—	24
25	23	18	8	4	4	4	30	11	1	4					2	2	6	1	6	2	1	1	25
26	17	5	5	—	4	4	16	3	3	2					2	—	1	1	1	—	2	1	26
27	2	—	1	—	—	—	1	—	—	1					—	—	—	—	—	1	—	—	27
28	60	55	34	29	17	17	59	54	18	29					11	16	23	23	20	21	11	11	28
29	2	—	1	—	—	—	3	1	—	—					3	—	—	—	—	—	—	—	29

ELY, ISLE OF—*cont.*

	Causes of Death.	Wisbech M.B.		Ely R.D.		North Witchford R.D.		Thorney R.D.		Whittlesey R.D.		Wisbech R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	98	89	84	104	36	37	16	11	16	16	82	75	
1	Enteric fever	1	—	1	2	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	4	1	2	1	—	1	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	1	—	—	—	—	—	—	1	3	5
6	Diphtheria and croup ...	—	—	—	2	—	—	—	1	1	—	—	—	6
7	Influenza	1	2	2	1	—	—	—	—	—	2	4	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	5	13	7	3	—	1	—	1	—	1	6	4	9
10	Tuberculous meningitis	1	—	—	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	1	—	—	2	—	—	—	—	2	—	—	2	11
12	Cancer, malignant disease	7	9	8	12	4	2	3	1	1	1	6	10	12
13	Rheumatic fever... ...	1	—	—	—	—	—	—	—	—	—	1	—	13
14	Meningitis	1	2	—	1	—	—	—	1	—	—	—	1	14
15	Organic heart disease ..	5	6	8	11	2	3	1	—	1	3	7	8	15
16	Bronchitis	3	6	5	15	7	3	1	2	—	1	4	7	16
17	Pneumonia (all forms) ...	8	3	5	7	3	2	—	1	1	1	5	3	17
18	Other respiratory diseases	2	1	2	1	—	—	2	—	—	—	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	2	—	1	—	—	—	—	—	1	1	—	19
20	Appendicitis and typhlitis	—	—	2	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	3	—	—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	6	5	5	5	1	3	—	—	1	—	3	2	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	2	—	1	—	—	—	—	—	2	24
25	Congenital debility, &c.	2	3	3	3	3	1	1	—	3	—	7	5	25
26	Violence, apart from 27	4	2	2	2	2	—	1	—	2	—	10	3	26
27	Suicide	—	—	1	—	—	—	—	—	—	—	—	1	27
28	Other defined diseases ...	42	33	29	32	13	18	7	4	4	6	26	23	28
29	Causes ill-defined or unknown.	—	1	2	—	1	1	—	—	—	—	—	—	29

ESSEX.

	Causes of Death.	Barking Town U.D.		Braintree U.D.		Brentwood U.D.		Brightlingsea U.D.		Buckhurst Hill U.D.		Burnham on Crouch U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	277	230	47	62	48	40	37	36	29	31	30	21	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	9	2	1	1	—	2	—	—	—	—	1	—	3
4	Scarlet fever	—	—	—	—	—	—	—	2	—	—	—	—	4
5	Whooping cough ...	17	16	—	—	2	3	—	—	—	—	—	—	5
6	Diphtheria and croup ...	6	5	—	1	1	1	—	—	—	—	—	—	6
7	Influenza	8	4	6	2	2	2	2	1	1	1	1	—	7
8	Erysipelas	2	1	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	41	19	—	3	5	1	1	3	1	1	4	2	9
10	Tuberculous meningitis	5	6	—	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	4	4	2	1	—	1	—	—	1	—	—	—	11
12	Cancer, malignant disease	19	22	3	1	4	5	4	5	3	3	4	—	12
13	Rheumatic fever... ...	—	1	—	—	—	—	—	—	—	1	—	—	13
14	Meningitis	3	—	—	1	—	—	—	1	—	1	1	—	14
15	Organic heart disease ...	27	32	2	4	4	5	7	4	4	4	3	3	15
16	Bronchitis	14	13	6	8	5	3	3	1	2	2	—	2	16
17	Pneumonia (all forms) ...	21	24	9	5	5	2	1	—	4	—	1	1	17
18	Other respiratory diseases	2	1	—	—	—	1	—	1	1	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	12	12	—	—	—	—	2	—	—	1	—	—	19
20	Appendicitis and typhlitis	1	—	1	—	—	—	—	—	1	—	—	—	20
21	Cirrhosis of liver ...	1	1	—	1	—	—	—	—	2	1	—	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	1	—	1	21A
22	Nephritis and Bright's dis.	1	5	2	1	1	—	—	—	1	1	1	1	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	5	—	—	—	1	—	—	—	—	—	—	24
25	Congenital debility, &c.	15	9	2	1	1	—	3	1	—	—	1	—	25
26	Violence, apart from 27	12	3	—	1	1	—	—	—	2	1	1	—	26
27	Suicide	—	—	1	—	—	—	—	1	—	—	—	1	27
28	Other defined diseases ...	57	45	12	29	17	13	13	16	6	12	12	9	28
29	Causes ill-defined or unknown.	—	—	—	1	—	—	1	—	—	1	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

ESSEX—*cont.*

	Chelmsford M.B.		Chingford U.D.		Clacton U.D.		Colchester M.B.		Epping U.D.		Frinton on Sea U.D.		Grays Thurrock U.D.		Halstead U.D.		Harwich M.B.		Ilford U.D.		Leyton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	134	144	54	47	57	67	274	300	32	27	8	7	124	76	43	56	101	76	411	442	764	725	
1	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	1	1	2	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	3	1	1	—	—	4	4	—	—	1	—	4	1	—	—	3	3	6	12	21	19	3
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	1	5	6	4
5	—	1	1	2	1	4	2	6	—	—	—	—	2	6	—	—	3	2	2	7	13	17	5
6	1	2	1	1	—	—	1	1	1	—	—	—	1	2	—	—	—	1	3	7	9	10	6
7	3	3	2	1	—	2	10	7	—	3	1	1	2	1	3	5	3	1	12	15	8	16	7
8	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	6	1	8
9	8	6	6	3	3	3	30	13	3	4	1	—	5	2	3	5	6	11	42	32	70	40	9
10	1	1	—	—	1	—	2	5	—	—	—	—	2	1	—	2	2	—	8	7	16	7	10
11	1	2	—	2	—	1	2	3	—	—	—	—	2	2	—	—	1	1	8	4	9	13	11
12	8	18	2	9	5	7	17	26	2	2	1	1	8	9	5	4	6	9	17	53	51	66	12
13	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	2	2	1	2	13
14	3	5	—	—	1	—	7	9	—	—	—	—	1	2	—	—	—	—	1	8	1	6	14
15	11	16	—	—	4	9	38	44	2	1	—	2	10	10	3	9	6	7	34	50	66	73	15
16	20	15	7	4	6	7	24	19	2	1	—	—	14	7	2	3	5	5	25	37	80	77	16
17	15	15	4	2	4	3	12	21	3	1	—	—	10	5	4	1	16	6	37	22	52	53	17
18	3	1	—	—	—	—	3	12	1	1	—	—	5	2	1	—	1	1	9	9	15	10	18
19	1	1	1	1	—	—	2	1	—	—	—	—	4	3	—	—	1	1	10	7	16	8	19
20	2	—	1	—	3	—	6	1	1	—	—	—	—	—	1	1	3	—	2	1	—	3	20
21	1	1	—	—	2	—	1	2	1	—	—	—	1	—	—	1	—	1	2	4	6	9	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	1	21A
22	5	3	1	2	2	—	12	6	—	1	—	1	3	1	1	2	5	2	12	8	22	19	22
23	—	1	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	2	—	1	23
24	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	1	—	4	—	6	24
25	8	3	5	4	3	3	10	11	3	—	—	—	9	4	3	1	5	3	32	23	59	26	25
26	8	3	1	1	2	2	10	2	2	—	1	—	5	—	2	1	5	2	14	9	31	18	26
27	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	5	1	7	2	27
28	30	42	20	13	20	25	77	100	10	10	2	2	35	15	14	20	24	19	125	115	196	15	28
29	—	1	—	—	—	—	3	1	—	1	—	—	—	—	—	—	3	—	1	—	1	1	29

ESSEX—*cont.*

	Loughton U.D.		Maldon M.B.		Romford U.D.		Saffron Walden M.B.		Shoeburyness U.D.		Tilbury U.D.		Waltham Holy Cross U.D.		Walthamstow U.D.		Walton on the Naze U.D.		Wanstead U.D.		Witham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	21	34	40	46	132	106	40	54	40	30	72	52	63	39	810	777	9	16	67	70	32	23	
1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	—	6	2	—	—	—	—	1	—	—	—	27	26	—	—	1	—	1	—	3
4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	3	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	3	1	—	—	—	1	14	18	—	—	—	—	—	—	5
6	—	1	—	—	8	11	—	—	—	—	2	1	—	—	5	10	—	—	—	—	2	—	6
7	—	—	1	1	1	5	—	2	1	—	—	1	—	2	8	6	2	—	1	1	9	6	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	8
9	1	1	1	1	9	6	4	—	3	3	7	4	3	2	81	68	—	—	8	3	1	1	9
10	—	—	—	1	4	3	1	—	2	—	—	—	—	—	13	7	—	—	1	1	—	1	10
11	—	1	1	1	—	2	—	—	1	—	—	1	1	1	15	13	—	—	—	1	—	—	11
12	2	7	5	5	7	6	2	1	3	2	2	4	11	5	63	57	1	1	9	9	3	1	12
13	—	—	—	1	1	1	—	—	1	—	—	—	—	—	3	5	—	—	—	—	—	—	13
14	—	—	—	1	2	—	—	—	3	2	1	1	2	—	12	7	—	—	1	—	—	—	14
15	3	2	8	16	13	16	5	18	3	1	1	4	10	4	63	92	—	2	5	15	1	1	15
16	2	5	4	1	6	2	4	5	—	1	6	2	4	3	68	78	—	2	—	9	5	1	16
17	1	6	2	1	6	4	6	5	6	2	10	2	7	2	82	85	—	1	6	2	—	2	17
18	1	—	—	—	1	2	—	1	—	—	2	2	—	1	14	7	—	2	2	—	—	—	18
19	—	—	—	—	5	3	—	—	—	—	6	2	2	—	26	14	—	—	1	1	1	—	19
20	—	1	—	—	1	1	—	—	—	—	—	—	2	—	4	2	—	—	—	—	—	—	20
21	1	—	1	—	—	—	—	1	—	1	3	—	—	—	6	5	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	21A
22	1	—	1	1	4	4	1	1	2	5	—	—	4	1	20	19	—	—	5	2	1	—	22
23	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	5	—	—	—	1	—	—	24
25	1	1	2	3	9	5	1	1	1	2	5	5	7	2	56	38	—	1	6	2	—	—	25
26	1	1	2	—	4	1	1	1	1	—	5	—	—	1	23	20	3	—	1	—	1	2	26
27	—	—	—	—	—	—	—	—	1	—	1	—	—	—	2	3	—	—	1	—	—	—	27
28	6	8	12	11	44	31	14	17	8	9	19	20	10	13	199	179	3	7	18	23	6	6	28
29	—	—	—	1	1	—	1	1	—	—	1	1	—	—	1	2	—	—	—	—	—	1	29

ESSEX—*cont.*

	Causes of Death.	Wivenhoe U.D.		Woodford U.D.						Belchamp R.D.		Billericay R.D.		Braintree R.D.		Bumpstead R.D.		
		M	F	M	F					M	F	M	F	M	F	M	F	
	ALL CAUSES	17	18	101	106					37	40	152	134	142	162	20	7	
1	Enteric fever	—	—	—	—					—	—	—	1	—	—	—	—	1
2	Small-pox...	—	—	—	—					—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	4					—	—	4	5	4	—	1	—	3
4	Scarlet fever	—	1	1	—					—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	1	—					—	2	1	2	1	1	—	—	5
6	Diphtheria and croup ...	—	1	—	—					—	—	4	2	1	2	—	—	6
7	Influenza	—	1	1	3					4	—	7	13	8	9	1	2	7
8	Erysipelas	—	—	—	—					—	—	—	—	—	1	—	—	8
9	Pulmonary tuberculosis	1	1	4	8					2	2	15	9	7	3	1	—	9
10	Tuberculous meningitis	—	—	2	—					—	—	—	2	—	1	—	—	10
11	Other tuberculous diseases	1	—	1	1					—	—	2	2	3	1	—	—	11
12	Cancer, malignant disease	2	2	9	8					5	3	10	6	9	18	1	—	12
13	Rheumatic fever... ...	—	—	1	—					—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—					—	1	2	2	—	1	—	—	14
15	Organic heart disease ...	3	3	16	9					3	5	13	13	10	16	1	1	15
16	Bronchitis	3	2	6	8					3	5	11	13	10	15	1	—	16
17	Pneumonia (all forms) ...	—	—	14	11					3	3	12	6	14	7	1	—	17
18	Other respiratory diseases	1	—	1	—					—	1	3	3	1	1	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	2					—	1	2	3	1	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	1					—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—					1	1	2	1	1	—	2	—	21
21A	Alcoholism	—	1	—	—					—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	1	6	2					1	—	3	6	4	6	1	—	22
23	Puerperal fever	—	—	—	3					—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—					—	—	—	2	—	—	—	—	24
25	Congenital debility, &c.	1	—	6	1					—	1	6	3	9	5	2	—	25
26	Violence, apart from 27	—	—	5	3					—	2	4	2	2	2	—	—	26
27	Suicide	—	—	—	—					—	—	1	1	1	—	—	—	27
28	Other defined diseases ...	5	5	26	42					15	13	49	36	54	70	8	4	28
29	Causes ill-defined or unknown.	—	—	—	—					—	—	1	1	2	3	—	—	29

ESSEX—*cont.*

	Causes of Death.	Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Halstead R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	183	166	138	112	96	80	70	87	144	143	125	120	88	71	140	123	
1	Enteric fever	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1
2	Small-pox...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	3	—	—	—	—	1	1	—	3	3	1	1	4	—	1	3
4	Scarlet fever	1	2	—	—	—	—	—	1	—	—	1	1	—	—	—	—	4
5	Whooping cough ...	1	1	5	4	—	—	—	—	2	4	—	—	—	—	4	4	5
6	Diphtheria and croup ...	5	2	—	—	2	—	—	—	2	2	—	—	—	1	2	—	6
7	Influenza	6	3	3	3	2	5	6	3	—	2	2	7	3	5	2	1	7
8	Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	9	13	5	11	2	2	1	2	8	8	7	10	4	4	10	7	9
10	Tuberculous meningitis	1	—	1	—	1	1	—	—	2	—	—	1	—	—	—	1	10
11	Other tuberculous diseases	1	2	1	3	—	—	2	2	1	1	3	2	2	2	1	—	11
12	Cancer, malignant disease	12	17	14	11	15	9	7	8	10	11	14	9	13	4	8	7	12
13	Rheumatic fever... ...	—	—	1	—	—	1	1	—	—	—	—	—	—	1	—	—	13
14	Meningitis	4	—	—	—	4	—	—	—	1	1	—	1	2	4	1	1	14
15	Organic heart disease ...	15	21	11	15	12	6	6	13	23	13	18	26	7	3	10	12	15
16	Bronchitis	19	26	24	9	9	10	7	12	14	11	7	7	11	7	14	15	16
17	Pneumonia (all forms) ...	15	8	11	6	4	7	5	4	3	11	4	5	9	2	6	14	17
18	Other respiratory diseases	4	1	2	2	—	—	—	1	4	1	—	2	—	—	—	3	18
19	Diarrhœa, &c. (under 2 yrs.)	3	2	—	—	1	1	2	—	1	2	1	—	—	—	4	2	19
20	Appendicitis and typhlitis	1	1	—	—	1	1	1	—	3	—	—	—	1	1	—	—	20
21	Cirrhosis of liver ...	1	1	1	—	—	2	—	1	—	1	1	—	—	—	—	2	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	21A
22	Nephritis and Bright's dis.	2	2	4	4	2	1	2	—	1	2	—	2	—	3	1	4	22
23	Puerperal fever	—	1	—	—	—	—	—	—	—	1	—	1	—	1	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	2	—	—	—	—	—	—	—	2	—	2	24
25	Congenital debility, &c.	9	3	3	2	4	3	3	4	4	4	4	2	6	1	4	3	25
26	Violence, apart from 27	5	—	7	1	3	2	—	1	9	2	6	2	3	—	30	2	26
27	Suicide	2	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	27
28	Other defined diseases ...	65	54	43	38	34	27	25	32	56	61	54	39	26	26	42	38	28
29	Causes ill-defined or unknown.	1	—	1	2	—	—	1	1	—	1	—	1	—	—	—	3	29

ADMINISTRATIVE AREAS, 1915—*continued.*

ESSEX—*cont.* GLOUCESTERSHIRE.

	Rochford R.D.		Romford R.D.		Saffron Walden R.D.		Stansted R.D.		Tendring R.D.						Awre U.D.		Charlton Kings U.D.		Cheltenham M.B.		Cirencester U.D.		
	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	M	F	
	148	110	173	163	76	76	76	53	142	155					9	4	38	33	323	461	67	53	
1	—	—	—	—	—	—	—	—	—	—					—	—	—	—	1	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	2
3	1	1	1	2	—	1	—	1	3	1					—	—	—	—	1	5	8	1	3
4	—	—	1	1	—	—	—	—	—	—					—	—	—	1	3	2	1	1	4
5	2	4	2	—	—	—	—	—	1	—					—	—	1	1	1	1	—	1	5
6	—	—	5	2	—	1	—	5	—	—					—	1	1	—	1	6	1	—	6
7	9	4	3	3	3	4	4	2	7	9					1	—	—	—	11	19	3	4	7
8	—	1	1	—	2	—	—	—	—	—					—	—	1	—	2	1	—	—	8
9	5	6	16	11	—	1	2	2	9	10					—	—	3	4	27	26	1	—	9
10	2	—	2	4	—	—	—	—	1	—					—	—	—	1	2	8	—	—	10
11	2	2	—	1	1	—	—	—	1	1					—	—	—	1	2	4	—	—	11
12	16	7	12	14	11	12	9	4	12	18					—	—	1	5	31	43	1	3	12
13	—	—	—	—	—	—	—	—	—	—					—	—	—	—	2	5	—	—	13
14	2	—	—	1	1	1	3	—	—	2					—	—	—	—	2	6	1	2	14
15	13	13	15	18	8	11	9	3	12	26					—	—	7	4	43	57	4	7	15
16	11	7	15	11	5	6	5	10	16	16					—	1	4	4	18	37	7	7	16
17	13	8	21	16	4	10	7	6	8	8					1	—	1	2	20	28	7	4	17
18	2	—	3	3	—	—	5	—	2	5					—	—	—	—	6	1	3	1	18
19	—	2	3	7	2	1	1	—	—	2					—	—	1	—	5	8	1	1	19
20	2	—	—	—	—	—	2	—	2	—					—	—	—	—	3	2	—	1	20
21	2	—	—	—	—	—	1	—	—	—					—	—	2	—	4	2	1	1	21
21A	—	—	—	—	—	—	—	—	1	—					—	—	—	—	1	—	1	—	21A
22	—	3	4	3	1	1	—	—	5	3					3	—	2	2	13	13	—	—	22
23	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	2	—	—	23
24	—	1	—	2	—	—	—	—	—	1					—	—	—	—	—	2	—	—	24
25	11	4	6	8	4	3	1	1	13	5					—	—	3	1	14	11	5	—	25
26	8	1	12	—	3	1	3	—	3	—					2	1	—	—	7	4	1	—	26
27	—	2	—	1	1	—	—	—	1	1					—	—	—	—	1	—	3	—	27
28	47	44	50	54	30	22	24	19	44	47					2	1	11	6	102	166	18	19	28
29	—	—	1	1	—	1	—	—	1	—					—	—	—	1	—	2	—	—	29

GLOUCESTERSHIRE—*cont.*

	Coleford U.D.		Kingswood U.D.		Nailsworth U.D.		Newnham U.D.		Stow on the Wold U.D.		Stroud U.D.		Tetbury U.D.		Tewkesbury M.B.		Westbury on Severn U.D.				Campden R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
	21	20	81	76	25	25	7	7	7	10	65	88	20	11	38	37	14	12			46	46	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—			—	1	3
4	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	4
5	—	1	4	—	1	1	—	—	—	—	5	8	—	—	—	1	—	—			1	—	5
6	—	—	—	1	—	—	—	—	—	1	1	2	—	—	—	—	—	—			—	—	6
7	1	—	3	2	4	2	—	—	—	1	5	5	1	—	—	—	—	—			1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	8
9	2	1	12	6	—	—	—	—	—	1	4	7	—	—	1	1	—	—			2	—	9
10	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—			1	—	10
11	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	1	—	—			1	—	11
12	4	2	7	5	1	3	1	—	2	—	5	8	—	2	2	2	1	1			3	5	12
13	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—			—	—	13
14	—	—	—	2	—	—	—	1	—	—	—	1	—	—	1	—	—	—			1	—	14
15	3	1	6	7	1	6	1	1	1	—	8	11	1	—	10	6	4	1			3	4	15
16	4	—	8	7	4	2	1	1	—	2	5	8	7	3	4	4	—	2			2	4	16
17	1	1	6	3	1	1	1	—	—	—	1	4	2	—	1	1	—	—			1	3	17
18	—	—	1	1	—	—	1	—	—	—	2	2	—	—	—	—	—	—			3	—	18
19	—	—	2	3	—	1	—	—	—	—	—	—	—	—	1	—	—	1			—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—			1	—	20
21	—	—	3	1	1	—	—	—	—	—	1	1	1	—	3	—	1	—			—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	21A
22	1	1	2	—	—	—	1	1	—	—	1	1	1	—	1	—	—	1			3	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	24
25	1	3	4	7	1	—	—	—	—	1	1	3	2	1	3	—	1	—			2	5	25
26	—	1	3	2	—	—	—	—	1	—	2	1	—	1	1	—	—	—			1	—	26
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	27
28	4	8	19	23	10	9	1	3	3	4	22	21	4	3	9	21	7	6			20	23	28
29	—	1	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—			—	—	29

GLOUCESTERSHIRE—*cont.*

	Causes of Death.	Cheltenham R.D.		Chipping Sodbury R.D.		Cirencester R.D.		Dursley R.D.		East Dean and United Parishes R.D.		Faringdon (pt.) R.D.*		Gloucester R.D.		Lydney R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	34	34	166	157	110	76	65	84	166	142	9	8	80	62	52	52	
1	Enteric fever	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	—	—	—	1	—	—	3	2	—	—	1	—	—	1	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5	Whooping cough ...	1	—	2	3	1	—	1	2	4	1	—	—	3	1	1	1	5
6	Diphtheria and croup ...	2	—	3	2	1	4	—	—	1	4	—	—	3	1	3	4	6
7	Influenza	—	—	3	8	5	2	—	4	6	4	—	—	—	—	2	1	7
8	Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	4	13	12	5	3	2	4	8	3	—	1	5	4	3	2	9
10	Tuberculous meningitis	—	—	—	—	—	1	2	1	—	—	—	—	1	1	—	—	10
11	Other tuberculous diseases	—	—	3	2	—	—	—	1	2	1	—	—	—	1	—	—	11
12	Cancer, malignant disease	—	2	11	23	8	10	6	7	3	10	2	—	3	6	4	7	12
13	Rheumatic fever... ...	1	—	—	—	—	—	—	1	—	—	—	—	2	1	—	—	13
14	Meningitis	—	—	1	1	—	—	—	—	2	1	—	—	1	1	1	2	14
15	Organic heart disease ...	3	7	23	20	17	10	14	13	26	33	—	1	16	9	4	9	15
16	Bronchitis	5	1	16	14	15	8	5	6	14	11	—	1	4	4	5	6	16
17	Pneumonia (all forms) ...	4	2	12	8	11	7	4	10	21	6	—	1	5	2	3	2	17
18	Other respiratory diseases	—	1	6	2	—	2	—	—	4	3	—	—	1	1	1	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	2	1	—	1	2	—	5	—	—	—	1	—	2	—	19
20	Appendicitis and typhlitis	1	2	—	—	1	—	—	—	1	4	—	—	—	1	—	—	20
21	Cirrhosis of liver ...	—	—	4	—	1	1	1	—	1	1	—	—	—	1	—	—	21
21A	Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	—	5	2	2	—	4	2	3	2	2	—	2	1	2	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	1	—	6	5	3	1	5	3	6	10	—	—	4	1	3	—	25
26	Violence, apart from 27	2	—	5	1	2	—	—	—	9	6	1	—	5	1	5	1	26
27	Suicide	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	—	27
28	Other defined diseases ...	11	13	50	53	36	24	18	29	42	38	3	4	23	24	13	12	28
29	Causes ill-defined or unknown.	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	29

GLOUCESTERSHIRE—*cont.*

	Causes of Death.	Marston Sicca R.D.		Newent R.D.		Northleach R.D.		Pebworth R.D.		Stow on the Wold (pt.) R.D.†		Stroud R.D.		Tetbury (pt.) R.D.‡		Tewkesbury (pt.) R.D.†		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	9	14	52	54	72	49	21	23	55	53	224	208	19	24	41	33	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	2	1	—	—	—	—	—	3	—	—	—	—	—	3
4	Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	3	—	—	—	—	4
5	Whooping cough ...	—	—	—	1	—	1	—	—	—	—	2	5	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—	4	2	—	1	1	2	7	1	—	—	—	—	6
7	Influenza	—	—	—	—	5	2	1	—	4	6	7	6	—	1	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	1	2	2	2	3	1	—	3	5	18	13	—	2	3	—	9
10	Tuberculous meningitis	—	—	1	—	—	—	—	—	—	1	2	3	—	—	—	—	10
11	Other tuberculous diseases	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	11
12	Cancer, malignant disease	1	2	2	7	1	5	1	1	3	3	19	20	1	1	2	3	12
13	Rheumatic fever... ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	13
14	Meningitis	—	—	1	—	—	1	—	—	—	—	—	2	—	—	—	—	14
15	Organic heart disease ...	2	2	12	12	5	8	3	1	3	11	32	42	1	1	6	5	15
16	Bronchitis	1	—	3	3	4	2	3	4	5	2	20	16	3	4	2	6	16
17	Pneumonia (all forms)...	—	—	6	4	6	2	1	1	5	2	13	9	1	3	2	1	17
18	Other respiratory diseases	1	—	—	1	—	1	—	—	2	1	—	2	—	—	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	1	1	—	1	—	—	1	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	5	4	4	1	3	2	4	2	3	3	—	2	—	—	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	2	—	1	—	2	—	—	—	—	24
25	Congenital debility, &c.	—	—	5	3	4	3	—	3	1	4	12	6	1	1	2	—	25
26	Violence, apart from 27	1	—	—	1	4	—	2	—	3	—	5	2	—	1	—	1	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	27
28	Other defined diseases ...	3	9	15	12	28	17	5	6	19	13	75	68	12	6	20	16	28
29	Causes ill-defined or unknown.	—	—	—	—	2	—	1	—	—	—	1	1	—	—	—	—	29

* The remainder of Faringdon R.D. is in Berkshire; *see* page 403.
† The remaining parts of Stow on the Wold and Tewkesbury Rural Districts are in Worcestershire; *see* page 479.
‡ The remainder of Tetbury R.D. is in Wiltshire; *see* page 477.

ADMINISTRATIVE AREAS, 1915—*continued.*

GLOUCESTERSHIRE—*cont.* HEREFORDSHIRE.

	Thornbury R.D.		Warmley R.D.		West Dean R.D.		Wheatenhurst R.D.		Winchcomb (pt.) R.D.*		Bromyard U.D		Hereford M.B.		Kington U.D.		Ledbury U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	127	118	113	112	109	112	58	38	63	82	9	14	182	144	12	17	22	24	
1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	3	—	—	—	—	1	—	—	—	1	—	—	—	—	4
5	—	1	3	2	1	5	3	2	1	1	—	—	1	—	—	—	—	—	5
6	1	2	—	—	1	3	—	1	—	1	—	1	—	1	—	—	—	—	6
7	12	6	2	1	5	—	—	—	3	2	—	1	2	1	—	—	—	—	7
8	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	8
9	5	4	9	12	12	9	4	6	1	6	5	1	9	5	1	1	—	3	9
10	—	3	2	2	2	2	—	—	1	—	—	—	2	—	—	1	1	—	10
11	—	1	2	1	3	1	—	—	1	1	—	—	2	2	—	—	—	—	11
12	13	13	8	10	8	7	4	4	6	9	—	3	15	21	2	2	1	4	12
13	—	—	1	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	13
14	3	—	1	1	—	1	—	—	2	1	—	—	—	—	—	—	—	—	14
15	16	16	16	20	7	6	11	4	6	11	2	3	24	31	—	2	4	4	15
16	6	7	13	15	15	11	7	4	7	4	—	—	10	9	—	—	5	2	16
17	9	5	5	2	2	5	1	1	4	3	—	—	13	11	1	2	2	—	17
18	2	3	1	2	6	3	—	2	—	1	—	—	4	2	—	1	—	—	18
19	1	2	4	3	3	—	—	—	1	—	—	—	2	1	—	—	—	1	19
20	1	—	1	—	—	1	—	—	1	—	—	—	1	—	—	—	—	1	20
21	1	—	—	—	1	1	1	—	—	—	—	—	2	1	—	—	—	—	21
21A	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	21A
22	8	4	3	—	3	5	4	1	—	2	—	—	8	2	1	1	1	—	22
23	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	1	24
25	3	5	11	5	10	6	1	3	4	5	—	—	12	1	—	—	—	1	25
26	7	2	7	1	5	5	2	1	2	—	1	—	3	2	—	1	—	—	26
27	—	—	—	1	2	—	—	—	—	—	—	—	1	—	—	—	1	—	27
28	39	41	23	33	18	36	19	8	20	32	1	5	68	48	7	6	6	7	28
29	—	1	—	—	—	1	—	1	—	1	—	—	1	1	—	—	1	—	29

HEREFORDSHIRE—*cont.*

	Leominster M.B.		Ross U.D.		Bredwardine R.D.		Bromyard R.D.		Dore R.D.		Hereford R.D.		Kington R.D.		Ledbury R.D.		Leominster R.D.		Ross R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	42	41	48	45	10	16	71	41	73	49	115	102	38	37	68	60	69	51	71	91	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	3	6	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	3
4	—	2	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	2	4
5	1	—	1	2	—	—	2	—	—	—	—	1	—	—	1	3	—	—	—	2	5
6	1	1	1	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	6
7	4	2	—	—	—	—	1	1	5	1	2	2	2	1	—	—	4	3	1	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	—	9	9	2	1	1	3	1	4	3	7	11	1	4	3	5	—	4	2	8	9
10	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	1	—	1	1	10
11	—	—	—	1	—	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—	11
12	3	2	3	6	1	1	5	8	8	7	6	10	2	5	5	3	5	4	4	6	12
13	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	3	1	—	—	—	13
14	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	14
15	10	6	4	3	—	4	10	10	14	8	16	20	9	7	14	12	8	10	13	19	15
16	4	2	3	—	1	—	1	3	4	3	18	11	1	3	3	5	7	5	5	1	16
17	5	4	3	4	1	—	5	3	3	1	7	3	2	1	3	1	5	4	9	9	17
18	—	—	—	1	—	—	—	1	1	—	2	—	2	1	—	—	—	2	1	3	18
19	1	—	—	1	—	—	—	—	—	1	—	—	—	—	2	1	—	—	—	—	19
20	1	—	1	1	—	—	—	2	1	1	1	—	—	—	—	—	2	—	—	1	20
21	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	4	1	1	2	1	1	2	—	3	3	1	2	3	2	1	1	5	3	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	24
25	1	1	2	1	—	—	3	1	2	1	6	5	2	2	3	3	3	2	2	1	25
26	—	1	—	2	—	—	3	—	2	—	7	2	1	—	5	1	3	—	1	3	26
27	—	—	—	—	—	—	1	1	—	1	1	1	1	—	—	—	2	1	1	—	27
28	10	9	13	12	4	6	30	9	24	19	33	30	11	10	26	20	23	13	25	25	28
29	1	—	1	—	—	—	4	—	—	2	2	—	—	—	—	—	—	—	—	—	29

* The remainder of Winchcomb R.D. is in Worcestershire, *see* page 479.

HEREFORDSHIRE—*cont.*

Causes of Death	Weobley R.D.		Whitchurch R.D.		Wigmore R.D.						Baldock U.D.		Barnet U.D.		Bishop's Stortford U.D.		
	M	F	M	F	M	F					M	F	M	F	M	F	
ALL CAUSES	50	46	16	16	27	18					18	19	83	66	61	55	
1 Enteric fever	—	—	—	—	—	—					—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—					—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—					—	1	1	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—					—	—	—	—	—	—	4
5 Whooping cough ...	—	—	—	—	—	—					—	—	1	—	—	—	5
6 Diphtheria and croup ...	—	1	—	—	—	—					—	—	—	—	2	2	6
7 Influenza	4	3	—	—	1	2					—	—	—	2	—	1	7
8 Erysipelas	—	—	—	—	—	—					—	—	1	—	—	—	8
9 Pulmonary tuberculosis	3	5	2	—	1	—					—	—	5	4	1	3	9
10 Tuberculous meningitis	1	—	—	—	—	—					—	1	2	1	1	—	10
11 Other tuberculous diseases	1	—	—	—	—	2					1	—	—	1	1	1	11
12 Cancer, malignant disease	3	8	—	1	3	1					1	2	8	9	6	4	12
13 Rheumatic fever... ...	—	—	—	—	—	—					1	—	—	—	—	—	13
14 Meningitis	—	—	—	—	—	—					—	—	2	—	1	1	14
15 Organic heart disease ...	5	5	4	3	5	3					1	6	12	8	8	9	15
16 Bronchitis	2	2	1	2	1	2					2	2	5	4	4	8	16
17 Pneumonia (all forms) ...	1	5	1	—	—	1					1	1	5	5	9	6	17
18 Other respiratory diseases	1	—	1	—	1	—					—	—	2	—	—	2	18
19 Diarrhœa, &c. (under 2 yrs.)	—	2	—	—	—	1					—	—	1	1	—	—	19
20 Appendicitis and typhlitis	—	—	—	—	—	—					1	—	1	—	—	1	20
21 Cirrhosis of liver ...	1	—	—	—	—	—					1	—	1	1	4	—	21
21A Alcoholism	—	—	—	—	—	—					—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	5	—	—	—	—	—					—	1	—	—	5	1	22
23 Puerperal fever	—	—	—	—	—	—					—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—					—	—	—	—	—	—	24
25 Congenital debility, &c.	4	2	—	3	1	—					3	1	4	4	—	1	25
26 Violence, apart from 27	1	—	1	—	—	1					—	—	3	4	2	1	26
27 Suicide	—	—	—	—	—	—					—	—	—	—	—	—	27
28 Other defined diseases ...	15	10	5	7	14	5					5	4	28	21	17	14	28
29 Causes ill-defined or unknown.	3	3	1	—	—	—					1	—	1	1	—	—	29

HERTFORDSHIRE—*cont.*

Causes of Death.	Bushey U.D.		Cheshunt U.D.		Chorleywood U.D.		East Barnet Valley U.D.		Great Berkhampstead U.D.		Harpenden U.D.		Hemel Hempstead M.B.		Hertford M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	33	39	94	80	8	3	72	56	47	35	32	37	98	111	88	78	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	2	2	—	—	3	2	—	—	1	1	1	1	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough ...	—	—	—	1	—	—	1	—	—	—	—	—	1	2	—	—	5
6 Diphtheria and croup ...	—	—	2	1	—	—	1	—	—	2	—	—	2	2	—	—	6
7 Influenza	1	1	2	2	—	—	3	2	1	—	—	5	1	1	2	6	7
8 Erysipelas	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	4	3	4	9	1	1	6	2	2	3	2	1	11	10	9	6	9
10 Tuberculous meningitis	—	—	1	—	—	—	—	—	—	—	—	—	1	2	—	1	10
11 Other tuberculous diseases	1	1	3	1	—	—	—	1	—	—	1	1	1	—	1	1	11
12 Cancer, malignant disease	4	6	10	8	1	—	8	8	2	6	3	5	8	8	4	7	12
13 Rheumatic fever... ...	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	13
14 Meningitis	1	—	—	1	—	—	1	1	—	—	—	—	1	1	1	1	14
15 Organic heart disease ...	2	1	9	7	1	—	10	5	10	5	2	4	15	18	7	8	15
16 Bronchitis	2	4	4	8	1	—	1	4	7	2	3	1	9	9	11	7	16
17 Pneumonia (all forms) ...	1	1	4	4	—	—	6	7	4	2	—	4	6	9	9	3	17
18 Other respiratory diseases	—	—	1	2	—	—	—	1	—	—	—	—	—	—	2	—	18
19 Diarrhœa, &c. (under 2 yrs.)	—	—	2	—	—	—	—	—	—	—	—	—	1	2	2	1	19
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	1	—	1	—	—	1	1	2	1	20
21 Cirrhosis of liver ...	2	—	1	1	—	—	2	1	1	—	—	—	1	1	3	3	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	1	4	3	—	1	2	1	2	—	3	1	2	1	3	2	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	2	24
25 Congenital debility, &c.	3	3	8	6	1	1	2	1	3	1	2	—	4	4	2	1	25
26 Violence, apart from 27	—	1	4	2	—	—	2	—	—	—	—	—	7	—	10	3	26
27 Suicide	—	—	—	—	—	—	—	1	1	—	1	—	1	1	—	1	27
28 Other defined diseases ...	11	16	31	20	3	—	23	18	13	13	14	13	24	35	18	23	28
29 Causes ill-defined or unknown.	—	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

HERTFORDSHIRE—*cont.*

	Hitchin U.D.		Hoddesdon U.D.		Rickmansworth U.D.		Royston U.D.		St. Albans M.B.		Sawbridgeworth U.D.		Stevenage U.D.		Tring U.D.		Ware U.D.		Watford U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	49	76	41	35	50	44	37	36	149	163	18	18	44	30	30	34	49	34	264	244	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	1	1	2	1	3	1	—	—	—	1	—	—	4	2	5	6	3
4	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	1	4
5	1	—	—	—	1	1	1	1	—	1	—	—	—	—	—	1	1	—	4	3	5
6	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	4	3	6
7	—	2	1	1	1	4	—	—	4	9	—	—	1	1	—	—	—	—	7	7	7
8	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	8
9	5	3	2	3	4	4	3	3	16	9	2	—	3	2	2	2	5	—	21	15	9
10	1	—	2	—	1	1	—	—	1	—	1	—	—	—	—	—	1	—	3	—	10
11	1	1	—	—	—	—	—	1	2	1	1	—	—	—	1	—	1	—	4	3	11
12	7	5	4	2	3	3	1	2	14	12	1	—	1	2	3	1	3	—	24	27	12
13	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	2	13
14	—	—	—	—	2	—	—	—	1	—	—	1	1	—	—	1	1	—	5	2	14
15	3	9	3	3	3	3	7	7	26	24	4	2	2	8	4	6	5	5	29	20	15
16	1	12	6	3	3	5	5	7	18	25	4	3	7	3	3	4	6	10	16	25	16
17	3	3	4	3	6	2	5	2	8	7	1	1	2	—	5	—	4	2	20	13	17
18	—	—	—	—	2	—	—	—	1	1	1	1	—	—	—	1	—	1	3	7	18
19	—	1	1	—	—	—	—	—	4	2	—	—	—	—	—	—	—	—	4	3	19
20	—	1	—	—	—	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	2	—	1	—	1	—	—	—	2	1	—	—	—	—	3	—	21
21A	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	1	2	1	1	1	2	6	9	—	—	2	—	6	2	1	1	7	6	22
23	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	4	24
25	4	4	4	1	5	1	1	—	3	5	—	—	3	1	2	2	—	1	9	11	25
26	2	3	2	—	1	4	1	—	6	2	—	—	2	—	—	—	4	—	8	5	26
27	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	1	2	3	27
28	19	29	11	14	12	10	7	7	31	45	2	10	17	9	4	13	13	10	84	76	28
29	—	—	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—	1	1	1	29

HERTFORDSHIRE—*cont.*

	Ashwell R.D.		Barnet R.D.		Berkhampstead R.D.		Buntingford R.D.		Hadham R.D.		Hatfield R.D.		Hemel Hempstead R.D.		Hertford R.D.		Hitchin R.D.		St. Albans R.D.		Ware R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	24	26	26	18	30	25	45	41	47	36	60	52	50	43	39	44	137	124	81	84	76	73	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	2	1	1	2	3	—	1	—	—	4	4	1	1	—	—	3
4	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	4
5	—	1	—	—	—	—	2	1	—	—	1	1	—	1	2	1	1	2	—	2	2	1	5
6	—	—	—	—	1	1	2	1	—	—	2	—	2	1	—	—	2	1	—	—	—	2	6
7	—	1	—	—	—	—	1	—	1	—	1	2	1	6	2	3	3	5	4	5	1	2	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1	—	8
9	4	—	2	2	2	1	1	2	5	1	4	2	3	7	1	3	7	10	4	4	8	6	9
10	1	—	—	1	—	—	2	—	—	—	1	—	1	—	—	—	1	1	—	—	1	2	10
11	1	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	2	1	1	—	2	1	11
12	3	1	1	2	1	5	2	4	5	2	5	9	4	2	4	—	12	15	7	7	5	6	12
13	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	1	13
14	—	—	2	1	—	—	—	1	1	—	—	—	1	—	—	—	2	—	—	—	—	3	14
15	5	4	1	1	5	6	4	14	7	5	5	3	3	5	5	9	17	15	8	12	1	7	15
16	2	3	2	1	2	2	4	1	5	6	2	5	5	1	8	4	7	9	7	13	12	9	16
17	—	—	4	—	3	1	—	1	5	1	1	5	2	—	1	4	10	5	6	2	7	1	17
18	—	—	—	—	—	—	3	—	1	—	1	—	1	1	—	—	—	—	4	2	1	1	18
19	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	2	2	2	—	—	1	19
20	—	—	1	—	—	—	—	—	—	—	—	—	1	1	1	—	—	1	—	2	2	1	20
21	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	2	—	3	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	21A
22	1	1	1	2	—	—	1	1	4	1	2	1	—	—	—	—	1	4	2	1	3	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	1	24
25	1	1	—	—	4	1	—	1	1	—	4	2	4	2	1	—	11	4	2	1	3	4	25
26	—	—	2	—	2	1	1	—	—	1	7	1	1	—	1	1	4	1	—	1	6	1	26
27	—	—	1	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	27
28	5	14	8	8	9	5	21	12	11	15	18	16	17	12	12	17	45	41	29	30	21	21	28
29	—	—	—	—	1	1	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	29

HERTFORDSHIRE—*cont.* HUNTINGDONSHIRE.

	Causes of Death.	Watford R.D.		Welwyn R.D.					God-manchester M.B.		Hunting-don M.B.		Old Fletton U.D.		Ramsey U.D.		
		M	F	M	F				M	F	M	F	M	F	M	F	
	ALL CAUSES	77	80	14	12				16	20	26	24	42	31	29	38	
1	Enteric fever	—	—	—	—				—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—				—	—	—	—	—	—	—	—	2
3	Measles	2	1	1	—				—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—				—	—	—	—	—	—	—	—	4
5	Whooping cough ..	—	—	—	—				—	—	—	—	1	—	—	—	5
6	Diphtheria and croup ...	—	1	—	—				—	—	—	—	1	1	—	—	6
7	Influenza	6	4	—	—				2	—	1	—	1	1	2	2	7
8	Erysipelas	—	—	—	—				—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	10	6	—	1				1	3	—	—	4	1	2	1	9
10	Tuberculous meningitis	—	1	—	—				—	—	1	—	1	1	—	—	10
11	Other tuberculous diseases	4	—	1	—				—	1	—	—	—	1	—	—	11
12	Cancer, malignant disease	3	11	1	3				2	3	6	2	1	5	1	2	12
13	Rheumatic fever... ...	—	—	—	—				1	—	—	—	—	—	—	—	13
14	Meningitis	1	—	—	—				—	—	—	1	2	1	—	—	14
15	Organic heart disease ...	9	9	1	1				3	2	4	2	1	4	—	4	15
16	Bronchitis	7	8	—	—				2	1	2	3	4	2	3	5	16
17	Pneumonia (all forms) ...	4	4	1	—				1	1	1	—	3	2	1	3	17
18	Other respiratory diseases	1	—	—	1				—	1	1	—	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	1				—	—	—	—	2	4	—	—	19
20	Appendicitis and typhlitis	—	—	—	—				—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	1	—	—				—	—	—	1	—	—	—	—	21
21A	Alcoholism	—	—	—	—				—	—	—	—	—	—	—	1	21A
22	Nephritis and Bright's dis.	1	1	—	—				—	—	—	—	1	—	—	1	22
23	Puerperal fever	—	1	—	—				—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	—				—	—	—	1	—	—	—	—	24
25	Congenital debility, &c.	4	2	—	—				1	—	1	1	1	—	3	2	25
26	Violence, apart from 27	3	2	2	—				—	—	1	—	2	—	1	1	26
27	Suicide	1	—	—	—				—	—	—	1	—	—	—	—	27
28	Other defined diseases ...	21	27	6	5				3	8	8	12	17	7	15	16	28
29	Causes ill-defined or unknown.	—	1	1	—				—	—	—	—	—	—	1	—	29

HUNTINGDONSHIRE—*cont.*

	Causes of Death.	St. Ives M.B.		St. Neots U.D.			Hunting-don R.D.		Norman Cross R.D.		Oundle (pt.) R.D.*		St. Ives R.D.		St. Neots R.D.		
		M	F	M	F		M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	22	18	31	39		40	63	40	41	7	8	74	82	51	58	
1	Enteric fever	—	—	—	—		—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—		2	1	—	1	—	1	1	1	1	—	3
4	Scarlet fever	—	—	—	—		—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—		—	—	—	1	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	1		—	1	—	1	—	—	—	—	—	—	6
7	Influenza	3	1	2	4		1	2	—	—	—	—	3	3	4	3	7
8	Erysipelas	—	—	—	—		—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	—	4	3		2	9	5	6	—	—	5	5	1	2	9
10	Tuberculous meningitis	—	—	—	—		—	1	—	1	—	—	1	1	—	—	10
11	Other tuberculous diseases	—	—	—	—		—	1	2	2	—	—	1	1	—	2	11
12	Cancer, malignant disease	2	2	2	2		11	8	2	2	—	1	7	7	5	7	12
13	Rheumatic fever... ...	—	—	—	—		—	—	—	—	—	—	—	1	—	—	13
14	Meningitis	—	1	—	1		—	—	—	1	—	—	—	—	—	—	14
15	Organic heart disease ...	4	1	4	5		3	3	5	8	—	2	6	12	9	12	15
16	Bronchitis	3	2	3	8		1	2	2	—	1	1	5	4	6	6	16
17	Pneumonia (all forms) ...	1	2	4	2		1	6	2	1	—	—	2	3	1	3	17
18	Other respiratory diseases	—	—	1	—		—	2	1	—	—	—	—	1	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	1		—	2	2	2	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	1	—		—	1	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	1	—	—	—		—	—	2	—	—	—	3	1	1	—	21
21A	Alcoholism	—	—	—	—		—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	—	—	—		1	3	2	—	—	—	—	—	1	1	22
23	Puerperal fever	—	—	—	—		—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—		—	1	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	—	—	2	1		2	2	3	1	1	—	6	1	2	3	25
26	Violence, apart from 27	1	—	1	—		1	1	3	1	1	—	2	4	1	1	26
27	Suicide	—	—	1	—		1	—	—	—	—	—	—	—	1	1	27
28	Other defined diseases ...	4	8	6	11		14	14	9	12	4	3	32	35	18	17	28
29	Causes ill-defined or unknown.	—	1	—	—		—	3	—	—	—	—	—	2	—	—	29

* The remainder of Oundle R.D. is in Northamptonshire; *see* page 4[illegible]2.

ADMINISTRATIVE AREAS, 1915—*continued.*

HUNTINGDONSHIRE—*cont.* KENT.

	Thrapston (pt.) R.D.*		Sibson cum Stibbington C.P.†		Ashford U.D.		Beckenham U.D.		Bexley U.D.		Broadstairs and St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Cheriton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	13	9	2	5	107	97	168	170	141	139	44	64	186	195	379	355	45	52	
1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	—	—	—	—	6	1	1	2	1	—	2	2	7	9	1	4	3
4	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	3	—	—	4
5	—	—	—	—	1	—	—	—	1	4	—	2	4	3	6	5	5	3	5
6	—	—	—	—	—	—	—	1	1	—	—	—	3	1	7	6	2	2	6
7	1	—	—	—	4	2	3	5	3	3	—	3	1	13	1	2	1	1	7
8	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	8
9	1	—	—	—	8	5	14	6	9	8	4	5	17	8	37	31	1	4	9
10	1	—	—	—	1	1	3	4	1	1	2	—	3	4	2	2	2	—	10
11	—	—	—	—	2	1	3	1	4	3	—	—	1	4	8	6	1	—	11
12	1	2	—	3	8	6	24	23	8	15	5	12	18	29	23	38	2	3	12
13	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	13
14	1	—	—	—	1	—	—	2	3	2	—	—	3	1	10	7	1	1	14
15	1	2	1	—	13	13	15	16	19	11	6	6	19	24	46	48	2	2	15
16	2	—	1	1	8	9	12	14	12	12	2	2	16	17	23	38	5	3	16
17	—	—	—	—	10	4	8	5	15	10	2	4	14	10	30	21	3	3	17
18	—	—	—	—	3	2	—	1	5	1	—	—	5	2	5	5	—	—	18
19	—	—	—	—	1	1	5	6	—	2	—	—	2	2	6	8	—	—	19
20	—	—	—	—	—	1	1	1	1	2	—	—	—	—	2	—	—	1	20
21	—	—	—	—	2	1	2	3	—	4	—	—	4	—	4	2	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	21A
22	—	—	—	—	2	4	8	11	2	2	2	2	6	4	9	10	1	1	22
23	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	2	—	3	23
24	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	2	—	2	24
25	2	—	—	—	6	6	5	8	12	5	1	1	7	6	20	20	3	4	25
26	—	—	—	—	3	1	5	1	6	3	2	2	7	5	20	9	—	2	26
27	1	—	—	—	1	—	—	—	3	1	1	—	1	2	7	1	—	—	27
28	2	4	—	—	33	38	53	59	33	47	16	21	53	54	103	76	14	13	28
29	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	29

KENT—*cont.*

	Chislehurst U.D.		Dartford U.D.		Deal M.B.		Dover M.B.		Erith U.D.		Faversham M.B.		Folkestone M.B.‡		Foots Cray U.D.		Gillingham M.B.		Gravesend M.B.		Herne Bay U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	37	50	157	115	113	91	364	297	201	167	85	89	241	272	42	49	337	314	220	209	56	64	
1	—	—	2	1	—	—	1	3	—	—	—	—	—	—	—	—	—	1	3	—	1	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	9	5	9	10	8	7	4	4	—	—	16	7	1	—	5	4	2	1	—	—	3
4	1	—	3	2	—	—	2	1	1	1	—	—	—	2	—	—	—	—	—	1	—	—	4
5	3	2	2	3	3	3	3	4	3	3	2	3	5	7	1	1	4	8	1	1	—	—	5
6	1	—	2	—	1	2	2	2	3	9	—	—	2	1	—	—	4	8	4	3	—	—	6
7	1	2	—	2	1	2	9	13	2	1	5	4	6	9	3	1	3	4	3	8	—	1	7
8	—	—	2	1	—	—	1	—	—	—	—	2	1	—	—	—	1	—	3	1	—	—	8
9	—	4	6	13	10	3	34	18	13	10	2	7	15	12	—	4	30	21	23	15	4	7	9
10	—	1	2	—	1	3	9	6	—	3	2	4	2	5	1	—	7	—	2	1	1	—	10
11	—	—	1	—	3	1	5	5	1	6	1	2	3	2	2	1	1	3	2	1	—	1	11
12	3	7	9	9	6	8	26	23	9	19	3	4	24	27	2	12	20	20	13	19	7	9	12
13	—	—	1	—	—	1	—	1	1	1	—	1	—	—	—	—	—	—	—	1	—	—	13
14	—	—	6	2	1	—	4	4	4	—	—	—	1	3	1	—	9	3	5	6	—	—	14
15	4	7	10	12	9	10	15	30	21	23	7	9	25	18	5	8	48	42	16	18	7	9	15
16	3	4	15	14	7	4	51	34	21	11	11	7	12	42	1	1	32	33	21	16	6	4	16
17	3	4	13	7	10	7	30	15	18	13	5	9	20	26	3	4	22	16	16	9	4	—	17
18	—	1	5	1	1	—	5	1	3	—	5	1	3	4	1	1	3	6	3	2	—	1	18
19	—	—	2	1	—	—	8	4	9	6	1	2	3	8	1	1	10	6	1	9	—	1	19
20	—	—	1	—	1	—	1	—	—	—	—	2	2	3	—	—	3	1	—	3	1	—	20
21	—	—	1	1	5	—	1	6	1	1	2	1	5	5	—	—	1	1	4	4	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21A
22	1	—	2	2	4	3	5	10	4	1	4	3	7	11	1	1	9	9	7	3	1	1	22
23	—	—	—	—	—	1	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	23
24	—	1	—	3	—	—	—	2	—	1	—	1	—	1	—	—	—	3	—	—	—	—	24
25	5	3	11	6	4	5	13	14	8	8	2	4	12	9	1	3	21	20	6	13	2	—	25
26	1	1	6	4	5	—	28	3	10	3	6	3	10	8	4	—	16	3	12	7	—	—	26
27	—	—	2	—	1	—	2	—	1	1	—	—	2	1	1	—	5	—	1	1	—	—	27
28	10	13	44	26	31	28	98	88	64	42	26	20	64	59	13	11	81	99	71	65	21	29	28
29	—	—	—	—	—	—	3	2	—	—	1	—	1	—	—	—	2	2	1	1	1	—	29

* The remainder of Thrapston R.D. is in Northamptonshire; *see* page 452.
† Administered by Barnack R.D.C. (Soke of Peterborough)
‡ Excluding the civil parish of Folkestone next Sandgate.

KENT—*cont.*

	Causes of Death.	Hythe M.B.		Lydd M.B.		Maidstone M.B.		Margate M.B.		Milton Regis U.D.		New Romney M.B.		Northfleet U.D.		Penge U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	59	51	16	16	294	257	128	202	55	41	14	10	104	128	150	183	
1	Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2
3	Measles	1	—	—	—	—	1	—	4	1	—	—	—	1	—	6	6	3
4	Scarlet fever	—	—	—	—	—	—	1	—	—	1	—	—	1	1	—	—	4
5	Whooping cough ...	1	3	—	1	2	4	5	4	—	—	—	—	1	4	1	1	5
6	Diphtheria and croup ...	—	—	—	—	2	1	1	2	—	—	—	—	1	1	1	1	6
7	Influenza	2	2	—	—	1	2	1	8	4	2	1	—	1	1	1	3	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	8
9	Pulmonary tuberculosis	5	2	1	1	40	23	8	6	2	1	—	—	6	6	10	16	9
10	Tuberculous meningitis	1	—	—	—	4	5	2	2	—	—	—	—	2	1	2	1	10
11	Other tuberculous diseases	—	—	—	1	4	5	3	1	1	1	—	—	2	2	2	2	11
12	Cancer, malignant disease	8	6	2	2	16	25	10	21	4	3	1	—	11	7	11	20	12
13	Rheumatic fever.	1	—	—	—	—	2	—	3	—	—	—	—	1	—	—	—	13
14	Meningitis	1	1	—	—	7	1	1	1	1	—	—	—	1	1	1	2	14
15	Organic heart disease ...	5	6	1	2	28	29	17	25	5	8	4	1	10	14	15	22	15
16	Bronchitis	8	4	1	—	30	28	9	17	2	5	1	2	7	23	13	17	16
17	Pneumonia (all forms) ...	3	6	1	1	29	24	9	9	7	1	3	3	15	18	19	5	17
18	Other respiratory diseases	1	—	—	—	4	3	3	1	—	1	—	—	1	1	3	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	—	—	7	1	1	2	1	1	1	—	2	3	4	6	19
20	Appendicitis and typhlitis	1	—	—	—	1	—	1	—	—	—	—	—	1	—	—	1	20
21	Cirrhosis of liver ...	1	1	—	—	5	2	1	7	—	1	—	—	1	—	3	3	21
21A	Alcoholism	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	2	1	—	3	6	6	8	3	1	1	—	—	5	10	9	5	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	1	—	2	—	21	6	3	6	3	1	—	—	5	5	6	6	25
26	Violence, apart from 27	—	1	2	—	12	6	6	8	2	2	1	—	6	2	1	4	26
27	Suicide	—	—	—	—	1	—	2	1	1	—	—	—	—	1	3	—	27
28	Other defined diseases ...	13	17	6	5	71	79	35	64	20	12	2	4	20	24	38	58	28
29	Causes ill-defined or unknown.	4	—	—	—	2	4	1	2	—	—	—	—	—	1	—	1	29

KENT—*cont.*

	Causes of Death.	Queenborough M.B.		Ramsgate M.B.		Rochester M.B.		Sandgate U.D.*		Sandwich M.B.		Sevenoaks U.D.		Sheerness U.D.		Sittingbourne U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	29	14	210	239	259	207	12	15	30	23	55	67	156	143	59	62	
1	Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	3	3	5	6	1	3	—	—	—	—	3	6	1	—	3
4	Scarlet fever	—	—	—	—	—	3	—	—	—	—	—	—	1	—	1	1	4
5	Whooping cough ...	—	—	3	2	6	5	1	—	—	—	2	1	—	—	1	—	5
6	Diphtheria and croup ...	—	—	—	1	4	2	—	—	—	—	—	1	5	9	1	1	6
7	Influenza	1	—	2	1	7	4	—	1	—	2	4	5	6	—	6	3	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	8
9	Pulmonary tuberculosis	1	—	19	22	23	14	1	1	1	1	7	8	5	10	2	2	9
10	Tuberculous meningitis	—	—	1	5	1	1	—	1	1	1	1	1	1	1	1	—	10
11	Other tuberculous diseases	4	—	5	2	2	2	1	—	—	—	—	—	3	3	—	—	11
12	Cancer, malignant disease	1	1	21	30	18	21	1	2	6	3	4	4	11	13	3	2	12
13	Rheumatic fever... ...	—	—	1	—	2	1	—	—	—	—	—	—	1	—	—	—	13
14	Meningitis	—	—	1	—	2	2	—	—	—	—	—	1	2	1	2	1	14
15	Organic heart disease ...	5	1	20	16	27	24	—	1	4	3	5	12	12	12	4	6	15
16	Bronchitis	[illegible]	3	15	19	24	17	1	1	1	3	3	4	8	10	2	8	16
17	Pneumonia (all forms) ...	1	1	9	15	16	12	1	2	2	1	1	1	11	14	4	5	17
18	Other respiratory diseases	1	—	5	2	3	2	—	—	—	—	1	—	2	2	1	1	18
19	Diarrhœa, &c. (under 2 yrs.)	1	3	3	2	2	2	—	—	—	—	1	—	1	1	—	—	19
20	Appendicitis and typhlitis	—	—	1	1	—	—	1	—	—	—	—	1	1	1	—	—	20
21	Cirrhosis of liver ..	—	—	—	—	2	—	—	1	—	1	1	—	—	—	—	1	21
21A	Alcoholism	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	8	9	10	7	1	1	2	1	—	2	4	3	—	—	22
23	Puerperal fever	—	—	—	—	—	2	—	—	—	—	—	2	—	2	—	—	23
24	Parturition, apart from 23	—	—	—	3	—	3	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	—	8	6	12	8	—	—	—	—	4	2	17	7	—	5	25
26	Violence, apart from 27	1	—	15	2	16	5	—	—	—	—	2	2	16	—	7	1	26
27	Suicide	—	—	6	1	1	—	—	—	—	—	—	—	—	1	—	1	27
28	Other defined diseases ..	7	5	62	92	73	64	2	1	13	6	18	20	42	46	22	20	28
29	Causes ill-defined or unknown.	1	—	1	3	3	—	1	—	—	1	1	—	2	1	1	1	29

* Including the civil parish of Folkestone next Sandgate.

ADMINISTRATIVE AREAS, 1915—*continued.*

KENT—*cont.*

	South-borough U.D.		Tenterden M.B.		Tonbridge U.D.		Tunbridge Wells M.B.		Walmer U.D.		Whitstable U.D.		Wrotham U.D.		Blean R.D.		Bridge R.D.		Bromley R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	57	63	30	31	91	112	219	341	22	27	65	59	24	18	38	52	88	63	148	133	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	3	—	—	3
4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	2	2	4	—	5
6	—	—	1	—	—	1	2	3	—	—	2	2	—	—	1	1	—	2	1	2	6
7	1	4	1	1	—	2	10	17	—	1	2	1	—	—	1	1	5	4	2	3	7
8	1	1	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1	—	—	—	8
9	4	3	4	3	10	7	12	17	2	—	5	3	1	2	2	4	7	3	6	9	9
10	—	1	1	—	—	—	3	2	—	—	—	1	—	—	1	1	1	—	—	1	10
11	1	—	—	1	1	—	4	—	—	—	—	3	—	—	1	—	1	—	—	4	11
12	7	8	2	—	4	14	26	39	1	7	10	3	1	3	1	5	5	5	10	15	12
13	—	—	—	1	—	1	1	2	—	—	—	1	—	—	—	—	1	—	1	—	13
14	2	—	—	—	1	—	3	3	—	—	—	—	—	—	—	—	—	—	—	2	14
15	3	9	9	4	7	12	16	56	1	3	4	15	1	5	8	9	12	6	22	19	15
16	5	5	1	1	13	14	13	24	1	2	7	3	4	2	—	—	10	1	18	16	16
17	6	4	1	2	3	3	9	17	1	1	3	2	3	3	3	1	6	4	14	11	17
18	3	1	—	—	3	4	5	7	—	1	1	1	—	—	—	—	2	—	5	3	18
19	1	—	—	—	1	2	2	2	—	—	1	—	—	—	—	—	1	1	—	—	19
20	—	—	—	—	—	2	—	3	—	—	1	—	—	—	—	—	1	—	—	1	20
21	—	—	—	—	1	—	3	4	—	—	—	—	—	—	—	1	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	21A
22	1	—	—	—	3	3	11	10	2	—	—	1	2	—	2	1	3	2	5	1	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	1	24
25	4	2	1	—	7	6	12	10	3	1	3	2	1	—	3	2	4	2	8	5	25
26	—	1	1	—	4	—	7	7	2	—	4	1	2	—	2	—	4	2	6	1	26
27	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	1	1	—	1	—	27
28	17	23	8	16	33	39	72	110	8	10	21	19	9	3	12	21	20	26	44	37	28
29	—	—	—	—	—	1	5	1	1	—	—	—	—	—	—	2	1	—	—	1	29

KENT—*cont.*

	Cranbrook R.D.		Dartford R.D.		Dover R.D.		East Ashford R.D.		Eastry R.D.		Elham R.D.		Faversham R.D.		Holling-bourne R.D.		Hoo R.D.		Isle of Thanet R.D.		Maidstone R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	106	87	266	230	55	44	101	77	97	82	65	54	123	96	96	97	33	31	82	62	134	127	
1	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	—	2	2	—	—	1	—	—	—	2	—	—	—	—	—	—	1	—	—	—	1	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	4
5	—	1	4	1	—	—	1	1	1	—	—	—	3	1	—	—	—	1	—	—	—	2	5
6	—	—	3	1	—	—	1	—	—	3	—	—	1	1	5	1	—	—	—	—	4	5	6
7	8	5	6	1	2	—	4	5	1	4	1	4	2	2	2	3	2	1	1	2	1	4	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9	1	1	22	20	5	3	7	3	6	7	2	1	9	11	3	7	—	1	5	5	17	9	9
10	—	2	7	4	1	1	—	1	1	—	—	—	1	—	1	—	1	—	2	—	—	—	10
11	2	1	2	1	—	2	1	1	1	1	—	2	1	1	—	1	—	1	1	1	4	2	11
12	14	8	26	19	1	6	5	12	5	9	3	5	11	9	9	15	3	3	8	4	10	5	12
13	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	13
14	—	—	2	2	1	—	2	—	—	—	—	3	1	1	1	1	—	—	—	—	—	1	14
15	20	11	30	28	6	7	19	9	10	5	6	7	13	13	11	9	3	5	7	2	22	11	15
16	4	10	25	13	2	4	8	4	9	9	7	3	10	6	16	12	2	—	4	5	12	11	16
17	5	4	18	19	4	2	6	4	4	6	3	3	15	4	8	5	2	6	4	4	11	10	17
18	3	4	4	3	2	—	2	—	1	1	3	—	2	—	—	1	1	1	1	2	4	4	18
19	3	—	4	6	3	1	2	—	2	—	1	1	1	—	2	1	—	1	—	—	2	3	19
20	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	20
21	—	1	2	4	—	—	1	1	1	1	1	—	1	1	—	—	—	1	1	—	2	3	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1	7	7	2	4	6	—	1	—	2	1	1	2	2	1	2	—	3	2	1	3	22
23	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	2	—	3	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	24
25	5	4	17	14	3	1	7	6	2	2	3	2	5	1	2	2	3	—	3	1	5	5	25
26	3	—	20	7	7	—	1	1	5	—	1	—	1	3	2	3	3	2	9	—	6	2	26
27	2	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	27
28	33	31	60	72	15	12	25	26	44	31	30	21	44	38	32	32	10	7	32	33	30	40	28
29	—	1	1	1	—	1	2	1	—	—	—	1	1	—	—	1	1	—	—	—	1	2	29

KENT—*cont.*

Causes of Death.	Malling R.D.		Milton R.D.		Romney Marsh R.D.		Sevenoaks R.D.		Sheppey R.D.		Strood R.D.		Tenterden R.D.		Tonbridge R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	176	155	103	83	21	17	160	121	30	31	109	93	46	44	95	104	
1 Enteric fever	—	—	1	—	—	—	—	—	2	1	2	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	5	2	—	—	1	1	1	—	—	2	—	—	—	—	3
4 Scarlet fever.	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough ...	—	1	—	1	—	—	1	1	—	—	3	3	—	—	—	2	5
6 Diphtheria and croup ...	—	1	2	—	—	—	2	1	1	2	3	1	—	—	—	—	6
7 Influenza	4	3	4	2	1	2	10	10	1	—	5	5	3	2	5	4	7
8 Erysipelas	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	8
9 Pulmonary tuberculosis	18	13	6	7	1	1	12	3	2	3	11	9	3	1	4	9	9
10 Tuberculous meningitis	2	4	—	—	—	—	1	—	—	—	2	—	—	—	—	3	10
11 Other tuberculous diseases	4	—	—	1	—	—	3	—	—	—	—	1	—	—	5	1	11
12 Cancer, malignant disease	17	16	6	7	1	—	13	11	3	2	5	8	4	5	8	10	12
13 Rheumatic fever... ...	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	13
14 Meningitis	6	1	—	1	—	—	2	—	—	1	—	1	1	1	1	1	14
15 Organic heart disease ...	20	23	14	8	—	—	14	15	4	2	11	3	4	11	16	11	15
16 Bronchitis	11	11	8	6	2	1	16	6	1	2	4	6	5	5	4	8	16
17 Pneumonia (all forms) ...	17	9	7	8	1	2	4	6	—	3	9	5	—	—	10	8	17
18 Other respiratory diseases	2	3	1	—	1	—	6	1	—	—	1	1	1	1	1	—	18
19 Diarrhœa, &c. (under 2 yrs.)	2	2	1	3	1	—	2	1	—	—	—	1	1	—	2	3	19
20 Appendicitis and typhlitis	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	3	20
21 Cirrhosis of liver ...	—	1	—	—	—	—	1	1	—	—	—	1	1	1	1	—	21
21A Alcoholism	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	7	6	9	3	1	1	4	4	1	—	8	2	2	—	4	3	22
23 Puerperal fever	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	—	—	—	—	3	—	—	—	1	—	1	—	1	24
25 Congenital debility, &c.	5	7	4	4	—	1	3	7	1	2	5	5	2	—	1	2	25
26 Violence, apart from 27	4	1	3	1	1	1	6	—	4	1	7	4	—	1	2	2	26
27 Suicide	1	1	1	—	1	—	2	—	—	—	1	—	—	—	1	1	27
28 Other defined diseases ...	52	50	26	26	9	7	54	45	9	11	31	30	19	15	27	29	28
29 Causes ill-defined or unknown.	3	—	3	2	—	—	2	2	—	1	1	3	—	—	2	1	29

KENT—*cont.* LANCASHIRE.

Causes of Death.	West Ashford R.D.						Abram U.D.		Accrington M.B.		Adlington U.D.		Ashton in Makerfield U.D.		Ashton under Lyne M.B.		
	M	F					M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	54	52					68	53	331	319	28	24	205	176	409	383	
1 Enteric fever	—	—					—	—	4	2	—	—	1	1	2	1	1
2 Small-pox	—	—					—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—					5	6	3	1	—	—	15	18	19	10	3
4 Scarlet fever	—	—					—	—	—	—	—	—	4	6	—	—	4
5 Whooping cough ...	—	—					4	—	1	1	—	—	5	11	1	—	5
6 Diphtheria and croup ...	—	—					1	—	3	1	—	1	2	2	—	1	6
7 Influenza	5	5					1	—	5	10	—	1	2	1	1	—	7
8 Erysipelas	—	—					—	—	1	—	—	—	—	1	1	1	8
9 Pulmonary tuberculosis	2	8					3	2	25	25	2	1	6	4	35	27	9
10 Tuberculous meningitis	—	—					—	—	4	4	1	—	1	4	5	5	10
11 Other tuberculous diseases	1	—					—	—	15	6	—	1	3	3	9	4	11
12 Cancer, malignant disease	7	5					1	1	18	27	1	1	7	13	22	33	12
13 Rheumatic fever... ...	—	—					—	—	1	—	—	—	—	5	1	3	13
14 Meningitis	—	—					1	1	2	3	1	—	1	—	4	3	14
15 Organic heart disease ...	6	8					5	5	32	38	5	7	12	12	30	32	15
16 Bronchitis	1	4					7	3	26	34	1	—	17	9	37	44	16
17 Pneumonia (all forms) ...	1	1					12	9	28	18	6	3	25	23	43	40	17
18 Other respiratory diseases	3	—					2	1	7	5	—	—	3	3	9	4	18
19 Diarrhœa, &c. (under 2 yrs.)	—	1					9	5	5	3	—	—	22	12	17	18	19
20 Appendicitis and typhlitis	—	—					—	1	1	1	—	—	1	1	—	3	20
21 Cirrhosis of liver ...	1	—					—	2	8	—	—	—	2	2	1	5	21
21A Alcoholism	—	—					—	—	1	—	—	—	—	—	1	—	21A
22 Nephritis and Bright's dis.	2	—					1	1	12	19	—	—	11	—	11	6	22
23 Puerperal fever	—	—					—	—	—	1	—	—	—	1	—	—	23
24 Parturition, apart from 23	—	1					—	1	—	3	—	—	—	1	—	2	24
25 Congenital debility, &c.	2	3					2	—	15	15	1	2	15	8	19	20	25
26 Violence, apart from 27	1	1					3	2	5	7	1	—	9	3	14	11	26
27 Suicide	1	—					1	—	1	1	1	—	—	—	3	1	27
28 Other defined diseases ...	21	15					9	11	101	94	8	6	40	32	124	107	28
29 Causes ill-defined or unknown.	—	—					1	2	7	—	1	1	1	—	—	2	29

ADMINISTRATIVE AREAS, 1915—*continued.*

LANCASHIRE—*cont.*

	Aspull U.D.		Atherton U.D.		Audenshaw U.D.		Bacup M.B.		Barrow-ford U.D.		Billinge U.D.		Bispham with Nor-breck U.D.		Blackrod U.D.		Brierfield U.D.		Carnforth U.D.		Chadder-ton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	77	60	137	119	62	73	200	172	31	35	38	40	19	26	28	24	63	54	17	25	210	219	
1	1	1	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	9	5	6	5	5	3	1	—	1	—	—	—	—	—	1	—	—	—	—	1	7	6	3
4	—	1	—	—	—	—	2	1	—	—	—	—	—	—	2	—	1	—	—	—	1	—	4
5	8	5	1	3	—	—	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	5	5
6	1	1	2	1	—	1	2	2	1	—	1	—	—	—	—	1	2	3	—	—	—	—	6
7	—	—	2	1	2	2	6	1	1	—	—	—	—	—	2	—	—	—	1	—	1	5	7
8	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	3	4	11	7	5	2	14	6	1	2	5	1	—	1	1	—	6	8	1	—	12	14	9
10	—	—	4	2	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	3	—	10
11	—	—	4	4	1	—	6	1	—	—	—	—	—	—	1	1	4	1	—	—	4	—	11
12	2	1	4	4	4	9	6	21	4	4	2	2	—	5	1	—	3	4	3	3	10	18	12
13	—	—	1	3	—	—	1	1	—	1	—	—	—	—	1	—	1	—	—	—	1	1	13
14	—	2	5	3	1	2	—	1	—	—	—	2	—	1	1	2	1	2	—	—	2	1	14
15	2	2	16	14	3	9	13	14	1	4	2	4	4	3	2	2	6	9	2	2	12	18	15
16	12	6	17	14	2	11	30	19	3	7	4	3	3	—	2	1	9	10	—	4	20	23	16
17	9	8	14	10	9	5	14	10	—	2	5	4	2	1	3	6	2	1	—	2	25	20	17
18	2	—	1	1	—	2	2	1	2	1	1	—	—	—	—	—	2	—	1	1	2	—	18
19	4	4	7	3	5	1	2	—	—	—	1	2	—	—	2	1	2	1	1	—	6	7	19
20	2	—	—	1	—	1	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	1	20
21	—	—	—	2	1	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	1	3	2	1	6	12	10	1	2	2	1	—	—	2	—	1	3	—	—	11	8	22
23	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	23
24	—	—	—	5	—	—	—	2	—	—	—	2	—	—	—	—	—	1	—	1	—	2	24
25	2	2	4	10	4	—	6	6	1	1	3	4	—	—	1	6	6	1	1	1	13	17	25
26	4	1	8	1	2	1	4	1	1	—	1	—	2	—	1	—	1	1	1	—	10	4	26
27	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	27
28	11	15	25	22	17	15	73	67	13	11	9	15	6	14	5	3	13	9	3	10	64	63	28
29	1	—	—	—	—	—	2	2	—	—	—	—	1	1	—	—	3	—	—	—	1	2	29

LANCASHIRE—*cont.*

	Chorley M.B.		Church U.D.		Clayton le Moors U.D.		Clitheroe M.B.		Colne M.B.		Crompton U.D.		Croston U.D.		Dalton in Furness U.D.		Darwen M.B.		Denton U.D.		Droylsden U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	236	232	44	58	74	74	89	90	171	187	94	117	9	9	102	93	279	312	112	142	104	122	
1	—	1	—	—	1	1	—	1	1	2	—	1	—	—	—	—	2	1	1	—	—	3	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	2	—	—	—	—	—	2	5	3	1	—	—	4	2	9	18	8	10	4	1	3
4	—	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—	—	—	—	4
5	—	4	—	1	1	4	2	4	4	2	—	—	—	—	—	—	5	7	1	—	1	2	5
6	2	—	—	1	—	—	—	—	1	1	1	—	—	—	1	1	3	1	—	—	—	2	6
7	1	7	—	1	—	—	—	—	—	2	—	—	1	1	3	2	4	9	1	1	1	2	7
8	3	—	—	1	—	—	—	—	—	—	1	1	—	—	—	1	—	—	1	1	1	—	8
9	17	14	2	6	3	3	3	10	21	9	3	7	—	—	7	4	13	15	5	7	9	13	9
10	—	1	—	—	1	1	1	—	—	—	2	1	—	—	2	1	3	—	—	—	2	—	10
11	1	—	—	—	1	1	—	—	3	—	3	1	—	—	—	—	4	5	1	—	2	3	11
12	12	13	2	4	3	4	4	11	7	17	5	8	—	1	7	5	16	28	5	8	9	6	12
13	3	1	—	—	2	—	—	—	1	1	—	1	—	—	—	—	1	2	—	—	—	1	13
14	3	5	—	1	1	—	1	—	2	1	—	—	—	—	2	3	—	2	2	2	2	—	14
15	15	13	9	9	10	7	4	9	19	33	7	13	1	1	12	10	26	36	15	17	6	18	15
16	33	27	3	6	6	5	10	13	11	16	11	11	1	—	10	15	12	25	12	14	15	22	16
17	15	14	4	6	13	6	8	6	12	14	5	13	1	—	7	8	21	18	13	21	5	5	17
18	8	3	1	—	1	—	1	1	2	2	3	—	—	1	3	—	4	7	3	2	1	—	18
19	6	6	—	1	4	1	2	1	5	4	1	1	—	—	1	3	5	4	2	3	4	5	19
20	—	—	—	1	1	—	1	—	3	2	—	1	—	—	—	—	2	—	2	—	1	—	20
21	2	2	—	—	—	1	—	—	2	—	2	—	—	—	1	—	2	—	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	8	9	2	2	1	4	7	9	10	10	5	4	—	—	3	1	12	8	3	5	4	4	22
23	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	1	—	3	—	—	—	1	23
24	—	2	—	—	—	2	—	—	—	2	—	4	—	—	—	2	—	4	—	2	—	2	24
25	22	11	3	2	6	5	2	3	6	11	8	6	—	—	9	2	18	11	11	2	7	3	25
26	11	5	2	—	2	1	8	—	3	1	2	1	2	1	8	—	10	10	3	4	2	2	26
27	2	3	—	1	—	—	—	—	1	—	1	1	—	—	—	—	7	3	1	—	—	—	27
28	65	87	12	12	16	28	33	20	48	49	28	38	2	4	22	31	93	89	22	42	27	26	28
29	6	4	2	3	1	—	2	—	6	2	1	2	1	—	—	1	7	4	—	1	—	—	29

LANCASHIRE—*cont.*

	Causes of Death.	Eccles M.B.		Failsworth U.D.		Farnworth U.D.		Fleetwood U.D.		Formby U.D.		Fulwood U.D.		Golborne U.D.		Grange U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	351	321	134	123	228	254	112	107	33	29	43	55	87	69	11	20	
1	Enteric fever	3	3	—	2	2	1	2	1	—	—	—	—	1	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	19	22	2	1	10	9	1	—	—	—	—	—	4	5	—	—	3
4	Scarlet fever	4	1	1	—	1	1	—	—	—	—	1	—	—	—	—	—	4
5	Whooping cough ...	4	9	1	4	5	11	—	—	—	1	—	1	3	4	—	—	5
6	Diphtheria and croup ...	2	4	1	1	4	3	1	3	—	—	1	2	6	2	3	—	6
7	Influenza	4	3	2	3	3	1	1	1	—	—	2	4	2	2	—	1	7
8	Erysipelas	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	28	26	17	5	13	14	8	8	3	2	2	1	5	6	2	1	9
10	Tuberculous meningitis	5	3	2	2	2	4	2	—	—	1	—	—	—	—	—	—	10
11	Other tuberculous diseases	5	4	2	1	9	2	—	—	—	1	1	2	—	3	—	—	11
12	Cancer, malignant disease	19	23	10	8	5	14	5	10	2	4	5	4	3	3	1	3	12
13	Rheumatic fever... ...	2	—	—	1	—	2	1	—	—	—	—	—	3	—	—	—	13
14	Meningitis	3	4	2	1	1	—	—	1	—	—	—	1	—	1	—	—	14
15	Organic heart disease ...	30	30	12	11	19	22	19	23	5	3	8	12	1	3	2	3	15
16	Bronchitis	42	36	6	13	34	24	13	7	2	—	4	7	7	5	—	1	16
17	Pneumonia (all forms) ...	22	28	13	12	25	16	10	9	4	4	1	1	10	4	—	—	17
18	Other respiratory diseases	7	2	—	1	3	7	2	2	—	—	1	—	—	2	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	14	7	3	3	9	17	3	6	—	—	—	—	8	2	—	—	19
20	Appendicitis and typhlitis	—	1	1	—	—	1	—	—	—	—	1	—	—	1	—	—	20
21	Cirrhosis of liver ...	4	—	1	2	1	1	—	—	—	—	—	—	—	1	—	—	21
21A	Alcoholism	—	—	2	—	1	—	—	—	—	—	—	—	—	1	—	—	21A
22	Nephritis and Bright's dis.	9	6	2	4	12	8	4	3	—	2	1	1	—	—	—	—	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	4	—	1	—	—	—	—	—	1	—	—	—	2	—	—	24
25	Congenital debility, &c.	14	12	11	2	12	10	8	1	—	—	3	2	5	2	—	—	25
26	Violence, apart from 27	11	4	6	7	9	6	9	2	2	—	—	2	5	2	1	—	26
27	Suicide	2	1	2	—	1	1	1	—	—	—	—	1	—	1	—	—	27
28	Other defined diseases ...	98	88	34	37	45	78	21	30	15	10	12	14	20	15	2	10	28
29	Causes ill-defined or unknown.	—	—	—	—	2	—	1	—	—	—	—	—	3	1	—	—	29

LANCASHIRE—*cont.*

	Causes of Death.	Great Crosby U.D.		Great Harwood U.D.		Haslingden M.B.		Haydock U.D.		Heysham U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	66	66	83	89	132	147	96	79	36	23	224	246	220	230	99	77	
1	Enteric fever	—	—	—	1	—	1	—	1	—	1	1	—	1	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	—	2	—	1	9	8	5	—	—	17	23	32	32	11	6	3
4	Scarlet fever	1	1	—	—	1	—	2	1	—	—	1	3	3	1	3	3	4
5	Whooping cough ...	—	1	3	4	4	4	1	5	—	—	1	1	7	12	—	—	5
6	Diphtheria and croup ...	—	4	3	1	—	1	2	—	—	—	5	5	1	1	4	3	6
7	Influenza	1	4	2	—	5	5	2	4	2	2	8	7	2	1	1	—	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	1	1	1	2	—	—	8
9	Pulmonary tuberculosis	8	5	9	6	18	4	2	5	1	1	14	17	15	10	11	4	9
10	Tuberculous meningitis	1	—	1	—	2	—	—	1	—	—	2	2	—	—	—	—	10
11	Other tuberculous diseases	—	—	1	1	3	3	1	—	1	—	1	1	5	2	1	—	11
12	Cancer, malignant disease	—	7	2	7	8	17	6	6	5	—	10	19	9	18	6	5	12
13	Rheumatic fever... ...	—	—	—	1	—	—	3	1	—	—	—	1	—	1	—	1	13
14	Meningitis	—	2	1	2	1	—	—	1	—	—	1	1	1	3	—	1	14
15	Organic heart disease ...	6	4	7	15	12	14	9	5	7	3	16	23	13	21	6	8	15
16	Bronchitis	7	2	7	12	9	16	7	10	2	1	28	31	10	12	4	5	16
17	Pneumonia (all forms) ...	8	5	5	10	12	13	10	9	1	2	12	14	39	33	8	2	17
18	Other respiratory diseases	1	4	—	1	—	3	1	1	1	—	3	—	1	1	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	1	1	—	1	10	2	—	—	7	5	11	10	1	2	19
20	Appendicitis and typhlitis	1	1	2	1	1	2	1	—	—	1	1	—	3	—	1	—	20
21	Cirrhosis of liver ...	1	—	—	—	2	—	1	—	1	—	2	2	—	1	3	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	6	1	3	—	11	2	5	1	—	2	12	12	3	6	3	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—	1	24
25	Congenital debility, &c.	5	2	5	3	5	6	8	1	1	—	11	11	12	7	6	5	25
26	Violence, apart from 27	2	—	2	—	3	—	5	—	1	—	13	7	9	1	4	—	26
27	Suicide	—	1	—	—	1	1	—	—	—	—	1	—	1	—	1	1	27
28	Other defined diseases ...	15	20	25	23	32	40	11	19	13	9	54	59	36	52	25	26	28
29	Causes ill-defined or unknown.	—	1	2	—	1	3	1	1	—	—	2	1	4	1	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

LANCASHIRE—*cont.*

	Hurst U.D.		Huyton with Roby U.D.		Ince in Makerfield U.D.		Irlam U.D.		Kearsley U.D.		Kirkham U.D.		Lancaster M.B.		Lathom and Burscough U.D.		Lees U.D.		Leigh M.B.		Leyland U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	78	67	27	24	236	214	47	41	83	78	24	27	289	267	70	57	31	51	453	407	50	77	
1	1	—	—	—	1	1	—	—	—	—	—	—	1	5	—	—	—	—	2	2	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	2	—	—	11	14	—	—	10	4	—	—	5	6	—	—	—	—	40	36	2	1	3
4	—	—	—	—	1	1	—	—	—	1	1	—	1	1	—	—	—	—	12	8	—	—	4
5	1	—	—	1	10	7	—	—	—	1	1	1	2	4	—	—	—	—	3	1	1	4	5
6	—	—	—	—	2	1	—	—	1	—	—	—	—	2	—	—	—	1	3	1	4	3	6
7	1	2	1	1	3	2	—	—	—	1	—	—	1	4	—	2	1	—	2	5	1	6	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	8
9	9	6	4	1	10	13	4	3	5	6	2	1	28	30	3	7	3	3	31	30	2	8	9
10	1	—	—	—	2	1	2	—	—	—	—	—	3	4	—	1	2	1	3	3	—	2	10
11	—	2	1	1	2	3	1	3	1	1	—	—	6	5	1	—	—	3	6	6	2	1	11
12	3	5	1	4	3	7	4	3	4	10	1	3	16	18	6	4	3	8	15	20	2	6	12
13	1	1	—	—	2	3	—	1	—	—	—	—	2	—	—	—	—	2	2	—	—	—	13
14	1	—	—	—	1	5	1	—	—	—	—	—	2	2	—	1	1	—	7	5	—	—	14
15	4	11	2	3	11	6	3	3	3	3	2	2	32	30	14	7	2	10	39	31	2	7	15
16	10	8	1	—	28	26	4	3	4	5	1	1	24	33	13	8	2	6	81	67	3	5	16
17	11	4	2	2	26	29	4	3	9	4	1	—	21	17	9	6	3	3	68	35	5	4	17
18	1	—	—	—	3	—	—	1	1	2	1	1	1	5	—	—	—	—	4	5	—	2	18
19	5	3	—	—	15	11	1	3	5	4	—	1	10	7	1	—	1	1	21	28	2	1	19
20	—	—	—	—	1	—	1	—	—	1	—	—	4	—	1	—	—	—	1	1	—	—	20
21	—	—	—	—	1	—	—	—	—	—	—	—	2	—	1	—	1	—	3	1	—	—	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	21A
22	1	1	—	2	9	10	2	2	4	2	1	1	9	8	—	—	—	2	8	7	1	3	22
23	—	1	—	—	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	2	—	—	23
24	—	1	—	—	—	3	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	1	24
25	3	1	4	2	21	13	5	4	10	7	4	1	14	11	1	1	2	2	23	21	2	4	25
26	1	1	2	1	11	4	6	1	2	2	—	2	8	2	5	—	1	—	10	11	4	—	26
27	2	—	—	—	3	—	—	—	—	—	—	—	4	1	1	—	2	—	—	1	—	1	27
28	19	18	9	6	53	48	9	11	22	24	9	11	89	65	12	19	7	6	68	75	16	15	28
29	—	—	—	—	5	4	—	—	2	—	—	1	2	2	2	1	—	—	1	3	1	2	29

LANCASHIRE—*cont.*

	Litherland U.D.		Little-borough U.D.		Little Crosby U.D.		Little Hulton U.D.		Little Lever U.D.		Longridge U.D.		Lytham U.D.		Middleton M.B.		Milnrow U.D.		More-cambe M.B.		Mossley M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	136	114	96	100	6	5	62	52	37	36	35	22	68	86	221	228	73	78	111	126	92	106	
1	—	1	—	—	—	—	2	—	—	—	—	—	1	1	—	1	—	—	1	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	—	—	—	—	4	1	—	—	—	—	1	—	6	3	—	1	1	2	1	3	3
4	—	—	1	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—	2	2	4
5	2	1	1	1	—	—	—	4	3	1	—	—	—	—	—	—	—	—	—	1	—	—	5
6	4	1	1	—	1	—	1	2	—	—	1	—	3	3	3	3	2	1	—	—	—	—	6
7	—	—	1	1	—	—	1	1	—	1	—	—	—	2	—	2	1	—	6	11	2	4	7
8	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	8
9	17	6	4	5	—	1	2	4	3	1	—	1	6	4	24	17	7	4	4	4	6	8	9
10	1	2	1	2	—	—	—	1	—	—	—	—	—	—	2	7	1	—	—	2	1	2	10
11	4	1	1	—	—	—	2	1	—	—	—	1	1	—	—	1	—	1	—	2	—	2	11
12	8	4	3	9	—	2	—	—	2	2	1	3	4	11	18	15	4	7	10	7	3	10	12
13	1	—	—	—	—	—	1	—	—	—	1	—	1	—	—	2	1	—	—	1	—	—	13
14	2	1	—	1	—	—	1	1	—	—	1	—	—	4	1	1	—	—	2	1	—	—	14
15	7	5	13	12	—	1	4	5	2	4	4	5	8	12	20	32	12	5	13	18	13	20	15
16	7	13	8	15	—	—	7	10	5	8	5	3	5	8	31	35	4	7	8	9	7	10	16
17	13	15	3	3	2	—	3	4	—	2	1	2	7	5	24	14	3	5	7	6	11	6	17
18	1	1	2	2	—	—	—	—	—	—	—	—	—	—	4	5	1	1	4	4	3	4	18
19	13	9	1	1	—	—	6	1	4	3	—	—	1	—	10	4	2	2	1	—	1	—	19
20	—	—	—	2	—	—	—	—	1	—	—	—	1	—	1	—	—	1	—	—	—	—	20
21	2	2	—	—	—	—	3	1	—	—	—	—	—	2	1	1	—	—	2	1	—	—	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	2	9	5	4	—	—	2	3	3	2	2	2	2	2	6	15	2	6	4	2	10	5	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	23
24	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	2	—	—	24
25	12	7	6	5	—	—	6	4	1	3	3	—	—	2	5	1	2	4	2	2	7	6	25
26	6	5	10	2	2	—	2	—	1	—	1	—	2	1	10	5	3	—	3	2	3	1	26
27	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	27
28	32	28	33	32	1	1	13	8	10	8	13	5	25	26	54	59	26	30	42	48	22	22	28
29	—	1	1	1	—	—	—	1	—	—	—	—	—	1	1	2	—	—	1	—	—	—	29

LANCASHIRE—*cont.*

	Causes of Death.	Nelson M.B.		Newton in Makerfield U.D.		Norden U.D.		Ormskirk U.D.		Orrell U.D.		Oswaldtwistle U.D.		Padiham U.D.		Poulton le Fylde U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	222	228	143	94	39	26	55	44	49	52	103	117	93	107	14	20	
1	Enteric fever	—	1	—	1	—	—	—	—	1	1	—	1	1	1	1	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	1	1	1	—	—	—	1	—	—	1	2	—	1	—	—	3
4	Scarlet fever	4	1	1	1	—	—	—	—	1	2	—	1	—	1	—	—	4
5	Whooping cough ...	—	2	4	3	—	—	—	—	1	1	—	1	1	2	—	—	5
6	Diphtheria and croup ...	7	6	1	—	1	—	1	—	—	—	—	—	—	—	—	—	6
7	Influenza	1	2	1	3	1	—	4	—	—	—	1	4	—	1	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	15	19	11	6	2	1	4	5	3	3	4	5	7	12	—	—	9
10	Tuberculous meningitis	—	1	2	4	—	1	—	—	—	—	—	—	2	—	—	—	10
11	Other tuberculous diseases	1	2	5	—	—	—	1	—	—	3	—	1	—	1	—	—	11
12	Cancer, malignant disease	14	14	9	1	1	1	—	4	1	1	5	12	8	5	—	2	12
13	Rheumatic fever... ...	4	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	13
14	Meningitis	2	1	2	1	—	1	—	1	1	2	3	3	2	—	—	—	14
15	Organic heart disease ...	28	19	7	9	4	5	6	3	3	6	4	13	10	9	1	3	15
16	Bronchitis	30	31	10	10	4	4	3	7	8	8	21	15	8	15	1	1	16
17	Pneumonia (all forms) ...	20	15	19	9	4	2	7	5	9	4	5	6	8	4	—	1	17
18	Other respiratory diseases	6	4	—	1	—	—	1	1	—	1	1	2	2	2	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	2	6	4	3	—	2	—	1	3	3	3	3	1	—	—	19
20	Appendicitis and typhlitis	1	1	1	2	—	—	1	—	1	1	2	1	—	4	—	—	20
21	Cirrhosis of liver ...	—	—	1	2	—	1	—	—	—	1	—	1	—	1	—	—	21
21A	Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	7	10	3	3	4	2	2	—	—	—	5	2	5	3	—	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	5	—	—	—	—	—	1	—	—	—	1	—	1	—	—	24
25	Congenital debility, &c.	15	17	8	4	3	—	1	2	5	2	9	8	3	6	3	—	25
26	Violence, apart from 27	3	1	6	2	1	1	2	—	2	—	8	1	4	2	—	—	26
27	Suicide	2	1	1	1	1	—	—	—	—	—	1	—	—	—	—	—	27
28	Other defined diseases ...	53	68	43	26	10	6	20	14	11	13	29	31	28	32	8	11	28
29	Causes ill-defined or unknown.	6	3	1	—	—	—	—	—	—	—	1	3	1	2	—	—	29

LANCASHIRE—*cont.*

	Causes of Death.	Preesall U.D.		Prescot U.D.		Prestwich U.D.		Radcliffe U.D.		Rainford U.D.		Ramsbottom U.D.		Rawtenstall U.D.		Rishton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	13	16	63	63	105	88	221	215	21	18	114	101	252	231	53	47	
1	Enteric fever	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	5	4	1	2	13	5	—	—	2	2	5	5	1	1	3
4	Scarlet fever	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—	—	4
5	Whooping cough ...	—	—	1	1	—	—	1	7	—	—	—	—	—	2	—	—	5
6	Diphtheria and croup ...	—	—	2	—	2	1	1	—	—	—	—	2	3	4	—	—	6
7	Influenza	—	1	—	2	1	1	5	7	—	—	3	1	6	6	—	3	7
8	Erysipelas	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	2	5	5	7	10	13	12	1	1	12	7	17	10	6	1	9
10	Tuberculous meningitis	—	—	1	—	1	2	3	4	1	—	1	—	3	1	1	1	10
11	Other tuberculous diseases	—	—	—	—	1	—	5	4	—	—	3	—	5	4	—	2	11
12	Cancer, malignant disease	4	1	2	4	16	11	18	19	2	2	6	3	13	19	2	6	12
13	Rheumatic fever... ...	—	—	1	2	2	—	—	3	—	—	—	1	3	3	1	—	13
14	Meningitis	—	1	1	1	2	—	3	2	—	1	3	—	1	2	1	—	14
15	Organic heart disease ...	3	5	4	5	17	9	12	12	1	2	8	16	24	27	4	5	15
16	Bronchitis	—	—	7	6	6	9	43	32	2	2	11	15	23	23	6	5	16
17	Pneumonia (all forms) ...	1	1	4	7	10	4	13	15	—	2	10	5	21	10	4	1	17
18	Other respiratory diseases	—	—	1	—	4	—	3	2	3	—	2	1	4	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	1	2	1	2	3	4	—	—	4	5	12	2	1	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	1	1	—	1	—	1	—	—	1	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	2	1	1	—	—	—	—	1	2	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	6	4	3	3	6	9	—	—	5	6	15	13	4	2	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	1	24
25	Congenital debility, &c.	—	—	2	2	6	2	16	7	2	3	3	2	13	9	3	1	25
26	Violence, apart from 27	1	1	1	—	2	1	7	5	1	1	5	3	12	2	4	—	26
27	Suicide	—	—	—	—	1	1	1	—	—	—	1	1	—	—	—	—	27
28	Other defined diseases ...	3	4	17	16	19	26	48	56	7	4	34	30	62	81	13	14	28
29	Causes ill-defined or unknown.	1	—	1	1	2	—	3	4	—	—	—	—	7	3	1	3	29

ADMINISTRATIVE AREAS, 1915—*continued.*

LANCASHIRE—*cont.*

	Royton U.D.		St. Anne's on the Sea U.D.		Skelmersdale U.D.		Standish with Langtree U.D.		Stretford U.D.		Swinton and Pendlebury U.D.		Thornton U.D.		Tottington U.D.		Trawden U.D.		Turton U.D.		Tyldesley with Shakerley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	132	133	57	72	73	46	51	59	278	265	231	234	24	32	41	59	12	10	84	75	130	124	
1	—	—	—	1	—	—	—	1	3	—	—	2	—	—	—	1	—	—	1	—	3	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	2	—	—	8	4	—	—	9	5	17	11	—	—	1	1	—	—	2	4	15	20	3
4	—	—	—	1	—	1	1	—	—	1	2	1	—	1	—	1	—	—	—	—	—	—	4
5	2	2	—	—	—	—	2	2	4	1	—	2	—	—	—	—	—	1	—	—	1	—	5
6	—	1	1	—	—	—	—	2	2	3	1	4	—	—	—	—	—	—	1	—	1	2	6
7	1	2	1	1	1	—	1	2	2	5	4	1	—	—	2	4	—	—	—	3	—	—	7
8	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	8
9	10	7	4	4	3	2	3	2	27	18	21	18	1	4	1	9	—	1	5	8	4	9	9
10	2	1	—	1	1	—	1	1	2	3	—	2	—	—	—	—	—	—	—	1	—	3	10
11	1	—	1	2	—	1	1	—	6	4	4	2	—	—	—	—	—	—	—	—	1	3	11
12	8	5	7	6	1	3	3	7	22	30	10	20	2	2	3	3	1	1	6	8	5	4	12
13	1	2	—	—	1	—	—	—	3	2	2	2	—	2	1	—	—	—	—	1	2	—	13
14	3	2	—	2	—	1	—	1	2	1	3	1	—	1	—	1	—	—	1	2	2	1	14
15	12	21	8	13	3	4	2	2	33	37	18	25	—	3	5	10	—	2	10	11	10	8	15
16	7	19	3	3	4	2	—	2	24	15	13	17	2	1	2	4	1	—	13	10	7	6	16
17	12	5	2	6	13	5	9	12	12	23	29	35	2	—	6	—	3	—	8	7	19	19	17
18	4	1	2	1	2	—	1	1	3	4	3	3	1	—	—	—	—	—	2	1	1	—	18
19	3	5	1	2	2	2	—	3	6	2	14	7	—	—	1	1	—	1	1	1	7	9	19
20	3	—	—	1	—	—	1	—	1	—	2	2	2	—	—	—	—	—	—	—	—	2	20
21	3	1	1	—	—	—	—	—	2	1	1	1	—	—	1	—	—	—	1	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	21A
22	7	7	2	4	3	2	1	—	9	9	7	7	1	1	1	2	—	1	2	1	4	2	22
23	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	1	23
24	—	5	—	—	—	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	24
25	8	10	—	—	12	7	8	2	13	9	20	9	3	2	3	—	2	—	1	2	7	6	25
26	6	—	—	1	1	—	1	1	14	5	9	6	1	—	1	2	—	—	4	1	11	3	26
27	1	—	—	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	—	1	1	27
28	36	35	22	22	17	10	15	18	77	82	49	52	7	15	13	18	5	3	24	14	28	22	28
29	—	—	2	1	1	1	—	—	1	1	2	—	1	—	—	—	—	—	1	—	1	—	29

LANCASHIRE—*cont.*

	Ulverston U.D.		Upholland U.D.		Urmston U.D.		Walton le Dale U.D.		Wardle U.D.		Waterloo with Seaforth U.D.		Westhoughton U.D.		Whitefield U.D.		Whitworth U.D.		Widnes M.B.		Withnell U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	77	78	57	44	35	32	94	91	35	34	221	179	117	108	49	60	70	79	355	272	14	24	
1	—	—	4	—	—	—	1	1	—	—	3	—	—	1	2	—	—	—	—	2	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	2	1	—	—	7	7	—	—	—	1	3	3	4	2	—	—	4	5	—	—	3
4	—	—	1	—	—	1	3	—	—	—	1	1	2	2	—	—	—	—	—	1	—	—	4
5	—	—	—	—	—	1	1	1	—	—	6	6	1	—	—	2	—	—	10	21	—	—	5
6	—	—	1	1	—	—	1	1	1	—	2	2	—	1	—	1	—	—	4	2	—	—	6
7	1	3	1	—	1	2	1	1	1	3	2	4	2	4	—	2	2	1	10	3	1	2	7
8	—	—	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	8
9	5	1	3	3	2	3	6	2	3	4	10	7	5	10	1	3	9	8	28	20	2	—	9
10	1	1	2	—	—	—	1	1	—	—	5	2	1	—	—	—	4	2	2	1	—	—	10
11	2	4	—	—	—	—	1	1	—	1	2	2	2	1	1	2	1	—	1	1	—	—	11
12	6	7	2	1	6	3	6	6	—	3	20	18	3	6	1	4	2	10	13	6	1	3	12
13	2	—	—	—	—	—	—	1	—	1	3	—	1	1	—	—	2	—	2	—	—	—	13
14	—	2	1	—	—	1	1	1	1	—	1	2	1	2	—	—	—	—	6	6	—	—	14
15	8	13	3	4	1	3	9	12	8	2	18	22	5	7	10	13	8	13	11	14	1	7	15
16	4	5	6	3	5	4	9	7	3	5	10	10	12	8	—	1	3	6	48	34	1	1	16
17	2	1	5	—	3	1	7	4	2	—	28	14	14	17	6	6	3	4	42	36	1	3	17
18	2	2	3	1	1	—	2	—	1	—	3	5	1	3	—	—	—	1	8	5	—	—	18
19	2	1	—	1	—	—	8	2	1	—	7	1	8	5	2	1	—	—	10	13	—	—	19
20	—	—	—	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	1	—	—	20
21	1	1	—	1	—	—	—	—	—	—	3	2	—	—	—	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	4	—	3	3	1	7	6	—	—	4	8	6	1	3	3	6	10	15	6	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	2	—	1	—	1	—	—	—	—	—	1	—	1	—	3	—	3	—	—	24
25	3	6	6	6	3	1	4	5	1	2	14	8	15	10	1	2	4	1	30	17	—	—	25
26	8	—	5	1	1	—	—	—	2	1	9	2	10	1	5	2	5	1	11	3	—	—	26
27	1	—	1	—	—	—	—	—	1	—	1	—	1	—	1	—	1	—	1	1	—	—	27
28	23	26	10	16	8	10	16	28	10	11	64	62	24	22	12	15	20	19	94	67	7	8	28
29	—	—	—	—	—	—	2	2	—	—	2	—	—	1	—	—	—	—	4	3	—	—	29

LANCASHIRE—*cont.*

	Causes of Death.	Worsley U.D.						Barton upon Irwell R.D.		Blackburn R.D.		Burnley R.D.		Bury R.D.		Chorley R.D.		
		M	F					M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	84	107					64	48	53	67	132	141	72	67	151	134	
1	Enteric fever	1	1					1	1	1	—	—	2	1	—	1	—	1
2	Small-pox	—	—					—	—	—	—	—	—	—	—	—	—	2
3	Measles	6	2					2	1	—	—	—	2	3	—	6	—	3
4	Scarlet fever	—	—					—	—	1	—	—	—	1	3	1	—	4
5	Whooping cough ...	—	1					1	2	—	1	3	2	1	—	—	1	5
6	Diphtheria and croup ...	—	5					—	—	1	—	—	2	—	—	1	—	6
7	Influenza	1	2					—	—	2	3	2	2	2	2	2	1	7
8	Erysipelas	1	—					1	—	—	—	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	3	3					6	2	2	5	5	10	5	2	15	11	9
10	Tuberculous meningitis	1	—					—	1	—	—	2	3	—	—	2	1	10
11	Other tuberculous diseases	—	3					—	1	—	1	3	1	1	1	2	—	11
12	Cancer, malignant disease	3	6					5	3	3	7	8	11	2	7	8	19	12
13	Rheumatic fever... ...	—	3					—	—	1	—	—	—	—	—	—	1	13
14	Meningitis	—	—					—	—	—	1	1	3	2	1	4	2	14
15	Organic heart disease ...	6	10					10	1	12	8	19	16	5	12	16	16	15
16	Bronchitis	13	17					6	6	5	10	14	20	11	3	12	7	16
17	Pneumonia (all forms) ...	11	6					5	5	3	5	14	2	4	6	5	9	17
18	Other respiratory diseases	3	1					2	—	—	1	2	2	1	1	3	3	18
19	Diarrhœa, &c. (under 2 yrs.)	2	3					—	1	—	—	2	1	1	1	6	1	19
20	Appendicitis and typhlitis	1	1					—	—	—	—	2	3	1	—	—	1	20
21	Cirrhosis of liver ...	—	—					—	—	—	—	—	—	—	—	2	—	21
21A	Alcoholism	1	—					—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	2					1	3	2	3	2	3	2	2	4	4	22
23	Puerperal fever	—	—					—	—	—	—	—	—	—	2	—	—	23
24	Parturition, apart from 23	—	1					—	2	—	3	—	3	—	—	—	2	24
25	Congenital debility, &c.	5	5					4	3	4	1	8	8	3	3	10	7	25
26	Violence, apart from 27	4	1					4	3	—	1	4	1	5	1	8	2	26
27	Suicide	2	—					1	—	2	—	2	—	—	1	1	—	27
28	Other defined diseases ...	19	34					15	13	13	16	38	44	20	18	40	42	28
29	Causes ill-defined or unknown.	—	—					—	—	1	1	1	—	1	1	1	4	29

LANCASHIRE—*cont.*

	Causes of Death.	Clitheroe R.D.		Fylde R.D.		Garstang R.D.		Lancaster R.D.		Leigh R.D.		Lime-hurst R.D.		Lunesdale R.D.		Preston R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	40	46	80	77	65	67	58	55	86	72	73	88	58	36	118	137	
1	Enteric fever	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	1	—	—	1	2	2	15	6	—	—	1	—	4	3	3
4	Scarlet fever	—	1	4	1	—	—	—	—	—	1	1	—	—	—	—	2	4
5	Whooping cough ...	1	—	2	3	1	—	2	3	—	1	—	—	4	—	1	—	5
6	Diphtheria and croup ...	—	1	1	1	—	—	—	—	2	2	1	—	—	—	1	1	6
7	Influenza	1	3	2	2	4	4	—	1	2	1	1	—	3	1	—	5	7
8	Erysipelas...	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis	3	2	4	2	1	6	5	2	5	4	4	5	2	1	5	7	9
10	Tuberculous meningitis	—	2	—	—	—	—	—	1	2	3	—	3	—	1	1	1	10
11	Other tuberculous diseases	1	1	—	—	1	1	—	—	—	3	1	—	1	—	1	1	11
12	Cancer, malignant disease	3	6	3	4	4	8	4	7	3	3	5	8	3	5	11	14	12
13	Rheumatic fever... ...	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	1	—	—	2	—	—	—	—	1	1	—	—	2	—	3	1	14
15	Organic heart disease ...	4	5	12	12	8	7	5	4	2	6	8	11	5	4	14	19	15
16	Bronchitis	1	8	4	3	3	7	5	5	7	4	6	3	5	—	9	13	16
17	Pneumonia (all forms) ...	4	2	5	9	3	3	3	1	7	7	11	9	3	1	6	19	17
18	Other respiratory diseases	—	—	1	—	3	—	1	1	3	3	1	2	1	—	5	3	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	—	—	—	—	3	—	3	3	4	2	1	—	2	1	19
20	Appendicitis and typhlitis	—	—	1	2	2	—	—	1	—	—	—	—	1	—	—	1	20
21	Cirrhosis of liver ...	—	—	—	—	2	1	—	—	3	—	1	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	1	1	2	2	3	—	1	—	2	2	—	—	1	6	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	1	23
24	Parturition, apart from 23	—	4	—	—	—	—	—	1	—	3	—	2	—	—	—	—	24
25	Congenital debility, &c.	2	—	5	7	—	4	2	4	6	4	7	7	2	1	4	—	25
26	Violence, apart from 27	2	1	4	—	2	1	2	1	4	3	4	1	2	1	6	—	26
27	Suicide	1	—	—	—	—	—	—	1	—	1	1	—	1	—	2	1	27
28	Other defined diseases ...	14	11	26	26	27	21	21	20	18	12	15	30	21	20	42	34	28
29	Causes ill-defined or unknown.	—	—	1	—	1	1	—	—	—	—	—	—	—	1	—	4	29

ADMINISTRATIVE AREAS, 1915—*continued.*

LANCASHIRE—*cont.* LEICESTERSHIRE.

	Sefton R.D.		Ulverston R.D.		Warrington R.D.		West Lancashire R.D.		Whiston R.D.		Wigan R.D.						Ashby de la Zouch U.D.		Ashby Woulds U.D.		Coalville U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	
	36	38	107	103	82	74	137	123	158	113	38	38					39	33	13	19	142	131	
1	—	—	1	—	1	—	—	1	—	—	—	—					—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3	—	—	—	—	3	—	1	2	6	3	2	1					—	—	—	1	4	9	3
4	—	—	—	—	1	1	1	—	—	1	—	—					—	—	—	1	—	—	4
5	2	1	—	—	1	1	2	3	1	—	2	3					1	—	—	1	5	6	5
6	—	—	1	1	2	—	1	1	2	1	—	—					—	—	—	—	1	3	6
7	1	—	2	1	—	—	7	1	4	1	—	—					3	1	—	—	4	—	7
8	—	—	1	—	—	—	—	—	—	1	—	—					—	—	—	—	1	1	8
9	2	1	5	4	6	2	6	7	8	4	1	3					4	2	—	1	7	6	9
10	—	—	—	—	—	1	—	—	1	—	—	—					—	1	—	—	1	—	10
11	—	2	1	1	1	—	1	1	4	—	—	—					—	—	—	—	2	2	11
12	6	1	6	10	7	9	8	11	7	13	1	2					4	4	—	—	4	8	12
13	—	—	—	—	—	—	1	—	—	1	1	—					—	—	—	—	—	2	13
14	—	—	2	—	1	2	—	—	—	2	—	1					—	—	—	—	—	—	14
15	1	7	16	14	5	1	11	8	11	8	5	8					2	7	—	2	14	6	15
16	5	2	11	11	7	11	8	11	17	11	2	2					1	2	—	—	14	9	16
17	3	3	7	7	14	11	17	10	20	11	4	4					4	—	1	—	15	20	17
18	2	1	2	1	—	1	3	5	1	—	—	—					3	—	—	—	5	3	18
19	2	—	1	1	3	—	—	1	3	2	1	—					1	—	—	—	10	5	19
20	—	1	2	1	2	—	2	—	—	3	—	—					—	—	—	1	—	—	20
21	1	1	1	—	—	—	4	—	—	1	2	—					—	1	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	21A
22	2	2	7	3	3	—	2	9	17	5	—	—					—	1	—	—	1	1	22
23	—	1	—	—	—	—	—	—	—	2	—	—					—	—	—	1	—	—	23
24	—	—	—	—	—	1	—	2	—	—	—	1					—	—	—	—	—	1	24
25	3	—	4	4	2	6	10	2	8	11	4	3					—	3	2	—	13	10	25
26	2	2	4	2	6	3	7	5	3	3	5	—					2	1	3	—	4	1	26
27	—	—	—	—	1	1	2	1	—	1	—	—					1	—	—	—	1	1	27
28	4	13	33	42	16	22	41	42	44	28	8	10					13	10	7	11	35	35	28
29	—	—	—	—	—	1	2	—	1	—	—	—					—	—	—	—	1	2	29

LEICESTERSHIRE—*cont.*

	Hinckley U.D.		Loughborough M.B.		Market Harborough U.D.		Melton Mowbray U.D.		Oadby U.D.		Quorndon U.D.		Shepshed U.D.		Thurmaston U.D.		Wigston Magna U.D.				Ashby de la Zouch R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
	80	100	160	159	57	43	72	75	14	14	16	19	44	55	12	10	56	48	...		132	131	
1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	...		—	—	2
3	14	13	—	—	—	1	—	2	—	—	—	—	—	—	—	—	2	1	...		2	3	3
4	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	...		—	—	4
5	—	—	—	1	—	—	3	2	—	—	1	1	—	—	—	—	1	—			3	4	5
6	—	—	2	—	—	—	—	—	—	1	—	—	—	2	—	—	2	1			—	2	6
7	—	1	2	1	—	—	1	1	—	—	—	1	—	—	—	—	—	—			4	—	7
8	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	...		—	—	8
9	9	6	10	10	4	3	5	8	2	—	—	—	3	4	—	1	3	6			12	5	9
10	—	—	1	2	—	—	—	2	—	—	—	—	—	—	—	—	—	1			1	—	10
11	1	—	3	2	—	—	—	1	—	—	1	1	—	1	1	—	1	1			2	3	11
12	6	7	8	11	13	9	7	3	3	4	1	2	7	6	1	2	1	7			4	8	12
13	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—			—	—	13
14	1	1	—	—	1	—	2	1	—	—	—	—	—	—	—	—	1	—			—	2	14
15	1	13	24	25	8	3	4	9	—	3	3	1	8	8	—	2	4	7			9	14	15
16	6	6	12	12	4	4	5	8	2	2	2	2	4	5	—	—	3	5			10	9	16
17	5	2	18	8	5	3	5	6	1	—	—	—	2	3	1	1	9	3			12	10	17
18	—	—	1	5	1	—	1	—	—	—	—	—	—	—	—	—	—	1			1	4	18
19	2	2	7	8	—	1	—	1	—	—	1	—	—	1	—	—	—	—			3	6	19
20	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1	1	20
21	2	—	2	2	1	—	1	1	—	—	—	—	—	—	—	—	1	—			—	2	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—			—	—	21A
22	5	4	2	3	3	—	5	3	—	—	—	1	—	1	1	—	3	1			5	4	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	23
24	—	—	—	2	—	1	—	1	—	—	—	1	—	—	—	—	—	—			—	6	24
25	10	6	7	7	1	—	3	3	3	—	1	2	3	1	1	1	4	1			10	12	25
26	—	1	9	2	2	4	4	1	—	1	—	—	1	1	—	—	3	—			7	2	26
27	—	1	1	2	—	—	2	—	—	—	—	—	—	—	—	—	2	—			1	—	27
28	16	35	50	54	11	14	20	21	2	3	6	6	16	19	7	2	15	13			45	33	28
29	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—			—	—	29

LEICESTERSHIRE—*cont.*

	Causes of Death.	Barrow upon Soar R.D.		Belvoir R.D.		Billesdon R.D.		Blaby R.D.		Castle Donington R.D.		Hallaton R.D.		Hinckley R.D.		Loughborough R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	156	174	23	34	29	39	104	89	35	47	11	12	106	89	27	24	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	1	—	—	—	—	—	—	—	—	—	—	4	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	4
5	Whooping cough ...	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	1	5
6	Diphtheria and croup ...	1	1	—	—	1	1	2	—	—	—	—	—	—	1	—	—	6
7	Influenza	13	10	—	—	1	—	—	—	2	4	—	1	2	1	—	2	7
8	Erysipelas	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	11	11	2	1	3	1	9	12	1	3	—	—	10	18	1	—	9
10	Tuberculous meningitis	1	2	—	1	1	1	—	—	—	—	—	—	—	1	—	—	10
11	Other tuberculous diseases	2	4	—	1	—	—	—	1	—	2	1	—	1	—	—	—	11
12	Cancer, malignant disease	15	12	4	2	5	6	6	7	5	8	—	1	10	6	2	3	12
13	Rheumatic fever... ...	1	3	—	—	—	1	—	—	—	—	—	—	2	—	—	—	13
14	Meningitis	—	2	—	—	—	1	—	—	1	1	—	—	2	—	—	—	14
15	Organic heart disease ...	12	26	3	5	3	6	14	8	1	5	1	3	7	8	6	2	15
16	Bronchitis	4	6	3	6	—	4	11	13	1	1	1	3	5	5	1	1	16
17	Pneumonia (all forms) ...	13	4	1	1	2	2	6	3	—	3	—	—	8	10	3	2	17
18	Other respiratory diseases	—	2	—	1	—	—	6	2	—	—	1	1	3	1	—	2	18
19	Diarrhœa, &c. (under 2 yrs.)	5	3	—	—	—	—	2	—	1	—	—	—	1	—	—	—	19
20	Appendicitis and typhlitis	1	4	—	—	—	—	—	1	3	—	—	—	1	—	—	—	20
21	Cirrhosis of liver ...	2	1	1	—	1	1	1	—	1	—	—	—	—	—	—	—	21
21A	Alcoholism	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	5	3	—	1	—	—	5	5	4	—	1	—	3	—	—	—	22
23	Puerperal fever	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	12	5	1	—	1	2	4	2	—	2	—	—	10	6	—	2	25
26	Violence, apart from 27	1	3	1	1	—	—	4	—	—	—	1	1	3	—	2	—	26
27	Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	52	65	7	13	11	13	34	29	15	17	5	2	31	30	12	9	28
29	Causes ill-defined or unknown.	—	2	—	—	—	—	—	1	—	—	—	—	2	1	—	—	29

LEICESTERSHIRE—*cont.* LINCOLNSHIRE (PARTS OF HOLLAND).

	Causes of Death.	Lutterworth R.D.		Market Bosworth R.D.		Market Harborough R.D.		Melton Mowbray R.D.				Boston M.B.		Holbeach U.D.		Long Sutton U.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES	72	78	164	134	45	46	97	94			143	141	41	38	27	24	
1	Enteric fever	1	—	—	—	—	—	—	—			—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	Measles	—	—	6	5	—	1	—	—			4	3	1	1	—	—	3
4	Scarlet fever	—	—	1	—	—	—	—	—			1	—	2	—	—	—	4
5	Whooping cough ...	—	—	—	2	1	—	1	—			5	6	1	1	—	—	5
6	Diphtheria and croup ...	1	—	1	1	—	—	1	—			1	1	—	—	—	—	6
7	Influenza	2	4	6	1	1	1	4	3			6	9	—	2	—	—	7
8	Erysipelas	—	—	—	—	1	—	—	—			—	—	—	—	—	—	8
9	Pulmonary tuberculosis	9	2	11	4	6	1	7	2			7	15	4	2	1	2	9
10	Tuberculous meningitis	—	2	1	2	1	1	3	—			2	2	—	—	—	—	10
11	Other tuberculous diseases	1	1	2	1	—	—	1	—			—	—	—	1	—	—	11
12	Cancer, malignant disease	8	5	7	14	4	7	13	7			10	15	3	3	2	2	12
13	Rheumatic fever... ...	1	—	—	—	—	—	—	1			—	—	—	—	—	—	13
14	Meningitis	2	—	—	2	—	—	1	—			—	—	—	—	—	2	14
15	Organic heart disease ..	4	10	14	19	2	4	11	16			8	15	—	2	2	—	15
16	Bronchitis	1	6	11	18	4	3	11	6			19	9	3	1	2	5	16
17	Pneumonia (all forms) ...	2	4	14	3	1	—	5	8			10	6	4	3	3	1	17
18	Other respiratory diseases	2	2	3	—	1	1	—	2			—	3	1	1	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	4	2	1	—	—	—			1	1	—	—	1	—	19
20	Appendicitis and typhlitis	—	1	3	—	—	—	—	—			—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	1	1	—	—	1	2	4			—	2	—	—	—	—	21
21A	Alcoholism	—	—	1	—	—	—	—	—			1	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	2	2	2	2	1	—	2			6	5	—	2	1	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	—	—	1			—	2	—	—	—	—	24
25	Congenital debility, &c.	3	3	13	18	1	2	7	4			5	3	3	3	3	1	25
26	Violence, apart from 27	3	—	4	—	1	—	3	—			4	—	—	2	—	—	26
27	Suicide	1	1	—	—	—	—	1	—			1	1	—	—	—	—	27
28	Other defined diseases ...	31	31	56	38	18	23	25	38			52	42	17	14	10	10	28
29	Causes ill-defined or unknown.	—	1	3	1	—	—	1	—			—	1	2	—	1	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

LINCOLNSHIRE (PARTS OF HOLLAND)—*cont.* LINCOLNSHIRE (PARTS OF KESTEVEN).

	Spalding U.D.		Sutton Bridge U.D.		Boston R.D.		Crowland R.D.		East Elloe R.D.		Spalding R.D.		Bourne U.D.		Bracebridge U.D.		Grantham M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	91	75	15	22	144	143	17	18	66	56	98	95	38	28	8	13	172	160	
1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	1	—	1	1	2	—	—	2	3	—	—	—	—	—	1	4	7	3
4	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	4
5	1	—	—	—	1	4	2	—	—	—	—	—	2	—	—	1	—	3	5
6	—	—	—	—	3	3	—	—	—	—	1	—	—	—	—	—	4	5	6
7	4	4	—	1	3	6	1	—	2	2	3	3	—	3	—	1	5	4	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	5	1	2	10	11	—	1	1	4	5	4	1	1	—	—	10	8	9
10	1	—	—	—	—	—	—	—	—	2	2	2	1	—	—	—	—	1	10
11	—	1	—	—	1	6	—	—	1	—	—	—	—	—	1	—	5	2	11
12	6	8	2	3	8	8	4	4	4	4	7	9	2	3	1	2	11	18	12
13	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	13
14	2	—	—	—	1	2	—	—	—	—	1	1	—	—	—	—	2	1	14
15	15	11	1	—	24	11	2	3	4	4	4	12	7	2	1	1	14	9	15
16	4	6	—	—	14	13	1	2	5	5	6	10	3	1	1	2	14	16	16
17	8	1	1	2	12	7	—	—	2	6	10	4	1	1	—	1	13	9	17
18	1	—	—	—	3	2	—	—	—	1	—	1	4	1	—	—	7	2	18
19	1	2	—	—	1	2	—	—	1	—	—	1	—	—	—	1	7	4	19
20	—	—	—	—	—	2	—	—	1	—	2	—	1	—	—	—	—	1	20
21	1	—	—	—	2	1	—	—	—	—	—	—	1	—	—	—	2	2	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	21A
22	1	1	1	2	6	7	1	—	—	2	4	3	—	1	1	—	2	2	22
23	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	1	23
24	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	24
25	5	2	—	—	7	10	1	1	9	1	5	7	1	1	1	1	7	8	25
26	2	1	1	1	3	1	1	—	5	2	5	—	1	—	—	—	4	1	26
27	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	27
28	34	30	8	10	41	38	3	7	27	17	41	36	12	12	2	2	58	54	28
29	—	—	—	—	2	1	—	—	1	—	2	2	—	—	—	—	1	1	29

LINCOLNSHIRE (PARTS OF KESTEVEN)—*cont.*

	Rusking-ton U.D.		Sleaford U.D.		Stamford M.B.		Bourne R.D.		Branston R.D.		Claypole R.D.		Grantham R.D.		Sleaford R.D.		Uffington R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	9	8	48	58	90	67	99	84	110	109	61	63	97	90	119	122	9	14	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	3	1	2	2	2	—	—	4	—	—	1	1	2	1	—	1	3
4	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	2	1	—	—	1	3	—	3	—	—	5
6	—	—	—	—	2	4	—	—	2	2	—	—	2	5	—	—	1	—	6
7	—	—	1	3	3	3	4	2	4	6	2	2	2	2	4	7	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	1	4	5	5	1	6	8	9	6	5	2	2	4	4	7	—	1	9
10	—	—	—	2	1	1	1	1	—	—	—	1	—	1	3	—	—	1	10
11	—	—	—	2	1	—	3	—	2	2	2	—	1	2	2	1	1	—	11
12	1	1	2	6	8	6	3	7	8	8	2	7	2	12	9	7	—	3	12
13	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—	13
14	—	—	—	—	2	—	1	—	—	—	—	—	—	3	2	1	—	—	14
15	—	2	5	5	5	2	13	9	10	15	9	8	8	7	9	15	1	—	15
16	—	1	5	5	4	7	10	13	15	11	7	5	11	9	15	9	1	—	16
17	1	—	5	4	5	5	6	4	6	3	2	2	11	3	7	6	—	—	17
18	—	—	—	1	—	—	4	1	1	3	2	2	4	4	5	2	—	—	18
19	—	—	—	1	—	—	1	1	1	—	1	—	1	1	1	—	—	1	19
20	—	—	—	—	1	1	1	2	—	1	—	—	1	—	—	—	—	—	20
21	—	—	—	—	—	1	1	—	—	—	—	—	—	—	2	—	—	—	21
21A	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	21A
22	2	—	1	1	7	2	1	2	1	2	3	—	2	2	4	4	1	—	22
23	—	—	—	—	—	2	—	1	—	1	—	1	—	—	—	—	—	—	23
24	—	—	—	1	—	1	—	2	—	3	—	1	—	3	—	6	—	—	24
25	—	—	4	3	11	5	3	4	4	5	3	4	5	1	9	8	—	—	25
26	—	—	3	—	2	2	4	—	3	—	—	1	4	1	2	1	—	—	26
27	—	—	—	1	—	—	1	—	1	1	—	—	1	—	2	—	—	1	27
28	4	3	14	16	28	22	33	27	41	32	22	25	37	22	36	43	4	6	28
29	—	—	1	—	1	—	1	—	—	2	—	1	—	3	—	—	—	—	29

LINCOLNSHIRE (PARTS OF LINDSEY).

	Causes of Death.	Alford U.D.		Barton upon Humber U.D.		Brigg U.D.		Broughton U.D.		Brumby and Frodingham U.D.		Cleethorpe with Thrunscoe U.D.		Crowle U.D.		Gainsborough U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	18	24	42	41	20	34	13	9	27	23	144	131	18	19	152	152	
1	Enteric fever	—	—	—	—	1	1	—	—	—	—	1	1	—	—	1	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	1	1	—	—	8	4	—	—	1	4	3
4	Scarlet fever	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	1	—	1	—	—	—	—	1	3	—	—	—	—	5
6	Diphtheria and croup ...	1	—	—	—	—	—	—	—	1	—	4	3	—	—	—	—	6
7	Influenza	—	1	—	1	3	5	—	—	—	1	2	2	—	—	3	7	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	—	3	7	—	5	—	—	1	—	5	8	—	—	23	11	9
10	Tuberculous meningitis	—	1	1	3	—	2	—	1	—	—	2	—	—	—	—	2	10
11	Other tuberculous diseases	—	—	2	1	—	1	1	—	—	—	2	4	—	1	3	2	11
12	Cancer, malignant disease	1	3	2	3	—	2	2	1	2	2	4	17	1	4	4	15	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	13
14	Meningitis	—	—	—	—	1	—	—	—	1	—	1	—	1	—	1	—	14
15	Organic heart disease ...	3	7	4	3	2	—	2	—	—	2	16	5	2	1	14	11	15
16	Bronchitis	—	1	3	4	—	2	2	1	—	1	13	16	1	1	15	22	16
17	Pneumonia (all forms) ...	—	3	6	5	1	1	—	—	4	2	13	7	2	2	15	14	17
18	Other respiratory diseases	—	—	2	1	2	1	—	—	2	1	2	2	1	—	1	—	18
19	Diarrhœa,&c.(under 2 yrs.)	—	—	3	—	—	—	—	—	1	1	5	—	—	1	7	6	19
20	Appendicitis and typhlitis	—	—	—	1	—	—	—	—	—	—	1	3	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	1	3	—	—	2	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	—	—	—	—	—	1	1	—	5	3	1	—	5	3	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	24
25	Congenital debility, &c.	3	—	4	3	1	2	—	—	—	3	13	6	—	—	12	9	25
26	Violence, apart from 27	1	—	1	—	1	2	—	1	1	—	9	5	—	—	4	2	26
27	Suicide	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	1	27
28	Other defined diseases ...	8	6	11	8	8	9	5	3	10	9	33	36	6	8	38	38	28
29	Causes ill-defined or unknown.	—	2	—	—	—	—	—	—	1	—	1	—	1	—	—	2	29

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.*

	Causes of Death.	Horncastle U.D.		Louth M.B.		Mablethorpe U.D.		Market Rasen U.D.		Roxby cum Risby U.D.		Scunthorpe U.D.		Skegness U.D.		Winterton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	42	44	91	93	11	10	19	28	6	4	80	78	16	31	6	14	
1	Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1
2	Small-pox...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	3	7	9	—	—	—	—	—	1	3	3	—	—	—	1	3
4	Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	1	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	4	—	1	—	1	—	—	1	3	—	—	—	1	6
7	Influenza	2	3	3	4	1	—	—	1	—	—	—	3	—	2	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	—	8	3	1	1	2	—	—	1	7	3	1	2	—	—	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	1	—	—	1	1	—	1	2	10
11	Other tuberculous diseases	—	—	1	1	1	—	—	—	—	—	1	4	—	—	—	1	11
12	Cancer, malignant disease	3	1	5	7	—	3	—	2	1	—	—	6	2	3	—	2	12
13	Rheumatic fever... ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	1	—	1	1	—	—	—	—	—	—	1	4	—	—	—	—	14
15	Organic heart disease ...	2	4	10	5	1	1	5	5	—	1	2	5	1	4	1	1	15
16	Bronchitis	—	4	4	12	—	—	—	3	2	—	5	2	1	—	—	—	16
17	Pneumonia (all forms) ...	4	6	3	—	—	—	—	1	1	—	5	6	—	—	—	—	17
18	Other respiratory diseases	4	—	—	1	—	—	—	1	—	—	1	2	1	3	1	—	18
19	Diarrhœa,&c.(under 2 yrs.)	—	—	2	—	—	—	—	—	—	—	10	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	2	2	2	—	—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	1	7	3	—	—	3	1	—	—	3	1	—	2	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	1	3	4	3	—	—	2	—	—	1	9	8	1	2	—	1	25
26	Violence, apart from 27	2	1	3	3	1	—	—	—	—	—	2	—	—	—	1	—	26
27	Suicide	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	27
28	Other defined diseases ...	20	16	28	33	4	4	7	11	—	—	29	25	7	11	2	3	28
29	Causes ill-defined or unknown.	—	—	1	—	—	—	—	—	1	—	1	1	—	—	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.*

	Woodhall Spa U.D.		Caistor R.D.		Gainsborough R.D.		Glanford Brigg R.D.		Grimsby R.D.		Horncastle R.D.		Isle of Axholme R.D.		Louth R.D.		Sibsey R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	3	7	103	74	108	97	232	221	75	78	106	85	51	51	145	146	22	19	
1	—	—	1	—	—	—	2	1	—	—	—	—	—	—	1	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	1	4	3	4	3	2	2	—	—	5	4	—	—	3
4	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5	—	—	4	2	—	—	1	5	—	—	—	—	—	2	—	3	—	1	5
6	—	—	1	1	3	2	1	—	2	1	—	1	—	—	1	1	1	—	6
7	2	—	3	1	9	5	12	16	3	2	4	2	1	2	10	11	2	1	7
8	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	8
9	1	—	3	4	6	8	11	16	5	2	4	6	—	2	8	8	1	1	9
10	—	—	—	—	1	—	1	2	1	2	—	—	—	—	—	—	—	—	10
11	—	—	—	1	3	1	3	6	1	—	—	1	—	1	3	1	—	1	11
12	—	—	5	6	12	13	14	19	3	8	3	7	2	1	9	13	2	—	12
13	—	—	—	—	—	—	1	—	—	—	—	1	—	—	3	—	—	—	13
14	—	—	1	—	1	—	6	3	1	2	—	—	—	1	2	—	—	—	14
15	—	1	15	9	7	7	16	10	11	7	8	15	7	7	13	15	2	2	15
16	—	—	13	9	12	6	15	17	9	6	10	3	2	3	6	16	3	—	16
17	—	—	4	3	2	3	15	14	4	3	15	12	4	2	8	6	1	—	17
18	—	—	3	—	2	—	2	3	2	3	—	—	3	2	2	—	1	2	18
19	—	—	2	1	—	—	4	3	1	—	—	—	1	—	1	1	—	—	19
20	—	—	—	—	2	—	—	1	—	1	1	—	—	—	1	—	1	—	20
21	—	—	1	—	—	1	—	1	—	—	1	—	1	—	—	—	1	—	21
21A	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	21A
22	—	2	—	3	2	3	3	5	—	2	3	3	—	1	8	4	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	1	—	—	—	1	—	2	—	—	—	—	—	—	—	3	—	—	24
25	—	1	4	6	8	1	23	15	7	6	7	3	3	—	11	10	1	—	25
26	—	—	4	—	5	2	12	—	4	2	2	1	3	—	4	2	1	1	26
27	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	1	—	1	27
28	—	1	38	26	32	42	81	79	17	28	45	26	22	25	48	44	5	9	28
29	—	—	1	1	—	—	2	—	—	—	—	1	—	—	1	3	—	—	29

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.* MIDDLESEX.

	Spilsby R.D.		Welton R.D.		Acton U.D.		Brentford U.D.		Chiswick U.D.		Ealing M.B.		Edmonton U.D.		Enfield U.D.		Feltham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	139	134	91	85	391	397	128	116	277	324	381	446	454	369	368	321	38	33	
1	—	—	—	—	—	—	—	1	1	1	3	1	2	—	2	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	2	14	13	4	3	13	13	11	5	14	14	15	17	1	2	3
4	—	—	—	—	1	1	—	—	2	1	3	5	3	6	1	2	—	—	4
5	3	1	1	—	8	8	—	3	16	12	10	9	8	6	10	4	—	4	5
6	1	3	4	1	4	9	—	1	1	1	6	3	1	7	3	7	—	—	6
7	12	14	2	3	6	7	3	2	10	5	9	14	1	2	3	4	—	4	7
8	—	—	—	—	1	—	—	—	—	2	1	—	1	—	—	—	1	—	8
9	8	8	7	5	30	24	11	15	21	20	26	31	48	32	33	23	1	2	9
10	—	—	—	—	6	8	—	—	3	8	4	4	5	6	—	4	—	—	10
11	1	4	—	—	9	—	1	—	2	4	4	4	2	7	5	3	1	—	11
12	6	11	6	11	25	39	7	10	19	33	34	47	29	22	25	27	4	3	12
13	—	1	1	—	1	—	1	1	—	4	1	3	2	1	1	2	—	—	13
14	2	—	1	—	4	4	—	2	4	—	6	4	4	4	3	1	1	—	14
15	10	9	3	6	32	34	19	12	20	24	36	44	36	40	27	34	2	3	15
16	9	5	13	6	33	44	14	15	24	39	26	38	18	22	27	30	4	2	16
17	2	5	6	3	45	30	10	15	28	30	28	28	62	44	32	28	2	1	17
18	—	4	3	2	2	2	2	1	3	5	6	9	9	5	10	2	2	—	18
19	—	1	1	1	8	14	5	2	3	3	9	6	28	18	7	6	—	—	19
20	—	1	—	—	2	2	—	—	5	4	6	5	4	—	3	2	—	—	20
21	1	1	—	—	7	3	—	—	2	5	7	5	1	1	4	2	—	—	21
21A	—	—	—	—	1	—	—	—	—	—	1	—	—	1	1	—	—	—	21A
22	7	2	4	2	20	12	—	1	10	8	14	16	12	12	10	6	1	1	22
23	—	—	—	—	—	1	—	—	—	2	—	2	—	6	—	—	—	—	23
24	—	—	—	1	—	2	—	—	—	4	—	1	—	1	—	1	—	—	24
25	7	5	4	3	27	25	8	4	11	16	14	10	26	21	19	28	2	1	25
26	4	2	3	2	15	8	12	2	10	4	9	8	21	10	13	4	2	—	26
27	—	1	—	—	1	3	—	—	3	—	4	1	2	1	—	2	—	—	27
28	66	56	30	35	89	104	31	26	65	76	103	141	114	80	113	81	14	10	28
29	—	—	1	2	—	—	—	—	1	—	—	2	1	—	1	1	—	—	29

MIDDLESEX—*cont.*

	Causes of Death.	Finchley U.D.		Friern Barnet U.D.		Greenford U.D.		Hampton U.D.		Hampton Wick U.D.		Hanwell U.D.		Harrow on the Hill U.D.		Hayes U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	225	267	85	91	16	9	47	64	13	13	128	111	59	77	36	33	
1	Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	4	6	8	8	—	1	1	—	—	1	8	5	2	1	1	—	3
4	Scarlet fever	1	1	—	—	1	—	—	—	—	—	1	—	1	—	1	—	4
5	Whooping cough ...	—	2	1	2	—	1	—	—	—	—	1	1	—	—	2	1	5
6	Diphtheria and croup ...	3	1	3	1	—	—	2	—	—	—	3	2	—	1	4	5	6
7	Influenza	9	9	—	2	1	—	—	1	1	—	2	1	2	3	—	—	7
8	Erysipelas	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	11	14	8	1	1	1	6	3	—	—	18	3	5	5	2	—	9
10	Tuberculous meningitis	—	2	4	2	—	—	—	1	—	—	—	—	—	2	—	—	10
11	Other tuberculous diseases	2	3	—	—	—	1	—	—	—	1	2	1	1	1	—	1	11
12	Cancer, malignant disease	22	37	4	7	—	—	5	9	1	1	3	6	8	13	8	4	12
13	Rheumatic fever... ...	—	1	1	—	—	—	—	—	—	—	1	2	2	—	—	—	13
14	Meningitis	2	1	1	—	—	—	—	—	1	—	1	—	1	—	1	—	14
15	Organic heart disease ...	26	28	9	7	—	1	4	8	1	2	14	16	3	13	3	4	15
16	Bronchitis	21	24	6	12	1	—	2	9	2	1	15	9	3	5	—	—	16
17	Pneumonia (all forms) ...	13	19	3	10	—	—	9	4	—	1	11	13	3	3	2	3	17
18	Other respiratory diseases	4	6	2	—	—	—	1	2	—	—	2	—	2	3	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	6	3	—	1	1	—	1	1	—	—	2	3	1	2	—	—	19
20	Appendicitis and typhlitis	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	4	1	—	—	—	—	1	1	—	1	1	1	—	3	1	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	12	8	2	1	—	1	—	1	—	1	1	—	4	2	1	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	15	11	10	4	—	1	4	6	—	—	8	8	3	1	2	2	25
26	Violence, apart from 27	5	5	3	2	3	1	—	—	—	—	2	2	3	2	1	1	26
27	Suicide	—	3	1	1	1	—	—	—	—	—	2	—	1	—	—	—	27
28	Other defined diseases ...	62	80	16	30	6	1	11	18	6	4	27	37	14	17	7	10	28
29	Causes ill-defined or unknown.	—	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	29

MIDDLESEX—*cont.*

	Causes of Death.	Hendon U.D.		Heston and Isleworth U.D.		Hornsey M.B.		Kingsbury U.D.		Ruislip Northwood U.D.		Southall Norwood U.D.		Southgate U.D.		Staines U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	231	250	310	288	480	525	11	6	32	36	138	137	169	158	44	54	
1	Enteric fever	—	—	—	—	1	1	—	—	—	—	1	1	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	4	11	11	11	24	15	—	—	—	—	1	6	4	8	—	2	3
4	Scarlet fever	—	—	1	—	1	2	—	—	—	—	—	—	—	—	1	—	4
5	Whooping cough ...	3	3	2	7	3	4	—	—	—	—	3	4	2	1	1	3	5
6	Diphtheria and croup ...	3	3	1	5	6	5	—	—	—	1	2	—	2	2	—	1	6
7	Influenza	5	6	—	—	7	11	—	—	—	—	—	—	8	3	2	1	7
8	Erysipelas	—	2	—	—	2	1	—	—	—	—	—	—	1	1	1	—	8
9	Pulmonary tuberculosis	25	15	33	15	38	22	1	1	2	1	11	12	21	11	2	3	9
10	Tuberculous meningitis	4	2	4	4	4	5	—	—	2	—	2	1	—	2	—	—	10
11	Other tuberculous diseases	2	—	3	4	3	7	—	1	1	—	4	4	1	4	1	—	11
12	Cancer, malignant disease	15	24	21	29	32	72	—	—	4	7	12	14	11	22	2	4	12
13	Rheumatic fever... ...	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	1	13
14	Meningitis	3	3	5	3	7	3	—	—	—	—	1	—	3	2	1	—	14
15	Organic heart disease ...	21	33	31	34	42	58	—	—	4	4	17	11	13	17	5	2	15
16	Bronchitis	14	15	29	29	28	39	—	—	4	2	7	10	13	9	5	7	16
17	Pneumonia (all forms) ...	20	19	31	23	43	43	1	—	—	1	12	19	13	15	4	4	17
18	Other respiratory diseases	5	9	6	6	6	14	—	—	—	1	—	1	1	—	2	—	18
19	Diarrhœa, &c. (under 2 yrs.)	5	3	8	6	18	11	—	1	2	—	7	5	1	2	1	—	19
20	Appendicitis and typhlitis	1	—	2	—	2	1	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	3	—	1	6	6	—	—	—	—	—	—	2	1	—	1	21
21A	Alcoholism	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	9	8	9	5	23	14	2	1	—	3	3	3	5	1	3	2	22
23	Puerperal fever	—	2	—	2	—	1	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	5	—	1	—	1	—	—	—	1	—	—	—	3	—	1	24
25	Congenital debility, &c.	14	15	23	14	19	18	—	—	1	4	14	9	7	6	2	5	25
26	Violence, apart from 27	10	8	12	9	15	9	3	—	—	1	9	1	11	4	1	3	26
27	Suicide	4	—	2	1	5	3	—	—	—	—	1	—	1	—	1	1	27
28	Other defined diseases ...	64	61	75	77	145	158	4	2	12	10	31	36	49	44	9	13	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

MIDDLESEX—*cont.*

	Sunbury on Thames U.D.		Teddington U.D.		Tottenham U.D.		Twickenham U.D.		Uxbridge U.D.		Wealdstone U.D.		Wembley U.D.		Willesden U.D.		Wood Green U.D.		Yiewsley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	F	M	M	F	M	F	
	24	31	139	134	1001	931	201	196	93	73	74	51	68	64	1022	974	291	311	23	20	
1	—	—	—	—	2	2	—	—	2	2	—	—	—	1	3	2	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	2	1	57	68	5	4	1	2	2	—	3	4	39	33	7	7	—	—	3
4	—	—	—	—	11	4	—	—	—	—	—	—	1	1	9	6	—	2	—	1	4
5	—	3	4	3	15	17	3	1	2	—	2	—	2	3	30	23	—	4	—	—	5
6	—	—	—	—	9	11	1	1	1	1	1	1	1	1	15	13	2	5	—	—	6
7	—	—	10	8	3	16	3	3	—	1	1	3	—	—	13	15	7	4	—	2	7
8	1	—	—	—	1	2	—	—	—	—	1	—	1	1	3	1	1	2	—	—	8
9	3	1	12	7	105	82	17	16	9	8	8	3	3	1	91	75	29	18	—	2	9
10	—	—	3	—	14	16	1	1	1	1	—	—	1	2	14	16	3	4	—	—	10
11	—	1	1	1	22	11	2	1	2	1	2	—	1	1	10	3	—	3	—	—	11
12	4	2	10	17	87	72	19	17	8	7	15	6	3	6	69	95	19	45	—	3	12
13	—	—	—	1	1	3	—	1	—	—	1	1	1	—	2	7	1	3	1	1	13
14	—	—	—	—	14	10	3	1	4	2	1	4	2	—	14	12	3	2	—	—	14
15	4	1	22	12	102	85	18	25	14	1	3	4	5	7	73	107	31	33	2	3	15
16	4	4	10	8	69	82	9	19	6	7	3	4	4	6	80	112	26	25	5	2	16
17	—	2	14	11	98	83	20	18	7	6	9	—	10	7	99	78	23	24	—	—	17
18	1	1	2	3	27	17	3	6	5	1	1	2	—	—	24	15	7	8	—	—	18
19	—	—	3	5	28	21	5	7	1	1	2	2	3	1	32	13	8	12	—	1	19
20	—	—	—	1	4	5	—	—	1	—	—	1	1	—	7	11	2	3	—	—	20
21	—	1	—	—	5	8	8	4	2	1	1	1	3	1	12	11	3	2	—	—	21
21A	—	—	—	1	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	21A
22	1	1	5	4	19	10	4	4	1	1	1	2	2	1	30	22	7	7	1	1	22
23	—	—	—	—	—	5	—	2	—	—	—	—	—	—	—	6	—	3	—	—	23
24	—	—	—	—	—	7	—	—	—	1	—	—	—	—	—	8	—	1	—	—	24
25	1	2	7	6	64	44	15	15	2	4	7	4	3	3	74	50	19	15	4	1	25
26	1	—	2	3	30	11	12	5	2	2	1	—	4	—	46	20	14	2	3	—	26
27	—	—	1	—	7	3	3	1	1	—	1	—	—	—	11	1	—	1	—	1	27
28	4	10	31	42	206	235	50	43	21	23	11	13	14	17	219	219	79	75	7	2	28
29	—	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	29

MIDDLESEX—*cont.* MONMOUTHSHIRE.

	Hendon R.D.		South Mimms R.D.		Staines R.D.		Uxbridge R.D.						Abercarn U.D.		Abergavenny M.B.		Abersychan U.D.		Abertillery U.D.		Bedwas and Machen U.D.		
	M	F	M	F	M	F	M	F					M	F	M	F	M	F	M	F	M	F	
	74	60	15	23	157	154	66	53					129	106	95	80	181	159	271	241	53	39	
1	—	1	—	—	1	—	—	—					—	—	—	—	—	—	—	2	—	—	1
2	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—	2
3	2	1	—	—	7	7	—	—					3	6	—	—	1	2	10	8	2	1	3
4	—	1	—	—	1	1	—	1					—	1	—	—	2	1	—	3	—	—	4
5	—	—	—	—	5	2	1	—					8	7	—	4	3	6	2	5	—	1	5
6	—	1	1	—	4	2	2	1					1	1	—	2	1	1	5	7	2	1	6
7	2	—	—	1	4	1	—	1					1	—	2	5	1	1	9	4	—	1	7
8	1	—	—	—	—	—	—	—					1	2	—	—	1	—	—	—	—	—	8
9	8	3	1	1	7	9	6	3					8	8	4	4	8	10	10	9	2	3	9
10	—	2	—	—	—	—	—	1					1	—	—	—	—	3	—	2	3	1	10
11	—	—	1	—	4	4	2	2					—	—	1	—	3	1	5	2	1	2	11
12	8	7	1	2	9	11	2	7					3	2	2	3	8	9	10	7	—	1	12
13	—	—	—	—	—	1	—	—					—	1	—	1	—	—	3	2	—	—	13
14	—	—	—	1	—	1	4	2					1	—	3	—	4	3	3	3	—	—	14
15	5	6	—	1	14	9	5	5					7	8	13	10	11	18	13	22	2	6	15
16	3	1	1	2	11	14	9	2					10	11	7	8	22	20	25	19	3	1	16
17	6	8	1	3	13	14	3	1					18	12	6	3	16	20	36	35	5	3	17
18	—	2	—	—	3	2	1	1					2	7	2	1	5	2	4	2	2	—	18
19	—	—	2	—	2	2	1	1					4	3	5	—	2	1	13	11	5	2	19
20	—	—	—	—	1	2	4	—					1	—	—	—	1	—	—	1	—	—	20
21	1	2	—	—	1	2	—	—					—	—	1	1	1	1	1	—	—	—	21
21A	—	—	—	—	1	—	—	—					1	—	—	—	—	—	—	—	—	—	21A
22	2	2	—	2	3	3	—	1					—	3	3	2	2	2	4	5	2	1	22
23	—	—	—	—	—	1	—	1					—	—	—	—	—	4	—	—	—	—	23
24	—	2	—	1	—	—	—	—					—	2	—	1	—	1	—	4	—	—	24
25	3	1	1	1	7	9	1	2					10	5	7	8	23	16	36	22	5	3	25
26	3	—	2	—	8	3	3	1					9	—	—	1	7	2	17	3	8	1	26
27	—	—	—	—	—	1	1	—					—	—	2	1	—	—	1	—	—	—	27
28	30	20	4	8	51	53	21	20					40	27	36	25	57	31	63	61	9	10	28
29	—	—	—	—	—	—	—	—					—	—	1	—	2	1	1	2	2	1	29

MONMOUTHSHIRE—*cont.*

	Causes of Death.	Bedwellty U.D.		Blaenavon U.D.		Caerleon U.D.		Chepstow U.D.		Ebbw Vale U.D.		Llanfrechfa Upper U.D.		Llantarnam U.D.		Monmouth M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	232	172	96	113	10	15	19	23	310	255	31	29	62	38	38	48	
1	Enteric fever	1	1	—	1	—	—	—	—	2	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	19	9	7	7	1	—	—	—	21	22	—	2	5	2	2	2	3
4	Scarlet fever	1	1	—	1	—	—	—	—	5	7	—	1	—	1	—	—	4
5	Whooping cough ...	2	6	2	3	—	—	—	—	13	12	—	—	1	—	—	4	5
6	Diphtheria and croup ...	6	3	—	—	—	—	—	1	3	1	—	—	1	—	—	1	6
7	Influenza	7	1	1	—	—	—	—	1	4	—	—	—	—	—	—	1	7
8	Erysipelas	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	12	9	6	4	—	4	1	6	13	9	3	—	5	2	3	2	9
10	Tuberculous meningitis	3	1	1	—	—	1	—	—	4	1	—	—	—	—	1	—	10
11	Other tuberculous diseases	2	1	1	1	—	1	1	—	4	3	1	—	—	—	1	1	11
12	Cancer, malignant disease	7	9	1	2	—	2	—	2	11	10	2	2	5	2	1	4	12
13	Rheumatic fever... ...	3	—	2	2	—	—	—	—	—	—	1	—	—	—	—	—	13
14	Meningitis	1	3	—	3	—	—	—	1	5	5	1	—	—	—	—	—	14
15	Organic heart disease ...	7	11	4	6	1	—	1	2	16	17	1	2	5	6	6	8	15
16	Bronchitis	8	13	13	15	—	1	3	1	32	31	2	5	7	4	2	6	16
17	Pneumonia (all forms) ...	46	32	4	10	—	2	2	1	37	21	1	2	7	3	3	2	17
18	Other respiratory diseases	3	1	2	2	1	—	1	—	12	5	2	—	1	—	2	—	18
19	Diarrhœa, &c. (under 2 yrs.)	9	3	2	—	—	2	—	—	14	12	—	1	—	—	—	—	19
20	Appendicitis and typhlitis	4	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	20
21	Cirrhosis of liver ...	2	—	1	—	—	—	—	—	1	1	1	—	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	6	5	1	3	—	—	1	—	6	6	1	3	—	2	3	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	27	17	12	9	2	—	2	—	16	14	3	2	7	1	2	3	25
26	Violence, apart from 27	18	8	9	1	1	1	1	—	16	7	2	1	1	2	3	2	26
27	Suicide	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	27
28	Other defined diseases ...	34	34	26	41	3	—	5	8	71	64	10	8	16	13	9	9	28
29	Causes ill-defined or unknown.	2	3	1	1	—	—	1	—	—	1	—	—	—	—	—	—	29

MONMOUTHSHIRE—*cont.*

	Causes of Death.	Mynyddislwyn U.D.		Nantyglo and Blaina U.D.		Panteg U.D.		Pontypool U.D.		Rhymney U.D.		Risca U.D.		Tredegar U.D.		Usk U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	90	85	146	126	66	57	53	46	122	105	124	101	212	188	16	11	
1	Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	2	3	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	6	5	32	29	—	—	—	—	14	11	11	2	2	2	1	—	3
4	Scarlet fever	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	3	6	1	1	—	2	—	2	1	—	5	4	6	9	—	—	5
6	Diphtheria and croup ...	—	—	2	3	3	—	1	2	1	—	1	—	2	6	—	—	6
7	Influenza	—	1	3	1	—	—	—	—	3	3	3	—	2	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	2	7	4	1	4	4	2	4	6	10	6	6	14	12	—	—	9
10	Tuberculous meningitis	—	—	1	—	1	—	1	—	2	—	—	—	3	2	—	—	10
11	Other tuberculous diseases	2	—	1	1	—	2	1	—	1	—	2	1	1	3	—	—	11
12	Cancer, malignant disease	3	2	2	5	4	2	2	1	4	4	5	3	5	14	—	2	12
13	Rheumatic fever... ...	—	1	1	—	—	—	—	—	—	—	2	1	1	1	—	—	13
14	Meningitis	—	2	—	—	1	1	—	2	—	1	—	—	1	1	—	—	14
15	Organic heart disease ...	7	4	9	15	5	6	8	1	9	6	11	4	9	19	1	3	15
16	Bronchitis	6	2	20	12	3	7	10	5	10	10	4	9	8	21	3	2	16
17	Pneumonia (all forms) ...	16	13	11	13	9	6	4	1	15	13	18	14	36	24	—	—	17
18	Other respiratory diseases	2	3	1	2	1	2	—	4	4	4	3	2	3	3	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	3	3	—	—	2	1	7	3	4	3	13	5	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	1	—	—	1	—	1	1	—	—	—	—	1	—	—	—	21
21A	Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	3	3	1	2	—	3	3	2	2	3	5	5	3	1	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	23
24	Parturition, apart from 23	—	—	—	2	—	1	—	2	—	1	—	1	—	3	—	—	24
25	Congenital debility, &c.	8	8	15	10	8	3	4	2	11	6	11	14	15	11	—	—	25
26	Violence, apart from 27	10	—	11	3	1	—	1	1	6	3	11	2	20	2	—	—	26
27	Suicide	—	1	1	—	—	—	—	—	1	—	—	—	2	—	—	—	27
28	Other defined diseases ...	22	24	24	24	22	19	13	14	24	27	23	30	58	39	10	3	28
29	Causes ill-defined or unknown.	1	—	—	—	—	1	—	—	1	—	—	—	2	1	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

MONMOUTHSHIRE—*cont.* NORFOLK.

	Abergavenny R.D.		Chepstow R.D.		Magor R.D.		Monmouth R.D.		Pontypool R.D.		St. Mellons R.D.						Cromer U.D.		Diss U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	
	69	47	66	61	37	31	39	50	36	42	59	53					10	24	32	36	
1	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	2
3	1	1	—	2	1	—	1	1	1	—	—	—					—	—	—	—	3
4	—	—	1	1	—	—	—	1	—	—	1	1					—	—	—	—	4
5	1	—	2	1	—	—	1	—	—	—	—	1					—	—	—	—	5
6	—	1	—	1	—	—	—	—	—	—	—	1					—	—	—	—	6
7	1	—	1	1	—	—	2	2	—	—	1	—					—	1	1	2	7
8	—	—	—	—	1	—	—	—	—	—	—	—					—	—	—	—	8
9	3	3	—	5	3	5	—	2	2	5	4	3					2	1	—	3	9
10	—	1	—	—	1	—	—	1	—	1	1	—					—	1	—	—	10
11	—	—	1	1	—	—	—	—	—	—	1	1					—	—	—	1	11
12	3	3	5	7	—	—	2	4	3	1	1	3					2	4	1	4	12
13	—	1	—	—	—	1	—	1	—	—	—	—					—	—	—	1	13
14	—	1	1	—	—	—	—	—	1	2	1	—					—	1	—	1	14
15	10	5	7	4	3	5	8	11	3	2	4	7					1	2	5	2	15
16	3	6	4	8	6	—	2	6	3	5	4	7					1	2	3	3	16
17	4	4	6	5	4	2	3	2	2	3	9	—					1	—	1	—	17
18	1	3	—	—	—	1	1	1	2	1	1	—					—	2	—	—	18
19	2	—	—	—	—	—	—	—	—	—	3	1					1	—	—	—	19
20	1	—	—	1	—	1	1	—	—	—	—	—					—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	21A
22	—	—	9	—	2	2	—	2	—	—	2	1					—	1	—	—	22
23	—	—	—	—	—	1	—	—	—	—	—	—					—	—	—	—	23
24	—	—	—	1	—	1	—	1	—	—	—	—					—	—	—	2	24
25	5	2	3	5	1	1	2	2	2	4	6	1					1	1	2	—	25
26	—	1	1	1	2	—	3	—	2	—	8	2					—	2	—	2	26
27	—	—	—	—	—	1	1	—	—	—	—	1					—	—	—	—	27
28	33	15	23	17	12	10	12	13	14	17	12	23					1	6	19	15	28
29	—	—	2	—	1	—	—	—	1	1	—	—					—	—	—	—	29

NORFOLK—*continued.*

	Downham Market U.D.		East Dereham U.D.		King's Lynn M.B.		New Hunstanton U.D.		North Walsham U.D.		Sheringham U.D.		Swaffham U.D.		Thetford M.B.		Walsoken U.D.		Wells U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	17	17	39	39	155	173	13	9	28	26	23	20	20	27	39	33	43	28	24	19	
1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	1	—	—	3
4	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	1	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	6
7	—	1	—	—	3	5	2	1	—	—	1	3	—	1	2	1	—	1	—	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	8
9	—	2	4	1	6	10	2	2	4	1	1	5	2	1	4	—	4	1	2	3	9
10	—	—	—	—	1	2	—	—	—	—	2	2	—	—	—	—	1	—	—	1	10
11	1	—	1	—	2	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	11
12	—	1	2	4	14	23	—	—	3	2	1	1	1	3	1	1	5	4	2	3	12
13	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	13
14	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	1	4	—	1	1	14
15	1	3	3	7	18	17	—	—	3	—	4	1	2	6	2	7	3	3	5	2	15
16	2	3	2	4	17	17	1	—	2	6	1	—	1	3	7	5	6	1	—	—	16
17	3	1	4	4	13	11	—	—	1	1	4	3	1	1	3	1	—	1	2	4	17
18	—	—	—	—	1	1	1	—	—	—	1	1	1	—	1	2	1	—	1	—	18
19	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	3	2	4	5	—	—	2	—	1	—	1	—	1	2	1	—	—	—	22
23	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	1	—	1	6	8	—	—	2	3	1	—	2	1	1	2	2	1	2	—	25
26	—	—	3	—	8	4	—	—	—	—	5	—	—	—	1	—	1	—	2	—	26
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	7	4	13	13	54	51	6	6	10	13	1	3	7	10	13	9	12	12	6	4	28
29	—	1	—	1	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	29

NORFOLK—*cont.*

Causes of Death.	Aylsham R.D.		Blofield R.D.		Depwade R.D.		Docking R.D.		Downham R.D.		East and West Flegg R.D.		Erpingham R.D.		Forehoe R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	136	138	83	79	161	171	135	137	125	124	67	68	109	108	94	79	
1 Enteric fever	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	1	2	—	1	—	—	1	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	2	1	1	—	—	—	1	—	4
5 Whooping cough ...	1	—	2	—	—	—	3	1	3	3	—	—	—	—	—	1	5
6 Diphtheria and croup ...	1	—	—	1	—	—	1	—	—	—	—	2	2	—	—	1	6
7 Influenza	5	11	2	3	2	3	3	3	3	1	2	5	5	10	1	1	7
8 Erysipelas	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	10	8	7	4	5	7	12	9	2	8	4	7	6	11	3	4	9
10 Tuberculous meningitis	—	—	1	—	—	—	—	2	—	—	1	1	—	2	2	—	10
11 Other tuberculous diseases	2	1	2	—	2	1	1	1	—	1	—	—	2	1	—	1	11
12 Cancer, malignant disease	14	10	10	8	15	20	10	15	5	10	4	2	5	7	5	8	12
13 Rheumatic fever... ...	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	13
14 Meningitis	2	—	—	2	2	3	2	1	—	2	1	—	2	1	—	—	14
15 Organic heart disease ...	16	12	12	12	21	13	21	17	17	19	3	6	13	12	7	14	15
16 Bronchitis	13	17	6	7	10	28	5	11	12	10	7	8	6	6	13	8	16
17 Pneumonia (all forms) ...	10	8	6	1	15	7	9	6	11	4	5	—	10	9	10	8	17
18 Other respiratory diseases	2	2	1	3	2	4	2	—	2	1	3	2	—	1	1	1	18
19 Diarrhœa, &c. (under 2 yrs.)	—	1	—	2	1	1	2	1	—	—	2	—	1	1	—	—	19
20 Appendicitis and typhlitis	—	—	—	—	1	2	1	—	—	1	—	—	1	—	—	—	20
21 Cirrhosis of liver ...	—	—	—	—	1	1	—	—	1	1	—	—	1	1	3	—	21
21A Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	1	3	1	4	6	3	1	5	4	4	3	3	5	—	4	2	22
23 Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	2	—	3	—	—	—	—	24
25 Congenital debility, &c.	6	8	3	1	11	9	7	4	9	9	5	6	7	8	7	1	25
26 Violence, apart from 27	6	1	2	1	4	2	5	2	5	3	3	1	10	—	3	1	26
27 Suicide	2	—	—	—	2	1	1	—	2	1	2	—	—	1	—	—	27
28 Other defined diseases ...	42	54	26	29	58	66	44	54	47	41	21	22	33	36	34	25	28
29 Causes ill-defined or unknown.	2	1	1	—	—	—	1	3	—	—	—	—	—	—	—	2	29

NORFOLK—*cont.*

Causes of Death.	Freebridge Lynn R.D.		Henstead R.D.		King's Lynn R.D.		Loddon and Clavering R.D.		Marshland R.D.		Mitford and Launditch R.D.		St. Faith's R.D.		Smallburgh R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	100	97	57	71	8	8	118	91	75	80	150	123	75	61	102	88	
1 Enteric fever	—	1	—	—	—	—	—	—	1	—	1	1	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	1	3
4 Scarlet fever	—	1	1	—	—	—	—	1	—	—	—	2	—	1	1	—	4
5 Whooping cough ...	—	—	2	1	—	—	3	—	1	4	1	2	—	—	—	—	5
6 Diphtheria and croup ...	—	1	—	1	1	—	1	1	—	—	—	1	—	—	1	—	6
7 Influenza	2	3	2	6	—	—	5	5	2	2	—	—	2	1	—	1	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	8
9 Pulmonary tuberculosis	3	9	4	5	1	—	3	5	3	6	3	12	6	5	3	9	9
10 Tuberculous meningitis	2	—	—	—	—	—	—	2	—	—	2	—	1	1	1	1	10
11 Other tuberculous diseases	—	—	—	1	—	2	3	2	—	—	4	1	1	1	1	1	11
12 Cancer, malignant disease	5	6	7	8	—	1	9	12	4	11	13	17	3	4	14	9	12
13 Rheumatic fever... ...	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	13
14 Meningitis	—	1	—	—	1	—	—	—	1	—	1	—	—	1	—	—	14
15 Organic heart disease ...	14	13	7	7	—	—	13	16	9	11	22	19	11	10	16	10	15
16 Bronchitis	7	8	5	8	—	—	13	8	7	10	20	15	6	2	6	9	16
17 Pneumonia (all forms) ...	7	3	2	3	—	—	9	5	3	2	10	6	2	2	5	2	17
18 Other respiratory diseases	2	5	—	2	—	—	2	—	2	1	2	—	1	—	1	1	18
19 Diarrhœa, &c. (under 2 yrs.)	—	1	—	—	—	—	1	—	—	—	2	—	—	—	2	—	19
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—	20
21 Cirrhosis of liver ...	—	—	—	—	—	—	3	1	1	3	3	—	—	—	—	1	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	7	2	—	—	—	—	2	—	—	—	4	2	—	1	—	2	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	24
25 Congenital debility, &c.	8	5	—	7	3	—	7	4	5	6	8	8	4	2	5	3	25
26 Violence, apart from 27	2	1	—	1	—	—	3	1	—	2	4	—	3	1	4	2	26
27 Suicide	—	—	5	2	—	—	1	—	2	—	2	—	—	—	—	—	27
28 Other defined diseases ...	40	33	21	18	2	5	39	22	30	21	47	32	35	29	37	31	28
29 Causes ill-defined or unknown.	1	2	1	1	—	—	1	3	1	—	1	2	—	—	3	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

NORFOLK—*cont.*

Swaffham R.D.		Thetford R.D.		Walsingham R.D.		Wayland R.D.		
M	F	M	F	M	F	M	F	
50	58	63	79	105	115	102	120	
—	—	—	—	—	1	—	—	
—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	
2	1	—	1	—	1	4	5	
—	—	—	—	—	2	—	—	
2	1	6	4	6	6	5	5	
—	—	—	—	—	—	1	—	
3	1	4	2	3	7	4	4	
—	1	—	—	—	1	—	—	
—	—	—	—	—	1	—	1	
3	5	4	6	7	18	8	10	
—	—	—	2	1	1	—	—	
—	4	—	—	1	—	1	—	
6	11	7	15	14	12	17	13	
4	8	3	5	10	6	11	10	
2	3	6	6	11	7	2	3	
1	—	4	1	1	1	—	2	
1	—	—	—	2	—	—	—	
—	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	
—	—	—	1	2	1	1	3	
—	—	—	—	—	—	—	—	
—	—	—	2	—	—	—	—	
2	—	9	4	9	2	3	3	
2	1	3	—	2	1	2	2	
1	—	—	—	—	—	2	—	
19	21	16	29	32	46	40	59	
—	1	1	1	3	1	1	—	

NORTHAMPTONSHIRE.

Brackley M.B.		Daventry M.B.		Desborough U.D.		Finedon U.D.		Higham Ferrers M.B.		Irthlingborough U.D.		
M	F	M	F	M	F	M	F	M	F	M	F	
5	20	29	33	26	25	41	29	20	19	38	25	
—	—	—	—	—	—	—	—	—	—	—	1	1
—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	1	—	4	1	—	—	—	—	3
—	—	—	—	—	—	—	—	—	1	—	—	4
—	—	—	—	—	—	—	2	—	1	1	—	5
—	—	—	—	—	2	6	4	—	—	—	—	6
—	2	1	3	1	2	—	—	—	—	—	—	7
—	—	—	—	—	—	—	—	—	—	—	—	8
1	—	4	2	1	—	2	—	1	1	9	3	9
—	—	—	—	—	—	1	—	—	—	—	1	10
—	—	—	—	—	—	1	1	—	—	—	—	11
1	1	2	2	1	5	2	1	3	1	1	2	12
1	—	—	—	—	—	—	—	—	—	—	—	13
—	—	—	1	—	—	—	—	—	—	2	—	14
1	3	3	1	5	3	1	2	1	2	—	2	15
—	1	2	1	1	1	2	4	1	—	6	1	16
—	—	2	—	3	1	2	4	1	2	2	2	17
—	—	2	—	1	—	—	—	1	1	—	1	18
—	—	1	—	—	—	—	—	—	—	1	—	19
—	—	—	—	—	—	—	—	—	—	1	—	20
—	—	—	—	1	—	1	—	2	—	—	—	21
—	—	—	—	—	—	1	—	—	—	—	—	21A
—	1	—	2	1	1	—	—	1	—	1	—	22
—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	1	24
—	2	1	2	3	2	2	—	2	1	5	4	25
—	1	—	—	2	—	2	—	1	—	—	—	26
—	—	—	—	—	—	—	—	—	1	1	—	27
1	9	11	19	5	8	13	10	5	6	7	6	28
—	—	—	—	—	—	1	—	1	2	1	1	29

NORTHAMPTONSHIRE—*cont.*

Kettering U.D.		Oundle U.D.		Raunds U.D.		Rothwell U.D.		Rushden U.D.		Wellingborough U.D.		
M	F	M	F	M	F	M	F	M	F	M	F	
204	178	18	20	27	24	29	34	65	78	167	123	
1	—	—	—	—	—	—	—	1	—	1	1	
—	—	—	—	—	—	—	—	—	—	—	—	1
5	4	—	—	—	—	2	1	—	1	4	—	2
—	—	—	1	1	—	—	—	—	—	2	—	3
1	6	—	—	—	2	3	—	3	9	9	7	4
8	6	—	—	—	—	—	1	1	2	6	5	5
1	2	1	1	1	1	1	2	2	1	5	—	6
—	—	—	—	—	—	—	—	—	—	1	—	7
24	29	1	—	2	1	1	—	5	8	20	7	8
5	1	—	—	—	—	—	—	—	3	2	2	9
3	1	—	1	2	—	2	—	—	2	—	1	10
10	17	2	3	1	5	1	5	6	5	13	10	11
4	2	—	—	—	—	—	—	—	—	—	1	12
5	2	—	—	—	—	—	—	—	2	1	—	13
20	26	3	5	2	3	3	6	2	6	14	23	14
17	10	1	1	2	4	5	1	9	6	18	12	15
18	11	—	2	—	—	1	—	3	6	8	6	16
2	3	—	—	—	—	—	1	2	—	2	3	17
6	4	—	—	1	—	—	—	2	1	1	—	18
4	1	—	—	—	—	—	—	—	—	—	1	19
1	1	—	—	—	—	—	—	—	1	—	1	20
—	—	—	—	—	—	—	—	—	—	—	—	21
3	4	1	—	2	1	1	—	2	—	9	—	21A
—	1	—	—	—	—	—	—	—	—	—	—	22
—	1	—	—	—	—	—	—	—	2	—	2	23
12	6	1	—	4	1	1	1	3	5	8	2	24
8	3	2	—	—	—	—	—	1	—	4	3	25
1	1	—	—	—	—	1	1	2	—	1	—	26
42	33	6	6	8	4	6	15	21	18	37	35	27
3	3	—	—	1	2	1	—	—	—	1	1	28

Brackley R.D.		Brixworth R.D.		Crick R.D.		Daventry R.D.		
M	F	M	F	M	F	M	F	
53	52	76	90	11	15	100	97	
—	—	—	—	—	—	—	—	1
—	—	—	—	—	—	—	—	2
—	—	1	2	—	1	1	—	3
—	1	—	—	—	—	—	—	4
—	—	—	—	—	—	1	1	5
1	1	—	—	—	—	1	—	6
—	—	2	1	—	1	5	3	7
—	—	—	—	—	—	—	—	8
1	4	1	6	1	—	6	3	9
—	—	3	—	—	—	—	—	10
—	1	2	1	—	—	—	1	11
4	2	7	6	—	1	7	9	12
—	—	—	—	—	—	1	—	13
—	—	—	1	—	—	—	—	14
9	8	6	9	1	1	7	13	15
3	5	9	6	—	2	5	8	16
5	2	2	5	2	—	8	7	17
2	1	1	2	—	—	2	3	18
1	2	—	1	—	—	—	—	19
1	1	—	—	—	—	—	—	20
—	—	—	1	—	1	2	1	21
—	1	—	—	—	—	—	—	21A
2	2	4	—	1	1	5	5	22
—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	1	24
5	2	4	5	1	1	7	2	25
2	—	4	1	—	—	6	3	26
—	—	—	2	—	—	2	—	27
15	19	30	40	5	6	34	36	28
2	—	—	1	—	—	—	1	29

NORTHAMPTONSHIRE—*cont.*

	Causes of Death.	Easton on the Hill R.D.		Gretton R.D.		Harding-stone R.D.		Kettering R.D.		Middleton Cheney R.D.		Northamp-ton R.D.		Oundle (pt.) R.D.*		Oxendon R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	11	13	9	13	58	61	103	111	14	25	45	52	47	58	27	28	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	3	1	1	1	—	—	4	2	—	1	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	1	—	1	2	—	—	—	1	—	—	—	—	5
6	Diphtheria and croup ...	1	—	—	—	2	3	8	11	—	—	—	—	—	—	—	—	6
7	Influenza	1	1	—	—	3	3	1	2	—	1	—	1	2	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	1	—	1	3	4	4	4	—	1	1	5	2	3	2	2	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	2	—	—	—	1	—	1	3	—	—	1	1	—	1	—	—	11
12	Cancer, malignant disease	—	—	2	1	6	7	8	5	1	1	3	7	2	7	2	—	12
13	Rheumatic fever... ...	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	13
14	Meningitis	—	—	—	—	1	1	1	1	—	1	1	—	—	—	—	—	14
15	Organic heart disease ...	1	1	—	3	2	7	9	9	2	3	8	6	6	8	5	6	15
16	Bronchitis	—	3	2	4	6	11	9	16	2	4	1	5	1	6	5	1	16
17	Pneumonia (all forms) ...	1	—	1	1	3	4	10	9	1	2	3	4	3	1	2	4	17
18	Other respiratory diseases	—	—	—	—	—	—	1	3	—	—	1	1	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	1	—	1	2	—	—	2	1	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	—	—	—	1	1	—	—	1	—	1	1	—	1	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	24
25	Congenital debility, &c.	—	1	—	—	3	2	12	5	—	—	2	1	3	3	2	2	25
26	Violence, apart from 27	—	—	—	—	1	—	1	—	—	—	1	1	1	1	—	—	26
27	Suicide	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	27
28	Other defined diseases ...	3	6	4	3	20	15	32	38	7	10	14	14	26	24	9	10	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	29

NORTHAMPTONSHIRE—*cont.*

	Causes of Death.	Potters-pury R.D.		Thrap-ston (pt.) R.D.†		Towcester R.D.		Welling-borough R.D.						Alnwick U.D.		Amble U.D.		
		M	F	M	F	M	F	M	F					M	F	M	F	
	ALL CAUSES	34	29	89	84	76	69	93	91					80	58	36	30	
1	Enteric fever	—	—	—	—	1	—	1	—					—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	2
3	Measles	—	—	—	—	1	—	—	1					—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—					—	—	—	—	4
5	Whooping cough ...	—	—	1	3	—	—	3	4					1	2	—	—	5
6	Diphtheria and croup ...	—	—	1	1	1	1	8	4					—	1	—	1	6
7	Influenza	—	1	1	3	—	—	—	4					—	2	—	1	7
8	Erysipelas	—	—	—	—	—	—	1	—					—	—	—	—	8
9	Pulmonary tuberculosis	3	—	4	3	5	4	7	6					5	4	5	2	9
10	Tuberculous meningitis	—	—	—	—	—	1	1	—					1	—	1	1	10
11	Other tuberculous diseases	—	—	—	2	1	1	2	1					2	3	2	—	11
12	Cancer, malignant disease	4	2	10	11	5	4	4	8					4	4	1	3	12
13	Rheumatic fever... ...	1	—	—	—	—	—	1	—					—	—	1	1	13
14	Meningitis	1	—	1	—	1	1	1	1					—	—	—	—	14
15	Organic heart disease ...	1	2	12	13	11	13	8	19					12	6	2	1	15
16	Bronchitis	4	2	8	8	2	7	4	9					4	8	1	2	16
17	Pneumonia (all forms) ...	7	1	3	2	5	3	3	4					5	2	2	—	17
18	Other respiratory diseases	—	—	2	1	—	3	3	—					2	1	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	1	—	1	—	1	—					1	1	2	1	19
20	Appendicitis and typhlitis	—	—	—	—	1	—	—	—					1	—	—	—	20
21	Cirrhosis of liver ...	1	—	—	—	—	1	1	2					—	—	—	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—					—	—	—	—	21A
22	Nephritis and Bright's dis.	3	4	3	—	2	1	3	2					3	—	2	1	22
23	Puerperal fever	—	—	—	1	—	1	—	2					—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—					—	1	—	—	24
25	Congenital debility, &c.	1	3	7	3	6	4	11	2					2	1	2	1	25
26	Violence, apart from 27	1	—	7	2	3	1	1	—					4	2	4	1	26
27	Suicide	—	—	1	3	—	—	1	—					1	—	—	—	27
28	Other defined diseases ...	7	13	27	28	27	22	28	21					28	18	11	12	28
29	Causes ill-defined or unknown.	—	1	—	—	3	1	—	1					4	2	—	—	29

* The remainder of Oundle R.D. is in Huntingdonshire; *see* page 430.
† The remainder of Thrapston R.D. is in Huntingdonshire; *see* page 431.

ADMINISTRATIVE AREAS, 1915—*continued.*

NORTHUMBERLAND.

	Ashington U.D.		Bedlingtonshire U.D.		Berwick upon Tweed M.B.		Blyth U.D.		Cramlington U.D.		Earsdon U.D.		Gosforth U.D.		Hexham U.D.		Longbenton U.D.		Morpeth M.B.		Newbiggin by the Sea U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	229	197	180	180	111	134	286	251	70	67	100	90	83	90	83	69	101	102	84	58	41	45	
1	—	—	1	1	—	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	16	10	9	10	10	9	19	24	1	4	7	5	1	—	1	2	4	3	3	4	4	9	3
4	3	2	—	—	1	1	—	—	—	1	—	—	—	2	2	—	1	1	—	—	—	—	4
5	5	23	7	5	2	5	4	9	1	1	1	3	—	2	2	2	1	3	3	4	1	2	5
6	3	2	2	1	3	1	1	2	—	—	2	1	—	1	1	1	—	1	—	—	—	—	6
7	1	1	1	—	—	1	—	3	3	1	—	—	2	1	—	—	—	1	1	—	1	—	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	17	14	9	15	14	14	25	15	1	3	5	6	4	7	12	2	3	9	6	1	2	3	9
10	7	6	2	3	—	—	3	1	—	—	1	2	—	1	2	—	—	2	2	—	1	—	10
11	7	3	4	2	1	3	10	6	—	1	2	2	—	1	1	1	1	5	1	—	—	1	11
12	11	14	2	11	4	8	14	11	4	5	6	5	7	7	1	6	4	3	9	5	3	6	12
13	1	—	—	—	—	1	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	13
14	1	1	1	4	3	3	3	5	1	2	—	2	4	1	2	—	—	1	1	—	1	1	14
15	8	12	20	15	13	13	19	15	7	3	6	8	12	8	8	7	10	8	8	7	2	1	15
16	13	8	3	7	5	4	18	15	13	4	6	6	3	6	10	5	8	11	5	3	3	1	16
17	32	19	16	17	11	9	25	21	5	3	7	10	2	4	4	2	2	6	6	3	—	1	17
18	4	1	4	2	2	2	7	3	2	—	2	—	2	1	2	1	2	2	1	1	—	1	18
19	13	4	17	4	2	1	18	17	2	4	10	—	2	1	2	2	3	4	8	1	—	3	19
20	1	—	1	—	—	1	—	—	1	—	—	1	1	1	1	—	—	1	1	—	—	—	20
21	1	1	3	1	1	1	—	—	—	—	—	—	—	—	—	—	4	—	1	1	—	—	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	6	6	4	4	1	6	6	3	3	2	2	5	3	3	10	4	4	3	2	1	—	22
23	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	1	23
24	—	6	—	3	—	—	—	5	—	—	—	3	—	2	—	2	—	1	—	—	—	—	24
25	25	20	18	12	3	7	13	21	2	6	12	10	3	7	3	1	17	11	1	6	3	1	25
26	8	6	5	8	4	3	21	6	2	2	10	1	5	3	1	1	2	2	4	5	7	1	26
27	2	—	5	1	1	—	1	—	—	1	—	—	—	—	2	—	—	—	—	—	1	—	27
28	43	38	38	51	27	43	72	63	20	22	16	21	29	29	19	24	32	22	19	14	11	11	28
29	1	—	5	3	—	2	4	1	1	1	4	1	1	2	3	—	2	1	—	—	—	1	29

NORTHUMBERLAND—*cont.*

	Newburn U.D.		Prudhoe U.D.		Rothbury U.D.		Seaton Delaval U.D.		Seghill U.D.		Wallsend M.B.		Weetslade U.D.		Whitley and Monkseaton U.D.				Alnwick R.D.		Belford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	126	117	71	57	17	14	48	48	25	14	398	343	48	68	101	92			74	77	29	56	
1	3	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—			—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	9	5	2	1	—	—	5	7	1	—	39	45	6	7	—	—			3	3	—	—	3
4	2	2	3	2	—	—	—	—	—	—	3	3	—	3	1	—			—	—	—	1	4
5	1	1	—	—	—	—	3	1	—	—	8	16	1	1	2	2			2	4	—	—	5
6	2	6	1	1	—	—	1	2	—	—	1	4	—	1	1	—			1	—	—	—	6
7	1	1	—	—	2	2	—	—	—	—	2	3	—	—	3	4			—	2	1	—	7
8	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—			—	—	—	—	8
9	14	9	3	4	1	—	7	8	1	1	24	20	1	1	5	1			2	8	3	1	9
10	1	—	—	1	—	—	—	—	—	—	4	7	—	—	1	—			1	—	1	—	10
11	1	1	1	—	—	—	—	—	1	—	15	17	—	3	2	—			—	—	1	—	11
12	8	8	4	7	1	1	1	2	—	—	13	18	—	4	6	8			6	5	—	8	12
13	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—			—	1	—	—	13
14	2	3	—	—	1	—	—	—	1	—	3	6	—	2	—	—			—	—	—	—	14
15	9	8	8	8	4	2	6	2	2	1	25	20	5	4	9	14			4	5	4	8	15
16	7	7	9	2	—	—	—	2	1	—	31	24	3	4	6	6			6	1	1	5	16
17	6	2	5	3	—	—	4	4	3	—	44	24	6	4	6	6			4	4	1	3	17
18	1	—	1	—	—	—	1	1	1	—	2	4	—	1	4	1			3	3	—	1	18
19	6	7	—	—	—	—	1	—	—	1	10	12	3	3	—	—			1	—	—	—	19
20	—	1	—	—	—	—	—	—	—	—	2	—	—	—	3	1			—	1	—	1	20
21	—	1	1	—	—	—	—	—	—	—	1	—	—	—	1	1			1	—	1	—	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—			—	1	—	—	21A
22	5	6	2	1	2	3	—	1	1	1	6	10	1	3	3	3			2	1	1	1	22
23	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	1			—	1	—	1	23
24	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1			—	1	—	1	24
25	10	12	7	8	—	1	3	4	3	2	37	17	8	12	5	2			5	1	5	2	25
26	11	2	7	2	—	2	2	1	—	1	18	2	3	1	3	3			7	2	1	—	26
27	—	—	2	—	—	—	—	—	—	—	4	1	1	—	3	1			1	1	—	—	27
28	26	30	14	15	5	3	14	12	9	7	102	82	10	14	34	36			22	30	9	23	28
29	—	2	—	1	1	—	—	1	—	—	2	2	—	—	2	1			3	2	—	—	29

NORTHUMBERLAND—*cont.*

	Causes of Death.	Bellingham R.D.		Castle Ward R.D.		Glendale R.D.		Haltwhistle R.D.		Hexham R.D.		Morpeth R.D.		Norham and Islandshires R.D.		Rothbury R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	37	51	74	73	58	56	66	57	154	142	111	88	40	50	37	26	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	2	3	—	—	3	1	1	—	1	1	5	2	—	—	3
4	Scarlet fever	—	—	3	—	—	—	—	1	—	2	—	—	—	—	2	—	4
5	Whooping cough ...	—	—	—	1	—	—	2	2	—	2	6	1	—	—	1	—	5
6	Diphtheria and croup ...	1	2	—	1	—	—	3	1	2	1	1	2	1	—	—	—	6
7	Influenza	—	1	2	—	1	2	5	4	7	7	3	1	1	—	1	1	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	8
9	Pulmonary tuberculosis	3	6	4	4	6	3	2	7	10	13	8	4	3	4	2	4	9
10	Tuberculous meningitis	1	—	—	—	—	—	1	—	3	2	1	1	—	2	—	—	10
11	Other tuberculous diseases	—	1	1	1	—	1	1	2	5	1	3	1	—	—	—	—	11
12	Cancer, malignant disease	2	2	9	7	5	5	1	5	7	15	10	9	1	2	1	2	12
13	Rheumatic fever... ...	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	13
14	Meningitis	1	1	2	—	—	—	—	2	1	—	2	3	—	—	—	1	14
15	Organic heart disease ...	2	10	5	5	11	13	6	9	24	30	13	9	6	8	4	2	15
16	Bronchitis	1	2	4	4	3	2	—	—	9	9	2	6	1	2	1	—	16
17	Pneumonia (all forms) ...	4	1	5	6	—	3	3	4	7	9	6	3	3	5	2	2	17
18	Other respiratory diseases	1	1	2	1	1	1	1	—	5	2	4	2	—	—	1	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	3	—	—	—	—	1	1	6	2	—	—	—	—	19
20	Appendicitis and typhlitis	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	20
21	Cirrhosis of liver ...	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	21
21A	Alcoholism	1	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	2	—	4	3	3	4	2	6	5	1	1	2	1	2	2	22
23	Puerperal fever	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	1	—	1	—	1	—	2	—	—	—	—	24
25	Congenital debility, &c.	3	4	7	5	7	3	3	2	10	7	8	11	—	4	3	—	25
26	Violence, apart from 27	3	1	1	1	1	—	5	1	1	1	5	1	—	—	1	1	26
27	Suicide	—	—	3	—	—	1	1	—	2	2	1	—	—	—	1	—	27
28	Other defined diseases ...	12	14	20	22	18	16	22	12	49	27	29	26	17	19	12	10	28
29	Causes ill-defined or unknown.	—	1	1	3	2	1	—	—	2	4	1	—	—	—	2	—	29

NORTHUMBERLAND—*cont.* NOTTINGHAMSHIRE.

	Causes of Death.	*Moot Hall and Precincts.**		Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		Eastwood U.D.		Hucknall Torkard U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	—	—	88	81	80	63	123	99	91	104	48	33	122	97	
1	Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	3	1	—	—	1	2	—	—	4	1	7	8	3
4	Scarlet fever	—	—	—	—	—	1	—	—	1	—	—	—	—	—	4
5	Whooping cough ..	—	—	8	7	2	3	4	3	—	—	—	—	4	3	5
6	Diphtheria and croup ...	—	—	—	—	—	—	1	—	—	—	1	—	2	—	6
7	Influenza	—	—	1	1	—	1	1	—	—	3	2	1	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	—	8	5	9	2	11	7	3	5	3	1	4	4	9
10	Tuberculous meningitis	—	—	2	1	—	—	2	2	—	1	—	—	—	1	10
11	Other tuberculous diseases	—	—	1	—	1	2	—	1	—	1	2	—	—	1	11
12	Cancer, malignant disease	—	—	6	7	7	10	8	8	4	10	1	2	7	9	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	1	1	—	—	—	2	1	13
14	Meningitis	—	—	—	2	—	1	1	2	1	—	—	1	—	1	14
15	Organic heart disease ...	—	—	6	4	6	9	5	14	8	15	3	1	14	9	15
16	Bronchitis	—	—	9	11	8	9	7	6	10	9	5	2	5	9	16
17	Pneumonia (all forms) ...	—	—	7	7	7	6	12	11	9	12	1	—	21	10	17
18	Other respiratory diseases	—	—	1	—	1	1	2	1	—	2	1	1	—	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	4	3	1	—	1	1	3	—	2	—	6	3	19
20	Appendicitis and typhlitis	—	—	—	—	1	—	—	—	1	—	—	—	1	—	20
21	Cirrhosis of liver ...	—	—	—	1	1	4	2	—	2	2	—	1	1	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	3	4	1	2	3	2	7	1	3	—	4	1	22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	3	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	1	—	1	24
25	Congenital debility, &c.	—	—	9	6	4	3	15	8	4	6	6	6	15	4	25
26	Violence, apart from 27	—	—	2	—	1	1	5	3	3	1	1	—	4	1	26
27	Suicide	—	—	—	—	1	—	1	—	—	—	—	—	—	—	27
28	Other defined diseases ...	—	—	18	21	26	8	39	25	31	36	13	14	24	25	28
29	Causes ill-defined or unknown.	—	—	—	—	2	—	2	1	2	—	—	1	1	—	29

* Included with the Rural Districts for convenience.

ADMINISTRATIVE AREAS, 1915—*continued.*

NOTTINGHAMSHIRE—*cont.*

	Huthwaite U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood-house U.D.		Newark M.B.		Sutton in Ashfield U.D.		Warsop U.D.		West Bridgford U.D.		Worksop U.D.				Basford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
	34	26	144	131	305	275	83	88	128	139	204	168	38	32	59	70	162	140			312	269	
1	—	—	2	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—			2	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	—	1	16	11	17	25	4	6	—	—	24	19	3	3	—	—	2	1			8	6	3
4	—	—	1	—	2	2	—	—	1	1	1	1	—	—	—	1	—	—			1	—	4
5	—	1	2	4	3	6	—	—	2	—	2	2	—	—	1	—	4	8			4	2	5
6	—	1	4	4	5	4	1	—	3	10	2	2	—	—	—	—	1	1			6	1	6
7	1	—	2	1	2	—	1	—	7	7	—	—	1	1	—	4	4	2			5	8	7
8	—	—	—	1	—	1	—	—	—	1	—	1	1	—	—	—	1	—			1	—	8
9	2	2	10	8	17	10	4	8	3	5	8	6	3	1	7	4	8	7			17	19	9
10	—	1	—	—	3	4	1	—	1	3	2	1	1	1	1	—	2	—			4	3	10
11	2	—	1	—	6	7	—	—	1	3	3	1	1	2	—	—	1	3			7	2	11
12	4	1	5	3	15	18	1	3	8	12	4	7	—	5	10	11	5	8			22	20	12
13	—	—	—	1	—	—	1	—	—	1	—	—	1	—	—	—	1	—			1	2	13
14	—	1	1	—	—	1	—	—	2	1	4	3	—	—	—	2	3	1			2	1	14
15	5	4	2	7	33	28	1	9	17	14	10	14	3	1	6	8	18	8			23	23	15
16	4	3	12	20	24	12	7	5	13	17	18	16	—	1	4	5	17	14			34	19	16
17	1	1	15	10	51	29	14	9	16	4	28	16	1	1	1	2	27	19			21	25	17
18	—	1	—	2	4	3	—	1	2	2	3	1	—	—	3	1	4	—			7	5	18
19	3	1	3	4	6	11	11	2	2	2	12	3	1	1	1	—	3	3			2	3	19
20	—	—	1	1	2	—	1	—	—	2	1	1	—	1	—	—	1	1			3	2	20
21	—	—	1	—	2	—	—	2	2	—	—	2	—	—	1	2	3	1			3	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—			—	—	21A
22	—	—	3	3	2	2	2	2	1	3	3	3	1	2	—	1	4	3			3	9	22
23	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			—	1	23
24	—	—	—	1	—	4	—	1	—	—	—	3	—	1	—	—	—	3			—	5	24
25	3	—	23	14	24	17	8	8	6	6	23	18	4	4	1	2	14	13			26	27	25
26	4	—	14	1	14	6	6	3	3	4	9	5	4	—	3	1	8	3			13	3	26
27	—	—	1	—	1	1	—	1	1	—	—	3	—	—	1	—	2	1			3	1	27
28	5	7	24	35	69	82	19	27	36	39	47	37	13	7	18	24	29	40			89	78	28
29	—	—	1	—	3	—	1	—	1	1	—	1	—	—	1	2	—	—			5	3	29

NOTTINGHAMSHIRE—*cont.*

	Bingham R.D.		Blyth and Cuckney R.D.		East Retford R.D.		Leake R.D.		Misterton R.D.		Newark R.D.		Skegby R.D.		Southwell R.D.		Stapleford R.D.		Kingston upon Soar and Ratcliffe upon Soar C. P's*				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	88	101	32	34	113	94	22	33	33	30	60	51	75	64	158	127	65	54	2	1			
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	—	—	—	—	1	1	—	—	—	—	—	—	23	21	—	1	—	—	—	—			3
4	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—			4
5	—	—	—	—	1	—	—	—	—	—	1	—	2	4	—	—	—	—	—	—			5
6	1	1	—	—	—	—	—	—	—	—	—	1	—	1	2	1	—	1	—	—			6
7	4	11	—	2	1	3	—	2	—	—	3	4	—	1	7	2	2	—	—	—			7
8	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—			8
9	11	4	—	—	7	7	2	3	2	1	3	1	5	3	12	7	2	2	—	—			9
10	—	—	—	—	—	—	—	1	—	—	1	—	2	—	—	2	—	—	—	—			10
11	2	1	—	1	—	—	—	—	1	—	1	2	1	—	—	2	—	—	—	—			11
12	3	7	6	3	6	7	2	6	1	4	3	4	2	2	18	14	7	—	1	—			12
13	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—			13
14	3	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—			14
15	11	23	2	4	9	10	3	5	8	2	8	3	2	4	24	9	3	8	—	—			15
16	2	11	3	3	5	11	1	—	4	6	6	5	5	4	16	9	9	11	—	—			16
17	3	8	—	3	5	1	2	1	1	3	3	6	8	2	13	5	10	6	—	—			17
18	—	2	1	—	3	1	—	—	—	—	1	1	1	2	7	4	—	—	—	—			18
19	1	1	—	—	—	1	—	—	—	—	—	2	2	1	2	2	2	2	—	—			19
20	1	—	1	—	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			20
21	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1	3	1	—	—	—			21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21A
22	4	5	—	1	4	2	—	—	—	—	—	1	—	1	2	4	2	1	—	1			22
23	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—			23
24	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	2	—	2	—	—			24
25	3	1	1	1	7	8	2	1	2	4	1	3	4	2	2	4	2	2	—	—			25
26	4	1	—	—	10	1	2	3	1	2	2	—	4	—	6	3	3	1	—	—			26
27	1	—	—	—	—	1	—	1	—	—	1	—	—	—	1	—	1	1	—	—			27
28	33	23	17	15	45	34	7	10	11	8	25	15	14	14	43	51	20	16	1	—			28
29	—	—	1	—	3	—	—	—	—	—	—	—	—	2	1	1	1	—	—	—			29

* Administered by Shardlow R.D.C. (Derbyshire).

OXFORDSHIRE.

	Causes of Death.	Banbury M.B.		Bicester U.D.		Chipping Norton M.B.		Henley on Thames M.B.		Thame U.D.		Wheatley U.D.		Witney U.D.		Woodstock M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	87	91	27	26	39	27	48	39	18	26	12	10	26	28	11	15	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	5
6	Diphtheria and croup ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6
7	Influenza	1	5	—	—	—	1	1	3	—	—	—	1	1	2	—	—	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	7	8	1	2	3	2	2	—	2	2	—	—	1	3	1	1	9
10	Tuberculous meningitis	—	1	—	1	—	—	2	1	—	—	—	—	1	—	—	—	10
11	Other tuberculous diseases	3	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	11
12	Cancer, malignant disease	9	12	4	2	9	1	5	4	—	3	3	—	2	3	1	1	12
13	Rheumatic fever... ...	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	14
15	Organic heart disease ...	5	10	4	2	4	9	6	5	2	5	3	—	3	2	—	1	15
16	Bronchitis	14	11	2	1	3	3	5	8	2	2	2	1	—	—	3	2	16
17	Pneumonia (all forms) ...	9	6	—	1	—	1	2	2	—	1	—	1	—	—	2	—	17
18	Other respiratory diseases	1	2	—	—	—	—	1	1	1	2	—	1	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	2	—	—	—	3	—	1	—	—	—	—	—	1	—	1	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	2	—	1	—	—	1	1	1	1	—	—	—	1	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	1	—	1	—	—	2	—	2	—	—	—	1	2	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
25	Congenital debility, &c.	5	2	1	2	4	2	2	1	1	1	—	1	1	—	—	1	25
26	Violence, apart from 27	2	3	1	1	—	—	3	—	—	1	1	1	1	—	—	—	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	22	26	13	11	11	6	12	11	5	8	3	3	12	14	2	9	28
29	Causes ill-defined or unknown.	—	1	—	—	—	—	2	1	—	—	—	—	—	—	—	—	29

OXFORDSHIRE—*cont.*

	Causes of Death.			Banbury R.D.		Bicester R.D.		Chipping Norton R.D.		Crowmarsh R.D.		Culham R.D.		Goring R.D.		Headington R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES			86	69	48	64	69	66	36	34	10	15	23	11	82	79	
1	Enteric fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles			1	1	—	—	—	—	—	—	—	—	—	—	1	—	3
4	Scarlet fever			—	—	1	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...			—	—	—	—	—	1	—	—	—	—	—	—	—	1	5
6	Diphtheria and croup ...			—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	Influenza			2	1	2	2	—	—	5	1	1	—	—	—	4	3	7
8	Erysipelas			—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis			2	2	2	4	4	—	2	5	—	4	—	3	7	7	9
10	Tuberculous meningitis			1	—	—	1	—	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases			2	—	1	—	1	1	—	—	—	—	1	—	1	2	11
12	Cancer, malignant disease			6	5	3	11	11	12	1	4	2	1	3	2	7	5	12
13	Rheumatic fever... ...			—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis			1	—	—	—	1	1	—	—	—	—	—	—	1	—	14
15	Organic heart disease ...			8	8	4	12	11	12	4	7	—	—	4	1	11	16	15
16	Bronchitis			6	10	3	5	5	6	5	1	1	1	1	1	7	8	16
17	Pneumonia (all forms) ...			4	2	1	—	3	3	4	1	2	2	—	—	6	3	17
18	Other respiratory diseases			1	2	—	—	—	1	1	1	—	—	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)			—	—	1	—	—	1	—	—	—	—	1	—	—	1	19
20	Appendicitis and typhlitis			2	—	—	—	—	—	—	1	—	—	1	—	—	—	20
21	Cirrhosis of liver ..			1	1	—	1	—	—	1	—	—	—	—	—	1	1	21
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.			4	2	2	2	3	—	1	1	—	—	2	—	1	1	22
23	Puerperal fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23			—	—	—	1	—	1	—	1	—	1	—	—	—	—	24
25	Congenital debility, &c.			2	3	2	4	3	1	—	—	—	—	3	—	2	3	25
26	Violence, apart from 27			2	1	2	—	3	2	—	—	—	—	1	—	1	—	26
27	Suicide			1	1	—	—	—	1	1	—	—	—	—	—	—	—	27
28	Other defined causes ...			39	30	23	19	24	22	11	11	4	6	6	4	32	28	28
29	Causes ill-defined or unknown.			1	—	1	2	—	1	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

OXFORDSHIRE—*cont.* PETERBOROUGH, SOKE OF. RUTLANDSHIRE.

	Henley R.D.		Thame R.D.		Witney R.D.		Wood-stock R.D.		Peter-borough M.B.		Barnack R.D.		Peter-borough R.D.		Oakham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	69	47	44	40	142	108	93	65	268	258	14	13	64	63	33	23	
1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	2	1	—	2	3	—	—	1	1	—	—	3
4	—	—	—	—	1	—	—	1	1	1	—	—	—	—	—	—	4
5	—	1	—	—	1	2	—	—	—	1	—	—	—	—	—	—	5
6	—	—	—	—	—	—	—	—	1	1	—	—	—	1	1	—	6
7	—	—	2	1	4	3	3	3	7	5	—	1	1	1	3	—	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	4	2	3	1	11	2	9	7	19	12	—	—	—	7	1	—	9
10	1	—	—	1	—	1	—	1	3	1	—	—	1	1	1	1	10
11	1	—	1	—	1	—	—	—	3	3	1	—	1	—	—	—	11
12	5	4	6	8	12	13	4	8	31	26	1	3	6	9	5	1	12
13	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	13
14	—	—	—	—	—	—	3	—	2	3	—	—	—	—	—	—	14
15	13	11	7	4	19	13	14	10	18	22	—	1	6	6	5	4	15
16	7	8	2	5	8	5	11	7	33	41	2	1	12	8	1	4	16
17	3	4	2	3	6	4	5	2	21	17	1	1	7	3	2	2	17
18	—	—	1	—	2	4	1	—	5	2	2	—	1	2	1	—	18
19	—	—	—	—	—	1	2	1	3	3	—	—	—	—	—	—	19
20	—	—	—	—	—	—	2	1	—	2	—	—	—	1	1	—	20
21	—	—	—	—	—	—	—	—	2	5	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	2	3	1	5	3	1	3	6	2	—	—	1	—	—	—	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	24
25	3	1	3	1	7	3	3	2	13	12	1	—	1	2	2	—	25
26	2	1	1	—	5	5	1	1	8	6	—	1	—	1	—	1	26
27	1	1	—	—	—	—	—	—	1	1	—	—	—	—	1	—	27
28	25	11	11	14	59	47	32	18	85	87	6	4	26	20	8	9	28
29	2	1	1	—	—	—	1	—	1	—	—	1	—	—	—	—	29

RUTLANDSHIRE—*cont.* SHROPSHIRE.

	Ketton R.D.		Oakham R.D.		Upping-ham R.D.		Bishop's Castle M.B.		Bridg-north M.B.		Church Stretton U.D.		Dawley U.D.		Ellesmere U.D.		Ludlow M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	36	27	59	43	47	35	17	7	45	43	9	6	51	61	15	13	43	57	
1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5	—	—	1	1	2	2	—	—	—	—	—	—	2	3	—	—	3	2	5
6	—	1	—	1	2	2	—	—	—	—	—	—	1	—	—	—	—	—	6
7	1	1	2	1	1	1	1	—	—	—	—	—	2	—	—	—	—	2	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	3	—	2	2	1	—	2	—	2	2	1	—	4	1	1	2	6	2	9
10	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	10
11	—	—	1	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	11
12	2	1	6	6	2	6	1	—	4	3	—	3	5	5	—	1	2	4	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	2	14
15	4	3	9	7	4	4	3	—	4	2	1	1	3	5	2	1	1	6	15
16	2	2	3	5	5	2	2	3	3	4	1	—	5	9	1	2	2	9	16
17	2	4	6	2	1	—	—	1	5	5	—	—	3	2	2	—	1	5	17
18	1	—	3	1	—	—	—	—	—	—	—	—	1	—	—	1	1	—	18
19	4	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	19
20	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	20
21	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	21A
22	—	—	—	—	1	—	—	—	2	1	—	—	5	3	—	—	1	2	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
25	1	3	2	2	3	2	2	—	3	5	1	1	3	7	—	—	2	2	25
26	—	—	4	—	6	1	1	—	1	2	1	—	3	—	1	—	1	1	26
27	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	27
28	14	11	18	14	18	14	4	3	15	14	4	—	12	19	5	4	20	18	28
29	1	—	—	—	—	—	—	—	1	1	—	—	—	4	2	—	—	—	29

SHROPSHIRE—*cont.*

	Causes of Death.	Market Drayton U.D.*		Newport U.D.		Oakengates U.D.		Oswestry M.B.		Shrewsbury M.B.		Wellington U.D.		Wem U.D.		Wenlock M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	43	31	25	18	84	68	93	94	203	246	69	66	18	16	97	87	
1	Enteric fever	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	—	—	—	4	—	—	—	6	8	2	1	—	—	1	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	1	—	—	—	—	2	—	—	4	5	—	—	3	3	5
6	Diphtheria and croup ...	1	—	—	—	—	1	1	4	2	1	2	—	—	—	—	—	6
7	Influenza	2	—	—	—	4	5	5	—	10	18	2	2	—	—	3	3	7
8	Erysipelas	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	4	—	1	1	6	6	9	7	27	9	5	5	1	—	5	6	9
10	Tuberculous meningitis	—	1	1	2	—	—	—	—	2	1	—	—	—	—	1	—	10
11	Other tuberculous diseases	—	—	—	—	1	1	—	1	2	1	3	2	—	—	1	—	11
12	Cancer, malignant disease	—	2	3	—	6	6	6	5	10	21	4	2	1	2	11	7	12
13	Rheumatic fever... ...	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	1	13
14	Meningitis	1	1	1	—	1	—	—	—	1	1	—	1	—	—	—	—	14
15	Organic heart disease ...	3	10	3	2	6	8	14	5	20	34	5	7	1	—	9	10	15
16	Bronchitis	4	3	—	1	3	4	4	3	11	33	2	8	—	1	8	6	16
17	Pneumonia (all forms) ...	6	2	2	1	9	2	7	9	12	16	5	3	2	—	6	5	17
18	Other respiratory diseases	1	—	—	1	2	—	3	—	9	3	1	1	1	1	—	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	2	2	1	—	6	1	—	1	1	—	2	3	19
20	Appendicitis and typhlitis	—	—	—	—	—	1	—	—	—	1	—	2	1	—	2	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	2	2	—	1	4	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	—	—	—	5	3	5	8	9	2	2	2	3	—	4	3	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	2	—	1	—	1	—	1	—	—	—	—	24
25	Congenital debility, &c.	1	1	3	1	2	2	2	2	10	4	2	6	—	—	4	5	25
26	Violence, apart from 27	1	—	2	—	7	1	4	—	10	7	3	1	—	—	2	2	26
27	Suicide	—	—	—	—	2	1	—	—	1	—	—	1	—	—	1	—	27
28	Other defined diseases ...	15	11	7	8	23	21	29	45	52	74	23	14	7	10	32	30	28
29	Causes ill-defined or unknown.	—	—	1	—	—	1	—	—	—	5	—	—	—	2	2	—	29

SHROPSHIRE—*cont.*

	Causes of Death.	Whitchurch U.D.		Atcham R.D.		Bridgnorth R.D.		Burford R.D.		Chirbury R.D.		Church Stretton R.D.		Cleobury Mortimer R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	63	42	151	137	64	60	11	7	22	25	23	40	47	42	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	3	2	1	2	—	—	—	—	1	—	—	1	—	2	3
4	Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	1	2	—	—	—	—	2	—	—	—	—	5
6	Diphtheria and croup ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	Influenza	1	—	3	7	3	1	—	—	1	1	—	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	7	9	12	1	3	1	—	3	3	1	1	2	3	9
10	Tuberculous meningitis	—	—	—	1	—	—	—	—	—	—	—	—	1	3	10
11	Other tuberculous diseases	—	—	2	1	—	—	—	1	—	1	—	—	—	2	11
12	Cancer, malignant disease	6	3	15	7	5	6	1	—	2	4	3	5	6	4	12
13	Rheumatic fever... ...	—	—	1	2	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	1	—	1	—	1	—	—	—	—	—	—	1	—	14
15	Organic heart disease ...	7	9	17	16	10	3	2	2	1	2	2	7	3	3	15
16	Bronchitis	4	4	12	8	5	7	2	1	3	—	3	3	4	1	16
17	Pneumonia (all forms) ...	2	2	10	10	3	1	1	—	2	—	4	4	6	8	17
18	Other respiratory diseases	2	2	5	2	3	1	—	—	—	—	—	—	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	4	1	1	3	—	1	—	—	—	—	—	—	2	1	19
20	Appendicitis and typhlitis	—	1	—	—	2	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	1	—	1	—	—	—	—	—	—	1	—	—	1	—	21
21A	Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	2	3	3	3	1	—	—	—	3	—	—	1	1	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	2	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	3	—	6	5	6	1	—	—	—	2	—	1	3	3	25
26	Violence, apart from 27	6	—	10	1	2	1	1	—	2	—	—	3	2	—	26
27	Suicide	—	—	—	—	—	2	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	19	7	51	52	19	30	3	3	7	5	10	15	14	11	28
29	Causes ill-defined or unknown.	1	1	4	—	—	—	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

SHROPSHIRE—*cont.*

	Clun R.D.		Drayton R.D.		Ellesmere R.D.		Ludlow R.D.		Newport R.D.		Oswestry R.D.		Shifnal R.D.		Teme R.D.		Wellington R.D.		Wem R.D.		Whitchurch R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	51	49	44	47	55	51	69	57	54	45	114	121	53	43	11	7	82	77	56	65	10	20	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	2	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	1	2	1	1	1	3
4	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	4
5	1	1	—	2	—	—	—	2	—	1	1	—	—	—	—	—	5	3	1	1	—	—	5
6	—	1	—	3	—	—	—	—	1	2	5	1	1	—	—	—	1	—	—	—	—	1	6
7	2	1	—	1	2	1	4	—	1	3	5	1	—	—	—	—	6	1	—	1	—	—	7
8	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	2	2	2	1	2	4	3	4	1	—	4	6	5	3	—	1	5	6	5	3	—	2	9
10	—	1	1	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	10
11	—	1	—	—	—	1	1	1	—	1	—	3	1	1	—	—	2	1	1	—	—	1	11
12	2	8	4	7	2	7	5	8	5	2	6	9	8	4	2	—	4	9	5	9	2	2	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	1	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1	—	—	—	—	14
15	8	6	13	9	6	10	12	6	10	11	18	21	6	6	—	1	8	9	6	9	1	4	15
16	4	2	1	2	3	3	5	6	6	3	3	5	3	7	—	1	6	3	7	6	—	2	16
17	3	2	3	—	8	2	7	3	6	4	9	6	6	4	—	1	11	5	3	2	—	1	17
18	—	1	—	—	—	1	—	—	1	1	2	—	2	1	1	—	1	—	1	—	—	—	18
19	—	—	—	—	—	—	—	—	1	—	1	2	3	1	—	—	—	2	2	—	—	—	19
20	—	—	2	1	1	1	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	20
21	—	—	1	—	1	—	—	—	—	—	—	4	—	—	—	—	4	—	—	1	—	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	3	1	3	—	1	1	2	1	11	5	—	—	—	—	3	1	2	—	1	1	22
23	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	23
24	—	—	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	24
25	6	2	1	2	2	1	5	1	4	—	9	6	1	2	1	—	5	5	2	1	1	—	25
26	2	1	—	4	2	1	2	2	1	1	6	2	2	1	1	—	1	—	4	1	1	—	26
27	1	—	2	1	—	—	—	1	—	1	—	—	—	—	—	—	—	1	1	1	—	1	27
28	16	15	10	12	21	14	23	16	13	12	29	42	12	13	6	1	17	25	13	24	3	3	28
29	1	1	—	—	—	2	1	3	2	—	3	1	1	—	—	1	2	3	—	1	—	1	29

SOMERSETSHIRE.

	Bridgwater M.B.		Burnham U.D.		Chard M.B.		Clevedon U.D.		Crewkerne U.D.		Frome U.D.		Glastonbury M.B.		Highbridge U.D.		Ilminster U.D.		Midsomer Norton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	119	119	34	45	42	33	38	62	24	24	64	116	31	34	22	26	9	23	38	37	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	4	6	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	2	4	—	—	—	—	2	3	—	1	—	—	—	—	1	2	—	—	2	1	5
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	6
7	1	—	1	1	—	2	2	2	—	—	2	4	2	—	—	1	—	1	—	—	7
8	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	6	6	3	1	1	4	3	4	2	5	5	8	2	1	5	3	2	4	2	8	9
10	—	1	1	—	—	1	—	—	—	1	—	—	1	1	—	1	—	—	—	—	10
11	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—	—	11
12	6	14	2	5	4	3	3	8	—	2	1	8	5	2	2	—	1	3	3	3	12
13	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	13
14	3	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	14
15	12	8	2	9	7	4	3	7	—	4	9	21	5	8	2	1	1	4	6	7	15
16	10	12	3	7	1	1	5	3	4	2	9	17	—	3	3	3	2	1	3	4	16
17	12	5	3	2	3	2	1	1	2	—	5	13	5	2	1	—	1	1	4	2	17
18	3	3	—	—	1	—	2	1	—	2	2	3	1	1	—	—	—	—	1	—	18
19	3	1	—	—	—	—	—	—	1	—	2	4	—	—	—	—	—	—	—	—	19
20	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	1	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	8	3	5	5	1	—	2	3	—	—	2	3	2	3	1	1	—	—	—	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
25	5	4	3	1	3	—	1	2	1	—	5	2	1	1	2	1	—	—	4	2	25
26	6	2	—	1	2	—	2	3	1	—	3	1	1	1	1	—	—	—	3	—	26
27	1	1	1	—	—	1	—	—	3	—	1	—	1	—	—	—	1	—	—	—	27
28	35	45	6	12	18	13	11	20	8	7	16	32	5	11	4	11	1	7	8	7	28
29	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	29

SOMERSETSHIRE—*cont.*

	Causes of Death.	Minehead U.D.		Portishead U.D.		Radstock U.D.		Shepton Mallet U.D.		Street U.D.		Taunton M.B.		Watchet U.D.		Wellington U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	26	31	24	23	30	20	40	30	30	26	139	169	13	12	45	59	
1	Enteric fever	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	3	—	2	—	—	—	—	—	—	1	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	1	1	—	—	—	—	—	3	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	6
7	Influenza	1	1	—	—	—	—	2	2	4	2	2	5	1	—	3	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	4	1	—	2	1	1	2	2	1	15	14	1	1	1	4	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	10
11	Other tuberculous diseases	—	—	—	—	1	—	—	—	1	1	1	1	—	—	—	1	11
12	Cancer, malignant disease	2	4	1	5	1	1	3	3	3	2	9	15	3	2	5	2	12
13	Rheumatic fever... ...	1	—	—	—	—	—	1	—	—	—	—	3	—	—	—	—	13
14	Meningitis	—	—	—	1	—	—	1	—	—	—	1	2	1	—	—	—	14
15	Organic heart disease ...	1	5	5	6	3	4	6	—	6	6	14	12	—	3	8	11	15
16	Bronchitis	3	—	2	1	2	1	2	2	—	4	12	12	—	1	5	8	16
17	Pneumonia (all forms) ...	1	3	1	3	3	3	—	2	3	4	6	5	2	—	3	1	17
18	Other respiratory diseases	—	—	—	1	—	—	—	—	—	—	1	4	—	1	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	1	—	—	1	1	1	—	—	—	—	4	—	—	—	—	1	19
20	Appendicitis and typhlitis	—	—	—	—	1	—	1	—	—	—	3	—	—	—	—	1	20
21	Cirrhosis of liver ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	—	—	—	—	2	1	1	1	4	4	—	—	2	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
25	Congenital debility, &c.	3	2	4	1	1	1	1	3	2	—	5	7	1	—	1	2	25
26	Violence, apart from 27	—	—	1	—	2	—	—	1	1	—	3	1	—	1	2	3	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	27
28	Other defined diseases ...	9	8	9	2	12	7	19	13	6	4	46	75	4	3	12	18	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	1	—	—	3	—	—	—	—	3	29

SOMERSETSHIRE—*cont.*

	Causes of Death.	Wells M.B.		Weston super Mare U.D.		Wivelscombe U.D.		Yeovil M.B.				Axbridge R.D.		Bath R.D.		Bridgwater R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES	42	33	152	179	15	13	103	90			155	153	96	90	121	125	
1	Enteric fever	—	—	1	—	—	—	—	—			—	1	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	2	1			—	—	—	—	—	—	3
4	Scarlet fever	1	1	—	—	—	—	—	—			—	—	—	—	—	—	4
5	Whooping cough ...	1	—	2	—	—	—	3	—			—	—	4	—	1	3	5
6	Diphtheria and croup ...	—	—	—	—	—	—	1	—			—	1	—	—	—	—	6
7	Influenza	4	2	2	3	—	—	4	4			1	1	4	2	5	2	7
8	Erysipelas	—	—	—	1	—	1	—	—			—	—	—	—	1	—	8
9	Pulmonary tuberculosis	3	—	12	15	2	1	3	7			10	9	8	4	10	7	9
10	Tuberculous meningitis	—	—	1	—	—	—	1	—			1	2	1	1	—	—	10
11	Other tuberculous diseases	—	—	3	1	—	—	—	—			4	2	2	—	—	1	11
12	Cancer, malignant disease	3	5	15	16	—	1	10	8			15	20	6	6	13	10	12
13	Rheumatic fever... ...	1	—	2	1	—	—	2	—			—	—	1	—	1	—	13
14	Meningitis	—	—	1	1	—	—	1	—			1	1	1	3	1	1	14
15	Organic heart disease ...	7	3	22	33	1	—	14	8			37	25	9	10	21	12	15
16	Bronchitis	4	3	14	14	2	1	6	7			10	12	10	6	7	7	16
17	Pneumonia (all forms) ...	2	2	7	6	—	1	12	6			5	7	7	6	8	3	17
18	Other respiratory diseases	1	1	1	—	—	1	2	5			—	4	2	1	4	5	18
19	Diarrhœa, &c. (under 2 yrs.)	1	1	3	1	—	—	—	1			1	—	3	2	1	—	19
20	Appendicitis and typhlitis	—	—	2	1	—	—	—	—			—	1	—	—	1	1	20
21	Cirrhosis of liver ...	1	—	2	2	—	—	3	—			3	—	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—			—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	1	13	16	2	1	1	3			6	7	5	5	4	5	22
23	Puerperal fever	—	—	—	1	—	1	—	—			—	1	—	1	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	—			—	—	—	1	—	—	24
25	Congenital debility, &c.	1	2	10	1	—	—	6	4			8	3	3	2	3	5	25
26	Violence, apart from 27	1	—	5	2	1	—	1	1			9	3	4	1	3	1	26
27	Suicide	—	1	2	—	—	—	4	3			1	2	—	3	1	1	27
28	Other defined diseases ...	9	10	32	64	7	4	27	32			43	51	25	35	36	60	28
29	Causes ill-defined or unknown.	—	1	—	—	—	—	—	—			—	—	—	1	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

SOMERSETSHIRE—*cont.*

	Chard R.D.		Clutton R.D.		Dulverton R.D.		Frome R.D.		Keynsham R.D.		Langport R.D.		Long Ashton R.D.		Shepton Mallet R.D.		Taunton R.D.		Wellington R.D.		Wells R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	82	105	120	110	31	20	82	76	65	69	102	93	121	97	67	63	141	122	40	49	79	72	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	2	—	3
4	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	1	—	1	—	—	1	—	1	2	—	—	2	—	1	2	1	1	—	—	1	1	5
6	—	1	2	2	—	—	—	1	2	—	—	—	—	1	—	1	2	3	—	—	2	—	6
7	1	1	7	4	2	2	3	1	—	2	4	1	1	3	2	1	4	7	—	—	—	4	7
8	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	8
9	4	7	4	8	3	2	4	2	5	6	4	9	5	8	4	2	6	9	1	2	3	4	9
10	1	—	—	—	—	—	—	—	—	—	1	2	—	1	1	—	—	2	—	—	—	—	10
11	—	—	—	—	2	—	—	—	1	—	1	1	—	—	1	1	—	1	—	—	—	—	11
12	10	13	6	10	1	1	6	8	6	10	10	7	10	13	5	9	12	14	4	6	5	7	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	13
14	—	2	1	—	—	1	2	—	—	—	—	2	2	2	—	—	2	3	—	—	—	1	14
15	20	19	10	11	2	2	12	12	11	14	15	14	11	13	11	4	9	19	9	7	17	14	15
16	3	8	12	9	2	2	3	8	8	6	3	1	9	9	3	6	9	11	3	5	8	3	16
17	3	5	12	6	—	1	7	8	3	4	15	8	8	3	4	5	18	6	2	3	4	2	17
18	2	3	2	2	2	1	—	—	1	—	1	1	4	1	1	2	6	4	—	2	—	3	18
19	—	1	5	—	—	—	2	—	—	—	1	1	—	—	—	—	1	1	1	—	—	—	19
20	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	20
21	2	—	2	—	—	—	1	—	—	—	—	1	2	2	1	1	1	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	—	4	4	—	—	2	2	1	3	6	2	7	2	1	3	6	2	1	1	4	1	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	—	—	2	—	1	—	2	—	—	—	—	—	—	—	—	—	1	24
25	3	4	8	4	1	1	3	4	5	2	5	2	3	2	4	4	5	2	1	1	2	1	25
26	2	1	5	5	3	—	5	2	1	2	—	1	6	3	4	1	6	—	—	1	1	2	26
27	2	—	2	2	1	—	—	—	1	—	1	—	1	—	—	—	1	—	2	1	2	—	27
28	24	37	34	41	12	6	30	24	17	16	33	37	47	34	24	21	49	36	15	19	25	26	28
29	—	—	—	—	—	1	1	1	—	—	1	—	1	—	—	—	1	1	—	1	1	—	29

SOMERSETSHIRE—*cont.* SOUTHAMPTON.

	Williton R.D.		Wincanton R.D.		Yeovil R.D.		Aldershot U.D.		Alton U.D.		Andover M.B.		Basingstoke M.B.		Christchurch M.B.		Eastleigh and Bishopstoke U.D.		Fareham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	84	79	137	115	122	135	193	139	47	35	72	68	75	67	41	41	80	74	64	63	
1	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	2	1	1	—	—	5	6	—	—	1	4	—	1	—	—	1	—	—	—	3
4	—	—	1	—	1	1	3	3	—	—	—	—	—	—	—	1	1	—	—	—	4
5	—	—	2	—	3	—	7	9	—	—	2	2	—	—	1	—	2	—	—	—	5
6	1	—	—	—	—	—	5	2	—	—	—	—	—	—	—	1	—	—	—	1	6
7	3	3	10	7	5	5	3	1	2	—	3	1	6	1	3	6	2	1	1	2	7
8	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	8
9	6	7	6	1	11	8	11	8	2	6	4	2	1	1	1	3	12	6	4	3	9
10	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—	2	—	—	10
11	—	2	—	—	1	3	2	2	1	1	—	2	—	3	1	2	2	1	1	—	11
12	10	7	13	14	14	13	12	13	2	6	3	5	7	5	—	5	4	13	3	3	12
13	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—	—	1	13
14	4	2	3	1	1	—	8	5	—	1	1	—	1	1	5	—	—	1	1	—	14
15	11	11	28	19	19	14	18	6	4	6	9	14	9	13	1	3	7	6	5	14	15
16	5	3	5	11	11	18	8	13	1	3	5	1	4	2	5	5	11	8	6	8	16
17	5	1	8	4	7	3	25	17	5	2	6	3	5	3	3	1	3	4	8	2	17
18	1	1	4	3	3	—	4	1	1	—	—	—	—	—	—	1	—	—	—	—	18
19	—	—	2	1	1	—	9	5	—	—	—	—	2	2	1	—	1	—	—	—	19
20	—	1	—	2	—	—	1	1	—	—	—	—	—	—	—	—	2	—	—	1	20
21	—	—	2	1	2	1	—	1	—	1	1	2	1	1	—	—	1	—	1	—	21
21A	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	5	3	1	2	2	6	7	4	2	1	4	6	4	2	3	1	3	2	6	4	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	23
24	—	—	—	1	—	2	—	1	—	—	—	—	—	1	—	—	—	1	—	—	24
25	3	1	3	2	7	6	15	7	4	2	5	2	4	1	—	3	3	3	2	3	25
26	4	1	6	—	4	2	7	1	2	—	3	—	3	3	1	—	2	1	1	1	26
27	—	2	1	—	3	—	—	—	—	—	1	1	—	1	1	—	—	—	1	1	27
28	23	31	41	44	27	50	40	28	18	3	22	22	28	24	15	9	20	24	24	19	28
29	—	1	—	—	—	—	1	1	1	2	—	1	—	—	—	—	2	—	—	—	29

SOUTHAMPTON—*cont.*

	Causes of Death.	Farnborough U.D.		Fleet U.D.		Gosport and Alverstoke U.D.		Havant U.D.		Itchen U.D.		Lymington M.B.		Petersfield U.D.		Romsey M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	70	65	22	34	196	208	31	24	138	114	41	40	22	25	44	31	
1	Enteric fever	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	2	1	1	4	6	—	2	6	4	—	—	—	—	8	5	3
4	Scarlet fever	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	4
5	Whooping cough ...	—	4	—	—	3	1	1	—	3	5	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	1	—	1	4	6	—	—	1	1	—	1	—	—	1	—	6
7	Influenza	1	—	—	—	3	5	1	1	1	2	1	—	—	—	6	3	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	6	3	1	3	18	15	—	3	7	8	1	2	2	2	2	2	9
10	Tuberculous meningitis	2	1	—	—	1	3	—	—	4	3	—	—	—	—	—	—	10
11	Other tuberculous diseases	1	2	—	—	3	8	—	1	4	1	1	1	—	—	—	—	11
12	Cancer, malignant disease	6	2	2	2	20	13	2	2	12	13	5	6	2	7	—	1	12
13	Rheumatic fever... ...	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	13
14	Meningitis	—	3	1	—	1	2	1	2	1	—	—	—	—	—	2	—	14
15	Organic heart disease ...	10	9	1	9	17	19	6	3	11	11	6	9	4	4	3	1	15
16	Bronchitis	5	2	2	4	15	18	2	1	5	6	3	5	—	—	3	3	16
17	Pneumonia (all forms) ...	7	15	3	1	17	17	3	—	7	8	1	—	2	—	—	3	17
18	Other respiratory diseases	1	2	—	2	1	2	1	1	2	1	—	—	2	—	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	3	1	—	—	4	4	1	—	1	—	2	—	—	—	1	—	19
20	Appendicitis and typhlitis	1	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	1	1	1	—	1	—	—	1	—	—	21
21A	Alcoholism	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	1	—	1	11	11	1	—	5	5	4	3	1	—	6	—	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	2	—	—	—	2	—	—	—	1	—	—	24
25	Congenital debility, &c.	2	2	—	2	4	8	2	—	10	6	2	1	2	—	1	—	25
26	Violence, apart from 27	3	3	1	—	5	2	1	—	3	4	—	1	—	—	1	1	26
27	Suicide	—	—	—	—	3	—	—	—	2	—	—	—	—	1	—	—	27
28	Other defined diseases ...	15	11	10	7	59	60	8	7	49	31	14	10	7	9	10	11	28
29	Causes ill-defined or unknown.	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	29

SOUTHAMPTON—*cont.*

	Causes of Death.	Warblington U.D.		Winchester M.B.			Alresford R.D.		Alton R.D.		Andover R.D.		Basingstoke R.D.		Cathering-ton R.D.		
		M	F	M	F		M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	24	31	179	178		51	44	101	93	102	78	85	70	25	20	
1	Enteric fever	—	—	—	1		—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	Measles	3	1	1	1		1	—	2	3	1	1	1	—	—	—	3
4	Scarlet fever	1	—	—	—		—	—	—	—	—	1	—	—	—	—	4
5	Whooping cough ...	—	—	2	6		—	—	—	2	1	1	—	1	—	—	5
6	Diphtheria and croup ...	—	—	2	4		—	1	—	1	2	—	1	1	—	—	6
7	Influenza	1	—	3	3		2	3	3	4	6	2	3	3	—	—	7
8	Erysipelas	—	—	—	—		1	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	1	15	4		3	2	6	5	2	4	4	5	3	2	9
10	Tuberculous meningitis	—	1	3	—		—	—	—	1	—	—	—	1	—	1	10
11	Other tuberculous diseases	—	2	3	—		—	—	1	2	2	—	—	2	1	—	11
12	Cancer, malignant disease	1	7	13	13		6	6	4	8	8	4	8	8	1	2	12
13	Rheumatic fever... ...	—	—	1	—		—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	1	—	2	6		2	—	1	—	2	1	1	—	—	—	14
15	Organic heart disease ...	2	4	18	26		6	5	15	12	16	12	9	12	7	5	15
16	Bronchitis	1	2	22	27		4	4	8	10	3	11	7	8	3	1	16
17	Pneumonia (all forms) ...	—	1	20	19		2	2	8	7	5	4	6	3	—	—	17
18	Other respiratory diseases	—	—	2	5		3	—	1	2	1	—	2	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	2		1	1	1	1	—	1	2	—	—	—	19
20	Appendicitis and typhlitis	—	—	1	—		—	1	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—		—	—	—	—	2	1	1	—	2	—	21
21A	Alcoholism	—	—	—	—		—	—	—	1	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	3	1	9	2		2	1	1	4	5	4	3	1	2	1	22
23	Puerperal fever	—	—	—	2		—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—		—	—	—	2	—	—	—	3	—	—	24
25	Congenital debility, &c.	1	1	9	6		2	3	9	7	11	3	4	3	—	1	25
26	Violence, apart from 27	—	—	5	4		2	1	6	1	9	2	3	—	—	—	26
27	Suicide	—	—	—	—		—	—	—	1	—	1	—	1	—	—	27
28	Other defined diseases ...	10	9	47	47		14	14	34	15	24	25	30	18	4	6	28
29	Causes ill-defined or unknown.	—	1	1	—		—	—	1	3	2	—	—	—	1	1	29

ADMINISTRATIVE AREAS, 1915—*continued.*

SOUTHAMPTON—*cont.*

	Christchurch R.D.		Droxford R.D.		Fareham R.D.		Fordingbridge R.D.		Hartley Wintney R.D.		Havant R.D.		Hursley R.D.		Kingsclere R.D.		Lymington R.D.		New Forest R.D.		Petersfield R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	32	32	95	67	109	98	47	39	120	149	44	32	31	35	56	55	74	73	111	94	71	72	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	1	5	—	—	6	3	1	—	1	2	—	—	—	—	—	1	2	1	3
4	—	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	—	1	1	1	1	—	—	1	9	—	—	—	—	1	4	1	1	—	2	—	2	5
6	—	—	—	—	1	3	—	2	1	—	—	—	—	—	1	1	1	—	2	2	1	—	6
7	3	1	4	2	1	1	—	2	—	1	2	2	3	1	4	6	4	5	2	1	3	4	7
8	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9	3	—	4	7	7	3	3	3	9	10	—	4	3	—	2	2	9	4	5	6	1	2	9
10	1	—	2	—	2	—	—	—	1	—	—	1	—	—	1	—	—	1	1	—	2	1	10
11	—	—	1	—	1	—	—	—	1	2	—	—	—	—	—	—	1	—	1	1	—	—	11
12	1	5	6	11	12	14	2	1	13	16	4	3	2	5	5	5	6	10	17	14	3	6	12
13	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	13
14	—	2	3	—	1	—	1	—	1	2	1	1	—	—	1	1	1	1	—	2	—	1	14
15	4	5	18	7	10	11	9	9	18	26	6	1	2	2	5	8	7	9	13	10	10	7	15
16	3	5	5	4	7	6	6	2	8	7	1	3	3	3	4	5	5	7	6	5	10	6	16
17	4	2	5	4	10	9	1	4	5	9	5	3	4	2	2	1	4	3	3	4	13	8	17
18	1	—	4	2	3	1	—	—	3	4	—	—	—	1	—	—	—	3	2	1	—	1	18
19	—	1	—	1	3	—	2	—	3	1	1	2	—	—	2	—	—	—	—	1	—	1	19
20	—	—	—	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—	1	—	3	—	20
21	—	—	—	—	—	1	—	—	1	1	—	—	—	—	2	—	1	—	1	2	1	1	21
21A	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	1	—	4	2	7	—	4	5	3	—	2	2	1	1	3	1	9	1	1	4	22
23	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	2	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	24
25	1	1	2	4	6	3	1	4	5	4	2	—	—	1	4	3	5	4	7	6	4	5	25
26	—	—	4	—	1	2	1	2	7	4	4	—	2	—	3	—	3	3	5	1	—	—	26
27	—	—	2	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	27
28	9	7	32	20	35	28	14	10	26	39	13	11	9	13	17	17	21	21	35	33	16	20	28
29	—	—	—	—	1	—	—	—	2	2	—	1	—	1	—	—	1	—	1	—	—	—	29

SOUTHAMPTON—*cont.* STAFFORDSHIRE.

	Ringwood R.D.		Romsey R.D.		South Stoneham R.D.		Stockbridge R.D.		Whitchurch R.D.		Winchester R.D.			Amblecote U.D.		Audley U.D.		Biddulph U.D.		Bilston U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
	42	47	49	37	123	89	46	40	43	50	88	58		29	26	109	107	64	46	278	237	
1	—	—	—	—	2	—	1	—	—	—	—	—		—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	2
3	—	—	3	—	—	2	—	—	2	2	1	—		—	—	4	2	6	4	16	17	3
4	—	—	—	—	1	—	—	—	—	—	—	—		—	—	—	—	—	2	1	—	4
5	—	1	1	1	2	2	—	2	—	—	1	1		—	—	3	7	2	4	12	11	5
6	—	—	1	—	3	1	—	—	—	—	—	—		1	—	2	3	—	—	—	—	6
7	1	—	3	3	3	1	—	2	—	—	1	—		—	—	1	2	2	1	6	4	7
8	—	—	1	—	1	—	—	—	—	—	—	—		—	—	2	—	—	—	1	1	8
9	3	3	1	2	13	3	1	—	1	3	3	2		—	1	4	7	—	4	24	8	9
10	—	1	1	—	1	2	1	—	1	—	1	—		—	—	1	—	—	1	2	6	10
11	—	1	1	—	1	1	—	1	—	1	2	—		—	—	—	4	—	—	7	3	11
12	3	7	5	7	11	8	3	3	3	2	6	7		1	5	4	11	2	3	6	16	12
13	—	—	—	—	—	—	1	—	—	1	—	—		—	—	—	—	—	1	1	1	13
14	—	1	1	—	—	—	1	—	1	—	4	1		1	—	—	—	1	—	—	—	14
15	4	9	8	9	17	12	5	8	7	8	12	10		1	1	4	3	5	4	8	17	15
16	2	1	1	2	4	5	7	3	7	12	10	6		5	5	22	13	3	2	50	36	16
17	2	2	2	4	3	5	2	2	6	3	7	1		3	1	4	8	7	4	33	9	17
18	—	—	—	—	—	3	—	1	—	2	1	—		—	—	2	1	—	1	—	—	18
19	—	—	—	—	1	1	—	—	1	—	—	—		1	—	1	1	1	—	14	16	19
20	—	1	—	—	2	—	1	—	—	—	2	2		—	—	—	—	—	—	2	—	20
21	—	—	—	—	2	1	—	—	—	—	—	—		—	—	—	1	1	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—		—	—	—	—	—	—	1	—	21A
22	3	1	—	—	6	5	3	1	2	1	1	1		1	—	4	4	5	1	1	4	22
23	—	—	—	—	—	—	—	—	—	—	—	—		—	1	—	1	—	—	—	—	23
24	—	—	—	1	—	1	—	—	—	1	—	—		—	1	—	3	—	—	—	2	24
25	1	2	1	1	7	8	2	1	1	—	4	3		2	4	10	6	7	1	17	21	25
26	1	—	2	—	1	1	3	—	2	—	1	2		1	—	16	—	4	2	11	4	26
27	1	—	—	—	—	—	—	—	—	—	—	—		—	1	1	2	—	—	3	1	27
28	20	17	17	7	42	26	15	16	9	14	29	22		12	5	23	28	18	11	57	57	28
29	1	—	—	—	—	1	—	—	—	—	1	—		—	1	1	—	—	—	4	3	29

STAFFORDSHIRE—*cont.*

	Causes of Death.	Brierley Hill U.D.		Brownhills U.D.		Cannock U.D.		Coseley U.D.		Darlaston U.D.		Heathtown or Wednesfield Heath U.D.		Kidsgrove U.D.		Leek U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	90	88	141	97	230	188	236	175	162	141	99	80	74	62	125	145	
1	Enteric fever	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	6	9	5	2	11	4	3	7	2	3	3	3	—	2	3
4	Scarlet fever	—	1	—	3	1	2	2	—	—	—	—	—	—	—	1	2	4
5	Whooping cough ...	—	1	1	—	2	3	2	1	2	—	2	1	2	5	1	1	5
6	Diphtheria and croup ...	8	13	2	1	3	—	1	—	—	—	—	—	3	—	2	5	6
7	Influenza	1	—	2	1	9	3	9	—	2	1	2	—	2	1	3	1	7
8	Erysipelas	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	2	8
9	Pulmonary tuberculosis	7	7	7	4	11	10	10	9	10	3	10	4	2	4	11	10	9
10	Tuberculous meningitis	2	—	2	—	2	2	1	1	1	2	—	1	—	—	1	1	10
11	Other tuberculous diseases	—	—	1	—	3	3	1	3	3	3	—	—	2	2	1	1	11
12	Cancer, malignant disease	6	2	8	6	11	16	10	17	7	7	5	2	4	7	7	10	12
13	Rheumatic fever... ...	—	1	1	1	1	2	5	1	—	1	—	—	—	—	1	1	13
14	Meningitis	—	—	2	1	2	—	4	2	1	3	—	4	1	—	2	4	14
15	Organic heart disease ...	7	11	4	9	11	15	12	13	9	17	8	9	5	5	14	15	15
16	Bronchitis	10	7	17	10	18	21	14	15	14	17	10	7	8	5	12	15	16
17	Pneumonia (all forms) ...	8	7	19	9	23	21	40	23	26	23	24	11	4	3	8	10	17
18	Other respiratory diseases	2	—	1	2	6	2	5	2	2	1	2	2	1	—	2	4	18
19	Diarrhœa, &c. (under 2 yrs.)	3	4	2	1	4	7	15	6	7	4	2	1	1	1	2	—	19
20	Appendicitis and typhlitis	—	1	—	—	3	—	1	—	1	—	2	—	—	—	—	—	20
21	Cirrhosis of liver ...	1	1	—	—	2	—	2	—	—	—	—	—	—	—	—	3	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	1	2	3	—	2	1	2	1	2	2	2	—	5	1	3	6	22
23	Puerperal fever	—	—	—	—	—	1	—	1	—	3	—	—	—	2	—	2	23
24	Parturition, apart from 23	—	1	—	2	—	1	—	2	—	1	—	1	—	—	—	1	24
25	Congenital debility, &c.	4	2	15	16	20	14	21	11	22	14	2	6	8	4	10	4	25
26	Violence, apart from 27	5	1	11	2	20	7	6	5	5	3	3	4	3	1	1	1	26
27	Suicide	—	1	—	—	—	2	1	—	1	—	—	—	1	—	—	1	27
28	Other defined diseases ...	23	21	35	20	69	51	57	55	42	28	21	24	17	17	41	43	28
29	Causes ill-defined or unknown.	1	4	1	—	1	2	4	1	1	—	1	—	2	1	1	—	29

STAFFORDSHIRE—*cont.*

	Causes of Death.	Lichfield M.B.		Newcastle under Lyme M.B.		Perry Barr U.D.		Quarry Bank U.D.		Rowley Regis U.D.		Rugeley U.D.		Sedgley U.D.		Short Heath U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	72	61	180	165	14	10	54	61	301	264	30	31	127	118	31	31	
1	Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	4	7	4	—	—	4	3	7	5	—	—	2	—	1	2	3
4	Scarlet fever	—	—	1	3	—	1	—	2	2	4	—	—	—	—	1	2	4
5	Whooping cough ...	—	—	2	7	—	—	—	1	—	8	—	—	6	5	3	1	5
6	Diphtheria and croup ...	—	—	1	2	—	—	—	1	—	1	—	1	—	3	—	—	6
7	Influenza	3	2	2	2	1	1	—	1	5	1	—	1	1	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	8
9	Pulmonary tuberculosis	9	3	15	18	—	1	2	3	18	9	1	1	9	10	1	1	9
10	Tuberculous meningitis	—	—	3	1	—	1	—	1	2	1	1	—	—	1	1	—	10
11	Other tuberculous diseases	1	1	3	2	—	—	—	—	8	5	—	—	4	—	—	—	11
12	Cancer, malignant disease	10	10	12	12	—	—	3	3	14	21	3	3	5	9	2	1	12
13	Rheumatic fever... ...	—	—	2	—	—	—	—	—	2	2	—	—	—	1	—	—	13
14	Meningitis	1	—	1	1	—	—	4	1	1	1	—	1	—	2	—	1	14
15	Organic heart disease ...	10	2	4	20	1	3	3	4	15	19	3	1	5	8	2	1	15
16	Bronchitis	4	4	12	17	1	—	7	7	27	38	3	2	10	9	3	4	16
17	Pneumonia (all forms) ...	3	1	28	14	5	—	7	5	34	20	1	—	21	12	2	1	17
18	Other respiratory diseases	—	2	4	—	—	—	1	1	—	3	—	—	—	2	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	2	8	3	—	—	1	2	9	9	1	—	1	2	1	—	19
20	Appendicitis and typhlitis	—	—	1	—	—	—	—	—	3	—	—	1	1	—	1	—	20
21	Cirrhosis of liver ...	—	2	1	1	—	—	—	1	—	1	1	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	4	4	8	—	1	1	3	7	11	—	1	3	1	2	—	22
23	Puerperal fever	—	—	—	3	—	—	—	2	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	2	—	—	—	—	—	2	—	—	—	1	—	1	24
25	Congenital debility, &c.	5	3	10	7	1	1	9	3	34	25	—	1	19	6	4	4	25
26	Violence, apart from 27	—	1	6	1	1	1	6	2	18	2	2	1	8	2	1	—	26
27	Suicide	—	—	1	1	—	—	—	—	4	—	—	—	2	1	—	1	27
28	Other defined diseases ...	23	19	51	34	4	—	5	15	88	74	14	17	28	43	5	9	28
29	Causes ill-defined or unknown.	—	1	1	2	—	—	1	—	1	1	—	—	2	—	—	1	29

ADMINISTRATIVE AREAS, 1915—*continued.*

STAFFORDSHIRE—*cont.*

	Smallthorne U.D.		Stafford M.B.		Stone U.D.		Tamworth M.B.		Tettenhall U.D.		Tipton U.D.		Uttoxeter U.D		Wednesbury M.B.		Wednesfield U.D.		Willenhall U.D.		Wolstanton United U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	99	85	156	170	42	49	59	56	35	31	338	302	39	33	260	209	56	42	191	157	200	176	
1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	2	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	4	1	1	—	—	2	1	—	1	47	34	—	—	11	8	—	3	11	6	3	3	3
4	—	—	2	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	1	1	4
5	4	6	1	3	3	1	1	—	2	1	4	6	—	—	1	2	2	5	24	22	4	2	5
6	1	1	—	—	—	—	—	—	—	—	1	3	1	—	1	—	—	—	—	—	2	2	6
7	2	1	2	1	—	—	—	1	1	—	6	2	—	1	1	2	1	1	—	—	3	2	7
8	—	—	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	2	—	1	—	8
9	4	6	17	20	3	4	4	2	3	1	11	10	1	4	28	13	5	—	14	4	15	9	9
10	2	—	—	—	—	1	1	—	—	—	1	1	1	1	1	—	1	—	1	1	3	1	10
11	—	—	3	3	—	—	1	2	—	—	7	5	—	—	5	3	—	—	2	—	4	8	11
12	6	2	8	8	5	3	3	4	1	3	18	13	2	4	28	15	5	3	7	10	8	14	12
13	—	—	—	2	—	—	2	—	—	—	1	—	—	—	—	2	—	—	1	—	—	2	13
14	—	—	1	1	—	—	2	—	—	1	5	4	—	—	3	1	1	—	2	2	2	2	14
15	9	11	15	24	5	5	3	9	6	4	17	11	2	2	14	17	8	3	12	13	19	11	15
16	10	5	11	19	6	2	9	4	2	2	32	21	2	1	29	16	2	4	15	14	25	19	16
17	9	9	14	8	4	4	5	3	2	3	35	33	3	3	20	13	10	3	17	11	17	16	17
18	3	1	4	2	—	—	—	—	1	—	7	1	2	—	2	4	—	—	—	4	1	1	18
19	5	3	4	2	—	2	2	—	—	—	15	15	1	1	11	7	—	1	6	11	5	5	19
20	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	20
21	—	—	2	2	1	2	—	—	—	1	4	1	—	—	1	2	1	—	1	—	2	—	21
21A	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	21A
22	3	2	5	2	1	1	1	2	—	—	2	6	4	—	9	12	1	2	3	—	3	7	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4	—	—	—	1	—	2	23
24	—	3	—	2	—	—	—	—	—	1	—	6	—	—	—	5	—	—	—	2	—	2	24
25	19	7	10	10	1	2	6	2	1	1	21	16	3	1	18	16	2	4	17	12	12	10	25
26	3	3	6	5	1	1	6	1	2	—	15	10	3	1	11	2	1	1	4	1	20	1	26
27	—	—	1	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	1	—	2	4	27
28	16	21	48	53	12	20	11	23	14	12	78	100	13	13	61	62	16	12	48	43	47	48	28
29	—	—	—	—	—	1	—	—	—	—	5	2	—	—	2	—	—	—	2	—	1	2	29

STAFFORDSHIRE—*cont.*

	Blore Heath R.D.		Cannock R.D.		Cheadle R.D.		Dudley R.D.		Gnosall R.D.		Kingswinford R.D.		Leek R.D.		Lichfield R.D.		Mayfield R.D.		Newcastle under Lyme R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	15	13	113	120	198	188	—	—	45	35	183	153	102	101	137	162	31	31	42	43	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	2	—	4	3	—	—	5	1	1	3	3	2	5	4	1	1	—	—	3
4	—	—	—	1	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	4
5	1	—	2	1	7	6	—	—	1	—	1	2	2	2	1	2	—	—	—	—	5
6	—	—	—	—	3	—	—	—	—	—	1	4	6	4	1	—	—	—	2	1	6
7	1	—	3	1	10	5	—	—	1	—	—	2	2	—	5	2	—	1	—	2	7
8	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	8
9	—	1	6	5	11	7	—	—	2	2	11	13	7	6	4	8	—	—	1	1	9
10	—	—	2	—	2	1	—	—	1	1	1	—	—	3	1	—	—	1	—	—	10
11	—	—	—	3	3	1	—	—	—	1	1	1	1	2	2	1	1	—	1	—	11
12	2	1	5	15	16	16	—	—	1	2	12	14	6	5	15	22	4	6	5	6	12
13	—	—	—	1	2	2	—	—	—	—	1	—	1	2	—	—	—	—	1	—	13
14	—	—	—	1	2	1	—	—	—	—	2	2	—	—	1	1	—	—	—	—	14
15	1	3	12	14	22	35	—	—	5	7	17	16	13	13	14	16	3	4	4	4	15
16	1	—	14	8	13	16	—	—	4	3	17	14	7	5	15	16	4	1	3	5	16
17	2	1	11	8	22	6	—	—	4	3	24	26	9	8	15	8	2	2	3	4	17
18	—	—	1	1	8	2	—	—	2	—	—	—	2	2	2	—	—	—	—	2	18
19	—	—	—	2	1	4	—	—	1	—	6	2	2	7	2	3	1	—	—	—	19
20	—	—	—	—	2	—	—	—	—	—	—	1	—	—	1	—	1	—	1	—	20
21	—	1	—	—	1	—	—	—	—	1	2	1	—	—	—	1	—	—	—	—	21
21A	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	—	1	1	5	1	2	—	—	1	1	6	2	2	2	3	3	—	1	4	—	22
23	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	1	—	2	—	—	—	—	—	—	—	2	—	—	—	1	—	—	24
25	—	—	9	8	10	8	—	—	3	2	8	8	5	4	11	11	—	—	3	5	25
26	1	1	7	4	5	2	—	—	1	1	8	3	5	—	5	2	1	—	2	—	26
27	—	—	2	—	4	3	—	—	—	1	—	—	2	1	2	1	—	—	1	1	27
28	6	3	33	38	47	62	—	—	13	9	53	38	25	29	31	60	12	13	11	11	28
29	—	1	2	2	1	1	—	—	—	—	8	1	—	1	1	—	1	—	—	—	29

STAFFORDSHIRE—*cont.*

	Causes of Death.	Seisdon R.D.		Stafford R.D.		Stoke upon Trent R.D.		Stone R.D.		Tamworth (pt.) R.D.*		Tutbury R.D.		Uttoxeter R.D.		Walsall R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	117	102	85	65	30	42	92	95	31	33	47	65	53	38	105	82	
1	Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	3	—	6	3	—	—	—	1	1	2	1	1	1	—	14	8	3
4	Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	1	1	1	—	1	1	2	—	—	—	1	—	—	—	4	4	5
6	Diphtheria and croup ...	1	2	—	1	1	1	1	1	—	—	1	1	—	—	3	4	6
7	Influenza	2	1	—	1	1	2	5	6	—	—	3	5	1	1	1	—	7
8	Erysipelas	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	5	8	3	—	1	3	4	2	1	7	1	5	1	2	6	7	9
10	Tuberculous meningitis	2	1	2	—	—	—	—	1	1	1	2	1	—	2	—	—	10
11	Other tuberculous diseases	—	1	—	1	1	—	—	—	—	2	1	—	3	—	2	—	11
12	Cancer, malignant disease	10	10	7	9	—	3	4	11	3	—	—	5	5	5	6	4	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	13
14	Meningitis	1	—	—	1	—	—	2	—	—	—	—	1	—	—	1	1	14
15	Organic heart disease ...	10	20	7	9	2	4	14	21	3	4	8	9	6	4	3	8	15
16	Bronchitis	16	7	4	3	1	—	5	8	4	3	3	2	3	2	6	9	16
17	Pneumonia (all forms) ...	11	5	10	6	4	7	9	2	2	1	1	5	4	2	11	4	17
18	Other respiratory diseases	—	—	2	—	—	—	1	—	1	1	1	1	—	—	—	3	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	1	—	2	—	1	—	—	—	1	1	4	3	19
20	Appendicitis and typhlitis	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	2	21
21A	Alcoholism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	1	—	—	1	1	3	—	1	1	1	2	2	2	2	22
23	Puerperal fever	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	6	8	2	3	4	6	6	4	—	1	1	3	1	1	10	5	25
26	Violence, apart from 27	3	2	4	1	3	1	5	3	1	3	1	1	2	—	7	1	26
27	Suicide	1	—	2	—	—	—	1	—	1	—	1	—	—	—	—	—	27
28	Other defined diseases ...	41	33	33	25	9	11	30	30	12	7	19	22	23	14	23	15	28
29	Causes ill-defined or unknown.	1	—	—	—	—	—	—	—	—	—	—	1	—	1	1	1	29

STAFFORDSHIRE—*cont.* SUFFOLK, EAST.

	Causes of Death.	Blymhill and Weston under Lizard C.P.'s †						Aldeburgh M.B.		Beccles M.B.		Bungay U.D.		Eye M.B.		Felixstowe U.D.		
		M	F					M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	3	2					17	14	54	61	35	20	12	11	68	64	
1	Enteric fever	—	—					—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—					—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—					—	—	—	4	—	—	—	—	—	—	3
4	Scarlet fever	—	—					—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—					—	—	—	—	—	—	—	—	—	1	5
6	Diphtheria and croup ...	—	—					—	—	—	—	—	—	—	—	6	—	6
7	Influenza	—	—					2	1	2	5	—	—	1	1	1	—	7
8	Erysipelas	—	—					—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	—					1	—	7	3	2	—	1	—	3	4	9
10	Tuberculous meningitis	—	—					—	—	—	2	—	—	—	—	—	—	10
11	Other tuberculous diseases	1	—					—	—	—	3	—	—	—	—	2	2	11
12	Cancer, malignant disease	—	—					1	1	7	7	4	—	1	1	6	5	12
13	Rheumatic fever... ...	—	—					—	—	—	—	—	—	—	—	1	—	13
14	Meningitis	—	—					—	—	—	—	—	—	—	—	4	2	14
15	Organic heart disease ...	1	—					1	3	3	7	5	4	2	2	2	3	15
16	Bronchitis	—	—					1	2	5	6	2	3	2	—	5	8	16
17	Pneumonia (all forms) ...	—	1					3	4	4	3	—	1	1	—	6	7	17
18	Other respiratory diseases	—	—					—	—	—	—	1	—	—	—	2	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—					—	—	—	—	—	—	—	—	1	—	19
20	Appendicitis and typhlitis	—	—					1	—	—	—	—	—	—	—	1	—	20
21	Cirrhosis of liver ...	—	—					—	—	—	—	—	—	1	—	—	—	21
21A	Alcoholism	—	—					—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—					—	1	4	—	1	1	—	1	2	4	22
23	Puerperal fever	—	—					—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—					—	—	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	—	—					1	—	5	1	1	—	1	1	7	3	25
26	Violence, apart from 27	—	—					—	—	1	1	2	1	—	—	2	—	26
27	Suicide	—	—					—	—	2	1	1	—	—	—	1	1	27
28	Other defined diseases ...	1	1					6	2	12	18	15	10	2	5	16	19	28
29	Causes ill-defined or unknown.	—	—					—	—	2	—	1	—	—	—	—	3	29

* The remainder of Tamworth R.D. is in Warwickshire ; *see page* 474.
† Administered by Shifnal R.D.C. (Shropshire).

ADMINISTRATIVE AREAS, 1915—*continued.*

SUFFOLK, EAST—*cont.*

	Halesworth U.D.		Leiston cum Sizewell U.D.		Lowestoft M.B.		Oulton Broad U.D.		Saxmundham U.D.		Southwold M.B.		Stowmarket U.D.		Woodbridge U.D.		Blything R.D.		Bosmere and Claydon R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M.	F.	M	F	
	13	26	22	24	210	207	25	36	10	14	20	29	52	36	39	36	152	124	100	98	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	6	5	1	1	—	1	1	1	—	—	2	2	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	2	4
5	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	2	1	5
6	—	—	—	—	4	5	—	1	—	—	—	2	—	—	—	—	1	1	—	1	6
7	1	—	—	1	3	3	—	—	—	1	1	1	1	2	—	—	—	2	1	2	7
8	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	—	2	1	—	17	12	—	1	—	—	—	4	4	3	2	3	17	8	3	6	9
10	—	—	—	—	—	3	—	—	—	—	1	—	—	1	—	—	1	1	—	—	10
11	—	1	—	—	3	2	1	1	—	—	—	—	—	1	—	1	5	—	2	—	11
12	2	2	1	2	14	14	2	3	—	1	3	—	3	4	2	1	8	19	5	6	12
13	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	5	1	1	—	—	—	—	—	1	—	—	—	4	—	2	—	14
15	1	6	1	2	14	20	1	5	—	1	2	4	3	8	1	7	11	9	19	15	15
16	1	3	2	3	10	13	4	3	2	—	4	6	1	3	5	4	19	14	5	8	16
17	1	2	1	2	25	17	2	3	3	2	—	—	5	—	—	5	9	7	10	3	17
18	—	1	—	2	3	5	—	1	—	—	—	—	1	—	2	—	2	4	2	6	18
19	—	—	1	—	1	3	—	—	—	—	—	—	2	—	—	—	—	1	1	1	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	20
21	—	—	—	—	1	1	—	—	—	—	—	—	1	—	1	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	—	5	8	—	1	—	3	—	—	2	3	3	2	9	2	6	2	22
23	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	23
24	—	—	—	1	—	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
25	1	—	1	1	10	13	4	2	1	1	—	—	5	—	5	2	4	6	4	8	25
26	—	—	3	1	12	6	6	1	1	—	2	1	3	—	6	2	14	1	3	3	26
27	—	—	—	—	3	1	—	—	—	—	2	—	—	—	1	—	2	1	1	—	27
28	4	9	10	7	67	62	3	12	3	4	4	10	18	10	9	7	44	44	33	34	28
29	1	—	—	—	3	4	—	—	—	—	—	—	—	—	—	—	1	1	—	—	29

SUFFOLK, EAST—*cont.* SUFFOLK, WEST.

	East Stow R.D.		Hartismere R.D.		Hoxne R.D.		Mutford and Lothingland R.D.		Plomesgate R.D.		Samford R.D.		Wangford R.D.		Woodbridge R.D.		Bury St. Edmunds M.B.		Glemsford U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	45	40	98	68	91	72	84	76	111	109	107	82	42	30	132	98	151	135	6	10	
1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	1	2	1	—	—	3	—	—	—	1	2	3	—	—	—	3
4	—	—	—	1	—	—	—	—	—	—	5	2	—	1	1	—	—	—	—	—	4
5	—	—	—	1	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	1	1	3	—	—	6
7	2	—	4	3	3	1	1	2	12	13	5	4	2	1	3	2	3	3	—	—	7
8	1	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	3	4	6	3	7	5	4	7	8	6	5	4	1	1	5	12	12	6	1	1	9
10	—	1	1	—	2	1	2	—	2	—	1	—	—	1	1	—	3	1	—	—	10
11	1	1	—	1	1	1	—	1	—	2	—	—	—	1	—	2	4	1	—	—	11
12	4	5	9	8	5	10	5	8	11	12	10	11	2	—	10	8	7	20	1	—	12
13	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	13
14	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	4	—	—	—	14
15	7	7	10	13	9	12	7	10	14	11	7	14	4	3	16	11	15	15	1	—	15
16	4	—	4	2	3	10	16	8	3	5	11	9	5	2	16	14	16	15	2	—	16
17	1	3	8	5	7	1	7	4	4	11	6	3	2	2	6	4	10	14	—	—	17
18	3	1	2	1	1	2	2	1	2	2	—	1	1	—	3	2	4	3	—	—	18
19	—	1	—	—	—	—	1	—	2	—	1	—	2	—	—	1	1	1	1	—	19
20	—	1	—	—	—	—	—	—	1	—	—	—	—	1	2	—	1	—	—	—	20
21	1	1	—	1	1	—	—	—	1	—	2	1	—	1	1	—	2	1	—	—	21
21A	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	5	1	2	2	3	3	5	3	3	—	—	1	4	4	2	—	—	—	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	1	—	—	—	1	—	2	—	—	—	3	—	—	—	—	24
25	1	4	4	4	5	2	3	9	8	5	5	2	4	1	6	5	11	7	—	—	25
26	1	—	5	3	2	1	4	—	6	1	3	1	—	—	11	2	8	2	—	1	26
27	—	—	1	—	—	—	—	—	2	—	1	1	1	—	1	1	—	—	—	—	27
28	12	8	37	20	37	20	26	20	28	36	39	26	17	14	41	24	42	42	—	7	28
29	—	—	—	—	2	—	—	—	—	1	—	—	—	—	1	—	2	—	—	—	29

SUFFOLK, WEST—*cont.*

	Causes of Death.	Hadleigh U.D.		Haverhill U.D.		Newmarket U.D.		Sudbury M.B.		Brandon R.D.		Clare R.D.		Cosford R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	25	31	33	44	74	73	66	72	48	45	54	65	83	93	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	1	—	—	4	5	8	—	1	1	—	—	—	4	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	2	4
5	Whooping cough ...	—	—	—	—	2	1	9	6	—	—	—	—	—	1	5
6	Diphtheria and croup ...	—	—	2	10	—	1	—	—	—	1	1	1	—	—	6
7	Influenza	1	—	1	3	1	—	1	1	3	4	1	—	2	3	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	1	2	2	7	7	5	7	2	2	2	4	4	5	9
10	Tuberculous meningitis	—	—	—	—	1	—	—	—	—	1	—	—	—	—	10
11	Other tuberculous diseases	—	1	—	2	—	—	—	—	—	—	1	—	1	2	11
12	Cancer, malignant disease	1	3	3	2	8	9	7	9	1	2	4	11	4	4	12
13	Rheumatic fever... ...	—	—	—	—	1	—	—	—	—	1	—	—	—	—	13
14	Meningitis	1	—	—	—	—	—	1	—	—	—	—	—	—	1	14
15	Organic heart disease ...	1	6	3	4	4	5	4	6	5	2	8	13	12	13	15
16	Bronchitis	1	6	5	3	8	6	12	9	4	10	9	8	9	4	16
17	Pneumonia (all forms) ...	1	1	1	—	6	7	3	5	2	—	5	1	7	6	17
18	Other respiratory diseases	—	—	—	—	1	1	2	1	3	1	2	1	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	—	—	—	—	—	—	—	—	1	—	—	1	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	1	—	1	2	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	1	1	1	—	—	1	—	1	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	—	—	—	3	1	—	2	1	1	1	2	4	4	22
23	Puerperal fever	—	—	—	2	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	—	1	1	2	3	1	1	5	4	2	1	5	7	9	25
26	Violence, apart from 27	—	—	1	—	—	—	1	1	1	—	3	1	3	1	26
27	Suicide	—	—	—	—	4	—	—	—	—	1	1	1	1	1	27
28	Other defined diseases ...	14	10	13	14	19	26	10	19	20	13	14	17	27	31	28
29	Causes ill-defined or unknown.	—	—	1	—	2	2	—	—	—	—	—	—	—	—	29

SUFFOLK, WEST—*cont.* SURREY.

	Causes of Death.	Melford R.D.		Mildenhall R.D.		Moulton R.D.		Thedwastre R.D.		Thingoe R.D.		Barnes U.D.		Beddington and Wallington U.D.*		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	103	111	47	62	10	14	61	60	98	92	200	176	69	60	
1	Enteric fever	—	—	—	—	—	1	—	—	—	—	2	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	—	—	—	—	1	—	—	—	7	8	1	—	3
4	Scarlet fever	—	—	1	—	—	—	—	—	—	1	2	1	—	—	4
5	Whooping cough ...	1	2	—	—	—	—	—	—	—	—	4	2	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	—	1	—	1	—	1	6
7	Influenza	2	7	3	1	1	—	4	4	—	4	5	5	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis	11	12	6	2	1	1	4	3	7	2	19	12	4	6	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	2	1	1	4	1	1	1	10
11	Other tuberculous diseases	2	—	—	—	—	—	—	—	2	2	1	—	—	1	11
12	Cancer, malignant disease	6	9	1	9	1	—	4	6	7	6	10	13	6	9	12
13	Rheumatic fever... ...	1	1	—	—	—	—	—	—	—	—	1	—	—	—	13
14	Meningitis	—	—	1	—	—	—	—	—	1	1	1	3	—	2	14
15	Organic heart disease ...	7	6	10	8	2	3	5	6	12	12	14	22	11	11	15
16	Bronchitis	12	15	1	4	—	—	2	2	9	12	9	13	4	1	16
17	Pneumonia (all forms) ...	9	8	2	6	—	—	7	5	7	5	18	11	5	2	17
18	Other respiratory diseases	2	—	—	—	1	1	1	1	2	2	3	5	2	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	—	—	—	1	—	—	2	—	1	1	19
20	Appendicitis and typhlitis	—	1	—	1	—	—	—	—	1	1	3	1	2	1	20
21	Cirrhosis of liver ...	2	—	2	—	—	—	—	—	1	—	1	3	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	2	2	2	—	—	—	1	1	1	6	3	2	3	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	4	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	1	—	—	—	3	—	—	24
25	Congenital debility, &c.	2	6	2	—	1	1	5	5	6	4	16	8	4	—	25
26	Violence, apart from 27	3	—	1	2	—	—	1	3	3	1	10	3	4	2	26
27	Suicide	1	—	—	1	—	—	2	—	1	1	—	1	—	2	27
28	Other defined diseases ...	39	42	14	23	3	7	25	17	37	33	60	51	20	16	28
29	Causes ill-defined or unknown.	—	—	1	2	—	—	—	3	—	1	2	2	—	—	29

* Created on 1st April, 1915.

ADMINISTRATIVE AREAS, 1915—*continued.*

SURREY—*cont.*

	Carshalton U.D.		Caterham U.D.		Chertsey U.D.		Coulsdon and Purley U.D.*		Dorking U.D.		East and West Molesey U.D.		Egham U.D.		Epsom U.D.		Esher and the Dittons U.D.		Farnham U.D.		Frimley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	51	60	62	38	99	99	50	49	51	58	40	52	74	96	86	78	75	58	90	84	68	61	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	2	—	—	4	2	—	—	1	1	—	—	—	—	1	3	2	3	3
4	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	4
5	—	—	4	2	—	—	—	1	—	—	—	—	2	1	—	—	—	—	5	3	1	2	5
6	—	—	—	1	2	—	—	—	2	—	1	—	—	—	—	—	—	—	1	1	—	—	6
7	2	1	—	3	3	5	3	1	—	1	1	—	2	3	1	2	—	2	4	2	3	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	5	4	4	1	6	11	9	3	3	5	2	6	2	5	8	5	5	5	7	4	10	2	9
10	—	—	2	1	1	1	3	1	—	1	1	1	2	4	2	1	1	—	1	1	2	—	10
11	2	1	—	1	2	—	—	—	—	—	1	1	1	1	1	—	—	1	2	—	—	1	11
12	10	9	6	6	6	8	7	8	5	6	5	3	5	13	9	9	9	14	6	8	7	9	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	13
14	—	—	—	—	1	—	—	2	—	2	—	1	—	—	1	2	1	1	—	—	2	—	14
15	6	9	6	1	14	13	7	3	10	7	6	3	9	17	5	7	8	6	4	9	7	3	15
16	1	9	6	1	8	9	1	2	7	7	—	4	4	7	6	8	8	2	12	11	1	1	16
17	2	6	5	2	4	5	5	6	4	4	4	5	8	10	7	5	5	1	8	6	5	3	17
18	1	—	2	2	1	2	—	—	—	1	—	2	—	—	4	1	1	3	4	—	—	1	18
19	1	—	—	—	1	—	—	—	—	—	1	1	2	2	—	—	—	—	—	1	—	2	19
20	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	2	1	2	—	1	—	1	20
21	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	1	—	1	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	—	3	2	3	—	1	2	4	4	4	4	4	1	2	3	3	2	3	4	4	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	24
25	2	4	3	1	2	3	—	4	3	—	1	1	3	2	3	2	3	1	9	3	2	4	25
26	2	—	1	—	8	—	1	—	1	—	3	—	1	2	4	1	3	2	6	1	1	3	26
27	—	2	1	—	2	—	—	1	—	—	—	—	2	1	1	3	3	—	—	—	2	—	27
28	14	13	21	12	36	34	13	15	8	18	10	20	23	18	31	27	22	14	18	23	17	19	28
29	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	29

SURREY—*cont.*

	Godalming, M.B.		Guildford M.B.		Ham U.D.		Haslemere U.D.		Kingston on Thames M.B.		Leatherhead U.D.		Merton and Morden U.D.		Mitcham U.D.*		Reigate M.B.		Richmond M.B.		Surbiton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	62	52	147	158	11	15	24	22	259	253	24	30	80	98	133	125	159	176	213	273	107	125	
1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	—	1	3	—	—	1	1	—	1	1	4	2	1	5	2	1	1	2	1	1	—	3
4	1	1	—	—	—	—	—	—	2	—	—	—	2	—	—	—	2	3	—	2	—	1	4
5	1	1	5	2	—	1	—	—	—	1	—	—	1	2	2	4	—	—	4	2	1	1	5
6	—	—	3	2	—	—	—	—	1	2	—	—	3	2	3	1	1	2	—	—	1	3	6
7	1	—	6	8	—	—	2	2	2	6	1	—	2	—	1	—	3	7	6	5	4	7	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	3	—	—	—	—	8
9	2	1	10	8	2	1	—	1	23	17	2	—	9	7	19	11	16	8	19	17	8	4	9
10	—	—	1	4	—	1	—	—	4	5	—	1	—	2	—	2	1	1	1	—	2	2	10
11	1	2	2	—	—	—	—	—	2	5	—	—	1	2	2	1	—	2	—	1	2	—	11
12	1	4	7	15	1	—	—	1	21	22	4	4	6	9	9	8	11	22	17	40	13	16	12
13	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	2	2	—	—	1	—	—	13
14	—	1	3	4	—	—	1	—	3	2	—	—	—	3	1	1	2	1	4	2	—	1	14
15	8	5	19	12	2	3	3	4	23	30	3	3	9	6	10	11	21	22	21	29	12	12	15
16	4	5	8	15	—	1	2	3	23	29	1	3	1	9	9	9	3	17	16	19	5	8	16
17	6	8	8	11	2	2	3	2	22	16	2	—	6	6	18	8	10	10	16	26	8	7	17
18	1	—	5	5	—	—	—	—	6	2	—	—	—	2	1	2	2	1	8	6	3	2	18
19	1	1	1	1	—	—	—	—	11	6	—	1	3	3	5	6	2	—	—	2	2	—	19
20	—	1	—	1	—	—	—	—	3	3	—	—	—	1	1	1	—	—	1	2	2	2	20
21	1	—	2	3	—	—	—	—	3	3	—	—	—	—	—	1	3	3	5	2	—	3	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2	4	5	—	1	4	—	5	4	2	—	7	4	—	6	3	4	7	7	1	6	22
23	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	—	—	—	1	—	1	23
24	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	1	—	1	—	1	—	1	24
25	2	4	15	3	1	—	1	1	23	8	1	—	11	3	8	8	7	6	3	9	5	6	25
26	2	—	10	2	—	1	1	—	14	7	1	—	1	2	6	2	1	4	5	11	2	—	26
27	1	1	2	—	—	1	—	1	—	2	1	—	1	1	1	—	—	—	1	4	3	1	27
28	26	15	35	54	3	3	6	5	67	74	5	13	14	31	30	37	66	58	76	82	32	41	28
29	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	29

* Created on 1st April, 1915.

SURREY—*cont.*

	Causes of Death.	Sutton U.D.		The Maldens and Coombe U.D.		Walton upon Thames U.D.		Weybridge U.D.		Wimbledon M.B.		Windlesham U.D.		Woking U.D.				
		M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	ALL CAUSES	119	104	85	77	67	51	35	41	282	342	38	28	145	118			
1	Enteric fever	—	—	—	—	—	—	—	—	1	1	—	—	—	—			1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	Measles	2	—	—	2	1	—	1	—	3	6	—	—	20	10			3
4	Scarlet fever	—	—	1	1	—	—	—	—	1	—	—	—	—	—			4
5	Whooping cough ...	1	—	2	—	—	—	—	—	—	5	—	—	—	—			5
6	Diphtheria and croup ...	1	2	1	—	—	1	1	—	3	6	—	—	—	1			6
7	Influenza	3	10	5	4	—	2	1	—	3	16	1	1	1	1			7
8	Erysipelas	1	—	—	—	—	—	—	—	—	1	—	—	—	—			8
9	Pulmonary tuberculosis	9	6	5	4	6	4	4	3	23	18	5	7	8	5			9
10	Tuberculous meningitis	—	1	4	—	1	—	—	1	2	1	—	—	2	—			10
11	Other tuberculous diseases	—	—	2	1	—	1	—	1	3	2	1	—	1	2			11
12	Cancer, malignant disease	10	19	10	12	6	11	2	6	30	39	5	5	10	16			12
13	Rheumatic fever... ...	—	1	—	2	—	—	—	—	2	1	—	—	1	1			13
14	Meningitis	—	—	1	2	1	—	—	—	1	6	1	—	3	3			14
15	Organic heart disease ...	10	10	9	10	10	10	1	6	35	37	3	4	15	15			15
16	Bronchitis	9	7	4	4	4	5	1	2	13	33	2	—	10	6			16
17	Pneumonia (all forms) ...	10	8	6	8	4	3	2	—	25	23	5	1	10	7			17
18	Other respiratory diseases	3	3	2	—	1	—	—	—	4	3	1	—	3	4			18
19	Diarrhœa, &c. (under 2 yrs.)	3	1	2	—	—	—	1	—	11	10	—	—	1	—			19
20	Appendicitis and typhlitis	—	—	—	1	—	—	1	—	1	5	—	—	2	—			20
21	Cirrhosis of liver ...	1	—	—	—	2	—	—	1	2	4	—	1	1	—			21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21A
22	Nephritis and Bright's dis.	5	4	3	—	2	2	3	3	11	12	—	2	3	2			22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	1	—	—	—	1			23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1	—	—	—	1			24
25	Congenital debility, &c.	8	4	5	3	3	1	1	1	4	13	—	—	7	4			25
26	Violence, apart from 27	3	1	1	1	4	1	—	2	14	6	2	—	5	3			26
27	Suicide	3	—	—	—	—	—	—	—	4	2	2	—	1	—			27
28	Other defined diseases ...	37	27	22	22	22	10	16	14	85	90	10	7	41	36			28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	1	—	—	—	—	—			29

SURREY—*cont.*

	Causes of Death.	Chertsey R.D.		Croydon R.D.*		Dorking R.D.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		Hambledon R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	46	44	114	119	63	65	145	139	136	112	140	147	126	98	173	159	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	4	6	—	1	3	—	1	4	5	1	1	—	3	4	3
4	Scarlet fever	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	4
5	Whooping cough... ...	—	—	3	—	—	1	—	—	3	5	1	2	—	1	5	—	5
6	Diphtheria and croup ...	—	1	2	3	1	—	3	1	2	2	—	—	—	—	1	2	6
7	Influenza	3	—	2	3	3	1	1	4	3	1	4	4	3	2	9	12	7
8	Erysipelas	—	—	2	—	—	—	1	1	—	—	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	3	1	8	6	1	3	9	14	8	4	7	8	5	4	6	12	9
10	Tuberculous meningitis	—	1	—	—	—	—	1	2	2	1	—	1	—	—	1	1	10
11	Other tuberculous diseases	—	—	5	—	—	3	1	2	—	2	2	2	—	1	—	—	11
12	Cancer, malignant disease	4	5	10	16	6	7	14	12	8	10	11	18	9	9	17	13	12
13	Rheumatic fever ...	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—	1	13
14	Meningitis	—	1	—	1	1	—	—	4	1	3	—	4	2	2	2	2	14
15	Organic heart disease ...	6	4	9	12	7	7	15	15	12	13	18	19	22	9	19	17	15
16	Bronchitis	4	5	11	16	6	7	11	12	9	7	11	12	4	12	20	10	16
17	Pneumonia (all forms) ...	2	5	19	10	3	7	12	11	11	10	6	4	7	7	13	13	17
18	Other respiratory diseases	4	—	3	—	1	4	6	—	1	1	2	5	3	2	4	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	—	1	1	—	2	2	3	3	4	1	5	2	3	2	19
20	Appendicitis and typhlitis	1	1	—	—	1	—	1	2	1	—	2	1	1	1	—	2	20
21	Cirrhosis of liver ...	—	—	2	2	—	—	1	—	2	1	4	3	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	2	1	1	1	3	1	3	2	4	5	3	2	4	6	2	4	22
23	Puerperal fever	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	2	1	5	4	4	1	6	6	7	7	4	4	8	2	7	5	25
26	Violence, apart from 27	2	1	3	2	4	1	8	4	4	5	8	2	6	2	5	3	26
27	Suicide	—	—	—	—	1	1	2	—	1	—	2	—	1	—	4	—	27
28	Other defined diseases ...	13	15	25	33	20	18	44	42	50	28	44	53	44	36	50	55	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	29

* Abolished on 1st April 1915.

ADMINISTRATIVE AREAS, 1915—*continued.*

SURREY—*cont.* SUSSEX, EAST.

	Reigate R.D.		Battle U.D.		Bexhill M.B.		Burgess Hill U.D.		Cuckfield U.D.		East Grinstead U.D.		Hayward's Heath U.D.		Hove M.B.		Lewes M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	127	97	23	17	95	125	36	52	10	14	33	45	31	28	285	378	74	93	
1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	1	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	—	—	—	2	1	1	—	—	1	—	—	—	1	4	1	3	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	1	—	—	—	—	—	4	5	—	—	9	4	—	—	5
6	—	1	1	—	4	1	—	1	—	—	—	—	2	—	3	1	—	—	6
7	13	11	2	1	6	5	3	2	—	1	—	1	1	2	19	15	1	—	7
8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	8
9	7	7	4	2	9	10	2	2	—	—	2	2	1	1	17	24	6	5	9
10	1	—	—	—	2	1	—	1	—	—	1	—	—	2	5	2	—	1	10
11	2	—	—	—	—	1	1	—	—	—	1	—	—	1	6	2	1	1	11
12	8	16	2	1	4	14	2	5	2	2	1	4	3	3	22	41	6	9	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	13
14	1	—	—	—	—	2	1	—	—	—	—	—	—	—	11	4	1	2	14
15	20	14	9	5	11	12	3	9	1	2	1	8	6	3	29	42	6	7	15
16	7	7	1	2	5	9	7	3	1	2	3	3	3	4	16	23	6	11	16
17	7	3	—	—	11	8	4	5	1	1	4	3	1	3	12	27	13	12	17
18	1	2	—	1	3	4	—	—	—	—	—	1	2	—	4	5	1	1	18
19	2	—	—	—	—	1	—	—	—	—	—	1	1	—	5	5	1	—	19
20	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	20
21	—	—	1	—	2	—	—	1	—	—	1	—	—	—	5	4	—	1	21
21A	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	4	—	1	3	4	—	1	—	—	2	—	3	1	18	21	5	—	22
23	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—	24
25	8	4	1	1	3	5	—	3	2	—	1	—	—	1	13	11	1	3	25
26	3	1	—	—	—	4	2	—	—	1	—	2	1	—	5	4	2	2	26
27	1	1	—	1	1	—	—	—	—	—	—	—	—	—	3	1	—	—	27
28	38	24	2	2	28	35	10	17	3	4	11	15	7	7	80	131	22	33	28
29	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	29

SUSSEX, EAST—*cont.*

	Newhaven U.D.		Portslade by Sea U.D.		Rye M.B.		Seaford U.D.		Uckfield U.D.		Battle R.D.		Chailey R.D.		Cuckfield R.D.		Eastbourne R.D.		East Grinstead R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	49	48	54	50	34	30	39	34	24	30	41	36	70	67	104	101	33	31	69	87	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	4
5	—	—	2	2	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	5
6	3	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	6
7	2	1	3	2	—	1	—	2	1	4	4	1	1	2	7	5	3	1	3	4	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	8
9	6	5	5	4	2	2	6	—	3	2	1	1	3	2	6	7	1	—	9	3	9
10	—	1	—	—	—	—	2	2	1	—	1	—	—	—	1	1	1	—	—	—	10
11	—	—	2	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1	1	11
12	4	6	3	2	2	2	7	4	1	2	3	3	5	11	12	10	2	1	8	11	12
13	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	1	—	—	1	—	13
14	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	14
15	5	10	7	5	5	4	3	1	1	2	9	15	9	16	16	14	8	4	9	9	15
16	3	3	2	6	3	6	1	3	2	1	3	—	7	8	3	6	4	5	7	5	16
17	6	4	5	1	2	4	7	2	4	3	—	3	4	4	10	6	—	2	6	5	17
18	1	—	—	1	1	—	—	1	—	—	1	—	—	1	2	4	—	—	1	2	18
19	1	—	2	3	1	—	1	—	2	—	1	—	—	—	1	—	—	—	1	—	19
20	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	20
21	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	3	1	1	1	—	1	2	—	—	3	—	2	3	2	4	2	1	—	2	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	1	—	1	24
25	1	1	5	1	4	—	2	—	2	1	5	2	5	1	8	3	4	—	5	6	25
26	3	—	—	1	—	—	1	—	—	—	—	1	2	1	2	1	1	—	3	—	26
27	—	—	—	—	—	—	1	—	—	—	1	1	1	—	2	1	—	1	—	—	27
28	12	11	15	11	10	9	7	14	7	14	6	8	28	17	30	36	4	13	13	29	28
29	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	29

SUSSEX, EAST—*cont.*

	Causes of Death.	Hailsham R.D.		Hastings R.D.		Newhaven R.D.		Rye R.D.		Steyning East R.D.		Ticehurst R.D.		Uckfield R.D.				
		M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	ALL CAUSES	85	123	13	13	23	27	46	50	19	16	85	62	147	144			
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	Measles	—	1	—	—	2	—	—	—	—	—	—	—	1	—			3
4	Scarlet fever	—	2	—	—	1	—	—	—	—	—	—	—	—	—			4
5	Whooping cough ...	—	—	—	—	—	—	—	—	1	—	1	1	—	5			5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—			6
7	Influenza	3	5	—	—	2	1	4	4	1	—	4	3	6	10			7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—			8
9	Pulmonary tuberculosis	5	6	1	—	1	—	2	5	1	2	4	5	9	9			9
10	Tuberculous meningitis	—	2	—	—	—	—	—	—	—	—	—	2	1	3			10
11	Other tuberculous diseases	—	1	—	—	1	—	1	—	—	—	—	1	2	1			11
12	Cancer, malignant disease	7	13	2	—	—	6	3	1	—	3	12	8	17	21			12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	1	—	—	—	—	1	—			13
14	Meningitis	1	1	—	1	—	1	—	1	—	1	2	1	1	2			14
15	Organic heart disease ...	13	19	1	1	—	4	6	7	4	3	10	11	24	21			15
16	Bronchitis	4	7	1	2	2	2	3	5	1	1	7	5	11	12			16
17	Pneumonia (all forms) ...	7	1	2	4	2	2	1	2	—	—	3	4	16	13			17
18	Other respiratory diseases	1	1	—	—	—	—	—	—	—	—	1	1	3	2			18
19	Diarrhœa, &c. (under 2 yrs.)	1	—	—	—	—	1	1	—	1	—	—	—	—	—			19
20	Appendicitis and typhlitis	—	1	—	—	—	1	1	—	—	—	—	—	1	1			20
21	Cirrhosis of liver ...	1	1	—	—	1	—	—	—	—	—	—	—	3	—			21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21A
22	Nephritis and Bright's dis.	3	4	—	—	1	—	—	2	—	1	2	2	5	—			22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—			23
24	Parturition, apart from 23	—	1	—	—	—	—	—	1	—	—	—	—	—	1			24
25	Congenital debility, &c.	4	8	—	1	2	2	4	2	2	—	4	2	11	5			25
26	Violence, apart from 27	5	2	2	—	2	1	3	1	—	—	2	2	2	3			26
27	Suicide	—	—	—	—	—	—	—	—	—	—	2	—	1	—			27
28	Other defined diseases ...	30	47	4	4	6	6	17	18	8	5	31	13	32	35			28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	1	—	—			29

SUSSEX, WEST.

	Causes of Death.	Arundel M.B.		Bognor U.D.		Chichester M.B.		Horsham U.D.		Littlehampton U.D.		Shoreham by Sea U.D.		Southwick U.D.		Worthing M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	23	28	40	64	100	106	96	88	48	60	48	36	29	45	216	292	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	—	1	6	3	—	—	—	1	—	1	—	—	1	4	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	1	—	1	—	—	—	—	—	—	2	—	—	5
6	Diphtheria and croup ..	—	—	—	2	—	—	—	—	—	1	—	1	1	—	5	2	6
7	Influenza	1	1	1	1	1	4	5	5	2	2	—	—	—	1	9	12	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	1	3	1	5	8	6	5	3	7	3	2	2	2	26	25	9
10	Tuberculous meningitis	—	—	1	—	—	—	—	1	—	—	—	—	—	3	—	3	10
11	Other tuberculous diseases	—	—	1	1	—	—	1	3	—	1	—	—	2	—	3	2	11
12	Cancer, malignant disease	1	7	2	8	4	8	12	11	4	7	4	5	2	3	19	33	12
13	Rheumatic fever... ...	—	—	1	—	—	1	—	2	—	—	—	—	—	—	—	1	13
14	Meningitis	1	1	—	—	3	1	1	1	1	2	—	—	—	1	1	3	14
15	Organic heart disease	3	7	7	10	12	13	12	11	7	7	8	9	4	4	28	34	15
16	Bronchitis	4	2	4	8	6	14	5	11	2	6	4	—	1	8	12	28	16
17	Pneumonia (all forms) ..	2	2	1	—	16	2	15	5	3	1	4	3	1	4	19	15	17
18	Other respiratory diseases	—	—	1	1	1	1	1	2	—	1	—	1	—	1	3	5	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	1	2	—	—	1	—	1	3	—	—	—	3	1	19
20	Appendicitis and typhlitis	—	—	—	—	—	1	—	—	1	—	—	—	1	—	1	—	20
21	Cirrhosis of liver ...	—	—	1	2	2	1	—	—	2	—	—	—	1	—	2	2	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	1	3	4	7	2	2	—	—	1	—	1	2	8	12	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	24
25	Congenital debility, &c.	—	1	3	—	6	6	4	1	—	1	4	1	—	—	10	6	25
26	Violence, apart from 27	—	—	—	—	3	1	2	1	2	1	2	1	2	1	5	1	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3	1	27
28	Other defined diseases ...	7	6	13	25	27	34	29	26	21	21	13	10	11	13	58	98	28
29	Causes ill-defined or unknown.	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1915—*continuea.*

SUSSEX, WEST—*cont.*

	East Preston R.D.		Horsham R.D.		Midhurst R.D.		Petworth R.D.		Steyning West R.D.		Thakeham R.D.		Westbourne R.D.		Westhampnett R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	38	45	149	111	110	93	73	71	74	59	60	46	67	61	108	99	
1	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	—	—	1	1	—	1	—	—	3	1	—	3
4	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	4
5	—	1	—	—	3	—	1	1	—	—	—	1	3	2	—	1	5
6	—	1	1	—	—	—	—	2	—	—	1	—	—	1	1	1	6
7	1	1	3	4	3	10	2	1	3	2	—	3	2	2	3	3	7
8	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	8
9	3	5	7	4	9	3	2	4	5	4	3	3	5	3	8	8	9
10	—	1	—	1	1	1	—	—	—	—	—	2	2	—	—	1	10
11	2	—	2	2	—	2	1	1	2	—	1	—	—	1	1	1	11
12	3	6	14	10	4	7	9	3	3	7	7	5	8	5	11	10	12
13	—	—	—	—	—	—	—	1	1	—	—	1	—	—	1	—	13
14	—	1	2	—	—	2	—	—	—	—	2	—	—	1	—	2	14
15	5	3	28	21	9	6	8	15	10	6	10	5	7	6	15	16	15
16	1	3	4	7	10	6	9	6	6	3	10	5	5	7	8	6	16
17	1	5	5	7	10	5	8	5	8	4	2	3	3	3	2	4	17
18	1	—	3	2	—	4	2	4	4	2	—	—	1	—	2	—	18
19	—	—	—	—	—	1	—	1	3	—	—	—	2	—	2	1	19
20	—	—	2	—	—	—	—	1	—	—	1	1	—	—	2	—	20
21	—	—	1	—	1	—	—	1	3	—	—	—	1	—	2	1	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	21A
22	2	—	3	5	6	3	—	3	1	2	—	1	1	2	—	1	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	23
24	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	24
25	—	—	4	1	9	3	7	1	3	3	2	2	3	2	3	4	25
26	2	2	9	2	7	—	3	2	2	—	5	—	2	1	3	3	26
27	1	—	3	1	1	1	—	—	—	—	1	1	—	2	2	—	27
28	16	16	56	42	35	36	21	16	19	26	13	13	21	17	40	33	28
29	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	29

WARWICKSHIRE.

	Bulkington U.D.		Kenilworth U.D.		Nuneaton M.B.		Royal Leamington Spa M.B.		Rugby U.D.		Stratford on Avon M.B.		Sutton Coldfield M.B.		Warwick M.B.		Alcester R.D.		Atherstone R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	16	18	38	45	267	274	210	261	121	129	81	71	119	122	87	99	79	78	132	106	
1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	2	—	1	22	19	13	8	2	1	—	—	—	—	2	—	—	—	7	8	3
4	—	—	—	—	—	1	—	—	2	—	1	—	—	1	—	—	—	—	1	1	4
5	1	1	1	3	3	5	1	—	—	1	1	3	2	—	—	1	—	1	2	5	5
6	—	—	—	—	3	2	3	2	—	—	—	—	1	—	2	—	—	—	—	1	6
7	—	—	1	2	7	14	3	8	2	3	1	2	3	2	—	2	3	2	2	—	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	4	4	21	24	14	10	14	8	11	1	6	9	4	4	11	4	5	4	9
10	—	—	—	—	6	—	1	3	1	—	—	—	1	2	1	2	2	1	2	—	10
11	—	—	1	—	3	3	3	4	1	—	—	1	1	—	1	3	1	3	3	—	11
12	2	3	2	8	16	14	10	31	9	11	7	7	8	20	4	5	6	7	5	8	12
13	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	3	3	5	1	3	—	4	4	3	2	1	2	1	—	2	1	14
15	4	2	6	3	17	34	26	41	22	25	6	10	13	20	10	7	9	10	16	9	15
16	2	1	3	3	18	18	14	23	4	16	10	8	10	8	5	14	5	9	5	5	16
17	—	—	2	3	35	19	19	12	5	5	8	5	9	9	4	3	6	2	16	10	17
18	1	—	2	2	6	6	2	1	6	2	—	—	—	2	3	1	2	2	1	1	18
19	—	—	—	2	11	10	3	2	—	3	—	—	1	1	—	1	1	—	4	3	19
20	—	—	—	—	1	—	—	1	1	—	—	—	1	—	2	1	—	1	—	—	20
21	—	—	1	—	—	—	3	4	1	—	—	—	3	3	—	4	—	—	2	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	3	1	3	2	10	14	1	1	3	1	3	4	3	5	3	2	2	1	22
23	—	—	—	—	—	2	—	—	—	3	—	—	—	1	—	—	—	1	—	—	23
24	—	1	—	—	—	7	—	2	—	2	—	—	—	—	—	—	—	—	—	4	24
25	1	2	2	2	22	22	8	6	13	6	2	1	5	1	4	3	4	4	16	6	25
26	3	—	1	2	10	3	4	4	4	2	4	—	1	1	3	5	2	—	8	5	26
27	—	1	—	—	2	1	1	—	—	1	—	—	2	—	1	1	—	—	—	—	27
28	1	5	9	9	57	63	66	82	29	37	23	28	45	36	37	35	23	29	33	31	28
29	—	—	—	—	1	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	29

WARWICKSHIRE—*cont.*

	Causes of Death.	Brailes R.D.		Coventry R.D.		Farnborough R.D.		Foleshill R.D.		Meriden R.D.		Monks Kirby R.D.		Nuneaton R.D.		Rugby R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	63	52	6	3	10	10	180	147	113	96	6	12	17	13	119	118	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	2	—	1	1	—	6	3	1	1	—	—	1	1	2	2	3
4	Scarlet fever	—	—	—	—	—	—	3	1	2	1	—	—	—	—	1	—	4
5	Whooping cough ...	—	—	—	—	—	—	3	1	2	1	—	—	—	—	1	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	6
7	Influenza	3	—	—	—	—	—	—	—	2	2	—	—	—	—	1	3	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	4	2	1	—	—	1	8	9	10	5	1	1	1	3	4	6	9
10	Tuberculous meningitis	—	—	—	—	—	—	1	3	—	1	—	1	—	1	4	1	10
11	Other tuberculous diseases	1	3	—	—	—	—	3	2	—	—	—	—	—	—	3	1	11
12	Cancer, malignant disease	7	8	1	—	—	1	9	12	8	12	1	2	—	1	5	9	12
13	Rheumatic fever... ...	1	—	—	—	—	—	1	1	1	1	—	—	—	—	2	—	13
14	Meningitis	1	—	—	—	—	—	—	1	1	2	—	—	—	1	2	2	14
15	Organic heart disease ...	12	6	—	—	2	1	14	9	4	12	—	1	5	—	13	24	15
16	Bronchitis	4	6	—	—	2	—	12	14	5	1	—	1	1	1	9	10	16
17	Pneumonia (all forms) ...	3	1	2	—	1	—	15	11	13	6	—	—	3	—	12	7	17
18	Other respiratory diseases	—	1	—	—	—	—	3	1	2	1	—	—	—	—	3	2	18
19	Diarrhœa, &c (under 2 yrs.)	1	1	—	—	—	—	4	7	4	—	—	—	—	—	4	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	1	1	—	—	—	1	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	4	—	—	1	—	3	2	4	2	1	—	—	—	1	4	22
23	Puerperal fever	—	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	5	1	—	—	1	19	17	4	5	1	1	—	1	6	6	25
26	Violence, apart from 27	2	—	—	—	—	—	26	2	10	—	—	—	2	—	3	2	26
27	Suicide	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	1	27
28	Other defined diseases ...	20	12	1	2	3	6	49	43	38	40	1	5	3	3	39	32	28
29	Causes ill-defined or unknown.	1	—	—	—	—	—	—	2	—	2	—	—	—	—	1	1	29

WARWICKSHIRE—*cont.* WESTMORLAND.

	Causes of Death.	Solihull R.D.		Southam R.D.		Stratford on Avon R.D.		Tamworth (pt.)* R.D.		Warwick R.D.		Ambleside U.D.		Appleby M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	101	124	89	68	62	86	103	89	54	69	16	16	11	8	
1	Enteric fever	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	1	—	—	—	9	14	—	3	—	—	—	—	3
4	Scarlet fever	—	—	—	1	—	1	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	1	1	1	—	—	1	—	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—	3	1	—	—	—	—	1	1	1	—	—	—	6
7	Influenza	5	6	4	2	1	2	1	—	—	1	—	2	1	—	7
8	Erysipelas	1	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	14	6	6	3	1	2	3	9	2	2	—	2	—	—	9
10	Tuberculous meningitis	—	1	—	—	1	1	1	1	—	—	—	—	—	—	10
11	Other tuberculous diseases	2	—	1	1	—	3	—	1	—	1	—	—	—	—	11
12	Cancer, malignant disease	5	15	10	3	5	8	5	4	3	11	2	3	1	—	12
13	Rheumatic fever... ...	1	—	1	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	1	2	—	2	1	3	3	—	—	—	—	—	—	14
15	Organic heart disease ...	6	13	6	9	5	10	8	5	8	11	2	1	—	1	15
16	Bronchitis	5	8	7	5	6	7	9	7	7	7	—	—	1	—	16
17	Pneumonia (all forms) ...	7	4	3	4	2	2	14	5	3	2	2	1	1	—	17
18	Other respiratory diseases	—	3	2	2	—	2	1	—	1	—	—	—	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	2	2	1	—	—	5	—	1	1	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	1	—	1	1	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	1	1	—	1	2	2	—	—	1	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	4	3	2	6	2	7	3	—	2	3	1	1	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	2	—	—	—	—	—	—	24
25	Congenital debility, &c.	3	1	3	2	2	2	6	5	5	1	—	—	—	1	25
26	Violence, apart from 27	2	5	5	—	4	1	6	2	4	2	1	1	1	—	26
27	Suicide	1	2	—	—	—	—	—	—	1	1	—	—	—	—	27
28	Other defined diseases ...	43	50	27	26	29	34	26	30	16	21	7	5	5	4	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	1	—	—	—	—	—	1	29

* The remainder of Tamworth R.D. is in Staffordshire ; *see page* 466.

ADMINISTRATIVE AREAS, 1915—*continued.*

WESTMORLAND—*cont.*

	Grasmere U.D.		Kendal M.B.		Kirkby Lonsdale U.D.		Shap U.D.		Windermere. U.D.		East Westmorland R.D.		South Westmorland R.D.		West Ward R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	5	5	88	107	1	8	7	8	30	26	89	82	138	143	44	41	
1	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	3	—	—	—	—	—	—	—	2	1	1	—	—	3
4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	1	5	—	—	1	—	—	2	2	—	1	—	1	—	5
6	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	6
7	—	4	6	4	—	—	—	—	1	—	4	3	2	5	—	2	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	—	—	5	6	—	—	1	2	1	1	2	1	4	6	1	2	9
10	—	—	1	1	—	—	—	—	—	—	—	—	2	—	—	—	10
11	—	—	2	—	—	—	—	—	1	—	1	—	2	—	1	1	11
12	—	1	5	4	—	—	—	1	3	4	6	6	15	9	2	10	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	2	—	—	—	—	—	—	1	—	2	—	—	—	14
15	—	—	10	18	—	1	2	—	4	2	14	17	21	21	8	4	15
16	—	—	6	13	—	2	—	—	—	1	7	4	9	9	2	—	16
17	1	—	8	5	—	—	—	—	3	1	6	7	6	10	1	1	17
18	—	—	1	2	—	—	—	—	2	1	2	5	3	—	1	—	18
19	—	—	1	1	—	—	—	—	—	—	2	—	—	—	1	—	19
20	—	—	1	1	—	—	—	—	1	—	—	—	1	2	1	—	20
21	—	—	1	2	—	1	—	—	—	—	3	—	1	1	2	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	1	—	5	3	—	—	—	—	—	—	2	3	3	6	3	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
25	—	—	3	1	—	1	—	—	1	—	6	2	4	5	4	3	25
26	—	—	1	4	1	—	1	1	—	—	3	4	1	1	3	1	26
27	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	27
28	3	—	29	28	—	3	2	3	12	14	28	26	57	61	11	15	28
29	—	—	1	—	—	—	—	—	—	—	—	—	1	2	1	1	29

WIGHT, ISLE OF.

	Cowes U.D.		East Cowes U.D.		Newport M.B.		Ryde M.B.		St. Helens U.D.		Sandown U.D.		Shanklin U.D.		Ventnor U.D.		Isle of Wight R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	93	61	35	25	102	101	82	125	30	34	30	41	27	30	30	32	211	186	
1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	4	1	1	—	1	—	1	—	—	1	1	—	1	—	—	1	—	3
4	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	4
5	2	1	1	—	8	9	—	1	—	1	—	—	—	—	—	—	3	3	5
6	—	—	—	—	1	2	—	2	—	—	—	1	1	—	—	—	—	—	6
7	4	1	—	2	5	8	5	4	2	5	—	2	1	2	—	5	15	17	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	9	3	8	1	3	4	5	11	—	4	—	3	1	2	1	3	16	11	9
10	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2	—	10
11	—	1	—	—	—	—	2	—	1	—	—	—	—	—	1	—	3	1	11
12	10	5	5	4	5	10	7	11	3	2	4	2	2	6	4	5	18	19	12
13	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	13
14	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	3	14
15	8	6	1	3	15	13	8	18	2	3	2	10	7	4	4	3	28	33	15
16	4	3	1	1	11	11	5	7	2	—	3	2	1	3	4	4	23	13	16
17	6	6	1	—	15	6	3	5	3	—	1	1	—	1	—	1	15	12	17
18	1	—	—	—	1	2	1	2	2	1	2	1	—	1	—	—	2	3	18
19	3	1	—	2	2	2	—	1	1	—	1	1	—	—	1	—	—	—	19
20	1	2	1	—	—	—	—	2	—	1	—	1	—	—	—	—	2	—	20
21	3	—	—	—	1	—	2	—	—	—	1	1	—	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	8	5	6	1	3	1	2	2	1	1	—	—	—	—	3	2	5	2	22
23	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	24
25	6	5	1	2	4	5	2	2	1	—	1	1	1	1	—	—	7	3	25
26	3	2	2	—	—	—	4	4	1	1	—	—	1	—	1	1	5	3	26
27	1	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	1	27
28	19	13	7	8	26	22	34	45	11	14	10	11	12	9	11	7	61	58	28
29	—	—	—	—	—	1	—	3	—	—	2	—	—	—	—	—	2	1	29

WILTSHIRE.

	Causes of Death.	Bradford on Avon U.D.		Calne M.B.		Chippenham M.B.		Devizes M.B.		Malmesbury M.B.		Marlborough M.B.		Melksham U.D		Salisbury M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	31	27	26	28	50	48	50	40	14	24	29	21	24	19	175	185	
1	Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	2	1	—	—	—	—	—	8	9	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5	Whooping cough ...	3	—	—	—	3	1	1	—	—	—	—	—	—	1	3	3	5
6	Diphtheria and croup ...	—	—	—	—	3	—	2	3	—	—	—	—	—	—	—	1	6
7	Influenza	1	1	—	2	—	—	—	—	—	—	—	—	1	—	4	2	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	8
9	Pulmonary tuberculosis	2	—	1	1	1	1	5	—	1	1	3	—	2	—	12	6	9
10	Tuberculous meningitis	—	1	—	—	1	—	—	—	—	—	1	1	—	—	1	—	10
11	Other tuberculous diseases	1	—	—	—	1	1	—	—	—	—	—	—	—	—	1	1	11
12	Cancer, malignant disease	2	1	5	3	2	4	1	5	1	2	2	3	4	1	8	14	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	13
14	Meningitis	—	1	—	—	1	—	—	1	—	—	—	1	1	—	19	8	14
15	Organic heart disease ...	4	2	2	4	8	11	5	7	1	4	3	1	5	1	24	31	15
16	Bronchitis	2	4	2	5	5	5	4	3	3	1	5	3	—	—	15	16	16
17	Pneumonia (all forms) ...	—	2	1	—	4	1	10	2	2	3	1	1	—	2	19	9	17
18	Other respiratory diseases	1	—	—	2	2	2	3	—	—	—	—	—	—	1	—	3	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	1	—	1	—	—	—	1	—	—	—	—	1	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	21A
22	Nephritis and Bright's dis.	3	2	3	—	3	1	3	3	—	—	2	2	—	—	5	3	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	2	24
25	Congenital debility, &c.	2	1	1	1	—	1	1	1	2	1	1	—	1	—	8	5	25
26	Violence, apart from 27	—	—	1	—	2	—	1	1	—	—	2	1	—	1	3	1	26
27	Suicide	—	—	1	—	1	—	2	—	—	—	—	—	—	—	1	2	27
28	Other defined diseases ...	9	11	9	9	13	18	11	12	3	10	7	6	9	11	38	61	28
29	Causes ill-defined or unknown.	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	29

WILTSHIRE—*cont.*

	Causes of Death.	Swindon M.B.		Trowbridge U.D.		Warminster U.D.		Westbury U.D.		Wilton M.B.				Amesbury R.D.		Bradford on Avon R.D.		
		M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	ALL CAUSES	336	319	77	102	47	46	24	26	15	18			95	45	30	35	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—			—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	Measles	9	8	—	—	—	—	—	—	1	—			—	1	—	—	3
4	Scarlet fever	1	3	—	—	—	—	—	—	—	—			—	—	—	—	4
5	Whooping cough ...	5	6	2	—	—	1	—	—	—	—			—	—	2	1	5
6	Diphtheria and croup ...	3	3	—	—	—	2	1	—	—	—			—	—	—	—	6
7	Influenza	9	3	1	1	1	—	—	—	1	1			4	2	2	4	7
8	Erysipelas	—	1	—	—	—	—	—	—	—	1			—	—	—	—	8
9	Pulmonary tuberculosis	28	18	2	3	1	1	—	—	1	—			4	2	3	2	9
10	Tuberculous meningitis	7	4	—	1	—	—	—	—	—	—			—	—	—	—	10
11	Other tuberculous diseases	8	7	—	—	—	—	—	—	—	—			3	—	—	—	11
12	Cancer, malignant disease	18	31	5	13	3	3	5	4	—	—			3	4	2	4	12
13	Rheumatic fever... ...	—	2	—	1	—	1	—	—	—	—			—	—	—	—	13
14	Meningitis	1	4	1	—	1	1	—	—	1	—			2	1	—	—	14
15	Organic heart disease ...	54	42	15	10	10	4	3	5	1	2			12	4	1	1	15
16	Bronchitis	20	27	11	20	2	2	4	3	2	4			9	2	4	4	16
17	Pneumonia (all forms) ...	38	27	1	2	8	5	2	—	2	—			7	3	2	—	17
18	Other respiratory diseases	7	4	2	—	—	—	1	2	1	—			1	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	2	2	—	—	1	—	—	—	—	—			2	1	—	—	19
20	Appendicitis and typhlitis	—	3	—	1	—	—	—	—	—	—			—	1	—	—	20
21	Cirrhosis of liver ...	3	2	2	—	—	—	1	—	—	—			1	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—			1	—	—	—	21A
22	Nephritis and Bright's dis.	8	8	4	4	—	1	—	—	1	3			1	—	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1			—	—	—	1	23
24	Parturition, apart from 23	—	2	—	2	—	—	—	—	—	—			—	—	—	—	24
25	Congenital debility, &c.	16	17	2	4	1	1	1	—	—	1			3	1	1	1	25
26	Violence, apart from 27	7	5	1	1	3	—	1	2	1	—			7	1	—	1	26
27	Suicide	6	—	1	—	—	—	1	—	—	—			1	—	—	—	27
28	Other defined diseases ...	86	90	26	38	15	24	4	10	3	5			32	21	13	14	28
29	Causes ill-defined or unknown.	—	—	1	1	1	—	—	—	—	—			2	—	—	1	29

ADMINISTRATIVE AREAS, 1915—*continued.*

WILTSHIRE—*cont.*

	Calne R.D.		Chippenham R.D.		Cricklade and Wootton Bassett R.D.		Devizes R.D.		Highworth R.D.		Malmesbury R.D.		Marlborough R.D.		Melksham R.D.		Mere R.D.		Pewsey R.D.		Ramsbury R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	35	26	100	113	78	60	83	102	106	74	61	56	20	28	23	27	42	39	85	77	49	49	
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	—	—	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	1	2	3	2	—	—	—	—	1	1	3	—	1	—	—	—	—	—	4	—	—	5
6	—	1	—	—	—	—	2	5	—	—	—	—	—	1	—	—	—	—	—	—	—	—	6
7	1	—	6	1	6	5	8	8	3	1	1	1	—	—	1	1	2	3	4	3	1	—	7
8	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	2	6	3	3	2	2	6	5	7	4	4	1	1	—	2	2	3	5	6	3	4	9
10	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	10
11	—	—	4	3	—	—	3	1	2	1	—	—	—	—	—	—	1	—	—	—	—	1	11
12	4	3	8	10	8	5	8	9	14	3	2	9	5	1	2	5	5	2	7	8	5	7	12
13	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	13
14	2	—	—	—	2	—	—	3	1	—	1	1	—	1	—	—	1	—	4	1	—	—	14
15	2	8	14	15	7	11	9	7	24	24	12	7	2	4	4	3	6	4	14	12	6	12	15
16	2	—	13	13	3	7	9	9	2	4	6	3	4	3	1	4	2	3	7	4	5	2	16
17	5	1	5	4	3	4	1	2	7	7	7	5	1	1	—	1	2	2	7	3	4	4	17
18	2	—	—	1	2	1	—	1	1	—	—	—	—	—	5	—	—	4	2	1	1	—	18
19	1	—	—	—	2	1	—	1	4	2	1	—	—	—	—	—	—	—	—	—	1	—	19
20	—	—	1	1	1	—	1	—	2	—	—	—	—	1	—	—	—	—	1	—	—	—	20
21	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	1	—	1	2	—	—	21
21A	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	—	—	2	2	—	1	5	2	—	—	1	1	2	2	—	—	—	—	1	2	3	1	22
23	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	24
25	2	1	3	7	2	4	3	5	6	—	1	1	1	1	3	1	2	—	6	4	1	—	25
26	—	—	3	1	5	—	3	1	4	3	4	1	—	—	—	1	5	—	2	2	—	—	26
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	27
28	12	8	33	47	30	16	28	34	28	20	15	20	3	11	5	9	12	14	21	23	19	17	28
29	—	—	—	1	—	—	—	1	—	—	2	—	—	—	—	—	—	1	2	1	—	—	29

WILTSHIRE—*cont.* WORCESTERSHIRE.

	Salisbury R.D.		Tetbury (pt.) R.D.*		Tisbury R.D.		Warminster R.D.		Westbury and Whorwellsdown R.D.		Wilton R.D.		Bewdley M.B.		Bromsgrove U.D.		Droitwich M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	80	87	2	1	66	62	64	68	58	41	67	72	16	17	80	72	34	29	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	2	—	—	—	—	—	1	—	—	1	1	—	—	14	9	1	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5	1	1	—	—	1	1	3	—	—	—	—	2	—	—	—	—	1	—	5
6	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	6
7	1	3	—	—	2	1	2	3	1	1	1	4	—	1	2	1	4	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	4	1	—	—	3	2	2	2	3	3	3	3	1	—	2	1	1	—	9
10	—	—	—	—	—	—	—	1	—	—	1	—	1	—	2	1	—	—	10
11	—	2	—	—	2	1	—	—	—	—	1	—	—	—	—	—	—	1	11
12	2	5	—	—	5	12	2	3	8	3	5	8	1	2	4	10	2	2	12
13	2	—	—	—	—	—	1	1	—	1	—	—	—	—	1	1	—	—	13
14	1	1	—	—	2	—	1	4	1	—	2	1	—	1	1	1	—	—	14
15	14	7	—	—	10	11	12	10	2	4	2	15	1	5	3	9	4	4	15
16	6	10	—	—	8	4	5	3	6	12	8	6	2	3	15	8	—	1	16
17	7	7	—	—	4	—	3	4	1	1	5	6	2	—	1	1	2	3	17
18	1	3	—	—	—	4	1	—	2	1	3	2	—	—	1	1	1	—	18
19	—	—	—	—	—	1	—	1	—	—	2	—	—	—	3	1	2	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	2	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	—	—	2	1	2	1	1	2	4	2	1	—	1	—	1	1	22
23	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	23
24	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	4	2	1	—	1	1	1	3	3	2	2	2	1	1	5	1	3	1	25
26	2	3	1	—	3	1	6	1	3	1	8	1	1	—	—	3	2	1	26
27	1	—	—	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—	27
28	33	36	—	1	19	22	21	26	25	8	19	19	5	4	23	20	8	14	28
29	—	1	—	—	2	—	1	—	1	—	—	—	—	—	—	1	—	—	29

* The remainder of Tetbury R.D. is in Gloucestershire; *see* page 426.

WORCESTERSHIRE—*cont.*

	Causes of Death.	Evesham M.B.		Kidderminster M.B.		Lye and Wollescote U.D.		Malvern U.D.		North Bromsgrove U.D.		Oldbury U.D.		Redditch U.D.		Stourbridge M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	51	57	197	193	101	88	81	136	42	30	321	281	96	94	117	122	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	2	5	4	1	—	1	—	40	33	1	2	1	1	3
4	Scarlet fever	—	1	—	—	—	—	1	—	—	—	2	2	1	—	—	1	4
5	Whooping cough ...	—	1	1	3	3	5	1	4	—	—	6	6	1	2	1	4	5
6	Diphtheria and croup ...	—	—	4	1	2	—	—	—	1	—	1	2	3	7	1	—	6
7	Influenza	—	1	1	1	7	3	1	3	—	3	2	2	2	—	2	6	7
8	Erysipelas	—	—	—	—	—	1	—	2	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	5	15	9	8	—	3	9	1	4	18	7	9	5	8	10	9
10	Tuberculous meningitis	—	—	1	—	1	2	1	3	—	—	2	—	2	1	2	1	10
11	Other tuberculous diseases	1	—	2	4	4	1	1	2	—	—	5	3	—	1	1	3	11
12	Cancer, malignant disease	—	4	12	20	3	6	6	28	3	2	14	14	4	9	9	7	12
13	Rheumatic fever... ...	—	1	—	2	—	—	—	1	—	—	—	1	—	—	1	—	13
14	Meningitis	2	—	1	—	1	—	—	—	2	—	2	3	2	2	2	—	14
15	Organic heart disease ...	9	6	21	23	1	8	11	20	4	3	23	15	6	8	10	15	15
16	Bronchitis	7	4	24	30	15	12	5	10	2	3	35	39	11	9	12	7	16
17	Pneumonia (all forms) ...	6	2	15	13	6	9	4	7	3	2	32	29	14	8	10	4	17
18	Other respiratory diseases	—	—	2	3	2	—	1	3	—	—	1	6	1	2	1	3	18
19	Diarrhœa, &c. (under 2 yrs.)	1	1	4	2	3	2	1	—	2	1	16	8	—	2	—	1	19
20	Appendicitis and typhlitis	—	—	3	1	—	—	1	—	—	—	2	—	—	1	1	—	20
21	Cirrhosis of liver ...	2	—	1	2	1	—	1	1	—	—	—	—	1	—	2	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	2	—	11	5	3	—	2	1	3	—	5	5	—	—	5	7	22
23	Puerperal fever	—	—	—	2	—	—	—	1	—	—	—	2	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	3	—	2	—	—	—	1	—	3	—	1	—	1	24
25	Congenital debility, &c.	3	1	8	13	6	7	5	3	3	3	28	16	4	2	7	8	25
26	Violence, apart from 27	2	2	13	5	2	1	4	2	2	2	19	1	5	4	6	5	26
27	Suicide	—	1	2	2	1	—	—	—	—	—	—	1	2	1	—	—	27
28	Other defined diseases ...	15	25	54	46	27	25	31	35	14	6	64	82	26	25	34	38	28
29	Causes ill-defined or unknown.	—	1	1	1	—	—	—	1	1	—	3	1	—	1	1	—	29

WORCESTERSHIRE—*cont.*

	Causes of Death.	Stourport U.D.				Bromsgrove R.D.		Droitwich R.D.		Evesham R.D.		Feckenham R.D.		Halesowen R.D.		Kidderminster R.D.		
		M	F			M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	43	36			86	86	95	86	49	63	37	36	195	166	66	51	
1	Enteric fever	—	1			—	1	1	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	2			1	1	1	2	—	—	—	—	12	6	—	—	3
4	Scarlet fever	—	—			—	2	—	—	—	1	—	—	1	1	—	—	4
5	Whooping cough ...	—	—			—	—	3	1	—	1	1	—	5	4	—	2	5
6	Diphtheria and croup ...	—	1			3	—	—	—	—	2	—	—	1	1	1	—	6
7	Influenza	—	—			1	2	2	1	1	—	1	—	2	1	2	1	7
8	Erysipelas	—	—			—	—	—	1	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	3			3	5	5	1	3	2	4	3	11	4	3	2	9
10	Tuberculous meningitis	—	—			—	1	—	1	—	—	—	—	1	1	1	—	10
11	Other tuberculous diseases	—	1			1	1	1	—	—	—	—	—	4	2	—	1	11
12	Cancer, malignant disease	9	3			6	5	9	6	6	6	—	—	9	8	6	5	12
13	Rheumatic fever... ...	—	—			—	—	—	—	—	1	—	—	2	1	—	—	13
14	Meningitis	—	—			2	—	—	2	—	—	—	1	2	6	—	—	14
15	Organic heart disease ...	2	—			4	19	14	16	6	11	6	7	16	8	5	13	15
16	Bronchitis	2	3			6	3	9	8	4	3	1	2	19	24	4	5	16
17	Pneumonia (all forms) ...	4	3			6	2	3	5	2	9	—	3	32	22	5	2	17
18	Other respiratory diseases	—	—			—	1	2	4	3	—	2	—	3	1	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—			—	—	—	2	—	—	—	—	1	4	—	—	19
20	Appendicitis and typhlitis	—	—			1	1	—	—	2	—	—	—	—	1	—	—	20
21	Cirrhosis of liver ...	—	—			—	—	1	—	—	1	1	—	1	2	1	1	21
21A	Alcoholism	—	—			—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	2			3	3	1	—	1	2	1	—	3	4	1	1	22
23	Puerperal fever	—	—			—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—			—	4	—	—	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	1	1			5	5	5	2	3	1	2	4	14	13	2	4	25
26	Violence, apart from 27	1	2			5	1	6	2	4	2	2	1	12	1	6	—	26
27	Suicide	1	—			—	1	—	—	1	1	—	1	1	—	—	1	27
28	Other defined diseases ...	18	14			38	26	30	32	13	20	15	14	41	49	29	12	28
29	Causes ill-defined or unknown.	1	—			1	2	2	—	—	—	1	—	2	1	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

WORCESTERSHIRE—*cont.*

	Martley R.D.		Pershore R.D.		Rock R.D.		Shipston on Stour R.D.		Stow on the Wold (pt.) R.D.*		Tenbury R.D.		Tewkesbury (pt.) R.D.*		Upton on Severn R.D.		Winchcomb (pt.) R.D.†		Redmarley D'Abitôt and Staunton C.P.'s‡		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	85	91	100	86	24	14	39	42	2	1	38	25	12	12	112	104	—	3	10	10	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	1	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	2	2	2	1	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	5
6	1	—	—	—	1	—	1	2	—	—	—	—	—	1	—	—	—	—	—	—	6
7	1	1	1	—	—	—	2	1	—	—	—	2	—	—	1	3	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	8	9	10	5	—	2	1	—	1	—	3	1	—	1	7	3	—	—	—	—	9
10	—	1	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	10
11	1	2	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	11
12	7	7	6	5	2	1	1	3	—	—	1	2	—	2	6	10	—	—	—	1	12
13	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14	—	—	1	2	—	—	—	1	—	—	—	—	—	—	1	2	—	—	—	—	14
15	9	13	11	14	10	1	3	6	—	—	4	6	2	3	27	18	—	—	—	3	15
16	11	10	5	4	2	1	1	4	—	—	7	3	1	1	4	2	—	—	—	—	16
17	3	6	8	5	1	—	3	2	—	—	5	1	—	—	6	10	—	—	4	1	17
18	1	—	2	2	—	2	—	—	—	—	—	—	—	—	1	2	—	—	—	—	18
19	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	20
21	1	2	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	3	7	3	2	1	4	2	—	—	3	2	1	—	1	2	—	—	2	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	24
25	5	4	4	1	1	1	1	2	1	—	—	1	1	—	3	7	—	—	—	—	25
26	3	—	5	—	—	—	—	1	—	—	—	—	2	—	6	1	—	—	—	—	26
27	3	—	2	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	27
28	20	28	33	40	5	4	20	15	—	1	11	7	5	3	44	38	—	3	4	5	28
29	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	29

YORKSHIRE, EAST RIDING.

	Beverley M.B.		Bridlington M.B.		Cottingham U.D.		Filey U.D.		Great Driffield U.D.		Hedon M.B.		Hessle U.D.		Hornsea U.D.		Norton U.D.		Pocklington U.D.		Withernsea U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	127	118	100	113	30	19	18	24	43	52	5	5	39	48	24	23	33	36	26	24	22	19	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	1	—	—	1	—	—	1	—	1	—	4	—	—	1	—	—	—	—	—	3
4	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	3	3	—	—	2	—	1	—	—	—	—	—	—	—	5
6	1	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	1	2	—	—	1	—	6
7	5	4	2	4	—	—	1	3	—	1	—	—	2	—	—	—	—	—	3	1	1	—	7
8	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	8	11	2	4	2	—	—	3	6	3	—	—	—	2	3	1	1	7	1	1	3	1	9
10	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	10
11	3	1	—	2	—	1	—	—	3	2	—	—	—	—	—	—	—	2	—	—	—	1	11
12	7	13	10	13	2	4	1	1	5	9	1	—	—	8	—	3	3	3	1	2	—	3	12
13	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	13
14	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	14
15	16	15	7	10	3	—	4	5	5	3	1	1	5	8	2	5	3	4	5	5	4	3	15
16	5	5	13	13	—	2	2	2	3	5	—	—	7	4	2	2	—	1	3	1	—	—	16
17	4	6	3	2	5	2	—	—	1	2	—	—	4	2	2	—	1	1	2	4	3	—	17
18	1	1	1	2	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	1	—	—	18
19	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	19
20	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	2	—	1	—	1	—	—	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	7	4	4	7	—	1	—	—	1	1	—	—	—	2	1	1	3	—	1	—	2	1	22
23	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	24
25	5	6	9	3	—	—	—	—	—	4	—	1	3	1	1	2	—	—	1	1	1	—	25
26	8	2	4	1	2	—	—	1	4	3	—	1	1	1	—	1	2	—	—	1	1	—	26
27	2	1	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	—	—	1	27
28	49	42	37	43	14	7	8	8	8	14	2	—	11	13	11	7	15	13	9	5	5	9	28
29	—	1	1	1	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	29

* The remaining parts of Stow on the Wold and Tewkesbury Rural Districts are in Gloucestershire; *see* page 426.
† The remainder of Winchcombe R.D. is in Gloucestershire; *see* page 427.
‡ Administered by Newent R.D.C. (Gloucestershire).

YORKSHIRE, EAST RIDING—*cont.*

Causes of Death.	Beverley R.D.		Bridlington R.D.		Driffield R.D.		Escrick R.D.		Howden R.D.		Norton R.D.		Patrington R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	64	66	38	41	95	66	32	37	77	81	46	34	65	40	
1 Enteric fever	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	3	—	—	—	3	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough ...	—	—	1	2	1	1	2	—	—	2	—	1	—	—	5
6 Diphtheria and croup ...	1	—	—	—	—	1	1	—	2	2	—	—	—	1	6
7 Influenza	1	1	—	1	11	—	2	1	2	—	2	2	4	3	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9 Pulmonary tuberculosis	3	3	2	3	4	4	—	2	6	3	—	1	2	1	9
10 Tuberculous meningitis	—	1	2	—	1	—	—	—	2	1	—	—	—	1	10
11 Other tuberculous diseases	1	1	—	—	—	—	—	2	1	1	—	1	3	—	11
12 Cancer, malignant disease	4	7	5	7	7	9	1	3	5	9	2	2	6	5	12
13 Rheumatic fever... ...	1	1	—	—	—	—	—	—	1	—	—	—	—	1	13
14 Meningitis	—	—	—	—	—	1	—	—	1	1	—	—	—	—	14
15 Organic heart disease ...	6	8	4	2	14	10	3	7	12	11	7	—	11	9	15
16 Bronchitis	5	7	3	7	5	4	1	3	5	6	2	4	1	2	16
17 Pneumonia (all forms) ...	4	5	1	1	4	1	1	2	5	7	2	2	1	1	17
18 Other respiratory diseases	—	—	2	—	2	1	—	1	2	1	1	—	1	—	18
19 Diarrhœa, &c.(under 2 yrs.)	—	—	—	—	1	3	—	—	—	—	—	2	2	—	19
20 Appendicitis and typhlitis	1	—	—	—	1	—	1	—	—	—	—	—	1	—	20
21 Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	1	—	1	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	1	3	—	1	2	1	—	—	1	1	1	1	3	—	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	2	24
25 Congenital debility, &c.	6	1	2	—	2	6	2	—	2	—	4	1	5	2	25
26 Violence, apart from 27	4	1	3	4	3	—	—	—	1	2	3	2	2	2	26
27 Suicide	2	—	—	—	1	—	—	—	1	—	1	1	1	—	27
28 Other defined diseases ...	24	26	13	13	35	22	15	16	28	32	16	14	20	10	28
29 Causes ill-defined or unknown.	—	1	—	—	1	1	—	—	—	—	—	—	1	—	29

YORKSHIRE, EAST RIDING—*cont.* YORKSHIRE, NORTH RIDING.

Causes of Death.	Pocklington R.D.		Riccall R.D.		Sculcoates R.D.		Sherburn R.D.		Skirlaugh R.D.		Eston U.D.*		Guisborough U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	83	75	34	32	43	68	10	17	49	34	313	276	62	49	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	1	1	—	—	—	—	21	19	3	—	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	1	1	—	—	4
5 Whooping cough ...	—	—	—	—	—	2	—	—	1	—	14	14	3	1	5
6 Diphtheria and croup ...	—	—	—	—	1	5	—	—	1	—	1	2	1	—	6
7 Influenza	1	3	—	1	2	2	—	1	1	1	3	—	—	1	7
8 Erysipelas	1	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9 Pulmonary tuberculosis	2	4	1	1	2	9	—	—	2	4	28	21	4	2	9
10 Tuberculous meningitis	—	1	—	—	—	2	—	—	—	—	13	7	—	—	10
11 Other tuberculous diseases	1	1	1	—	—	—	—	—	—	1	3	5	1	—	11
12 Cancer, malignant disease	9	6	1	6	5	8	1	2	9	4	11	13	5	1	12
13 Rheumatic fever... ...	—	—	1	—	—	2	—	—	—	1	—	1	—	1	13
14 Meningitis	—	—	—	—	—	—	—	1	1	—	5	3	—	—	14
15 Organic heart disease ...	9	7	1	3	3	10	—	1	6	2	22	16	13	11	15
16 Bronchitis	6	7	2	4	1	3	—	1	2	3	16	17	4	3	16
17 Pneumonia (all forms) ...	5	6	—	1	3	3	1	—	1	2	47	35	2	3	17
18 Other respiratory diseases	1	—	2	—	—	1	—	—	1	—	4	1	1	—	18
19 Diarrhœa, &c.(under 2 yrs.)	—	—	—	—	2	—	1	—	—	—	7	8	—	—	19
20 Appendicitis and typhlitis	1	—	1	—	—	—	1	—	1	—	—	1	—	—	20
21 Cirrhosis of liver ...	1	—	—	—	—	—	—	—	—	—	2	—	2	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	2	2	—	—	—	—	1	2	2	7	4	1	1	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24 Parturition, apart from 23	—	1	—	—	—	1	—	1	—	—	—	6	—	1	24
25 Congenital debility, &c.	9	7	2	2	4	2	2	2	4	2	28	19	2	6	25
26 Violence, apart from 27	1	1	3	—	—	—	1	1	2	—	15	2	5	1	26
27 Suicide	—	1	1	—	1	1	—	—	1	—	2	—	—	—	27
28 Other defined diseases ...	34	28	13	13	17	16	3	6	13	11	61	80	15	17	28
29 Causes ill-defined or unknown.	—	—	2	1	1	—	—	—	1	—	1	—	—	—	29

* United with South Bank in Normanby U.D. on 1st April, 1915. The figures shown above relate to the whole year.

ADMINISTRATIVE AREAS, 1915—*continued.*

YORKSHIRE, NORTH RIDING—*cont.*

	Hinderwell U.D.		Kirklington cum Upsland U.D.		Loftus U.D.		Malton U.D.		Masham U.D.		Northallerton U.D.		Pickering U.D.		Redcar U.D.		Richmond M.B.		Saltburn by the Sea U.D.		Scalby U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	22	15	3	—	47	49	38	39	16	14	25	37	18	21	86	69	47	28	19	20	6	7	
1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	3	—	—	1	1	—	2	—	—	—	1	—	—	4	3	—	1	1	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	4
5	2	—	—	—	2	1	—	—	—	—	—	—	—	—	5	1	1	—	—	—	—	—	5
6	—	—	—	—	—	—	1	—	3	—	—	—	1	—	—	4	—	1	—	—	—	—	6
7	—	—	—	—	—	1	2	3	—	—	—	2	1	1	—	—	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9	—	1	—	—	2	4	3	—	1	—	3	—	—	2	4	3	4	2	—	2	—	1	9
10	—	—	—	—	1	1	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	10
11	—	—	—	—	—	2	—	—	—	—	—	1	—	—	2	2	—	—	3	—	—	—	11
12	4	—	—	—	—	1	6	5	1	3	1	3	2	5	5	6	3	3	2	4	1	2	12
13	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	1	3	—	—	—	—	—	14
15	1	1	—	—	2	5	7	4	1	—	3	3	10	2	8	9	4	7	3	1	—	—	15
16	—	—	—	—	6	3	2	1	1	—	1	3	—	—	7	6	5	2	2	1	—	—	16
17	1	—	—	—	—	1	3	1	—	1	3	2	1	1	12	3	5	3	1	—	—	—	17
18	—	—	—	—	3	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	18
19	—	1	—	—	1	1	—	1	—	—	1	—	—	—	2	2	—	—	—	—	—	—	19
20	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	20
21	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	—	—	1	2	1	2	—	1	—	—	—	1	1	2	1	1	1	—	—	—	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
25	3	2	—	—	7	7	1	1	1	—	1	2	—	1	7	3	1	—	1	—	—	—	25
26	1	1	—	—	5	—	1	—	—	—	3	—	—	1	6	1	1	1	—	—	1	—	26
27	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	1	—	27
28	7	4	3	—	14	14	10	13	7	8	9	20	2	5	19	18	15	6	4	9	3	4	28
29	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—	—	29

YORKSHIRE, NORTH RIDING—*cont.*

	Scarborough M.B.		Skelton and Brotton U.D.		Thornaby on Tees M.B.		Whitby U.D.				Aysgarth R.D.		Bedale R.D.		Croft R.D.		Easingwold R.D.		Flaxton R.D.		Guisborough R.D.		
	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	
	275	281	134	118	200	182	83	82			43	25	48	47	10	14	72	64	55	39	47	52	
1	1	—	—	—	1	—	—	—			—	—	1	1	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	2
3	5	5	2	1	16	13	1	2			1	2	—	—	—	1	1	—	1	—	5	3	3
4	—	—	—	—	4	—	—	—			—	—	—	—	—	—	—	1	—	—	—	—	4
5	1	—	6	9	12	12	1	—			—	—	—	2	—	—	—	—	—	1	2	—	5
6	6	9	1	—	6	1	—	—			—	—	1	—	—	—	—	—	1	—	1	3	6
7	6	8	3	1	2	—	3	3			3	—	1	—	—	—	3	3	2	—	1	—	7
8	—	—	—	1	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	8
9	16	12	4	3	9	10	3	4			—	2	2	2	—	3	4	5	4	3	3	6	9
10	2	2	1	2	3	1	—	—			—	—	—	—	—	—	1	—	1	—	—	—	10
11	6	5	2	2	5	3	1	—			—	—	—	—	—	—	—	2	1	—	1	1	11
12	28	38	6	6	7	10	3	7			—	1	5	2	3	—	1	3	7	1	4	2	12
13	—	—	1	1	1	1	—	1			—	—	1	—	—	—	—	—	1	—	—	—	13
14	2	1	2	1	—	3	—	—			—	1	—	2	—	—	—	1	—	—	—	—	14
15	41	49	10	12	10	8	13	14			3	3	1	5	1	—	17	13	7	6	2	3	15
16	19	18	11	19	19	31	8	6			2	1	—	3	—	2	3	5	7	4	6	6	16
17	8	11	9	7	32	17	3	4			2	1	6	2	1	1	6	—	4	6	3	1	17
18	7	3	1	1	—	1	1	1			—	—	1	—	—	1	1	2	—	—	1	1	18
19	3	6	2	—	12	7	5	1			—	—	—	—	—	—	1	—	—	—	1	—	19
20	1	—	1	—	1	—	2	1			—	1	1	1	—	—	—	1	—	—	—	—	20
21	3	2	1	—	2	—	1	—			1	—	—	—	—	—	—	—	1	1	—	3	21
21A	—	—	—	—	—	—	—	—			—	—	1	—	—	—	—	—	—	—	—	—	21A
22	8	15	9	5	5	2	1	1			3	—	1	1	—	—	2	3	1	2	—	—	22
23	—	1	—	—	—	2	—	—			—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	2	—	2	—	—			—	—	—	1	—	—	—	1	—	—	—	2	24
25	11	10	14	4	10	17	1	2			1	1	3	—	1	—	4	2	4	4	2	1	25
26	10	2	10	1	5	5	6	—			4	2	2	—	—	—	1	1	1	1	3	—	26
27	2	1	3	—	1	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	27
28	87	82	34	39	37	36	30	33			23	10	21	25	4	6	27	21	11	10	12	20	28
29	2	—	1	1	—	—	—	2			—	—	—	—	—	—	—	—	1	—	—	—	29

YORKSHIRE, NORTH RIDING—*cont.*

	Causes of Death.	Helmsley R.D.		Kirkby Moorside R.D.		Leyburn R.D.		Malton R.D.		Middlesbrough R.D.		Northallerton R.D.		Pickering R.D.		Reeth R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	32	28	39	30	37	43	46	42	15	12	55	55	65	36	18	18	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	1	—	1	3	—	—	—	1	—	2	—	—	—	—	5
6	Diphtheria and croup ...	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	6
7	Influenza	3	1	2	2	1	3	7	—	—	—	—	2	3	1	1	—	7
8	Erysipelas	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	4	—	2	1	2	1	1	2	1	—	2	3	—	—	3	—	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	—	—	—	—	—	2	—	1	—	—	—	—	1	1	—	—	11
12	Cancer, malignant disease	1	1	6	6	3	5	6	3	—	2	6	6	6	3	1	2	12
13	Rheumatic fever... ...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	14
15	Organic heart disease ...	6	7	3	5	5	6	4	4	2	1	10	8	13	9	3	7	15
16	Bronchitis	—	—	2	2	2	1	5	3	2	—	2	6	3	1	3	1	16
17	Pneumonia (all forms) ...	2	2	2	—	2	2	1	2	1	2	4	1	3	1	—	—	17
18	Other respiratory diseases	1	—	—	1	1	—	1	—	—	—	1	—	—	—	2	1	18
19	Diarrhœa, &c.(under 2 yrs.)	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	1	—	—	1	—	1	—	—	1	—	—	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	2	1	—	—	2	4	—	—	—	7	1	—	3	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	1	—	—	—	1	—	1	—	—	—	1	—	—	—	—	24
25	Congenital debility, &c.	4	1	5	1	2	1	1	—	1	—	2	2	8	2	—	1	25
26	Violence, apart from 27	—	—	1	—	1	1	—	1	—	—	1	—	1	1	—	—	26
27	Suicide	—	—	—	—	—	—	—	—	1	—	1	1	—	1	—	—	27
28	Other defined diseases ...	11	13	10	11	15	12	15	19	6	5	18	22	26	12	5	4	28
29	Causes ill-defined or unknown.	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	29

YORKSHIRE, NORTH RIDING—*cont.*

	Causes of Death.	Richmond R.D.		Scarborough R.D.		Startforth R.D.		Stokesley R.D.		Thirsk R.D.		Wath R.D.		Whitby R.D.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	ALL CAUSES	77	43	37	52	28	30	95	86	115	102	16	10	52	61		
1	Enteric fever	—	—	—	—	—	—	1	—	—	1	—	—	1	—		1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	Measles	—	1	—	—	—	—	1	—	5	5	1	—	—	—		3
4	Scarlet fever	—	—	—	1	—	—	—	—	—	2	—	—	—	—		4
5	Whooping cough ...	1	—	—	—	—	1	1	3	3	1	1	—	—	2		5
6	Diphtheria and croup ...	—	1	—	1	—	—	3	3	—	—	—	—	—	—		6
7	Influenza	1	—	2	3	—	—	6	5	5	5	—	—	3	6		7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9	Pulmonary tuberculosis	5	3	—	—	2	3	5	5	8	2	1	1	4	3		9
10	Tuberculous meningitis	—	1	1	1	—	—	1	1	1	—	—	—	—	—		10
11	Other tuberculous diseases	—	—	2	2	1	—	1	1	2	—	—	—	—	—		11
12	Cancer, malignant disease	2	4	4	6	3	3	6	5	8	8	—	2	4	5		12
13	Rheumatic fever... ...	1	—	—	—	—	—	—	1	—	—	—	—	—	—		13
14	Meningitis	—	—	—	—	—	—	1	1	1	2	—	—	1	—		14
15	Organic heart disease ...	10	6	3	8	4	7	17	15	14	13	2	—	4	4		15
16	Bronchitis	2	5	1	4	3	1	3	3	10	7	2	2	2	4		16
17	Pneumonia (all forms) ...	13	2	1	4	2	1	7	6	7	10	—	—	5	2		17
18	Other respiratory diseases	3	—	—	1	1	—	4	3	4	—	—	—	2	1		18
19	Diarrhœa, &c.(under 2 yrs.)	1	1	—	—	—	—	—	—	—	—	—	—	—	—		19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	1		20
21	Cirrhosis of liver ...	—	—	—	—	1	—	1	—	1	—	—	—	—	—		21
21A	Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	Nephritis and Bright's dis.	4	1	—	2	—	—	2	—	4	4	1	—	1	3		22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	1		23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—	—	—	—	—		24
25	Congenital debility, &c.	7	5	1	1	—	—	6	4	2	4	—	—	4	2		25
26	Violence, apart from 27...	7	1	1	—	1	1	3	—	1	1	—	—	4	2		26
27	Suicide	1	—	—	1	—	—	—	—	—	1	1	—	—	—		27
28	Other defined diseases ...	18	12	21	16	10	13	24	29	38	36	7	5	17	24		28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	2	—	1	—	—	—	—	1		29

ADMINISTRATIVE AREAS, 1915—*continued.*

YORKSHIRE, WEST RIDING.

	Adwick le Street U.D.*		Altofts U.D.		Ardsley U.D.		Ardsley East and West U.D.		Baildon U.D.		Barkisland U.D.		Barnoldswick U.D.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	59	46	32	37	63	51	46	52	51	41	12	6	63	61	322	340	71	66	129	146	
1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	1	—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	6	10	—	2	2	3	4	3	1	—	—	—	—	2	14	14	4	1	—	—	3
4	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	—	1	1	—	1	4
5	2	3	—	3	—	1	—	1	—	1	—	—	—	—	9	9	—	2	—	1	5
6	1	—	1	—	—	1	—	2	—	—	1	—	—	—	7	10	1	2	—	4	6
7	—	—	—	—	—	—	1	—	1	1	—	—	—	—	5	4	—	1	3	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	8
9	1	1	1	2	2	—	2	2	6	6	1	—	6	2	27	13	3	4	14	11	9
10	1	—	1	—	—	1	1	—	—	—	—	—	1	—	7	4	—	1	2	1	10
11	—	—	1	—	—	—	1	2	1	—	—	—	2	1	2	4	1	1	1	—	11
12	3	2	2	1	5	8	1	4	5	2	—	—	1	4	13	23	2	3	8	18	12
13	—	2	—	—	—	—	—	1	—	—	—	—	—	1	1	2	—	—	—	—	13
14	—	—	—	—	1	—	1	1	1	1	—	—	2	—	3	—	—	—	2	—	14
15	4	3	3	4	3	6	4	4	3	14	1	4	7	9	32	49	4	7	10	18	15
16	1	2	2	2	3	2	4	4	4	2	2	1	3	6	29	41	8	3	12	19	16
17	6	6	3	5	9	5	2	5	5	3	—	—	4	4	25	25	15	6	7	7	17
18	—	1	—	1	1	1	—	1	1	—	—	—	4	—	6	5	—	—	2	3	18
19	6	2	1	2	7	5	4	1	—	—	1	—	—	1	5	5	4	5	1	—	19
20	1	—	—	—	1	—	—	1	1	—	—	—	—	—	1	2	—	—	—	1	20
21	—	—	2	—	—	—	1	1	—	—	—	—	3	—	1	—	—	1	2	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	—	—	3	2	—	—	3	1	—	—	5	3	27	16	1	—	4	3	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	23
24	—	—	—	—	—	2	—	2	—	—	—	—	—	1	—	7	—	—	—	1	24
25	6	3	3	2	6	1	4	2	5	—	1	—	2	4	16	15	9	4	5	8	25
26	6	1	3	2	5	—	2	—	1	—	—	—	3	2	5	6	5	3	5	—	26
27	—	—	—	—	—	2	—	—	—	—	—	—	—	2	2	3	—	—	1	1	27
28	12	9	8	9	14	10	13	15	12	10	5	1	19	18	82	79	12	20	47	43	28
29	1	—	1	—	—	—	—	—	1	—	—	—	1	—	1	1	1	—	3	2	29

YORKSHIRE, WEST RIDING—*cont.*

	Birkenshaw U.D.		Birstal U.D.		Bolton upon Dearne U.D.		Brighouse M.B.		Burley in Wharfedale U.D.		Calverley U.D.		Castleford U.D.		Clayton U.D.		Clayton West U.D.		Cudworth U.D.		Darfield U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	18	20	57	74	73	71	178	153	32	23	12	24	225	209	25	26	20	20	70	64	40	51	
1	—	—	—	3	—	—	—	—	1	—	—	—	6	3	1	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	—	3	—	1	11	23	8	—	—	—	—	14	29	—	2	—	—	2	3	6	9	3
4	—	—	1	2	—	1	—	1	—	2	—	—	—	2	—	—	—	—	—	—	1	1	4
5	—	1	1	1	2	1	—	—	—	—	—	—	5	10	—	1	—	—	2	2	—	2	5
6	—	—	1	1	6	1	7	8	—	1	—	—	—	1	—	1	—	—	1	4	—	—	6
7	—	—	1	1	—	1	—	4	—	1	—	—	—	2	—	—	1	1	3	1	—	—	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	1	2	1	3	6	17	5	1	1	—	—	8	11	1	1	1	1	3	2	4	5	9
10	—	—	—	2	2	—	4	1	—	—	—	—	3	4	—	—	—	—	—	2	1	3	10
11	—	1	1	—	1	2	2	3	1	—	1	—	5	3	—	—	—	—	1	—	—	—	11
12	1	2	3	3	1	3	8	11	2	6	1	1	5	8	2	1	1	2	2	4	1	3	12
13	—	—	—	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	—	1	—	1	13
14	—	—	1	—	1	—	2	2	—	—	—	—	2	3	—	—	—	—	—	1	2	—	14
15	3	4	5	9	2	4	22	19	3	1	—	4	16	9	4	5	3	4	2	4	2	2	15
16	2	1	7	1	7	7	8	11	2	2	1	1	29	20	1	1	3	1	9	7	2	4	16
17	3	2	5	5	8	6	13	12	2	—	—	—	23	21	4	5	2	3	9	4	1	3	17
18	1	—	1	1	2	—	4	3	1	—	—	—	4	3	1	—	1	—	1	2	1	1	18
19	—	—	1	1	4	5	2	—	—	1	—	—	25	17	—	—	2	1	6	3	1	—	19
20	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	20
21	—	—	—	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	2	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	3	4	1	1	12	10	—	—	—	1	3	6	1	1	—	—	2	2	1	—	22
23	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	3	—	2	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	24
25	—	—	8	3	6	9	5	2	3	—	2	1	10	8	—	—	—	—	8	2	4	3	25
26	1	—	1	1	7	1	4	3	1	—	—	1	12	3	2	1	1	1	7	2	1	1	26
27	1	—	—	—	—	—	—	—	—	—	2	2	2	4	—	—	—	—	1	—	1	—	27
28	4	8	12	30	19	9	41	44	12	7	5	13	50	41	8	5	4	6	11	14	11	11	28
29	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	29

* Created on 1st April, 1915.

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Darton U.D.		Denby and Cumberworth U.D.		Denholme U.D.		Dodworth U.D.		Doncaster M.B.		Drighlington U.D.		Earby U.D.		Elland U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	74	73	23	18	21	24	22	13	381	353	39	29	42	47	78	68	
1	Enteric fever	1	—	—	—	—	—	—	—	4	2	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	—	—	—	—	—	—	—	6	4	—	—	2	2	1	—	3
4	Scarlet fever	—	1	—	—	—	—	—	—	—	4	—	—	—	—	—	—	4
5	Whooping cough ...	—	2	—	—	1	1	—	1	3	4	—	—	—	1	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	9	7	—	—	2	1	1	—	6
7	Influenza	3	—	—	—	1	1	1	1	7	8	2	1	—	1	3	—	7
8	Erysipelas	1	1	—	—	—	—	—	—	1	—	—	—	1	—	—	2	8
9	Pulmonary tuberculosis	5	4	1	—	—	1	—	1	31	15	5	—	2	2	5	5	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	1	10
11	Other tuberculous diseases	—	—	1	—	—	—	1	—	11	6	—	1	1	—	1	—	11
12	Cancer, malignant disease	4	—	1	1	1	1	2	—	26	44	—	2	3	4	4	6	12
13	Rheumatic fever... ...	—	1	—	1	—	1	—	—	2	2	—	—	—	—	1	1	13
14	Meningitis	3	—	—	1	—	—	—	—	4	3	—	—	1	—	—	—	14
15	Organic heart disease ...	7	4	1	4	2	4	6	—	41	40	1	2	7	11	12	15	15
16	Bronchitis	9	8	4	3	2	2	1	1	21	41	5	3	2	7	8	6	16
17	Pneumonia (all forms) ...	5	4	2	—	—	1	2	—	33	24	9	5	2	2	4	3	17
18	Other respiratory diseases	4	2	—	—	1	1	—	—	13	6	2	2	1	—	2	1	18
19	Diarrhœa, &c.(under 2 yrs.)	1	7	—	—	—	—	1	1	14	5	—	1	1	1	1	1	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	—	—	1	3	—	—	—	—	1	—	20
21	Cirrhosis of liver ...	1	—	—	—	—	—	—	—	1	3	1	—	—	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	3	—	—	1	—	1	—	10	10	3	1	3	1	1	1	22
23	Puerperal fever	—	1	—	—	—	—	—	1	—	4	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	24
25	Congenital debility, &c.	6	6	3	—	4	1	5	1	17	19	—	2	4	1	4	3	25
26	Violence, apart from 27	4	3	1	—	1	—	—	—	19	5	2	—	2	1	2	—	26
27	Suicide	2	1	—	—	1	—	—	—	5	—	1	—	—	—	1	—	27
28	Other defined diseases ...	15	22	9	8	6	10	2	5	96	88	7	7	6	10	25	23	28
29	Causes ill-defined or unknown.	—	1	—	—	—	—	—	—	2	3	1	1	2	2	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Emley U.D.		Farnley Tyas U.D.		Farsley U.D.		Featherstone U.D.		Flockton U.D.		Garforth U.D.		Gildersome U.D.		Golcar U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	13	4	2	3	49	32	140	106	8	13	26	27	23	21	85	81	
1	Enteric fever	—	—	—	—	—	1	2	1	—	—	1	—	—	—	—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	6	10	—	—	—	—	1	—	2	6	3
4	Scarlet fever	—	—	—	—	—	—	—	4	—	—	—	1	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	—	11	6	—	—	—	2	—	—	1	1	5
6	Diphtheria and croup ...	—	—	—	—	1	—	2	2	—	—	—	—	—	—	1	—	6
7	Influenza	2	—	—	—	—	1	1	—	—	1	—	—	1	—	—	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	—	—	—	1	2	5	5	1	—	1	1	—	2	10	2	9
10	Tuberculous meningitis	—	—	—	—	1	1	—	1	—	—	—	—	—	—	4	1	10
11	Other tuberculous diseases	—	—	—	—	2	—	1	2	—	—	—	—	—	—	1	1	11
12	Cancer, malignant disease	1	3	—	1	4	5	4	3	—	1	—	2	1	1	7	6	12
13	Rheumatic fever... ...	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	1	1	—	—	—	1	—	1	—	—	14
15	Organic heart disease ...	1	—	1	—	3	5	19	10	1	—	—	2	1	4	8	16	15
16	Bronchitis	—	—	—	1	2	2	14	6	2	2	2	2	2	1	6	5	16
17	Pneumonia (all forms) ...	3	—	—	—	5	2	18	9	1	2	1	3	6	2	3	2	17
18	Other respiratory diseases	—	—	—	—	1	—	4	1	—	—	—	1	—	—	—	2	18
19	Diarrhœa, &c.(under 2 yrs.)	—	—	—	—	1	—	6	4	—	—	1	1	—	—	1	2	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	—	—	3	1	3	3	—	—	—	1	1	—	4	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	24
25	Congenital debility, &c.	2	—	—	—	3	2	7	10	1	—	3	—	—	—	3	5	25
26	Violence, apart from 27	—	—	—	—	2	—	5	3	—	—	4	1	2	1	6	2	26
27	Suicide	—	—	1	—	—	—	—	—	—	—	—	—	1	1	1	—	27
28	Other defined diseases ...	4	1	—	1	18	10	29	23	2	7	12	6	6	8	27	23	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	29

ADMINISTRATIVE AREAS, 1915—*continued.*

YORKSHIRE, WEST RIDING—*cont.*

	Goole U.D.		Greasbrough U.D.		Greetland U.D.		Guiseley U.D.		Gunthwaite and Ingbirchworth U.D.		Handsworth U.D.		Harrogate M.B.		Haworth U.D.		Hebden Bridge U.D.		Heckmondwike U.D.		Hipperholme U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	143	149	22	21	40	35	29	32	5	2	107	97	250	259	51	47	45	59	94	84	31	37	
1	1	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	1	—	6	—	—	—	—	—	—	12	10	12	12	—	—	—	—	5	1	2	3	3
4	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	4
5	5	5	—	—	—	—	1	—	—	—	1	1	2	2	3	2	—	—	1	1	—	—	5
6	5	10	—	—	—	—	1	—	—	—	2	1	3	—	—	—	—	1	—	1	—	—	6
7	—	—	—	—	—	1	—	2	1	—	—	—	4	5	—	—	2	2	1	1	2	2	7
8	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	2	8	1	1	2	2	1	2	—	—	3	5	16	14	1	2	4	4	9	8	3	1	9
10	2	2	—	1	—	1	—	—	—	—	2	1	1	3	—	—	1	—	2	3	—	—	10
11	—	2	—	1	—	3	1	—	—	—	1	—	2	6	1	2	4	—	—	—	2	1	11
12	13	8	1	2	2	6	2	4	—	—	5	9	23	31	5	7	1	4	5	9	3	4	12
13	1	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	—	1	—	—	—	—	13
14	2	—	—	—	—	—	1	—	—	—	1	1	3	3	1	1	—	—	—	1	—	—	14
15	13	10	3	3	2	5	1	7	—	1	7	8	23	37	8	4	4	9	13	11	—	3	15
16	11	7	3	1	3	4	3	—	—	—	15	3	14	18	3	4	2	8	6	7	3	4	16
17	10	8	—	—	6	2	3	2	—	—	12	7	23	14	6	4	5	4	15	8	2	1	17
18	2	5	1	1	—	—	1	—	—	—	—	2	1	3	2	—	—	—	2	2	—	1	18
19	4	2	—	1	—	—	—	—	—	—	4	2	3	—	—	—	—	—	—	—	—	—	19
20	—	—	2	1	—	1	—	—	—	—	1	1	3	—	—	—	—	—	2	1	—	—	20
21	1	1	—	—	—	—	1	—	—	—	—	—	7	6	—	—	1	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	2	4	2	—	2	3	—	1	1	—	1	1	6	2	3	1	4	3	4	1	2	3	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	2	—	4	—	1	—	1	—	1	—	1	24
25	9	11	2	—	4	—	1	1	1	—	8	7	7	7	1	4	2	3	2	3	—	—	25
26	12	18	2	1	1	—	—	1	—	—	7	4	10	2	2	—	—	—	1	2	1	—	26
27	1	—	1	—	1	—	—	—	—	—	1	—	4	1	—	—	—	—	1	1	—	—	27
28	45	46	4	2	16	6	11	10	2	1	24	29	81	87	15	14	13	18	24	18	11	13	28
29	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Holme U.D.		Holmfirth U.D.		Honley U.D.		Horbury U.D.		Horsforth U.D.		Hoyland Nether U.D.		Hoyland Swaine U.D.		Hunsworth U.D.		Ilkley U.D.		Keighley M.B.		Kirkburton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	1	4	66	65	26	41	50	70	68	60	157	100	3	1	13	9	54	58	298	315	30	19	
1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	3	1	—	—	18	15	—	—	—	—	—	—	5	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	1	—	—	—	3	3	1	1	2	—	—	—	1	1	—	—	2	7	—	—	5
6	—	—	—	—	—	—	—	1	2	1	1	1	—	—	—	—	—	—	4	2	—	—	6
7	—	—	3	—	—	—	—	1	1	1	—	1	—	—	—	—	1	2	4	5	—	—	7
8	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	3	—	—	8
9	—	—	5	7	4	3	2	3	5	10	9	7	—	—	—	—	1	3	19	15	2	—	9
10	—	—	—	1	1	—	1	1	1	—	1	1	—	—	—	—	—	1	—	4	1	—	10
11	—	—	—	1	1	—	1	2	4	—	1	3	—	—	—	—	—	2	5	12	—	1	11
12	—	1	3	7	1	5	4	7	6	6	5	5	—	—	2	2	5	9	19	33	1	3	12
13	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4	2	1	—	13
14	—	—	—	1	—	—	1	1	—	—	3	2	—	—	—	—	—	—	5	5	—	—	14
15	—	—	18	17	4	4	2	8	7	6	15	3	—	—	4	—	9	6	39	56	3	2	15
16	—	2	3	3	2	2	1	5	6	3	15	11	—	—	—	—	1	4	26	27	5	2	16
17	—	—	6	3	3	6	5	5	6	2	18	12	1	1	2	1	7	6	33	16	3	3	17
18	—	—	2	2	1	—	—	—	1	—	1	—	—	—	—	—	1	—	4	—	—	—	18
19	—	—	—	—	1	1	1	—	—	—	9	4	—	—	—	—	1	—	7	6	—	—	19
20	—	—	1	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	1	2	—	1	20
21	—	—	—	—	1	—	—	1	1	—	1	1	—	—	—	—	—	—	1	1	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	21A
22	—	—	5	2	—	2	—	1	2	—	7	4	—	—	—	1	1	4	6	15	2	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	23
24	—	—	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—	—	2	—	—	24
25	—	1	4	5	—	—	4	8	2	3	15	4	1	—	—	—	2	—	20	12	2	1	25
26	—	—	1	—	—	1	1	—	3	1	10	3	—	—	—	—	1	1	8	2	2	—	26
27	—	—	3	—	—	—	—	—	—	—	1	1	—	—	1	—	—	1	3	—	—	—	27
28	1	—	9	15	6	16	20	20	19	21	25	19	1	—	3	3	22	19	79	85	8	5	28
29	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Kirkheaton U.D.		Knaresborough U.D.		Knottingley U.D.		Lepton U.D.		Linthwaite U.D.		Luddenden Foot U.D.		Marsden U.D.		Meltham U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	22	26	44	43	55	45	14	22	60	58	20	24	28	40	34	43	
1	Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	2	1	—	2	—	1	2	—	—	1	—	—	—	3
4	Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	4
5	Whooping cough ...	—	—	—	—	—	3	—	—	—	1	—	—	2	2	1	1	5
6	Diphtheria and croup ...	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	6
7	Influenza	1	1	—	—	1	—	—	2	—	1	—	1	—	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	1	5	2	4	4	2	—	4	—	2	1	3	1	1	3	9
10	Tuberculous meningitis	—	1	—	—	—	1	—	—	2	1	—	—	1	2	—	—	10
11	Other tuberculous diseases	—	1	—	—	2	2	—	—	1	—	—	1	—	2	—	—	11
12	Cancer, malignant disease	—	3	6	7	4	4	2	2	2	9	1	2	2	3	—	5	12
13	Rheumatic fever... ...	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	13
14	Meningitis	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	14
15	Organic heart disease ...	2	2	4	4	3	6	—	3	9	11	—	4	3	3	2	2	15
16	Bronchitis	3	1	3	5	5	3	—	2	4	3	1	4	1	1	10	8	16
17	Pneumonia (all forms) ...	—	1	—	1	7	6	—	2	3	4	5	2	2	4	3	4	17
18	Other respiratory diseases	1	—	3	1	—	—	—	—	1	1	1	—	2	1	2	—	18
19	Diarrhœa, &c.(under 2 yrs.)	—	—	—	—	4	1	—	—	2	2	—	—	1	1	2	—	19
20	Appendicitis and typhlitis	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	3	—	2	1	1	—	—	1	2	1	3	1	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	1	24
25	Congenital debility, &c.	2	1	1	1	6	5	1	1	1	3	—	—	1	2	1	1	25
26	Violence, apart from 27	2	—	3	1	—	—	—	—	4	—	1	1	—	—	—	—	26
27	Suicide	—	—	—	—	—	1	1	—	—	—	1	—	1	—	—	—	27
28	Other defined diseases ...	9	12	12	18	13	7	3	9	25	14	5	7	4	16	10	17	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes o tDeath.	Methley U.D.		Mexborough U.D.		Midgley U.D.		Mirfield U.D.		Monk Bretton U.D.		Morley M.B.		Mytholmroyd U.D.		New Mill U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	28	35	120	109	15	20	86	111	49	40	167	181	24	38	23	27	
1	Enteric fever	1	—	—	—	—	—	—	1	—	—	4	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	7	4	—	—	—	—	1	1	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	4
5	Whooping cough ...	1	—	2	2	—	—	—	1	—	—	2	4	—	—	1	—	5
6	Diphtheria and croup ...	—	—	4	2	—	—	—	—	—	1	2	—	—	—	—	—	6
7	Influenza	—	—	—	—	—	—	1	—	1	2	3	9	—	2	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	1	5	8	6	—	2	8	2	3	1	13	7	—	3	1	1	9
10	Tuberculous meningitis	—	—	3	—	—	—	—	3	1	1	—	—	—	—	—	—	10
11	Other tuberculous diseases	—	1	—	1	—	—	—	2	1	—	—	5	—	1	1	2	11
12	Cancer, malignant disease	2	2	6	4	3	6	6	10	—	1	5	15	2	6	2	4	12
13	Rheumatic fever... ...	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	13
14	Meningitis	—	1	—	2	—	1	1	—	1	—	—	3	—	1	1	—	14
15	Organic heart disease ...	3	7	5	8	—	1	7	17	3	2	11	31	4	3	3	6	15
16	Bronchitis	2	5	11	15	—	—	7	8	5	7	11	16	—	5	—	1	16
17	Pneumonia (all forms) ...	2	2	12	16	2	—	12	9	5	8	21	8	3	1	6	1	17
18	Other respiratory diseases	—	—	1	—	—	—	2	1	3	—	3	1	1	—	—	1	18
19	Diarrhœa, &c.(under 2 yrs.)	1	—	5	9	—	—	1	—	3	1	4	4	—	—	1	1	19
20	Appendicitis and typhlitis	—	—	—	—	1	—	—	1	—	—	1	—	—	2	—	—	20
21	Cirrhosis of liver ...	—	2	—	—	—	—	2	1	—	—	1	2	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	3	2	—	2	6	3	2	3	13	9	7	1	1	2	22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	1	24
25	Congenital debility, &c.	2	—	11	9	2	1	2	4	4	2	13	14	—	1	1	3	25
26	Violence, apart from 27	2	1	8	3	—	1	—	—	2	2	5	2	—	1	—	—	26
27	Suicide	1	—	1	—	—	—	2	1	1	—	2	3	—	—	—	—	27
28	Other defined diseases ...	10	8	32	24	7	6	29	43	13	7	50	46	6	9	5	4	28
29	Causes ill-defined or unknown.	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

YORKSHIRE, WEST RIDING—*cont.*

	Normanton U.D.		Oakworth U.D.		Ossett M.B.		Otley U.D.		Oxenhope U.D.		Penistone U.D.		Pontefract U.D.		Pudsey M.B.		Queensbury U.D.		Rawdon U.D.		Rawmarsh U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	142	123	38	29	110	130	64	81	16	15	29	26	150	146	115	134	48	45	25	18	165	139	
1	—	—	—	—	—	—	—	—	—	—	1	—	3	2	—	1	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	12	4	—	—	—	1	—	—	—	—	1	—	4	5	1	3	1	2	—	—	16	15	3
4	—	2	1	—	—	—	—	1	—	—	—	—	3	3	3	—	—	—	—	—	1	1	4
5	6	6	—	—	—	1	1	1	—	—	—	—	3	11	3	2	—	—	—	—	3	2	5
6	2	1	—	1	2	1	2	3	—	—	—	—	2	—	—	1	—	—	1	—	1	5	6
7	2	—	—	1	1	1	—	—	—	—	—	—	—	1	—	1	2	—	1	1	2	2	7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	8
9	14	10	4	3	5	4	6	3	2	1	1	2	14	7	6	5	6	2	—	2	12	8	9
10	1	2	—	—	1	—	1	2	—	—	1	—	1	—	2	—	—	—	—	—	7	5	10
11	7	3	—	—	1	1	—	2	—	—	—	—	3	1	1	1	1	2	1	—	8	5	11
12	10	9	3	1	6	15	4	6	—	2	3	4	3	7	2	9	4	7	6	1	9	8	12
13	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	13
14	2	—	—	—	1	4	1	—	2	1	—	—	4	3	—	3	—	—	—	—	—	1	14
15	8	9	8	10	11	15	10	16	1	1	3	4	5	7	16	27	3	6	2	5	4	4	15
16	10	9	5	1	12	13	5	10	2	2	5	2	9	11	11	12	2	2	2	—	12	8	16
17	10	16	—	1	12	7	3	4	1	—	1	2	26	21	10	7	5	3	—	—	15	9	17
18	4	3	—	1	1	1	—	2	—	—	—	1	1	3	—	1	2	—	—	—	1	1	18
19	13	4	—	—	1	4	—	—	—	—	—	—	9	5	3	2	—	—	—	—	11	6	19
20	1	1	—	—	—	1	1	1	—	—	—	—	1	2	1	—	1	—	—	—	1	—	20
21	1	—	1	—	—	—	—	—	—	—	1	1	—	1	3	1	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	21A
22	1	2	1	—	4	3	5	1	—	1	1	—	3	5	6	1	2	1	2	2	2	4	22
23	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	5	—	1	—	—	—	—	—	2	—	1	—	—	—	1	—	2	24
25	7	9	3	—	9	4	3	1	—	—	1	—	20	10	6	4	—	2	2	—	12	16	25
26	10	1	1	1	4	1	1	1	1	—	1	—	5	—	3	3	1	—	—	—	6	2	26
27	2	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	27
28	19	28	10	8	39	47	21	25	7	6	9	10	28	35	35	47	15	18	7	6	41	34	28
29	—	1	—	—	—	—	—	1	—	1	—	—	3	—	1	1	1	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Ripon M.B.		Rishworth U.D.		Rothwell U.D.		Royston U.D.		Saddleworth U.D.		Scammonden U.D.		Selby U.D.		Shelf U.D.		Shelley U.D.		Shepley U.D.		Shipley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	110	83	5	4	126	99	69	62	110	101	3	4	57	55	21	24	12	21	17	16	208	209	
1	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	2	1	—	2	2	5	—	2	—	—	—	3	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
5	—	1	—	—	—	2	1	2	3	2	—	—	—	—	—	—	—	—	—	—	3	4	5
6	6	3	—	—	3	6	—	2	1	3	—	—	—	—	—	—	—	—	—	—	2	6	6
7	4	1	—	—	3	1	—	—	—	—	—	—	1	1	2	1	2	2	—	—	1	2	7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	8
9	9	3	—	—	3	5	—	1	9	6	—	—	2	2	2	1	—	1	2	—	15	11	9
10	2	—	—	—	3	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	10
11	1	—	1	—	3	1	—	1	2	—	—	—	1	—	—	—	1	—	—	—	1	1	11
12	6	3	—	—	6	8	3	2	7	7	—	—	5	7	2	2	1	1	2	1	17	25	12
13	2	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14	—	1	—	—	—	—	2	1	—	2	—	—	—	1	—	3	—	—	—	—	2	4	14
15	9	10	1	2	11	15	1	8	21	18	1	1	6	8	2	1	1	5	4	6	35	30	15
16	9	9	—	—	11	12	4	5	2	6	—	1	4	8	2	2	1	1	—	1	19	22	16
17	21	9	—	—	17	10	18	11	10	5	—	—	1	3	1	1	2	1	2	1	16	8	17
18	2	—	—	—	1	—	1	1	2	1	—	1	1	—	2	—	—	1	—	—	1	1	18
19	1	1	—	—	7	2	10	4	2	1	—	—	—	—	—	—	—	—	—	—	4	4	19
20	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	20
21	1	1	—	—	1	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	2	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	—	—	1	3	2	4	2	6	7	—	—	1	1	2	1	—	—	—	2	6	5	22
23	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	2	—	—	—	—	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	3	24
25	3	1	—	—	9	6	5	6	7	2	—	—	4	5	—	—	1	—	1	2	8	10	25
26	7	2	—	—	3	2	4	1	4	1	—	—	3	3	2	1	1	1	—	—	6	2	26
27	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	1	27
28	22	31	2	1	37	20	11	13	26	31	2	1	22	15	4	11	1	8	4	3	67	63	28
29	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	1	2	29

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Silsden U.D.		Skelmanthorpe U.D.		Skipton U.D.		Slaithwaite U.D.		South Crosland U.D.		Southowram U.D.		Sowerby U.D.		Sowerby Bridge U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	39	28	15	21	68	77	51	41	22	27	14	21	22	21	95	89	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	1	—	—	—	—	—	—	3	2	3
4 Scarlet fever	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	4
5 Whooping cough ...	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	5
6 Diphtheria and croup ...	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	6
7 Influenza	1	1	1	—	—	5	1	—	—	—	—	—	—	—	1	1	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	2	1	—	1	6	7	1	1	—	1	3	—	3	2	7	7	9
10 Tuberculous meningitis	—	—	—	—	1	2	—	—	—	—	—	—	—	—	1	1	10
11 Other tuberculous diseases	—	1	—	1	1	3	1	1	—	1	—	—	—	—	2	—	11
12 Cancer, malignant disease	3	4	3	1	5	5	3	4	1	1	—	1	—	1	10	16	12
13 Rheumatic fever... ...	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	1	13
14 Meningitis	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	14
15 Organic heart disease ...	10	5	1	3	6	11	6	7	6	2	—	3	6	2	5	11	15
16 Bronchitis	1	1	1	4	9	11	10	4	2	1	1	2	2	6	12	9	16
17 Pneumonia (all forms) ...	5	2	—	—	4	4	6	2	—	2	1	2	—	1	8	6	17
18 Other respiratory diseases	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	3	18
19 Diarrhœa, &c.(under 2 yrs.)	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	1	19
20 Appendicitis and typhlitis	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	20
21 Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	1	1	1	1	3	1	3	1	2	—	—	2	—	4	5	22
23 Puerperal fever	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—	1	24
25 Congenital debility, &c.	—	2	—	2	8	—	—	3	2	1	1	—	—	—	—	—	25
26 Violence, apart from 27	—	1	1	—	2	1	—	—	1	—	2	—	1	—	2	3	26
27 Suicide	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	27
28 Other defined diseases ...	15	9	6	7	22	18	16	11	6	13	6	10	7	8	31	22	28
29 Causes ill-defined or unknown.	—	—	—	—	1	2	—	1	—	—	—	—	1	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Soyland U.D.		Spenborough U.D.*		Springhead U.D.		Stainland with Old Lindley U.D.		Stanley U.D.		Stocksbridge U.D.		Swinton U.D.		Thurlstone U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	18	14	230	244	39	42	28	45	92	93	57	43	102	124	16	19	
1 Enteric fever	—	1	2	3	—	—	—	—	1	—	—	2	—	2	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	6	6	1	—	2	—	6	6	3	1	4	5	—	—	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	1	1	1	—	—	4
5 Whooping cough ...	—	—	2	2	1	—	—	—	—	—	—	1	—	2	—	—	5
6 Diphtheria and croup ...	—	—	2	—	—	—	1	—	2	1	1	1	2	2	1	—	6
7 Influenza	—	—	1	—	—	—	—	—	2	—	—	2	2	—	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	8
9 Pulmonary tuberculosis	1	4	18	10	2	3	2	4	6	6	4	2	18	12	3	1	9
10 Tuberculous meningitis	—	—	5	2	—	—	1	—	—	—	2	—	1	1	—	1	10
11 Other tuberculous diseases	1	—	6	3	—	1	1	—	1	—	1	1	3	3	—	1	11
12 Cancer, malignant disease	—	1	7	27	4	3	2	7	5	8	3	2	7	6	1	2	12
13 Rheumatic fever... ...	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	13
14 Meningitis	—	—	2	1	—	—	—	—	1	1	—	—	—	3	—	—	14
15 Organic heart disease ...	5	3	18	39	3	10	4	7	16	9	6	5	3	6	1	2	15
16 Bronchitis	1	1	16	19	5	1	2	4	6	8	4	4	11	13	—	2	16
17 Pneumonia (all forms) ...	2	—	19	15	5	2	1	1	11	16	11	3	10	16	1	1	17
18 Other respiratory diseases	1	1	4	3	2	2	—	2	2	2	6	1	—	1	2	—	18
19 Diarrhœa, &c.(under 2 yrs.)	—	—	6	1	—	—	—	—	3	6	—	—	3	10	—	—	19
20 Appendicitis and typhlitis	—	—	1	3	—	—	—	—	1	2	—	—	2	—	—	—	20
21 Cirrhosis of liver ...	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	21
21A Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	1	1	9	11	2	5	3	3	—	3	—	2	1	3	—	—	22
23 Puerperal fever	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	23
24 Parturition, apart from 23	—	—	—	5	—	—	—	—	—	—	—	—	—	2	—	1	24
25 Congenital debility, &c.	—	—	15	11	1	1	1	1	5	7	3	5	11	9	1	—	25
26 Violence, apart from 27	1	—	6	1	—	—	—	1	4	—	2	1	4	1	—	1	26
27 Suicide	—	—	2	1	—	1	—	—	—	—	—	—	—	2	—	—	27
28 Other defined diseases ...	5	2	79	75	13	13	7	15	18	18	11	8	18	22	6	7	28
29 Causes ill-defined or unknown.	—	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—	29

* On the 1st April, 1915, the Urban Districts of Cleckheaton, Gomersal and Liversedge were united and called Spenborough. The figures shown above relate to the whole year.

ADMINISTRATIVE AREAS, 1915—*continued.*

YORKSHIRE, WEST RIDING—*cont.*

	Thurnscoe U.D.		Thurstonland U.D.		Tickhill U.D.		Todmorden M.B.		Wath upon Dearne U.D.		Whitley Upper U.D.		Whitwood U.D.		Wombwell U.D.		Worsborough U.D.		Yeadon U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	47	26	21	9	11	14	190	203	97	77	3	7	62	45	151	122	121	110	65	46		
1	—	—	1	1	—	—	—	1	3	—	—	—	1	—	1	—	1	1	—	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	10	8	—	—	—	—	—	—	8	5	—	—	4	8	14	13	11	16	—	—		3
4	—	—	—	—	—	—	—	—	1	—	—	—	3	—	—	—	2	1	—	—		4
5	—	1	—	—	—	—	4	—	—	—	—	—	2	2	—	1	1	2	—	—		5
6	2	—	—	—	—	—	—	—	2	2	—	—	—	—	2	2	1	2	3	5		6
7	—	—	—	—	—	1	3	9	—	1	—	—	—	—	2	1	3	2	2	—		7
8	—	—	—	—	—	—	2	1	—	1	—	—	1	—	1	—	—	—	—	—		8
9	3	—	1	1	—	—	14	5	7	5	—	—	4	2	7	11	4	6	3	3		9
10	—	1	—	—	—	1	1	—	2	1	—	—	—	—	1	2	2	1	—	1		10
11	1	—	—	—	—	—	4	3	—	1	—	—	—	—	5	1	1	1	—	1		11
12	2	2	—	—	1	2	10	12	4	5	—	—	2	1	4	3	7	3	4	5		12
13	—	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	—	1	—	—		13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		14
15	1	1	3	2	1	2	23	28	2	7	—	—	3	4	3	5	7	19	6	6		15
16	3	2	—	—	2	—	19	25	10	3	1	1	6	3	14	9	8	4	2	4		16
17	10	1	2	1	2	1	19	15	10	7	—	—	6	3	15	13	9	4	12	3		17
18	—	—	—	—	—	1	1	5	—	1	—	—	—	1	2	—	2	2	3	1		18
19	—	—	—	—	—	—	1	3	3	2	—	—	9	4	12	10	11	8	1	1		19
20	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—	—	1	—		20
21	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	1	3	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		21A
22	—	—	5	1	1	2	6	6	4	3	1	1	2	1	3	5	8	4	2	—		22
23	—	1	—	—	—	—	—	3	—	1	—	—	—	—	—	3	—	—	—	—		23
24	—	—	—	—	—	—	—	2	—	4	—	—	—	—	—	4	—	1	—	—		24
25	4	—	—	—	2	—	8	10	9	5	1	—	5	4	14	5	18	11	2	—		25
26	3	—	—	—	—	—	9	4	6	—	—	—	1	1	12	2	10	—	1	—		26
27	—	—	—	—	—	—	3	—	—	—	—	—	2	—	1	—	—	1	—	—		27
28	8	9	9	3	2	4	61	66	24	20	—	5	11	9	38	29	14	19	20	16		28
29	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—		29

YORKSHIRE, WEST RIDING—*cont.*

			Barnsley R.D.		Bishopthorpe R.D.		Bowland R.D.		Doncaster R.D.		Goole R.D.		Great Ouseburn R.D.		Halifax R.D.		Hemsworth R.D.		Hunslet R.D.		Keighley R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
			39	36	10	10	36	33	291	266	63	57	84	74	45	46	357	348	69	62	40	54	
1			—	—	—	—	—	—	5	1	—	—	1	—	—	—	—	2	—	1	—	1	1
2			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3			1	1	—	—	—	—	14	12	—	—	2	1	1	2	35	46	—	—	—	—	3
4			—	—	—	—	—	—	—	1	—	—	1	—	—	—	4	3	—	—	—	—	4
5			1	1	—	—	—	—	1	15	—	—	2	—	—	—	4	8	1	4	1	—	5
6			—	—	—	—	—	—	5	4	—	—	—	—	1	1	—	2	1	—	—	—	6
7			—	—	—	—	—	1	5	4	2	—	2	3	1	1	3	2	—	—	—	—	7
8			—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9			2	1	1	—	1	1	9	17	2	1	4	3	2	2	13	25	8	1	1	1	9
10			1	—	—	—	—	—	4	—	3	—	—	—	—	—	—	3	3	1	—	2	10
11			—	—	1	—	—	—	3	3	—	1	1	1	—	—	4	9	1	2	—	1	11
12			—	1	1	1	3	4	7	11	3	5	4	8	2	5	10	17	6	9	1	7	12
13			1	—	—	1	—	—	1	1	—	—	—	—	—	—	2	3	1	2	—	—	13
14			—	1	—	—	—	—	4	1	—	—	—	—	—	—	4	2	3	1	1	—	14
15			3	4	—	2	6	4	14	23	4	8	9	11	4	5	23	26	6	7	6	12	15
16			2	4	—	—	3	1	22	15	6	9	7	9	4	3	34	28	6	6	5	3	16
17			6	3	1	—	3	—	28	22	6	3	7	6	4	6	41	29	9	3	3	—	17
18			1	2	—	—	—	—	4	4	1	1	3	—	3	—	2	4	1	1	1	—	18
19			—	3	—	2	—	—	24	16	1	—	2	—	—	—	35	26	—	—	—	—	19
20			—	—	—	—	—	—	1	1	—	1	—	—	—	—	2	1	—	—	—	—	20
21			—	—	—	—	1	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	21
21A			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22			—	1	—	—	1	1	5	5	4	1	1	5	2	—	5	4	—	1	1	2	22
23			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24			—	1	—	—	—	—	—	3	—	1	—	1	—	—	—	4	—	1	—	—	24
25			3	2	—	2	4	1	27	22	7	6	3	2	3	3	32	30	5	5	1	4	25
26			3	—	—	—	—	—	26	8	2	3	4	1	3	—	18	6	4	—	1	1	26
27			—	—	—	—	1	1	3	—	1	—	3	—	—	—	2	1	1	—	—	—	27
28			15	11	6	2	13	18	72	74	21	17	28	22	15	18	83	65	13	17	17	20	28
29			—	—	—	—	—	1	3	—	—	—	—	1	—	—	1	1	—	—	1	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Kiveton Park R.D.		Knaresborough R.D.		Pateley Bridge R.D.		Penistone R.D.		Pontefract R.D.		Ripon R.D.		Rotherham. R.D.		Sedbergh R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	81	63	49	48	61	68	36	42	137	129	45	32	222	211	22	33	
1	Enteric fever	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	1	—	1	—	—	—	6	1	2	—	1	10	—	1	3
4	Scarlet fever	1	1	—	—	—	—	—	—	1	1	—	—	3	2	—	—	4
5	Whooping cough ...	1	1	1	1	—	—	—	—	2	7	1	1	1	6	—	—	5
6	Diphtheria and croup ...	1	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	6
7	Influenza	1	—	—	3	1	—	1	—	—	2	2	—	—	1	2	2	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	8
9	Pulmonary tuberculosis	4	3	4	1	—	3	—	2	4	9	2	3	8	15	—	—	9
10	Tuberculous meningitis	1	1	1	—	1	—	—	—	—	4	—	—	3	3	—	—	10
11	Other tuberculous diseases	—	1	1	—	1	2	—	—	2	1	1	—	9	4	—	1	11
12	Cancer, malignant disease	4	4	3	7	2	6	1	3	4	5	3	9	6	15	4	4	12
13	Rheumatic fever... ...	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	1	13
14	Meningitis	2	1	1	—	—	—	—	—	—	—	1	—	2	6	—	—	14
15	Organic heart disease ...	5	8	7	6	9	12	2	6	9	14	6	3	12	9	2	3	15
16	Bronchitis	8	4	5	3	7	7	8	5	18	12	5	4	16	18	3	—	16
17	Pneumonia (all forms) ...	8	8	5	5	3	4	3	2	19	11	5	2	24	12	—	2	17
18	Other respiratory diseases	3	—	2	—	4	4	1	2	1	2	—	—	3	2	—	1	18
19	Diarrhœa,&c.(under 2 yrs.)	1	2	—	1	—	—	2	—	10	13	—	—	14	6	—	—	19
20	Appendicitis and typhlitis	1	—	1	1	—	—	—	1	—	1	—	—	1	2	—	—	20
21	Cirrhosis of liver ...	1	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	21
21A	Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	1	2	1	2	2	1	5	5	—	—	9	7	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	2	—	—	—	2	—	1	24
25	Congenital debility, &c.	10	2	1	2	2	2	—	2	13	9	1	—	32	16	—	1	25
26	Violence, apart from 27	6	—	1	—	2	—	—	1	12	3	2	—	13	5	2	2	26
27	Suicide	—	1	—	—	1	—	1	—	—	1	—	1	3	1	—	—	27
28	Other defined diseases ...	21	25	13	16	22	20	15	16	29	25	14	9	57	63	7	13	28
29	Causes ill-defined or unknown.	—	—	—	—	2	4	—	—	2	—	—	—	1	2	1	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Selby R.D.		Settle R.D.		Skipton R.D.		Tadcaster R.D.		Thorne R.D.		Todmorden R.D.		Wakefield R.D		Wetherby R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	36	47	106	87	130	113	181	194	77	52	27	50	134	115	92	95	
1	Enteric fever	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	1	3	3	8	4	2	—	—	2	5	7	2	3	3
4	Scarlet fever	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—	—	4
5	Whooping cough ...	—	1	—	1	—	1	1	7	—	—	—	—	2	6	—	—	5
6	Diphtheria and croup ...	1	—	—	2	1	—	—	—	1	—	—	—	2	—	—	3	6
7	Influenza	1	1	5	2	2	5	2	2	—	2	1	2	1	1	6	6	7
8	Erysipelas	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	5	—	7	2	6	3	5	11	5	2	2	2	5	6	9	5	9
10	Tuberculous meningitis	—	1	2	—	1	—	1	1	—	—	—	—	2	1	1	—	10
11	Other tuberculous diseases	—	1	1	1	2	—	8	6	—	1	—	—	5	4	3	—	11
12	Cancer, malignant disease	1	2	6	7	8	11	3	11	4	4	—	2	6	7	6	11	12
13	Rheumatic fever... ...	—	—	—	1	1	—	—	2	1	—	—	—	3	—	1	1	13
14	Meningitis	—	2	—	—	—	2	2	1	—	—	—	—	1	—	—	2	14
15	Organic heart disease ..	3	9	14	10	22	26	14	16	11	5	4	12	16	14	13	13	15
16	Bronchitis	1	3	4	5	13	7	21	21	6	—	2	9	12	8	6	8	16
17	Pneumonia (all forms) ...	3	3	8	3	9	9	15	15	8	9	1	5	9	10	7	5	17
18	Other respiratory diseases	—	—	2	3	2	1	—	2	—	—	—	—	2	—	—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	—	—	—	—	—	—	4	8	3	—	—	—	3	—	1	2	19
20	Appendicitis and typhlitis	—	1	2	—	—	—	1	1	1	—	—	1	—	—	—	—	20
21	Cirrhosis of liver ...	1	—	1	1	—	—	5	2	1	—	—	—	—	—	—	—	21
21A	Alcoholism	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	1	4	4	2	5	8	—	—	4	1	5	2	2	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	4	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	3	4	7	7	9	5	12	9	4	5	1	1	13	8	3	4	25
26	Violence, apart from 27	2	—	2	1	5	1	12	8	5	2	2	1	11	7	3	2	26
27	Suicide	1	—	—	—	1	1	1	1	—	—	—	1	—	—	1	1	27
28	Other defined diseases ...	12	17	41	35	38	33	58	50	22	22	10	11	30	30	28	26	28
29	Causes ill-defined or unknown.	—	—	2	—	1	3	—	—	2	—	—	—	—	1	—	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

YORKSHIRE, WEST RIDING—*cont.* ANGLESEY.

	Wharfedale R.D.		Wortley R.D.						Amlwch U.D.		Beaumaris M.B.		Holyhead U.D.		Llangefni U.D.		Menai Bridge U.D.						
	M	F	M	F					M	F	M	F	M	F	M	F	M	F					
	42	45	243	177					30	27	11	26	72	79	18	13	13	24					
1	—	—	1	—					—	—	—	—	—	—	—	—	—	—					1
2	—	—	—	—					—	—	—	—	—	—	—	—	—	—					2
3	—	—	26	18					—	—	—	—	—	—	—	1	—	—					3
4	—	—	1	4					—	—	—	—	—	—	—	—	1	—					4
5	—	—	2	1					—	—	—	—	1	4	—	—	—	1					5
6	—	—	1	4					—	—	—	—	—	1	—	—	—	—					6
7	1	2	4	—					—	—	—	1	—	—	3	—	1	—					7
8	—	—	2	—					—	—	—	—	—	—	—	—	—	—					8
9	6	5	17	7					2	1	1	2	3	5	2	1	1	1					9
10	—	2	—	2					—	1	—	—	—	1	—	—	—	2					10
11	3	—	1	4					—	1	—	—	—	2	—	1	—	1					11
12	1	1	16	10					2	1	1	3	7	4	3	—	—	4					12
13	—	—	2	—					—	—	—	—	—	—	—	—	—	—					13
14	—	1	1	3					—	—	—	—	2	—	—	—	—	—					14
15	4	5	23	20					4	4	—	2	8	11	—	1	3	4					15
16	3	6	27	11					1	3	—	1	6	4	—	3	—	1					16
17	4	4	22	12					1	1	1	1	4	9	1	—	2	—					17
18	1	—	2	5					2	—	—	1	1	—	—	—	—	—					18
19	—	—	4	4					1	—	—	—	1	2	—	—	—	—					19
20	2	—	—	—					—	—	—	—	—	—	1	—	—	—					20
21	—	1	2	1					—	—	—	—	1	3	—	—	—	—					21
21A	—	—	—	—					—	—	—	—	—	—	—	—	—	—					21A
22	1	1	6	5					1	1	2	—	3	2	1	—	—	1					22
23	—	—	—	3					—	—	—	—	—	1	—	—	—	—					23
24	—	—	—	6					—	—	—	1	—	1	—	—	—	—					24
25	3	—	14	10					2	1	—	—	7	5	2	1	—	—					25
26	3	1	17	3					1	—	—	—	3	2	—	—	1	1					26
27	—	—	1	1					—	—	—	—	—	1	—	—	—	—					27
28	10	16	51	43					13	13	5	12	24	21	5	5	4	8					28
29	—	—	—	—					—	—	1	2	1	—	—	—	—	—					29

ANGLESEY—*cont.* BRECKNOCKSHIRE.

	Aethwy R.D.		Dwyran R.D.		Twrcelyn R.D.		Valley R.D.				Brecknock U.D.*		Brynmawr U.D.		Builth Wells U.D.		Hay U.D.		Llanwrtyd U.D.				
	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F			
	49	77	23	21	71	79	82	87			51	44	62	56	18	22	18	19	7	7			
1	—	—	—	—	1	—	—	—			—	—	—	—	—	—	—	—	—	—			1
2	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			2
3	—	2	—	—	—	—	1	—			—	—	1	1	—	1	—	1	—	—			3
4	—	—	—	—	—	—	—	—			1	—	—	—	—	—	—	—	—	—			4
5	1	1	1	2	4	—	—	1			—	—	6	1	—	—	—	—	—	—			5
6	—	—	—	—	—	—	1	1			—	—	2	2	1	1	—	—	—	—			6
7	1	5	—	—	1	1	2	8			1	—	1	2	—	—	—	1	—	—			7
8	—	—	—	—	—	—	—	—			—	—	—	3	—	—	—	—	—	—			8
9	3	5	2	3	4	7	1	6			3	2	3	1	1	2	3	3	2	1			9
10	—	1	—	—	1	—	2	1			—	—	—	—	—	1	—	—	—	—			10
11	—	—	2	—	1	1	2	—			1	1	1	—	—	—	—	—	—	—			11
12	3	9	1	1	8	12	7	12			1	3	—	2	1	1	—	—	—	1			12
13	—	—	—	—	—	—	—	1			1	—	—	—	—	—	—	—	—	—			13
14	—	—	—	—	—	1	—	3			1	1	—	1	—	1	—	—	1	—			14
15	5	11	6	1	5	17	9	5			4	6	5	3	2	2	2	4	1	—			15
16	2	7	2	1	9	5	3	4			4	3	8	11	1	2	2	2	—	—			16
17	3	1	1	1	2	4	2	4			9	7	10	5	1	1	1	—	—	2			17
18	—	1	—	—	1	2	2	—			1	1	1	—	1	—	—	—	—	—			18
19	—	1	—	—	1	—	2	1			—	—	—	1	—	—	—	—	1	—			19
20	—	—	—	—	—	—	1	—			—	—	—	1	—	—	—	—	—	—			20
21	—	—	—	—	—	—	—	—			1	—	—	1	—	—	—	—	—	—			21
21A	—	—	—	—	—	—	—	—			1	—	—	—	—	—	—	1	—	—			21A
22	4	2	1	—	1	1	4	3			1	—	1	1	—	—	1	2	—	—			22
23	—	—	—	—	—	—	—	2			—	—	—	—	—	—	—	—	—	—			23
24	—	1	—	—	—	1	—	1			—	—	—	1	—	—	—	1	—	—			24
25	2	5	—	—	3	2	—	7			4	3	2	4	—	—	1	—	—	—			25
26	4	1	—	—	4	—	6	1			4	2	3	—	—	2	—	—	—	—			26
27	1	—	—	—	—	—	1	—			1	—	—	1	1	—	—	—	—	—			27
28	20	23	6	12	25	22	36	26			12	15	18	14	8	8	7	4	2	3			28
29	—	1	1	—	—	3	—	—			—	—	—	—	1	—	1	—	—	—			29

* Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

BRECKNOCKSHIRE—*cont.*

	Causes of Death.	Brecknock R.D.		Builth R.D.		Crickhowell R.D.		Hay R.D.		Vaynor and Penderyn R.D.		Ystradgynlais R.D.		Llanwrthwl C.P.*		Ystradfellte C.P.†		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	67	73	24	27	56	48	29	24	55	51	71	68	3	2	3	4	
1	Enteric fever	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	—	—	5	4	—	—	2	2	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	1	1	1	1	—	1	—	—	1	1	—	—	—	—	—	6
7	Influenza	—	1	—	—	1	2	—	—	—	1	3	—	1	—	—	—	7
8	Erysipelas	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	8
9	Pulmonary tuberculosis	5	4	1	1	—	—	1	2	5	3	3	4	—	—	—	1	9
10	Tuberculous meningitis	—	1	—	—	—	—	—	—	—	1	1	2	—	—	—	—	10
11	Other tuberculous diseases	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	11
12	Cancer, malignant disease	5	6	2	3	3	2	5	1	5	3	3	4	—	—	—	—	12
13	Rheumatic fever... ...	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—	—	13
14	Meningitis	1	—	—	—	—	—	1	3	1	—	—	1	—	—	—	—	14
15	Organic heart disease ...	8	11	2	2	8	7	5	8	4	8	5	9	1	—	1	1	15
16	Bronchitis	—	5	2	3	6	3	1	1	2	5	8	9	—	—	—	—	16
17	Pneumonia (all forms) ...	6	5	—	1	7	6	3	2	7	6	7	3	—	—	1	—	17
18	Other respiratory diseases	—	1	—	1	2	—	—	—	—	—	—	2	—	—	—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	20
21	Cirrhosis of liver ...	2	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	3	—	—	2	1	1	—	1	1	2	3	—	—	—	—	22
23	Puerperal fever	—	—	—	1	—	1	—	—	—	—	—	2	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
25	Congenital debility, &c.	2	1	3	2	2	—	—	1	5	3	4	9	—	—	—	—	25
26	Violence, apart from 27	5	4	2	—	1	1	3	—	6	1	13	—	—	—	—	—	26
27	Suicide	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	27
28	Other defined diseases ...	29	27	9	10	10	17	7	6	12	12	16	17	1	2	1	2	28
29	Causes ill-defined or unknown.	1	—	—	—	—	1	1	—	2	—	2	—	—	—	—	—	29

CARDIGANSHIRE.

	Causes of Death.			Aberayron U.D.		Aberystwyth M.B.		Cardigan M.B.		Lampeter M.B.		New Quay U.D.				Aberayron R.D		
				M	F	M	F	M	F	M	F	M	F			M	F	
	ALL CAUSES			9	14	67	89	23	31	21	14	14	16			78	68	
1	Enteric fever			—	—	—	—	—	—	1	—	—	—			—	—	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—			—	—	2
3	Measles			—	—	—	—	—	—	—	—	—	—			—	—	3
4	Scarlet fever			—	—	—	—	—	—	—	—	—	—			—	—	4
5	Whooping cough ...			—	—	—	3	—	1	—	—	—	—			2	1	5
6	Diphtheria and croup ...			—	—	—	—	—	1	—	—	—	—			1	1	6
7	Influenza			—	—	1	7	—	1	—	—	1	—			2	1	7
8	Erysipelas			—	—	—	—	—	—	—	—	—	—			—	—	8
9	Pulmonary tuberculosis			1	2	14	5	—	5	2	—	1	—			6	11	9
10	Tuberculous meningitis			—	—	—	2	—	1	—	—	—	—			1	—	10
11	Other tuberculous diseases			—	—	—	1	—	1	1	—	—	—			1	—	11
12	Cancer, malignant disease			—	1	2	4	1	2	2	1	1	2			7	5	12
13	Rheumatic fever... ...			—	—	—	—	—	—	—	—	—	—			—	—	13
14	Meningitis			—	—	—	—	—	—	—	—	—	—			1	—	14
15	Organic heart disease ...			—	1	12	13	2	5	2	6	4	4			10	9	15
16	Bronchitis			—	2	2	10	1	3	1	—	—	1			8	7	16
17	Pneumonia (all forms) ...			2	—	4	9	4	1	1	—	1	1			2	1	17
18	Other respiratory diseases			1	—	2	1	—	—	—	1	—	—			4	1	18
19	Diarrhœa, &c. (under 2 yrs.)			—	—	1	—	1	1	—	—	—	—			1	1	19
20	Appendicitis and typhlitis			—	—	—	—	—	—	—	—	—	—			—	—	20
21	Cirrhosis of liver ...			—	—	—	1	1	—	—	—	—	—			—	—	21
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—			—	—	21A
22	Nephritis and Bright's dis.			1	1	5	2	—	—	2	—	1	—			5	1	22
23	Puerperal fever			—	—	—	—	—	—	—	—	—	—			—	1	23
24	Parturition, apart from 23			—	1	—	—	—	—	—	—	—	—			—	1	24
25	Congenital debility, &c.			—	—	3	5	1	—	—	1	—	—			2	2	25
26	Violence, apart from 27			—	—	3	—	2	—	—	—	—	—			1	—	26
27	Suicide			—	—	—	—	—	—	—	—	—	—			—	—	27
28	Other defined diseases ...			4	6	18	24	10	7	8	5	5	8			24	25	28
29	Causes ill-defined or unknown.			—	—	—	2	—	2	1	—	—	—			—	—	29

* Administered by Rhayader R.D.C. (Radnorshire). † Administered by Neath R.D.C. (Glamorganshire).

ADMINISTRATIVE AREAS, 1915—*continued.*

CARDIGANSHIRE—*cont.*

	Aberystwyth R.D.		Cardigan R.D.		Lampeter R.D.		Llandyssil R.D.		Tregaron R.D.		Ysgubor y coed C.P.*		
	M	F	M	F	M	F	M	F	M	F	M	F	
	108	127	25	30	33	24	51	69	71	85	2	5	
1	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	—	—	—	1	—	—	—	—	—	
4	—	—	—	—	—	—	—	1	—	—	—	—	
5	1	3	—	—	—	—	—	—	—	1	—	—	
6	—	1	—	—	—	—	—	—	—	1	—	—	
7	4	3	—	—	2	3	1	2	1	2	—	—	
8	—	1	—	—	—	—	—	—	—	—	—	—	
9	12	12	3	2	6	6	5	5	7	9	1	—	
10	1	1	—	1	—	—	1	—	—	—	—	—	
11	3	4	—	—	—	—	—	1	1	—	—	—	
12	13	14	2	3	—	1	5	10	7	4	—	—	
13	1	—	—	—	—	—	—	—	—	—	—	—	
14	1	1	—	—	—	—	1	—	—	1	—	—	
15	13	19	2	8	5	3	5	11	18	15	—	1	
16	5	14	3	2	—	2	6	8	3	6	1	—	
17	8	9	2	—	1	—	2	4	4	5	—	—	
18	3	2	1	—	—	—	1	1	1	1	—	—	
19	—	—	—	—	1	—	—	—	—	—	—	—	
20	—	—	—	—	—	—	—	—	—	—	—	—	
21	—	—	—	—	—	—	—	—	—	1	—	—	
21A	—	—	—	—	—	—	—	—	—	—	—	—	
22	3	1	—	1	2	2	4	2	5	5	—	—	
23	—	2	—	—	—	—	—	—	—	—	—	—	
24	—	—	—	—	—	—	—	1	—	—	—	—	
25	5	2	1	—	1	1	2	—	2	4	—	—	
26	2	—	1	1	—	—	1	—	1	1	—	—	
27	1	—	1	—	—	—	1	1	—	—	—	—	
28	28	32	9	12	14	4	15	22	20	29	—	4	
29	4	6	—	—	1	2	—	—	1	—	—	—	

CARMARTHENSHIRE.

	Ammanford U.D.		Burry Port U.D.		Carmarthen M.B.		Cwmamman U.D.		
	M	F	M	F	M	F	M	F	
	44	42	41	33	71	76	30	29	
1	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	2
3	1	1	—	1	1	—	—	—	3
4	—	—	1	1	—	—	—	—	4
5	2	4	—	—	—	—	1	2	5
6	—	—	—	—	2	—	—	—	6
7	—	—	1	—	—	—	1	1	7
8	—	—	—	—	—	—	—	—	8
9	3	2	2	—	7	6	6	3	9
10	—	1	1	—	2	1	—	1	10
11	—	1	—	—	1	2	2	1	11
12	1	2	—	2	6	8	—	2	12
13	1	—	—	—	—	1	—	—	13
14	—	—	—	—	1	—	1	—	14
15	3	2	2	1	7	11	2	2	15
16	—	1	—	2	3	5	—	4	16
17	5	3	3	4	2	3	3	2	17
18	1	—	1	—	1	—	—	—	18
19	1	1	2	3	2	4	1	2	19
20	—	1	—	—	—	—	—	—	20
21	1	—	—	—	—	—	—	—	21
21A	—	1	—	—	—	—	—	—	21A
22	—	2	2	2	4	7	1	—	22
23	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	1	—	—	24
25	5	4	3	2	4	—	1	2	25
26	3	1	5	1	3	3	1	—	26
27	—	—	—	—	—	1	—	—	27
28	15	15	18	13	24	23	10	7	28
29	2	—	—	—	1	—	—	—	29

CARMARTHENSHIRE—*cont.*

	Kidwelly M.B.		Llandilo U.D.		Llandovery M.B.		Llanelly M.B.		Newcastle Emlyn U.D.		
	M	F	M	F	M	F	M	F	M	F	
	20	26	19	19	17	8	274	246	5	11	
1	—	—	—	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	—	—	—	9	8	—	—	
4	—	—	—	—	—	—	6	5	—	—	
5	—	—	1	1	—	—	—	2	—	—	
6	—	—	—	—	—	—	1	1	—	—	
7	—	—	—	—	1	—	1	—	—	—	
8	—	—	—	—	—	—	1	2	—	—	
9	1	2	1	2	6	—	21	27	—	—	
10	—	1	—	—	—	—	—	5	—	—	
11	—	2	—	—	—	—	2	5	1	—	
12	2	2	2	1	—	1	10	17	1	—	
13	—	—	—	—	—	—	—	—	—	—	
14	—	—	1	—	—	—	—	—	—	—	
15	4	2	2	2	3	2	32	32	—	2	
16	4	2	2	1	2	—	9	14	1	3	
17	—	1	1	1	2	—	37	22	—	1	
18	1	1	—	2	—	—	3	2	—	—	
19	—	—	—	—	—	—	4	7	—	—	
20	—	—	—	—	—	—	—	1	—	—	
21	—	—	—	—	—	—	1	—	—	—	
21A	—	—	—	—	—	—	—	—	—	—	
22	—	1	—	2	1	1	15	9	—	—	
23	—	—	—	—	—	—	—	2	—	—	
24	—	—	—	—	—	—	—	2	—	—	
25	1	2	1	—	—	1	25	5	—	—	
26	—	1	—	—	—	—	17	3	1	—	
27	—	—	—	—	—	—	2	—	—	—	
28	7	9	8	7	2	3	75	73	1	5	
29	—	—	—	—	—	—	3	2	—	—	

	Carmarthen R.D.		Llandilo Fawr R.D.		Llandovery R.D.		Llanelly R.D.		Llanybyther R.D.		
	M	F	M	F	M	F	M	F	M	F	
	165	196	161	171	46	72	202	191	29	33	
1	—	—	—	—	—	—	—	1	—	—	1
2	—	—	—	—	—	—	—	—	—	—	2
3	—	1	—	—	—	—	2	2	—	—	3
4	—	1	2	2	—	—	—	2	—	—	4
5	3	3	6	4	—	1	3	3	—	—	5
6	1	—	—	3	1	—	4	1	—	—	6
7	5	5	5	1	1	1	3	—	—	2	7
8	—	—	—	1	—	—	—	—	—	—	8
9	16	11	12	11	3	6	12	17	7	2	9
10	4	1	1	2	—	—	4	3	—	—	10
11	4	5	3	2	—	—	3	2	—	1	11
12	6	19	3	14	4	3	8	12	4	3	12
13	—	—	2	1	—	—	2	1	—	—	13
14	3	—	1	1	—	2	2	3	—	1	14
15	21	38	17	24	11	10	19	20	4	4	15
16	11	15	10	15	3	2	12	20	2	—	16
17	4	7	23	14	2	6	20	14	1	1	17
18	4	2	3	4	—	1	2	4	—	—	18
19	2	1	5	1	1	—	10	3	—	—	19
20	—	—	—	1	1	—	—	—	—	—	20
21	—	—	1	—	—	1	1	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	21A
22	6	7	6	1	4	2	7	4	3	6	22
23	—	2	—	3	—	—	—	1	—	—	23
24	—	4	—	2	—	—	—	4	—	—	24
25	11	5	10	9	1	3	14	8	1	1	25
26	8	1	7	6	2	1	11	4	1	1	26
27	—	—	1	1	1	—	1	—	—	1	27
28	53	67	41	48	11	31	58	59	6	10	28
29	3	1	2	—	—	2	4	2	—	—	29

* Administered by Machynlleth R.D.C. (Montgomeryshire).

CARMARTHENSHIRE—*cont.*

	Causes of Death.	Newcastle in Emlyn R.D.		Whitland R.D.				Bangor M.B.		Bethesda U.D.		Bettws y Coed U.D.		Carnarvon M.B.		Conway M.B.		
		M	F	M	F			M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	47	43	28	58			101	111	40	43	12	10	91	94	47	38	
1	Enteric fever	—	—	—	—			—	—	—	—	—	—	—	—	1	—	1
2	Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—			5	4	—	—	—	—	2	1	—	1	3
4	Scarlet fever	—	—	—	—			—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	1	—	—			3	—	—	—	—	—	1	—	2	—	5
6	Diphtheria and croup ...	—	1	—	1			—	—	1	—	—	—	—	—	—	—	6
7	Influenza	1	2	1	—			—	1	—	2	—	—	—	—	2	2	7
8	Erysipelas	—	—	—	—			—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	4	5	4	6			15	6	2	6	3	—	7	7	1	4	9
10	Tuberculous meningitis	1	—	—	—			1	—	—	1	1	—	3	2	—	—	10
11	Other tuberculous diseases	2	—	1	2			—	2	2	—	—	—	3	1	3	—	11
12	Cancer, malignant disease	5	8	4	2			5	12	1	6	1	3	5	7	5	5	12
13	Rheumatic fever... ...	—	1	—	—			—	—	—	—	—	—	1	—	1	—	13
14	Meningitis	—	—	1	—			1	—	—	—	—	—	—	1	1	—	14
15	Organic heart disease ...	5	3	2	9			10	10	8	4	2	1	8	4	7	3	15
16	Bronchitis	4	4	3	3			4	8	4	3	—	1	3	7	2	1	16
17	Pneumonia (all forms) ...	3	1	1	1			13	11	1	1	2	2	11	9	1	2	17
18	Other respiratory diseases	1	—	—	—			—	3	—	—	—	—	2	5	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	—	2	—			1	1	1	—	—	—	3	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—			—	3	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—			—	—	—	—	—	—	2	2	—	—	21
21A	Alcoholism	—	—	—	—			—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	1	1	2			4	2	4	4	—	—	6	13	1	1	22
23	Puerperal fever	—	—	—	—			—	2	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1			—	2	—	—	—	—	—	1	—	1	24
25	Congenital debility, &c.	3	1	1	1			3	—	2	2	—	—	2	2	1	—	25
26	Violence, apart from 27	2	—	1	1			3	4	1	1	1	—	1	1	3	3	26
27	Suicide	—	—	—	—			1	—	—	—	—	—	—	1	—	1	27
28	Other defined diseases ...	12	14	5	28			32	40	13	13	2	2	31	30	15	14	28
29	Causes ill-defined or unknown.	—	1	1	1			—	—	—	—	—	1	—	—	—	—	29

CARNARVONSHIRE—*cont.*

	Causes of Death.	Criccieth U.D.		Llandudno U.D.		Llanfairfechan U.D.		Penmaenmawr U.D.		Portmadoc U.D.*		Pwllheli M.B.				Conway R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F			M	F	
	ALL CAUSES	5	17	71	78	20	23	25	33	36	48	38	42			57	60	
1	Enteric fever	—	—	—	2	—	—	—	—	—	—	—	—			—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	Measles	—	—	5	1	—	—	—	—	—	—	—	—			—	1	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—			—	1	4
5	Whooping cough ...	—	—	—	1	1	—	1	3	—	—	1	—			4	—	5
6	Diphtheria and croup ...	—	—	—	1	—	—	—	—	—	—	—	1			1	5	6
7	Influenza	—	1	1	1	2	3	—	2	—	—	—	1			—	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	1	—	2			1	—	8
9	Pulmonary tuberculosis	—	1	9	2	1	2	3	5	3	4	4	4			5	6	9
10	Tuberculous meningitis	—	2	1	2	—	—	—	1	—	—	—	1			2	—	10
11	Other tuberculous diseases	—	—	1	1	1	1	—	—	—	—	1	—			1	1	11
12	Cancer, malignant disease	—	2	4	10	2	2	2	1	5	4	11	3			4	3	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	—			1	—	13
14	Meningitis	—	—	—	1	—	—	—	—	—	4	—	—			—	—	14
15	Organic heart disease ...	1	1	8	8	1	2	2	4	6	5	2	3			8	7	15
16	Bronchitis	—	1	4	7	1	4	2	1	6	1	3	4			6	—	16
17	Pneumonia (all forms) ...	—	1	5	3	3	—	3	3	4	2	1	3			5	2	17
18	Other respiratory diseases	—	—	2	2	—	1	—	—	—	1	—	—			1	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	1	—	—	—	—	—	1	—	3	—			—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	1	—	—	—			—	1	20
21	Cirrhosis of liver ...	—	—	1	—	—	—	1	—	—	1	—	—			—	—	21
21A	Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—			—	—	21A
22	Nephritis and Bright's dis.	—	—	1	3	1	1	1	1	1	7	2	—			—	1	22
23	Puerperal fever	—	—	—	2	—	—	—	1	—	—	—	—			—	1	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—	—	1			—	—	24
25	Congenital debility, &c.	1	1	4	5	—	1	1	2	—	—	—	3			—	3	25
26	Violence, apart from 27	—	—	2	2	—	1	4	—	—	1	—	1			3	—	26
27	Suicide	—	—	1	1	—	—	—	—	—	—	—	—			—	—	27
28	Other defined diseases ...	2	7	19	22	7	5	5	8	9	17	10	15			15	23	28
29	Causes ill-defined or unknown.	1	—	1	1	—	—	—	—	—	—	—	—			—	1	29

* Formerly called Ynyscynhaiarn.

ADMINISTRATIVE AREAS, 1915—*continued.*

CARNARVONSHIRE—*cont.*

	Geirionydd R.D.		Glaslyn R.D.		Gwyrfai R.D.		Lleyn R.D.		Ogwen R.D.		
	M	F	M	F	M	F	M	F	M	F	
	31	43	18	17	230	223	130	131	53	67	
1	—	—	—	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	—	2	3	—	—	—	—	
4	—	—	—	—	—	—	—	—	—	—	
5	—	1	—	—	3	1	2	5	—	1	
6	—	1	—	—	1	—	2	—	1	—	
7	—	—	—	1	6	3	6	7	2	3	
8	—	—	—	—	1	—	—	—	—	—	
9	5	6	2	1	30	28	10	11	5	5	
10	1	—	1	—	2	2	1	—	—	2	
11	—	2	—	—	5	3	—	3	—	1	
12	3	5	—	1	20	18	13	15	6	8	
13	1	—	—	—	4	2	—	1	—	—	
14	—	1	1	—	2	1	—	2	1	1	
15	6	2	—	3	18	24	22	19	7	4	
16	2	6	1	2	10	21	2	8	3	7	
17	1	3	2	1	13	10	5	1	4	1	
18	2	3	—	—	7	3	3	2	2	—	
19	—	—	2	—	2	2	2	1	1	1	
20	1	—	—	—	1	1	3	—	—	—	
21	—	—	—	—	—	—	—	—	—	—	
21A	—	—	—	—	—	—	—	—	—	—	
22	—	1	2	1	15	18	6	1	1	6	
23	—	1	—	—	—	—	—	—	—	—	
24	—	—	—	—	—	—	—	2	—	—	
25	—	1	—	—	7	9	2	6	—	1	
26	—	—	1	—	10	2	3	1	1	2	
27	—	—	—	—	1	—	1	—	—	—	
28	9	10	6	7	68	71	45	45	19	24	
29	—	—	—	—	2	1	2	1	—	—	

DENBIGHSHIRE.

	Abergele and Pensarn U.D.		Colwyn Bay and Colwyn U.D.		Denbigh M.B.		Llangollen U.D.		Llanrwst U.D.		
	M	F	M	F	M	F	M	F	M	F	
	22	22	83	84	64	59	27	30	21	28	
1	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	2
3	—	—	2	1	1	2	—	—	—	—	3
4	1	—	—	—	—	—	—	—	—	—	4
5	—	—	3	1	—	—	—	—	1	—	5
6	1	—	1	—	—	—	—	—	—	—	6
7	5	6	5	7	1	1	3	2	—	4	7
8	—	—	—	1	—	—	—	—	—	—	8
9	—	1	3	7	1	—	—	1	2	2	9
10	—	—	1	2	1	—	—	1	—	—	10
11	—	—	2	1	1	1	2	—	—	—	11
12	1	4	5	6	3	7	7	5	—	1	12
13	—	—	—	—	—	—	—	—	1	—	13
14	—	1	—	—	—	1	—	—	—	—	14
15	4	1	4	8	12	11	1	8	1	6	15
16	—	—	5	7	4	3	1	3	—	3	16
17	1	1	8	7	7	3	1	—	3	5	17
18	—	—	3	2	2	4	—	—	1	—	18
19	—	—	1	1	1	—	—	—	—	—	19
20	—	—	3	—	—	1	—	—	—	—	20
21	1	—	1	—	—	—	—	—	—	—	21
21A	—	1	1	—	—	—	—	—	—	—	21A
22	1	—	5	5	2	1	3	—	1	—	22
23	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	24
25	2	—	4	1	2	4	1	—	—	1	25
26	—	—	5	3	6	2	1	1	—	—	26
27	—	—	—	—	—	—	—	1	—	—	27
28	5	7	21	23	20	17	7	10	11	5	28
29	—	—	—	1	—	1	—	—	—	—	29

DENBIGHSHIRE—*cont.*

	Ruthin M.B.		Wrexham M.B.		Chirk R.D.		Llangollen R.D.		Llanrwst R.D.		Llansilin R.D.		Ruthin R.D.		St. Asaph (Denbigh) R.D.		Uwchaled R.D.		Wrexham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	22	25	145	152	24	39	34	21	31	30	24	22	93	79	46	54	17	22	500	456	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	3	5	—	—	1	—	—	—	—	—	—	2	1	1	—	—	19	27	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	4
5	—	—	2	5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8	12	5
6	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	3	—	—	5	2	6
7	—	—	6	4	—	4	—	1	1	4	1	4	2	—	6	5	3	4	13	15	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	—	4	8	6	2	3	4	3	2	3	1	1	7	3	1	5	1	1	28	26	9
10	—	—	4	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	4	2	10
11	—	—	3	4	1	1	1	—	—	—	—	—	—	2	1	—	1	—	7	6	11
12	1	3	9	10	1	6	4	2	4	7	4	2	9	11	8	6	3	2	23	23	12
13	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3	1	13
14	—	—	3	1	—	—	—	—	—	1	—	—	1	1	—	1	—	—	5	4	14
15	—	1	11	19	5	2	5	4	3	3	1	2	9	17	8	8	2	2	54	56	15
16	4	1	11	19	3	3	5	2	—	1	—	—	7	4	—	2	—	1	65	37	16
17	2	2	17	17	3	3	1	—	4	2	2	1	7	1	4	4	1	2	52	40	17
18	1	—	4	3	—	1	2	—	4	—	2	1	2	—	2	2	—	—	6	9	18
19	1	—	—	1	—	—	—	—	1	—	—	1	1	—	—	—	—	—	10	11	19
20	—	—	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	1	1	2	20
21	—	—	1	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	4	2	2	—	—	1	2	2	—	1	2	8	2	2	1	1	9	18	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	3	23
24	—	—	—	3	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	12	24
25	2	1	8	7	1	1	1	2	1	1	2	—	3	—	2	1	1	1	27	27	25
26	—	—	3	1	1	1	—	—	—	—	1	1	4	1	—	1	—	—	26	4	26
27	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	3	—	27
28	10	12	43	43	3	10	10	5	8	6	9	7	35	24	11	13	4	5	126	113	28
29	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4	3	29

DENBIGHSHIRE—*cont.* FLINTSHIRE.

	Causes of Death.	Llanelian and Llansantffraid C.P's.*				Buckley U.D.		Connah's Quay U.D.		Flint M.B.		Holywell U.D.		Mold U.D.		Prestatyn U.D.		
		M	F			M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	14	15			47	48	31	24	60	49	28	21	35	44	15	16	
1	Enteric fever	—	—			—	—	—	—	1	—	—	—	—	1	—	—	1
2	Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—			2	3	—	—	2	2	2	—	2	3	—	—	3
4	Scarlet fever	—	—			—	—	2	1	—	1	—	1	—	—	—	—	4
5	Whooping cough ...	—	—			—	—	—	1	1	1	3	1	—	—	—	—	5
6	Diphtheria and croup ...	2	1			3	2	1	—	2	—	1	—	—	—	—	—	6
7	Influenza	1	1			1	—	—	—	1	—	—	1	—	2	—	—	7
8	Erysipelas	—	—			—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	1			2	1	3	2	4	—	2	2	1	4	3	—	9
10	Tuberculous meningitis	—	—			1	—	1	—	3	2	—	—	4	—	1	—	10
11	Other tuberculous diseases	1	—			1	—	1	—	—	—	—	—	2	1	—	—	11
12	Cancer, malignant disease	1	1			3	2	—	2	2	2	1	1	3	1	2	3	12
13	Rheumatic fever... ...	—	—			—	—	—	—	1	1	—	1	—	—	—	—	13
14	Meningitis	—	—			—	—	1	—	—	1	—	—	1	—	—	—	14
15	Organic heart disease ...	—	2			4	9	2	2	5	1	4	2	—	3	1	1	15
16	Bronchitis	2	1			6	3	4	2	6	6	1	2	1	2	3	2	16
17	Pneumonia (all forms) ...	1	3			3	2	4	6	3	4	5	2	3	3	—	1	17
18	Other respiratory diseases	—	—			2	—	2	—	—	—	1	—	—	—	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	1	—			3	—	—	—	1	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—			—	—	2	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—			1	—	—	—	—	—	1	—	1	—	—	—	21
21A	Alcoholism	—	—			—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—			5	—	2	1	1	2	1	—	4	3	1	—	22
23	Puerperal fever	—	—			—	2	—	—	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	—			—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	—			3	4	2	—	5	9	—	—	1	—	—	—	25
26	Violence, apart from 27	—	—			—	3	—	—	6	1	—	—	1	2	—	—	26
27	Suicide	—	—			—	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	3	5			5	15	4	7	11	14	6	8	11	18	4	8	28
29	Causes ill-defined or unknown.	—	—			2	2	—	—	5	2	—	—	—	—	—	—	29

FLINTSHIRE—*cont.* GLAMORGANSHIRE.

	Causes of Death.	Rhyl U.D.				Hawarden R.D.		Holywell R.D.		Overton R.D.		St. Asaph (Flint) R.D.				Aberavon M.B.		
		M	F			M	F	M	F	M	F	M	F			M	F	
	ALL CAUSES	90	84			168	135	193	196	43	25	66	49			111	102	
1	Enteric fever	—	—			1	—	—	—	—	—	1	—			—	—	1
2	Small-pox	—	—			—	—	—	—	—	—	—	—			—	—	2
3	Measles	—	—			2	—	2	2	—	—	—	1			9	8	3
4	Scarlet fever	—	—			—	1	—	2	—	—	1	—			—	—	4
5	Whooping cough ...	—	—			1	3	1	5	—	—	1	2			5	11	5
6	Diphtheria and croup ...	6	5			2	1	4	4	1	1	1	—			—	—	6
7	Influenza	2	2			3	3	4	3	2	—	4	5			1	—	7
8	Erysipelas	1	—			—	—	1	—	—	—	—	—			1	—	8
9	Pulmonary tuberculosis	4	2			7	4	14	12	1	—	6	2			3	6	9
10	Tuberculous meningitis	2	—			4	1	—	1	—	1	—	—			—	—	10
11	Other tuberculous diseases	—	1			1	—	2	3	—	—	1	—			1	3	11
12	Cancer, malignant disease	9	8			9	16	19	24	4	1	2	9			1	4	12
13	Rheumatic fever ...	—	—			—	—	1	1	—	—	—	—			—	1	13
14	Meningitis	1	1			1	1	—	1	1	—	1	—			4	1	14
15	Organic heart disease ...	10	12			22	18	21	24	8	5	10	2			16	14	15
16	Bronchitis	7	7			6	9	10	10	1	4	5	1			5	6	16
17	Pneumonia (all forms) ...	4	6			20	16	20	15	4	—	6	4			16	11	17
18	Other respiratory diseases	1	1			1	—	6	2	1	—	2	—			—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	1	2			2	4	1	1	—	—	1	1			2	5	19
20	Appendicitis and typhlitis	—	—			1	—	—	—	—	—	1	—			—	—	20
21	Cirrhosis of liver ...	1	1			1	1	1	—	—	1	2	1			—	—	21
21A	Alcoholism	1	—			—	—	—	—	—	—	—	—			—	—	21A
22	Nephritis and Bright's dis.	7	—			3	3	7	7	—	—	—	2			3	1	22
23	Puerperal fever	—	—			—	2	—	1	—	—	—	—			—	—	23
24	Parturition, apart from 23	—	1			—	2	—	2	—	2	—	—			—	—	24
25	Congenital debility, &c.	4	1			10	8	13	6	2	1	—	4			6	6	25
26	Violence, apart from 27	—	1			8	1	7	3	3	—	2	—			9	1	26
27	Suicide	1	—			1	—	1	1	1	—	—	—			—	—	27
28	Other defined diseases ...	26	32			61	39	55	61	13	8	16	15			29	23	28
29	Causes ill-defined or unknown.	2	1			1	2	3	5	1	1	3	—			—	—	29

* Administered by Conway R.D.C. (Carnarvonshire).

ADMINISTRATIVE AREAS, 1915—*continued.*

GLAMORGANSHIRE—*cont.*

	Aberdare U.D.		Barry U.D.		Bridgend U.D.		Briton Ferry U.D.		Caerphilly U.D.		Cowbridge M.B.		Gelligaer U.D.		Glyncorwg U.D.		Maesteg U.D.		Margam U.D.		Mountain Ash U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	412	419	239	186	49	46	52	80	243	213	12	4	333	281	72	71	212	206	82	83	368	288	
1	1	3	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	19	8	—	—	—	2	1	2	10	12	—	—	25	17	9	5	6	4	—	—	15	9	3
4	—	3	1	1	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	2	—	4
5	11	13	8	6	3	1	4	6	2	4	—	—	8	12	2	1	8	10	—	1	19	15	5
6	8	5	11	7	1	—	—	—	1	7	—	—	3	7	2	—	3	2	—	—	4	5	6
7	4	1	1	1	1	—	4	—	3	4	1	1	9	1	2	2	2	1	—	4	10	4	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	8
9	22	35	29	15	5	1	3	5	7	15	1	1	9	13	5	5	15	14	6	9	22	27	9
10	7	4	2	5	—	1	—	—	4	1	—	—	4	4	—	—	6	2	1	—	1	2	10
11	4	2	4	3	1	—	—	1	—	2	—	—	6	2	3	2	1	3	—	1	2	—	11
12	11	27	11	15	3	1	3	6	10	14	—	1	9	13	3	4	5	13	4	9	5	16	12
13	—	5	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	3	2	—	3	2	13
14	4	3	2	1	—	—	1	3	10	—	—	—	5	3	1	2	3	—	2	—	3	3	14
15	29	41	24	19	6	10	3	5	17	18	1	1	14	20	2	7	12	10	7	6	21	21	15
16	35	37	16	13	4	7	1	4	18	16	—	—	40	20	1	3	24	25	6	2	46	24	16
17	45	38	13	14	7	7	8	15	32	24	1	—	56	41	7	7	41	26	7	5	51	22	17
18	8	4	4	3	—	—	4	2	4	3	1	—	10	9	1	1	6	4	1	1	6	10	18
19	15	15	11	6	1	—	—	—	5	6	—	—	11	10	3	1	10	8	3	3	11	9	19
20	2	1	1	1	—	—	—	—	2	1	—	—	—	—	2	2	1	—	1	—	—	1	20
21	2	—	2	1	2	—	—	—	—	—	—	—	2	—	—	1	—	1	1	—	1	—	21
21A	1	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	21A
22	6	13	8	1	1	—	—	—	10	7	1	—	8	6	—	3	3	5	1	2	10	9	22
23	—	3	—	2	—	1	—	4	—	—	—	—	—	2	—	—	—	—	—	—	—	4	23
24	—	7	—	6	—	—	—	—	—	2	—	—	—	8	—	2	—	4	—	1	—	11	24
25	33	24	13	7	2	1	4	3	18	15	1	—	31	31	4	7	17	17	8	9	27	20	25
26	33	5	7	3	4	—	2	2	19	3	—	—	22	3	4	1	12	3	9	1	28	4	26
27	—	1	—	—	—	—	—	—	2	—	—	—	—	4	2	—	1	1	—	—	1	—	27
28	112	120	66	55	7	14	13	18	66	58	5	—	59	51	18	13	36	47	22	29	77	66	28
29	—	1	1	1	—	—	1	2	1	1	—	—	1	1	—	1	—	1	—	—	2	2	29

GLAMORGANSHIRE—*cont.*

	Neath M.B.		Ogmore and Garw U.D.		Ystermouth U.D.		Penarth U.D.		Pontypridd U.D.		Porthcawl U.D.		Rhondda U.D.		Cowbridge R.D.		Gower R.D.		Llandaff and Dinas Powis R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	137	132	236	185	42	49	85	88	350	274	34	22	1244	974	66	56	60	60	200	207	
1	—	1	1	—	—	—	1	—	1	1	—	—	7	2	—	—	—	1	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	6	2	—	—	—	1	10	7	—	—	37	21	—	1	—	—	—	—	3
4	2	—	—	—	—	—	1	—	1	1	—	—	8	4	—	—	—	—	—	—	4
5	1	3	8	8	—	—	—	—	8	7	—	—	27	21	2	2	1	1	3	3	5
6	1	3	3	2	—	—	—	1	2	3	2	1	13	16	3	4	—	1	6	8	6
7	—	—	2	1	1	3	3	—	5	4	—	1	16	13	4	—	2	3	2	4	7
8	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	8
9	10	9	7	8	3	3	5	5	22	23	3	2	63	66	4	5	4	8	19	14	9
10	3	1	4	3	—	—	—	1	4	4	—	—	10	6	1	1	—	1	1	5	10
11	—	1	1	6	2	—	—	2	3	4	—	1	13	5	1	—	2	2	2	2	11
12	8	6	6	8	4	11	8	11	14	20	2	1	44	47	9	6	5	5	11	12	12
13	3	1	2	1	—	—	1	1	2	1	—	—	9	5	—	—	1	—	—	1	13
14	1	1	—	3	—	—	2	—	2	3	—	—	19	18	1	—	1	—	2	5	14
15	14	13	14	15	3	4	3	6	25	23	7	5	115	103	5	7	4	6	21	25	15
16	6	5	14	17	—	7	9	14	35	19	3	1	111	83	4	3	2	4	18	17	16
17	16	9	39	14	2	1	9	8	30	11	—	1	170	101	8	2	5	3	10	15	17
18	1	1	9	3	4	1	—	—	5	5	1	—	29	12	—	2	1	2	4	1	18
19	6	2	13	14	1	—	2	1	16	12	1	—	53	39	1	—	—	—	3	4	19
20	3	—	—	2	1	—	—	—	3	—	—	—	3	7	—	—	1	—	1	3	20
21	1	1	—	1	—	1	—	1	—	—	—	—	6	2	—	—	1	—	—	1	21
21A	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	21A
22	2	3	7	5	—	1	1	1	3	1	—	—	34	36	1	1	3	2	7	7	22
23	—	2	—	1	—	—	—	—	—	1	—	—	—	10	—	—	—	2	—	1	23
24	—	3	—	7	—	—	—	—	—	2	—	1	—	18	—	—	—	—	—	4	24
25	12	7	30	14	1	1	8	2	29	19	2	—	92	73	7	3	4	1	9	10	25
26	8	8	14	10	1	—	7	5	21	8	1	1	84	19	6	2	6	3	12	1	26
27	—	—	—	—	1	—	—	—	2	1	—	—	4	3	—	—	1	1	1	4	27
28	37	49	55	39	18	16	25	28	105	90	12	7	272	241	8	17	14	14	66	60	28
29	2	1	1	1	—	—	—	—	1	3	—	—	4	3	1	—	1	—	—	—	29

GLAMORGANSHIRE—*cont.*

	Causes of Death.	Llantrisant and Llantwitfardre R.D.		Neath R.D.		Penybont R.D.		Pontardawe R.D.		Swansea R.D.				Bala U.D.		Barmouth U.D.		
		M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	ALL CAUSES	142	135	318	292	137	119	240	210	323	308			15	19	24	17	
1	Enteric fever	—	1	1	1	—	—	—	1	—	—			—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	Measles	3	3	4	6	2	3	3	5	6	6			—	—	1	—	3
4	Scarlet fever	—	1	2	5	—	1	—	—	1	—			—	—	—	—	4
5	Whooping cough ...	5	6	9	8	3	5	8	12	4	9			—	—	—	2	5
6	Diphtheria and croup ...	3	6	4	5	2	1	3	2	4	2			—	—	—	—	6
7	Influenza	1	2	5	7	3	—	9	1	4	3			—	1	—	1	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	—			—	—	—	—	8
9	Pulmonary tuberculosis	4	8	26	15	8	9	10	23	22	32			2	3	3	—	9
10	Tuberculous meningitis ...	1	2	—	1	—	1	5	6	1	1			—	—	—	—	10
11	Other tuberculous diseases	1	2	4	8	3	1	5	4	3	2			—	—	—	—	11
12	Cancer, malignant disease	6	9	13	21	7	9	10	10	15	21			1	—	1	2	12
13	Rheumatic fever ...	2	2	4	2	—	—	1	—	1	3			—	—	—	—	13
14	Meningitis	1	1	3	4	1	—	2	2	5	4			—	—	—	—	14
15	Organic heart disease ...	12	7	36	26	12	8	17	12	22	30			1	2	1	3	15
16	Bronchitis	11	12	24	35	9	15	13	14	27	24			—	1	1	1	16
17	Pneumonia (all forms) ..	16	11	36	24	13	8	28	9	43	24			1	3	2	—	17
18	Other respiratory diseases	1	1	5	1	3	2	5	5	7	7			—	—	—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	5	2	5	8	2	1	4	8	10	9			—	—	—	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	2	1	1	1			—	—	—	—	20
21	Cirrhosis of liver ...	1	—	—	1	2	—	—	—	1	1			1	1	1	—	21
21A	Alcoholism	—	1	1	—	—	—	—	—	—	—			—	—	—	—	21A
22	Nephritis and Bright's dis.	2	1	7	8	1	2	6	1	8	15			1	1	5	4	22
23	Puerperal fever	—	1	—	2	—	—	—	1	—	1			—	—	—	—	23
24	Parturition, apart from 23	—	6	—	4	—	1	—	5	—	8			—	—	—	—	24
25	Congenital debility, &c.	8	9	30	25	4	6	31	21	34	16			1	2	1	1	25
26	Violence, apart from 27	11	1	17	10	11	1	27	3	21	4			1	—	1	—	26
27	Suicide	1	—	1	1	—	—	3	—	4	1			—	—	—	—	27
28	Other defined diseases ...	46	39	79	64	50	45	47	63	78	83			6	5	7	3	28
29	Causes ill-defined or unknown.	—	—	2	—	1	—	1	1	1	1			—	—	—	—	29

MERIONETHSHIRE—*cont.*

	Causes of Death.	Dolgelley U.D.		Ffestiniog U.D.		Mallwyd U.D.		Towyn U.D.				Deudraeth R.D.		Dolgelley R.D.		Edeirnion R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES	19	26	77	77	17	13	30	27			59	59	62	72	37	44	
1	Enteric fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	Measles	—	—	1	2	—	—	1	1			2	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	1	—	—	—	—			—	1	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—			1	—	—	—	—	—	6
7	Influenza	1	—	4	3	—	1	2	1			—	2	3	7	—	—	7
8	Erysipelas	—	—	1	—	—	—	—	—			—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	—	15	1	4	—	3	2			6	7	10	4	4	3	9
10	Tuberculous meningitis	—	—	1	2	—	1	—	1			—	1	—	1	—	—	10
11	Other tuberculous diseases	—	—	3	2	—	—	—	1			—	2	2	1	2	1	11
12	Cancer, malignant disease	4	4	9	8	3	2	2	4			8	5	3	9	3	5	12
13	Rheumatic fever... ...	—	—	—	1	—	—	—	—			2	—	1	—	—	—	13
14	Meningitis	—	—	1	1	—	—	—	1			1	1	—	—	—	—	14
15	Organic heart disease ...	4	6	3	10	2	4	3	—			7	6	15	9	1	7	15
16	Bronchitis	—	6	3	7	2	1	3	2			—	3	4	1	2	1	16
17	Pneumonia (all forms) ...	5	2	3	1	3	—	—	—			4	3	6	3	—	5	17
18	Other respiratory diseases	—	—	—	3	—	1	2	—			1	1	1	1	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	1	1	—	—	—	—			—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	1	—	—	—	—	—			—	—	—	—	—	1	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	1			—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—			—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	—	—	3	3	—	—	1	3			4	4	6	4	1	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	23
24	Parturition, apart from 23	—	2	—	—	—	—	—	—			—	—	—	2	—	—	24
25	Congenital debility, &c.	1	2	6	—	—	—	—	—			1	1	2	2	2	3	25
26	Violence, apart from 27	—	—	2	1	—	1	2	—			2	—	1	—	4	1	26
27	Suicide	—	—	—	—	—	—	—	—			1	—	—	—	1	—	27
28	Other defined diseases ...	1	4	20	30	3	2	11	10			19	22	8	28	15	16	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—			—	—	—	—	1	—	29

ADMINISTRATIVE AREAS, 1915—*continued.*

MERIONETHSHIRE—*cont.* MONTGOMERYSHIRE.

	Penllyn R.D.		Pennal C.P.*		Llanfyllin M.B.		Llanidloes M.B.		Machynlleth U.D.		Montgomery M.B.		Newtown and Llanllwchaiarn U.D.		Welshpool M.B.		Forden R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	23	24	5	5	11	14	20	18	13	16	10	6	55	44	55	49	46	39	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	4	5	—	—	2	—	5
6	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	6
7	—	—	—	—	—	—	—	—	1	1	1	1	—	2	1	3	3	—	7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	2	—	—	—	1	3	3	1	1	—	1	2	1	5	3	1	2	9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
11	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	2	—	11
12	3	3	1	1	1	1	1	1	1	2	1	—	3	5	5	3	4	1	12
13	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	14
15	3	3	2	—	1	—	—	4	2	3	—	—	9	5	1	8	5	6	15
16	1	3	—	—	1	1	—	2	—	—	2	—	1	3	7	5	4	3	16
17	—	2	—	1	1	—	1	—	1	1	2	—	2	—	6	5	3	4	17
18	1	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	1	18
19	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	20
21	2	—	—	—	—	—	—	—	—	—	1	—	—	—	3	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	—	—	—	1	—	1	1	1	—	1	1	2	—	1	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
25	1	2	—	—	1	2	1	1	1	—	—	—	3	—	3	1	1	3	25
26	—	1	—	—	—	—	1	—	—	—	—	—	1	—	1	1	2	—	26
27	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	27
28	10	8	2	3	6	7	10	7	2	5	2	4	23	19	18	18	15	17	28
29	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—	—	—	—	29

MONTGOMERYSHIRE—*cont.* PEMBROKESHIRE.

	Llanfyllin R.D.		Machynlleth R.D.		Newtown and Llanidloes R.D.		Fishguard U.D.		Haverfordwest M.B.		Milford Haven U.D.		Narberth U.D.		Neyland U.D.		Pembroke M.B.		Tenby M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	120	97	24	35	88	75	18	25	37	59	61	61	13	12	31	21	148	126	36	32	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	1	3	1	1	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	—	—	—	—	1	1	—	—	—	2	1	1	1	1	1	—	—	—	1	—	5
6	—	2	—	—	—	—	—	—	—	—	4	2	1	—	—	—	1	—	1	—	6
7	6	3	1	2	4	—	1	—	—	2	1	1	—	—	1	2	2	2	2	2	7
8	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	7	6	4	1	7	8	2	4	6	5	6	3	1	—	2	1	13	11	2	2	9
10	—	—	1	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	10
11	1	—	—	—	2	—	1	1	1	—	2	1	—	—	1	—	—	3	—	—	11
12	4	7	2	4	7	5	—	2	1	5	4	1	1	—	4	2	7	9	5	1	12
13	—	—	—	—	—	1	—	—	1	—	1	1	—	—	—	1	—	—	—	1	13
14	—	—	—	—	2	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—	14
15	19	22	1	7	7	4	4	7	7	4	2	4	—	3	1	5	26	17	6	4	15
16	21	9	1	2	6	3	3	2	3	7	3	5	—	1	1	—	21	20	3	3	16
17	4	1	5	4	10	3	1	1	1	2	3	10	—	3	3	2	10	11	—	—	17
18	2	4	—	—	2	—	1	—	1	2	3	3	—	—	1	—	2	1	—	—	18
19	—	—	—	—	—	—	—	—	—	1	2	—	—	—	2	—	4	1	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	—	3	1	2	2	5	—	—	1	1	—	1	—	—	1	—	3	2	2	—	22
23	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	24
25	6	3	2	1	5	4	—	1	2	2	3	3	—	—	1	1	7	6	—	—	25
26	2	1	—	1	1	2	—	2	—	2	4	—	—	—	—	—	4	2	2	1	26
27	1	1	—	—	1	—	—	—	1	—	—	—	—	—	1	—	2	—	1	—	27
28	43	34	6	9	28	35	4	3	9	20	16	17	9	3	9	5	43	38	11	17	28
29	3	—	—	1	2	—	—	—	1	1	2	3	—	—	1	—	—	1	—	—	29

* Administered by Machynlleth R.D.C. (Montgomeryshire).

Causes of Death in Administrative Areas, 1915—*continued.*

PEMBROKESHIRE—*cont.* RADNORSHIRE.

	Causes of Death.	Haverfordwest R.D.		Llanfyrnach R.D.		Narberth R.D.		Pembroke R.D.		St. Dogmells R.D.		Knighton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	
	All Causes	163	172	11	20	76	91	57	77	66	82	13	19	
1	Enteric fever	—	—	—	—	—	1	1	—	1	2	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	2	—	—	—	—	1	1	1	1	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	2	1	—	—	1	1	1	—	—	1	—	—	5
6	Diphtheria and croup ...	—	—	—	—	2	—	—	1	1	—	—	—	6
7	Influenza	8	4	—	—	—	1	1	1	1	—	1	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	12	13	—	2	7	11	4	8	4	2	2	1	9
10	Tuberculous meningitis	—	3	—	—	—	2	2	—	—	1	1	2	10
11	Other tuberculous diseases	1	1	—	1	1	2	1	1	2	2	—	1	11
12	Cancer, malignant disease	10	13	1	1	7	6	6	5	4	5	1	2	12
13	Rheumatic fever... ...	4	—	1	—	—	1	—	1	—	1	—	—	13
14	Meningitis	—	1	—	1	1	—	1	—	—	1	—	—	14
15	Organic heart disease ..	21	24	2	1	10	10	9	7	12	17	—	—	15
16	Bronchitis	16	19	—	2	3	5	3	10	5	7	3	1	16
17	Pneumonia (all forms) ...	9	6	—	—	4	3	3	1	1	4	3	1	17
18	Other respiratory diseases	3	2	—	—	1	—	—	—	1	1	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	5	1	—	—	3	—	1	1	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	1	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	2	—	—	—	—	—	1	—	—	—	1	21
21A	Alcoholism	—	1	1	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	6	5	—	—	2	—	1	3	2	1	—	1	22
23	Puerperal fever	—	2	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	4	—	—	—	2	—	1	—	—	—	—	24
25	Congenital debility, &c.	8	9	1	1	4	6	1	—	2	2	—	1	25
26	Violence, apart from 27	10	1	—	—	2	1	—	3	2	—	1	—	26
27	Suicide	1	—	—	—	1	1	—	—	—	—	—	—	27
28	Other defined diseases ...	43	57	5	10	25	37	21	29	25	34	1	7	28
29	Causes ill-defined or unknown.	3	1	—	—	1	1	—	3	1	—	—	—	29

RADNORSHIRE—*cont.*

	Causes of Death.	Llandrindod Wells U.D.		Presteigne U.D.		Colwyn R.D.		Knighton R.D.		New Radnor R.D.		Painscastle R.D.		Rhayader R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	All Causes	19	28	12	10	11	11	24	18	22	15	22	14	42	38	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	1	—	—	—	—	—	—	3
4	Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	1	—	—	—	1	2	1	—	1	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	—	—	1	—	—	1	6
7	Influenza	1	—	—	1	2	—	1	3	—	—	—	—	1	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	2	2	—	1	1	2	1	—	—	2	1	3	3	9
10	Tuberculous meningitis	—	1	—	—	—	—	—	—	—	—	—	—	1	—	10
11	Other tuberculous diseases	1	1	—	—	—	—	—	—	—	—	—	—	2	—	11
12	Cancer, malignant disease	1	5	1	—	1	3	—	1	2	1	—	2	3	4	12
13	Rheumatic fever ...	—	1	—	—	—	—	—	—	—	—	—	—	—	1	13
14	Meningitis	1	—	—	—	1	—	—	—	—	—	—	1	—	—	14
15	Organic heart disease ...	2	3	1	1	2	1	3	3	5	5	2	2	6	4	15
16	Bronchitis	—	2	2	2	—	1	5	3	—	—	3	2	4	3	16
17	Pneumonia (all forms) ...	3	4	—	—	1	—	—	1	1	—	3	—	—	—	17
18	Other respiratory diseases	1	1	—	1	—	—	—	—	—	—	—	—	1	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	—	—	—	—	—	1	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	1	—	—	1	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	—	—	—	—	1	—	—	—	—	—	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	—	—	1	1	—	1	2	—	2	1	1	2	4	1	25
26	Violence, apart from 27	—	—	—	—	—	—	2	—	1	1	1	—	3	1	26
27	Suicide	—	1	—	—	1	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	6	4	5	4	2	3	6	3	11	6	8	4	14	15	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

1915.

VIOLENT DEATHS.

VIOLENT DEATHS, 1915.

England and Wales.—Deaths from Accident, Negligence, Battle, and Execution at different Periods of Life in the Year 1915—Males.

(Note.—*Deaths in cases where 'Open Verdicts' are recorded at inquests, are included under* "Accidents").

International List No.	Cause or Character of Violence.	All Ages.	Under 1 Month.	Months. 1—	3—	6—	1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
		Ages at Death.																									
	TOTAL	14,807	232	207	144	135	322	320	270	202	839	587	1060	1447	1255	1125	1074	968	891	839	741	648	515	389	289	180	128
164	POISONING BY FOOD :—																										
	Ptomaine	44	—	—	—	—	—	1	2	1	7	3	4	3	—	1	2	2	6	5	2	3	1	—	1	—	—
	Food poisoning	10	—	—	—	—	1	—	1	2	1	1	—	1	—	1	—	1	—	—	1	—	—	—	—	—	—
165	OTHER ACUTE POISONINGS :—																										
	Hydrochloric acid	5	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—
	Carbolic acid	5	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—
	Opium, morphia, laudanum	16	1	1	—	—	—	—	—	—	—	—	—	1	1	1	1	1	1	2	1	2	1	2	—	—	—
	Veronal	9	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	1	2	2	1	—	—	—	—	—
	Sting of insect	6	1	—	—	—	—	1	—	—	—	1	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
	Other poisons (*or kind not stated*)* ...	58	—	—	1	2	4	1	1	—	5	1	1	5	2	4	4	4	6	5	5	1	3	1	2	—	—
166	CONFLAGRATION :—																										
	On ships	5	—	—	—	—	1	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Others	33	—	—	1	2	2	3	—	1	1	3	1	—	2	2	2	1	2	1	2	—	2	1	2	2	—
167	BURNS (CONFLAGRATIONS EXCEPTED) :—																										
	By lamp accident...	10	—	—	—	1	4	—	—	1	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	—
	By molten metal	9	—	—	—	—	—	—	—	—	—	1	—	1	2	2	1	1	1	—	—	—	—	—	—	—	—
	By flannelette clothes	41	—	—	—	3	9	11	11	2	4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	By clothes (*not otherwise described*) ...	139	—	—	—	7	22	27	15	18	21	2	1	—	—	4	1	1	1	1	4	1	1	6	3	2	1
	Playing with fire, matches, &c.... ...	15	—	—	—	—	3	4	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	At unguarded grate	8	—	—	—	1	2	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	By fall into fire	13	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	1	4	—	3	—
	By fall into chemicals†	8	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	1	1	1	1	1	—	—	—
	In ships	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—
	In building operations	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Otherwise (*or not stated how*)‡... ...	312	2	—	5	12	35	45	30	20	31	6	9	8	8	5	5	11	9	9	11	4	10	12	15	3	7
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	SCALDS :—																										
	By steam on ships	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Collapsed combustion chamber on ship	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
	By drinking hot liquids	11	—	—	—	—	2	4	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)	409	—	2	3	29	113	93	65	26	37	6	3	3	6	5	3	—	2	—	3	2	1	2	3	2	—
	EXPLOSION :—																										
	Of petrol	7	—	—	—	—	—	—	1	—	1	1	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—
	In stoke hole on ship	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—
	Otherwise (*or undefined*)	6	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	—	1	—	—	1	—	—	—	—
168	ABSORPTION OF DELETERIOUS GASES :—																										
	By suffocation in bed	522	179	185	108	37	7	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	2	—	—	—
	By coal gas	30	—	—	—	—	1	—	—	—	—	—	1	3	2	—	3	2	3	2	3	—	2	5	2	1	—
	By gas fumes (*kind not stated*)	27	—	—	—	—	—	—	—	—	1	—	1	3	4	1	1	3	2	—	2	5	2	1	1	—	—
	By nitric acid fumes	5	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	1	1	—	—	—	—	—
	By other chemical fumes§	9	—	—	—	1	—	1	—	—	—	—	1	1	1	2	1	—	—	—	—	1	—	—	—	—	—
	By carbon dioxide—																										
	In ships	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise	5	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	2	1	—	—	—	—	—	—	—
	By carbon monoxide—																										
	In ships	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
	Otherwise	16	—	—	—	—	—	—	—	—	—	—	—	1	2	1	3	2	—	2	2	2	—	1	—	—	—
	By benzene fumes on ships	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	By other fumes on ships	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	Smothered by heavy substance ...	10	—	—	—	—	—	—	—	—	3	2	2	—	—	—	—	1	1	—	1	—	—	—	—	—	—
	" " " " *on ships*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)‖	66	23	3	7	5	—	—	—	—	1	2	—	—	3	2	1	3	3	—	1	3	4	2	1	1	1
169	ACCIDENTAL DROWNING :—																										
	Bathing	180	—	—	—	—	—	—	—	—	12	40	48	35	12	10	9	6	3	2	1	1	1	—	—	—	—
	Shipwreck	46	—	—	—	—	—	—	—	—	1	2	3	9	3	5	8	4	5	4	1	1	—	—	—	—	—
	Boat upset, fall overboard	161	—	—	—	—	—	—	—	—	3	7	22	19	18	22	14	16	7	9	10	6	5	3	—	—	—
	Collision	30	—	—	—	—	1	—	—	—	1	6	12	—	2	1	1	2	1	2	1	—	—	—	—	—	—
	Sliding, skating	14	—	—	—	—	—	—	—	—	3	2	5	1	2	—	1	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)	861	—	1	—	4	34	49	42	41	211	76	51	47	36	42	35	39	29	34	33	14	20	9	6	5	3
	"Found" (open verdict)	965	10	—	—	—	1	8	8	2	21	11	21	62	75	79	111	121	108	92	67	67	51	30	16	4	—
170	INJURY BY FIREARMS	151	—	—	—	—	—	—	—	—	3	5	32	27	17	15	8	11	14	8	4	4	2	1	—	—	—

* Including arsenic 3, ammonia 4, caustic soda 3, oxalic acid 3, acetic acid 2, prussic acid 4, mercuric perchloride 1, potassium cyanide 3, potassium chlorate 1, potassium bichromate 1, strychnia 1, aconite 1, belladonna 1, aconite and belladonna 2, eserine 1, chloral 3, nicotine 1, chloroform 2, laudanum and oil of aniseed 1, sleeping draught 2, eucalyptus oil 1, lysol 4, poisonous herbs 3, narcotic (*kind not stated*) 1, putrid water 1.

† Including sulphuric acid 3, carbolic acid 1, caustic soda 1.

‡ " petrol 3.

§ " oil of tar 1, benzol 1, chlorine 1, nitro-benzine 1, naphtha 1, petrol 1, ammonia 1.

‖ " at breast 3.

ENGLAND AND WALES.—DEATHS from ACCIDENT, ETC., at DIFFERENT PERIODS of LIFE in the YEAR 1915—MALES—*continued.*

International List No.	Cause or Character of Violence.	All Ages.	Ages at Death. Under 1 Month.	Months. 1—	3—	6—	1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
171	INJURY BY CUTTING OR PIERCING INSTRUMENTS.	31	1	—	—	1	1	1	1	1	4	2	2	1	—	1	3	1	3	3	1	1	1	1	1	—	—
172	INJURY BY FALLS:—																										
	Diving	5	—	—	—	—	—	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	—	—	—	—	—
	From window	95	—	—	—	—	3	2	3	4	4	4	3	5	14	4	9	11	4	6	5	3	4	5	2	—	—
	Down stairs	385	—	1	1	2	3	4	3	—	5	1	2	1	6	9	19	29	40	41	37	43	33	33	37	17	18
	In room	62	—	2	1	3	5	3	1	—	—	—	—	—	—	—	1	3	—	2	1	2	3	7	14	7	7
	Down lift well	15	—	—	—	—	—	—	—	—	—	—	4	—	2	2	—	1	—	2	2	2	—	—	—	—	—
	From horse	80	—	—	—	—	—	—	—	—	—	4	12	16	13	8	7	4	4	4	2	2	3	1	—	—	—
	Falls in ships and docks, &c.:—																										
	From rigging	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	Into hold	86	—	—	—	—	—	—	—	—	—	1	9	6	13	11	8	7	9	6	7	7	1	1	—	—	—
	Into dock	32	—	—	—	—	—	—	—	—	—	—	2	3	—	1	3	5	2	5	6	2	1	2	—	—	—
	Otherwise (*or not stated*)	70	—	—	—	—	—	—	—	—	—	2	5	4	3	8	4	6	7	8	18	5	—	—	—	—	—
	Falls in building operations:—																										
	From roof, scaffold	182	—	—	—	—	—	—	—	—	—	1	5	4	11	11	19	13	18	33	25	21	17	2	2	—	—
	Otherwise (*or not stated*)*	1,103	—	—	—	4	22	13	12	8	47	46	35	24	36	33	54	67	69	55	79	84	91	89	86	86	63
173	INJURY IN MINES AND QUARRIES:—																										
	(a) *Coal mines:—*																										
	Fall of coal, stone, &c....	597	—	—	—	—	—	—	—	—	—	13	52	51	57	70	68	81	64	58	40	22	17	4	—	—	—
	Crushing	61	—	—	—	—	—	—	—	—	—	8	9	9	5	4	4	6	4	3	4	3	1	1	—	—	—
	Fall in pit or shaft	36	—	—	—	—	—	—	—	—	—	1	8	1	5	3	5	6	2	2	1	1	—	1	—	—	—
	Fall (*not otherwise described*)... ...	6	—	—	—	—	—	—	—	—	—	1	1	—	—	—	2	—	—	—	1	1	—	—	—	—	—
	Machinery	45	—	—	—	—	—	—	—	—	—	6	4	6	4	2	11	6	4	2	—	—	—	—	—	—	—
	Wagon, tram, &c.	84	—	—	—	—	—	—	—	—	—	3	17	7	8	6	6	8	6	7	7	3	3	2	1	—	—
	Tub	112	—	—	—	—	—	—	—	—	—	10	53	10	8	5	1	6	4	4	3	6	2	—	—	—	—
	Blasting...	20	—	—	—	—	—	—	—	—	—	—	1	1	2	4	2	3	3	—	3	1	—	—	—	—	—
	Blow	10	—	—	—	—	—	—	—	—	—	—	3	1	1	1	2	—	—	—	—	—	2	—	—	—	—
	Explosion of gas	18	—	—	—	—	—	—	—	—	—	—	1	1	2	4	1	2	1	2	3	1	—	—	—	—	—
	Explosion (*not otherwise described*) ...	6	—	—	—	—	—	—	—	—	—	—	1	1	—	2	1	1	—	—	—	—	—	—	—	—	—
	Horse	4	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	Carbon monoxide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	Fumes (*not otherwise described*) ...	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Drowning	4	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	1	—	—	—	—	—	—	—
	Electric shock	9	—	—	—	—	—	—	—	—	—	—	—	1	4	1	—	—	1	—	2	—	—	—	—	—	—
	Fire in pit	28	—	—	—	—	—	—	—	—	—	2	1	4	1	6	4	5	3	—	1	—	1	—	—	—	—
	Strain	5	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	—	—	—	1	—	—	—	—
	Rope breaking	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	—	—	—	1	1	—	—	—	—
	Otherwise (*or not stated how*)† ...	31	—	—	—	—	—	—	—	—	—	2	3	1	4	3	3	3	4	1	6	1	—	—	—	—	—
	(b) *Other mines*:—																										
	Fall of stone, wood, &c.	18	—	—	—	—	—	—	—	—	—	—	—	1	2	3	6	1	1	3	1	—	—	—	—	—	—
	Otherwise (*or not stated how*)‡ ...	14	—	—	—	—	—	—	—	—	—	1	2	1	2	1	2	—	1	2	1	1	—	—	—	—	—
	(c) *Quarries*:—																										
	Fall of stone, slate, &c.	18	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	2	3	3	3	4	—	—	—	—	—
	Fall	9	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	1	2	1	1	—	—	—	—	—
	Machinery	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	Wagon, tram	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1	—	—	—	—	—
	Blasting	12	—	—	—	—	—	—	—	—	—	—	—	—	2	3	1	1	2	—	—	3	—	—	—	—	—
	Otherwise (*or not stated how*) ...	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
174	INJURY BY MACHINES:—																										
	In metal works	47	—	—	—	—	—	—	—	—	—	—	12	5	5	1	3	4	7	4	2	2	2	—	—	—	—
	In textile factories	15	—	—	—	—	—	—	—	—	—	4	3	1	1	2	—	1	—	2	—	1	—	—	—	—	—
	In other factories	6	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	1	—	1	—	—	—	—	—	—	—
	Agricultural machinery	24	—	—	—	—	—	—	1	1	4	3	3	1	—	—	2	1	1	2	2	3	—	—	—	—	—
	Lift	39	—	—	—	—	—	—	—	—	1	5	8	6	3	2	2	—	5	4	1	1	1	—	—	—	—
	In ships, boats, docks§	24	—	—	—	—	—	—	—	1	—	—	3	3	4	—	4	3	3	1	2	—	—	—	—	—	—
	In building operations	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	Other machinery‖...	174	—	—	—	—	—	—	—	1	1	11	31	17	9	19	14	15	20	9	12	6	6	2	1	—	—
175	INJURY BY OTHER CRUSHING (VEHICLES, RAILWAYS, LANDSLIDES, &C.).																										
	(a) *Railways*:—																										
	Run over on line	601	—	—	—	—	1	2	—	1	16	16	44	40	52	61	43	59	64	65	43	46	29	11	5	1	2
	Collision...	47	—	—	—	—	—	—	—	—	—	—	12	9	4	4	6	3	4	2	3	—	—	—	—	—	—
	Fall from carriage or engine	66	—	—	—	—	—	—	—	—	3	—	4	4	5	9	13	4	5	10	4	3	1	—	1	—	—
	Falls (*not otherwise described*) ...	14	—	—	—	—	—	—	—	—	—	—	2	—	2	—	2	3	—	3	1	—	—	1	—	—	—
	Crushing by carriage or engine ...	127	—	—	—	—	—	—	—	—	1	7	20	10	10	6	12	19	10	8	15	6	3	—	—	—	—
	Striking against bridge	10	—	—	—	—	—	—	—	—	—	—	1	2	—	1	2	2	1	—	—	—	1	—	—	—	—
	Fall of heavy substance	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—	—	1	—	—	—	—	—

* Including 36 aged 65 years and upwards from fracture of leg.
† " carbon dioxide 2, burns 1.
‡ " blasting 4, fall in shaft 2.
§ " lift 2, boiler explosion 1.
‖ " electrical machinery 3, explosion of cylinder 2.

ENGLAND AND WALES.—DEATHS from ACCIDENT, ETC., at DIFFERENT PERIODS of LIFE in the YEAR 1915—MALES—*continued.*

International List No.	Cause or Character of Violence.	Ages at Death. All Ages.	Under 1 Month.	Months. 1—	3—	6—	1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
175	INJURY BY OTHER CRUSHING (VEHICLES, RAILWAYS, LANDSLIDES, &C.)—*cont.*																										
	(a) *Railways*—cont.																										
	Derailment of carriage	6	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	—	1	—	—	1	—	—	—	—
	Machinery	6	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	2	1	—	—	—	—
	Otherwise	12	—	—	—	—	—	—	—	—	3	—	—	—	1	2	1	1	—	1	1	1	1	—	—	—	—
	(b) *Other vehicles mechanically propelled* :—																										
	Electric tramcar	49	1	—	—	—	—	1	1	—	6	2	2	—	3	4	4	1	4	6	5	2	1	2	—	1	3
	Motor car	503	—	—	—	1	1	13	20	19	105	39	19	19	21	27	27	26	21	25	24	28	25	23	13	7	—
	Motor cab	106	—	—	1	—	—	—	1	2	19	10	2	2	4	5	5	5	6	9	7	11	8	4	4	—	1
	Motor omnibus...	159	—	—	—	—	—	3	3	4	26	14	6	3	10	9	14	10	13	8	5	12	6	8	—	3	2
	Motor char-a-banc	10	—	—	—	—	1	—	—	—	1	—	—	—	3	—	—	—	3	—	—	—	—	2	—	—	—
	Motor van, &c.	269	—	—	—	—	2	3	5	7	53	40	24	13	11	13	22	11	8	14	12	10	7	6	3	3	2
	Motor cycle	191	—	—	—	—	—	—	1	2	6	1	21	28	29	20	20	12	11	11	5	2	7	3	7	3	2
	Steam wagon, &c.	43	—	—	—	—	—	—	1	1	9	7	4	2	3	1	4	4	2	3	1	—	1	—	—	—	—
	Traction engine	48	—	—	—	—	—	—	—	—	7	8	5	—	2	1	4	6	4	2	6	—	2	1	—	—	—
	Aeroplane	30	—	—	—	—	—	—	—	—	—	—	3	13	8	3	2	—	1	—	—	—	—	—	—	—	—
	Motor vehicle (*others or undefined*)*	31	—	—	—	—	—	—	—	1	6	4	3	—	3	2	3	1	1	—	2	2	—	—	2	1	—
	(c) *Horse-drawn vehicles and horses* :—																										
	Dogcart, trap	49	—	—	—	—	—	—	—	—	4	2	—	1	1	2	2	3	5	4	3	7	3	4	5	2	1
	Cab	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
	Van, wagon	103	—	—	—	—	2	3	1	4	12	5	3	6	3	5	3	7	13	10	4	3	9	4	3	2	1
	Cart	223	—	—	—	—	6	5	3	5	17	20	20	6	6	12	14	7	12	15	18	20	12	12	7	5	1
	Carriage...	5	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—
	Dray	14	—	—	—	—	2	—	1	1	3	—	—	—	—	1	—	—	1	2	1	—	1	1	—	—	—
	Roller	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
	Gun carriage	7	—	—	—	—	—	—	—	—	—	—	2	2	3	—	—	—	—	—	—	—	—	—	—	—	—
	Horses	17	—	—	—	—	—	—	—	—	—	2	1	4	3	1	—	—	3	—	—	—	—	1	2	—	—
	(d) *Other and undefined vehicles* :—																										
	Omnibus	12	—	—	—	—	—	—	—	—	3	—	1	1	—	—	—	—	—	4	2	1	—	—	—	—	—
	Tramcar...	130	—	—	—	—	2	—	3	2	9	2	2	2	2	4	8	8	9	18	12	17	11	8	5	2	4
	Cab	11	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	2	1	—	1	1	1	1	—	1	—
	Van, wagon	219	—	—	—	—	1	4	7	3	23	21	11	5	5	14	22	14	16	22	15	17	7	7	2	1	2
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	Dray	19	—	—	—	—	1	—	1	1	2	1	—	—	—	—	1	2	4	2	1	—	2	1	—	—	—
	Trolley	12	—	—	—	—	—	—	—	—	—	—	3	2	—	1	—	2	1	1	1	—	—	—	1	—	—
	Bicycle, tricycle	170	—	—	—	—	—	—	—	—	1	13	19	18	22	11	15	14	6	10	8	11	7	10	2	2	1
	Others (*or kind not stated*)†	11	—	—	1	—	2	1	—	—	—	—	—	—	—	1	3	—	1	1	—	—	1	—	—	—	—
	(e) *Other crushing* :—																										
	Fall of heavy substance—																										
	In ships and boats	42	—	—	—	—	—	—	—	—	—	1	1	3	2	6	3	4	7	7	6	2	—	—	—	—	—
	In building operations	25	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	2	6	2	7	2	2	—	—	—	—
	In excavations	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—
	Others (*not stated how*)	202	—	—	—	—	2	1	—	5	12	7	7	8	8	18	23	19	29	15	16	21	6	3	2	—	—
	Other crushings (*not stated how*)—																										
	In ships and boats‡	17	—	—	—	—	—	—	—	—	—	—	—	1	—	1	6	—	4	3	1	1	—	—	—	—	—
	Others...	43	—	—	—	—	—	—	—	—	5	7	3	4	—	3	2	4	1	2	3	2	2	2	1	2	—
176	INJURY BY ANIMALS :—																										
	By horse	88	—	—	—	—	1	2	—	1	9	6	10	8	2	4	5	7	7	7	6	6	3	3	1	—	—
	By mule	9	—	—	—	—	—	—	—	—	—	—	3	2	1	2	—	1	—	—	—	—	—	—	—	—	—
	By bull or cow	7	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	3	—	1	—	—	—
	By dog	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
177	STARVATION...	25	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	3	1	1	2	3	5	2	3	1	1
178	EXCESSIVE COLD :—																										
	Frostbite	13	—	—	—	—	—	—	—	—	—	—	2	7	1	1	1	1	—	—	—	—	—	—	—	—	—
	Exposure to cold...	98	—	—	—	1	—	—	—	1	—	1	1	1	2	3	6	5	10	17	4	8	8	15	13	1	1
179	EFFECTS OF HEAT...	50	—	—	—	1	2	—	4	2	5	2	1	—	1	3	4	3	2	1	4	4	3	4	3	1	—
180	LIGHTNING	20	—	—	—	—	—	—	—	—	—	—	3	5	4	1	2	—	1	1	1	—	1	1	—	—	—
181	ELECTRICITY :—																										
	In ships, boats, docks	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise	28	—	—	—	—	—	—	—	—	2	3	4	5	3	6	4	—	—	—	1	—	—	—	—	—	—
185	FRACTURES (cause not specified)... ..	67	3	—	—	—	1	—	—	—	—	—	3	2	7	6	7	6	2	7	7	2	6	3	1	4	—

* Including motor transport 2, motor ambulance 2.
† " wagonette 3, carriage 2, perambulator 4.
‡ " collision 2.

ENGLAND AND WALES.—DEATHS from ACCIDENT, ETC., at DIFFERENT PERIODS of LIFE in the YEAR 1915—MALES—*continued.*

International List No.	Cause or Character of Violence.	All Ages.	Ages at Death. Under 1 month.	Months. 1—	3—	6—	1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
186	OTHER VIOLENCE :—																										
	Swallowing foreign body	42	1	—	—	3	5	3	1	1	2	2	1	3	2	2	4	1	2	3	2	3	—	—	—	1	—
	Suffocation by food	118	7	11	15	10	9	3	2	—	2	1	—	2	3	1	6	5	6	5	6	9	7	1	5	—	2
	Blow—																										
	In ships, &c.	5	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	1	—	—	—	—	—	—	—
	Otherwise	72	—	—	—	—	—	1	—	1	12	13	1	2	4	3	3	7	6	4	4	5	4	2	—	—	—
	Fighting, wrestling	7	—	—	—	—	—	—	—	—	—	1	—	3	1	—	—	—	—	1	—	—	1	—	—	—	—
	Football	6	—	—	—	—	—	—	—	—	—	—	4	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	Cricket	4	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Strangulation	13	1	—	—	—	1	1	—	—	2	3	3	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	Explosions—																										
	In ships, &c.	204	—	—	—	—	—	—	—	—	—	—	22	39	51	45	25	13	8	—	—	1	—	—	—	—	—
	Shell	13	—	—	—	—	—	—	—	—	—	—	2	5	2	—	—	—	2	1	—	1	—	—	—	—	—
	Bomb	14	—	—	—	—	—	—	—	—	—	—	2	4	5	1	2	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)* ...	25	—	—	—	—	—	—	1	—	—	—	2	3	3	2	3	3	—	2	1	1	4	—	—	—	—
	Exposure	5	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	1	—	—	—	1	—
	Strain	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—
	Other accidents (*not stated how*)—																										
	In ships and boats	6	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	2	—	—	—	—
	In building operations	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Others	43	1	—	—	2	—	—	—	—	3	1	—	4	5	5	1	3	3	4	5	2	—	2	1	—	1
	Violence (*cause or kind not stated*) ...	81	1	1	—	1	3	—	3	1	6	3	5	2	4	6	5	10	8	7	4	4	6	—	—	1	—
	Battle, air raids, &c.	2,115	—	—	—	—	—	—	2	—	2	9	218	699	483	334	198	94	32	19	15	4	4	2	—	—	—
	Execution	8	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	2	1	—	1	—	—	—	—	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

* Including guncotton 4, acetylene 2, gunpowder 4, benzol 2, cordite 4, in colour grinding mill 4.

ENGLAND AND WALES.—DEATHS from ACCIDENT, NEGLIGENCE and BATTLE at DIFFERENT PERIODS of LIFE in the YEAR 1915.—FEMALES.

(Note.—*Deaths in cases where "Open Verdicts" are recorded at inquests, are included under* "Accidents".)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	TOTAL	5,176	163	214	121	107	228	206	186	187	492	165	164	109	115	110	144	165	194	213	229	242	260	320	338	245	259
164	POISONING BY FOOD :—																										
	Ptomaine	34	—	—	—	—	—	1	—	—	1	1	3	3	4	2	—	7	1	1	5	—	1	2	2	—	—
	Food poisoning	5	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—
165	OTHER ACUTE POISONINGS :—																										
	Carbolic acid	7	—	—	—	—	—	1	1	1	—	—	—	—	—	1	—	1	—	1	—	—	1	—	—	—	—
	Oxalic acid	7	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	1	1	2	—	—	—	—	—	—	—
	Opium, morphia, laudanum	6	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	1	—	—	—	—
	Veronal	8	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	2	—	1	—	—	—	—	—
	Sting of insect	6	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—
	Other poisons (*or kind not stated*)* ...	45	—	—	—	—	5	4	2	1	—	1	3	1	4	3	3	4	4	1	6	1	—	1	—	1	—
166	CONFLAGRATIONS	34	—	—	—	—	1	1	2	3	4	—	1	1	2	—	—	—	2	3	5	3	1	2	1	1	1
167	BURNS (CONFLAGRATION EXCEPTED) :—																										
	By lamp accident...	21	—	—	1	—	—	—	—	—	—	—	1	—	—	1	1	—	1	—	2	5	2	4	2	—	1
	By flannelette clothes	101	—	—	—	1	6	9	10	13	31	6	1	1	2	—	—	1	—	2	2	2	—	6	5	1	2
	By clothes (*not otherwise described*) ...	474	—	—	1	4	23	29	44	37	110	30	29	13	7	7	5	6	12	15	11	20	12	17	22	9	11
	Playing with fire, matches, &c.	16	—	—	—	2	2	4	2	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	At unguarded grate	13	—	—	—	—	2	1	—	3	3	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	1
	By fall into fire	22	—	—	—	2	1	1	—	1	1	—	—	—	—	—	1	1	—	—	3	—	2	4	1	3	1
	Otherwise (*or not stated how*)†	545	—	1	3	13	35	34	37	48	119	30	24	12	9	10	8	9	12	11	18	16	21	27	23	13	12
	Scalds :—																										
	By drinking hot liquids	7	—	—	—	—	2	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)‡ ...	225	2	—	3	16	78	45	17	18	15	9	—	1	—	1	4	1	4	2	—	2	1	3	1	1	1

* Including ammonia 2, caustic soda 1, hydrochloric acid 3, acetic acid 1, strychnia 3, cyanide of potassium 2, iodine 2, belladonna 3, whisky 2, chloral 1, potassium bromide 1, potassium oxalate 1, lead (plaster) 1, Easton's syrup 1, creosote 1, cresylic acid 1, cresoline 1, hyoscyamus 1, sulphonal 1, quinine 1, ivy berries 1, colza oil 1, oil of gaultheria 1, insecticide 1, alcohol and opium 1, morphia and veronal 1, aconite, belladonna and camphor 1, alcohol, belladonna and chloroform 1, corrosive (*kind not stated*), 2.

† Including carbolic acid 2, petrol 3, turpentine 2.

‡ „ steam 1.

ENGLAND WALES.—DEATHS from ACCIDENT, ETC., at DIFFERENT PERIODS of LIFE, in the YEAR 1915.—FEMALES—*continued.*

International List No.	Cause or Character of Accident.	Ages at Death. All Ages.	Under 1 Month.	Months. 1—	3—	6—	1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
168	ABSORPTION OF DELETERIOUS GASES :—																										
	By suffocation in bed	464	134	179	96	39	5	—	—	—	—	—	—	—	1	—	—	1	1	1	2	1	2	1	—	1	—
	By coal gas...	39	—	—	—	—	—	1	—	—	3	1	—	1	—	2	2	1	—	1	6	5	6	5	2	2	1
	Otherwise (*or not stated how*)*	53	13	8	4	—	1	—	—	1	3	—	—	—	2	2	2	1	5	2	4	—	2	1	1	1	—
169	ACCIDENTAL DROWNING :—																										
	Bathing	8	—	—	—	—	—	—	—	—	—	—	1	2	3	1	1	—	—	—	—	—	—	—	—	—	—
	Boat upset, fall overboard	5	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—
	Ice breaking	11	—	—	—	—	—	—	—	—	1	2	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)†	171	—	2	—	1	18	16	10	9	29	12	13	5	3	5	9	9	9	3	6	4	4	3	1	—	—
	"Found" (*open verdict*)...	279	6	2	—	—	1	1	—	—	3	5	24	17	26	20	25	27	35	31	19	22	8	2	4	—	1
170	INJURY BY FIREARMS	18	—	—	—	—	—	—	1	—	3	1	2	2	4	1	1	—	1	1	1	—	—	—	—	—	—
171	INJURY BY CUTTING OR PIERCING INSTRUMENTS.	8	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	3	1	1	—	—	—	—	—	—	—
172	INJURY BY FALL :—																										
	From window	51	—	—	1	1	2	1	—	2	1	3	2	2	1	3	3	4	2	3	4	—	3	5	2	2	4
	Downstairs...	452	—	—	—	1	3	1	2	1	4	3	2	—	1	4	9	18	31	40	33	36	53	68	60	46	36
	In room	165	—	—	1	5	3	1	1	—	1	—	—	—	1	—	3	—	2	1	5	6	13	17	29	38	38
	Otherwise (*or not stated*)‡	777	—	—	—	4	7	7	8	13	23	4	5	4	3	3	18	13	17	26	32	41	52	104	141	109	143
174	INJURY BY MACHINES§	9	—	—	—	—	—	—	—	—	1	1	2	—	—	—	1	1	1	—	1	1	—	—	—	—	—
175	INJURY BY OTHER CRUSHING (VEHICLES, RAILWAYS, LANDSLIDES, &C.) :—																										
	(*a*) *Railways* :—																										
	Run over on line	42	—	—	—	—	—	1	—	—	4	1	7	4	6	1	3	3	1	3	2	2	3	—	1	—	—
	Fall from carriage or engine	6	—	—	—	—	—	—	1	—	1	—	2	—	—	1	—	—	—	—	—	—	1	—	—	—	—
	Coupling rod detached	6	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	2	1	—	—	—	—	—
	Otherwise‖	11	—	—	—	—	—	—	—	—	1	—	—	1	1	1	—	4	—	2	—	—	—	—	1	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
(*b*) *Other vehicles mechanically propelled*:—																										
Electric tramcar	19	—	—	—	—	—	3	—	—	2	—	—	—	1	—	—	1	3	2	2	2	2	—	1	—	—
Motor car	209	—	—	—	—	—	5	8	11	41	14	7	7	4	4	11	7	14	11	13	16	16	10	7	2	1
Motor cab	41	—	—	—	—	—	—	1	1	6	4	1	1	—	2	3	—	3	3	3	3	5	2	3	—	—
Motor omnibus	57	—	—	—	—	—	—	2	—	10	2	5	2	4	2	3	5	4	4	—	7	3	1	2	1	—
Motor charabanc	6	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	2	1	—	—	—	—
Motor van, &c.	59	—	—	—	—	1	6	1	4	17	6	2	1	—	2	2	1	3	—	3	1	3	2	4	—	—
Motor cycle	27	—	—	—	—	—	1	1	—	—	1	1	2	1	1	—	3	5	1	—	5	1	4	—	—	—
Steam wagon, &c.	10	—	—	—	—	—	—	—	1	2	1	1	—	2	1	—	—	1	1	—	—	—	—	—	—	—
Motor vehicles (*other or undefined*)¶	20	—	—	—	—	1	—	—	3	3	2	—	1	1	1	—	—	1	1	1	1	2	1	1	—	—
(*c*) *Horse drawn vehicles and horses*:—																										
Dog cart, trap	9	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	1	—	—	1	1	1	1	1	—	—
Van, wagon	23	—	—	—	—	2	2	—	2	4	1	—	—	1	—	1	1	—	—	3	—	2	3	1	—	—
Cart	37	—	—	—	—	7	6	5	—	7	—	1	—	—	—	—	1	1	—	2	1	3	3	—	—	—
Dray	6	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Others**	15	—	—	—	—	1	1	2	—	1	1	1	1	—	1	—	1	1	1	—	—	1	1	1	—	—
Horses	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
(*d*) *Other and undefined vehicles*:—																										
Tramcar	56	—	—	—	—	2	3	2	2	3	1	—	1	2	—	1	4	1	6	8	9	5	1	3	2	—
Van, wagon	20	—	—	—	—	2	2	1	—	1	3	1	1	—	1	1	—	—	1	—	1	1	3	—	—	1
Dray	5	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Lorry	6	—	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Bicycle, tricycle	43	—	—	—	—	—	—	—	1	1	1	—	7	3	4	2	1	1	2	3	4	6	3	2	2	—
Others (*or kind not stated*)†† ...	15	—	1	—	—	2	1	—	1	1	—	—	—	1	—	1	1	—	—	3	1	1	—	—	—	1
By fall of buildings	9	—	—	—	—	—	—	2	—	—	2	1	—	1	—	—	1	—	1	1	—	—	—	—	—	—
By fall of heavy substance	13	—	—	—	—	—	2	2	—	3	1	1	—	1	—	—	—	—	1	1	—	—	—	1	—	—
Otherwise	4	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—

* Including carbon monoxide 2.
† „ collision 3, shipwreck 2, jumped overboard in panic 2, in bath 4.
‡ „ 99 aged 65 years and upwards from fracture of leg.
§ „ textile machinery 2, lift 3.
‖ „ crushing by carriage or engine 4, collision 2, entering or leaving train in motion 2, fall (*not stated*) 2.
¶ „ traction engine 4, motor ambulance 4, auto carrier 3, motor fire engine 1, motor chassis 2.
** „ carriage 2, governess cart 2, trolley 2, tramcar 1, brake 1, omnibus 1, donkey cart 1.
†† „ carriage 1, landau 1, trolley 2, hand cart 2, perambulator 4, car 1.

ENGLAND WALES.—DEATHS from ACCIDENT, ETC., AT DIFFERENT PERIODS of LIFE, in the YEAR 1915.—FEMALES—*continued.*

International List No.	Cause or Character of Accident.	Ages at Death.																								
		All Ages.	Under 1 Month.	Months. 1—	3—	6—	1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	—80	85 and upwards.
176	INJURY BY ANIMALS :—																										
	By horse	7	—	—	—	—	1	—	—	—	1	3	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	By cow	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
177	STARVATION	13	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	1	—	2	1	2	—	2	—	1
178	EXCESSIVE COLD :—																										
	Exposure to cold	21	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	4	—	—	2	4	4	3	1	—	—
179	EFFECTS OF HEAT...	19	1	—	1	—	1	2	2	—	2	2	—	—	—	1	—	1	—	2	1	2	—	—	—	1	—
180	LIGHTNING	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
185	FRACTURES (*cause not specified*)	23	2	—	1	—	—	—	—	—	—	—	—	1	—	2	1	1	2	3	—	—	1	—	3	5	1
186	OTHER VIOLENCE :—																										
	Swallowing foreign body	20	—	1	—	1	1	1	1	3	1	—	2	2	—	—	1	—	—	3	—	2	—	1	—	—	—
	Suffocation by food	55	4	18	7	6	4	—	1	1	1	1	—	—	—	1	—	1	1	—	2	2	3	1	1	—	—
	Blow	16	—	1	—	1	1	—	—	1	3	1	—	—	—	2	2	1	—	3	—	—	—	—	—	—	—
	Explosions...	7	—	—	—	—	—	—	—	—	2	—	1	2	—	—	—	—	—	1	—	—	1	—	—	—	—
	Other forms of accident	24	—	1	—	5	3	1	2	1	—	2	—	—	—	1	2	—	—	—	—	—	2	1	2	1	—
	Violence (*cause not stated*)	17	1	—	—	—	1	—	2	1	1	1	—	1	—	1	—	1	1	3	—	1	—	—	—	1	1
	Air raids, &c.	89	—	—	—	2	—	3	6	1	7	3	9	5	9	7	7	6	5	5	4	2	4	4	—	—	—

England and Wales.—Deaths from Suicide at Different Periods of Life in the Year 1915.—Males.

International List No.	Method of Suicide.	All Ages.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
		Ages at Death.																	
	Total ...	2,029	—	4	33	103	111	163	202	234	214	219	232	214	139	90	48	17	6
155	By Poison—																		
	Ammonia ...	9	—	—	1	—	—	2	1	3	—	—	1	—	—	1	—	—	—
	Hydrochloric acid ...	18	—	—	1	2	1	—	—	3	1	8	1	—	—	1	—	—	—
	Potassium cyanide ...	17	—	—	—	1	—	1	—	3	1	2	4	3	1	1	—	—	—
	Prussic acid ...	15	—	—	—	1	—	1	3	2	4	—	2	1	—	1	—	—	—
	Oxalic acid ...	14	—	—	—	2	—	2	2	1	—	2	1	2	2	—	—	—	—
	Carbolic acid ...	17	—	—	—	—	—	3	2	—	3	—	3	2	1	3	—	—	—
	Opium, laudanum, morphia ...	19	—	—	—	1	3	1	2	1	3	1	2	3	1	—	1	—	—
	Belladonna ...	6	—	—	—	—	—	2	—	—	1	—	2	1	—	—	—	—	—
	Veronal ...	5	—	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—	—
	Others (*or kind not stated*)* ...	36	—	1	—	1	4	1	4	3	4	5	5	3	2	—	3	—	—
156	By Asphyxia—																		
	By coal gas ...	83	—	—	—	4	7	5	9	5	12	15	6	12	6	1	1	—	—
	By carbon monoxide ...	8	—	—	1	—	—	—	1	1	—	1	2	1	1	—	—	—	—
	Others (*or kind not stated*)† ...	15	—	—	—	1	1	2	2	1	3	1	1	2	—	1	—	—	—
157	By Hanging or Strangulation ...	517	—	—	9	13	22	31	34	50	53	69	70	76	38	29	17	6	—
158	By Drowning ...	371	—	1	4	16	15	23	29	51	34	43	57	34	35	16	7	5	1
159	By Firearms ...	241	—	1	9	31	20	16	29	24	31	22	12	25	11	8	1	1	—
160	By Cutting or Piercing Instruments ...	455	—	—	3	18	26	53	63	61	41	36	43	33	29	25	15	4	5
161	By Jumping from High Places ...	76	—	—	1	4	3	9	8	6	8	6	11	8	9	1	1	1	—
162	By Crushing—																		
	On railways ...	91	—	1	4	7	8	11	10	17	12	4	7	6	1	1	2	—	—
	Other vehicles ...	7	—	—	—	1	—	—	1	1	1	1	—	1	1	—	—	—	—
163	Other Suicides‡ ...	9	—	—	—	—	1	—	1	1	—	2	1	1	1	1	—	—	—

* Including arsenic 1, sulphuric acid 3, nitric acid 1, nicotine 2, sulphonal 1, corrosive sublimate 4, narcotic 1, trional 1, strychnia 1, methylated spirit 1, vermin destroyer 2, belladonna and oxalic acid 1, cantharis 1.

† " ammonia gas 1, carbonic gas 1, illuminating gas 2, gas (*kind not stated*) 1, handkerchief in mouth 1.

‡ " explosion 2, striking head against wall 1, jumping into sulphuric acid 1.

England and Wales.—Deaths from Suicide at Different Periods of Life in the Year 1915.—Females.

International List No.	Method of Suicide.	Ages at Death. All Ages.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
	TOTAL ...	937	—	4	63	68	56	75	107	101	129	85	83	73	43	32	14	4	—
155	BY POISON :—																		
	Ammonia	11	—	—	2	1	—	1	2	1	—	2	—	—	—	1	1	—	—
	Hydrochloric acid	29	—	—	3	1	2	4	3	6	3	2	2	3	—	—	—	—	—
	Potassium cyanide	5	—	—	2	—	—	—	1	1	1	—	—	—	—	—	—	—	—
	Oxalic acid	24	—	—	—	3	1	3	2	4	3	3	3	1	1	—	—	—	—
	Carbolic acid	33	—	—	5	3	1	4	2	3	4	6	1	1	1	2	—	—	—
	Opium, laudanum, morphia	11	—	—	—	—	2	1	2	1	—	—	3	1	—	—	1	—	—
	Strychnine	5	—	—	2	2	—	—	—	—	—	—	—	—	—	1	—	—	—
	Others (*or kind not stated*) *	50	—	—	1	8	4	9	4	4	6	4	2	5	2	—	1	—	—
156	BY ASPHYXIA :—																		
	By coal gas	51	—	—	3	—	3	1	10	4	13	3	5	3	3	2	1	—	—
	Others†	8	—	—	—	—	1	1	3	—	—	—	1	2	—	—	—	—	—
157	BY HANGING or STRANGULATION	182	—	—	2	7	8	13	12	25	25	17	25	25	11	9	3	—	—
158	BY DROWNING	336	—	4	36	31	17	26	39	32	45	37	26	19	14	6	2	2	—
159	BY FIREARMS	11	—	—	1	—	1	1	1	3	—	—	1	1	—	2	—	—	—
160	BY CUTTING or PIERCING INSTRUMENTS	89	—	—	1	1	8	8	10	7	17	8	7	7	6	4	3	2	—
161	BY JUMPING from HIGH PLACES	52	—	—	1	1	4	3	9	3	10	3	5	4	3	5	1	—	—
162	BY CRUSHING :—																		
	On railways	31	—	—	4	9	2	—	5	4	2	—	2	1	2	—	—	—	—
163	OTHER SUICIDES :—																		
	Burns	5	—	—	—	1	1	—	—	2	—	—	—	—	—	—	1	—	—
	Scalds	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—

* Including arsenic 2, nitric acid 2, prussic acid 2, copper sulphate 1, corrosive sublimate 2, potassium oxalate 2, phosphorus 2, veronal 2, chloral 1, quinine 1, nicotine 1, thyro cresol 1, hypnotic (*kind not stated*) 1, alcohol 1, methylated spirit 1, chloroform 1, belladonna liniment 1, aconite and belladonna liniment 1, turpentine liniment 1, white lead lotion 1, embrocation 1, camphorated oil 1, lysol 3, Izal 1, Jeyes' fluid 1, corrosive (*kind not stated*) 2.

† " carbon monoxide 2, chloroform 1, gas (*kind not stated*) 5.

England and Wales.—Deaths from Murder at different Periods of Life, in the Year 1915.

International List No.	Method of Murder.	Ages at Death. All Ages.	0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
	MALES.																										
	Total	64	32	—	5	4	2	2	—	45	1	—	1	4	1	2	3	2	2	—	1	1	1	—	—	—	—
182	By Firearms	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—	—	—	—
183	By Cutting or Piercing Instruments	20	3	—	4	2	1	1	—	11	—	—	—	2	1	1	2	1	2	—	—	—	—	—	—	—	—
184	By other means—																										
	Burns	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	7	3	—	1	1	—	1	—	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	11	11	—	—	—	—	—	—	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suffocation (*otherwise or not stated how*)	5	5	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow, kick	4	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—
	Murder (*not otherwise described*) ...	12	10	—	—	—	1	—	—	11	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	FEMALES.																										
	Total	97	26	1	2	3	1	1	—	34	3	1	3	8	12	12	7	8	4	1	2	1	—	—	—	1	—
182	By Firearms	7	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	3	—	—	—	1	—	—	—	—	—
183	By Cutting or Piercing Instruments	29	3	—	1	—	—	—	—	4	—	1	1	5	4	6	2	3	3	—	—	—	—	—	—	—	—
184	By other means—																										
	Coal gas	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor vehicles	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
	Drowning	7	—	1	1	3	—	1	—	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suffocation	4	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Burns	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Exposure	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—
	Gag in mouth	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	13	10	—	—	—	1	—	—	11	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	Attempt to procure abortion :—																										
	By operation	12	—	—	—	—	—	—	—	—	—	—	2	3	4	2	1	—	—	—	—	—	—	—	—	—	—
	Not stated how	3	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
	Thrown down stairs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Fracture	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Murder (*not otherwise described*) ...	8	4	—	—	—	—	—	—	4	—	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—

ENGLAND AND WALES.—DEATHS from MANSLAUGHTER AND JUSTIFIABLE HOMICIDE at DIFFERENT PERIODS of LIFE, in the YEAR 1915.

International List No.	Method of Manslaughter.	All Ages.	0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
										MALES.																	
	TOTAL ...	65	3	—	2	—	1	1	—	7	3	2	2	4	7	3	8	6	6	4	3	4	2	1	2	1	—
182	BY FIREARMS* ...	9	—	—	—	—	—	—	—	—	—	1	—	1	1	1	2	1	—	—	2	—	—	—	—	—	—
183	BY CUTTING OR PIERCING INSTRUMENTS	3	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
184	BY OTHER MEANS :—																										
	Railway collision ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor vehicles ...	8	—	—	—	—	—	1	—	1	2	—	—	—	1	—	2	—	—	1	—	—	1	—	—	—	—
	Other vehicles ...	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
	Burns ...	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Blow, kick ...	21	—	—	—	—	—	—	—	—	—	1	1	2	2	1	3	2	3	1	1	3	—	1	—	—	—
	Thrown down ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	1	—
	Assault ...	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—
	Exposure ...	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Neglect ...	3	1	—	1	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Starvation ...	2	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Manslaughter (*not otherwise described*)...	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	—	1	—	—	—	—	—
	Justifiable homicide (*not otherwise described*).	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
										FEMALES.																	
	TOTAL ...	45	3	1	1	—	—	—	—	5	3	—	2	5	8	8	9	2	1	—	—	—	—	1	1	—	—
183	BY CUTTING OR PIERCING INSTRUMENTS	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
184	BY OTHER MEANS :—																										
	Motor vehicles ...	4	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	Horse vehicles ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Pillow on face ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	Neglect ...	4	1	1	1	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Exposure ...	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Thrown down ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Struggle ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Blow ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Attempt to procure abortion :—																										
	By drugs...	7	—	—	—	—	—	—	—	—	—	—	—	—	1	2	4	—	—	—	—	—	—	—	—	—	—
	By operation ...	16	—	—	—	—	—	—	—	—	—	—	1	1	6	5	2	1	—	—	—	—	—	—	—	—	—
	Not stated how ...	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	Manslaughter (*not otherwise described*) ..	5	1	—	—	—	—	—	—	1	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—

* Including 6 deaths of persons killed by sentries, etc., in the execution of their duties.

WELLCOME
LIBRARY
INSTITUTE